


6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6785MHz_TX

EUT_Y_4TX
Setting 44
02-Z-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.353G	58.87	83.54	-24.67	53.76	1	Horizontal	6	1.62	-	37.50	16.54	48.93			
AV	20.353G	50.04	63.54	-13.50	44.93	1	Horizontal	6	1.62	-	37.50	16.54	48.93			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6865MHz_TX

EUT_Y_4TX
Setting 44
02-Z-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.725G	52.60	88.20	-35.60	43.61	3	Vertical	100	1.91	-	40.85	13.20	45.06			
RMS	13.7298G	44.86	68.20	-23.34	35.86	3	Vertical	100	1.91	-	40.86	13.20	45.06			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6865MHz_TX




EUT Y_4TX
Setting 44
02-Z-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7368G	49.94	88.20	-38.26	40.93	3	Horizontal	48	1.78	-	40.87	13.20	45.06			
RMS	13.7298G	42.09	68.20	-26.11	33.09	3	Horizontal	48	1.78	-	40.86	13.20	45.06			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6865MHz_TX

EUT Y_4TX
Setting 44
02-Z-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.593G	56.77	83.54	-26.77	51.35	1	Vertical	25	1.61	-	37.67	16.65	48.90			
AV	20.5926G	48.63	63.54	-14.91	43.21	1	Vertical	25	1.61	-	37.67	16.65	48.90			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6865MHz_TX

EUT_Y_4TX
Setting 44
02-Z-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.593G	57.05	83.54	-26.49	51.63	1	Horizontal	7	1.50	-	37.67	16.65	48.90			
AV	20.593G	48.52	63.54	-15.02	43.10	1	Horizontal	7	1.50	-	37.67	16.65	48.90			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6945MHz_TX

EUT Y_4TX
Setting 44
02-Z-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.9068G	52.97	88.20	-35.23	43.52	3	Vertical	101	1.94	-	41.30	13.25	45.10			
RMS	13.8898G	45.55	68.20	-22.65	36.14	3	Vertical	101	1.94	-	41.26	13.25	45.10			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6945MHz_TX

EUT Y_4TX
Setting 44
02-Z-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.8896G	49.65	88.20	-38.55	40.24	3	Horizontal	48	1.80	-	41.26	13.25	45.10			
RMS	13.8898G	42.44	68.20	-25.76	33.03	3	Horizontal	48	1.80	-	41.26	13.25	45.10			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6945MHz_TX

EUT_Y_4TX
Setting 44
02-Z-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.833G	55.27	83.54	-28.27	49.81	1	Vertical	65	1.50	-	37.60	16.76	48.90			
AV	20.833G	46.09	63.54	-17.45	40.63	1	Vertical	65	1.50	-	37.60	16.76	48.90			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6945MHz_TX

EUT_Y_4TX
Setting 44
02-Z-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.833G	55.36	83.54	-28.18	49.90	1	Horizontal	245	2.09	-	37.60	16.76	48.90			
AV	20.833G	46.05	63.54	-17.49	40.59	1	Horizontal	245	2.09	-	37.60	16.76	48.90			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 44
05-E-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0234G	107.61	Inf	-Inf	95.93	3	Vertical	307	1.80	-	36.09	9.49	33.90			
AV	7.0238G	97.46	Inf	-Inf	85.77	3	Vertical	307	1.80	-	36.10	9.49	33.90			
PK	7.125G	72.81	88.20	-15.39	60.60	3	Vertical	307	1.80	-	36.55	9.55	33.89			
AV	7.1258G	61.32	68.20	-6.88	49.11	3	Vertical	307	1.80	-	36.55	9.55	33.89			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 44
05-E-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.0218G	114.98	Inf	-Inf	103.30	3	Horizontal	184	1.80	-	36.09	9.49	33.90				
RMS	7.0214G	107.52	Inf	-Inf	95.84	3	Horizontal	184	1.80	-	36.09	9.49	33.90				
PK	7.1282G	77.88	88.20	-10.32	65.65	3	Horizontal	184	1.80	-	36.57	9.55	33.89				
RMS	7.1286G	67.88	68.20	-0.32	55.65	3	Horizontal	184	1.80	-	36.57	9.55	33.89				

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX


7025MHz_TX

EUT Y_4TX
Setting 44
02-Z-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.0498G	52.75	88.20	-35.45	42.84	3	Vertical	92	1.92	-	41.70	13.30	45.09			
RMS	14.0498G	44.15	68.20	-24.05	34.24	3	Vertical	92	1.92	-	41.70	13.30	45.09			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 44
02-Z-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.0496G	51.94	88.20	-36.26	42.03	3	Horizontal	48	1.75	-	41.70	13.30	45.09			
RMS	14.0498G	43.30	68.20	-24.90	33.39	3	Horizontal	48	1.75	-	41.70	13.30	45.09			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX


7025MHz_TX

EUT_Y_4TX
Setting 44
02-Z-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.0952G	45.60	83.54	-37.94	39.88	1	Vertical	143	1.36	-	37.71	16.87	48.86			
AV	21.076G	33.67	63.54	-29.87	27.92	1	Vertical	143	1.36	-	37.75	16.87	48.87			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX


7025MHz_TX

EUT_Y_4TX
Setting 44
02-Z-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.1218G	44.78	83.54	-38.76	39.01	1	Horizontal	340	1.81	-	37.74	16.88	48.85			
AV	21.1558G	33.56	63.54	-29.98	27.73	1	Horizontal	340	1.81	-	37.78	16.89	48.84			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6025MHz_TX

EUT_Y_4TX
Setting 41
05-E-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9135G	68.04	88.20	-20.16	59.05	3	Vertical	1	1.80	-	34.15	8.93	34.09			
RMS	5.9125G	59.97	68.20	-8.23	50.98	3	Vertical	1	1.80	-	34.15	8.93	34.09			
PK	6.0115G	106.71	Inf	-Inf	97.59	3	Vertical	1	1.80	-	34.08	9.04	34.00			
RMS	5.993G	99.02	Inf	-Inf	89.89	3	Vertical	1	1.80	-	34.13	9.02	34.02			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 41
05-E-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.924G	75.90	88.20	-12.30	66.84	3	Horizontal	354	1.80	-	34.20	8.94	34.08			
RMS	5.924G	67.55	68.20	-0.65	58.49	3	Horizontal	354	1.80	-	34.20	8.94	34.08			
PK	6.072G	111.90	Inf	-Inf	102.73	3	Horizontal	354	1.80	-	34.04	9.06	33.93			
RMS	6.032G	103.86	Inf	-Inf	94.76	3	Horizontal	354	1.80	-	34.04	9.04	33.98			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6025MHz_TX

EUT Y_4TX
Setting 44
02-Z-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.064G	61.82	74.00	-12.18	55.96	3	Vertical	147	1.84	-	39.07	12.69	45.90			
AV	12.0602G	52.31	54.00	-1.69	46.45	3	Vertical	147	1.84	-	39.08	12.69	45.91			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6025MHz_TX

EUT_Y_4TX
Setting 44
02-Z-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.064G	59.81	74.00	-14.19	53.95	3	Horizontal	40	1.80	-	39.07	12.69	45.90			
AV	12.123G	49.41	54.00	-4.59	43.63	3	Horizontal	40	1.80	-	38.91	12.71	45.84			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6025MHz_TX

EUT Y_4TX
Setting 44
02-Z-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.029G	50.04	83.54	-33.50	45.70	1	Vertical	64	1.53	-	37.28	15.47	48.41			
AV	18.0886G	41.02	63.54	-22.52	36.68	1	Vertical	64	1.53	-	37.28	15.50	48.44			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6025MHz_TX

EUT_Y_4TX
Setting 44
02-Z-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.0506G	49.58	83.54	-33.96	45.32	1	Horizontal	208	1.46	-	37.20	15.48	48.42			
AV	18.0886G	40.95	63.54	-22.59	36.61	1	Horizontal	208	1.46	-	37.28	15.50	48.44			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6185MHz_TX

EUT_Y_4TX
Setting 44
02-Z-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.324842G	61.77	74.00	-12.23	55.89	3	Vertical	32	1.80	-	38.75	12.77	45.64			
AV	12.3248G	51.84	54.00	-2.16	45.96	3	Vertical	32	1.80	-	38.75	12.77	45.64			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6185MHz_TX

EUT_Y_4TX
Setting 44
02-Z-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3066G	58.56	74.00	-15.44	52.67	3	Horizontal	134	1.80	-	38.79	12.76	45.66			
AV	12.3248G	48.68	54.00	-5.32	42.80	3	Horizontal	134	1.80	-	38.75	12.77	45.64			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6185MHz_TX

EUT Y_4TX
Setting 44
02-Z-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6048G	45.34	83.54	-38.20	40.56	1	Vertical	36	1.84	-	37.69	15.75	48.66			
AV	18.5142G	33.39	63.54	-30.15	28.72	1	Vertical	36	1.84	-	37.57	15.71	48.61			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6185MHz_TX

EUT_Y_4TX
Setting 44
02-Z-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6004G	45.35	83.54	-38.19	40.56	1	Horizontal	176	1.49	-	37.70	15.75	48.66			
AV	18.588G	33.40	63.54	-30.14	28.66	1	Horizontal	176	1.49	-	37.65	15.74	48.65			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6345MHz_TX

EUT_Y_4TX
Setting 44
02-Z-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.698457G	53.45	74.00	-20.55	47.51	3	Vertical	31	1.82	-	38.70	12.88	45.64			
AV	12.689425G	43.66	54.00	-10.34	37.71	3	Vertical	31	1.82	-	38.70	12.88	45.63			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
Setting 44
02-Z-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.69G	48.44	74.00	-25.56	42.49	3	Horizontal	18	1.61	-	38.70	12.88	45.63			
AV	12.6898G	43.32	54.00	-10.68	37.37	3	Horizontal	18	1.61	-	38.70	12.88	45.63			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
Setting 44
02-Z-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.0128G	44.80	83.54	-38.74	40.02	1	Vertical	245	1.97	-	37.73	15.95	48.90			
AV	19.034G	33.71	63.54	-29.83	28.88	1	Vertical	245	1.97	-	37.77	15.95	48.89			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6345MHz_TX

EUT_Y_4TX
Setting 44
02-Z-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.0556G	45.77	83.54	-37.77	40.91	1	Horizontal	220	1.77	-	37.79	15.96	48.89			
AV	19.0724G	33.66	63.54	-29.88	28.82	1	Horizontal	220	1.77	-	37.76	15.97	48.89			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6505MHz_TX




EUT Y_4TX
Setting 44
02-Z-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.947G	51.18	88.20	-37.02	44.80	3	Vertical	65	1.87	-	39.29	12.96	45.87			
RMS	13.0098G	40.99	68.20	-27.21	34.51	3	Vertical	65	1.87	-	39.40	12.98	45.90			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6505MHz_TX




EUT Y_4TX
Setting 44
02-Z-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.9516G	48.60	88.20	-39.60	42.22	3	Horizontal	35	1.80	-	39.30	12.96	45.88			
RMS	13.0098G	40.48	68.20	-27.72	34.00	3	Horizontal	35	1.80	-	39.40	12.98	45.90			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6505MHz_TX

EUT Y_4TX
Setting 44
02-Z-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.5064G	44.36	83.54	-39.18	39.49	1	Vertical	30	1.37	-	37.51	16.16	48.80			
AV	19.4985G	33.14	63.54	-30.40	28.29	1	Vertical	30	1.37	-	37.50	16.15	48.80			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6505MHz_TX

EUT_Y_4TX
Setting 44
02-Z-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.4955G	44.82	83.54	-38.72	39.96	1	Horizontal	187	1.54	-	37.51	16.15	48.80			
AV	19.4927G	33.14	63.54	-30.40	28.28	1	Horizontal	187	1.54	-	37.51	16.15	48.80			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6665MHz_TX

EUT_Y_4TX
Setting 44
02-Z-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.33G	51.07	74.00	-22.93	43.21	3	Vertical	88	1.73	-	40.10	13.08	45.32			
AV	13.33G	43.94	54.00	-10.06	36.08	3	Vertical	88	1.73	-	40.10	13.08	45.32			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6665MHz_TX

EUT Y_4TX
Setting 44
02-Z-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3296G	51.03	74.00	-22.97	43.17	3	Horizontal	35	2.50	-	40.10	13.08	45.32			
AV	13.3298G	44.60	54.00	-9.40	36.74	3	Horizontal	35	2.50	-	40.10	13.08	45.32			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6665MHz_TX

EUT_Y_4TX
Setting 44
02-Z-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.9735G	43.48	83.54	-40.06	38.60	1	Vertical	323	1.93	-	37.51	16.36	48.99			
AV	19.9762G	32.08	63.54	-31.46	27.21	1	Vertical	323	1.93	-	37.50	16.36	48.99			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6665MHz_TX

EUT_Y_4TX
Setting 44
02-Z-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0167G	43.54	83.54	-40.00	38.83	1	Horizontal	186	2.04	-	37.33	16.38	49.00			
AV	20.0197G	32.02	63.54	-31.52	27.32	1	Horizontal	186	2.04	-	37.32	16.38	49.00			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6825MHz_TX

EUT_Y_4TX
Setting 44
02-Z-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.6262G	50.44	88.20	-37.76	41.66	3	Vertical	103	1.80	-	40.65	13.17	45.04			
RMS	13.6498G	43.52	68.20	-24.68	34.69	3	Vertical	103	1.80	-	40.70	13.17	45.04			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6825MHz_TX

EUT_Y_4TX
Setting 44
02-Z-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.6604G	49.92	88.20	-38.28	41.07	3	Horizontal	48	1.82	-	40.72	13.18	45.05			
RMS	13.65G	40.68	68.20	-27.52	31.85	3	Horizontal	48	1.82	-	40.70	13.17	45.04			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6825MHz_TX

EUT_Y_4TX
Setting 44
02-Z-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.4917G	43.33	83.54	-40.21	38.06	1	Vertical	2	1.88	-	37.57	16.60	48.90			
AV	20.5G	32.48	63.54	-31.06	27.17	1	Vertical	2	1.88	-	37.60	16.61	48.90			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6825MHz_TX

EUT_Y_4TX
Setting 44
02-Z-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.4776G	44.61	83.54	-38.93	39.41	1	Horizontal	12	1.95	-	37.51	16.59	48.90			
AV	20.4992G	32.54	63.54	-31.00	27.24	1	Horizontal	12	1.95	-	37.60	16.60	48.90			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 42
05-E-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	6.9815G	105.49	Inf	-Inf	93.94	3	Vertical	308	1.80	-	35.96	9.47	33.88				
RMS	6.9815G	96.43	Inf	-Inf	84.88	3	Vertical	308	1.80	-	35.96	9.47	33.88				
PK	7.141G	70.28	88.20	-17.92	57.96	3	Vertical	308	1.80	-	36.65	9.56	33.89				
RMS	7.143G	60.94	68.20	-7.26	48.61	3	Vertical	308	1.80	-	36.66	9.56	33.89				

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6985MHz_TX

EUT_Y_4TX
Setting 42
05-E-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9815G	113.10	Inf	-Inf	101.55	3	Horizontal	184	1.80	-	35.96	9.47	33.88			
RMS	7.002G	102.76	Inf	-Inf	91.17	3	Horizontal	184	1.80	-	36.01	9.48	33.90			
PK	7.141G	77.55	88.20	-10.65	65.23	3	Horizontal	184	1.80	-	36.65	9.56	33.89			
RMS	7.142G	68.01	68.20	-0.19	55.69	3	Horizontal	184	1.80	-	36.65	9.56	33.89			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6985MHz_TX

EUT Y_4TX
Setting 44
02-Z-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.968874G	50.88	88.20	-37.32	41.34	3	Vertical	89	1.83	-	41.38	13.27	45.11			
RMS	13.9698G	42.82	68.20	-25.38	33.28	3	Vertical	89	1.83	-	41.38	13.27	45.11			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6985MHz_TX

EUT Y_4TX
Setting 44
02-Z-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.9687469G	49.98	88.20	-38.22	40.45	3	Horizontal	46	1.80	-	41.37	13.27	45.11			
RMS	13.9698G	40.93	68.20	-27.27	31.39	3	Horizontal	46	1.80	-	41.38	13.27	45.11			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6985MHz_TX

EUT_Y_4TX
Setting 44
02-Z-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.966G	45.06	83.54	-38.48	39.37	1	Vertical	134	1.59	-	37.77	16.82	48.90			
AV	20.9693G	33.17	63.54	-30.37	27.48	1	Vertical	134	1.59	-	37.76	16.83	48.90			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6985MHz_TX

EUT_Y_4TX
Setting 44
02-Z-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.9446G	45.40	83.54	-38.14	39.69	1	Horizontal	148	1.84	-	37.80	16.81	48.90			
AV	20.9611G	33.16	63.54	-30.38	27.46	1	Horizontal	148	1.84	-	37.78	16.82	48.90			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 43
05-E-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9118G	70.60	88.20	-17.60	61.61	3	Vertical	2	1.80	-	34.15	8.93	34.09			
RMS	5.9118G	62.66	68.20	-5.54	53.67	3	Vertical	2	1.80	-	34.15	8.93	34.09			
PK	6.0114G	103.62	Inf	-Inf	94.50	3	Vertical	2	1.80	-	34.08	9.04	34.00			
RMS	5.9922G	96.32	Inf	-Inf	87.19	3	Vertical	2	1.80	-	34.13	9.02	34.02			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 43
05-E-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9244G	76.17	88.20	-12.03	67.11	3	Horizontal	355	1.80	-	34.20	8.94	34.08			
RMS	5.9244G	67.64	68.20	-0.56	58.58	3	Horizontal	355	1.80	-	34.20	8.94	34.08			
PK	6.051G	109.43	Inf	-Inf	100.33	3	Horizontal	355	1.80	-	34.00	9.05	33.95			
RMS	6.0516G	100.09	Inf	-Inf	90.99	3	Horizontal	355	1.80	-	34.00	9.05	33.95			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6105MHz_TX

EUT_Y_4TX
Setting 44
02-Z-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.2012G	57.17	74.00	-16.83	51.40	3	Vertical	143	1.80	-	38.80	12.73	45.76			
AV	12.1818G	48.60	54.00	-5.40	42.85	3	Vertical	143	1.80	-	38.80	12.73	45.78			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6105MHz_TX

EUT_Y_4TX
Setting 44
02-Z-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.201G	56.36	74.00	-17.64	50.59	3	Horizontal	156	1.74	-	38.80	12.73	45.76			
AV	12.1818G	47.92	54.00	-6.08	42.17	3	Horizontal	156	1.74	-	38.80	12.73	45.78			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6105MHz_TX

EUT Y_4TX
Setting 44
02-Z-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.3087G	44.30	83.54	-39.24	39.88	1	Vertical	315	1.33	-	37.33	15.61	48.52			
AV	18.3371G	32.90	63.54	-30.64	28.36	1	Vertical	315	1.33	-	37.45	15.62	48.53			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6105MHz_TX

EUT_Y_4TX
Setting 44
02-Z-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.3353G	43.98	83.54	-39.56	39.45	1	Horizontal	80	1.46	-	37.44	15.62	48.53			
AV	18.3386G	32.85	63.54	-30.69	28.32	1	Horizontal	80	1.46	-	37.45	15.62	48.54			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6425MHz_TX

EUT_Y_4TX
Setting 44
02-Z-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.85G	48.78	88.20	-39.42	42.53	3	Vertical	97	1.80	-	39.10	12.93	45.78			
RMS	12.8498G	41.59	68.20	-26.61	35.34	3	Vertical	97	1.80	-	39.10	12.93	45.78			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6425MHz_TX

EUT_V_4TX
Setting 44
02-Z-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.849748G	48.41	88.20	-39.79	42.16	3	Horizontal	40	1.72	-	39.10	12.93	45.78			
RMS	12.8498G	40.39	68.20	-27.81	34.14	3	Horizontal	40	1.72	-	39.10	12.93	45.78			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6425MHz_TX

EUT_Y_4TX
Setting 44
02-Z-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2802G	44.71	83.54	-38.83	39.77	1	Vertical	71	1.33	-	37.72	16.06	48.84			
AV	19.2507G	34.00	63.54	-29.54	28.90	1	Vertical	71	1.33	-	37.90	16.05	48.85			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6425MHz_TX

EUT_Y_4TX
Setting 44
02-Z-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2879G	44.84	83.54	-38.70	39.95	1	Horizontal	193	1.40	-	37.67	16.06	48.84			
AV	19.2542G	33.84	63.54	-29.70	28.77	1	Horizontal	193	1.40	-	37.87	16.05	48.85			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6745MHz_TX

EUT Y_4TX
Setting 44
02-Z-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4998G	57.82	88.20	-30.38	49.20	3	Vertical	81	1.80	-	40.50	13.13	45.01			
RMS	13.4996G	55.03	68.20	-13.17	46.41	3	Vertical	81	1.80	-	40.50	13.13	45.01			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6745MHz_TX




EUT_V_4TX
Setting 44
02-Z-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4998G	57.26	88.20	-30.94	48.64	3	Horizontal	113	1.92	-	40.50	13.13	45.01			
RMS	13.4998G	55.10	68.20	-13.10	46.48	3	Horizontal	113	1.92	-	40.50	13.13	45.01			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6745MHz_TX

EUT Y_4TX
Setting 44
02-Z-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.2218G	44.17	83.54	-39.37	39.27	1	Vertical	248	2.08	-	37.39	16.47	48.96			
AV	20.2498G	33.12	63.54	-30.42	28.08	1	Vertical	248	2.08	-	37.50	16.49	48.95			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6745MHz_TX

EUT_Y_4TX
Setting 44
02-Z-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.215G	44.06	83.54	-39.48	39.19	1	Horizontal	244	1.30	-	37.36	16.47	48.96			
AV	20.2497G	33.06	63.54	-30.48	28.02	1	Horizontal	244	1.30	-	37.50	16.49	48.95			


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

05/08/2026

CF (Hz)
5.955G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.95949G	-14.21	5.99675G	-61.34	-54.21	-7.13	1
5.962498G	-12.21	6.001175G	-61.51	-52.21	-9.30	2
5.959199G	-13.74	5.917225G	-61.25	-53.74	-7.51	3
5.962548G	-12.08	5.967075G	-39.04	-32.14	-6.90	4


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

05/08/2026

CF (Hz)
6.195G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.202498G	-13.18	6.24415G	-61.89	-53.18	-8.71	1
6.202498G	-12.10	6.2078G	-41.85	-32.51	-9.34	2
6.202498G	-13.33	6.2304G	-61.74	-53.33	-8.41	3
6.202523G	-12.20	6.207025G	-39.42	-32.22	-7.20	4

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

05/08/2026




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6435MHz_TX

05/08/2026




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6475MHz_TX

05/08/2026




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6515MHz_TX

05/08/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

05/08/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

05/08/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6855MHz_TX

05/08/2026

CF (Hz)
6.855G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.849526G	-12.25	6.867725G	-41.82	-32.58	-9.24	1
6.859924G	-11.94	6.8421G	-41.37	-32.00	-9.37	2
6.859924G	-11.10	6.867775G	-39.87	-31.56	-8.31	3
6.849226G	-11.36	6.867075G	-38.19	-30.16	-8.03	4


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6875MHz_TX

05/08/2026

CF (Hz)
6.875G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.882523G	-11.37	6.9133G	-61.55	-51.37	-10.18	1
6.869251G	-11.63	6.8877G	-40.38	-31.98	-8.40	2
6.879299G	-11.81	6.887725G	-40.80	-32.21	-8.59	3
6.869251G	-11.54	6.887G	-38.67	-31.54	-7.13	4

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6995MHz_TX

05/08/2026




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

7095MHz_TX

05/08/2026




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

7115MHz_TX

05/08/2026




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

05/08/2026




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

05/08/2026




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

05/08/2026



6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6445MHz_TX

05/08/2026

CF (Hz)
6.445G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.442951G	-9.61	6.3803G	-57.86	-49.61	-8.25	1
6.457597G	-9.62	6.5096G	-57.66	-49.62	-8.04	2
6.457447G	-9.46	6.3682G	-57.73	-49.46	-8.27	3
6.457347G	-9.04	6.36795G	-57.80	-49.04	-8.76	4

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6485MHz_TX

05/08/2026

CF (Hz)
6.485G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.497547G	-9.75	6.40265G	-57.80	-49.75	-8.05	1
6.497397G	-9.91	6.39945G	-57.88	-49.91	-7.97	2
6.497447G	-9.65	6.4196G	-57.87	-49.65	-8.22	3
6.497497G	-9.67	6.3963G	-57.92	-49.67	-8.25	4

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6525MHz_TX

05/08/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

05/08/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

05/08/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

05/08/2026



6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6885MHz_TX

05/08/2026

CF (Hz)
6.885G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.897097G	-8.39	6.9848G	-56.67	-48.39	-8.28	1
6.897297G	-7.54	6.9722G	-56.65	-47.54	-9.11	2
6.897497G	-8.18	6.9739G	-56.77	-48.18	-8.59	3
6.897397G	-7.72	6.9814G	-56.77	-47.72	-9.05	4

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

7005MHz_TX

05/08/2026

CF (Hz)
7.005G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.017447G	-10.03	6.93325G	-57.73	-50.03	-7.70	1
7.017447G	-10.38	6.934G	-57.62	-50.38	-7.24	2
7.017297G	-9.29	6.9261G	-57.39	-49.29	-8.10	3
6.999851G	-9.84	6.94085G	-57.59	-49.84	-7.75	4

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

7085MHz_TX

05/08/2026

CF (Hz)
7.085G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.080101G	-9.97	7.00705G	-57.00	-49.97	-7.03	1
7.070704G	-10.35	6.98725G	-56.99	-50.35	-6.64	2
7.079901G	-9.98	7.0093G	-56.96	-49.98	-6.98	3
7.080151G	-8.86	7.00155G	-57.07	-48.86	-8.21	4

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

05/08/2026

CF (Hz)
5.985G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9891G	-7.93	5.8335G	-54.72	-47.93	-6.79	1
5.9944G	-6.92	5.8034G	-54.65	-46.92	-7.73	2
5.9895G	-7.42	6.1731G	-54.44	-47.42	-7.02	3
5.9905G	-6.61	5.7852G	-54.75	-46.61	-8.14	4


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

05/08/2026

CF (Hz)
6.225G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2303G	-7.23	6.0324G	-54.64	-47.23	-7.41	1
6.2193G	-6.97	6.0629G	-54.60	-46.97	-7.63	2
6.2302G	-6.93	6.0531G	-54.33	-46.93	-7.40	3
6.2304G	-6.34	6.0506G	-54.69	-46.34	-8.35	4


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

05/08/2026

CF (Hz)
6.385G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3666G	-7.46	6.24G	-54.81	-47.46	-7.35	1
6.3706G	-6.61	6.1866G	-54.78	-46.61	-8.17	2
6.3666G	-6.62	6.2576G	-54.81	-46.62	-8.19	3
6.35341G	-6.90	6.2476G	-54.67	-46.90	-7.77	4

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6465MHz_TX

05/08/2026




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6545MHz_TX

05/08/2026



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

05/08/2026

CF (Hz)
6.625G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.626G	-5.96	6.5001G	-54.86	-45.96	-8.90	1
6.6265G	-5.59	6.4342G	-54.80	-45.59	-9.21	2
6.6267G	-5.48	6.4498G	-54.66	-45.48	-9.18	3
6.6304G	-4.85	6.5G	-54.96	-44.83	-10.13	4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

05/08/2026

CF (Hz)
6.705G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.714G	-5.84	6.8769G	-54.17	-45.84	-8.33	1
6.7101G	-5.17	6.8819G	-54.44	-45.17	-9.27	2
6.7104G	-5.81	6.8977G	-54.15	-45.81	-8.34	3
6.7103G	-5.14	6.8851G	-54.44	-45.14	-9.30	4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

05/08/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6865MHz_TX

05/08/2026




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6945MHz_TX

05/08/2026

CF (Hz)
6.945G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9381G	-7.61	6.8194G	-55.29	-47.61	-7.68	1
6.931G	-7.86	6.8059G	-55.46	-47.86	-7.60	2
6.9268G	-7.05	6.7951G	-55.07	-47.05	-8.02	3
6.9371G	-6.83	7.137G	-55.13	-46.83	-8.30	4


6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

7025MHz_TX

05/08/2026

CF (Hz)
7.025G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0188G	-7.31	6.885G	-54.86	-47.31	-7.55	1
7.0115G	-7.27	7.2028G	-54.71	-47.27	-7.44	2
7.007G	-7.43	7.2231G	-54.77	-47.43	-7.34	3
7.0291G	-6.41	7.211G	-54.80	-46.41	-8.39	4


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

05/08/2026

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.0406G	-4.91	5.7178G	-51.61	-44.91	-6.70	1
6.044G	-4.22	5.6482G	-51.66	-44.22	-7.44	2
6.05079G	-4.27	5.6776G	-51.51	-44.27	-7.24	3
6.041G	-4.45	5.6288G	-51.67	-44.45	-7.22	4


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

05/08/2026

CF (Hz)
6.185G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2006G	-4.67	5.9386G	-51.62	-44.51	-7.11	1
6.1986G	-3.96	5.929G	-51.45	-43.96	-7.49	2
6.21119G	-4.41	5.809G	-51.77	-44.41	-7.36	3
6.21059G	-3.99	5.9302G	-51.71	-43.99	-7.72	4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

05/08/2026

CF (Hz)
6.345G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.28901G	-4.17	6.0496G	-51.65	-44.17	-7.48	1
6.27602G	-3.93	5.9956G	-51.47	-43.93	-7.54	2
6.28482G	-4.21	5.9662G	-51.57	-44.21	-7.36	3
6.3396G	-3.79	5.9742G	-51.55	-43.79	-7.76	4

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6505MHz_TX

05/08/2026

CF (Hz)
6.505G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5012G	-5.02	6.9022G	-51.68	-45.02	-6.66	1
6.52G	-4.68	6.902G	-51.52	-44.68	-6.84	2
6.521G	-5.14	6.9024G	-51.41	-45.14	-6.27	3
6.4988G	-4.13	6.209G	-51.79	-44.13	-7.66	4

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

05/08/2026




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6825MHz_TX

05/08/2026




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6985MHz_TX

05/08/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

05/08/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6425MHz_TX

05/08/2026

CF (Hz)
6.425G
Span (Hz)
1.6G
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.33102G	-2.72	7.0078G	-49.34	-42.72	-6.62	1
6.27744G	-2.61	7.0062G	-49.20	-42.61	-6.59	2
6.27104G	-3.04	6.985G	-49.10	-43.04	-6.06	3
6.27704G	-2.56	6.9918G	-49.46	-42.56	-6.90	4


6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6745MHz_TX

05/08/2026

CF (Hz)
6.745G
Span (Hz)
1.6G
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
6.4m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.67142G	-1.32	7.4938G	-49.33	-41.32	-8.01	1
6.65142G	-1.50	7.4946G	-49.20	-41.50	-7.70	2
6.70181G	-1.40	7.493G	-49.01	-41.40	-7.61	3
6.67382G	-0.99	6.2514G	-49.07	-40.99	-8.08	4

Contention Based Protocol Threshold Level 802.11be EHT20										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-58.88	3.12	-62.00	≤ -62
						Minimal	-59.88	3.12	-63.00	≤ -62
						ON	-78.88	3.12	-82.00	≤ -62
6	101	20	6455	Center	6455	OFF	-60.88	3.12	-64.00	≤ -62
						Minimal	-61.88	3.12	-65.00	≤ -62
						ON	-78.88	3.12	-82.00	≤ -62
7	149	20	6695	Center	6695	OFF	-60.88	3.12	-64.00	≤ -62
						Minimal	-61.88	3.12	-65.00	≤ -62
						ON	-78.88	3.12	-82.00	≤ -62
8	213	20	7015	Center	7015	OFF	-60.88	3.12	-64.00	≤ -62
						Minimal	-61.88	3.12	-65.00	≤ -62
						ON	-78.88	3.12	-82.00	≤ -62

Contention Based Protocol Threshold Level 802.11be EHT320										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	31	320	6105	Low edge	5950	OFF	-59.88	3.12	-63.00	≤ -62
						Minimal	-60.88	3.12	-64.00	≤ -62
						ON	-78.88	3.12	-82.00	≤ -62
				Center	6105	OFF	-58.88	3.12	-62.00	≤ -62
						Minimal	-59.88	3.12	-63.00	≤ -62
						ON	-78.88	3.12	-82.00	≤ -62
				High edge	6260	OFF	-62.88	3.12	-66.00	≤ -62
						Minimal	-63.88	3.12	-67.00	≤ -62
						ON	-78.88	3.12	-82.00	≤ -62
5/6/7	95	320	6425	Low edge	6270	OFF	-62.88	3.12	-66.00	≤ -62
						Minimal	-63.88	3.12	-67.00	≤ -62
						ON	-78.88	3.12	-82.00	≤ -62
				Center	6425	OFF	-59.88	3.12	-63.00	≤ -62
						Minimal	-60.88	3.12	-64.00	≤ -62
						ON	-78.88	3.12	-82.00	≤ -62
				High edge	6580	OFF	-59.88	3.12	-63.00	≤ -62
						Minimal	-60.88	3.12	-64.00	≤ -62
						ON	-78.88	3.12	-82.00	≤ -62
7/8	159	320	6745	Low edge	6590	OFF	-63.88	3.12	-67.00	≤ -62
						Minimal	-64.88	3.12	-68.00	≤ -62
						ON	-78.88	3.12	-82.00	≤ -62
				Center	6745	OFF	-60.88	3.12	-64.00	≤ -62
						Minimal	-61.88	3.12	-65.00	≤ -62
						ON	-78.88	3.12	-82.00	≤ -62
				High edge	6900	OFF	-58.88	3.12	-62.00	≤ -62
						Minimal	-59.88	3.12	-63.00	≤ -62
						ON	-78.88	3.12	-82.00	≤ -62


Contention Based protocol 802.11be EHT20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-75.00	OFF	9	90	90	PASS
6	101	20	6455	Center	6455	-75.00	OFF	10	100	90	PASS
7	149	20	6695	Center	6695	-73.00	OFF	10	100	90	PASS
8	213	20	7015	Center	7015	-71.00	OFF	10	100	90	PASS

Contention Based protocol 802.11ax HEW320											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	31	320	6105	Low edge	5950	-63.00	OFF	9	90	90	PASS
				Center	6105	-62.00	OFF	10	100	90	PASS
				High edge	6260	-66.00	OFF	10	100	90	PASS
5/6/7	95	320	6425	Low edge	6270	-66.00	OFF	10	100	90	PASS
				Center	6425	-63.00	OFF	9	90	90	PASS
				High edge	6580	-63.00	OFF	9	90	90	PASS
7/8	159	320	6745	Low edge	6590	-67.00	OFF	9	90	90	PASS
				Center	6745	-64.00	OFF	9	90	90	PASS
				High edge	6900	-62.00	OFF	9	90	90	PASS

Incumbent signal (AWGN) Plot


Bandwidth: 20MHz

Frequency (MHz): 6215 MHz




Date: 4.SEP.2026 21:59:52

Frequency (MHz): 6455 MHz




Date: 4.SEP.2026 22:00:12

Frequency (MHz): 6695 MHz



Date: 4.SEP.2026 22:00:38


Frequency (MHz): 7015 MHz



Date: 4.SEP.2026 22:00:59


Bandwidth: 320MHz

Frequency (MHz): 5950 MHz




Date: 4.SEP.2026 22:02:02

Frequency (MHz): 6105 MHz




Date: 4.SEP.2026 22:02:24

Frequency (MHz): 6260 MHz




Date: 4.SEP.2026 22:02:50

Frequency (MHz): 6270 MHz




Date: 4.SEP.2026 22:03:12

Frequency (MHz): 6425 MHz




Date: 4.SEP.2026 22:03:35

Frequency (MHz): 6580 MHz




Date: 4.SEP.2026 22:03:55

Frequency (MHz): 6590 MHz




Date: 4.SEP.2026 22:04:36

Frequency (MHz): 6745 MHz




Date: 4.SEP.2026 22:04:59



Contention-Based Protocol Plot


Bandwidth: 20MHz

Test CH 53 ; Incumbent signal 6215 MHz




Note : M1 : Inject AWGN signal

Test CH 101 ; Incumbent signal 6455 MHz



Note : M1 : Inject AWGN signal


Test CH 149 ; Incumbent signal 6695 MHz



Date: 2.SEP.2026 01:30:16

Note : M1 : Inject AWGN signal

Test CH 213 ; Incumbent signal 7015 MHz




Date: 2.SEP.2026 01:39:30

Note : M1 : Inject AWGN signal

Bandwidth: 320MHz


Test CH 31 ; Incumbent signal 5950 MHz



Date: 4.SEP.2026 14:07:13

Note : M1 : Inject AWGN signal


Test CH 31 ; Incumbent signal 6105 MHz



Date: 4.SEP.2026 13:57:46

Note : M1 : Inject AWGN signal


Test CH 31 ; Incumbent signal 6260 MHz



Date: 4.SEP.2026 11:24:47

Note : M1 : Inject AWGN signal


Test CH 95 ; Incumbent signal 6270 MHz



Date: 4.SEP.2026 14:17:56

Note : M1 : Inject AWGN signal


Test CH 95 ; Incumbent signal 6425 MHz



Date: 4.SEP.2026 16:46:26

Note : M1 : Inject AWGN signal


Test CH 95 ; Incumbent signal 6580 MHz



Date: 4.SEP.2026 16:58:27

Note : M1 : Inject AWGN signal


Test CH 159 ; Incumbent signal 6590 MHz



Date: 4.SEP.2026 19:49:24

Note : M1 : Inject AWGN signal

Test CH 159 ; Incumbent signal 6745 MHz



Date: 4.SEP.2026 15:53:11

Note : M1 : Inject AWGN signal

