



802.11n20_2412MHz




ProjectNo: RKSB260714008 Tester: Hugh Wu
Date: 12 AUG 2026 12:47:42

802.11n20_2437MHz




ProjectNo: RKSB260714008 Tester: Hugh Wu
Date: 12 AUG 2026 12:55:21

802.11n20_2462MHz




ProjectNo: RKSB260714008 Tester: Hugh Wu
Date: 12 AUG 2026 14:09:41

802.11n40_2422MHz




ProjectNo: RKSB260714008 Tester: Hugh Wu
Date: 12 AUG 2026 14:13:21

802.11n40_2437MHz




ProjectNo: RKSB260714008 Tester: Hugh Wu
Date: 12 AUG 2026 14:17:35

802.11n40_2452MHz




ProjectNo: RKSB260714008 Tester: Hugh Wu
Date: 12 AUG 2026 14:24:32

802.11ax20_2412MHz_RU_Full




ProjectNo.:RKSB260714008 Tester:Hugh Wu
Date: 16.OCT.2026 16:04:18

802.11ax20_2437MHz_RU_Full



ProjectNo.:RKSB260714008 Tester:Hugh Wu
Date: 16.OCT.2026 16:11:39

802.11ax20_2462MHz_RU_Full




ProjectNo.:RKSB260714008 Tester:Hugh Wu
Date: 16.OCT.2026 16:16:41

BLE Mode:

Mode	Channel	Frequency (MHz)	6 dB Emission Bandwidth (MHz)	Limit (MHz)	Result
BLE (1 Mbps)	Low	2402	0.649	≥ 0.5	Pass
	Middle	2440	0.657	≥ 0.5	Pass
	High	2480	0.661	≥ 0.5	Pass


BLE 1M

BLE_1M_Low_Channel




ProjectNo.: RKSB260714008 Tester: Hugh Wu
Date: 5.AUG.2026 16:02:50

BLE_1M_Middle_Channel



ProjectNo.: RKSB260714008 Tester: Hugh Wu
Date: 5.AUG.2026 16:06:09

BLE_1M_High_Channel



ProjectNo.: RKSB260714008 Tester: Hugh Wu
Date: 5.AUG.2026 16:08:24

MAXIMUM CONDUCTED OUTPUT POWER**Environmental Conditions & Test Information**

Test Date:	2026-08-05
Temperature:	26.4
Relative Humidity:	50%
ATM Pressure:	100.7 kPa
Test Result:	Pass
Test Engineer:	Hugh Wu

Test Result: Compliant.

EUT operation mode: Transmitting

Wi-Fi Mode:


Test Mode	Channel (MHz)	Maximum Conducted Peak Output Power (dBm)	Limit(dBm)	Verdict
802.11b	2412	21.218	≤30.00	PASS
	2437	23.146	≤30.00	PASS
	2462	23.478	≤30.00	PASS
802.11g	2412	21.087	≤30.00	PASS
	2437	22.370	≤30.00	PASS
	2462	22.615	≤30.00	PASS
802.11n-HT20	2412	19.695	≤30.00	PASS
	2437	21.644	≤30.00	PASS
	2462	21.994	≤30.00	PASS
802.11n-HT40	2422	18.393	≤30.00	PASS
	2437	20.234	≤30.00	PASS
	2452	20.442	≤30.00	PASS
802.11ax-HE20	2412	22.508	≤30.00	PASS
	2437	22.144	≤30.00	PASS
	2462	22.691	≤30.00	PASS

BLE Mode:

Mode	Channel	Frequency (MHz)	Max Conducted Peak Output Power (dBm)	Limit (dBm)	Result
BLE (1 Mbps)	Low	2402	-1.33	≤ 30	Pass
	Middle	2440	-0.85	≤ 30	Pass
	High	2480	-0.80	≤ 30	Pass


BLE 1M

BLE_1M_Low_Channel




ProjectNo.: RKSB260714008 Tester: Hugh Wu
Date: 5.AUG.2026 16:03:06

BLE_1M_Middle_Channel



ProjectNo.: RKSB260714008 Tester: Hugh Wu
Date: 5.AUG.2026 16:06:30

BLE_1M_High_Channel



ProjectNo.: RKSB260714008 Tester: Hugh Wu
Date: 5.AUG.2026 16:08:38


100 KHZ BANDWIDTH OF FREQUENCY BAND EDGE**Environmental Conditions & Test Information**

Test Date:	2026-08-05	2026-08-12	2026-10-16
Temperature:	26.4	24.9℃	27.3℃
Relative Humidity:	50%	53%	53 %
ATM Pressure:	100.7 kPa	100.4 kPa	101.8 kPa
Test Result:	Pass	Pass	Pass
Test Engineer:	Hugh Wu	Hugh Wu	Hugh Wu


*EUT operation mode: Transmitting***Test Result:** Compliant**WiFi Mode:**

Mode	Test Frequency (MHz)	Result (dB)	Limit (dB)	Verdict
802.11b	2412	48.10	20	Pass
	2462	53.63	20	Pass
802.11g	2412	42.22	20	Pass
	2462	42.51	20	Pass
802.11n-HT20	2412	39.98	20	Pass
	2462	44.67	20	Pass
802.11n-HT40	2422	39.15	20	Pass
	2452	41.01	20	Pass
802.11ax-HE20	2412	42.65	20	Pass
	2462	44.58	20	Pass


802.11b_2412MHz




802.11b_2462MHz




802.11g_2412MHz




802.11g_2462MHz




802.11n20_2412MHz



802.11n20_2462MHz




802.11n40_2422MHz




ProjectNo: RKSB260714008 Tester: Hugh Wu
Date: 12 AUG 2026 14:13:29

802.11n40_2452MHz




ProjectNo: RKSB260714008 Tester: Hugh Wu
Date: 12 AUG 2026 14:24:40

802.11ax20_2412MHz_RU_Full



ProjectNo.: RKSB260714008 Tester: Hugh Wu
Date: 16.OCT.2026 16:04:59

802.11ax20_2462MHz_RU_Full




ProjectNo.: RKSB260714008 Tester: Hugh Wu
Date: 16.OCT.2026 16:16:58


BLE Mode:

Mode	Channel	Frequency (MHz)	Result (dB)	Limit (dB)
BLE (1 Mbps)	Low	2402	45.14	20
	High	2480	44.35	

BLE 1M



ProjectNo.: RKSB260714008 Tester: Hugh Wu
Date: 5.AUG.2026 16:03:22



ProjectNo.: RKSB260714008 Tester: Hugh Wu
Date: 5.AUG.2026 16:08:50

CONDUCTED SPURIOUS EMISSION**Environmental Conditions & Test Information**


Test Date:	2026-08-05	2026-08-12	2026-10-16
Temperature:	26.4	24.9℃	27.3℃
Relative Humidity:	50%	53%	52 %
ATM Pressure:	100.7 kPa	100.4 kPa	101.8 kPa
Test Result:	Pass	Pass	Pass
Test Engineer:	Hugh Wu	Hugh Wu	Hugh Wu

WiFi Mode:

Mode	Test Frequency (MHz)	Result (dB)	Limit (dB)	Verdict
802.11b	2412	41.93	20	Pass
	2437	45.96	20	Pass
	2462	47.08	20	Pass
802.11g	2412	35.35	20	Pass
	2437	36.35	20	Pass
	2462	37.37	20	Pass
802.11n-HT20	2412	33.38	20	Pass
	2437	34.33	20	Pass
	2462	36.19	20	Pass
802.11n-HT40	2422	28.97	20	Pass
	2437	29.78	20	Pass
	2452	32.96	20	Pass
802.11ax-HE20	2412	39.61	20	Pass
	2437	36.57	20	Pass
	2462	40.67	20	Pass


Note: the maximum path attenuation of 30MHz~25GHz was added into the offset

802.11b_2412MHz




ProjectNo. RKSB260714008 Tester: Hugh Wu
Date: 12.AUG.2026 12:01:49

802.11b_2437MHz




ProjectNo. RKSB260714008 Tester: Hugh Wu
Date: 12.AUG.2026 12:08:30

802.11b_2462MHz




ProjectNo. RKSB260714008 Tester: Hugh Wu
Date: 12.AUG.2026 12:20:47

802.11g_2412MHz




ProjectNo. RKSB260714008 Tester: Hugh Wu
Date: 12.AUG.2026 12:25:43

802.11g_2437MHz




ProjectNo. RKSB260714008 Tester: Hugh Wu
Date: 12.AUG.2026 12:32:34

802.11g_2462MHz




ProjectNo. RKSB260714008 Tester: Hugh Wu
Date: 12.AUG.2026 12:44:24


802.11n20_2412MHz




802.11n20_2437MHz




802.11n20_2462MHz




802.11n40_2422MHz




802.11n40_2437MHz



802.11n40_2452MHz




802.11ax20_2412MHz_RU_Full




ProjectNo.:RKSB260714008 Tester:Hugh Wu
Date: 16.OCT.2026 16:07:28

802.11ax20_2437MHz_RU_Full



ProjectNo.:RKSB260714008 Tester:Hugh Wu
Date: 16.OCT.2026 16:14:09

802.11ax20_2462MHz_RU_Full




ProjectNo.:RKSB260714008 Tester:Hugh Wu
Date: 16.OCT.2026 16:19:27

BLE Mode:

Mode	Channel	Frequency (MHz)	Result (dB)	Limit (dB)
BLE (1 Mbps)	Low	2402	52.44	20
	Middle	2440	53.48	20
	High	2480	49.02	20


BLE 1M

BLE_1M_Low_Channel




ProjectNo. RKSB260714008 Tester:Hugh Wu
Date: 15.OCT.2026 19:38:11

BLE_1M_Middle_Channel



ProjectNo. RKSB260714008 Tester:Hugh Wu
Date: 15.OCT.2026 19:40:49

BLE_1M_High_Channel



ProjectNo. RKSB260714008 Tester:Hugh Wu
Date: 15.OCT.2026 19:43:24


POWER SPECTRAL DENSITY**Environmental Conditions & Test Information**

Test Date:	2026-08-05	2026-08-12	2026-10-16
Temperature:	26.4	24.9°C	27.3°C
Relative Humidity:	50%	53%	52 %
ATM Pressure:	100.7 kPa	100.4 kPa	101.8 kPa
Test Result:	Pass	Pass	Pass
Test Engineer:	Hugh Wu	Hugh Wu	Hugh Wu

Test Result: Compliant.*EUT operation mode: Transmitting***Wi-Fi Mode:**


Mode	Test Frequency (MHz)	Result (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
802.11b	2412	-5.99	8	Pass
	2437	-4.32	8	Pass
	2462	-1.64	8	Pass
802.11g	2412	-13.81	8	Pass
	2437	-11.88	8	Pass
	2462	-8.68	8	Pass
802.11n-HT20	2412	-15.41	8	Pass
	2437	-13.34	8	Pass
	2462	-8.59	8	Pass
802.11n-HT40	2422	-18.63	8	Pass
	2437	-17.63	8	Pass
	2452	-13.96	8	Pass
802.11ax-HE20	2412	-12.38	8	Pass
	2437	-12.95	8	Pass
	2462	-12.78	8	Pass

802.11b_2412MHz




ProjectNo: RKSB260714008 Tester: Hugh Wu
Date: 12 AUG 2026 12:04:33

802.11b_2437MHz




ProjectNo: RKSB260714008 Tester: Hugh Wu
Date: 12 AUG 2026 12:08:56

802.11b_2462MHz




ProjectNo: RKSB260714008 Tester: Hugh Wu
Date: 12 AUG 2026 12:21:14

802.11g_2412MHz




ProjectNo: RKSB260714008 Tester: Hugh Wu
Date: 12 AUG 2026 12:26:28

802.11g_2437MHz




ProjectNo: RKSB260714008 Tester: Hugh Wu
Date: 12 AUG 2026 12:33:19

802.11g_2462MHz




ProjectNo: RKSB260714008 Tester: Hugh Wu
Date: 12 AUG 2026 12:45:09


802.11n20_2412MHz




802.11n20_2437MHz




802.11n20_2462MHz




802.11n40_2422MHz




802.11n40_2437MHz



802.11n40_2452MHz




802.11ax20_2412MHz_RU_Full




ProjectNo.:RKSB260714008 Tester:Hugh Wu
Date: 16.OCT.2026 16:08:33

802.11ax20_2437MHz_RU_Full



ProjectNo.:RKSB260714008 Tester:Hugh Wu
Date: 16.OCT.2026 16:15:12

802.11ax20_2462MHz_RU_Full




ProjectNo.:RKSB260714008 Tester:Hugh Wu
Date: 16.OCT.2026 16:20:32

BLE Mode:

Mode	Channel	Frequency (MHz)	PSD (dBm/3kHz)	Limit (dBm/3kHz)	Result
BLE (1 Mbps)	Low	2402	-15.06	≤ 8	Pass
	Middle	2440	-14.56	≤ 8	Pass
	High	2480	-14.26	≤ 8	Pass


BLE 1M

BLE_1M_Low_Channel




ProjectNo.: RKSB260714008 Tester: Hugh Wu
Date: 5.AUG.2026 16:03:44

BLE_1M_Middle_Channel



ProjectNo.: RKSB260714008 Tester: Hugh Wu
Date: 5.AUG.2026 16:06:53

BLE_1M_High_Channel



ProjectNo.: RKSB260714008 Tester: Hugh Wu
Date: 5.AUG.2026 16:09:13

EUT PHOTOGRAPHS

Please refer to the attachment EXHIBIT A - EUT EXTERNAL PHOTOGRAPHS and EXHIBIT B - EUT INTERNAL PHOTOGRAPHS.

TEST SETUP PHOTOGRAPHS

Please refer to the attachment EXHIBIT C - TEST SETUP PHOTOGRAPHS.

Declarations

1. The laboratory is not responsible for the authenticity of any information provided by the applicant. Information from the applicant that may affect test results is marked with “★”.
2. The test data was only valid for the test sample(s).
3. This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.
4. Otherwise required by the applicant or Product Regulations, Decision Rule in this report did not consider the uncertainty.
5. The extended uncertainty given in this report is obtained by combining the standard uncertainty times the coverage factor $k=2$ with the 95.45% confidence interval.
6. This report may contain standards and test items that are not covered by the accreditation scope and shall be marked with an asterisk “▲”.

******* END OF REPORT *******