

1. Transmitter Conducted Output Power And ERP/EIRP GPRS

Test Result

Band	Channel	Freq (MHz)	Modulation	Slots	Conducted Power(dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)	ERP/EIRP(limit) (dBm)	Verdict
GSM 850	128	824.2	GMSK	1 Tx	29.94	15.86	0.039	38.45	PASS
GSM 850	190	836.6	GMSK	1 Tx	30.71	16.63	0.046	38.45	PASS
GSM 850	251	848.8	GMSK	1 Tx	29.01	14.93	0.031	38.45	PASS
PCS 1900	512	1850.2	GMSK	1 Tx	27.14	30.10	1.023	33.01	PASS
PCS 1900	661	1880.0	GMSK	1 Tx	28.20	31.16	1.306	33.01	PASS
PCS 1900	810	1909.8	GMSK	1 Tx	27.33	30.29	1.069	33.01	PASS


EIRP= Conducted Power + ANT Gain, Gain=2.96dBi, ERP = Conducted Power + ANT Gain - 2.15, Gain=-11.93dBi

2. Peak to Average Ratio GPRS

Test Result

Band	Channel	Freq (MHz)	Slots	Result (dB)	Limit (dB)	Verdict
GSM 850	128	824.2	1 Tx	10.49	13	PASS
GSM 850	190	836.6	1 Tx	10.52	13	PASS
GSM 850	251	848.8	1 Tx	8.99	13	PASS
PCS 1900	512	1850.2	1 Tx	9.62	13	PASS
PCS 1900	661	1880.0	1 Tx	9.68	13	PASS
PCS 1900	810	1909.8	1 Tx	10.64	13	PASS

Test Graphs





3. Occupied Bandwidth GPRS

Test Result

Band	Channel	Freq (MHz)	Slots	OBW (MHz)	26dB BW (MHz)	Verdict
GSM 850	128	824.2	1 Tx	0.24313	0.3184	PASS
GSM 850	190	836.6	1 Tx	0.24313	0.3184	PASS
GSM 850	251	848.8	1 Tx	0.24313	0.3184	PASS
PCS 1900	512	1850.2	1 Tx	0.24313	0.3155	PASS
PCS 1900	661	1880.0	1 Tx	0.23734	0.3126	PASS
PCS 1900	810	1909.8	1 Tx	0.24313	0.3184	PASS

Test Graphs







4. Conducted Spurious Emissions GPRS


Test Result


Band	Channel	Freq (MHz)	StartFreq (MHz)	StopFreq (MHz)	Slots	Result (dBm)	Limit (dBm)	Verdict
GSM 850	128	824.2	0.15	30.0	1 Tx	-47.57	-13	PASS
GSM 850	128	824.2	30.0	1000.0	1 Tx	-27.8	-13	PASS
GSM 850	128	824.2	1000.0	4000.0	1 Tx	-24.26	-13	PASS
GSM 850	128	824.2	4000.0	7000.0	1 Tx	-27.48	-13	PASS
GSM 850	128	824.2	7000.0	10000.0	1 Tx	-35.51	-13	PASS
GSM 850	190	836.6	0.15	30.0	1 Tx	-47.92	-13	PASS
GSM 850	190	836.6	30.0	1000.0	1 Tx	-27.36	-13	PASS
GSM 850	190	836.6	1000.0	4000.0	1 Tx	-20.86	-13	PASS
GSM 850	190	836.6	4000.0	7000.0	1 Tx	-24.5	-13	PASS
GSM 850	190	836.6	7000.0	10000.0	1 Tx	-35.65	-13	PASS
GSM 850	251	848.8	0.15	30.0	1 Tx	-48.27	-13	PASS
GSM 850	251	848.8	30.0	1000.0	1 Tx	-27.91	-13	PASS
GSM 850	251	848.8	1000.0	4000.0	1 Tx	-21.55	-13	PASS
GSM 850	251	848.8	4000.0	7000.0	1 Tx	-28.77	-13	PASS
GSM 850	251	848.8	7000.0	10000.0	1 Tx	-35.78	-13	PASS
PCS 1900	512	1850.2	0.15	30.0	1 Tx	-47.99	-23	PASS
PCS 1900	512	1850.2	30.0	1000.0	1 Tx	-47.35	-13	PASS
PCS 1900	512	1850.2	1000.0	4000.0	1 Tx	-13.1	-13	PASS
PCS 1900	512	1850.2	4000.0	7000.0	1 Tx	-25.96	-13	PASS
PCS 1900	512	1850.2	7000.0	10000.0	1 Tx	-35.33	-13	PASS
PCS 1900	512	1850.2	10000.0	13000.0	1 Tx	-33.99	-13	PASS
PCS 1900	512	1850.2	13000.0	16000.0	1 Tx	-31.62	-13	PASS
PCS 1900	512	1850.2	16000.0	19000.0	1 Tx	-30.15	-13	PASS
PCS 1900	512	1850.2	19000.0	20000.0	1 Tx	-26.22	-13	PASS
PCS 1900	661	1880.0	0.15	30.0	1 Tx	-48.38	-23	PASS
PCS 1900	661	1880.0	30.0	1000.0	1 Tx	-47.71	-13	PASS
PCS 1900	661	1880.0	1000.0	4000.0	1 Tx	-13.5	-13	PASS
PCS 1900	661	1880.0	4000.0	7000.0	1 Tx	-29.29	-13	PASS
PCS 1900	661	1880.0	7000.0	10000.0	1 Tx	-35.57	-13	PASS
PCS 1900	661	1880.0	10000.0	13000.0	1 Tx	-33.78	-13	PASS
PCS 1900	661	1880.0	13000.0	16000.0	1 Tx	-31.83	-13	PASS
PCS 1900	661	1880.0	16000.0	19000.0	1 Tx	-30.51	-13	PASS
PCS 1900	661	1880.0	19000.0	20000.0	1 Tx	-26.43	-13	PASS
PCS 1900	810	1909.8	0.15	30.0	1 Tx	-48.16	-23	PASS
PCS 1900	810	1909.8	30.0	1000.0	1 Tx	-46.74	-13	PASS
PCS 1900	810	1909.8	1000.0	4000.0	1 Tx	-13.31	-13	PASS
PCS 1900	810	1909.8	4000.0	7000.0	1 Tx	-29.11	-13	PASS
PCS 1900	810	1909.8	7000.0	10000.0	1 Tx	-35.76	-13	PASS
PCS 1900	810	1909.8	10000.0	13000.0	1 Tx	-33.47	-13	PASS
PCS 1900	810	1909.8	13000.0	16000.0	1 Tx	-31.32	-13	PASS
PCS 1900	810	1909.8	16000.0	19000.0	1 Tx	-29.83	-13	PASS
PCS 1900	810	1909.8	19000.0	20000.0	1 Tx	-26.43	-13	PASS


Test Graphs


















5. Conducted Band Edge GPRS

Test Result

Band	Channel	Freq (MHz)	Slots	Result	Verdict
GSM 850	128	824.2	1 Tx	see graph	PASS
GSM 850	251	848.8	1 Tx	see graph	PASS
PCS 1900	512	1850.2	1 Tx	see graph	PASS
PCS 1900	810	1909.8	1 Tx	see graph	PASS

Test Graphs



6. Transmitter Conducted Output Power And ERP/EIRP EGPRS

Test Result

Band	Channel	Freq (MHz)	Modulation	Slots	Conducted Power(dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)	ERP/EIRP(limit) (dBm)	Verdict
GSM 850	128	824.2	GMSK	1 Tx	26.05	11.97	0.016	33.01	PASS
GSM 850	190	836.6	GMSK	1 Tx	27.71	13.63	0.023	33.01	PASS
GSM 850	251	848.8	GMSK	1 Tx	26.4	12.32	0.017	33.01	PASS
PCS 1900	512	1850.2	GMSK	1 Tx	22.63	25.59	0.362	33.01	PASS
PCS 1900	661	1880.0	GMSK	1 Tx	23.61	26.57	0.454	33.01	PASS
PCS 1900	810	1909.8	GMSK	1 Tx	23.60	26.56	0.453	33.01	PASS


ERP= Conducted Power + ANT Gain, Gain=2.96dBi, ERP = Conducted Power + ANT Gain - 2.15, Gain=-11.93dBi

7. Peak to Average Ratio EGPRS

Test Result

Band	Channel	Freq (MHz)	Slots	Result (dB)	Limit (dB)	Verdict
GSM 850	128	824.2	1 Tx	12.23	13	PASS
GSM 850	190	836.6	1 Tx	12.49	13	PASS
GSM 850	251	848.8	1 Tx	12.12	13	PASS
PCS 1900	512	1850.2	1 Tx	12.43	13	PASS
PCS 1900	661	1880.0	1 Tx	12.64	13	PASS
PCS 1900	810	1909.8	1 Tx	12.41	13	PASS

Test Graphs





8. Occupied Bandwidth EGPRS

Test Result

Band	Channel	Freq (MHz)	Slots	OBW (MHz)	26dB BW (MHz)	Verdict
GSM 850	128	824.2	1 Tx	0.24602	0.3155	PASS
GSM 850	190	836.6	1 Tx	0.24891	0.3155	PASS
GSM 850	251	848.8	1 Tx	0.24891	0.3155	PASS
PCS 1900	512	1850.2	1 Tx	0.24313	0.3184	PASS
PCS 1900	661	1880.0	1 Tx	0.24602	0.3184	PASS
PCS 1900	810	1909.8	1 Tx	0.24602	0.3184	PASS

Test Graphs







9. Conducted Spurious Emissions EGPRS


Test Result


Band	Channel	Freq (MHz)	StartFreq (MHz)	StopFreq (MHz)	Slots	Result (dBm)	Limit (dBm)	Verdict
GSM 850	128	824.2	0.15	30.0	1 Tx	-47.82	-13	PASS
GSM 850	128	824.2	30.0	1000.0	1 Tx	-27.65	-13	PASS
GSM 850	128	824.2	1000.0	4000.0	1 Tx	-24.26	-13	PASS
GSM 850	128	824.2	4000.0	7000.0	1 Tx	-27.88	-13	PASS
GSM 850	128	824.2	7000.0	10000.0	1 Tx	-35.35	-13	PASS
GSM 850	190	836.6	0.15	30.0	1 Tx	-48.6	-13	PASS
GSM 850	190	836.6	30.0	1000.0	1 Tx	-26.78	-13	PASS
GSM 850	190	836.6	1000.0	4000.0	1 Tx	-20.81	-13	PASS
GSM 850	190	836.6	4000.0	7000.0	1 Tx	-27.84	-13	PASS
GSM 850	190	836.6	7000.0	10000.0	1 Tx	-35.37	-13	PASS
GSM 850	251	848.8	0.15	30.0	1 Tx	-48.22	-13	PASS
GSM 850	251	848.8	30.0	1000.0	1 Tx	-27.86	-13	PASS
GSM 850	251	848.8	1000.0	4000.0	1 Tx	-21.39	-13	PASS
GSM 850	251	848.8	4000.0	7000.0	1 Tx	-25.8	-13	PASS
GSM 850	251	848.8	7000.0	10000.0	1 Tx	-35.23	-13	PASS
PCS 1900	512	1850.2	0.15	30.0	1 Tx	-48.2	-23	PASS
PCS 1900	512	1850.2	30.0	1000.0	1 Tx	-47.98	-13	PASS
PCS 1900	512	1850.2	1000.0	4000.0	1 Tx	-13.31	-13	PASS
PCS 1900	512	1850.2	4000.0	7000.0	1 Tx	-26.11	-13	PASS
PCS 1900	512	1850.2	7000.0	10000.0	1 Tx	-35.76	-13	PASS
PCS 1900	512	1850.2	10000.0	13000.0	1 Tx	-33.17	-13	PASS
PCS 1900	512	1850.2	13000.0	16000.0	1 Tx	-31.12	-13	PASS
PCS 1900	512	1850.2	16000.0	19000.0	1 Tx	-29.71	-13	PASS
PCS 1900	512	1850.2	19000.0	20000.0	1 Tx	-26.62	-13	PASS
PCS 1900	661	1880.0	0.15	30.0	1 Tx	-48.36	-23	PASS
PCS 1900	661	1880.0	30.0	1000.0	1 Tx	-47.9	-13	PASS
PCS 1900	661	1880.0	1000.0	4000.0	1 Tx	-13.61	-13	PASS
PCS 1900	661	1880.0	4000.0	7000.0	1 Tx	-27.14	-13	PASS
PCS 1900	661	1880.0	7000.0	10000.0	1 Tx	-35.48	-13	PASS
PCS 1900	661	1880.0	10000.0	13000.0	1 Tx	-32.58	-13	PASS
PCS 1900	661	1880.0	13000.0	16000.0	1 Tx	-31.16	-13	PASS
PCS 1900	661	1880.0	16000.0	19000.0	1 Tx	-29.47	-13	PASS
PCS 1900	661	1880.0	19000.0	20000.0	1 Tx	-26.5	-13	PASS
PCS 1900	810	1909.8	0.15	30.0	1 Tx	-55.46	-23	PASS
PCS 1900	810	1909.8	30.0	1000.0	1 Tx	-47.51	-13	PASS
PCS 1900	810	1909.8	1000.0	4000.0	1 Tx	-13.3	-13	PASS
PCS 1900	810	1909.8	4000.0	7000.0	1 Tx	-28.82	-13	PASS
PCS 1900	810	1909.8	7000.0	10000.0	1 Tx	-34.89	-13	PASS
PCS 1900	810	1909.8	10000.0	13000.0	1 Tx	-32.78	-13	PASS
PCS 1900	810	1909.8	13000.0	16000.0	1 Tx	-31.72	-13	PASS
PCS 1900	810	1909.8	16000.0	19000.0	1 Tx	-30.44	-13	PASS
PCS 1900	810	1909.8	19000.0	20000.0	1 Tx	-26.26	-13	PASS


Test Graphs


















10. Conducted Band Edge EGPRS

Test Result

Band	Channel	Freq (MHz)	Slots	Result	Verdict
GSM 850	128	824.2	1 Tx	see graph	PASS
GSM 850	251	848.8	1 Tx	see graph	PASS
PCS 1900	512	1850.2	1 Tx	see graph	PASS
PCS 1900	810	1909.8	1 Tx	see graph	PASS

Test Graphs



11. Frequency Stability EGPRS

Test Result

Voltage						
Band	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (ppm)	Limit (ppm)	Verdict
EGPRS850	128	VN	NT	-0.04280	±2.5	PASS
EGPRS850	128	VL	NT	0.02846	±2.5	PASS
EGPRS850	128	VH	NT	0.03887	±2.5	PASS
EGPRS1900	512	VN	NT	-0.03147	±2.5	PASS
EGPRS1900	512	VL	NT	-0.02089	±2.5	PASS
EGPRS1900	512	VH	NT	0.01268	±2.5	PASS
EGPRS850	190	VN	NT	0.01124	±2.5	PASS
EGPRS850	190	VL	NT	0.03898	±2.5	PASS
EGPRS850	190	VH	NT	0.02393	±2.5	PASS
EGPRS1900	661	VN	NT	0.00980	±2.5	PASS
EGPRS1900	661	VL	NT	0.00492	±2.5	PASS
EGPRS1900	661	VH	NT	0.00189	±2.5	PASS
EGPRS850	190	VN	NT	-0.04810	±2.5	PASS
EGPRS850	190	VL	NT	0.00503	±2.5	PASS
EGPRS850	190	VH	NT	-0.04033	±2.5	PASS
EGPRS1900	810	VN	NT	0.02761	±2.5	PASS
EGPRS1900	810	VL	NT	0.00172	±2.5	PASS
EGPRS1900	810	VH	NT	-0.02009	±2.5	PASS

Temperature						
Band	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (ppm)	Limit (ppm)	Verdict
EGPRS850	128	NV	-30	0.01290	±2.5	PASS
EGPRS850	128	NV	-20	-0.03201	±2.5	PASS
EGPRS850	128	NV	-10	0.00656	±2.5	PASS
EGPRS850	128	NV	0	-0.04066	±2.5	PASS
EGPRS850	128	NV	10	0.01997	±2.5	PASS
EGPRS850	128	NV	20	0.03814	±2.5	PASS
EGPRS850	128	NV	30	0.02743	±2.5	PASS
EGPRS850	128	NV	40	-0.02163	±2.5	PASS
EGPRS850	128	NV	50	0.04073	±2.5	PASS
EGPRS1900	512	NV	-30	0.00165	±2.5	PASS
EGPRS1900	512	NV	-20	-0.01704	±2.5	PASS
EGPRS1900	512	NV	-10	-0.03528	±2.5	PASS
EGPRS1900	512	NV	0	0.01795	±2.5	PASS
EGPRS1900	512	NV	10	0.02987	±2.5	PASS
EGPRS1900	512	NV	20	-0.02491	±2.5	PASS
EGPRS1900	512	NV	30	-0.01315	±2.5	PASS
EGPRS1900	512	NV	40	0.03103	±2.5	PASS
EGPRS1900	512	NV	50	0.04154	±2.5	PASS
EGPRS850	190	NV	-30	-0.01795	±2.5	PASS
EGPRS850	190	NV	-20	0.04038	±2.5	PASS
EGPRS850	190	NV	-10	-0.03634	±2.5	PASS
EGPRS850	190	NV	0	-0.00652	±2.5	PASS
EGPRS850	190	NV	10	0.01936	±2.5	PASS
EGPRS850	190	NV	20	-0.04107	±2.5	PASS
EGPRS850	190	NV	30	0.04626	±2.5	PASS
EGPRS850	190	NV	40	0.01715	±2.5	PASS
EGPRS850	190	NV	50	-0.02086	±2.5	PASS
EGPRS1900	661	NV	-30	0.00533	±2.5	PASS
EGPRS1900	661	NV	-20	0.00968	±2.5	PASS
EGPRS1900	661	NV	-10	0.01118	±2.5	PASS
EGPRS1900	661	NV	0	-0.03072	±2.5	PASS
EGPRS1900	661	NV	10	0.00771	±2.5	PASS
EGPRS1900	661	NV	20	0.00778	±2.5	PASS
EGPRS1900	661	NV	30	-0.01632	±2.5	PASS

EGPRS1900	661	NV	40	-0.04266	±2.5	PASS
EGPRS1900	661	NV	50	-0.02504	±2.5	PASS
EGPRS850	251	NV	-30	0.01889	±2.5	PASS
EGPRS850	251	NV	-20	0.00333	±2.5	PASS
EGPRS850	251	NV	-10	-0.01088	±2.5	PASS
EGPRS850	251	NV	0	0.02150	±2.5	PASS
EGPRS850	251	NV	10	-0.03769	±2.5	PASS
EGPRS850	251	NV	20	-0.00576	±2.5	PASS
EGPRS850	251	NV	30	-0.00327	±2.5	PASS
EGPRS850	251	NV	40	-0.01909	±2.5	PASS
EGPRS850	251	NV	50	0.03493	±2.5	PASS
EGPRS1900	810	NV	-30	-0.04417	±2.5	PASS
EGPRS1900	810	NV	-20	0.04126	±2.5	PASS
EGPRS1900	810	NV	-10	0.01314	±2.5	PASS
EGPRS1900	810	NV	0	0.04139	±2.5	PASS
EGPRS1900	810	NV	10	-0.04573	±2.5	PASS
EGPRS1900	810	NV	20	-0.00372	±2.5	PASS
EGPRS1900	810	NV	30	0.00610	±2.5	PASS
EGPRS1900	810	NV	40	0.00537	±2.5	PASS
EGPRS1900	810	NV	50	0.01342	±2.5	PASS

12. Frequency Stability GPRS

Test Result

Voltage						
Band	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (ppm)	Limit (ppm)	Verdict
GPRS850	128	VN	NT	-0.01375	±2.5	PASS
GPRS850	128	VL	NT	-0.02098	±2.5	PASS
GPRS850	128	VH	NT	-0.03783	±2.5	PASS
GPRS1900	512	VN	NT	-0.02459	±2.5	PASS
GPRS1900	512	VL	NT	-0.03303	±2.5	PASS
GPRS1900	512	VH	NT	0.01303	±2.5	PASS
GPRS850	190	VN	NT	-0.03155	±2.5	PASS
GPRS850	190	VL	NT	0.01538	±2.5	PASS
GPRS850	190	VH	NT	0.03697	±2.5	PASS
GPRS1900	661	VN	NT	-0.03597	±2.5	PASS
GPRS1900	661	VL	NT	-0.04622	±2.5	PASS
GPRS1900	661	VH	NT	-0.04571	±2.5	PASS
GPRS850	251	VN	NT	0.03270	±2.5	PASS
GPRS850	251	VL	NT	-0.03805	±2.5	PASS
GPRS850	251	VH	NT	0.04182	±2.5	PASS
GPRS1900	810	VN	NT	0.02072	±2.5	PASS
GPRS1900	810	VL	NT	-0.02624	±2.5	PASS
GPRS1900	810	VH	NT	0.01573	±2.5	PASS

Temperature						
Band	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (ppm)	Limit (ppm)	Verdict
GPRS850	128	NV	-30	-0.01572	±2.5	PASS
GPRS850	128	NV	-20	0.01711	±2.5	PASS
GPRS850	128	NV	-10	0.02112	±2.5	PASS
GPRS850	128	NV	0	-0.03487	±2.5	PASS
GPRS850	128	NV	10	0.03945	±2.5	PASS
GPRS850	128	NV	20	-0.00668	±2.5	PASS
GPRS850	128	NV	30	-0.01452	±2.5	PASS
GPRS850	128	NV	40	-0.04387	±2.5	PASS
GPRS850	128	NV	50	0.02780	±2.5	PASS
GPRS1900	512	NV	-30	-0.01525	±2.5	PASS
GPRS1900	512	NV	-20	-0.03288	±2.5	PASS
GPRS1900	512	NV	-10	0.01130	±2.5	PASS
GPRS1900	512	NV	0	-0.03310	±2.5	PASS
GPRS1900	512	NV	10	0.03871	±2.5	PASS
GPRS1900	512	NV	20	0.01701	±2.5	PASS
GPRS1900	512	NV	30	-0.03814	±2.5	PASS
GPRS1900	512	NV	40	-0.03522	±2.5	PASS
GPRS1900	512	NV	50	0.04371	±2.5	PASS
GPRS850	190	NV	-30	0.02943	±2.5	PASS
GPRS850	190	NV	-20	-0.02927	±2.5	PASS
GPRS850	190	NV	-10	0.03894	±2.5	PASS
GPRS850	190	NV	0	-0.02456	±2.5	PASS
GPRS850	190	NV	10	0.00556	±2.5	PASS
GPRS850	190	NV	20	-0.02451	±2.5	PASS
GPRS850	190	NV	30	-0.04529	±2.5	PASS
GPRS850	190	NV	40	-0.04234	±2.5	PASS
GPRS850	190	NV	50	-0.00858	±2.5	PASS
GPRS1900	661	NV	-30	0.03382	±2.5	PASS
GPRS1900	661	NV	-20	-0.04681	±2.5	PASS
GPRS1900	661	NV	-10	0.01345	±2.5	PASS
GPRS1900	661	NV	0	-0.04501	±2.5	PASS
GPRS1900	661	NV	10	0.00508	±2.5	PASS
GPRS1900	661	NV	20	-0.01354	±2.5	PASS
GPRS1900	661	NV	30	-0.02369	±2.5	PASS

GPRS1900	661	NV	40	0.00501	±2.5	PASS
GPRS1900	661	NV	50	0.00417	±2.5	PASS
GPRS850	251	NV	-30	-0.01790	±2.5	PASS
GPRS850	251	NV	-20	-0.03850	±2.5	PASS
GPRS850	251	NV	-10	0.00165	±2.5	PASS
GPRS850	251	NV	0	-0.03922	±2.5	PASS
GPRS850	251	NV	10	0.04438	±2.5	PASS
GPRS850	251	NV	20	-0.00865	±2.5	PASS
GPRS850	251	NV	30	-0.03995	±2.5	PASS
GPRS850	251	NV	40	0.02340	±2.5	PASS
GPRS850	251	NV	50	-0.04236	±2.5	PASS
GPRS1900	810	NV	-30	-0.00178	±2.5	PASS
GPRS1900	810	NV	-20	0.03713	±2.5	PASS
GPRS1900	810	NV	-10	-0.01189	±2.5	PASS
GPRS1900	810	NV	0	0.02505	±2.5	PASS
GPRS1900	810	NV	10	0.04739	±2.5	PASS
GPRS1900	810	NV	20	0.04429	±2.5	PASS
GPRS1900	810	NV	30	0.04163	±2.5	PASS
GPRS1900	810	NV	40	0.02435	±2.5	PASS
GPRS1900	810	NV	50	-0.02182	±2.5	PASS