

1. Transmitter Conducted Output Power And ERP/EIRP

Test Result

Band	Channel	Connection Type	Freq (MHz)	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)	ERP/EIRP(Limit) (dBm)	Verdict
2	9262	HSDPA	1852.4	22.16	25.12	0.325	33.01	PASS
2	9400	HSDPA	1880.0	23.10	26.06	0.404	33.01	PASS
2	9538	HSDPA	1907.6	23.23	26.19	0.416	33.01	PASS
2	9262	HSDPA	1852.4	22.76	25.72	0.373	33.01	PASS
2	9400	HSDPA	1880.0	23.80	26.76	0.474	33.01	PASS
2	9538	HSDPA	1907.6	22.53	25.49	0.354	33.01	PASS
2	9262	HSDPA	1852.4	23.18	26.14	0.411	33.01	PASS
2	9400	HSDPA	1880.0	23.48	26.44	0.441	33.01	PASS
2	9538	HSDPA	1907.6	22.25	25.21	0.332	33.01	PASS
2	9262	HSDPA	1852.4	23.37	26.33	0.430	33.01	PASS
2	9400	HSDPA	1880.0	23.24	26.20	0.417	33.01	PASS
2	9538	HSDPA	1907.6	22.86	25.82	0.382	33.01	PASS
2	9262	HSUPA	1852.4	23.56	26.52	0.449	33.01	PASS
2	9400	HSUPA	1880.0	23.17	26.13	0.410	33.01	PASS
2	9538	HSUPA	1907.6	21.80	24.76	0.299	33.01	PASS
2	9262	HSUPA	1852.4	22.95	25.91	0.390	33.01	PASS
2	9400	HSUPA	1880.0	22.11	25.07	0.321	33.01	PASS
2	9538	HSUPA	1907.6	23.27	26.23	0.420	33.01	PASS
2	9262	HSUPA	1852.4	22.65	25.61	0.364	33.01	PASS
2	9400	HSUPA	1880.0	23.08	26.04	0.402	33.01	PASS
2	9538	HSUPA	1907.6	22.95	25.91	0.390	33.01	PASS
2	9262	HSUPA	1852.4	22.27	25.23	0.333	33.01	PASS
2	9400	HSUPA	1880.0	22.28	25.24	0.334	33.01	PASS
2	9538	HSUPA	1907.6	23.57	26.53	0.450	33.01	PASS
2	9262	HSUPA	1852.4	23.97	26.93	0.493	33.01	PASS
2	9400	HSUPA	1880.0	22.69	25.65	0.367	33.01	PASS
2	9538	HSUPA	1907.6	23.39	26.35	0.432	33.01	PASS

ERP= Conducted Power + ANT Gain, Gain=2.96dBi

2. Frequency Stability

Test Result

Voltage						
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	VN	NT	0.02456	±2.5	PASS
Band2	9262	VL	NT	-0.02769	±2.5	PASS
Band2	9262	VH	NT	-0.02592	±2.5	PASS
Band2	9400	VN	NT	-0.00620	±2.5	PASS
Band2	9400	VL	NT	-0.02103	±2.5	PASS
Band2	9400	VH	NT	-0.00431	±2.5	PASS
Band2	9538	VN	NT	0.00998	±2.5	PASS
Band2	9538	VL	NT	0.03739	±2.5	PASS
Band2	9538	VH	NT	-0.03079	±2.5	PASS

Temperature						
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	NV	-30	0.03396	±2.5	PASS
Band2	9262	NV	-20	-0.04115	±2.5	PASS
Band2	9262	NV	-10	0.03210	±2.5	PASS
Band2	9262	NV	0	0.01556	±2.5	PASS
Band2	9262	NV	10	0.04962	±2.5	PASS
Band2	9262	NV	20	-0.03814	±2.5	PASS
Band2	9262	NV	30	-0.03619	±2.5	PASS
Band2	9262	NV	40	-0.02031	±2.5	PASS
Band2	9262	NV	50	-0.01066	±2.5	PASS
Band2	9400	NV	-30	-0.04484	±2.5	PASS
Band2	9400	NV	-20	0.03420	±2.5	PASS
Band2	9400	NV	-10	-0.01758	±2.5	PASS
Band2	9400	NV	0	-0.00478	±2.5	PASS
Band2	9400	NV	10	-0.00485	±2.5	PASS
Band2	9400	NV	20	-0.00745	±2.5	PASS
Band2	9400	NV	30	0.00433	±2.5	PASS
Band2	9400	NV	40	-0.00615	±2.5	PASS
Band2	9400	NV	50	-0.04646	±2.5	PASS
Band2	9538	NV	-30	0.03174	±2.5	PASS
Band2	9538	NV	-20	0.03184	±2.5	PASS
Band2	9538	NV	-10	0.03269	±2.5	PASS
Band2	9538	NV	0	-0.03604	±2.5	PASS
Band2	9538	NV	10	0.01200	±2.5	PASS
Band2	9538	NV	20	0.01730	±2.5	PASS
Band2	9538	NV	30	-0.03850	±2.5	PASS
Band2	9538	NV	40	-0.03740	±2.5	PASS
Band2	9538	NV	50	0.01988	±2.5	PASS

Voltage							
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VN	NT	0.03213	±2.5	PASS
Band2	9262	1	VL	NT	0.00427	±2.5	PASS
Band2	9262	1	VH	NT	0.04271	±2.5	PASS
Band2	9262	2	VN	NT	0.00025	±2.5	PASS
Band2	9262	2	VL	NT	0.01563	±2.5	PASS
Band2	9262	2	VH	NT	-0.02545	±2.5	PASS
Band2	9262	3	VN	NT	0.01488	±2.5	PASS
Band2	9262	3	VL	NT	0.03911	±2.5	PASS
Band2	9262	3	VH	NT	-0.02966	±2.5	PASS
Band2	9262	4	VN	NT	-0.00677	±2.5	PASS
Band2	9262	4	VL	NT	0.00491	±2.5	PASS
Band2	9262	4	VH	NT	0.01270	±2.5	PASS

Band2	9400	1	VN	NT	0.01120	±2.5	PASS
Band2	9400	1	VL	NT	0.02299	±2.5	PASS
Band2	9400	1	VH	NT	-0.04794	±2.5	PASS
Band2	9400	2	VN	NT	-0.02167	±2.5	PASS
Band2	9400	2	VL	NT	-0.02103	±2.5	PASS
Band2	9400	2	VH	NT	0.02794	±2.5	PASS
Band2	9400	3	VN	NT	-0.04212	±2.5	PASS
Band2	9400	3	VL	NT	0.01052	±2.5	PASS
Band2	9400	3	VH	NT	-0.02963	±2.5	PASS
Band2	9400	4	VN	NT	-0.03184	±2.5	PASS
Band2	9400	4	VL	NT	-0.04506	±2.5	PASS
Band2	9400	4	VH	NT	0.00942	±2.5	PASS
Band2	9538	1	VN	NT	0.01225	±2.5	PASS
Band2	9538	1	VL	NT	-0.02716	±2.5	PASS
Band2	9538	1	VH	NT	-0.00488	±2.5	PASS
Band2	9538	2	VN	NT	0.01294	±2.5	PASS
Band2	9538	2	VL	NT	0.03578	±2.5	PASS
Band2	9538	2	VH	NT	-0.03607	±2.5	PASS
Band2	9538	3	VN	NT	0.02865	±2.5	PASS
Band2	9538	3	VL	NT	0.04392	±2.5	PASS
Band2	9538	3	VH	NT	0.03362	±2.5	PASS
Band2	9538	4	VN	NT	-0.04474	±2.5	PASS
Band2	9538	4	VL	NT	0.03856	±2.5	PASS
Band2	9538	4	VH	NT	-0.04727	±2.5	PASS

Temperature							
Band	Channel	SubT est	Voltage (Vdc)	Temperat ure (°C)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	-0.04747	±2.5	PASS
Band2	9262	1	NV	-20	-0.04219	±2.5	PASS
Band2	9262	1	NV	-10	-0.01560	±2.5	PASS
Band2	9262	1	NV	0	0.03512	±2.5	PASS
Band2	9262	1	NV	10	0.03179	±2.5	PASS
Band2	9262	1	NV	20	-0.03072	±2.5	PASS
Band2	9262	1	NV	30	-0.00736	±2.5	PASS
Band2	9262	1	NV	40	0.04259	±2.5	PASS
Band2	9262	1	NV	50	0.03144	±2.5	PASS
Band2	9262	2	NV	-30	-0.04669	±2.5	PASS
Band2	9262	2	NV	-20	-0.04221	±2.5	PASS
Band2	9262	2	NV	-10	0.02345	±2.5	PASS
Band2	9262	2	NV	0	0.04050	±2.5	PASS
Band2	9262	2	NV	10	0.02041	±2.5	PASS
Band2	9262	2	NV	20	-0.04038	±2.5	PASS
Band2	9262	2	NV	30	0.01640	±2.5	PASS
Band2	9262	2	NV	40	-0.01059	±2.5	PASS
Band2	9262	2	NV	50	0.03450	±2.5	PASS
Band2	9262	3	NV	-30	-0.02729	±2.5	PASS
Band2	9262	3	NV	-20	-0.03881	±2.5	PASS
Band2	9262	3	NV	-10	-0.03821	±2.5	PASS
Band2	9262	3	NV	0	0.04362	±2.5	PASS
Band2	9262	3	NV	10	0.02183	±2.5	PASS
Band2	9262	3	NV	20	0.01311	±2.5	PASS
Band2	9262	3	NV	30	0.04867	±2.5	PASS
Band2	9262	3	NV	40	0.02160	±2.5	PASS
Band2	9262	3	NV	50	-0.02617	±2.5	PASS
Band2	9262	4	NV	-30	-0.00361	±2.5	PASS
Band2	9262	4	NV	-20	-0.01330	±2.5	PASS
Band2	9262	4	NV	-10	-0.00949	±2.5	PASS
Band2	9262	4	NV	0	-0.00936	±2.5	PASS
Band2	9262	4	NV	10	0.00296	±2.5	PASS
Band2	9262	4	NV	20	-0.02963	±2.5	PASS
Band2	9262	4	NV	30	-0.02923	±2.5	PASS
Band2	9262	4	NV	40	0.02857	±2.5	PASS
Band2	9262	4	NV	50	0.04451	±2.5	PASS

Band2	9400	1	NV	-30	-0.01811	±2.5	PASS
Band2	9400	1	NV	-20	-0.04195	±2.5	PASS
Band2	9400	1	NV	-10	-0.03482	±2.5	PASS
Band2	9400	1	NV	0	-0.04143	±2.5	PASS
Band2	9400	1	NV	10	0.02458	±2.5	PASS
Band2	9400	1	NV	20	0.01020	±2.5	PASS
Band2	9400	1	NV	30	-0.03739	±2.5	PASS
Band2	9400	1	NV	40	0.04142	±2.5	PASS
Band2	9400	1	NV	50	0.02474	±2.5	PASS
Band2	9400	2	NV	-30	-0.02477	±2.5	PASS
Band2	9400	2	NV	-20	-0.00451	±2.5	PASS
Band2	9400	2	NV	-10	-0.02251	±2.5	PASS
Band2	9400	2	NV	0	0.00251	±2.5	PASS
Band2	9400	2	NV	10	0.04008	±2.5	PASS
Band2	9400	2	NV	20	0.01017	±2.5	PASS
Band2	9400	2	NV	30	0.01576	±2.5	PASS
Band2	9400	2	NV	40	0.00646	±2.5	PASS
Band2	9400	2	NV	50	0.04990	±2.5	PASS
Band2	9400	3	NV	-30	-0.01531	±2.5	PASS
Band2	9400	3	NV	-20	-0.04680	±2.5	PASS
Band2	9400	3	NV	-10	-0.03292	±2.5	PASS
Band2	9400	3	NV	0	-0.02896	±2.5	PASS
Band2	9400	3	NV	10	0.00280	±2.5	PASS
Band2	9400	3	NV	20	-0.04047	±2.5	PASS
Band2	9400	3	NV	30	0.03538	±2.5	PASS
Band2	9400	3	NV	40	-0.01143	±2.5	PASS
Band2	9400	3	NV	50	0.02327	±2.5	PASS
Band2	9400	4	NV	-30	0.04774	±2.5	PASS
Band2	9400	4	NV	-20	-0.00364	±2.5	PASS
Band2	9400	4	NV	-10	0.02722	±2.5	PASS
Band2	9400	4	NV	0	-0.03834	±2.5	PASS
Band2	9400	4	NV	10	-0.02275	±2.5	PASS
Band2	9400	4	NV	20	0.00991	±2.5	PASS
Band2	9400	4	NV	30	-0.03209	±2.5	PASS
Band2	9400	4	NV	40	-0.02761	±2.5	PASS
Band2	9400	4	NV	50	-0.02619	±2.5	PASS
Band2	9538	1	NV	-30	0.03224	±2.5	PASS
Band2	9538	1	NV	-20	0.02714	±2.5	PASS
Band2	9538	1	NV	-10	0.01926	±2.5	PASS
Band2	9538	1	NV	0	-0.03625	±2.5	PASS
Band2	9538	1	NV	10	0.00013	±2.5	PASS
Band2	9538	1	NV	20	-0.02763	±2.5	PASS
Band2	9538	1	NV	30	0.01324	±2.5	PASS
Band2	9538	1	NV	40	-0.00007	±2.5	PASS
Band2	9538	1	NV	50	-0.04949	±2.5	PASS
Band2	9538	2	NV	-30	-0.01454	±2.5	PASS
Band2	9538	2	NV	-20	0.04621	±2.5	PASS
Band2	9538	2	NV	-10	0.04158	±2.5	PASS
Band2	9538	2	NV	0	-0.02699	±2.5	PASS
Band2	9538	2	NV	10	-0.00706	±2.5	PASS
Band2	9538	2	NV	20	0.00609	±2.5	PASS
Band2	9538	2	NV	30	-0.03512	±2.5	PASS
Band2	9538	2	NV	40	-0.00687	±2.5	PASS
Band2	9538	2	NV	50	0.04914	±2.5	PASS
Band2	9538	3	NV	-30	0.01597	±2.5	PASS
Band2	9538	3	NV	-20	0.00631	±2.5	PASS
Band2	9538	3	NV	-10	-0.04010	±2.5	PASS
Band2	9538	3	NV	0	-0.02754	±2.5	PASS
Band2	9538	3	NV	10	0.04521	±2.5	PASS
Band2	9538	3	NV	20	0.03362	±2.5	PASS
Band2	9538	3	NV	30	0.03305	±2.5	PASS
Band2	9538	3	NV	40	-0.04977	±2.5	PASS
Band2	9538	3	NV	50	0.00796	±2.5	PASS
Band2	9538	4	NV	-30	-0.04383	±2.5	PASS
Band2	9538	4	NV	-20	-0.01702	±2.5	PASS
Band2	9538	4	NV	-10	-0.00657	±2.5	PASS

Band2	9538	4	NV	0	-0.03968	±2.5	PASS
Band2	9538	4	NV	10	-0.01099	±2.5	PASS
Band2	9538	4	NV	20	-0.00924	±2.5	PASS
Band2	9538	4	NV	30	-0.02320	±2.5	PASS
Band2	9538	4	NV	40	0.00298	±2.5	PASS
Band2	9538	4	NV	50	0.00212	±2.5	PASS

Voltage							
Band	Channel	SubT est	Voltage (Vdc)	Temperat ure (°C)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VN	NT	0.04899	±2.5	PASS
Band2	9262	1	VL	NT	0.02922	±2.5	PASS
Band2	9262	1	VH	NT	0.01785	±2.5	PASS
Band2	9262	2	VN	NT	-0.01207	±2.5	PASS
Band2	9262	2	VL	NT	-0.01212	±2.5	PASS
Band2	9262	2	VH	NT	0.03884	±2.5	PASS
Band2	9262	3	VN	NT	0.03273	±2.5	PASS
Band2	9262	3	VL	NT	0.00678	±2.5	PASS
Band2	9262	3	VH	NT	-0.02062	±2.5	PASS
Band2	9262	4	VN	NT	0.02084	±2.5	PASS
Band2	9262	4	VL	NT	-0.01726	±2.5	PASS
Band2	9262	4	VH	NT	0.00661	±2.5	PASS
Band2	9262	5	VN	NT	-0.03598	±2.5	PASS
Band2	9262	5	VL	NT	-0.02231	±2.5	PASS
Band2	9262	5	VH	NT	0.03422	±2.5	PASS
Band2	9400	1	VN	NT	0.03655	±2.5	PASS
Band2	9400	1	VL	NT	0.01661	±2.5	PASS
Band2	9400	1	VH	NT	-0.04840	±2.5	PASS
Band2	9400	2	VN	NT	0.03755	±2.5	PASS
Band2	9400	2	VL	NT	-0.00420	±2.5	PASS
Band2	9400	2	VH	NT	0.02613	±2.5	PASS
Band2	9400	3	VN	NT	0.04163	±2.5	PASS
Band2	9400	3	VL	NT	0.02929	±2.5	PASS
Band2	9400	3	VH	NT	0.01753	±2.5	PASS
Band2	9400	4	VN	NT	-0.01484	±2.5	PASS
Band2	9400	4	VL	NT	-0.03473	±2.5	PASS
Band2	9400	4	VH	NT	-0.03594	±2.5	PASS
Band2	9400	5	VN	NT	0.03339	±2.5	PASS
Band2	9400	5	VL	NT	-0.03356	±2.5	PASS
Band2	9400	5	VH	NT	0.00611	±2.5	PASS
Band2	9538	1	VN	NT	0.01756	±2.5	PASS
Band2	9538	1	VL	NT	-0.03183	±2.5	PASS
Band2	9538	1	VH	NT	-0.01216	±2.5	PASS
Band2	9538	2	VN	NT	-0.04927	±2.5	PASS
Band2	9538	2	VL	NT	-0.03656	±2.5	PASS
Band2	9538	2	VH	NT	-0.02132	±2.5	PASS
Band2	9538	3	VN	NT	-0.01558	±2.5	PASS
Band2	9538	3	VL	NT	0.04620	±2.5	PASS
Band2	9538	3	VH	NT	-0.03100	±2.5	PASS
Band2	9538	4	VN	NT	-0.00680	±2.5	PASS
Band2	9538	4	VL	NT	0.02150	±2.5	PASS
Band2	9538	4	VH	NT	-0.02560	±2.5	PASS
Band2	9538	5	VN	NT	-0.02054	±2.5	PASS
Band2	9538	5	VL	NT	-0.00187	±2.5	PASS
Band2	9538	5	VH	NT	-0.03157	±2.5	PASS

Temperature							
Band	Channel	SubT est	Voltage (Vdc)	Temperat ure (°C)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	0.01262	±2.5	PASS
Band2	9262	1	NV	-20	0.04964	±2.5	PASS
Band2	9262	1	NV	-10	-0.02849	±2.5	PASS

Band2	9262	1	NV	0	0.03105	±2.5	PASS
Band2	9262	1	NV	10	0.02724	±2.5	PASS
Band2	9262	1	NV	20	-0.02248	±2.5	PASS
Band2	9262	1	NV	30	-0.04087	±2.5	PASS
Band2	9262	1	NV	40	-0.00821	±2.5	PASS
Band2	9262	1	NV	50	0.03853	±2.5	PASS
Band2	9262	2	NV	-30	0.00170	±2.5	PASS
Band2	9262	2	NV	-20	0.02588	±2.5	PASS
Band2	9262	2	NV	-10	0.01677	±2.5	PASS
Band2	9262	2	NV	0	-0.00098	±2.5	PASS
Band2	9262	2	NV	10	-0.01573	±2.5	PASS
Band2	9262	2	NV	20	0.04807	±2.5	PASS
Band2	9262	2	NV	30	-0.02052	±2.5	PASS
Band2	9262	2	NV	40	-0.04780	±2.5	PASS
Band2	9262	2	NV	50	-0.02009	±2.5	PASS
Band2	9262	3	NV	-30	0.02869	±2.5	PASS
Band2	9262	3	NV	-20	-0.04982	±2.5	PASS
Band2	9262	3	NV	-10	0.02770	±2.5	PASS
Band2	9262	3	NV	0	-0.01836	±2.5	PASS
Band2	9262	3	NV	10	0.02036	±2.5	PASS
Band2	9262	3	NV	20	-0.02213	±2.5	PASS
Band2	9262	3	NV	30	0.03545	±2.5	PASS
Band2	9262	3	NV	40	0.01316	±2.5	PASS
Band2	9262	3	NV	50	-0.04258	±2.5	PASS
Band2	9262	4	NV	-30	0.00963	±2.5	PASS
Band2	9262	4	NV	-20	0.04392	±2.5	PASS
Band2	9262	4	NV	-10	0.00822	±2.5	PASS
Band2	9262	4	NV	0	-0.02398	±2.5	PASS
Band2	9262	4	NV	10	-0.04241	±2.5	PASS
Band2	9262	4	NV	20	-0.04223	±2.5	PASS
Band2	9262	4	NV	30	0.04130	±2.5	PASS
Band2	9262	4	NV	40	0.03033	±2.5	PASS
Band2	9262	4	NV	50	0.03478	±2.5	PASS
Band2	9262	5	NV	-30	-0.01254	±2.5	PASS
Band2	9262	5	NV	-20	0.02895	±2.5	PASS
Band2	9262	5	NV	-10	0.02749	±2.5	PASS
Band2	9262	5	NV	0	-0.02774	±2.5	PASS
Band2	9262	5	NV	10	-0.02107	±2.5	PASS
Band2	9262	5	NV	20	-0.03043	±2.5	PASS
Band2	9262	5	NV	30	0.03799	±2.5	PASS
Band2	9262	5	NV	40	0.04319	±2.5	PASS
Band2	9262	5	NV	50	0.03713	±2.5	PASS
Band2	9400	1	NV	-30	0.01128	±2.5	PASS
Band2	9400	1	NV	-20	0.04813	±2.5	PASS
Band2	9400	1	NV	-10	-0.03545	±2.5	PASS
Band2	9400	1	NV	0	0.00856	±2.5	PASS
Band2	9400	1	NV	10	-0.04821	±2.5	PASS
Band2	9400	1	NV	20	-0.03780	±2.5	PASS
Band2	9400	1	NV	30	-0.01394	±2.5	PASS
Band2	9400	1	NV	40	-0.04790	±2.5	PASS
Band2	9400	1	NV	50	0.02830	±2.5	PASS
Band2	9400	2	NV	-30	-0.04472	±2.5	PASS
Band2	9400	2	NV	-20	0.01528	±2.5	PASS
Band2	9400	2	NV	-10	0.01476	±2.5	PASS
Band2	9400	2	NV	0	0.02101	±2.5	PASS
Band2	9400	2	NV	10	0.00446	±2.5	PASS
Band2	9400	2	NV	20	0.00057	±2.5	PASS
Band2	9400	2	NV	30	-0.02159	±2.5	PASS
Band2	9400	2	NV	40	0.04217	±2.5	PASS
Band2	9400	2	NV	50	-0.01700	±2.5	PASS
Band2	9400	3	NV	-30	-0.04348	±2.5	PASS
Band2	9400	3	NV	-20	0.01644	±2.5	PASS
Band2	9400	3	NV	-10	0.04740	±2.5	PASS
Band2	9400	3	NV	0	-0.04050	±2.5	PASS
Band2	9400	3	NV	10	-0.02418	±2.5	PASS
Band2	9400	3	NV	20	0.01726	±2.5	PASS


Band2	9400	3	NV	30	-0.02338	±2.5	PASS
Band2	9400	3	NV	40	-0.03079	±2.5	PASS
Band2	9400	3	NV	50	-0.03549	±2.5	PASS
Band2	9400	4	NV	-30	0.04669	±2.5	PASS
Band2	9400	4	NV	-20	0.02731	±2.5	PASS
Band2	9400	4	NV	-10	0.04766	±2.5	PASS
Band2	9400	4	NV	0	0.03138	±2.5	PASS
Band2	9400	4	NV	10	0.03644	±2.5	PASS
Band2	9400	4	NV	20	-0.02707	±2.5	PASS
Band2	9400	4	NV	30	-0.02567	±2.5	PASS
Band2	9400	4	NV	40	0.00527	±2.5	PASS
Band2	9400	4	NV	50	-0.01614	±2.5	PASS
Band2	9400	5	NV	-30	-0.01557	±2.5	PASS
Band2	9400	5	NV	-20	-0.01653	±2.5	PASS
Band2	9400	5	NV	-10	0.01132	±2.5	PASS
Band2	9400	5	NV	0	0.03882	±2.5	PASS
Band2	9400	5	NV	10	-0.00612	±2.5	PASS
Band2	9400	5	NV	20	-0.03670	±2.5	PASS
Band2	9400	5	NV	30	0.00773	±2.5	PASS
Band2	9400	5	NV	40	-0.00811	±2.5	PASS
Band2	9400	5	NV	50	0.00236	±2.5	PASS
Band2	9538	1	NV	-30	-0.02381	±2.5	PASS
Band2	9538	1	NV	-20	-0.03114	±2.5	PASS
Band2	9538	1	NV	-10	0.01406	±2.5	PASS
Band2	9538	1	NV	0	-0.02203	±2.5	PASS
Band2	9538	1	NV	10	-0.04227	±2.5	PASS
Band2	9538	1	NV	20	0.02972	±2.5	PASS
Band2	9538	1	NV	30	-0.00992	±2.5	PASS
Band2	9538	1	NV	40	0.01528	±2.5	PASS
Band2	9538	1	NV	50	0.04080	±2.5	PASS
Band2	9538	2	NV	-30	-0.00357	±2.5	PASS
Band2	9538	2	NV	-20	0.03033	±2.5	PASS
Band2	9538	2	NV	-10	-0.01330	±2.5	PASS
Band2	9538	2	NV	0	0.04971	±2.5	PASS
Band2	9538	2	NV	10	-0.02181	±2.5	PASS
Band2	9538	2	NV	20	0.04112	±2.5	PASS
Band2	9538	2	NV	30	-0.00084	±2.5	PASS
Band2	9538	2	NV	40	0.03785	±2.5	PASS
Band2	9538	2	NV	50	-0.01495	±2.5	PASS
Band2	9538	3	NV	-30	0.02437	±2.5	PASS
Band2	9538	3	NV	-20	-0.02195	±2.5	PASS
Band2	9538	3	NV	-10	-0.02345	±2.5	PASS
Band2	9538	3	NV	0	0.03020	±2.5	PASS
Band2	9538	3	NV	10	-0.01321	±2.5	PASS
Band2	9538	3	NV	20	0.01061	±2.5	PASS
Band2	9538	3	NV	30	-0.04290	±2.5	PASS
Band2	9538	3	NV	40	0.01891	±2.5	PASS
Band2	9538	3	NV	50	-0.02639	±2.5	PASS
Band2	9538	4	NV	-30	0.04780	±2.5	PASS
Band2	9538	4	NV	-20	-0.02846	±2.5	PASS
Band2	9538	4	NV	-10	-0.03089	±2.5	PASS
Band2	9538	4	NV	0	0.04262	±2.5	PASS
Band2	9538	4	NV	10	0.02551	±2.5	PASS
Band2	9538	4	NV	20	-0.04338	±2.5	PASS
Band2	9538	4	NV	30	-0.03964	±2.5	PASS
Band2	9538	4	NV	40	0.00612	±2.5	PASS
Band2	9538	4	NV	50	0.03150	±2.5	PASS
Band2	9538	5	NV	-30	-0.01672	±2.5	PASS
Band2	9538	5	NV	-20	0.02240	±2.5	PASS
Band2	9538	5	NV	-10	0.03775	±2.5	PASS
Band2	9538	5	NV	0	0.03103	±2.5	PASS
Band2	9538	5	NV	10	0.00972	±2.5	PASS
Band2	9538	5	NV	20	0.04281	±2.5	PASS
Band2	9538	5	NV	30	0.02107	±2.5	PASS
Band2	9538	5	NV	40	-0.00334	±2.5	PASS
Band2	9538	5	NV	50	-0.03263	±2.5	PASS

3. Peak to Average Ratio

Test Result

Band	Channel	Freq (MHz)	Result (dB)	Limit (dB)	Verdict
2	9262	1852.4	3.13	13	PASS
2	9400	1880.0	3.13	13	PASS
2	9538	1907.6	3.13	13	PASS

Test Graphs




4. Occupied Bandwidth

Test Result

Band	Channel	Freq (MHz)	OBW (MHz)	26dB BW (MHz)	Verdict
2	9262	1852.4	4.1534	4.703	PASS
2	9400	1880.0	4.1679	4.703	PASS
2	9538	1907.6	4.1389	4.732	PASS

Test Graphs





5. Conducted Spurious Emissions


Test Result


Band	Channel	Freq (MHz)	StartFreq (MHz)	StopFreq (MHz)	Result (dBm)	Limit (dBm)	Verdict
2	9262	1852.4	0.009	0.15	-54.16	-43	PASS
2	9262	1852.4	0.15	30.0	-54.75	-23	PASS
2	9262	1852.4	30.0	1000.0	-36.59	-13	PASS
2	9262	1852.4	1000.0	4000.0	-23.08	-13	PASS
2	9262	1852.4	4000.0	7000.0	-28.84	-13	PASS
2	9262	1852.4	7000.0	10000.0	-34.92	-13	PASS
2	9262	1852.4	10000.0	13000.0	-33.75	-13	PASS
2	9262	1852.4	13000.0	16000.0	-31.33	-13	PASS
2	9262	1852.4	16000.0	19000.0	-30.19	-13	PASS
2	9262	1852.4	19000.0	20000.0	-26.5	-13	PASS
2	9400	1880.0	0.009	0.15	-55.12	-43	PASS
2	9400	1880.0	0.15	30.0	-55.36	-23	PASS
2	9400	1880.0	30.0	1000.0	-37.08	-13	PASS
2	9400	1880.0	1000.0	4000.0	-23.77	-13	PASS
2	9400	1880.0	4000.0	7000.0	-26.47	-13	PASS
2	9400	1880.0	7000.0	10000.0	-35.95	-13	PASS
2	9400	1880.0	10000.0	13000.0	-34.02	-13	PASS
2	9400	1880.0	13000.0	16000.0	-31.67	-13	PASS
2	9400	1880.0	16000.0	19000.0	-29.79	-13	PASS
2	9400	1880.0	19000.0	20000.0	-26.57	-13	PASS
2	9538	1907.6	0.009	0.15	-55.16	-43	PASS
2	9538	1907.6	0.15	30.0	-54.87	-23	PASS
2	9538	1907.6	30.0	1000.0	-36.37	-13	PASS
2	9538	1907.6	1000.0	4000.0	-19.47	-13	PASS
2	9538	1907.6	4000.0	7000.0	-23.24	-13	PASS
2	9538	1907.6	7000.0	10000.0	-35.49	-13	PASS
2	9538	1907.6	10000.0	13000.0	-33.27	-13	PASS
2	9538	1907.6	13000.0	16000.0	-31.69	-13	PASS
2	9538	1907.6	16000.0	19000.0	-30.22	-13	PASS
2	9538	1907.6	19000.0	20000.0	-26.33	-13	PASS


Test Graphs











6. Conducted Band Edge

Test Result

Band	Channel	Freq (MHz)	Result	Verdict
2	9262	1852.4	see graph	PASS
2	9538	1907.6	see graph	PASS

Test Graphs

