








$\pi/4$ DQPSK/HCH/ No Hop	 <table><tr><th>MNR</th><th>MODE</th><th>TRIG</th><th>SOL</th><th>X</th><th>Y</th><th>FUNCTION</th><th>FUNCTION WIDTH</th><th>FUNCTION VALUE</th></tr><tr><td>1</td><td>N</td><td>1</td><td>f</td><td>2.4800 GHz</td><td>-6.513 dBm</td><td></td><td></td><td></td></tr><tr><td>2</td><td>N</td><td>1</td><td>f</td><td>2.4835 GHz</td><td>-53.894 dBm</td><td></td><td></td><td></td></tr><tr><td>3</td><td>N</td><td>1</td><td>f</td><td>2.5000 GHz</td><td>-51.900 dBm</td><td></td><td></td><td></td></tr><tr><td>4</td><td>N</td><td>1</td><td>f</td><td>2.4969 GHz</td><td>-51.615 dBm</td><td></td><td></td><td></td></tr></table>	MNR	MODE	TRIG	SOL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	2.4800 GHz	-6.513 dBm				2	N	1	f	2.4835 GHz	-53.894 dBm				3	N	1	f	2.5000 GHz	-51.900 dBm				4	N	1	f	2.4969 GHz	-51.615 dBm				
MNR	MODE	TRIG	SOL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																							
1	N	1	f	2.4800 GHz	-6.513 dBm																																										
2	N	1	f	2.4835 GHz	-53.894 dBm																																										
3	N	1	f	2.5000 GHz	-51.900 dBm																																										
4	N	1	f	2.4969 GHz	-51.615 dBm																																										
$\pi/4$ DQPSK/HCH/ Hop	 <table><tr><th>MNR</th><th>MODE</th><th>TRIG</th><th>SOL</th><th>X</th><th>Y</th><th>FUNCTION</th><th>FUNCTION WIDTH</th><th>FUNCTION VALUE</th></tr><tr><td>1</td><td>N</td><td>1</td><td>f</td><td>2.4769 GHz</td><td>-5.503 dBm</td><td></td><td></td><td></td></tr><tr><td>2</td><td>N</td><td>1</td><td>f</td><td>2.4835 GHz</td><td>-53.432 dBm</td><td></td><td></td><td></td></tr><tr><td>3</td><td>N</td><td>1</td><td>f</td><td>2.5000 GHz</td><td>-51.355 dBm</td><td></td><td></td><td></td></tr><tr><td>4</td><td>N</td><td>1</td><td>f</td><td>2.4964 GHz</td><td>-50.757 dBm</td><td></td><td></td><td></td></tr></table>	MNR	MODE	TRIG	SOL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	2.4769 GHz	-5.503 dBm				2	N	1	f	2.4835 GHz	-53.432 dBm				3	N	1	f	2.5000 GHz	-51.355 dBm				4	N	1	f	2.4964 GHz	-50.757 dBm				
MNR	MODE	TRIG	SOL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																							
1	N	1	f	2.4769 GHz	-5.503 dBm																																										
2	N	1	f	2.4835 GHz	-53.432 dBm																																										
3	N	1	f	2.5000 GHz	-51.355 dBm																																										
4	N	1	f	2.4964 GHz	-50.757 dBm																																										
8DPSK/LCH/No Hop	 <table><tr><th>MNR</th><th>MODE</th><th>TRIG</th><th>SOL</th><th>X</th><th>Y</th><th>FUNCTION</th><th>FUNCTION WIDTH</th><th>FUNCTION VALUE</th></tr><tr><td>1</td><td>N</td><td>1</td><td>f</td><td>2.4019 GHz</td><td>-4.874 dBm</td><td></td><td></td><td></td></tr><tr><td>2</td><td>N</td><td>1</td><td>f</td><td>2.4000 GHz</td><td>-54.209 dBm</td><td></td><td></td><td></td></tr><tr><td>3</td><td>N</td><td>1</td><td>f</td><td>2.4000 GHz</td><td>-54.209 dBm</td><td></td><td></td><td></td></tr><tr><td>4</td><td>N</td><td>1</td><td>f</td><td>2.3972 GHz</td><td>-51.728 dBm</td><td></td><td></td><td></td></tr></table>	MNR	MODE	TRIG	SOL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	2.4019 GHz	-4.874 dBm				2	N	1	f	2.4000 GHz	-54.209 dBm				3	N	1	f	2.4000 GHz	-54.209 dBm				4	N	1	f	2.3972 GHz	-51.728 dBm				
MNR	MODE	TRIG	SOL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																							
1	N	1	f	2.4019 GHz	-4.874 dBm																																										
2	N	1	f	2.4000 GHz	-54.209 dBm																																										
3	N	1	f	2.4000 GHz	-54.209 dBm																																										
4	N	1	f	2.3972 GHz	-51.728 dBm																																										


8DPSK /LCH/Hop	 <table><thead><tr><th>MKR</th><th>MODE</th><th>TRIG</th><th>SOL</th><th>X</th><th>Y</th><th>FUNCTION</th><th>FUNCTION WIDTH</th><th>FUNCTION VALUE</th></tr></thead><tbody><tr><td>1</td><td>N</td><td>1</td><td>f</td><td>2.402 0 GHz</td><td>-6.426 dBm</td><td></td><td></td><td></td></tr><tr><td>2</td><td>N</td><td>1</td><td>f</td><td>2.400 0 GHz</td><td>-53.273 dBm</td><td></td><td></td><td></td></tr><tr><td>3</td><td>N</td><td>1</td><td>f</td><td>2.390 0 GHz</td><td>-53.143 dBm</td><td></td><td></td><td></td></tr><tr><td>4</td><td>N</td><td>1</td><td>f</td><td>2.343 4 GHz</td><td>-50.675 dBm</td><td></td><td></td><td></td></tr></tbody></table>	MKR	MODE	TRIG	SOL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	2.402 0 GHz	-6.426 dBm				2	N	1	f	2.400 0 GHz	-53.273 dBm				3	N	1	f	2.390 0 GHz	-53.143 dBm				4	N	1	f	2.343 4 GHz	-50.675 dBm			
MKR	MODE	TRIG	SOL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																						
1	N	1	f	2.402 0 GHz	-6.426 dBm																																									
2	N	1	f	2.400 0 GHz	-53.273 dBm																																									
3	N	1	f	2.390 0 GHz	-53.143 dBm																																									
4	N	1	f	2.343 4 GHz	-50.675 dBm																																									
8DPSK /HCH/No Hop	 <table><thead><tr><th>MKR</th><th>MODE</th><th>TRIG</th><th>SOL</th><th>X</th><th>Y</th><th>FUNCTION</th><th>FUNCTION WIDTH</th><th>FUNCTION VALUE</th></tr></thead><tbody><tr><td>1</td><td>N</td><td>1</td><td>f</td><td>2.480 1 GHz</td><td>-7.905 dBm</td><td></td><td></td><td></td></tr><tr><td>2</td><td>N</td><td>1</td><td>f</td><td>2.483 5 GHz</td><td>-56.303 dBm</td><td></td><td></td><td></td></tr><tr><td>3</td><td>N</td><td>1</td><td>f</td><td>2.500 0 GHz</td><td>-56.213 dBm</td><td></td><td></td><td></td></tr><tr><td>4</td><td>N</td><td>1</td><td>f</td><td>2.496 3 GHz</td><td>-50.439 dBm</td><td></td><td></td><td></td></tr></tbody></table>	MKR	MODE	TRIG	SOL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	2.480 1 GHz	-7.905 dBm				2	N	1	f	2.483 5 GHz	-56.303 dBm				3	N	1	f	2.500 0 GHz	-56.213 dBm				4	N	1	f	2.496 3 GHz	-50.439 dBm			
MKR	MODE	TRIG	SOL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																						
1	N	1	f	2.480 1 GHz	-7.905 dBm																																									
2	N	1	f	2.483 5 GHz	-56.303 dBm																																									
3	N	1	f	2.500 0 GHz	-56.213 dBm																																									
4	N	1	f	2.496 3 GHz	-50.439 dBm																																									
8DPSK /HCH/Hop	 <table><thead><tr><th>MKR</th><th>MODE</th><th>TRIG</th><th>SOL</th><th>X</th><th>Y</th><th>FUNCTION</th><th>FUNCTION WIDTH</th><th>FUNCTION VALUE</th></tr></thead><tbody><tr><td>1</td><td>N</td><td>1</td><td>f</td><td>2.476 0 GHz</td><td>-6.637 dBm</td><td></td><td></td><td></td></tr><tr><td>2</td><td>N</td><td>1</td><td>f</td><td>2.483 5 GHz</td><td>-52.896 dBm</td><td></td><td></td><td></td></tr><tr><td>3</td><td>N</td><td>1</td><td>f</td><td>2.500 0 GHz</td><td>-53.700 dBm</td><td></td><td></td><td></td></tr><tr><td>4</td><td>N</td><td>1</td><td>f</td><td>2.496 3 GHz</td><td>-50.332 dBm</td><td></td><td></td><td></td></tr></tbody></table>	MKR	MODE	TRIG	SOL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	2.476 0 GHz	-6.637 dBm				2	N	1	f	2.483 5 GHz	-52.896 dBm				3	N	1	f	2.500 0 GHz	-53.700 dBm				4	N	1	f	2.496 3 GHz	-50.332 dBm			
MKR	MODE	TRIG	SOL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																						
1	N	1	f	2.476 0 GHz	-6.637 dBm																																									
2	N	1	f	2.483 5 GHz	-52.896 dBm																																									
3	N	1	f	2.500 0 GHz	-53.700 dBm																																									
4	N	1	f	2.496 3 GHz	-50.332 dBm																																									

RF Conducted Spurious Emissions Graphs


GFSK/LCH



GFSK/MCH




GFSK/HCH




$\pi/4$ DQPSK /LCH	Agilent Spectrum Analyzer - Swept SA Center Freq 13.265000000 GHz 10 dB/div Ref 10.00 dBm Mkr1 2.4017 GHz -6.065 dBm Start 30 MHz #Res BW 100 kHz Stop 26.50 GHz #VBW 300 kHz Sweep 2.531 s (40001 pts) <table><thead><tr><th>MIR</th><th>MODE</th><th>TRC</th><th>SOL</th><th>X</th><th>Y</th><th>FUNCTION</th><th>FUNCTION WIDTH</th><th>FUNCTION VALUE</th></tr></thead><tbody><tr><td>1</td><td>N</td><td>1</td><td>f</td><td>2.4017 GHz</td><td>-6.065 dBm</td><td></td><td></td><td></td></tr><tr><td>2</td><td>N</td><td>1</td><td>f</td><td>25.7277 GHz</td><td>-49.540 dBm</td><td></td><td></td><td></td></tr><tr><td>3</td><td>N</td><td>1</td><td>f</td><td>4.6039 GHz</td><td>-54.544 dBm</td><td></td><td></td><td></td></tr><tr><td>4</td><td>N</td><td>1</td><td>f</td><td>7.0811 GHz</td><td>-60.028 dBm</td><td></td><td></td><td></td></tr><tr><td>5</td><td>N</td><td>1</td><td>f</td><td>9.6002 GHz</td><td>-57.254 dBm</td><td></td><td></td><td></td></tr></tbody></table>	MIR	MODE	TRC	SOL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	2.4017 GHz	-6.065 dBm				2	N	1	f	25.7277 GHz	-49.540 dBm				3	N	1	f	4.6039 GHz	-54.544 dBm				4	N	1	f	7.0811 GHz	-60.028 dBm				5	N	1	f	9.6002 GHz	-57.254 dBm			
MIR	MODE	TRC	SOL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																															
1	N	1	f	2.4017 GHz	-6.065 dBm																																																		
2	N	1	f	25.7277 GHz	-49.540 dBm																																																		
3	N	1	f	4.6039 GHz	-54.544 dBm																																																		
4	N	1	f	7.0811 GHz	-60.028 dBm																																																		
5	N	1	f	9.6002 GHz	-57.254 dBm																																																		
$\pi/4$ DQPSK/MCH	Agilent Spectrum Analyzer - Swept SA Center Freq 13.265000000 GHz 10 dB/div Ref 10.00 dBm Mkr1 2.4414 GHz -9.409 dBm Start 30 MHz #Res BW 100 kHz Stop 26.50 GHz #VBW 300 kHz Sweep 2.531 s (40001 pts) <table><thead><tr><th>MIR</th><th>MODE</th><th>TRC</th><th>SOL</th><th>X</th><th>Y</th><th>FUNCTION</th><th>FUNCTION WIDTH</th><th>FUNCTION VALUE</th></tr></thead><tbody><tr><td>1</td><td>N</td><td>1</td><td>f</td><td>2.4414 GHz</td><td>-9.409 dBm</td><td></td><td></td><td></td></tr><tr><td>2</td><td>N</td><td>1</td><td>f</td><td>25.8515 GHz</td><td>-50.094 dBm</td><td></td><td></td><td></td></tr><tr><td>3</td><td>N</td><td>1</td><td>f</td><td>4.8820 GHz</td><td>-54.016 dBm</td><td></td><td></td><td></td></tr><tr><td>4</td><td>N</td><td>1</td><td>f</td><td>7.5124 GHz</td><td>-60.233 dBm</td><td></td><td></td><td></td></tr><tr><td>5</td><td>N</td><td>1</td><td>f</td><td>9.6002 GHz</td><td>-56.395 dBm</td><td></td><td></td><td></td></tr></tbody></table>	MIR	MODE	TRC	SOL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	2.4414 GHz	-9.409 dBm				2	N	1	f	25.8515 GHz	-50.094 dBm				3	N	1	f	4.8820 GHz	-54.016 dBm				4	N	1	f	7.5124 GHz	-60.233 dBm				5	N	1	f	9.6002 GHz	-56.395 dBm			
MIR	MODE	TRC	SOL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																															
1	N	1	f	2.4414 GHz	-9.409 dBm																																																		
2	N	1	f	25.8515 GHz	-50.094 dBm																																																		
3	N	1	f	4.8820 GHz	-54.016 dBm																																																		
4	N	1	f	7.5124 GHz	-60.233 dBm																																																		
5	N	1	f	9.6002 GHz	-56.395 dBm																																																		
$\pi/4$ DQPSK/HCH	Agilent Spectrum Analyzer - Swept SA Center Freq 13.265000000 GHz 10 dB/div Ref 10.00 dBm Mkr1 2.4798 GHz -9.681 dBm Start 30 MHz #Res BW 100 kHz Stop 26.50 GHz #VBW 300 kHz Sweep 2.531 s (40001 pts) <table><thead><tr><th>MIR</th><th>MODE</th><th>TRC</th><th>SOL</th><th>X</th><th>Y</th><th>FUNCTION</th><th>FUNCTION WIDTH</th><th>FUNCTION VALUE</th></tr></thead><tbody><tr><td>1</td><td>N</td><td>1</td><td>f</td><td>2.4798 GHz</td><td>-9.681 dBm</td><td></td><td></td><td></td></tr><tr><td>2</td><td>N</td><td>1</td><td>f</td><td>25.8363 GHz</td><td>-49.830 dBm</td><td></td><td></td><td></td></tr><tr><td>3</td><td>N</td><td>1</td><td>f</td><td>4.9600 GHz</td><td>-54.759 dBm</td><td></td><td></td><td></td></tr><tr><td>4</td><td>N</td><td>1</td><td>f</td><td>7.5919 GHz</td><td>-59.732 dBm</td><td></td><td></td><td></td></tr><tr><td>5</td><td>N</td><td>1</td><td>f</td><td>9.8907 GHz</td><td>-61.132 dBm</td><td></td><td></td><td></td></tr></tbody></table>	MIR	MODE	TRC	SOL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	2.4798 GHz	-9.681 dBm				2	N	1	f	25.8363 GHz	-49.830 dBm				3	N	1	f	4.9600 GHz	-54.759 dBm				4	N	1	f	7.5919 GHz	-59.732 dBm				5	N	1	f	9.8907 GHz	-61.132 dBm			
MIR	MODE	TRC	SOL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																															
1	N	1	f	2.4798 GHz	-9.681 dBm																																																		
2	N	1	f	25.8363 GHz	-49.830 dBm																																																		
3	N	1	f	4.9600 GHz	-54.759 dBm																																																		
4	N	1	f	7.5919 GHz	-59.732 dBm																																																		
5	N	1	f	9.8907 GHz	-61.132 dBm																																																		


8DPSK /LCH



8DPSK /MCH



8DPSK /HCH



10. Antenna Requirement

10.1. Test Standard and Requirement

Test Standard	FCC Part15 Section 15.203 /247(b)(4)
Requirement	1) 15.203 requirement: An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited. 2) 15.247(b) (4) requirement: The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

10.2. Antenna Connected Construction

The antenna is PCB antenna which permanently attached, and the best case gain of the antenna is 2.27dBi. It complies with the standard requirement.

11. TEST SETUP & EUT PHOTOGRAPH

Please see the attachment for details.

----- End of Report -----