



U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4977.425	57.52	74.0	16.48	Peak	204.00	150	Horizontal	Pass
1**	4977.425	45.91	54.0	8.09	AV	204.00	150	Horizontal	Pass
2	5150.000	55.35	74.0	18.65	Peak	127.00	150	Horizontal	Pass
2**	5150.000	45.69	54.0	8.31	AV	127.00	150	Horizontal	Pass
3	5133.100	55.85	74.0	18.15	Peak	2.00	100	Horizontal	Pass
3**	5133.100	46.54	54.0	7.46	AV	2.00	100	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.15	74.0	13.85	Peak	141.00	100	Horizontal	Pass
1**	5350.000	50.00	54.0	4.00	AV	141.00	100	Horizontal	Pass
2	5353.483	61.96	74.0	12.04	Peak	125.00	200	Horizontal	Pass
2**	5353.483	50.12	54.0	3.88	AV	125.00	200	Horizontal	Pass
3	5354.950	60.19	74.0	13.81	Peak	126.00	100	Horizontal	Pass
3**	5354.950	50.87	54.0	3.13	AV	126.00	100	Horizontal	Pass

U-NII-2C 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.800	58.40	74.0	15.60	Peak	117.00	100	Horizontal	Pass
1**	5459.800	46.33	54.0	7.67	AV	117.00	100	Horizontal	Pass
2	5460.000	56.90	74.0	17.10	Peak	66.00	200	Horizontal	Pass
2**	5460.000	46.72	54.0	7.28	AV	66.00	200	Horizontal	Pass
3	5467.400	59.65	68.2	8.55	Peak	264.00	100	Horizontal	Pass
3**	5467.400	47.85	--	--	AV	264.00	100	Horizontal	N/A
4	5470.000	58.94	68.2	9.26	Peak	135.00	100	Horizontal	Pass
4**	5470.000	48.44	--	--	AV	135.00	100	Horizontal	N/A

U-NII-2C 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.94	68.2	11.26	Peak	235.00	100	Horizontal	Pass
2	5769.375	58.43	68.2	9.77	Peak	125.00	100	Horizontal	Pass

U-NII-2C 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5395.400	57.96	74.0	16.04	Peak	0.00	200	Horizontal	Pass
1**	5395.400	45.25	54.0	8.75	AV	0.00	200	Horizontal	Pass
2	5460.000	56.65	74.0	17.35	Peak	72.00	200	Horizontal	Pass
2**	5460.000	46.43	54.0	7.57	AV	72.00	200	Horizontal	Pass
3	5469.400	60.28	68.2	7.92	Peak	130.00	200	Horizontal	Pass
3**	5469.400	48.54	--	--	AV	130.00	200	Horizontal	N/A
4	5470.000	58.06	68.2	10.14	Peak	145.00	200	Horizontal	Pass
4**	5470.000	48.99	--	--	AV	145.00	200	Horizontal	N/A
5	5459.800	56.98	74.0	17.02	Peak	88.00	100	Horizontal	Pass
5**	5459.800	46.70	54.0	7.30	AV	88.00	100	Horizontal	Pass

U-NII-2C 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.38	68.2	11.82	Peak	94.00	200	Horizontal	Pass
2	5761.250	58.29	68.2	9.91	Peak	200.00	200	Horizontal	Pass

U-NII-2C 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5455.600	61.51	74.0	12.49	Peak	122.00	100	Horizontal	Pass
1**	5455.600	49.49	54.0	4.51	AV	122.00	100	Horizontal	Pass
2	5460.000	60.79	74.0	13.21	Peak	137.00	100	Horizontal	Pass
2**	5460.000	50.49	54.0	3.51	AV	137.00	100	Horizontal	Pass
3	5467.800	63.67	68.2	4.53	Peak	137.00	200	Horizontal	Pass
3**	5467.800	52.79	--	--	AV	137.00	200	Horizontal	N/A
4	5470.000	63.01	68.2	5.19	Peak	137.00	100	Horizontal	Pass
4**	5470.000	52.84	--	--	AV	137.00	100	Horizontal	N/A
5	5459.800	60.57	74.0	13.43	Peak	137.00	100	Horizontal	Pass
5**	5459.800	50.72	54.0	3.28	AV	137.00	100	Horizontal	Pass

U-NII-2C 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.80	68.2	10.40	Peak	61.00	100	Horizontal	Pass
2	5726.875	58.81	68.2	9.39	Peak	138.00	200	Horizontal	Pass

U-NII-2C 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5457.800	59.24	74.0	14.76	Peak	134.00	100	Horizontal	Pass
1**	5457.800	47.06	54.0	6.94	AV	134.00	100	Horizontal	Pass
2	5460.000	59.22	74.0	14.78	Peak	134.00	200	Horizontal	Pass
2**	5460.000	47.50	54.0	6.50	AV	134.00	200	Horizontal	Pass
3	5469.400	63.08	68.2	5.12	Peak	119.00	200	Horizontal	Pass
3**	5469.400	50.88	--	--	AV	119.00	200	Horizontal	N/A
4	5470.000	61.77	68.2	6.43	Peak	119.00	100	Horizontal	Pass
4**	5470.000	50.84	--	--	AV	119.00	100	Horizontal	N/A

U-NII-2C 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.92	68.2	11.28	Peak	156.00	150	Horizontal	Pass
2	5791.250	58.49	68.2	9.71	Peak	200.00	150	Horizontal	Pass

U-NII-2C 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.000	61.66	74.0	12.34	Peak	122.00	100	Horizontal	Pass
1**	5459.000	50.19	54.0	3.81	AV	122.00	100	Horizontal	Pass
2	5460.000	60.04	74.0	13.96	Peak	122.00	200	Horizontal	Pass
2**	5460.000	49.47	54.0	4.53	AV	122.00	200	Horizontal	Pass
3	5466.400	62.81	68.2	5.39	Peak	121.00	100	Horizontal	Pass
3**	5466.400	50.89	--	--	AV	121.00	100	Horizontal	N/A
4	5470.000	62.53	68.2	5.67	Peak	122.00	100	Horizontal	Pass
4**	5470.000	52.06	--	--	AV	122.00	100	Horizontal	N/A
5	5459.000	61.66	74.0	12.34	Peak	122.00	100	Horizontal	Pass
5**	5459.000	50.19	54.0	3.81	AV	122.00	100	Horizontal	Pass

U-NII-2C 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.90	68.2	10.30	Peak	13.00	150	Horizontal	Pass
2	5780.625	58.46	68.2	9.74	Peak	23.00	150	Horizontal	Pass

U-NII-2C 11ac80 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5451.600	59.97	74.0	14.03	Peak	130.00	200	Horizontal	Pass
1**	5451.600	48.36	54.0	5.64	AV	130.00	200	Horizontal	Pass
2	5460.000	58.57	74.0	15.43	Peak	130.00	200	Horizontal	Pass
2**	5460.000	48.65	54.0	5.35	AV	130.00	200	Horizontal	Pass
3	5468.400	60.64	68.2	7.56	Peak	109.00	200	Horizontal	Pass
3**	5468.400	48.52	--	--	AV	109.00	200	Horizontal	N/A
4	5470.000	60.60	68.2	7.60	Peak	130.00	100	Horizontal	Pass
4**	5470.000	48.53	--	--	AV	130.00	100	Horizontal	N/A
5	5458.800	58.55	74.0	15.45	Peak	130.00	100	Horizontal	Pass
5**	5458.800	49.37	54.0	4.63	AV	130.00	100	Horizontal	Pass

U-NII-2C 11ac80 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.01	68.2	12.19	Peak	239.00	200	Horizontal	Pass
2	5828.334	58.56	68.2	9.64	Peak	322.00	100	Horizontal	Pass

U-NII-3 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5643.125	53.73	0.05	68.2	14.47	Peak	284.00	100	Horizontal	Pass
2	5650.000	52.72	0.18	68.2	15.48	Peak	74.00	300	Horizontal	Pass

U-NII-3 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	52.41	0.09	68.4	15.99	Peak	92.00	400	Horizontal	Pass
2	5937.500	55.06	0.69	68.2	13.14	Peak	184.00	200	Horizontal	Pass

U-NII-3 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5627.500	53.74	-0.24	68.2	14.46	Peak	325.00	200	Horizontal	Pass
2	5650.000	52.51	0.18	68.2	15.69	Peak	95.00	200	Horizontal	Pass

U-NII-3 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	53.08	0.09	68.4	15.32	Peak	117.00	100	Horizontal	Pass
2	5967.500	55.23	0.80	68.2	12.97	Peak	232.00	200	Horizontal	Pass

U-NII-3 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5603.542	53.76	-0.61	68.2	14.44	Peak	215.00	200	Horizontal	Pass
2	5650.000	52.41	0.18	68.2	15.79	Peak	336.00	300	Horizontal	Pass

U-NII-3 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	53.09	0.09	68.4	15.31	Peak	269.00	400	Horizontal	Pass
2	5930.750	55.32	1.22	68.2	12.88	Peak	0.00	300	Horizontal	Pass

U-NII-3 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5643.750	53.61	0.02	68.2	14.59	Peak	56.00	400	Horizontal	Pass
2	5650.000	52.28	0.18	68.2	15.92	Peak	222.00	100	Horizontal	Pass

U-NII-3 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	52.89	0.09	68.4	15.51	Peak	43.00	300	Horizontal	Pass
2	5935.750	55.27	0.85	68.2	12.93	Peak	323.00	300	Horizontal	Pass

U-NII-3 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5642.083	54.95	0.30	68.2	13.25	Peak	209.00	100	Horizontal	Pass
2	5650.000	53.21	0.18	68.2	14.99	Peak	129.00	100	Horizontal	Pass

U-NII-3 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	53.30	0.09	68.4	15.10	Peak	360.00	400	Horizontal	Pass
2	5946.750	55.55	0.47	68.2	12.65	Peak	348.00	200	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5646.458	54.05	0.06	68.2	14.15	Peak	16.00	400	Horizontal	Pass
2	5650.000	53.27	0.18	68.2	14.93	Peak	74.00	100	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	52.58	0.09	68.4	15.82	Peak	165.00	100	Horizontal	Pass
2	5938.250	54.91	0.84	68.2	13.29	Peak	73.00	200	Horizontal	Pass

U-NII-2C&U-NII-3 11a 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5380.400	54.23	0.50	74.0	19.77	Peak	312.00	200	Horizontal	Pass
1**	5380.400	42.52	0.50	54.0	11.48	AV	312.00	200	Horizontal	Pass
2	5460.000	52.52	-0.92	74.0	21.48	Peak	179.00	200	Horizontal	Pass
2**	5460.000	41.28	-0.92	54.0	12.72	AV	179.00	200	Horizontal	Pass
3	5469.000	53.63	-0.51	68.2	14.57	Peak	69.00	400	Horizontal	Pass
3**	5469.000	41.64	-0.51	--	--	AV	69.00	400	Horizontal	N/A
4	5470.000	53.16	-0.10	68.2	15.04	Peak	181.00	400	Horizontal	Pass
4**	5470.000	42.12	-0.10	--	--	AV	181.00	400	Horizontal	N/A

U-NII-2C&U-NII-3 11a 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	52.52	0.09	68.4	15.88	Peak	226.00	300	Horizontal	Pass
2	5946.500	55.22	0.42	68.2	12.98	Peak	67.00	400	Horizontal	Pass

U-NII-2C&U-NII-3 11n20 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5377.600	54.48	0.40	74.0	19.52	Peak	121.00	400	Horizontal	Pass
1**	5377.600	42.31	0.40	54.0	11.69	AV	121.00	400	Horizontal	Pass
2	5460.000	52.30	-0.92	74.0	21.70	Peak	136.00	200	Horizontal	Pass
2**	5460.000	41.10	-0.92	54.0	12.90	AV	136.00	200	Horizontal	Pass
3	5464.600	53.25	-0.48	68.2	14.95	Peak	221.00	300	Horizontal	Pass
3**	5464.600	41.77	-0.48	--	--	AV	221.00	300	Horizontal	N/A
4	5470.000	52.84	-0.10	68.2	15.36	Peak	0.00	300	Horizontal	Pass
4**	5470.000	42.05	-0.10	--	--	AV	0.00	300	Horizontal	N/A

U-NII-2C&U-NII-3 11n20 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	52.74	0.09	68.4	15.66	Peak	222.00	100	Horizontal	Pass
2	5969.500	55.30	0.87	68.2	12.90	Peak	49.00	100	Horizontal	Pass

U-NII-2C&U-NII-3 11n40 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5374.000	53.95	0.53	74.0	20.05	Peak	144.00	200	Horizontal	Pass
1**	5374.000	42.61	0.53	54.0	11.39	AV	144.00	200	Horizontal	Pass
2	5460.000	51.45	-0.92	74.0	22.55	Peak	0.00	300	Horizontal	Pass
2**	5460.000	41.16	-0.92	54.0	12.84	AV	0.00	300	Horizontal	Pass
3	5467.800	53.68	-0.16	68.2	14.52	Peak	276.00	300	Horizontal	Pass
3**	5467.800	42.00	-0.16	--	--	AV	276.00	300	Horizontal	N/A
4	5470.000	52.36	-0.10	68.2	15.84	Peak	114.00	100	Horizontal	Pass
4**	5470.000	42.11	-0.10	--	--	AV	114.00	100	Horizontal	N/A

U-NII-2C&U-NII-3 11n40 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	52.71	0.09	68.4	15.69	Peak	356.00	400	Horizontal	Pass
2	5931.500	55.09	1.01	68.2	13.11	Peak	356.00	400	Horizontal	Pass

U-NII-2C&U-NII-3 11ac20 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5381.000	54.75	0.70	74.0	19.25	Peak	0.00	100	Horizontal	Pass
1**	5381.000	42.81	0.70	54.0	11.19	AV	0.00	100	Horizontal	Pass
2	5460.000	52.35	-0.92	74.0	21.65	Peak	336.00	400	Horizontal	Pass
2**	5460.000	41.18	-0.92	54.0	12.82	AV	336.00	400	Horizontal	Pass
3	5463.800	54.26	-0.61	68.2	13.94	Peak	162.00	200	Horizontal	Pass
3**	5463.800	41.51	-0.61	--	--	AV	162.00	200	Horizontal	N/A
4	5470.000	52.37	-0.10	68.2	15.83	Peak	235.00	400	Horizontal	Pass
4**	5470.000	42.08	-0.10	--	--	AV	235.00	400	Horizontal	N/A

U-NII-2C&U-NII-3 11ac20 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	53.35	0.09	68.4	15.05	Peak	196.00	200	Horizontal	Pass
2	5953.250	54.93	0.64	68.2	13.27	Peak	310.00	300	Horizontal	Pass

U-NII-2C&U-NII-3 11ac40 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5378.000	54.78	0.35	74.0	19.22	Peak	276.00	100	Horizontal	Pass
1**	5378.000	42.40	0.35	54.0	11.60	AV	276.00	100	Horizontal	Pass
2	5460.000	52.09	-0.92	74.0	21.91	Peak	205.00	400	Horizontal	Pass
2**	5460.000	41.26	-0.92	54.0	12.74	AV	205.00	400	Horizontal	Pass
3	5465.600	53.71	-0.26	68.2	14.49	Peak	173.00	400	Horizontal	Pass
3**	5465.600	42.09	-0.26	--	--	AV	173.00	400	Horizontal	N/A
4	5470.000	52.32	-0.10	68.2	15.88	Peak	214.00	300	Horizontal	Pass
4**	5470.000	42.10	-0.10	--	--	AV	214.00	300	Horizontal	N/A

U-NII-2C&U-NII-3 11ac40 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	52.86	0.09	68.4	15.54	Peak	184.00	200	Horizontal	Pass
2	5933.000	55.26	0.97	68.2	12.94	Peak	269.00	100	Horizontal	Pass

U-NII-2C&U-NII-3 11ac80 138 Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5371.000	54.40	0.51	74.0	19.60	Peak	220.00	100	Horizontal	Pass
1**	5371.000	42.58	0.51	54.0	11.42	AV	220.00	100	Horizontal	Pass
2	5460.000	51.29	-0.92	74.0	22.71	Peak	311.00	400	Horizontal	Pass
2**	5460.000	41.12	-0.92	54.0	12.88	AV	311.00	400	Horizontal	Pass
3	5468.000	53.12	-0.02	68.2	15.08	Peak	123.00	400	Horizontal	Pass
3**	5468.000	42.23	-0.02	--	--	AV	123.00	400	Horizontal	N/A
4	5470.000	52.45	-0.10	68.2	15.75	Peak	326.00	100	Horizontal	Pass
4**	5470.000	42.17	-0.10	--	--	AV	326.00	100	Horizontal	N/A


U-NII-2C&U-NII-3 11ac80 138 Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	53.25	0.09	68.4	15.15	Peak	313.00	400	Horizontal	Pass
2	5940.750	55.80	0.45	68.2	12.40	Peak	198.00	400	Horizontal	Pass

worst case-GripID-FAP30CR

U-NII-1 11a Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5383.400	54.72	0.18	74.0	19.28	Peak	212.00	400	Horizontal	Pass
1**	5383.400	42.40	0.18	54.0	11.60	AV	212.00	400	Horizontal	Pass
2	5460.000	52.38	-0.92	74.0	21.62	Peak	219.00	100	Horizontal	Pass
2**	5460.000	42.74	-0.92	54.0	11.26	AV	219.00	100	Horizontal	Pass
3	5469.200	55.75	-0.43	68.2	12.45	Peak	219.00	300	Horizontal	Pass
3**	5469.200	44.55	-0.43	--	--	AV	219.00	300	Horizontal	N/A
4	5470.000	54.30	-0.10	68.2	13.90	Peak	215.00	100	Horizontal	Pass
4**	5470.000	45.02	-0.10	--	--	AV	215.00	100	Horizontal	N/A

ANNEX B TEST SETUP PHOTOS

Please refer the document “Ti-CC26060115-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “Ti-CC26060115-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “Ti-CC26060115-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--