


Vertical:




Remark:

1. Margin=Measurement(Level)-Limit.
2. Measurement(Level)=Reading Level+Correct Factor.
3. In the test results, an asterisk (*) indicates Maximum Data, a cross (X) indicates over Limit, an exclamation mark (!) indicates over -6dB margin Limit.

Radiated Spurious Emission above 1GHz:

Test_Mode	GFSK Transmitting	Test_Frequency	2402MHz
Remark:	\	Test_Date	2026/7/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1645.3764	14.03	36.11	50.14	74.00	23.86	PASS	Horizontal	PK
2	2905.8604	17.75	35.92	53.67	74.00	20.33	PASS	Horizontal	PK
3	5058.1372	-7.87	54.13	46.26	74.00	27.74	PASS	Horizontal	PK
4	9608.4406	1.37	51.61	52.98	74.00	21.02	PASS	Horizontal	PK
5	13679.712	7.34	50.15	57.49	74.00	16.51	PASS	Horizontal	PK
6	17786.9858	16.07	45.62	61.69	74.00	12.31	PASS	Horizontal	PK
7	13712.7142	7.24	37.97	45.21	54.00	8.79	PASS	Horizontal	AV
8	17772.9849	16.38	30.98	47.36	54.00	6.64	PASS	Horizontal	AV

Test_Mode	GFSK Transmitting	Test_Frequency	2402MHz
Remark:	\	Test_Date	2026/7/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1611.6408	13.72	36.70	50.42	74.00	23.58	PASS	Vertical	PK
2	2768.1179	16.87	36.76	53.63	74.00	20.37	PASS	Vertical	PK
3	5034.1356	-8.02	54.30	46.28	74.00	27.72	PASS	Vertical	PK
4	9608.4406	1.37	51.71	53.08	74.00	20.92	PASS	Vertical	PK
5	13143.6762	6.36	49.97	56.33	74.00	17.67	PASS	Vertical	PK
6	17853.9903	15.99	45.25	61.24	74.00	12.76	PASS	Vertical	PK
7	13135.6757	6.33	39.08	45.41	54.00	8.59	PASS	Vertical	AV
8	17857.9905	15.91	31.36	47.27	54.00	6.73	PASS	Vertical	AV

Test_Mode	GFSK Transmitting	Test_Frequency	2402MHz
Remark:	\	Test_Date	2026/7/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18499.82	-26.70	63.20	36.50	74.00	37.50	PASS	Horizontal	PK
2	19552.1621	-25.60	60.89	35.29	74.00	38.71	PASS	Horizontal	PK
3	20899.296	-25.82	61.31	35.49	74.00	38.51	PASS	Horizontal	PK
4	22179.7872	-25.44	61.34	35.90	74.00	38.10	PASS	Horizontal	PK
5	23790.0916	-22.36	58.34	35.98	74.00	38.02	PASS	Horizontal	PK
6	25564.6226	-20.84	56.72	35.88	74.00	38.12	PASS	Horizontal	PK

Test_Mode	GFSK Transmitting	Test_Frequency	2402MHz
Remark:	\	Test_Date	2026/7/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18500.5	-26.69	63.29	36.60	74.00	37.40	PASS	Vertical	PK
2	19499.46	-25.60	61.92	36.32	74.00	37.68	PASS	Vertical	PK
3	21013.8806	-25.99	60.64	34.65	74.00	39.35	PASS	Vertical	PK
4	22380.7352	-25.13	59.77	34.64	74.00	39.36	PASS	Vertical	PK
5	23791.4517	-22.36	58.84	36.48	74.00	37.52	PASS	Vertical	PK
6	25335.1134	-21.31	57.42	36.11	74.00	37.89	PASS	Vertical	PK

Test_Mode	GFSK Transmitting	Test_Frequency	2441MHz
Remark:	\	Test_Date	2026/7/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1774.0516	14.36	35.52	49.88	74.00	24.12	PASS	Horizontal	PK
2	2789.4526	17.29	35.79	53.08	74.00	20.92	PASS	Horizontal	PK
3	4995.133	-8.13	53.15	45.02	74.00	28.98	PASS	Horizontal	PK
4	7601.3068	-2.11	51.67	49.56	74.00	24.44	PASS	Horizontal	PK
5	9764.451	1.24	53.46	54.70	74.00	19.30	PASS	Horizontal	PK
6	16500.9001	11.94	48.70	60.64	74.00	13.36	PASS	Horizontal	PK
7	9765.451	1.23	46.39	47.62	54.00	6.38	PASS	Horizontal	AV
8	16332.8889	11.38	36.77	48.15	54.00	5.85	PASS	Horizontal	AV

Test_Mode	GFSK Transmitting	Test_Frequency	2441MHz
Remark:	\	Test_Date	2026/7/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1598.1732	13.73	35.77	49.50	74.00	24.50	PASS	Vertical	PK
2	2971.5981	17.93	35.90	53.83	74.00	20.17	PASS	Vertical	PK
3	4936.1291	-8.09	54.57	46.48	74.00	27.52	PASS	Vertical	PK
4	7483.2989	-2.31	51.69	49.38	74.00	24.62	PASS	Vertical	PK
5	12564.6376	4.41	51.35	55.76	74.00	18.24	PASS	Vertical	PK
6	16266.8845	10.61	50.28	60.89	74.00	13.11	PASS	Vertical	PK
7	12637.6425	4.52	40.45	44.97	54.00	9.03	PASS	Vertical	AV
8	16495.8997	11.86	36.69	48.55	54.00	5.45	PASS	Vertical	AV

Test_Mode	GFSK Transmitting	Test_Frequency	2441MHz
Remark:	\	Test_Date	2026/7/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18350.554	-26.77	63.29	36.52	74.00	37.48	PASS	Horizontal	PK
2	19507.6203	-25.61	61.23	35.62	74.00	38.38	PASS	Horizontal	PK
3	20786.0714	-25.68	61.28	35.60	74.00	38.40	PASS	Horizontal	PK
4	22135.2454	-25.53	60.22	34.69	74.00	39.31	PASS	Horizontal	PK
5	23831.5733	-22.27	57.80	35.53	74.00	38.47	PASS	Horizontal	PK
6	25593.5237	-20.73	56.81	36.08	74.00	37.92	PASS	Horizontal	PK

Test_Mode	GFSK Transmitting	Test_Frequency	2441MHz
Remark:	\	Test_Date	2026/7/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18393.7357	-26.71	63.74	37.03	74.00	36.97	PASS	Vertical	PK
2	19560.6624	-25.60	61.41	35.81	74.00	38.19	PASS	Vertical	PK
3	20795.9318	-25.66	60.60	34.94	74.00	39.06	PASS	Vertical	PK
4	22166.1866	-25.47	60.42	34.95	74.00	39.05	PASS	Vertical	PK
5	23815.5926	-22.30	58.83	36.53	74.00	37.47	PASS	Vertical	PK
6	25647.9259	-20.74	57.04	36.30	74.00	37.70	PASS	Vertical	PK

Test_Mode	GFSK Transmitting	Test_Frequency	2480MHz
Remark:	\	Test_Date	2026/7/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1797.2532	14.19	35.59	49.78	74.00	24.22	PASS	Horizontal	PK
2	2958.3972	17.72	36.33	54.05	74.00	19.95	PASS	Horizontal	PK
3	4846.1231	-8.48	54.60	46.12	74.00	27.88	PASS	Horizontal	PK
4	7634.309	-2.22	51.29	49.07	74.00	24.93	PASS	Horizontal	PK
5	9920.4614	1.49	53.63	55.12	74.00	18.88	PASS	Horizontal	PK
6	16568.9046	11.32	48.67	59.99	74.00	14.01	PASS	Horizontal	PK
7	2966.3978	17.88	18.18	36.06	54.00	17.94	PASS	Horizontal	AV
8	9921.4614	1.50	46.88	48.38	54.00	5.62	PASS	Horizontal	AV
9	16498.8999	11.92	36.56	48.48	54.00	5.52	PASS	Horizontal	AV

Test_Mode	GFSK Transmitting	Test_Frequency	2480MHz
Remark:	\	Test_Date	2026/7/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1850.19	14.46	35.38	49.84	74.00	24.16	PASS	Vertical	PK
2	2953.7302	17.66	36.19	53.85	74.00	20.15	PASS	Vertical	PK
3	5198.1465	-7.73	56.40	48.67	74.00	25.33	PASS	Vertical	PK
4	6382.2255	-4.36	53.87	49.51	74.00	24.49	PASS	Vertical	PK
5	10253.4836	1.98	50.23	52.21	74.00	21.79	PASS	Vertical	PK
6	15958.8639	10.55	48.99	59.54	74.00	14.46	PASS	Vertical	PK
7	15943.8629	10.54	36.87	47.41	54.00	6.59	PASS	Vertical	AV

Test_Mode	GFSK Transmitting	Test_Frequency	2480MHz
Remark:	\	Test_Date	2026/7/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18338.6535	-26.78	63.11	36.33	74.00	37.67	PASS	Horizontal	PK
2	19458.3183	-25.61	61.23	35.62	74.00	38.38	PASS	Horizontal	PK
3	20827.8931	-25.70	62.01	36.31	74.00	37.69	PASS	Horizontal	PK
4	22224.329	-25.37	59.74	34.37	74.00	39.63	PASS	Horizontal	PK
5	23878.1551	-22.18	58.25	36.07	74.00	37.93	PASS	Horizontal	PK
6	25330.6932	-21.30	57.06	35.76	74.00	38.24	PASS	Horizontal	PK

Test_Mode	GFSK Transmitting	Test_Frequency	2480MHz
Remark:	\	Test_Date	2026/7/13

Test Graph



Suspected List

NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18393.7357	-26.71	63.53	36.82	74.00	37.18	PASS	Vertical	PK
2	19469.5388	-25.61	61.95	36.34	74.00	37.66	PASS	Vertical	PK
3	20892.4957	-25.81	61.25	35.44	74.00	38.56	PASS	Vertical	PK
4	22414.0566	-25.09	60.21	35.12	74.00	38.88	PASS	Vertical	PK
5	24036.9415	-22.07	58.45	36.38	74.00	37.62	PASS	Vertical	PK
6	25601.6841	-20.71	57.05	36.34	74.00	37.66	PASS	Vertical	PK

Remark:


- The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:
Final Test Level = Receiver Reading + Antenna Factor + Cable Factor – Preamplifier Factor
- Scan from 9kHz to 25GHz, the disturbance above 10GHz and below 30MHz was very low. As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. The report records the lowest Peak value. If the Peak value is greater than 54dBμV/m, then the Average value at that time is recorded.

Restricted bands:

Test plot as follows:

Test_Mode	GFSK Transmitting	Test_Frequency	2402MHz
Remark:	\	Test_Date	2026/7/13

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	36.78	52.74	74.00	21.26	PASS	Horizontal	PK
2	2390	15.96	27.81	43.77	54.00	10.23	PASS	Horizontal	AV