


802.11ac VHT20

CH 116 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5423.50	45.19	2.69	42.50	54.00	-8.81	294	215	Average	Horizontal	
2 *	5580.00	93.38	50.96	42.42	54.00	39.38	294	215	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5418.50	45.16	2.66	42.50	54.00	-8.84	322	207	Average	Vertical	
2 *	5580.00	96.24	53.82	42.42	54.00	42.24	322	207	Average	Vertical	

802.11ac VHT20

CH 140 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5386.00	57.18	14.76	42.42	74.00	-16.82	161	167	Peak	Horizontal		
2	5464.50	57.93	14.53	42.50	68.20	-11.17	161	167	Peak	Horizontal		
3 *	5700.00	102.58	60.27	42.31	68.20	34.38	161	167	Peak	Horizontal		
4 !	5726.00	66.50	23.96	42.54	68.20	-1.70	161	167	Peak	Horizontal		

CH 140 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5420.50	57.94	15.44	42.50	74.00	-16.06	157	160	Peak	Vertical		
2	5466.50	57.58	15.07	42.51	68.20	-10.62	157	160	Peak	Vertical		
3 *	5700.00	102.78	60.47	42.31	68.20	34.58	157	160	Peak	Vertical		
4 !	5725.00	67.69	25.16	42.53	68.20	-0.51	157	160	Peak	Vertical		

802.11ac VHT20

CH 140 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5424.00	45.40	2.90	42.50	54.00	-8.60	161	167	Average	Horizontal	
2 *	5700.00	93.07	50.76	42.31	54.00	39.07	161	167	Average	Horizontal	

CH 140 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5408.50	45.15	2.66	42.49	54.00	-8.85	157	160	Average	Vertical	
2 *	5700.00	93.20	50.89	42.31	54.00	39.20	157	160	Average	Vertical	


802.11ac VHT40

CH 102 (Horizontal) Peak

CH 102 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5484.50	59.08	16.59	42.49	74.00	-14.92	147	220	Peak	Horizontal		
2	5470.00	57.50	15.00	42.50	68.20	-10.70	147	220	Peak	Horizontal		
3 *	5510.00	96.36	53.91	42.45	68.20	28.16	147	220	Peak	Horizontal		
4	6791.50	61.40	17.27	44.13	68.20	-6.80	147	220	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5458.00	59.56	17.05	42.51	74.00	-14.44	156	160	Peak	Vertical		
2 !	5460.50	65.77	23.27	42.50	68.20	-2.43	156	160	Peak	Vertical		
3 *	5510.00	99.40	56.95	42.45	68.20	31.20	156	160	Peak	Vertical		
4	6863.00	61.52	17.34	44.18	68.20	-6.68	156	160	Peak	Vertical		

802.11ac VHT40


CH 102 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ac VHT40

CH 110 (Horizontal) Peak

CH 110 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5390.50	57.75	15.31	42.44	74.00	-16.25	176	162	Peak	Horizontal	
2	5468.50	56.89	14.39	42.50	68.20	-11.31	176	162	Peak	Horizontal	
3 *	5558.00	100.42	58.02	42.40	68.20	32.22	176	162	Peak	Horizontal	
4	6995.50	61.11	16.91	44.20	68.20	-7.09	176	162	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5419.50	58.38	15.88	42.50	74.00	-15.62	155	163	Peak	Vertical	
2	5470.00	58.28	15.78	42.50	68.20	-9.92	155	163	Peak	Vertical	
3 *	5558.00	101.96	59.56	42.40	68.20	33.76	155	163	Peak	Vertical	
4	6995.00	61.58	17.42	44.16	68.20	-6.62	155	163	Peak	Vertical	

802.11ac VHT40

CH 110 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5425.50	45.88	3.38	42.50	54.00	-8.12	176	162	Average	Horizontal	
2 *	5550.00	90.77	48.37	42.40	54.00	36.77	176	162	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5455.00	45.71	3.19	42.52	54.00	-8.29	155	163	Average	Vertical	
2 *	5550.00	92.52	50.12	42.40	54.00	38.52	155	163	Average	Vertical	

802.11ac VHT40

CH 134 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5445.00	59.36	16.84	42.52	74.00	-14.64	171	165	Peak	Horizontal		
2	5463.00	56.85	14.35	42.50	68.20	-11.35	171	165	Peak	Horizontal		
3 *	5670.00	102.26	59.97	42.29	68.20	34.06	171	165	Peak	Horizontal		
4 !	5725.00	65.94	23.41	42.53	68.20	-2.26	171	165	Peak	Horizontal		

CH 134 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5485.50	57.77	15.28	42.49	74.00	-16.23	298	204	Peak	Vertical		
2	5460.50	57.44	14.94	42.50	68.20	-10.76	298	204	Peak	Vertical		
3 *	5670.00	103.87	61.58	42.29	68.20	35.67	298	204	Peak	Vertical		
4 !	5727.50	64.89	22.34	42.55	68.20	-3.31	298	204	Peak	Vertical		

802.11ac VHT40

CH 134 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5454.50	45.72	3.20	42.52	54.00	-8.28	171	165	Average	Horizontal	
2 *	5670.00	92.31	50.02	42.29	54.00	38.31	171	165	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5418.00	45.72	3.22	42.50	54.00	-8.28	298	204	Average	Vertical	
2 *	5670.00	93.99	51.70	42.29	54.00	39.99	298	204	Average	Vertical	


802.11ac VHT80

CH 106 (Horizontal) Peak

CH 106 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5441.50	61.68	19.16	42.52	74.00	-12.32	313	127	Peak	Horizontal	
2	5464.50	59.04	16.54	42.50	68.20	-9.16	313	127	Peak	Horizontal	
3 *	5530.00	96.24	53.82	42.42	68.20	28.04	313	127	Peak	Horizontal	
4	6796.50	61.93	17.78	44.15	68.20	-6.27	313	127	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5446.00	64.87	21.55	42.52	74.00	-9.93	320	234	Peak	Vertical	
2	5469.50	66.44	23.94	42.50	68.20	-1.76	320	234	Peak	Vertical	
3 *	5530.00	101.26	58.84	42.42	68.20	33.06	320	234	Peak	Vertical	
4	6957.50	61.17	17.00	44.17	68.20	-7.03	320	234	Peak	Vertical	

802.11ac VHT80

CH 106 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 5454.00	49.77	7.25	42.52	54.00	-4.23	313	127	Average	Horizontal	
2 * 5530.00	87.84	45.42	42.42	54.00	33.84	313	127	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 5459.50	53.21	10.70	42.51	54.00	-0.79	320	234	Average	Vertical	
2 * 5530.00	92.72	50.30	42.42	54.00	38.72	320	234	Average	Vertical	


802.11ac VHT80

CH 122 (Horizontal) Peak

CH 122 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5434.50	57.59	15.08	42.51	74.00	-16.41	232	203	Peak	Horizontal		
2	5464.50	57.33	14.83	42.50	68.20	-10.87	232	203	Peak	Horizontal		
3 *	5610.00	96.01	53.61	42.40	68.20	27.81	232	203	Peak	Horizontal		
4	6932.00	60.66	16.51	44.15	68.20	-7.54	232	203	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5387.00	57.56	15.13	42.43	74.00	-16.44	133	311	Peak	Vertical		
2	5461.00	57.09	14.58	42.51	68.20	-11.11	133	311	Peak	Vertical		
3 *	5610.00	99.59	57.19	42.40	68.20	31.39	133	311	Peak	Vertical		
4	6913.50	60.96	16.82	44.14	68.20	-7.24	133	311	Peak	Vertical		

802.11ac VHT80

CH 122 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 ! 5446.00	48.20	5.68	42.52	54.00	-5.80	232	203	Average	Horizontal	
2 * 5610.00	88.50	46.10	42.40	54.00	34.50	232	203	Average	Horizontal	




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 ! 5450.50	48.71	6.19	42.52	54.00	-5.29	133	311	Average	Vertical	
2 * 5610.00	91.42	49.02	42.40	54.00	37.42	133	311	Average	Vertical	

Mask, 5.725GHz ~ 5.85GHz
U-NII-3
802.11a
CH 149 (Horizontal) Peak
CH 149 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5518.00	58.12	15.69	42.43	68.20	-10.00	182	264 Peak	Horizontal	
2	5698.00	61.37	19.06	42.31	103.73	-42.36	182	264 Peak	Horizontal	
3	5718.50	71.29	28.82	42.47	110.38	-39.09	182	264 Peak	Horizontal	
4	5724.50	76.68	34.15	42.53	132.58	-55.90	182	264 Peak	Horizontal	
5	5745.00	105.92	63.22	42.70	135.00	-29.08	182	264 Peak	Horizontal	
6	5854.00	58.62	15.69	42.93	115.64	-57.02	182	264 Peak	Horizontal	
7	5861.50	58.54	15.59	42.95	108.98	-50.44	182	264 Peak	Horizontal	
8	5884.00	58.99	15.98	43.01	98.52	-39.53	182	264 Peak	Horizontal	
9	5981.50	58.36	15.38	42.98	68.20	-9.84	182	264 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5478.50	58.14	15.66	42.48	68.20	-10.06	156	160 Peak	Vertical	
2	5698.50	63.56	21.25	42.31	104.09	-40.53	156	160 Peak	Vertical	
3	5716.50	72.14	29.69	42.45	109.82	-37.68	156	160 Peak	Vertical	
4	5725.00	78.97	36.44	42.53	135.00	-56.03	156	160 Peak	Vertical	
5	5745.00	106.47	63.77	42.70	135.00	-28.53	156	160 Peak	Vertical	
6	5851.00	58.20	15.28	42.92	130.16	-71.96	156	160 Peak	Vertical	
7	5861.00	58.60	15.65	42.95	109.12	-50.52	156	160 Peak	Vertical	
8	5919.50	59.41	16.42	42.99	72.25	-12.84	156	160 Peak	Vertical	
9	5936.00	59.21	16.27	42.94	68.20	-8.99	156	160 Peak	Vertical	

802.11a

CH 157 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5590.00	58.29	15.86	42.43	68.20	-9.91	155	168 Peak	Horizontal	
2	5665.50	57.33	15.05	42.28	79.70	-22.37	155	168 Peak	Horizontal	
3	5719.00	57.52	15.05	42.47	110.52	-53.00	155	168 Peak	Horizontal	
4	5720.50	57.25	14.77	42.48	113.22	-55.97	155	168 Peak	Horizontal	
5	5785.00	105.30	62.46	42.64	135.00	-29.70	155	168 Peak	Horizontal	
6	5852.00	64.49	21.57	42.92	125.32	-66.83	155	168 Peak	Horizontal	
7	5870.00	58.67	15.70	42.97	106.60	-47.93	155	168 Peak	Horizontal	
8	5894.50	58.92	15.88	43.04	90.73	-31.81	155	168 Peak	Horizontal	
9	5990.00	58.06	15.83	43.03	68.20	-9.34	155	168 Peak	Horizontal	

CH 157 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5611.50	58.22	15.83	42.39	68.20	-9.98	156	158 Peak	Vertical	
2	5685.00	57.36	15.06	42.30	94.13	-36.77	156	158 Peak	Vertical	
3	5720.00	59.90	17.42	42.48	110.80	-50.50	156	158 Peak	Vertical	
4	5720.00	59.90	17.42	42.48	110.80	-50.90	156	158 Peak	Vertical	
5	5785.00	105.73	62.89	42.84	135.00	-29.27	156	158 Peak	Vertical	
6	5851.50	61.13	18.21	42.92	127.74	-66.61	156	158 Peak	Vertical	
7	5866.50	58.68	15.72	42.96	107.58	-48.90	156	158 Peak	Vertical	
8	5878.00	59.27	16.27	43.00	102.97	-43.70	156	158 Peak	Vertical	
9	5980.50	59.77	16.79	42.98	68.20	-8.43	156	158 Peak	Vertical	

802.11a

CH 165 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5568.50	59.28	16.87	42.41	68.20	-8.92	149	167	Peak	Horizontal	
2	5673.50	57.50	15.21	42.29	85.63	-28.13	149	167	Peak	Horizontal	
3	5718.50	57.08	14.61	42.47	110.38	-53.30	149	167	Peak	Horizontal	
4	5722.50	57.07	14.57	42.50	122.90	-65.83	149	167	Peak	Horizontal	
5	5821.50	104.72	61.82	42.90	135.00	-30.28	149	167	Peak	Horizontal	
6	5850.00	73.25	30.33	42.92	135.00	-61.75	149	167	Peak	Horizontal	
7	5855.50	75.01	32.08	42.93	110.66	-35.65	149	167	Peak	Horizontal	
8	5878.00	66.11	23.11	43.00	102.97	-36.86	149	167	Peak	Horizontal	
9	5961.00	58.29	15.37	42.92	68.20	-9.91	149	167	Peak	Horizontal	

CH 165 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5552.00	58.46	16.06	42.40	68.20	-9.74	154	216	Peak	Vertical	
2	5685.50	57.98	15.68	42.30	94.50	-36.52	154	216	Peak	Vertical	
3	5713.00	57.55	15.13	42.42	108.84	-51.29	154	216	Peak	Vertical	
4	5725.00	57.28	14.75	42.53	135.00	-77.72	154	216	Peak	Vertical	
5	5825.00	105.84	62.94	42.90	135.00	-29.16	154	216	Peak	Vertical	
6	5850.00	76.12	33.20	42.92	135.00	-58.88	154	216	Peak	Vertical	
7	5856.00	76.28	33.35	42.93	110.52	-34.24	154	216	Peak	Vertical	
8	5877.50	67.23	24.23	43.00	103.34	-36.11	154	216	Peak	Vertical	
9	5997.00	59.23	16.21	43.02	68.20	-8.97	154	216	Peak	Vertical	

802.11ac VHT20
CH 149 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	cm	deg			
1	5624.00	58.02	15.67	42.35	68.20	-10.18	172	264 Peak	Horizontal	
2	5699.50	60.14	17.83	42.31	104.83	-44.69	172	264 Peak	Horizontal	
3	5719.00	70.51	28.04	42.47	110.52	-40.01	172	264 Peak	Horizontal	
4	5723.50	80.06	37.54	42.52	127.74	-47.68	172	264 Peak	Horizontal	
5	5745.00	105.23	62.53	42.70	135.00	-29.77	172	264 Peak	Horizontal	
6	5852.00	58.23	15.31	42.92	125.32	-67.09	172	264 Peak	Horizontal	
7	5869.00	58.11	15.14	42.97	106.68	-48.77	172	264 Peak	Horizontal	
8	5902.00	58.85	15.80	43.05	85.18	-26.33	172	264 Peak	Horizontal	
9	5977.50	58.24	15.28	42.96	68.20	-9.96	172	264 Peak	Horizontal	

CH 149 (Vertical) Peak


TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	cm	deg			
1	5594.00	58.21	15.78	42.43	68.20	-9.99	156	158 Peak	Vertical	
2	5700.00	62.18	19.87	42.31	105.20	-43.02	156	158 Peak	Vertical	
3	5720.00	72.01	29.53	42.48	110.80	-38.79	156	158 Peak	Vertical	
4	5724.50	83.80	41.27	42.53	132.58	-46.78	156	158 Peak	Vertical	
5	5745.00	105.45	62.75	42.70	135.00	-29.55	156	158 Peak	Vertical	
6	5850.50	58.13	15.21	42.92	132.50	-74.45	156	158 Peak	Vertical	
7	5855.50	59.20	16.35	42.93	110.66	-51.38	156	158 Peak	Vertical	
8	5875.50	59.28	16.29	42.99	104.83	-45.55	156	158 Peak	Vertical	
9	5948.00	59.50	16.60	42.90	68.20	-8.70	156	158 Peak	Vertical	

802.11ac VHT20

CH 157 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5682.00	58.00	15.57	42.43	68.20	-10.20	171	264 Peak	Horizontal	
2	5689.50	57.76	15.46	42.30	97.46	-39.70	171	264 Peak	Horizontal	
3	5709.00	57.82	15.44	42.38	107.72	-49.90	171	264 Peak	Horizontal	
4	5720.00	56.78	14.30	42.48	110.80	-54.02	171	264 Peak	Horizontal	
5	5785.00	103.95	61.11	42.64	135.00	-31.05	171	264 Peak	Horizontal	
6	5850.50	57.75	14.83	42.92	132.58	-74.83	171	264 Peak	Horizontal	
7	5871.00	58.76	15.79	42.97	106.32	-47.56	171	264 Peak	Horizontal	
8	5890.00	59.00	15.97	43.03	94.07	-35.07	171	264 Peak	Horizontal	
9	5994.00	60.47	17.45	43.02	68.20	-7.73	171	264 Peak	Horizontal	

CH 157 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5550.00	58.27	15.87	42.40	68.20	-9.93	136	266 Peak	Vertical	
2	5652.00	57.79	15.52	42.27	69.69	-11.90	136	266 Peak	Vertical	
3	5719.50	59.33	16.85	42.48	110.66	-51.33	136	266 Peak	Vertical	
4	5723.00	58.14	15.63	42.51	125.32	-67.18	136	266 Peak	Vertical	
5	5785.00	105.93	63.09	42.84	135.00	-29.07	136	266 Peak	Vertical	
6	5852.00	58.96	16.04	42.92	125.32	-66.36	136	266 Peak	Vertical	
7	5858.00	59.44	16.50	42.94	109.96	-50.52	136	266 Peak	Vertical	
8	5890.50	59.19	16.16	43.03	93.70	-34.51	136	266 Peak	Vertical	
9	5969.00	59.37	16.42	42.95	68.20	-8.83	136	266 Peak	Vertical	

802.11ac VHT20

CH 165 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	cm	deg			
1	5576.50	58.51	16.09	42.42	68.20	-9.69	155	168 Peak	Horizontal	
2	5688.00	57.37	15.07	42.30	96.35	-38.98	155	168 Peak	Horizontal	
3	5716.50	58.20	15.75	42.45	109.82	-51.62	155	168 Peak	Horizontal	
4	5724.50	57.83	15.30	42.53	132.58	-74.75	155	168 Peak	Horizontal	
5	5825.00	104.14	61.24	42.90	135.00	-30.86	155	168 Peak	Horizontal	
6	5850.00	71.65	28.73	42.92	135.00	-60.35	155	168 Peak	Horizontal	
7	5855.00	70.35	27.42	42.93	110.80	-40.45	155	168 Peak	Horizontal	
8	5885.00	63.13	20.12	43.01	97.77	-34.64	155	168 Peak	Horizontal	
9	5997.00	59.49	16.47	43.02	68.20	-8.71	155	168 Peak	Horizontal	

CH 165 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	cm	deg			
1	5555.50	58.28	15.88	42.40	68.20	-9.92	138	205 Peak	Vertical	
2	5667.50	57.87	15.59	42.28	81.19	-23.32	138	205 Peak	Vertical	
3	5703.00	57.73	15.40	42.33	106.04	-48.31	138	205 Peak	Vertical	
4	5724.50	57.24	14.71	42.53	132.58	-75.34	138	205 Peak	Vertical	
5	5825.00	104.48	61.58	42.90	135.00	-30.52	138	205 Peak	Vertical	
6	5850.00	74.65	31.73	42.92	135.00	-60.35	138	205 Peak	Vertical	
7	5855.00	71.75	28.82	42.93	110.66	-30.91	138	205 Peak	Vertical	
8	5875.00	67.06	24.87	42.99	105.20	-38.14	138	205 Peak	Vertical	
9	5973.50	59.95	16.99	42.96	68.20	-8.25	138	205 Peak	Vertical	


802.11ac VHT40

CH 151 (Horizontal) Peak

CH 151 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5544.00	58.99	16.59	42.40	68.20	-9.21	175	265 Peak	Horizontal	
2	5690.50	60.17	17.87	42.30	98.20	-38.03	175	265 Peak	Horizontal	
3	5719.50	74.55	32.07	42.48	110.66	-36.11	175	265 Peak	Horizontal	
4	5721.00	77.33	34.84	42.49	115.64	-38.31	175	265 Peak	Horizontal	
5	5755.00	101.97	59.21	42.76	135.00	-33.03	175	265 Peak	Horizontal	
6	5854.00	58.61	15.68	42.93	115.64	-57.03	175	265 Peak	Horizontal	
7	5872.50	59.09	16.11	42.90	105.50	-46.81	175	265 Peak	Horizontal	
8	5906.00	59.25	16.21	43.04	82.22	-22.97	175	265 Peak	Horizontal	
9	5953.50	59.16	16.25	42.91	68.20	-9.04	175	265 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5543.50	58.12	15.72	42.40	68.20	-10.08	152	269 Peak	Vertical	
2	5690.00	60.60	18.29	42.31	104.46	-43.86	152	269 Peak	Vertical	
3	5718.50	73.56	31.09	42.47	110.38	-36.82	152	269 Peak	Vertical	
4	5724.00	76.09	33.57	42.52	130.16	-54.07	152	269 Peak	Vertical	
5	5755.00	102.10	59.34	42.76	135.00	-32.90	152	269 Peak	Vertical	
6	5851.50	58.11	15.10	42.92	127.74	-69.63	152	269 Peak	Vertical	
7	5869.50	58.49	15.52	42.97	106.74	-48.25	152	269 Peak	Vertical	
8	5892.00	59.74	16.71	43.03	92.58	-32.84	152	269 Peak	Vertical	
9	5978.00	58.94	15.97	42.97	68.20	-9.26	152	269 Peak	Vertical	

802.11ac VHT40

CH 159 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5572.00	57.61	15.20	42.41	68.20	-10.59	166	170 Peak	Horizontal	
2	5673.50	57.26	14.97	42.29	85.63	-28.37	166	170 Peak	Horizontal	
3	5717.00	57.90	15.44	42.46	109.96	-52.06	166	170 Peak	Horizontal	
4	5723.50	59.16	16.64	42.52	127.74	-68.58	166	170 Peak	Horizontal	
5	5795.00	102.20	59.33	42.67	135.00	-32.80	166	170 Peak	Horizontal	
6	5850.00	62.77	19.85	42.92	135.00	-72.23	166	170 Peak	Horizontal	
7	5857.00	60.94	17.91	42.93	110.24	-49.40	166	170 Peak	Horizontal	
8	5888.50	59.23	16.20	43.03	95.18	-35.95	166	170 Peak	Horizontal	
9	5982.50	59.29	16.30	42.99	68.20	-8.91	166	170 Peak	Horizontal	

CH 159 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5520.00	58.80	16.38	42.42	68.20	-9.40	150	156 Peak	Vertical	
2	5680.50	58.47	16.17	42.30	96.72	-38.25	150	156 Peak	Vertical	
3	5714.50	59.58	17.14	42.44	109.26	-49.68	150	156 Peak	Vertical	
4	5723.00	59.36	16.85	42.51	125.32	-65.96	150	156 Peak	Vertical	
5	5791.50	102.56	59.70	42.86	135.00	-32.44	150	156 Peak	Vertical	
6	5851.50	64.36	21.44	42.92	127.74	-63.38	150	156 Peak	Vertical	
7	5855.50	62.40	19.47	42.93	110.66	-48.26	150	156 Peak	Vertical	
8	5887.00	59.21	16.19	43.02	96.29	-37.08	150	156 Peak	Vertical	
9	5961.00	59.40	16.48	42.92	68.20	-8.80	150	156 Peak	Vertical	


802.11ac VHT80

CH 155 (Horizontal) Peak

CH 155 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	cm	deg			
1	5564.50	58.18	15.77	42.41	68.20	-10.02	139	261 Peak	Horizontal	
2	5692.50	63.91	21.61	42.30	99.67	-35.76	139	261 Peak	Horizontal	
3	5719.00	68.86	26.39	42.47	110.52	-41.66	139	261 Peak	Horizontal	
4	5725.00	70.97	28.44	42.53	135.00	-64.03	139	261 Peak	Horizontal	
5	5775.00	98.18	55.37	42.81	135.00	-36.82	139	261 Peak	Horizontal	
6	5850.50	62.79	19.87	42.92	132.58	-69.79	139	261 Peak	Horizontal	
7	5858.00	60.28	17.34	42.94	109.56	-49.68	139	261 Peak	Horizontal	
8	5875.00	58.80	15.81	42.99	105.20	-46.40	139	261 Peak	Horizontal	
9	5949.50	58.58	15.69	42.89	68.20	-9.62	139	261 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	cm	deg			
1	5550.50	58.79	16.39	42.40	68.20	-9.41	244	132 Peak	Vertical	
2	5691.00	62.67	20.37	42.30	98.56	-35.89	244	132 Peak	Vertical	
3	5718.50	65.51	23.04	42.47	110.38	-44.87	244	132 Peak	Vertical	
4	5725.00	68.81	26.28	42.53	135.00	-66.19	244	132 Peak	Vertical	
5	5775.00	99.63	56.82	42.81	135.00	-35.37	244	132 Peak	Vertical	
6	5850.50	65.86	22.94	42.92	132.58	-66.72	244	132 Peak	Vertical	
7	5858.50	61.90	18.95	42.95	109.82	-47.92	244	132 Peak	Vertical	
8	5900.00	59.49	16.43	43.06	86.66	-27.17	244	132 Peak	Vertical	
9	5983.00	59.35	16.36	42.99	68.20	-8.85	244	132 Peak	Vertical	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


Worst Emission

(Horizontal)

(Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	168.71	34.12	40.90	-6.78	43.50	-9.38	200	73 Peak	Horizontal	
2	282.66	34.16	43.91	-9.75	43.50	-9.34	200	114 Peak	Horizontal	
3	239.52	44.06	51.97	-7.91	46.00	-1.94	100	244 QP	Horizontal	
4	359.80	37.52	42.49	-4.97	46.00	-8.48	100	360 Peak	Horizontal	
5	394.72	37.03	41.21	-4.18	46.00	-8.97	100	79 Peak	Horizontal	
6	839.95	42.23	38.50	3.73	46.00	-3.77	100	272 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	71.71	33.35	43.55	-10.20	46.00	-6.65	100	211 Peak	Vertical	
2	239.52	41.46	49.37	-7.91	46.00	-4.54	100	44 Peak	Vertical	
3	394.72	33.37	37.55	-4.18	46.00	-12.63	100	96 Peak	Vertical	
4	660.50	33.31	32.44	0.87	46.00	-12.69	100	188 Peak	Vertical	
5	734.22	33.58	31.06	2.52	46.00	-12.42	200	196 Peak	Vertical	
6	839.95	38.09	34.36	3.73	46.00	-7.91	100	150 Peak	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz

U-NII-1


802.11a

CH 36 (Horizontal)


CH 36 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11a

CH 40 (Horizontal)

CH 40 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10400.00	59.09	50.19	8.90	68.20	-9.11	100		5 Peak	Horizontal	
2	15600.00	41.30	32.92	8.38	54.00	-12.70	100		322 Average	Horizontal	
3	15600.00	55.71	47.33	8.38	74.00	-18.29	100		322 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10400.00	59.56	50.66	8.90	68.20	-8.64	100		21 Peak	Vertical	
2	15600.00	44.70	36.32	8.38	54.00	-9.30	100		312 Average	Vertical	
3	15600.00	60.30	51.92	8.38	74.00	-13.70	100		312 Peak	Vertical	


802.11a

CH 48 (Horizontal)


CH 48 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ac VHT20

CH 36 (Horizontal)


CH 36 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ac VHT20

CH 40 (Horizontal)


CH 40 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ac VHT20

CH 48 (Horizontal)


CH 48 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ac VHT40

CH 38 (Horizontal)


CH 38 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ac VHT40

CH 46 (Horizontal)

CH 46 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10460.00	57.32	48.41	8.91	68.20	-10.88	100	316	Peak	Horizontal	
2	15690.00	39.56	31.17	8.39	54.00	-14.44	200	249	Average	Horizontal	
3	15690.00	53.09	44.70	8.39	74.00	-20.91	200	249	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10460.00	57.87	48.96	8.91	68.20	-10.33	269	358	Peak	Vertical	
2	15690.00	39.62	31.23	8.39	54.00	-14.38	100	282	Average	Vertical	
3	15690.00	53.22	44.83	8.39	74.00	-20.78	100	282	Peak	Vertical	


802.11ac VHT80

CH 42 (Horizontal)

CH 42 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10420.00	50.13	41.23	8.90	68.20	-18.07	100	355	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10420.00	50.76	41.86	8.90	68.20	-17.44	100	46	Peak	Vertical	

U-NII-2A


802.11a

CH 52 (Horizontal)

CH 52 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10520.00	62.34	53.32	8.92	68.20	-5.96	100	27 Peak	Horizontal	
2	15780.00	41.79	33.15	8.64	54.00	-12.21	100	297 Average	Horizontal	
3	15780.00	55.73	47.09	8.64	74.00	-18.27	100	297 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10520.00	62.26	53.34	8.92	68.20	-5.94	122	343 Peak	Vertical	
2	15780.00	46.42	37.78	8.64	54.00	-7.58	100	315 Average	Vertical	
3	15780.00	61.36	52.72	8.64	74.00	-12.64	100	315 Peak	Vertical	


802.11a

CH 60 (Horizontal)

CH 60 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10600.00	51.26	42.35	8.91	54.00	-2.74	115	19	Average	Horizontal	
2 10600.00	63.46	54.55	8.91	74.00	-10.54	115	19	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10600.00	53.57	44.66	8.91	54.00	-0.43	144	360	Average	Vertical	
2 10600.00	66.52	57.61	8.91	74.00	-7.48	144	360	Peak	Vertical	


802.11a

CH 64 (Horizontal)

CH 64 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10640.00	48.30	39.36	8.94	54.00	-5.70	100	316	Average	Horizontal	
2 10640.00	61.53	52.59	8.94	74.00	-12.47	100	316	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10640.00	53.46	44.52	8.94	54.00	-0.54	262	2	Average	Vertical	
2 10640.00	66.06	57.12	8.94	74.00	-7.94	262	2	Peak	Vertical	


802.11ac VHT20

CH 52 (Horizontal)

CH 52 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10520.00	57.13	48.21	8.92	68.20	-11.07	115	12	Peak	Horizontal	
2	15780.00	42.16	33.52	8.64	54.00	-11.04	102	290	Average	Horizontal	
3	15780.00	55.70	47.06	8.64	74.00	-18.30	102	290	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10520.00	59.24	50.32	8.92	68.20	-8.96	102	342	Peak	Vertical	
2	15780.00	47.16	38.52	8.64	54.00	-6.84	100	328	Average	Vertical	
3	15780.00	61.50	52.86	8.64	74.00	-12.50	100	328	Peak	Vertical	


802.11ac VHT20

CH 60 (Horizontal)

CH 60 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10600.00	43.86	34.95	8.91	54.00	-10.14	100	19	Average	Horizontal	
2	10600.00	57.13	48.22	8.91	74.00	-16.87	100	19	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10600.00	47.99	39.08	8.91	54.00	-6.01	100	360	Average	Vertical	
2	10600.00	62.07	53.16	8.91	74.00	-11.93	100	360	Peak	Vertical	


802.11ac VHT20

CH 64 (Horizontal)

CH 64 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10640.00	44.42	35.48	8.94	54.00	-9.58	150	290	Average	Horizontal	
2	10640.00	58.05	49.11	8.94	74.00	-15.95	150	290	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10640.00	48.22	39.28	8.94	54.00	-5.78	102	360	Average	Vertical	
2	10640.00	61.65	52.71	8.94	74.00	-12.35	102	360	Peak	Vertical	


802.11ac VHT40

CH 54 (Horizontal)

CH 54 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10540.00	55.79	46.87	8.92	68.20	-12.41	131	345	Peak	Horizontal	
2	15810.00	41.36	32.70	8.66	54.00	-12.64	100		5 Average	Horizontal	
3	15810.00	54.31	45.65	8.66	74.00	-19.69	100		5 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10540.00	57.52	48.60	8.92	68.20	-10.68	100	357	Peak	Vertical	
2	15810.00	44.77	36.11	8.66	54.00	-9.23	103	327	Average	Vertical	
3	15810.00	58.58	49.92	8.66	74.00	-15.42	103	327	Peak	Vertical	


802.11ac VHT40

CH 62 (Horizontal)

CH 62 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10620.00	44.75	35.82	8.93	54.00	-9.25	100	316	Average	Horizontal	
2	10620.00	56.95	48.02	8.93	74.00	-17.05	100	316	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10620.00	49.83	40.10	8.93	54.00	-4.97	100	2	Average	Vertical	
2	10620.00	61.55	52.62	8.93	74.00	-12.45	100	2	Peak	Vertical	


802.11ac VHT80

CH 58 (Horizontal)


CH 58 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



U-NII-2C


802.11a

CH 100 (Horizontal)

CH 100 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11000.00	43.14	34.07	9.07	54.00	-10.86	100	331	Average	Horizontal	
2	11000.00	56.16	47.09	9.07	74.00	-17.84	100	331	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11000.00	45.44	36.37	9.07	54.00	-8.56	100	358	Average	Vertical	
2	11000.00	57.83	48.76	9.07	74.00	-16.17	100	358	Peak	Vertical	

802.11a

CH 116 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
dBuV	dB/m	dBuV/m	dB	cm	deg			
42.73	33.65	9.08	54.00	-11.27	100	115 Average	Horizontal	
55.68	46.52	9.08	74.00	-18.40	100	115 Peak	Horizontal	

CH 116 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
dBuV	dB/m	dBuV/m	dB	cm	deg			
45.48	36.40	9.08	54.00	-8.52	150	335 Average	Vertical	
58.24	49.16	9.08	74.00	-15.76	150	335 Peak	Vertical	