


Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band4


1.1. LTE Transmitter Spurious Emissions(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.33	-13	Pass	2986
30	1000	0.1	RMS	983.6	-58.68	-13	Pass	9701
1000	1700	1	RMS	1700	-46.7	-13	Pass	701
1700	1765	1	RMS	1710.238	23.1	60	Pass	401
1765	3000	1	RMS	2669	-41.92	-13	Pass	1236
3000	12000	1	RMS	11998	-47.65	-13	Pass	9001
12000	18000	1	RMS	15799	-39.41	-13	Pass	6001




1.2. LTE Transmitter Spurious Emissions(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.05	-13	Pass	2986
30	1000	0.1	RMS	896.4	-58.51	-13	Pass	9701
1000	1700	1	RMS	1700	-46.95	-13	Pass	701
1700	1765	1	RMS	1711.213	23.05	60	Pass	401
1765	3000	1	RMS	2659	-42.01	-13	Pass	1236
3000	12000	1	RMS	11998	-47.67	-13	Pass	9001
12000	18000	1	RMS	15800	-39.46	-13	Pass	6001




1.3. LTE Transmitter Spurious Emissions(Subtest:3, Channel:19957, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.24	-13	Pass	2986
30	1000	0.1	RMS	902.3	-58.5	-13	Pass	9701
1000	1700	1	RMS	1700	-46.89	-13	Pass	701
1700	1765	1	RMS	1710.238	22.41	60	Pass	401
1765	3000	1	RMS	2660	-41.99	-13	Pass	1236
3000	12000	1	RMS	11999	-47.55	-13	Pass	9001
12000	18000	1	RMS	15799	-39.27	-13	Pass	6001




1.4. LTE Transmitter Spurious Emissions(Subtest:4, Channel:19957, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.48	-13	Pass	2986
30	1000	0.1	RMS	866.5	-58.57	-13	Pass	9701
1000	1700	1	RMS	1700	-47	-13	Pass	701
1700	1765	1	RMS	1711.213	22.37	60	Pass	401
1765	3000	1	RMS	2660	-41.97	-13	Pass	1236
3000	12000	1	RMS	11998	-47.71	-13	Pass	9001
12000	18000	1	RMS	15795	-39.46	-13	Pass	6001




1.5. LTE Transmitter Spurious Emissions(Subtest:5, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.06	-13	Pass	2986
30	1000	0.1	RMS	890.7	-58.74	-13	Pass	9701
1000	1700	1	RMS	1605	-47.17	-13	Pass	701
1700	1765	1	RMS	1732.013	24.24	60	Pass	401
1765	3000	1	RMS	2664	-41.95	-13	Pass	1236
3000	12000	1	RMS	11998	-47.69	-13	Pass	9001
12000	18000	1	RMS	15798	-39.41	-13	Pass	6001




1.6. LTE Transmitter Spurious Emissions(Subtest:6, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.28	-13	Pass	2986
30	1000	0.1	RMS	974.4	-58.72	-13	Pass	9701
1000	1700	1	RMS	1607	-47.16	-13	Pass	701
1700	1765	1	RMS	1732.988	24.27	60	Pass	401
1765	3000	1	RMS	2665	-41.95	-13	Pass	1236
3000	12000	1	RMS	12000	-47.62	-13	Pass	9001
12000	18000	1	RMS	15799	-39.27	-13	Pass	6001




1.7. LTE Transmitter Spurious Emissions(Subtest:7, Channel:20175, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.01	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.58	-13	Pass	2986
30	1000	0.1	RMS	902.7	-58.59	-13	Pass	9701
1000	1700	1	RMS	1601	-47.17	-13	Pass	701
1700	1765	1	RMS	1732.013	23.28	60	Pass	401
1765	3000	1	RMS	2667	-41.97	-13	Pass	1236
3000	12000	1	RMS	12000	-47.76	-13	Pass	9001
12000	18000	1	RMS	15798	-39.42	-13	Pass	6001




1.8. LTE Transmitter Spurious Emissions(Subtest:8, Channel:20175, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.35	-13	Pass	2986
30	1000	0.1	RMS	870.7	-58.73	-13	Pass	9701
1000	1700	1	RMS	1603	-47.17	-13	Pass	701
1700	1765	1	RMS	1732.988	23.29	60	Pass	401
1765	3000	1	RMS	2661	-41.95	-13	Pass	1236
3000	12000	1	RMS	11992	-47.73	-13	Pass	9001
12000	18000	1	RMS	15801	-39.37	-13	Pass	6001




1.9. LTE Transmitter Spurious Emissions(Subtest:9, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.5	-13	Pass	2986
30	1000	0.1	RMS	898.6	-58.63	-13	Pass	9701
1000	1700	1	RMS	1599	-47.17	-13	Pass	701
1700	1765	1	RMS	1753.788	23.47	60	Pass	401
1765	3000	1	RMS	2659	-41.99	-13	Pass	1236
3000	12000	1	RMS	11995	-47.64	-13	Pass	9001
12000	18000	1	RMS	15799	-39.36	-13	Pass	6001




1.10. LTE Transmitter Spurious Emissions(Subtest:10, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.99	-13	Pass	2986
30	1000	0.1	RMS	977.8	-58.59	-13	Pass	9701
1000	1700	1	RMS	1601	-47.19	-13	Pass	701
1700	1765	1	RMS	1754.763	23.55	60	Pass	401
1765	3000	1	RMS	2666	-41.94	-13	Pass	1236
3000	12000	1	RMS	11998	-47.67	-13	Pass	9001
12000	18000	1	RMS	15798	-39.44	-13	Pass	6001




1.11. LTE Transmitter Spurious Emissions(Subtest:11, Channel:20393, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.95	-13	Pass	2986
30	1000	0.1	RMS	987.8	-58.46	-13	Pass	9701
1000	1700	1	RMS	1610	-47.18	-13	Pass	701
1700	1765	1	RMS	1753.788	22.59	60	Pass	401
1765	3000	1	RMS	2666	-41.97	-13	Pass	1236
3000	12000	1	RMS	11998	-47.63	-13	Pass	9001
12000	18000	1	RMS	15800	-39.32	-13	Pass	6001




1.12. LTE Transmitter Spurious Emissions(Subtest:12, Channel:20393, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.58	-13	Pass	2986
30	1000	0.1	RMS	893.5	-58.58	-13	Pass	9701
1000	1700	1	RMS	1602	-47.18	-13	Pass	701
1700	1765	1	RMS	1754.763	22.71	60	Pass	401
1765	3000	1	RMS	2670	-41.95	-13	Pass	1236
3000	12000	1	RMS	11998	-47.58	-13	Pass	9001
12000	18000	1	RMS	15800	-39.36	-13	Pass	6001




1.13. LTE Transmitter Spurious Emissions(Subtest:13, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.04	-13	Pass	2986
30	1000	0.1	RMS	980.4	-58.68	-13	Pass	9701
1000	1700	1	RMS	1700	-46.75	-13	Pass	701
1700	1765	1	RMS	1710.238	23.12	60	Pass	401
1765	3000	1	RMS	2666	-41.98	-13	Pass	1236
3000	12000	1	RMS	12000	-47.74	-13	Pass	9001
12000	18000	1	RMS	15799	-39.38	-13	Pass	6001




1.14. LTE Transmitter Spurious Emissions(Subtest:14, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.83	-13	Pass	2986
30	1000	0.1	RMS	999.6	-58.31	-13	Pass	9701
1000	1700	1	RMS	1700	-47.08	-13	Pass	701
1700	1765	1	RMS	1712.675	23.02	60	Pass	401
1765	3000	1	RMS	2670	-41.98	-13	Pass	1236
3000	12000	1	RMS	11995	-47.71	-13	Pass	9001
12000	18000	1	RMS	15800	-39.31	-13	Pass	6001




1.15. LTE Transmitter Spurious Emissions(Subtest:15, Channel:19965, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.26	-13	Pass	2986
30	1000	0.1	RMS	900.2	-58.58	-13	Pass	9701
1000	1700	1	RMS	1700	-46.85	-13	Pass	701
1700	1765	1	RMS	1710.238	22.43	60	Pass	401
1765	3000	1	RMS	2667	-41.98	-13	Pass	1236
3000	12000	1	RMS	11990	-47.59	-13	Pass	9001
12000	18000	1	RMS	15801	-39.38	-13	Pass	6001




1.16. LTE Transmitter Spurious Emissions(Subtest:16, Channel:19965, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.31	-13	Pass	2986
30	1000	0.1	RMS	941	-58.53	-13	Pass	9701
1000	1700	1	RMS	1700	-47.13	-13	Pass	701
1700	1765	1	RMS	1712.838	22.3	60	Pass	401
1765	3000	1	RMS	2664	-42.02	-13	Pass	1236
3000	12000	1	RMS	11995	-47.62	-13	Pass	9001
12000	18000	1	RMS	15802	-39.35	-13	Pass	6001




1.17. LTE Transmitter Spurious Emissions(Subtest:17, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.59	-13	Pass	2986
30	1000	0.1	RMS	832.1	-58.58	-13	Pass	9701
1000	1700	1	RMS	1607	-47.18	-13	Pass	701
1700	1765	1	RMS	1731.2	24.22	60	Pass	401
1765	3000	1	RMS	2665	-41.93	-13	Pass	1236
3000	12000	1	RMS	12000	-47.6	-13	Pass	9001
12000	18000	1	RMS	15801	-39.32	-13	Pass	6001




1.18. LTE Transmitter Spurious Emissions(Subtest:18, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.45	-13	Pass	2986
30	1000	0.1	RMS	906.4	-58.41	-13	Pass	9701
1000	1700	1	RMS	1602	-47.16	-13	Pass	701
1700	1765	1	RMS	1733.8	24.16	60	Pass	401
1765	3000	1	RMS	2660	-41.99	-13	Pass	1236
3000	12000	1	RMS	11997	-47.64	-13	Pass	9001
12000	18000	1	RMS	15799	-39.41	-13	Pass	6001




1.19. LTE Transmitter Spurious Emissions(Subtest:19, Channel:20175, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.16	-13	Pass	2986
30	1000	0.1	RMS	893.8	-58.58	-13	Pass	9701
1000	1700	1	RMS	1601	-47.16	-13	Pass	701
1700	1765	1	RMS	1731.2	23.26	60	Pass	401
1765	3000	1	RMS	2666	-41.99	-13	Pass	1236
3000	12000	1	RMS	11995	-47.69	-13	Pass	9001
12000	18000	1	RMS	15801	-39.39	-13	Pass	6001




1.20. LTE Transmitter Spurious Emissions(Subtest:20, Channel:20175, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.67	-13	Pass	2986
30	1000	0.1	RMS	959.7	-58.71	-13	Pass	9701
1000	1700	1	RMS	1601	-47.19	-13	Pass	701
1700	1765	1	RMS	1733.8	23.18	60	Pass	401
1765	3000	1	RMS	2664	-41.98	-13	Pass	1236
3000	12000	1	RMS	11995	-47.64	-13	Pass	9001
12000	18000	1	RMS	15799	-39.26	-13	Pass	6001




1.21. LTE Transmitter Spurious Emissions(Subtest:21, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.89	-13	Pass	2986
30	1000	0.1	RMS	973.2	-58.72	-13	Pass	9701
1000	1700	1	RMS	1601	-47.16	-13	Pass	701
1700	1765	1	RMS	1752.163	23.31	60	Pass	401
1765	3000	1	RMS	2670	-41.95	-13	Pass	1236
3000	12000	1	RMS	11994	-47.76	-13	Pass	9001
12000	18000	1	RMS	15798	-39.37	-13	Pass	6001




1.22. LTE Transmitter Spurious Emissions(Subtest:22, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.91	-13	Pass	2986
30	1000	0.1	RMS	986	-58.49	-13	Pass	9701
1000	1700	1	RMS	1609	-47.18	-13	Pass	701
1700	1765	1	RMS	1754.763	23.45	60	Pass	401
1765	3000	1	RMS	2663	-42	-13	Pass	1236
3000	12000	1	RMS	11999	-47.49	-13	Pass	9001
12000	18000	1	RMS	15797	-39.16	-13	Pass	6001




1.23. LTE Transmitter Spurious Emissions(Subtest:23, Channel:20385, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.65	-13	Pass	2986
30	1000	0.1	RMS	991.7	-58.64	-13	Pass	9701
1000	1700	1	RMS	1598	-47.18	-13	Pass	701
1700	1765	1	RMS	1752.163	22.42	60	Pass	401
1765	3000	1	RMS	2661	-41.97	-13	Pass	1236
3000	12000	1	RMS	11997	-47.51	-13	Pass	9001
12000	18000	1	RMS	15800	-39.31	-13	Pass	6001




1.24. LTE Transmitter Spurious Emissions(Subtest:24, Channel:20385, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.67	-13	Pass	2986
30	1000	0.1	RMS	913	-58.49	-13	Pass	9701
1000	1700	1	RMS	1602	-47.18	-13	Pass	701
1700	1765	1	RMS	1754.763	22.58	60	Pass	401
1765	3000	1	RMS	2670	-42.01	-13	Pass	1236
3000	12000	1	RMS	11995	-47.68	-13	Pass	9001
12000	18000	1	RMS	15800	-39.36	-13	Pass	6001




1.25. LTE Transmitter Spurious Emissions(Subtest:25, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.78	-13	Pass	2986
30	1000	0.1	RMS	972.5	-58.65	-13	Pass	9701
1000	1700	1	RMS	1700	-46.69	-13	Pass	701
1700	1765	1	RMS	1710.4	23.28	60	Pass	401
1765	3000	1	RMS	2661	-42.02	-13	Pass	1236
3000	12000	1	RMS	12000	-47.72	-13	Pass	9001
12000	18000	1	RMS	15801	-39.4	-13	Pass	6001




1.26. LTE Transmitter Spurious Emissions(Subtest:26, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.01	-13	Pass	2986
30	1000	0.1	RMS	958.9	-58.61	-13	Pass	9701
1000	1700	1	RMS	1697	-47.09	-13	Pass	701
1700	1765	1	RMS	1714.625	23.25	60	Pass	401
1765	3000	1	RMS	2662	-42	-13	Pass	1236
3000	12000	1	RMS	11999	-47.59	-13	Pass	9001
12000	18000	1	RMS	15798	-39.43	-13	Pass	6001




1.27. LTE Transmitter Spurious Emissions(Subtest:27, Channel:19975, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.92	-13	Pass	2986
30	1000	0.1	RMS	899.1	-58.59	-13	Pass	9701
1000	1700	1	RMS	1700	-46.77	-13	Pass	701
1700	1765	1	RMS	1710.4	22.44	60	Pass	401
1765	3000	1	RMS	2670	-41.95	-13	Pass	1236
3000	12000	1	RMS	11998	-47.63	-13	Pass	9001
12000	18000	1	RMS	15800	-39.36	-13	Pass	6001




1.28. LTE Transmitter Spurious Emissions(Subtest:28, Channel:19975, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.46	-13	Pass	2986
30	1000	0.1	RMS	920.4	-58.51	-13	Pass	9701
1000	1700	1	RMS	1697	-47.04	-13	Pass	701
1700	1765	1	RMS	1714.625	22.43	60	Pass	401
1765	3000	1	RMS	2665	-41.98	-13	Pass	1236
3000	12000	1	RMS	11999	-47.59	-13	Pass	9001
12000	18000	1	RMS	15799	-39.41	-13	Pass	6001




1.29. LTE Transmitter Spurious Emissions(Subtest:29, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.85	-13	Pass	2986
30	1000	0.1	RMS	897.6	-58.64	-13	Pass	9701
1000	1700	1	RMS	1606	-47.18	-13	Pass	701
1700	1765	1	RMS	1730.388	24.24	60	Pass	401
1765	3000	1	RMS	2664	-41.99	-13	Pass	1236
3000	12000	1	RMS	11993	-47.69	-13	Pass	9001
12000	18000	1	RMS	15799	-39.36	-13	Pass	6001




1.30. LTE Transmitter Spurious Emissions(Subtest:30, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.16	-13	Pass	2986
30	1000	0.1	RMS	978.7	-58.59	-13	Pass	9701
1000	1700	1	RMS	1600	-47.17	-13	Pass	701
1700	1765	1	RMS	1734.613	24.19	60	Pass	401
1765	3000	1	RMS	2670	-41.96	-13	Pass	1236
3000	12000	1	RMS	11999	-47.63	-13	Pass	9001
12000	18000	1	RMS	15799	-39.35	-13	Pass	6001




1.31. LTE Transmitter Spurious Emissions(Subtest:31, Channel:20175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.07	-13	Pass	2986
30	1000	0.1	RMS	908.9	-58.52	-13	Pass	9701
1000	1700	1	RMS	1615	-47.18	-13	Pass	701
1700	1765	1	RMS	1730.388	23.43	60	Pass	401
1765	3000	1	RMS	2662	-42	-13	Pass	1236
3000	12000	1	RMS	12000	-47.56	-13	Pass	9001
12000	18000	1	RMS	15801	-39.43	-13	Pass	6001




1.32. LTE Transmitter Spurious Emissions(Subtest:32, Channel:20175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.05	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.86	-13	Pass	2986
30	1000	0.1	RMS	990.3	-58.64	-13	Pass	9701
1000	1700	1	RMS	1602	-47.15	-13	Pass	701
1700	1765	1	RMS	1734.613	23.5	60	Pass	401
1765	3000	1	RMS	2662	-41.95	-13	Pass	1236
3000	12000	1	RMS	11998	-47.63	-13	Pass	9001
12000	18000	1	RMS	15801	-39.33	-13	Pass	6001




1.33. LTE Transmitter Spurious Emissions(Subtest:33, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.35	-13	Pass	2986
30	1000	0.1	RMS	879.7	-58.45	-13	Pass	9701
1000	1700	1	RMS	1603	-47.16	-13	Pass	701
1700	1765	1	RMS	1750.375	23.45	60	Pass	401
1765	3000	1	RMS	2669	-41.95	-13	Pass	1236
3000	12000	1	RMS	11999	-47.65	-13	Pass	9001
12000	18000	1	RMS	15801	-39.32	-13	Pass	6001




1.34. LTE Transmitter Spurious Emissions(Subtest:34, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.72	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.2	-13	Pass	2986
30	1000	0.1	RMS	979.3	-58.66	-13	Pass	9701
1000	1700	1	RMS	1603	-47.19	-13	Pass	701
1700	1765	1	RMS	1754.6	23.52	60	Pass	401
1765	3000	1	RMS	2668	-41.96	-13	Pass	1236
3000	12000	1	RMS	11992	-47.68	-13	Pass	9001
12000	18000	1	RMS	15800	-39.4	-13	Pass	6001




1.35. LTE Transmitter Spurious Emissions(Subtest:35, Channel:20375, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.65	-13	Pass	2986
30	1000	0.1	RMS	913.6	-58.6	-13	Pass	9701
1000	1700	1	RMS	1608	-47.17	-13	Pass	701
1700	1765	1	RMS	1750.375	22.69	60	Pass	401
1765	3000	1	RMS	2666	-41.99	-13	Pass	1236
3000	12000	1	RMS	11998	-47.66	-13	Pass	9001
12000	18000	1	RMS	15800	-39.38	-13	Pass	6001




1.36. LTE Transmitter Spurious Emissions(Subtest:36, Channel:20375, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.64	-13	Pass	2986
30	1000	0.1	RMS	928.3	-58.74	-13	Pass	9701
1000	1700	1	RMS	1604	-47.16	-13	Pass	701
1700	1765	1	RMS	1754.6	22.79	60	Pass	401
1765	3000	1	RMS	2669	-41.95	-13	Pass	1236
3000	12000	1	RMS	11999	-47.54	-13	Pass	9001
12000	18000	1	RMS	15799	-39.32	-13	Pass	6001




1.37. LTE Transmitter Spurious Emissions(Subtest:37, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.62	-13	Pass	2986
30	1000	0.1	RMS	854.5	-58.58	-13	Pass	9701
1000	1700	1	RMS	1700	-46.95	-13	Pass	701
1700	1765	1	RMS	1710.563	23.31	60	Pass	401
1765	3000	1	RMS	2662	-41.96	-13	Pass	1236
3000	12000	1	RMS	11999	-47.6	-13	Pass	9001
12000	18000	1	RMS	15799	-39.34	-13	Pass	6001




1.38. LTE Transmitter Spurious Emissions(Subtest:38, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.27	-13	Pass	2986
30	1000	0.1	RMS	894.1	-58.67	-13	Pass	9701
1000	1700	1	RMS	1700	-46.89	-13	Pass	701
1700	1765	1	RMS	1719.338	23.46	60	Pass	401
1765	3000	1	RMS	2665	-41.91	-13	Pass	1236
3000	12000	1	RMS	11997	-47.71	-13	Pass	9001
12000	18000	1	RMS	15799	-39.31	-13	Pass	6001




1.39. LTE Transmitter Spurious Emissions(Subtest:39, Channel:20000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.97	-13	Pass	2986
30	1000	0.1	RMS	989.1	-58.32	-13	Pass	9701
1000	1700	1	RMS	1700	-46.91	-13	Pass	701
1700	1765	1	RMS	1710.563	22.42	60	Pass	401
1765	3000	1	RMS	2670	-41.95	-13	Pass	1236
3000	12000	1	RMS	11994	-47.54	-13	Pass	9001
12000	18000	1	RMS	15798	-39.33	-13	Pass	6001




1.40. LTE Transmitter Spurious Emissions(Subtest:40, Channel:20000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.88	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.81	-13	Pass	2986
30	1000	0.1	RMS	859.4	-58.7	-13	Pass	9701
1000	1700	1	RMS	1700	-46.89	-13	Pass	701
1700	1765	1	RMS	1719.338	22.68	60	Pass	401
1765	3000	1	RMS	2663	-41.97	-13	Pass	1236
3000	12000	1	RMS	11999	-47.55	-13	Pass	9001
12000	18000	1	RMS	15800	-39.3	-13	Pass	6001




1.41. LTE Transmitter Spurious Emissions(Subtest:41, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.45	-13	Pass	2986
30	1000	0.1	RMS	998.8	-58.65	-13	Pass	9701
1000	1700	1	RMS	1612	-47.15	-13	Pass	701
1700	1765	1	RMS	1728.113	24.07	60	Pass	401
1765	3000	1	RMS	2663	-41.94	-13	Pass	1236
3000	12000	1	RMS	11997	-47.69	-13	Pass	9001
12000	18000	1	RMS	15800	-39.35	-13	Pass	6001




1.42. LTE Transmitter Spurious Emissions(Subtest:42, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.72	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.37	-13	Pass	2986
30	1000	0.1	RMS	907.1	-58.61	-13	Pass	9701
1000	1700	1	RMS	1604	-47.17	-13	Pass	701
1700	1765	1	RMS	1736.888	24.01	60	Pass	401
1765	3000	1	RMS	2664	-41.96	-13	Pass	1236
3000	12000	1	RMS	12000	-47.74	-13	Pass	9001
12000	18000	1	RMS	15798	-39.41	-13	Pass	6001




1.43. LTE Transmitter Spurious Emissions(Subtest:43, Channel:20175, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.66	-13	Pass	2986
30	1000	0.1	RMS	951.3	-58.61	-13	Pass	9701
1000	1700	1	RMS	1599	-47.15	-13	Pass	701
1700	1765	1	RMS	1728.113	23.41	60	Pass	401
1765	3000	1	RMS	2669	-41.92	-13	Pass	1236
3000	12000	1	RMS	12000	-47.69	-13	Pass	9001
12000	18000	1	RMS	15799	-39.41	-13	Pass	6001




1.44. LTE Transmitter Spurious Emissions(Subtest:44, Channel:20175, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.85	-13	Pass	2986
30	1000	0.1	RMS	995.7	-58.57	-13	Pass	9701
1000	1700	1	RMS	1599	-47.17	-13	Pass	701
1700	1765	1	RMS	1736.888	23.29	60	Pass	401
1765	3000	1	RMS	2663	-41.98	-13	Pass	1236
3000	12000	1	RMS	11998	-47.61	-13	Pass	9001
12000	18000	1	RMS	15801	-39.36	-13	Pass	6001




1.45. LTE Transmitter Spurious Emissions(Subtest:45, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.49	-13	Pass	2986
30	1000	0.1	RMS	963.1	-58.64	-13	Pass	9701
1000	1700	1	RMS	1601	-47.16	-13	Pass	701
1700	1765	1	RMS	1745.663	23.39	60	Pass	401
1765	3000	1	RMS	2670	-41.97	-13	Pass	1236
3000	12000	1	RMS	11995	-47.73	-13	Pass	9001
12000	18000	1	RMS	15800	-39.34	-13	Pass	6001




1.46. LTE Transmitter Spurious Emissions(Subtest:46, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.73	-13	Pass	2986
30	1000	0.1	RMS	906	-58.35	-13	Pass	9701
1000	1700	1	RMS	1605	-47.16	-13	Pass	701
1700	1765	1	RMS	1754.438	23.5	60	Pass	401
1765	3000	1	RMS	1772	-38.4	-13	Pass	1236
3000	12000	1	RMS	11994	-47.61	-13	Pass	9001
12000	18000	1	RMS	15801	-39.27	-13	Pass	6001




1.47. LTE Transmitter Spurious Emissions(Subtest:47, Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.69	-13	Pass	2986
30	1000	0.1	RMS	947.6	-58.64	-13	Pass	9701
1000	1700	1	RMS	1610	-47.18	-13	Pass	701
1700	1765	1	RMS	1745.663	22.38	60	Pass	401
1765	3000	1	RMS	2662	-41.98	-13	Pass	1236
3000	12000	1	RMS	11995	-47.59	-13	Pass	9001
12000	18000	1	RMS	15800	-39.35	-13	Pass	6001




1.48. LTE Transmitter Spurious Emissions(Subtest:48, Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.3	-13	Pass	2986
30	1000	0.1	RMS	852.1	-58.53	-13	Pass	9701
1000	1700	1	RMS	1604	-47.19	-13	Pass	701
1700	1765	1	RMS	1754.438	22.6	60	Pass	401
1765	3000	1	RMS	1772	-38.27	-13	Pass	1236
3000	12000	1	RMS	11995	-47.66	-13	Pass	9001
12000	18000	1	RMS	15799	-39.42	-13	Pass	6001




1.49. LTE Transmitter Spurious Emissions(Subtest:49, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.31	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.21	-13	Pass	2986
30	1000	0.1	RMS	851.9	-58.51	-13	Pass	9701
1000	1700	1	RMS	1698	-44.71	-13	Pass	701
1700	1765	1	RMS	1710.888	23.31	60	Pass	401
1765	3000	1	RMS	2668	-41.95	-13	Pass	1236
3000	12000	1	RMS	11999	-47.58	-13	Pass	9001
12000	18000	1	RMS	15701	-39.39	-13	Pass	6001




1.50. LTE Transmitter Spurious Emissions(Subtest:50, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.81	-13	Pass	2986
30	1000	0.1	RMS	884.4	-58.68	-13	Pass	9701
1000	1700	1	RMS	1697	-35.57	-13	Pass	701
1700	1765	1	RMS	1724.213	23.88	60	Pass	401
1765	3000	1	RMS	2664	-41.99	-13	Pass	1236
3000	12000	1	RMS	11995	-47.71	-13	Pass	9001
12000	18000	1	RMS	15800	-39.41	-13	Pass	6001




1.51. LTE Transmitter Spurious Emissions(Subtest:51, Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.44	-13	Pass	2986
30	1000	0.1	RMS	897.7	-58.5	-13	Pass	9701
1000	1700	1	RMS	1698	-44.98	-13	Pass	701
1700	1765	1	RMS	1710.888	22.57	60	Pass	401
1765	3000	1	RMS	2662	-41.97	-13	Pass	1236
3000	12000	1	RMS	11999	-47.66	-13	Pass	9001
12000	18000	1	RMS	15801	-39.4	-13	Pass	6001




1.52. LTE Transmitter Spurious Emissions(Subtest:52, Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.03	-13	Pass	2986
30	1000	0.1	RMS	976	-58.59	-13	Pass	9701
1000	1700	1	RMS	1697	-35.89	-13	Pass	701
1700	1765	1	RMS	1724.213	23.14	60	Pass	401
1765	3000	1	RMS	2662	-42.01	-13	Pass	1236
3000	12000	1	RMS	11997	-47.53	-13	Pass	9001
12000	18000	1	RMS	15800	-39.24	-13	Pass	6001




1.53. LTE Transmitter Spurious Emissions(Subtest:53, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.36	-13	Pass	2986
30	1000	0.1	RMS	898	-58.45	-13	Pass	9701
1000	1700	1	RMS	1699	-42.09	-13	Pass	701
1700	1765	1	RMS	1725.838	24.01	60	Pass	401
1765	3000	1	RMS	2667	-42.01	-13	Pass	1236
3000	12000	1	RMS	11993	-47.67	-13	Pass	9001
12000	18000	1	RMS	15800	-39.26	-13	Pass	6001




1.54. LTE Transmitter Spurious Emissions(Subtest:54, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.82	-13	Pass	2986
30	1000	0.1	RMS	942.1	-58.65	-13	Pass	9701
1000	1700	1	RMS	1699	-47.12	-13	Pass	701
1700	1765	1	RMS	1739.163	24.02	60	Pass	401
1765	3000	1	RMS	1766	-38.39	-13	Pass	1236
3000	12000	1	RMS	12000	-47.53	-13	Pass	9001
12000	18000	1	RMS	15799	-39.38	-13	Pass	6001




1.55. LTE Transmitter Spurious Emissions(Subtest:55, Channel:20175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.13	-13	Pass	2986
30	1000	0.1	RMS	971.4	-58.61	-13	Pass	9701
1000	1700	1	RMS	1699	-41.81	-13	Pass	701
1700	1765	1	RMS	1725.838	23.32	60	Pass	401
1765	3000	1	RMS	2665	-41.99	-13	Pass	1236
3000	12000	1	RMS	12000	-47.62	-13	Pass	9001
12000	18000	1	RMS	15800	-39.37	-13	Pass	6001




1.56. LTE Transmitter Spurious Emissions(Subtest:56, Channel:20175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.32	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.29	-13	Pass	2986
30	1000	0.1	RMS	980.5	-58.75	-13	Pass	9701
1000	1700	1	RMS	1699	-47.08	-13	Pass	701
1700	1765	1	RMS	1739.163	23.13	60	Pass	401
1765	3000	1	RMS	1766	-37.97	-13	Pass	1236
3000	12000	1	RMS	12000	-47.58	-13	Pass	9001
12000	18000	1	RMS	15799	-39.31	-13	Pass	6001




1.57. LTE Transmitter Spurious Emissions(Subtest:57, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.81	-13	Pass	2986
30	1000	0.1	RMS	936.1	-58.66	-13	Pass	9701
1000	1700	1	RMS	1608	-47.17	-13	Pass	701
1700	1765	1	RMS	1740.788	23.9	60	Pass	401
1765	3000	1	RMS	1767	-32.35	-13	Pass	1236
3000	12000	1	RMS	11995	-47.55	-13	Pass	9001
12000	18000	1	RMS	15800	-39.3	-13	Pass	6001




1.58. LTE Transmitter Spurious Emissions(Subtest:58, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.13	-13	Pass	2986
30	1000	0.1	RMS	982	-58.55	-13	Pass	9701
1000	1700	1	RMS	1700	-47.16	-13	Pass	701
1700	1765	1	RMS	1754.113	23.6	60	Pass	401
1765	3000	1	RMS	1781	-39.52	-13	Pass	1236
3000	12000	1	RMS	12000	-47.56	-13	Pass	9001
12000	18000	1	RMS	15801	-39.45	-13	Pass	6001




1.59. LTE Transmitter Spurious Emissions(Subtest:59, Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.64	-13	Pass	2986
30	1000	0.1	RMS	852.6	-58.51	-13	Pass	9701
1000	1700	1	RMS	1600	-47.18	-13	Pass	701
1700	1765	1	RMS	1740.788	22.89	60	Pass	401
1765	3000	1	RMS	1767	-33	-13	Pass	1236
3000	12000	1	RMS	11997	-47.59	-13	Pass	9001
12000	18000	1	RMS	15797	-39.47	-13	Pass	6001




1.60. LTE Transmitter Spurious Emissions(Subtest:60, Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.57	-13	Pass	2986
30	1000	0.1	RMS	999.9	-58.33	-13	Pass	9701
1000	1700	1	RMS	1700	-47.14	-13	Pass	701
1700	1765	1	RMS	1754.113	22.74	60	Pass	401
1765	3000	1	RMS	1781	-39.64	-13	Pass	1236
3000	12000	1	RMS	11995	-47.75	-13	Pass	9001
12000	18000	1	RMS	15798	-39.31	-13	Pass	6001




1.61. LTE Transmitter Spurious Emissions(Subtest:61, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.03	-13	Pass	2986
30	1000	0.1	RMS	848	-58.68	-13	Pass	9701
1000	1700	1	RMS	1700	-46.8	-13	Pass	701
1700	1765	1	RMS	1711.05	23.27	60	Pass	401
1765	3000	1	RMS	2669	-42	-13	Pass	1236
3000	12000	1	RMS	12000	-47.7	-13	Pass	9001
12000	18000	1	RMS	15800	-39.47	-13	Pass	6001




1.62. LTE Transmitter Spurious Emissions(Subtest:62, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.11	-13	Pass	2986
30	1000	0.1	RMS	910	-58.59	-13	Pass	9701
1000	1700	1	RMS	1693	-44.77	-13	Pass	701
1700	1765	1	RMS	1728.925	24.13	60	Pass	401
1765	3000	1	RMS	1765	-40.93	-13	Pass	1236
3000	12000	1	RMS	11993	-47.66	-13	Pass	9001
12000	18000	1	RMS	15800	-39.31	-13	Pass	6001




1.63. LTE Transmitter Spurious Emissions(Subtest:63, Channel:20050, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.92	-13	Pass	2986
30	1000	0.1	RMS	899.5	-58.28	-13	Pass	9701
1000	1700	1	RMS	1700	-46.84	-13	Pass	701
1700	1765	1	RMS	1711.05	22.53	60	Pass	401
1765	3000	1	RMS	2666	-41.97	-13	Pass	1236
3000	12000	1	RMS	12000	-47.73	-13	Pass	9001
12000	18000	1	RMS	15798	-39.27	-13	Pass	6001




1.64. LTE Transmitter Spurious Emissions(Subtest:64, Channel:20050, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.53	-13	Pass	2986
30	1000	0.1	RMS	901.6	-58.68	-13	Pass	9701
1000	1700	1	RMS	1693	-44.94	-13	Pass	701
1700	1765	1	RMS	1728.925	23.4	60	Pass	401
1765	3000	1	RMS	1765	-40.31	-13	Pass	1236
3000	12000	1	RMS	11998	-47.67	-13	Pass	9001
12000	18000	1	RMS	15801	-39.44	-13	Pass	6001




1.65. LTE Transmitter Spurious Emissions(Subtest:65, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.56	-13	Pass	2986
30	1000	0.1	RMS	967.8	-58.53	-13	Pass	9701
1000	1700	1	RMS	1602	-47.18	-13	Pass	701
1700	1765	1	RMS	1723.563	23.79	60	Pass	401
1765	3000	1	RMS	2663	-41.94	-13	Pass	1236
3000	12000	1	RMS	11999	-47.53	-13	Pass	9001
12000	18000	1	RMS	15801	-39.45	-13	Pass	6001




1.66. LTE Transmitter Spurious Emissions(Subtest:66, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.53	-13	Pass	2986
30	1000	0.1	RMS	998.6	-58.6	-13	Pass	9701
1000	1700	1	RMS	1611	-47.15	-13	Pass	701
1700	1765	1	RMS	1741.438	23.88	60	Pass	401
1765	3000	1	RMS	1777	-40.84	-13	Pass	1236
3000	12000	1	RMS	11990	-47.58	-13	Pass	9001
12000	18000	1	RMS	15799	-39.32	-13	Pass	6001




1.67. LTE Transmitter Spurious Emissions(Subtest:67, Channel:20175, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.82	-13	Pass	2986
30	1000	0.1	RMS	986.7	-58.48	-13	Pass	9701
1000	1700	1	RMS	1608	-47.2	-13	Pass	701
1700	1765	1	RMS	1723.563	22.94	60	Pass	401
1765	3000	1	RMS	2667	-41.96	-13	Pass	1236
3000	12000	1	RMS	11993	-47.74	-13	Pass	9001
12000	18000	1	RMS	15798	-39.25	-13	Pass	6001




1.68. LTE Transmitter Spurious Emissions(Subtest:68, Channel:20175, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.93	-13	Pass	2986
30	1000	0.1	RMS	969.6	-58.46	-13	Pass	9701
1000	1700	1	RMS	1600	-47.15	-13	Pass	701
1700	1765	1	RMS	1741.438	22.84	60	Pass	401
1765	3000	1	RMS	1777	-39.35	-13	Pass	1236
3000	12000	1	RMS	11999	-47.67	-13	Pass	9001
12000	18000	1	RMS	15797	-39.36	-13	Pass	6001




1.69. LTE Transmitter Spurious Emissions(Subtest:69, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.93	-13	Pass	2986
30	1000	0.1	RMS	892.8	-58.69	-13	Pass	9701
1000	1700	1	RMS	1700	-42.4	-13	Pass	701
1700	1765	1	RMS	1736.075	24.14	60	Pass	401
1765	3000	1	RMS	1772	-32.88	-13	Pass	1236
3000	12000	1	RMS	12000	-47.58	-13	Pass	9001
12000	18000	1	RMS	15798	-39.43	-13	Pass	6001




1.70. LTE Transmitter Spurious Emissions(Subtest:70, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.74	-13	Pass	2986
30	1000	0.1	RMS	971.1	-58.64	-13	Pass	9701
1000	1700	1	RMS	1700	-47.13	-13	Pass	701
1700	1765	1	RMS	1753.95	23.51	60	Pass	401
1765	3000	1	RMS	2667	-41.94	-13	Pass	1236
3000	12000	1	RMS	11994	-47.71	-13	Pass	9001
12000	18000	1	RMS	15800	-39.44	-13	Pass	6001




1.71. LTE Transmitter Spurious Emissions(Subtest:71, Channel:20300, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.25	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.11	-13	Pass	2986
30	1000	0.1	RMS	869.7	-58.26	-13	Pass	9701
1000	1700	1	RMS	1700	-42.34	-13	Pass	701
1700	1765	1	RMS	1736.075	23.29	60	Pass	401
1765	3000	1	RMS	1772	-33.03	-13	Pass	1236
3000	12000	1	RMS	11997	-47.61	-13	Pass	9001
12000	18000	1	RMS	15800	-39.36	-13	Pass	6001



1.72. LTE Transmitter Spurious Emissions(Subtest:72, Channel:20300, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.35	-13	Pass	2986
30	1000	0.1	RMS	855.4	-58.44	-13	Pass	9701
1000	1700	1	RMS	1601	-47.15	-13	Pass	701
1700	1765	1	RMS	1753.95	22.65	60	Pass	401
1765	3000	1	RMS	2671	-42	-13	Pass	1236
3000	12000	1	RMS	11995	-47.71	-13	Pass	9001
12000	18000	1	RMS	15800	-39.3	-13	Pass	6001



END