

Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band2


1.1. LTE Transmitter Spurious Emissions(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.87	-13	Pass	2986
30	1000	0.1	RMS	972.6	-57.94	-13	Pass	9701
1000	1830	1	RMS	1829	-46.24	-13	Pass	831
1830	1920	1	RMS	1850.25	25	60	Pass	401
1920	3000	1	RMS	2663	-41.67	-13	Pass	1081
3000	12000	1	RMS	3700	-42.9	-13	Pass	9001
12000	20000	1	RMS	19732	-36.84	-13	Pass	8001




1.2. LTE Transmitter Spurious Emissions(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.13	-13	Pass	2986
30	1000	0.1	RMS	833.2	-57.77	-13	Pass	9701
1000	1830	1	RMS	1828	-46.2	-13	Pass	831
1830	1920	1	RMS	1851.15	25.18	60	Pass	401
1920	3000	1	RMS	2662	-41.65	-13	Pass	1081
3000	12000	1	RMS	3702	-41.52	-13	Pass	9001
12000	20000	1	RMS	19734	-36.7	-13	Pass	8001




1.3. LTE Transmitter Spurious Emissions(Subtest:3, Channel:18607, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.94	-13	Pass	2986
30	1000	0.1	RMS	952	-57.92	-13	Pass	9701
1000	1830	1	RMS	1830	-46.18	-13	Pass	831
1830	1920	1	RMS	1850.25	24.2	60	Pass	401
1920	3000	1	RMS	2660	-41.68	-13	Pass	1081
3000	12000	1	RMS	3700	-43.84	-13	Pass	9001
12000	20000	1	RMS	19712	-36.87	-13	Pass	8001




1.4. LTE Transmitter Spurious Emissions(Subtest:4, Channel:18607, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.76	-13	Pass	2986
30	1000	0.1	RMS	967.5	-57.96	-13	Pass	9701
1000	1830	1	RMS	1828	-46.27	-13	Pass	831
1830	1920	1	RMS	1851.15	24.41	60	Pass	401
1920	3000	1	RMS	2665	-41.64	-13	Pass	1081
3000	12000	1	RMS	3702	-42.89	-13	Pass	9001
12000	20000	1	RMS	19724	-36.78	-13	Pass	8001




1.5. LTE Transmitter Spurious Emissions(Subtest:5, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.85	-13	Pass	2986
30	1000	0.1	RMS	996.6	-57.81	-13	Pass	9701
1000	1830	1	RMS	1830	-46.21	-13	Pass	831
1830	1920	1	RMS	1879.5	24.94	60	Pass	401
1920	3000	1	RMS	2670	-41.65	-13	Pass	1081
3000	12000	1	RMS	3759	-43.87	-13	Pass	9001
12000	20000	1	RMS	19711	-36.82	-13	Pass	8001




1.6. LTE Transmitter Spurious Emissions(Subtest:6, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.14	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.73	-13	Pass	2986
30	1000	0.1	RMS	845.1	-58.06	-13	Pass	9701
1000	1830	1	RMS	1830	-46.23	-13	Pass	831
1830	1920	1	RMS	1880.4	25.04	60	Pass	401
1920	3000	1	RMS	2661	-41.69	-13	Pass	1081
3000	12000	1	RMS	3761	-44.24	-13	Pass	9001
12000	20000	1	RMS	19715	-36.87	-13	Pass	8001




1.7. LTE Transmitter Spurious Emissions(Subtest:7, Channel:18900, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.25	-13	Pass	2986
30	1000	0.1	RMS	951.9	-57.96	-13	Pass	9701
1000	1830	1	RMS	1824	-46.23	-13	Pass	831
1830	1920	1	RMS	1879.5	24.27	60	Pass	401
1920	3000	1	RMS	2662	-41.67	-13	Pass	1081
3000	12000	1	RMS	3759	-44.03	-13	Pass	9001
12000	20000	1	RMS	19713	-36.87	-13	Pass	8001




1.8. LTE Transmitter Spurious Emissions(Subtest:8, Channel:18900, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.84	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.15	-13	Pass	2986
30	1000	0.1	RMS	999.7	-58.04	-13	Pass	9701
1000	1830	1	RMS	1830	-46.22	-13	Pass	831
1830	1920	1	RMS	1880.4	24.38	60	Pass	401
1920	3000	1	RMS	2665	-41.62	-13	Pass	1081
3000	12000	1	RMS	3761	-44.95	-13	Pass	9001
12000	20000	1	RMS	19718	-36.69	-13	Pass	8001




1.9. LTE Transmitter Spurious Emissions(Subtest:9, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.55	-13	Pass	2986
30	1000	0.1	RMS	951.6	-57.89	-13	Pass	9701
1000	1830	1	RMS	1830	-46.12	-13	Pass	831
1830	1920	1	RMS	1908.75	24.46	60	Pass	401
1920	3000	1	RMS	2670	-41.64	-13	Pass	1081
3000	12000	1	RMS	3818	-42.38	-13	Pass	9001
12000	20000	1	RMS	19725	-36.79	-13	Pass	8001




1.10. LTE Transmitter Spurious Emissions(Subtest:10, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.94	-13	Pass	2986
30	1000	0.1	RMS	958	-57.51	-13	Pass	9701
1000	1830	1	RMS	1828	-46.23	-13	Pass	831
1830	1920	1	RMS	1909.65	23.56	60	Pass	401
1920	3000	1	RMS	2668	-41.65	-13	Pass	1081
3000	12000	1	RMS	3819	-43.63	-13	Pass	9001
12000	20000	1	RMS	19700	-36.74	-13	Pass	8001




1.11. LTE Transmitter Spurious Emissions(Subtest:11, Channel:19193, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.48	-13	Pass	2986
30	1000	0.1	RMS	980.4	-57.93	-13	Pass	9701
1000	1830	1	RMS	1828	-46.2	-13	Pass	831
1830	1920	1	RMS	1908.75	23.66	60	Pass	401
1920	3000	1	RMS	2670	-41.68	-13	Pass	1081
3000	12000	1	RMS	3818	-44.1	-13	Pass	9001
12000	20000	1	RMS	19704	-36.79	-13	Pass	8001




1.12. LTE Transmitter Spurious Emissions(Subtest:12, Channel:19193, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.25	-13	Pass	2986
30	1000	0.1	RMS	988.6	-58.21	-13	Pass	9701
1000	1830	1	RMS	1827	-46.28	-13	Pass	831
1830	1920	1	RMS	1909.65	22.65	60	Pass	401
1920	3000	1	RMS	2671	-41.69	-13	Pass	1081
3000	12000	1	RMS	3819	-45.02	-13	Pass	9001
12000	20000	1	RMS	19713	-36.79	-13	Pass	8001




1.13. LTE Transmitter Spurious Emissions(Subtest:13, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.22	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.93	-13	Pass	2986
30	1000	0.1	RMS	960.5	-57.92	-13	Pass	9701
1000	1830	1	RMS	1824	-46.28	-13	Pass	831
1830	1920	1	RMS	1850.25	24.87	60	Pass	401
1920	3000	1	RMS	2663	-41.65	-13	Pass	1081
3000	12000	1	RMS	3700	-42.97	-13	Pass	9001
12000	20000	1	RMS	19705	-36.76	-13	Pass	8001




1.14. LTE Transmitter Spurious Emissions(Subtest:14, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.09	-13	Pass	401
0.15	30	0.01	RMS	0.18	-55.55	-13	Pass	2986
30	1000	0.1	RMS	902.4	-57.93	-13	Pass	9701
1000	1830	1	RMS	1830	-46.22	-13	Pass	831
1830	1920	1	RMS	1852.725	25.08	60	Pass	401
1920	3000	1	RMS	2669	-41.57	-13	Pass	1081
3000	12000	1	RMS	3706	-43.9	-13	Pass	9001
12000	20000	1	RMS	19729	-36.89	-13	Pass	8001




1.15. LTE Transmitter Spurious Emissions(Subtest:15, Channel:18615, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.66	-13	Pass	2986
30	1000	0.1	RMS	985.6	-57.78	-13	Pass	9701
1000	1830	1	RMS	1830	-46.22	-13	Pass	831
1830	1920	1	RMS	1850.25	24.2	60	Pass	401
1920	3000	1	RMS	2667	-41.7	-13	Pass	1081
3000	12000	1	RMS	3700	-43.21	-13	Pass	9001
12000	20000	1	RMS	19709	-36.88	-13	Pass	8001




1.16. LTE Transmitter Spurious Emissions(Subtest:16, Channel:18615, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.87	-13	Pass	2986
30	1000	0.1	RMS	889	-57.88	-13	Pass	9701
1000	1830	1	RMS	1829	-46.21	-13	Pass	831
1830	1920	1	RMS	1852.725	24.49	60	Pass	401
1920	3000	1	RMS	2666	-41.7	-13	Pass	1081
3000	12000	1	RMS	3705	-45.5	-13	Pass	9001
12000	20000	1	RMS	19712	-36.68	-13	Pass	8001




1.17. LTE Transmitter Spurious Emissions(Subtest:17, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.56	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.14	-13	Pass	2986
30	1000	0.1	RMS	965.8	-58.01	-13	Pass	9701
1000	1830	1	RMS	1830	-46.26	-13	Pass	831
1830	1920	1	RMS	1878.825	24.75	60	Pass	401
1920	3000	1	RMS	2668	-41.67	-13	Pass	1081
3000	12000	1	RMS	3757	-45.41	-13	Pass	9001
12000	20000	1	RMS	19724	-36.84	-13	Pass	8001




1.18. LTE Transmitter Spurious Emissions(Subtest:18, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.04	-13	Pass	2986
30	1000	0.1	RMS	981.7	-58.12	-13	Pass	9701
1000	1830	1	RMS	1830	-46.23	-13	Pass	831
1830	1920	1	RMS	1881.3	25.02	60	Pass	401
1920	3000	1	RMS	2667	-41.61	-13	Pass	1081
3000	12000	1	RMS	3763	-46.08	-13	Pass	9001
12000	20000	1	RMS	19731	-36.7	-13	Pass	8001




1.19. LTE Transmitter Spurious Emissions(Subtest:19, Channel:18900, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.04	-13	Pass	401
0.15	30	0.01	RMS	0.17	-56.06	-13	Pass	2986
30	1000	0.1	RMS	942.2	-57.91	-13	Pass	9701
1000	1830	1	RMS	1827	-46.2	-13	Pass	831
1830	1920	1	RMS	1878.825	23.77	60	Pass	401
1920	3000	1	RMS	2661	-41.67	-13	Pass	1081
3000	12000	1	RMS	3757	-46.76	-13	Pass	9001
12000	20000	1	RMS	19724	-36.75	-13	Pass	8001




1.20. LTE Transmitter Spurious Emissions(Subtest:20, Channel:18900, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.74	-13	Pass	2986
30	1000	0.1	RMS	965.7	-57.92	-13	Pass	9701
1000	1830	1	RMS	1830	-46.19	-13	Pass	831
1830	1920	1	RMS	1881.3	24.37	60	Pass	401
1920	3000	1	RMS	2667	-41.68	-13	Pass	1081
3000	12000	1	RMS	3762	-46.56	-13	Pass	9001
12000	20000	1	RMS	19702	-36.88	-13	Pass	8001




1.21. LTE Transmitter Spurious Emissions(Subtest:21, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.69	-13	Pass	2986
30	1000	0.1	RMS	939.6	-57.87	-13	Pass	9701
1000	1830	1	RMS	1828	-46.28	-13	Pass	831
1830	1920	1	RMS	1907.175	24.16	60	Pass	401
1920	3000	1	RMS	2667	-41.59	-13	Pass	1081
3000	12000	1	RMS	3814	-45.21	-13	Pass	9001
12000	20000	1	RMS	19734	-36.77	-13	Pass	8001




1.22. LTE Transmitter Spurious Emissions(Subtest:22, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.7	-13	Pass	401
0.15	30	0.01	RMS	0.17	-55.78	-13	Pass	2986
30	1000	0.1	RMS	852.4	-57.96	-13	Pass	9701
1000	1830	1	RMS	1829	-46.2	-13	Pass	831
1830	1920	1	RMS	1909.65	23.45	60	Pass	401
1920	3000	1	RMS	2665	-41.66	-13	Pass	1081
3000	12000	1	RMS	3819	-43.64	-13	Pass	9001
12000	20000	1	RMS	19713	-36.71	-13	Pass	8001




1.23. LTE Transmitter Spurious Emissions(Subtest:23, Channel:19185, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.77	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.3	-13	Pass	2986
30	1000	0.1	RMS	984.5	-57.95	-13	Pass	9701
1000	1830	1	RMS	1830	-46.19	-13	Pass	831
1830	1920	1	RMS	1907.175	23.37	60	Pass	401
1920	3000	1	RMS	2663	-41.66	-13	Pass	1081
3000	12000	1	RMS	3814	-45.8	-13	Pass	9001
12000	20000	1	RMS	19714	-36.71	-13	Pass	8001




1.24. LTE Transmitter Spurious Emissions(Subtest:24, Channel:19185, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.96	-13	Pass	2986
30	1000	0.1	RMS	996.7	-58.01	-13	Pass	9701
1000	1830	1	RMS	1830	-46.25	-13	Pass	831
1830	1920	1	RMS	1909.875	22.62	60	Pass	401
1920	3000	1	RMS	2668	-41.68	-13	Pass	1081
3000	12000	1	RMS	3819	-45.3	-13	Pass	9001
12000	20000	1	RMS	19735	-36.78	-13	Pass	8001




1.25. LTE Transmitter Spurious Emissions(Subtest:25, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.92	-13	Pass	2986
30	1000	0.1	RMS	903.8	-57.41	-13	Pass	9701
1000	1830	1	RMS	1825	-46.2	-13	Pass	831
1830	1920	1	RMS	1850.25	24.98	60	Pass	401
1920	3000	1	RMS	2668	-41.57	-13	Pass	1081
3000	12000	1	RMS	3701	-41.91	-13	Pass	9001
12000	20000	1	RMS	19707	-36.77	-13	Pass	8001




1.26. LTE Transmitter Spurious Emissions(Subtest:26, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.25	-13	Pass	2986
30	1000	0.1	RMS	883	-57.78	-13	Pass	9701
1000	1830	1	RMS	1830	-46.25	-13	Pass	831
1830	1920	1	RMS	1854.75	25.03	60	Pass	401
1920	3000	1	RMS	2662	-41.64	-13	Pass	1081
3000	12000	1	RMS	3709	-42.17	-13	Pass	9001
12000	20000	1	RMS	19728	-36.67	-13	Pass	8001




1.27. LTE Transmitter Spurious Emissions(Subtest:27, Channel:18625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.93	-13	Pass	2986
30	1000	0.1	RMS	999.7	-58.02	-13	Pass	9701
1000	1830	1	RMS	1829	-46.14	-13	Pass	831
1830	1920	1	RMS	1850.25	24.14	60	Pass	401
1920	3000	1	RMS	2670	-41.64	-13	Pass	1081
3000	12000	1	RMS	3701	-42.92	-13	Pass	9001
12000	20000	1	RMS	19711	-36.78	-13	Pass	8001




1.28. LTE Transmitter Spurious Emissions(Subtest:28, Channel:18625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.06	-13	Pass	2986
30	1000	0.1	RMS	984	-57.97	-13	Pass	9701
1000	1830	1	RMS	1828	-46.22	-13	Pass	831
1830	1920	1	RMS	1854.75	24.29	60	Pass	401
1920	3000	1	RMS	2663	-41.65	-13	Pass	1081
3000	12000	1	RMS	3709	-43.1	-13	Pass	9001
12000	20000	1	RMS	19712	-36.88	-13	Pass	8001




1.29. LTE Transmitter Spurious Emissions(Subtest:29, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.18	-13	Pass	2986
30	1000	0.1	RMS	942.1	-58.09	-13	Pass	9701
1000	1830	1	RMS	1830	-46.2	-13	Pass	831
1830	1920	1	RMS	1877.925	24.67	60	Pass	401
1920	3000	1	RMS	2664	-41.66	-13	Pass	1081
3000	12000	1	RMS	3756	-45.19	-13	Pass	9001
12000	20000	1	RMS	19713	-36.72	-13	Pass	8001




1.30. LTE Transmitter Spurious Emissions(Subtest:30, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.71	-13	Pass	2986
30	1000	0.1	RMS	983	-58.01	-13	Pass	9701
1000	1830	1	RMS	1829	-46.27	-13	Pass	831
1830	1920	1	RMS	1882.2	25.13	60	Pass	401
1920	3000	1	RMS	2670	-41.65	-13	Pass	1081
3000	12000	1	RMS	3764	-45.13	-13	Pass	9001
12000	20000	1	RMS	19725	-36.79	-13	Pass	8001




1.31. LTE Transmitter Spurious Emissions(Subtest:31, Channel:18900, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.63	-13	Pass	2986
30	1000	0.1	RMS	902.1	-57.79	-13	Pass	9701
1000	1830	1	RMS	1826	-46.2	-13	Pass	831
1830	1920	1	RMS	1877.925	24.06	60	Pass	401
1920	3000	1	RMS	2663	-41.65	-13	Pass	1081
3000	12000	1	RMS	3756	-45.52	-13	Pass	9001
12000	20000	1	RMS	19721	-36.78	-13	Pass	8001




1.32. LTE Transmitter Spurious Emissions(Subtest:32, Channel:18900, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.24	-13	Pass	2986
30	1000	0.1	RMS	865.4	-57.59	-13	Pass	9701
1000	1830	1	RMS	1827	-46.22	-13	Pass	831
1830	1920	1	RMS	1882.2	24.59	60	Pass	401
1920	3000	1	RMS	2667	-41.63	-13	Pass	1081
3000	12000	1	RMS	3764	-45.42	-13	Pass	9001
12000	20000	1	RMS	19735	-36.88	-13	Pass	8001




1.33. LTE Transmitter Spurious Emissions(Subtest:33, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.55	-13	Pass	2986
30	1000	0.1	RMS	890.8	-58.03	-13	Pass	9701
1000	1830	1	RMS	1826	-46.24	-13	Pass	831
1830	1920	1	RMS	1905.375	23.89	60	Pass	401
1920	3000	1	RMS	2668	-41.66	-13	Pass	1081
3000	12000	1	RMS	3811	-43.39	-13	Pass	9001
12000	20000	1	RMS	19715	-36.73	-13	Pass	8001




1.34. LTE Transmitter Spurious Emissions(Subtest:34, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.14	-13	Pass	2986
30	1000	0.1	RMS	962.5	-57.96	-13	Pass	9701
1000	1830	1	RMS	1830	-46.21	-13	Pass	831
1830	1920	1	RMS	1909.65	23.66	60	Pass	401
1920	3000	1	RMS	2670	-41.7	-13	Pass	1081
3000	12000	1	RMS	3819	-42.36	-13	Pass	9001
12000	20000	1	RMS	19701	-36.67	-13	Pass	8001




1.35. LTE Transmitter Spurious Emissions(Subtest:35, Channel:19175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.21	-13	Pass	2986
30	1000	0.1	RMS	854.9	-57.86	-13	Pass	9701
1000	1830	1	RMS	1830	-46.26	-13	Pass	831
1830	1920	1	RMS	1905.375	23.25	60	Pass	401
1920	3000	1	RMS	2665	-41.64	-13	Pass	1081
3000	12000	1	RMS	3811	-44.47	-13	Pass	9001
12000	20000	1	RMS	19707	-36.67	-13	Pass	8001




1.36. LTE Transmitter Spurious Emissions(Subtest:36, Channel:19175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.18	-13	Pass	2986
30	1000	0.1	RMS	900	-57.73	-13	Pass	9701
1000	1830	1	RMS	1828	-46.22	-13	Pass	831
1830	1920	1	RMS	1909.65	22.95	60	Pass	401
1920	3000	1	RMS	2667	-41.63	-13	Pass	1081
3000	12000	1	RMS	3819	-43.29	-13	Pass	9001
12000	20000	1	RMS	19758	-36.84	-13	Pass	8001




1.37. LTE Transmitter Spurious Emissions(Subtest:37, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.74	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.87	-13	Pass	2986
30	1000	0.1	RMS	993.8	-57.85	-13	Pass	9701
1000	1830	1	RMS	1825	-46.22	-13	Pass	831
1830	1920	1	RMS	1850.475	24.95	60	Pass	401
1920	3000	1	RMS	2669	-41.66	-13	Pass	1081
3000	12000	1	RMS	3701	-41.06	-13	Pass	9001
12000	20000	1	RMS	19723	-36.78	-13	Pass	8001




1.38. LTE Transmitter Spurious Emissions(Subtest:38, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.97	-13	Pass	2986
30	1000	0.1	RMS	918.4	-57.95	-13	Pass	9701
1000	1830	1	RMS	1829	-46.25	-13	Pass	831
1830	1920	1	RMS	1859.475	24.99	60	Pass	401
1920	3000	1	RMS	2667	-41.65	-13	Pass	1081
3000	12000	1	RMS	3719	-41.89	-13	Pass	9001
12000	20000	1	RMS	19721	-36.78	-13	Pass	8001




1.39. LTE Transmitter Spurious Emissions(Subtest:39, Channel:18650, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.84	-13	Pass	2986
30	1000	0.1	RMS	991.7	-57.86	-13	Pass	9701
1000	1830	1	RMS	1828	-46.19	-13	Pass	831
1830	1920	1	RMS	1850.7	24.19	60	Pass	401
1920	3000	1	RMS	2667	-41.69	-13	Pass	1081
3000	12000	1	RMS	3701	-42.23	-13	Pass	9001
12000	20000	1	RMS	19706	-36.75	-13	Pass	8001




1.40. LTE Transmitter Spurious Emissions(Subtest:40, Channel:18650, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.21	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.98	-13	Pass	2986
30	1000	0.1	RMS	979.3	-57.87	-13	Pass	9701
1000	1830	1	RMS	1829	-46.19	-13	Pass	831
1830	1920	1	RMS	1859.475	24.21	60	Pass	401
1920	3000	1	RMS	2670	-41.65	-13	Pass	1081
3000	12000	1	RMS	3719	-42.58	-13	Pass	9001
12000	20000	1	RMS	19702	-36.73	-13	Pass	8001




1.41. LTE Transmitter Spurious Emissions(Subtest:41, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.86	-13	Pass	2986
30	1000	0.1	RMS	848.3	-58.11	-13	Pass	9701
1000	1830	1	RMS	1828	-46.21	-13	Pass	831
1830	1920	1	RMS	1875.675	24.22	60	Pass	401
1920	3000	1	RMS	2667	-41.66	-13	Pass	1081
3000	12000	1	RMS	3751	-45.16	-13	Pass	9001
12000	20000	1	RMS	19732	-36.65	-13	Pass	8001




1.42. LTE Transmitter Spurious Emissions(Subtest:42, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.7	-13	Pass	2986
30	1000	0.1	RMS	979.1	-57.91	-13	Pass	9701
1000	1830	1	RMS	1828	-46.22	-13	Pass	831
1830	1920	1	RMS	1884.45	25.52	60	Pass	401
1920	3000	1	RMS	2660	-41.7	-13	Pass	1081
3000	12000	1	RMS	3769	-43.48	-13	Pass	9001
12000	20000	1	RMS	19701	-36.6	-13	Pass	8001




1.43. LTE Transmitter Spurious Emissions(Subtest:43, Channel:18900, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.95	-13	Pass	2986
30	1000	0.1	RMS	989.7	-57.6	-13	Pass	9701
1000	1830	1	RMS	1828	-46.24	-13	Pass	831
1830	1920	1	RMS	1875.675	23.65	60	Pass	401
1920	3000	1	RMS	2670	-41.66	-13	Pass	1081
3000	12000	1	RMS	3751	-45.34	-13	Pass	9001
12000	20000	1	RMS	19715	-36.81	-13	Pass	8001




1.44. LTE Transmitter Spurious Emissions(Subtest:44, Channel:18900, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.91	-13	Pass	2986
30	1000	0.1	RMS	883.1	-58.03	-13	Pass	9701
1000	1830	1	RMS	1830	-46.22	-13	Pass	831
1830	1920	1	RMS	1884.45	24.9	60	Pass	401
1920	3000	1	RMS	2663	-41.64	-13	Pass	1081
3000	12000	1	RMS	3769	-44.31	-13	Pass	9001
12000	20000	1	RMS	19731	-36.79	-13	Pass	8001




1.45. LTE Transmitter Spurious Emissions(Subtest:45, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.84	-13	Pass	2986
30	1000	0.1	RMS	894.1	-57.74	-13	Pass	9701
1000	1830	1	RMS	1830	-46.24	-13	Pass	831
1830	1920	1	RMS	1900.65	23.62	60	Pass	401
1920	3000	1	RMS	2670	-41.63	-13	Pass	1081
3000	12000	1	RMS	3801	-42.9	-13	Pass	9001
12000	20000	1	RMS	19710	-36.74	-13	Pass	8001




1.46. LTE Transmitter Spurious Emissions(Subtest:46, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.61	-13	Pass	2986
30	1000	0.1	RMS	897.4	-57.66	-13	Pass	9701
1000	1830	1	RMS	1828	-46.25	-13	Pass	831
1830	1920	1	RMS	1909.425	23.69	60	Pass	401
1920	3000	1	RMS	2662	-41.63	-13	Pass	1081
3000	12000	1	RMS	3819	-42.04	-13	Pass	9001
12000	20000	1	RMS	19707	-36.78	-13	Pass	8001




1.47. LTE Transmitter Spurious Emissions(Subtest:47, Channel:19150, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.33	-13	Pass	2986
30	1000	0.1	RMS	972.8	-57.7	-13	Pass	9701
1000	1830	1	RMS	1830	-46.16	-13	Pass	831
1830	1920	1	RMS	1900.65	22.91	60	Pass	401
1920	3000	1	RMS	2669	-41.64	-13	Pass	1081
3000	12000	1	RMS	3801	-43.53	-13	Pass	9001
12000	20000	1	RMS	19701	-36.79	-13	Pass	8001




1.48. LTE Transmitter Spurious Emissions(Subtest:48, Channel:19150, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.11	-13	Pass	2986
30	1000	0.1	RMS	861.5	-57.57	-13	Pass	9701
1000	1830	1	RMS	1829	-46.22	-13	Pass	831
1830	1920	1	RMS	1909.425	23.79	60	Pass	401
1920	3000	1	RMS	2662	-41.68	-13	Pass	1081
3000	12000	1	RMS	3819	-43.39	-13	Pass	9001
12000	20000	1	RMS	19726	-36.77	-13	Pass	8001




1.49. LTE Transmitter Spurious Emissions(Subtest:49, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.98	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.68	-13	Pass	2986
30	1000	0.1	RMS	876.7	-58.01	-13	Pass	9701
1000	1830	1	RMS	1830	-46.24	-13	Pass	831
1830	1920	1	RMS	1850.925	25.16	60	Pass	401
1920	3000	1	RMS	2664	-41.63	-13	Pass	1081
3000	12000	1	RMS	3702	-41.39	-13	Pass	9001
12000	20000	1	RMS	19703	-36.75	-13	Pass	8001




1.50. LTE Transmitter Spurious Emissions(Subtest:50, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.58	-13	Pass	2986
30	1000	0.1	RMS	937.8	-57.9	-13	Pass	9701
1000	1830	1	RMS	1829	-46.22	-13	Pass	831
1830	1920	1	RMS	1864.2	24.73	60	Pass	401
1920	3000	1	RMS	2670	-41.66	-13	Pass	1081
3000	12000	1	RMS	3728	-42.76	-13	Pass	9001
12000	20000	1	RMS	19704	-36.73	-13	Pass	8001




1.51. LTE Transmitter Spurious Emissions(Subtest:51, Channel:18675, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.19	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.5	-13	Pass	2986
30	1000	0.1	RMS	866.8	-57.67	-13	Pass	9701
1000	1830	1	RMS	1825	-46.22	-13	Pass	831
1830	1920	1	RMS	1850.925	24.49	60	Pass	401
1920	3000	1	RMS	2669	-41.61	-13	Pass	1081
3000	12000	1	RMS	3702	-42.27	-13	Pass	9001
12000	20000	1	RMS	19719	-36.89	-13	Pass	8001




1.52. LTE Transmitter Spurious Emissions(Subtest:52, Channel:18675, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.52	-13	Pass	2986
30	1000	0.1	RMS	884.3	-58.06	-13	Pass	9701
1000	1830	1	RMS	1829	-46.21	-13	Pass	831
1830	1920	1	RMS	1864.2	24.13	60	Pass	401
1920	3000	1	RMS	2662	-41.61	-13	Pass	1081
3000	12000	1	RMS	3728	-43.89	-13	Pass	9001
12000	20000	1	RMS	19703	-36.8	-13	Pass	8001




1.53. LTE Transmitter Spurious Emissions(Subtest:53, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55	-13	Pass	2986
30	1000	0.1	RMS	946.3	-57.92	-13	Pass	9701
1000	1830	1	RMS	1827	-46.22	-13	Pass	831
1830	1920	1	RMS	1873.425	24.13	60	Pass	401
1920	3000	1	RMS	2667	-41.65	-13	Pass	1081
3000	12000	1	RMS	3747	-45.07	-13	Pass	9001
12000	20000	1	RMS	19707	-36.75	-13	Pass	8001




1.54. LTE Transmitter Spurious Emissions(Subtest:54, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.67	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.88	-13	Pass	2986
30	1000	0.1	RMS	893.5	-58.06	-13	Pass	9701
1000	1830	1	RMS	1829	-46.27	-13	Pass	831
1830	1920	1	RMS	1886.7	25.64	60	Pass	401
1920	3000	1	RMS	2669	-41.66	-13	Pass	1081
3000	12000	1	RMS	3773	-42.88	-13	Pass	9001
12000	20000	1	RMS	19707	-36.72	-13	Pass	8001




1.55. LTE Transmitter Spurious Emissions(Subtest:55, Channel:18900, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.46	-13	Pass	401
0.15	30	0.01	RMS	0.17	-55.85	-13	Pass	2986
30	1000	0.1	RMS	942.7	-57.81	-13	Pass	9701
1000	1830	1	RMS	1826	-46.18	-13	Pass	831
1830	1920	1	RMS	1873.425	23.2	60	Pass	401
1920	3000	1	RMS	2667	-41.63	-13	Pass	1081
3000	12000	1	RMS	3747	-46.25	-13	Pass	9001
12000	20000	1	RMS	19731	-36.81	-13	Pass	8001




1.56. LTE Transmitter Spurious Emissions(Subtest:56, Channel:18900, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.29	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.76	-13	Pass	2986
30	1000	0.1	RMS	888.6	-58.13	-13	Pass	9701
1000	1830	1	RMS	1830	-46.19	-13	Pass	831
1830	1920	1	RMS	1886.7	24.92	60	Pass	401
1920	3000	1	RMS	2665	-41.7	-13	Pass	1081
3000	12000	1	RMS	3773	-43.6	-13	Pass	9001
12000	20000	1	RMS	19701	-36.76	-13	Pass	8001




1.57. LTE Transmitter Spurious Emissions(Subtest:57, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.54	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.68	-13	Pass	2986
30	1000	0.1	RMS	975	-58	-13	Pass	9701
1000	1830	1	RMS	1830	-46.2	-13	Pass	831
1830	1920	1	RMS	1895.925	24.3	60	Pass	401
1920	3000	1	RMS	2670	-41.64	-13	Pass	1081
3000	12000	1	RMS	3792	-45.14	-13	Pass	9001
12000	20000	1	RMS	19707	-36.82	-13	Pass	8001




1.58. LTE Transmitter Spurious Emissions(Subtest:58, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.23	-13	Pass	2986
30	1000	0.1	RMS	912.1	-57.88	-13	Pass	9701
1000	1830	1	RMS	1830	-46.21	-13	Pass	831
1830	1920	1	RMS	1909.2	23.68	60	Pass	401
1920	3000	1	RMS	2665	-41.68	-13	Pass	1081
3000	12000	1	RMS	3818	-42.87	-13	Pass	9001
12000	20000	1	RMS	19718	-36.64	-13	Pass	8001




1.59. LTE Transmitter Spurious Emissions(Subtest:59, Channel:19125, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.77	-13	Pass	2986
30	1000	0.1	RMS	865.2	-58.08	-13	Pass	9701
1000	1830	1	RMS	1828	-46.22	-13	Pass	831
1830	1920	1	RMS	1895.925	23.69	60	Pass	401
1920	3000	1	RMS	1922	-41.29	-13	Pass	1081
3000	12000	1	RMS	12000	-47.16	-13	Pass	9001
12000	20000	1	RMS	19705	-36.74	-13	Pass	8001




1.60. LTE Transmitter Spurious Emissions(Subtest:60, Channel:19125, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.61	-13	Pass	2986
30	1000	0.1	RMS	976.7	-57.92	-13	Pass	9701
1000	1830	1	RMS	1827	-46.23	-13	Pass	831
1830	1920	1	RMS	1909.2	23.88	60	Pass	401
1920	3000	1	RMS	2665	-41.64	-13	Pass	1081
3000	12000	1	RMS	3818	-44.26	-13	Pass	9001
12000	20000	1	RMS	19706	-36.83	-13	Pass	8001




1.61. LTE Transmitter Spurious Emissions(Subtest:61, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.75	-13	Pass	2986
30	1000	0.1	RMS	906.8	-58.01	-13	Pass	9701
1000	1830	1	RMS	1827	-46.24	-13	Pass	831
1830	1920	1	RMS	1851.15	25.16	60	Pass	401
1920	3000	1	RMS	2668	-41.69	-13	Pass	1081
3000	12000	1	RMS	3702	-40.81	-13	Pass	9001
12000	20000	1	RMS	19722	-36.86	-13	Pass	8001




1.62. LTE Transmitter Spurious Emissions(Subtest:62, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.25	-13	Pass	2986
30	1000	0.1	RMS	997.5	-57.63	-13	Pass	9701
1000	1830	1	RMS	1829	-46.18	-13	Pass	831
1830	1920	1	RMS	1868.925	24.31	60	Pass	401
1920	3000	1	RMS	2670	-41.68	-13	Pass	1081
3000	12000	1	RMS	3738	-44.17	-13	Pass	9001
12000	20000	1	RMS	19721	-36.88	-13	Pass	8001




1.63. LTE Transmitter Spurious Emissions(Subtest:63, Channel:18700, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.51	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.01	-13	Pass	2986
30	1000	0.1	RMS	858.2	-57.57	-13	Pass	9701
1000	1830	1	RMS	1827	-46.23	-13	Pass	831
1830	1920	1	RMS	1851.15	24.27	60	Pass	401
1920	3000	1	RMS	2661	-41.65	-13	Pass	1081
3000	12000	1	RMS	3702	-42.45	-13	Pass	9001
12000	20000	1	RMS	19711	-36.77	-13	Pass	8001




1.64. LTE Transmitter Spurious Emissions(Subtest:64, Channel:18700, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-52.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.32	-13	Pass	2986
30	1000	0.1	RMS	955.8	-58.16	-13	Pass	9701
1000	1830	1	RMS	1829	-46.28	-13	Pass	831
1830	1920	1	RMS	1868.925	23.62	60	Pass	401
1920	3000	1	RMS	2665	-41.65	-13	Pass	1081
3000	12000	1	RMS	3738	-44.52	-13	Pass	9001
12000	20000	1	RMS	19703	-36.67	-13	Pass	8001




1.65. LTE Transmitter Spurious Emissions(Subtest:65, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.85	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.77	-13	Pass	2986
30	1000	0.1	RMS	893.8	-57.93	-13	Pass	9701
1000	1830	1	RMS	1823	-46.28	-13	Pass	831
1830	1920	1	RMS	1871.175	24.16	60	Pass	401
1920	3000	1	RMS	2665	-41.67	-13	Pass	1081
3000	12000	1	RMS	3742	-43.42	-13	Pass	9001
12000	20000	1	RMS	19714	-36.85	-13	Pass	8001




1.66. LTE Transmitter Spurious Emissions(Subtest:66, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.23	-13	Pass	2986
30	1000	0.1	RMS	955.1	-57.84	-13	Pass	9701
1000	1830	1	RMS	1830	-46.23	-13	Pass	831
1830	1920	1	RMS	1888.95	25.34	60	Pass	401
1920	3000	1	RMS	2671	-41.65	-13	Pass	1081
3000	12000	1	RMS	3778	-43.52	-13	Pass	9001
12000	20000	1	RMS	19707	-36.77	-13	Pass	8001




1.67. LTE Transmitter Spurious Emissions(Subtest:67, Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.81	-13	Pass	2986
30	1000	0.1	RMS	981.3	-57.98	-13	Pass	9701
1000	1830	1	RMS	1829	-46.23	-13	Pass	831
1830	1920	1	RMS	1871.175	23.57	60	Pass	401
1920	3000	1	RMS	2667	-41.65	-13	Pass	1081
3000	12000	1	RMS	3742	-44.17	-13	Pass	9001
12000	20000	1	RMS	19712	-36.62	-13	Pass	8001




1.68. LTE Transmitter Spurious Emissions(Subtest:68, Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.6	-13	Pass	2986
30	1000	0.1	RMS	989	-58.01	-13	Pass	9701
1000	1830	1	RMS	1827	-46.2	-13	Pass	831
1830	1920	1	RMS	1888.95	24.77	60	Pass	401
1920	3000	1	RMS	2669	-41.64	-13	Pass	1081
3000	12000	1	RMS	3778	-44.19	-13	Pass	9001
12000	20000	1	RMS	19736	-36.87	-13	Pass	8001




1.69. LTE Transmitter Spurious Emissions(Subtest:69, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.25	-13	Pass	2986
30	1000	0.1	RMS	964.4	-57.6	-13	Pass	9701
1000	1830	1	RMS	1830	-46.26	-13	Pass	831
1830	1920	1	RMS	1890.975	25	60	Pass	401
1920	3000	1	RMS	2663	-41.68	-13	Pass	1081
3000	12000	1	RMS	3782	-43.27	-13	Pass	9001
12000	20000	1	RMS	19705	-36.82	-13	Pass	8001




1.70. LTE Transmitter Spurious Emissions(Subtest:70, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.56	-13	Pass	2986
30	1000	0.1	RMS	973.2	-58.03	-13	Pass	9701
1000	1830	1	RMS	1829	-46.16	-13	Pass	831
1830	1920	1	RMS	1908.975	24.5	60	Pass	401
1920	3000	1	RMS	2667	-41.66	-13	Pass	1081
3000	12000	1	RMS	3818	-42.27	-13	Pass	9001
12000	20000	1	RMS	19719	-36.61	-13	Pass	8001




1.71. LTE Transmitter Spurious Emissions(Subtest:71, Channel:19100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55	-13	Pass	2986
30	1000	0.1	RMS	900.1	-57.56	-13	Pass	9701
1000	1830	1	RMS	1829	-46.22	-13	Pass	831
1830	1920	1	RMS	1890.975	24.16	60	Pass	401
1920	3000	1	RMS	2671	-41.64	-13	Pass	1081
3000	12000	1	RMS	3782	-44.06	-13	Pass	9001
12000	20000	1	RMS	19698	-36.79	-13	Pass	8001



1.72. LTE Transmitter Spurious Emissions(Subtest:72, Channel:19100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.02	-13	Pass	2986
30	1000	0.1	RMS	951.8	-57.94	-13	Pass	9701
1000	1830	1	RMS	1829	-46.25	-13	Pass	831
1830	1920	1	RMS	1908.975	23.79	60	Pass	401
1920	3000	1	RMS	2660	-41.71	-13	Pass	1081
3000	12000	1	RMS	3818	-43.94	-13	Pass	9001
12000	20000	1	RMS	19711	-36.74	-13	Pass	8001



END