

Advertising All-in-One Device

User Manual

Shenzhen Startek Electronic Technology Co, LTD

Advertising All-in-One Device User Manual

Thank you for choosing STARTEK products.


- To get the best experience from this product, please read this manual carefully before use.
- For the safety and interests of you and your family, strictly follow the operating instructions and precautions in this manual.
- Please keep this user manual and purchase certificate in a safe place for future reference.
- If you have any questions or encounter any problems during use, please contact us promptly.

Product and Accessories


Packing List: Main unit, Power cable, User manual



Main Unit (1 pc.)



Power cable (1 pc.)



User manual

Specification

Product Name : Advertising All-in-One Device

Model No. : KD430UHFVA024

Body Size : 974.2×53.7×560.5mm

Panel Size : 43 inches

Aspect Ratio : 16: 9

Resolution : 3840×2160 (4K)

Average Brightness : 450±50nit

Depth of Image : 40cm

Best Viewing Angles : Three best viewing positions on the front, each with a 25-degree view

Optimal Viewing Distance : 1-3 m

Input Voltage : AC 100-240V@50/60Hz

Power Consumption : <200W

Mount Type : Wall-mounted/dropped mobile bracket

Net Weight : 22kg

CPU : RK3588

GPU : ARM Mali-G610 MC4

RAM : 8G



ROM : 64G

Interface : HDMI IN x 1

Product Introduction

The STARTEK 43-inch advertising all-in-one machine enables multiple viewers to observe object spatial structures from different angles within the optimal viewing zone, delivering genuine naked-eye 3D viewing experience.

Note: The product, accessories, user interface, and other illustrations shown in this manual are for reference only. Due to product updates and upgrades, the actual product may differ slightly from the illustrations. Please refer to the actual product.




Port Layout Diagram

Remark: HDMI (1-port, 4K@60Hz)

Operation Instructions

For first-time use: Plug the power cable into the power port of the 43-inch advertising all-in-one device, then turn on the power switch on the right side. The built-in mainboard will boot automatically. Once content appears on the screen normally, the device is ready for use.



Troubleshooting

1. Black screen with no image

Please check whether the power cable is properly connected. Also make sure that the power circuit can continuously support more than 500W. Otherwise, the display may fail to work properly due to power tripping or insufficient power supply.

2. Garbled, flickering or heavily color-distorted image from external PC input

Please check whether the HDMI cable is properly connected. Also make sure that an HDMI 2.0 or higher-specification cable is being used. Otherwise, abnormal display problems may occur due to insufficient transmission bandwidth.

3. Other malfunctions

If any other abnormal issue occurs, please contact our customer service team. Customer Service Hotline: 755-29166880

Contact Information

Manufacturer: Shenzhen Startek Electronic Technology Co,LTD

Address: Area A, 5F, Building 2, Phase 4, No.3, Fourth Industrial Zone, Heshuikou, Guangming, Shenzhen

Tel: 0755-29166880

FCC Caution.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

*RF warning for Mobile device:

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.