



天线承认书

Parts Approval Sheet

Customer	映锆	Project	V10
Band	BT	Color	BLACK
PN	X3925	Version	V1
Customer material number			

DATE: 2026/8/25

R&D			QC
Issued by	Checked by	Confirmed by	Checked by
Customer Confirm			

Environmental requirements: ☒ ROHS

☐ REACH

☐ 无

Contents

Contents	2
1.Summary	3
2.General Description	3
2.1Antenna Components/Part revisions	3
2.2Definitions	3
3. 样品性能测试	4
3.1 天线贴装示意	4
3.2 匹配电路	4
3.3 Efficiency& gain	5
3.4 3D PATTERN	6
4.Antenna Engineer drawing	6
5.Packing	8

1. Summary

This report summarizes the electrical results of the our antenna to support the project V10. The test fixture is made for further testing, which is show below:

整机类型		
整机及天线分布图		
天线相关信息	天线种类及材质	内置FPC天线 +同轴线
	调试频段	BT
	天线形式	一个BT天线
测试说明	测试方法，测试模式与速率说明	

2. General Description

2.1Antenna Components/Part revisions

The antenna part number is T: A

2.2Definitions

VSWR: Voltage Standing Wave Rate

TRP: total radiated power

TIS: total isotropic sensitivity


3. 样品性能测试

3.1 天线贴装示意



3.2 匹配电路


没有变更匹配




3.3 Efficiency& gain

Freq(MHz)	Efficiency(dB)	Gain(dBi)	Efficiency(%)
2300	-4.19	1.53	38.11
2310	-4.17	1.52	38.28
2320	-4.25	1.39	37.56
2330	-4.15	1.47	38.48
2340	-4.14	1.55	38.59
2350	-4.05	1.69	39.32
2360	-4.14	1.69	38.59
2370	-4.19	1.64	38.12
2380	-4.37	1.39	36.6
2390	-4.48	1.2	35.65
2400	-4.49	1.18	35.59
2410	-4.51	0.95	35.44
2420	-4.41	0.82	36.25
2430	-4.41	0.58	36.22
2440	-4.3	0.48	37.13
2450	-4.19	0.29	38.07
2460	-4.07	0.15	39.16
2470	-3.97	0.23	40.04
2480	-3.87	0.32	41.04
2490	-3.98	0.13	39.97
2500	-4.01	0.13	39.7
2510	-4.05	0.02	39.36
2520	-4.22	-0.09	37.84
2530	-4.28	0.03	37.3
2540	-4.38	-0.02	36.45
2550	-4.33	0.07	36.91
2560	-4.31	0.22	37.1
2570	-4.2	0.33	38.06
2580	-3.89	0.69	40.81
2590	-3.77	0.79	41.96
2600	-3.67	1.01	43

3.4 3D PATTERN



4. Antenna Engineer drawing



5. Packing

产品名称/规

一、标签要求

采购单号	*****
物料编码	*****
品名规格	*****
数量/单位	*****
备注	*****


采购单号	*****
物料编码	*****
品名规格	*****
数量/单位	*****
备注	*****

二、装箱要求

作业说明：


1. 内包装：

产品 100 PCS 一小袋




2. 外包装：

根据实际数量定数量/箱



纸箱



注意事项：

1. 是否要增设隔板、珍珠棉；
2. 标签的贴附，如 ROHS 等；