












































Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant2	-46.99	-30	Pass
NVNT	b	2437	Ant2	-47.23	-30	Pass
NVNT	b	2462	Ant2	-48.08	-30	Pass
NVNT	g	2412	Ant2	-43.73	-30	Pass
NVNT	g	2437	Ant2	-43.07	-30	Pass
NVNT	g	2462	Ant2	-42.35	-30	Pass
NVNT	n20	2412	Ant2	-41.29	-30	Pass
NVNT	n20	2437	Ant2	-41.68	-30	Pass
NVNT	n20	2462	Ant2	-42.61	-30	Pass
NVNT	ax20	2412	Ant2	-41.7	-30	Pass
NVNT	ax20	2437	Ant2	-40.91	-30	Pass
NVNT	ax20	2462	Ant2	-42.61	-30	Pass










































































B.6 Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	b	2412	Ant1	89.86	0.46	1.19
NVNT	b	2437	Ant1	90.09	0.45	1.18
NVNT	b	2462	Ant1	89.98	0.46	1.18
NVNT	g	2412	Ant1	71.98	1.43	3.95
NVNT	g	2437	Ant1	72.16	1.42	3.94
NVNT	g	2462	Ant1	72.16	1.42	3.94
NVNT	n20	2412	Ant1	62.88	2.01	6.02
NVNT	n20	2437	Ant1	62.6	2.03	6.1
NVNT	n20	2462	Ant1	62.88	2.01	6.02
NVNT	ax20	2412	Ant1	58.47	2.33	7.25
NVNT	ax20	2437	Ant1	57.98	2.37	7.25
NVNT	ax20	2462	Ant1	58.47	2.33	7.25







































Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	b	2412	Ant2	89.86	0.46	1.19
NVNT	b	2437	Ant2	90.07	0.45	1.18
NVNT	b	2462	Ant2	90.07	0.45	1.18
NVNT	g	2412	Ant2	71.83	1.44	3.96
NVNT	g	2437	Ant2	72.16	1.42	3.94
NVNT	g	2462	Ant2	72.16	1.42	3.94
NVNT	n20	2412	Ant2	62.12	2.07	6.1
NVNT	n20	2437	Ant2	62.88	2.01	6.02
NVNT	n20	2462	Ant2	62.12	2.07	6.1
NVNT	ax20	2412	Ant2	57.63	2.39	7.35
NVNT	ax20	2437	Ant2	62.88	2.01	6.02
NVNT	ax20	2462	Ant2	62.12	2.07	6.1


































B.7 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	b	2412	Ant1	2310	-51.3	2	45.96	Peak	74	Pass
NVNT	b	2412	Ant1	2310	-57.18	2	40.08	Average	54	Pass
NVNT	b	2412	Ant1	2389.911	-40.59	2	56.67	Peak	74	Pass
NVNT	b	2412	Ant1	2389.911	-48.71	2	48.55	Average	54	Pass
NVNT	b	2412	Ant1	2390	-42.33	2	54.93	Peak	74	Pass
NVNT	b	2412	Ant1	2390	-48.3	2	48.96	Average	54	Pass
NVNT	b	2462	Ant1	2483.5	-36.15	2	61.11	Peak	74	Pass
NVNT	b	2462	Ant1	2483.5	-44.9	2	52.36	Average	54	Pass
NVNT	b	2462	Ant1	2483.729	-34.93	2	62.33	Peak	74	Pass
NVNT	b	2462	Ant1	2483.517	-44.9	2	52.36	Average	54	Pass
NVNT	b	2462	Ant1	2500	-39.5	2	57.76	Peak	74	Pass
NVNT	b	2462	Ant1	2500	-46.62	2	50.64	Average	54	Pass
NVNT	g	2412	Ant1	2310	-49.72	2	47.54	Peak	74	Pass
NVNT	g	2412	Ant1	2310	-56.99	2	40.27	Average	54	Pass
NVNT	g	2412	Ant1	2388.858	-32.71	2	64.55	Peak	74	Pass
NVNT	g	2412	Ant1	2389.911	-45.3	2	51.96	Average	54	Pass
NVNT	g	2412	Ant1	2390	-37.14	2	60.12	Peak	74	Pass
NVNT	g	2412	Ant1	2390	-45	2	52.26	Average	54	Pass
NVNT	g	2462	Ant1	2483.5	-35.72	2	61.54	Peak	74	Pass
NVNT	g	2462	Ant1	2483.5	-45.77	2	51.49	Average	54	Pass
NVNT	g	2462	Ant1	2484.047	-34.03	2	63.23	Peak	74	Pass
NVNT	g	2462	Ant1	2483.729	-45.42	2	51.84	Average	54	Pass
NVNT	g	2462	Ant1	2500	-49.7	2	47.56	Peak	74	Pass
NVNT	g	2462	Ant1	2500	-55.39	2	41.87	Average	54	Pass
NVNT	n20	2412	Ant1	2310	-49.64	2	47.62	Peak	74	Pass
NVNT	n20	2412	Ant1	2310	-56.98	2	40.28	Average	54	Pass
NVNT	n20	2412	Ant1	2386.635	-36.69	2	60.57	Peak	74	Pass
NVNT	n20	2412	Ant1	2389.092	-45.95	2	51.31	Average	54	Pass
NVNT	n20	2412	Ant1	2390	-36.86	2	60.4	Peak	74	Pass
NVNT	n20	2412	Ant1	2390	-46.1	2	51.16	Average	54	Pass
NVNT	n20	2462	Ant1	2483.5	-38.8	2	58.46	Peak	74	Pass
NVNT	n20	2462	Ant1	2483.5	-46.16	2	51.1	Average	54	Pass
NVNT	n20	2462	Ant1	2484.365	-34.5	2	62.76	Peak	74	Pass
NVNT	n20	2462	Ant1	2484.259	-45.95	2	51.31	Average	54	Pass
NVNT	n20	2462	Ant1	2500	-47.97	2	49.29	Peak	74	Pass
NVNT	n20	2462	Ant1	2500	-55.55	2	41.71	Average	54	Pass
NVNT	ax20	2412	Ant1	2310	-48.17	2	49.09	Peak	74	Pass
NVNT	ax20	2412	Ant1	2310	-57.04	2	40.22	Average	54	Pass


Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com





NVNT	ax20	2412	Ant1	2389.326	-41.21	2	56.05	Peak	74	Pass
NVNT	ax20	2412	Ant1	2389.56	-50.1	2	47.16	Average	54	Pass
NVNT	ax20	2412	Ant1	2390	-39.7	2	57.56	Peak	74	Pass
NVNT	ax20	2412	Ant1	2390	-50.95	2	46.31	Average	54	Pass
NVNT	ax20	2462	Ant1	2483.5	-39.25	2	58.01	Peak	74	Pass
NVNT	ax20	2462	Ant1	2483.5	-47.78	2	49.48	Average	54	Pass
NVNT	ax20	2462	Ant1	2483.941	-35.51	2	61.75	Peak	74	Pass
NVNT	ax20	2462	Ant1	2483.729	-45.82	2	51.44	Average	54	Pass
NVNT	ax20	2462	Ant1	2500	-49.49	2	47.77	Peak	74	Pass
NVNT	ax20	2462	Ant1	2500	-55.96	2	41.3	Average	54	Pass














































Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	b	2412	Ant2	2310	-51.28	3.27	47.25	Peak	74	Pass
NVNT	b	2412	Ant2	2310	-57.69	3.27	40.84	Average	54	Pass
NVNT	b	2412	Ant2	2384.529	-47.71	3.27	50.82	Peak	74	Pass
NVNT	b	2412	Ant2	2388.858	-56.6	3.27	41.93	Average	54	Pass
NVNT	b	2412	Ant2	2390	-50.04	3.27	48.49	Peak	74	Pass
NVNT	b	2412	Ant2	2390	-56.65	3.27	41.88	Average	54	Pass
NVNT	b	2462	Ant2	2483.5	-49.65	3.27	48.88	Peak	74	Pass
NVNT	b	2462	Ant2	2483.5	-56.26	3.27	42.27	Average	54	Pass
NVNT	b	2462	Ant2	2497.191	-47.09	3.27	51.44	Peak	74	Pass
NVNT	b	2462	Ant2	2483.517	-56.26	3.27	42.27	Average	54	Pass
NVNT	b	2462	Ant2	2500	-49.28	3.27	49.25	Peak	74	Pass
NVNT	b	2462	Ant2	2500	-57.64	3.27	40.89	Average	54	Pass
NVNT	g	2412	Ant2	2310	-50.81	3.27	47.72	Peak	74	Pass
NVNT	g	2412	Ant2	2310	-57.4	3.27	41.13	Average	54	Pass
NVNT	g	2412	Ant2	2389.209	-45.11	3.27	53.42	Peak	74	Pass
NVNT	g	2412	Ant2	2389.794	-53.59	3.27	44.94	Average	54	Pass
NVNT	g	2412	Ant2	2390	-45.78	3.27	52.75	Peak	74	Pass
NVNT	g	2412	Ant2	2390	-53.24	3.27	45.29	Average	54	Pass
NVNT	g	2462	Ant2	2483.5	-44.48	3.27	54.05	Peak	74	Pass
NVNT	g	2462	Ant2	2483.5	-52.75	3.27	45.78	Average	54	Pass
NVNT	g	2462	Ant2	2483.517	-44.48	3.27	54.05	Peak	74	Pass
NVNT	g	2462	Ant2	2483.517	-52.75	3.27	45.78	Average	54	Pass
NVNT	g	2462	Ant2	2500	-50.44	3.27	48.09	Peak	74	Pass
NVNT	g	2462	Ant2	2500	-56.91	3.27	41.62	Average	54	Pass
NVNT	n20	2412	Ant2	2310	-51.26	3.27	47.27	Peak	74	Pass
NVNT	n20	2412	Ant2	2310	-57.13	3.27	41.40	Average	54	Pass
NVNT	n20	2412	Ant2	2389.677	-44.31	3.27	54.22	Peak	74	Pass
NVNT	n20	2412	Ant2	2389.443	-53.61	3.27	44.92	Average	54	Pass
NVNT	n20	2412	Ant2	2390	-44.94	3.27	53.59	Peak	74	Pass
NVNT	n20	2412	Ant2	2390	-53.43	3.27	45.1	Average	54	Pass
NVNT	n20	2462	Ant2	2483.5	-47.3	3.27	51.23	Peak	74	Pass
NVNT	n20	2462	Ant2	2483.5	-54.13	3.27	44.40	Average	54	Pass
NVNT	n20	2462	Ant2	2484.789	-47.25	3.27	51.28	Peak	74	Pass
NVNT	n20	2462	Ant2	2483.517	-54.13	3.27	44.40	Average	54	Pass
NVNT	n20	2462	Ant2	2500	-50.46	3.27	48.07	Peak	74	Pass
NVNT	n20	2462	Ant2	2500	-56.67	3.27	41.86	Average	54	Pass
NVNT	ax20	2412	Ant2	2310	-49.73	3.27	48.8	Peak	74	Pass
NVNT	ax20	2412	Ant2	2310	-56.96	3.27	41.57	Average	54	Pass


Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com





NVNT	ax20	2412	Ant2	2389.326	-47.18	3.27	51.35	Peak	74	Pass
NVNT	ax20	2412	Ant2	2389.911	-54.33	3.27	44.2	Average	54	Pass
NVNT	ax20	2412	Ant2	2390	-49.15	3.27	49.38	Peak	74	Pass
NVNT	ax20	2412	Ant2	2390	-54.46	3.27	44.07	Average	54	Pass
NVNT	ax20	2462	Ant2	2483.5	-48.77	3.27	49.76	Peak	74	Pass
NVNT	ax20	2462	Ant2	2483.5	-54.62	3.27	43.91	Average	54	Pass
NVNT	ax20	2462	Ant2	2483.941	-46.39	3.27	52.14	Peak	74	Pass
NVNT	ax20	2462	Ant2	2483.676	-54.42	3.27	44.11	Average	54	Pass
NVNT	ax20	2462	Ant2	2500	-48.98	3.27	49.55	Peak	74	Pass
NVNT	ax20	2462	Ant2	2500	-57.04	3.27	41.49	Average	54	Pass














































MIMO

Condition	Mode	Frequency (MHz)	Ant1Power (dBm)	Ant2Power (dBm)	SUM	Gain (dBi)	Total E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	n20	2412	-49.69	-52.23	-47.77	6.28	53.77	Peak	74	Pass
NVNT	n20	2412	-57.07	-57.00	-54.02	6.28	47.51	Average	54	Pass
NVNT	n20	2412	-36.80	-39.33	-34.87	6.28	66.66	Peak	74	Pass
NVNT	n20	2412	-56.01	-58.38	-54.02	6.28	47.51	Average	54	Pass
NVNT	n20	2412	-36.91	-40.95	-35.47	6.28	66.07	Peak	74	Pass
NVNT	n20	2412	-56.21	-58.38	-54.15	6.28	47.39	Average	54	Pass
NVNT	n20	2462	-38.86	-41.12	-36.83	6.28	64.70	Peak	74	Pass
NVNT	n20	2462	-56.17	-54.25	-52.09	6.28	49.44	Average	54	Pass
NVNT	n20	2462	-34.57	-36.58	-32.45	6.28	69.09	Peak	74	Pass
NVNT	n20	2462	-56.00	-54.27	-52.04	6.28	49.50	Average	54	Pass
NVNT	n20	2462	-48.05	-49.51	-45.71	6.28	55.83	Peak	74	Pass
NVNT	n20	2462	-55.58	-56.06	-52.80	6.28	48.73	Average	54	Pass
NVNT	ax20	2412	-48.23	-49.66	-45.88	6.28	55.66	Peak	74	Pass
NVNT	ax20	2412	-57.05	-56.80	-53.91	6.28	47.62	Average	54	Pass
NVNT	ax20	2412	-41.32	-39.64	-37.39	6.28	64.15	Peak	74	Pass
NVNT	ax20	2412	-50.18	-53.16	-48.41	6.28	53.13	Average	54	Pass
NVNT	ax20	2412	-39.72	-42.58	-37.91	6.28	63.63	Peak	74	Pass
NVNT	ax20	2412	-51.01	-52.85	-48.82	6.28	52.71	Average	54	Pass
NVNT	ax20	2462	-39.33	-40.12	-36.70	6.28	64.84	Peak	74	Pass
NVNT	ax20	2462	-57.86	-54.86	-53.10	6.28	48.44	Average	54	Pass
NVNT	ax20	2462	-35.56	-32.94	-31.05	6.28	70.49	Peak	74	Pass
NVNT	ax20	2462	-55.88	-54.22	-51.96	6.28	49.58	Average	54	Pass
NVNT	ax20	2462	-49.51	-48.64	-46.04	6.28	55.49	Peak	74	Pass
NVNT	ax20	2462	-56.02	-56.08	-53.04	6.28	48.50	Average	54	Pass