



Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBm/MHz)	Detector	Limit (dBm/MHz)	Verdict
NVNT	a	5745	Ant2	5650	-51.79	2.45	-49.34	Peak	-27	Pass
NVNT	a	5745	Ant2	5650	-56.78	2.45	-54.33	Average	-27	Pass
NVNT	a	5745	Ant2	5700	-50.95	2.45	-48.50	Peak	10	Pass
NVNT	a	5745	Ant2	5700	-55.39	2.45	-52.94	Average	10	Pass
NVNT	a	5745	Ant2	5720	-42.57	2.45	-40.12	Peak	15.6	Pass
NVNT	a	5745	Ant2	5720	-50.93	2.45	-48.48	Average	15.6	Pass
NVNT	a	5745	Ant2	5725	-37.55	2.45	-35.10	Peak	27	Pass
NVNT	a	5745	Ant2	5725	-45.19	2.45	-42.74	Average	27	Pass
NVNT	a	5825	Ant2	5850	-37.72	2.45	-35.27	Peak	27	Pass
NVNT	a	5825	Ant2	5850	-47.41	2.45	-44.96	Average	27	Pass
NVNT	a	5825	Ant2	5855	-42.6	2.45	-40.15	Peak	15.6	Pass
NVNT	a	5825	Ant2	5855	-48.71	2.45	-46.26	Average	15.6	Pass
NVNT	a	5825	Ant2	5875	-48.89	2.45	-46.44	Peak	10	Pass
NVNT	a	5825	Ant2	5875	-54.08	2.45	-51.63	Average	10	Pass
NVNT	a	5825	Ant2	5925	-49.61	2.45	-47.16	Peak	-27	Pass
NVNT	a	5825	Ant2	5925	-55.15	2.45	-52.70	Average	-27	Pass
NVNT	n20	5745	Ant2	5650	-49.72	2.45	-47.27	Peak	-27	Pass
NVNT	n20	5745	Ant2	5650	-56.69	2.45	-54.24	Average	-27	Pass
NVNT	n20	5745	Ant2	5700	-49.92	2.45	-47.47	Peak	10	Pass
NVNT	n20	5745	Ant2	5700	-55.38	2.45	-52.93	Average	10	Pass
NVNT	n20	5745	Ant2	5720	-41.96	2.45	-39.51	Peak	15.6	Pass
NVNT	n20	5745	Ant2	5720	-48.63	2.45	-46.18	Average	15.6	Pass
NVNT	n20	5745	Ant2	5725	-38.51	2.45	-36.06	Peak	27	Pass
NVNT	n20	5745	Ant2	5725	-43.93	2.45	-41.48	Average	27	Pass
NVNT	n20	5825	Ant2	5850	-38.12	2.45	-35.67	Peak	27	Pass
NVNT	n20	5825	Ant2	5850	-48.62	2.45	-46.17	Average	27	Pass
NVNT	n20	5825	Ant2	5855	-44.05	2.45	-41.60	Peak	15.6	Pass
NVNT	n20	5825	Ant2	5855	-51.29	2.45	-48.84	Average	15.6	Pass
NVNT	n20	5825	Ant2	5875	-49.13	2.45	-46.68	Peak	10	Pass
NVNT	n20	5825	Ant2	5875	-54.44	2.45	-51.99	Average	10	Pass
NVNT	n20	5825	Ant2	5925	-47.45	2.45	-45.00	Peak	-27	Pass
NVNT	n20	5825	Ant2	5925	-55.25	2.45	-52.80	Average	-27	Pass
NVNT	n40	5755	Ant2	5650	-50.23	2.45	-47.78	Peak	-27	Pass
NVNT	n40	5755	Ant2	5650	-55.47	2.45	-53.02	Average	-27	Pass
NVNT	n40	5755	Ant2	5700	-49.86	2.45	-47.41	Peak	10	Pass
NVNT	n40	5755	Ant2	5700	-55.12	2.45	-52.67	Average	10	Pass
NVNT	n40	5755	Ant2	5720	-38.06	2.45	-35.61	Peak	15.6	Pass

Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



NVNT	n40	5755	Ant2	5720	-45.33	2.45	-42.88	Average	15.6	Pass
NVNT	n40	5755	Ant2	5725	-34.41	2.45	-31.96	Peak	27	Pass
NVNT	n40	5755	Ant2	5725	-43.83	2.45	-41.38	Average	27	Pass
NVNT	n40	5795	Ant2	5850	-47	2.45	-44.55	Peak	27	Pass
NVNT	n40	5795	Ant2	5850	-53.75	2.45	-51.30	Average	27	Pass
NVNT	n40	5795	Ant2	5855	-48.36	2.45	-45.91	Peak	15.6	Pass
NVNT	n40	5795	Ant2	5855	-54.43	2.45	-51.98	Average	15.6	Pass
NVNT	n40	5795	Ant2	5875	-48.77	2.45	-46.32	Peak	10	Pass
NVNT	n40	5795	Ant2	5875	-55.13	2.45	-52.68	Average	10	Pass
NVNT	n40	5795	Ant2	5925	-49.15	2.45	-46.70	Peak	-27	Pass
NVNT	n40	5795	Ant2	5925	-55.22	2.45	-52.77	Average	-27	Pass
NVNT	ac20	5745	Ant2	5650	-50.17	2.45	-47.72	Peak	-27	Pass
NVNT	ac20	5745	Ant2	5650	-56.59	2.45	-54.14	Average	-27	Pass
NVNT	ac20	5745	Ant2	5700	-48.45	2.45	-46.00	Peak	10	Pass
NVNT	ac20	5745	Ant2	5700	-55.62	2.45	-53.17	Average	10	Pass
NVNT	ac20	5745	Ant2	5720	-41.67	2.45	-39.22	Peak	15.6	Pass
NVNT	ac20	5745	Ant2	5720	-47.7	2.45	-45.25	Average	15.6	Pass
NVNT	ac20	5745	Ant2	5725	-36.3	2.45	-33.85	Peak	27	Pass
NVNT	ac20	5745	Ant2	5725	-42.64	2.45	-40.19	Average	27	Pass
NVNT	ac20	5825	Ant2	5850	-37.25	2.45	-34.80	Peak	27	Pass
NVNT	ac20	5825	Ant2	5850	-47.96	2.45	-45.51	Average	27	Pass
NVNT	ac20	5825	Ant2	5855	-44.6	2.45	-42.15	Peak	15.6	Pass
NVNT	ac20	5825	Ant2	5855	-51.06	2.45	-48.61	Average	15.6	Pass
NVNT	ac20	5825	Ant2	5875	-47.52	2.45	-45.07	Peak	10	Pass
NVNT	ac20	5825	Ant2	5875	-54.4	2.45	-51.95	Average	10	Pass
NVNT	ac20	5825	Ant2	5925	-48.52	2.45	-46.07	Peak	-27	Pass
NVNT	ac20	5825	Ant2	5925	-54.96	2.45	-52.51	Average	-27	Pass
NVNT	ac40	5755	Ant2	5650	-50.45	2.45	-48.00	Peak	-27	Pass
NVNT	ac40	5755	Ant2	5650	-56.05	2.45	-53.60	Average	-27	Pass
NVNT	ac40	5755	Ant2	5700	-48.74	2.45	-46.29	Peak	10	Pass
NVNT	ac40	5755	Ant2	5700	-54.37	2.45	-51.92	Average	10	Pass
NVNT	ac40	5755	Ant2	5720	-38.64	2.45	-36.19	Peak	15.6	Pass
NVNT	ac40	5755	Ant2	5720	-44.76	2.45	-42.31	Average	15.6	Pass
NVNT	ac40	5755	Ant2	5725	-35.63	2.45	-33.18	Peak	27	Pass
NVNT	ac40	5755	Ant2	5725	-44.96	2.45	-42.51	Average	27	Pass
NVNT	ac40	5795	Ant2	5850	-47.34	2.45	-44.89	Peak	27	Pass
NVNT	ac40	5795	Ant2	5850	-53.83	2.45	-51.38	Average	27	Pass
NVNT	ac40	5795	Ant2	5855	-49.38	2.45	-46.93	Peak	15.6	Pass
NVNT	ac40	5795	Ant2	5855	-54.22	2.45	-51.77	Average	15.6	Pass
NVNT	ac40	5795	Ant2	5875	-48.76	2.45	-46.31	Peak	10	Pass
NVNT	ac40	5795	Ant2	5875	-55.11	2.45	-52.66	Average	10	Pass
NVNT	ac40	5795	Ant2	5925	-49.1	2.45	-46.65	Peak	-27	Pass

Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



NVNT	ac40	5795	Ant2	5925	-54.54	2.45	-52.09	Average	-27	Pass
NVNT	ac80	5775	Ant2	5850	-46.3	2.45	-43.85	Peak	27	Pass
NVNT	ac80	5775	Ant2	5850	-50.94	2.45	-48.49	Average	27	Pass
NVNT	ac80	5775	Ant2	5855	-47.15	2.45	-44.70	Peak	15.6	Pass
NVNT	ac80	5775	Ant2	5855	-53.03	2.45	-50.58	Average	15.6	Pass
NVNT	ac80	5775	Ant2	5875	-49.69	2.45	-47.24	Peak	10	Pass
NVNT	ac80	5775	Ant2	5875	-54.37	2.45	-51.92	Average	10	Pass
NVNT	ac80	5775	Ant2	5925	-49.68	2.45	-47.23	Peak	-27	Pass
NVNT	ac80	5775	Ant2	5925	-54.47	2.45	-52.02	Average	-27	Pass
NVNT	ac80	5775	Ant2	5650	-50.38	2.45	-47.93	Peak	-27	Pass
NVNT	ac80	5775	Ant2	5650	-55.95	2.45	-53.50	Average	-27	Pass
NVNT	ac80	5775	Ant2	5700	-47.66	2.45	-45.21	Peak	10	Pass
NVNT	ac80	5775	Ant2	5700	-53.32	2.45	-50.87	Average	10	Pass
NVNT	ac80	5775	Ant2	5720	-44.43	2.45	-41.98	Peak	15.6	Pass
NVNT	ac80	5775	Ant2	5720	-49.43	2.45	-46.98	Average	15.6	Pass
NVNT	ac80	5775	Ant2	5725	-44.83	2.45	-42.38	Peak	27	Pass
NVNT	ac80	5775	Ant2	5725	-50.17	2.45	-47.72	Average	27	Pass
NVNT	ax20	5745	Ant2	5650	-50.62	2.45	-48.17	Peak	-27	Pass
NVNT	ax20	5745	Ant2	5650	-56.5	2.45	-54.05	Average	-27	Pass
NVNT	ax20	5745	Ant2	5700	-49.83	2.45	-47.38	Peak	10	Pass
NVNT	ax20	5745	Ant2	5700	-56.17	2.45	-53.72	Average	10	Pass
NVNT	ax20	5745	Ant2	5720	-40.47	2.45	-38.02	Peak	15.6	Pass
NVNT	ax20	5745	Ant2	5720	-48.21	2.45	-45.76	Average	15.6	Pass
NVNT	ax20	5745	Ant2	5725	-36.21	2.45	-33.76	Peak	27	Pass
NVNT	ax20	5745	Ant2	5725	-42.93	2.45	-40.48	Average	27	Pass
NVNT	ax20	5825	Ant2	5850	-40.82	2.45	-38.37	Peak	27	Pass
NVNT	ax20	5825	Ant2	5850	-46.13	2.45	-43.68	Average	27	Pass
NVNT	ax20	5825	Ant2	5855	-46.35	2.45	-43.90	Peak	15.6	Pass
NVNT	ax20	5825	Ant2	5855	-51.2	2.45	-48.75	Average	15.6	Pass
NVNT	ax20	5825	Ant2	5875	-49.71	2.45	-47.26	Peak	10	Pass
NVNT	ax20	5825	Ant2	5875	-54.57	2.45	-52.12	Average	10	Pass
NVNT	ax20	5825	Ant2	5925	-49.61	2.45	-47.16	Peak	-27	Pass
NVNT	ax20	5825	Ant2	5925	-54.7	2.45	-52.25	Average	-27	Pass
NVNT	ax40	5755	Ant2	5650	-50.31	2.45	-47.86	Peak	-27	Pass
NVNT	ax40	5755	Ant2	5650	-55.54	2.45	-53.09	Average	-27	Pass
NVNT	ax40	5755	Ant2	5700	-46.52	2.45	-44.07	Peak	10	Pass
NVNT	ax40	5755	Ant2	5700	-53.6	2.45	-51.15	Average	10	Pass
NVNT	ax40	5755	Ant2	5720	-36.3	2.45	-33.85	Peak	15.6	Pass
NVNT	ax40	5755	Ant2	5720	-44.01	2.45	-41.56	Average	15.6	Pass
NVNT	ax40	5755	Ant2	5725	-34.51	2.45	-32.06	Peak	27	Pass
NVNT	ax40	5755	Ant2	5725	-43.19	2.45	-40.74	Average	27	Pass
NVNT	ax40	5795	Ant2	5850	-49.36	2.45	-46.91	Peak	27	Pass


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com




NVNT	ax40	5795	Ant2	5850	-53.26	2.45	-50.81	Average	27	Pass
NVNT	ax40	5795	Ant2	5855	-49.05	2.45	-46.60	Peak	15.6	Pass
NVNT	ax40	5795	Ant2	5855	-53.84	2.45	-51.39	Average	15.6	Pass
NVNT	ax40	5795	Ant2	5875	-49.4	2.45	-46.95	Peak	10	Pass
NVNT	ax40	5795	Ant2	5875	-54.65	2.45	-52.20	Average	10	Pass
NVNT	ax40	5795	Ant2	5925	-48.86	2.45	-46.41	Peak	-27	Pass
NVNT	ax40	5795	Ant2	5925	-54.84	2.45	-52.39	Average	-27	Pass
NVNT	ax80	5775	Ant2	5850	-47.57	2.45	-45.12	Peak	27	Pass
NVNT	ax80	5775	Ant2	5850	-51.82	2.45	-49.37	Average	27	Pass
NVNT	ax80	5775	Ant2	5855	-48	2.45	-45.55	Peak	15.6	Pass
NVNT	ax80	5775	Ant2	5855	-51.85	2.45	-49.40	Average	15.6	Pass
NVNT	ax80	5775	Ant2	5875	-47.72	2.45	-45.27	Peak	10	Pass
NVNT	ax80	5775	Ant2	5875	-54.02	2.45	-51.57	Average	10	Pass
NVNT	ax80	5775	Ant2	5925	-49.51	2.45	-47.06	Peak	-27	Pass
NVNT	ax80	5775	Ant2	5925	-54.87	2.45	-52.42	Average	-27	Pass
NVNT	ax80	5775	Ant2	5650	-51.22	2.45	-48.77	Peak	-27	Pass
NVNT	ax80	5775	Ant2	5650	-55.83	2.45	-53.38	Average	-27	Pass
NVNT	ax80	5775	Ant2	5700	-46.84	2.45	-44.39	Peak	10	Pass
NVNT	ax80	5775	Ant2	5700	-52.61	2.45	-50.16	Average	10	Pass
NVNT	ax80	5775	Ant2	5720	-45.27	2.45	-42.82	Peak	15.6	Pass
NVNT	ax80	5775	Ant2	5720	-50.12	2.45	-47.67	Average	15.6	Pass
NVNT	ax80	5775	Ant2	5725	-39.77	2.45	-37.32	Peak	27	Pass
NVNT	ax80	5775	Ant2	5725	-49.06	2.45	-46.61	Average	27	Pass




Restrict Band NVNT a 5745MHz Ant2 Peak




Restrict Band NVNT a 5745MHz Ant2 Average




Restrict Band NVNT a 5825MHz Ant2 Peak




Restrict Band NVNT a 5825MHz Ant2 Average




Restrict Band NVNT n20 5745MHz Ant2 Peak




Restrict Band NVNT n20 5745MHz Ant2 Average




Restrict Band NVNT n20 5825MHz Ant2 Peak




Restrict Band NVNT n20 5825MHz Ant2 Average




Restrict Band NVNT n40 5755MHz Ant2 Peak




Restrict Band NVNT n40 5755MHz Ant2 Average




Restrict Band NVNT n40 5795MHz Ant2 Peak




Restrict Band NVNT n40 5795MHz Ant2 Average




Restrict Band NVNT ac20 5745MHz Ant2 Peak




Restrict Band NVNT ac20 5745MHz Ant2 Average




Restrict Band NVNT ac20 5825MHz Ant2 Peak




Restrict Band NVNT ac20 5825MHz Ant2 Average




Restrict Band NVNT ac40 5755MHz Ant2 Peak




Restrict Band NVNT ac40 5755MHz Ant2 Average




Restrict Band NVNT ac40 5795MHz Ant2 Peak




Restrict Band NVNT ac40 5795MHz Ant2 Average




Restrict Band NVNT ac80 5775MHz Ant2 Peak




Restrict Band NVNT ac80 5775MHz Ant2 Average




Restrict Band NVNT ac80 5775MHz Ant2 Peak




Restrict Band NVNT ac80 5775MHz Ant2 Average




Restrict Band NVNT ax20 5745MHz Ant2 Peak




Restrict Band NVNT ax20 5745MHz Ant2 Average




Restrict Band NVNT ax20 5825MHz Ant2 Peak




Restrict Band NVNT ax20 5825MHz Ant2 Average




Restrict Band NVNT ax40 5755MHz Ant2 Peak




Restrict Band NVNT ax40 5755MHz Ant2 Average




Restrict Band NVNT ax40 5795MHz Ant2 Peak




Restrict Band NVNT ax40 5795MHz Ant2 Average




Restrict Band NVNT ax80 5775MHz Ant2 Peak



Restrict Band NVNT ax80 5775MHz Ant2 Average



Restrict Band NVNT ax80 5775MHz Ant2 Peak



Restrict Band NVNT ax80 5775MHz Ant2 Average



MIMO

Condition	Mode	Frequency (MHz)	Ant1 Power (dBm)	Ant2 Power (dBm)	SUM	Gain (dBi)	E (dBm/MHz)	Detector	Limit (dBm/MHz)	Verdict
NVNT	n20	5745	-49.75	-49.72	-46.72	8.43	-38.29	Peak	-27	Pass
NVNT	n20	5745	-56.59	-56.69	-53.63	8.43	-45.20	Average	-27	Pass
NVNT	n20	5745	-49.77	-49.92	-46.83	8.43	-38.40	Peak	10	Pass
NVNT	n20	5745	-55.14	-55.38	-52.25	8.43	-43.82	Average	10	Pass
NVNT	n20	5745	-42.19	-41.96	-39.06	8.43	-30.63	Peak	15.6	Pass
NVNT	n20	5745	-48.99	-48.63	-45.8	8.43	-37.37	Average	15.6	Pass
NVNT	n20	5745	-37.3	-38.51	-34.85	8.43	-26.42	Peak	27	Pass
NVNT	n20	5745	-43.73	-43.93	-40.82	8.43	-32.39	Average	27	Pass
NVNT	n20	5825	-39.34	-38.12	-35.68	8.43	-27.25	Peak	27	Pass
NVNT	n20	5825	-49.13	-48.62	-45.86	8.43	-37.43	Average	27	Pass
NVNT	n20	5825	-45.2	-44.05	-41.58	8.43	-33.15	Peak	15.6	Pass
NVNT	n20	5825	-52.92	-51.29	-49.02	8.43	-40.59	Average	15.6	Pass
NVNT	n20	5825	-48.28	-49.13	-45.67	8.43	-37.24	Peak	10	Pass
NVNT	n20	5825	-54.03	-54.44	-51.22	8.43	-42.79	Average	10	Pass
NVNT	n20	5825	-49.34	-47.45	-45.28	8.43	-36.85	Peak	-27	Pass
NVNT	n20	5825	-55.37	-55.25	-52.3	8.43	-43.87	Average	-27	Pass
NVNT	n40	5755	-49.14	-50.23	-46.64	8.43	-38.21	Peak	-27	Pass
NVNT	n40	5755	-55.53	-55.47	-52.49	8.43	-44.06	Average	-27	Pass
NVNT	n40	5755	-46.24	-49.86	-44.67	8.43	-36.24	Peak	10	Pass
NVNT	n40	5755	-52.66	-55.12	-50.71	8.43	-42.28	Average	10	Pass
NVNT	n40	5755	-35.7	-38.06	-33.71	8.43	-25.28	Peak	15.6	Pass
NVNT	n40	5755	-42.06	-45.33	-40.38	8.43	-31.95	Average	15.6	Pass
NVNT	n40	5755	-34.91	-34.41	-31.64	8.43	-23.21	Peak	27	Pass
NVNT	n40	5755	-40.98	-43.83	-39.16	8.43	-30.73	Average	27	Pass
NVNT	n40	5795	-47.13	-47	-44.05	8.43	-35.62	Peak	27	Pass
NVNT	n40	5795	-53.77	-53.75	-50.75	8.43	-42.32	Average	27	Pass
NVNT	n40	5795	-45.03	-48.36	-43.37	8.43	-34.94	Peak	15.6	Pass
NVNT	n40	5795	-54.33	-54.43	-51.37	8.43	-42.94	Average	15.6	Pass
NVNT	n40	5795	-49.12	-48.77	-45.93	8.43	-37.50	Peak	10	Pass
NVNT	n40	5795	-54.45	-55.13	-51.77	8.43	-43.34	Average	10	Pass
NVNT	n40	5795	-49.97	-49.15	-46.53	8.43	-38.10	Peak	-27	Pass
NVNT	n40	5795	-55	-55.22	-52.1	8.43	-43.67	Average	-27	Pass
NVNT	ac20	5745	-50.56	-50.17	-47.35	8.43	-38.92	Peak	-27	Pass
NVNT	ac20	5745	-56.65	-56.59	-53.61	8.43	-45.18	Average	-27	Pass
NVNT	ac20	5745	-49.28	-48.45	-45.83	8.43	-37.40	Peak	10	Pass
NVNT	ac20	5745	-55.18	-55.62	-52.38	8.43	-43.95	Average	10	Pass
NVNT	ac20	5745	-42.45	-41.67	-39.03	8.43	-30.60	Peak	15.6	Pass
NVNT	ac20	5745	-49.14	-47.7	-45.35	8.43	-36.92	Average	15.6	Pass

Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



NVNT	ac20	5745	-35.86	-36.3	-33.06	8.43	-24.63	Peak	27	Pass
NVNT	ac20	5745	-43.6	-42.64	-40.08	8.43	-31.65	Average	27	Pass
NVNT	ac20	5825	-40.36	-37.25	-35.52	8.43	-27.09	Peak	27	Pass
NVNT	ac20	5825	-47.79	-47.96	-44.86	8.43	-36.43	Average	27	Pass
NVNT	ac20	5825	-46.34	-44.6	-42.37	8.43	-33.94	Peak	15.6	Pass
NVNT	ac20	5825	-52.48	-51.06	-48.7	8.43	-40.27	Average	15.6	Pass
NVNT	ac20	5825	-47.51	-47.52	-44.5	8.43	-36.07	Peak	10	Pass
NVNT	ac20	5825	-53.8	-54.4	-51.08	8.43	-42.65	Average	10	Pass
NVNT	ac20	5825	-49.97	-48.52	-46.17	8.43	-37.74	Peak	-27	Pass
NVNT	ac20	5825	-55.08	-54.96	-52.01	8.43	-43.58	Average	-27	Pass
NVNT	ac40	5755	-49.22	-50.45	-46.78	8.43	-38.35	Peak	-27	Pass
NVNT	ac40	5755	-55.16	-56.05	-52.57	8.43	-44.14	Average	-27	Pass
NVNT	ac40	5755	-46.63	-48.74	-44.55	8.43	-36.12	Peak	10	Pass
NVNT	ac40	5755	-53.65	-54.37	-50.98	8.43	-42.55	Average	10	Pass
NVNT	ac40	5755	-36.99	-38.64	-34.73	8.43	-26.30	Peak	15.6	Pass
NVNT	ac40	5755	-43.22	-44.76	-40.91	8.43	-32.48	Average	15.6	Pass
NVNT	ac40	5755	-37.79	-35.63	-33.57	8.43	-25.14	Peak	27	Pass
NVNT	ac40	5755	-43.45	-44.96	-41.13	8.43	-32.70	Average	27	Pass
NVNT	ac40	5795	-48.66	-47.34	-44.94	8.43	-36.51	Peak	27	Pass
NVNT	ac40	5795	-53.38	-53.83	-50.59	8.43	-42.16	Average	27	Pass
NVNT	ac40	5795	-48.68	-49.38	-46.01	8.43	-37.58	Peak	15.6	Pass
NVNT	ac40	5795	-53.74	-54.22	-50.96	8.43	-42.53	Average	15.6	Pass
NVNT	ac40	5795	-48.33	-48.76	-45.53	8.43	-37.10	Peak	10	Pass
NVNT	ac40	5795	-54.78	-55.11	-51.93	8.43	-43.50	Average	10	Pass
NVNT	ac40	5795	-50.1	-49.1	-46.56	8.43	-38.13	Peak	-27	Pass
NVNT	ac40	5795	-55.14	-54.54	-51.82	8.43	-43.39	Average	-27	Pass
NVNT	ac80	5775	-43.08	-46.3	-41.39	8.43	-32.96	Peak	-27	Pass
NVNT	ac80	5775	-48.59	-50.94	-46.6	8.43	-38.17	Average	-27	Pass
NVNT	ac80	5775	-44.83	-47.15	-42.83	8.43	-34.40	Peak	10	Pass
NVNT	ac80	5775	-50.78	-53.03	-48.75	8.43	-40.32	Average	10	Pass
NVNT	ac80	5775	-47.81	-49.69	-45.64	8.43	-37.21	Peak	15.6	Pass
NVNT	ac80	5775	-53.75	-54.37	-51.04	8.43	-42.61	Average	15.6	Pass
NVNT	ac80	5775	-47.75	-49.68	-45.6	8.43	-37.17	Peak	27	Pass
NVNT	ac80	5775	-54.23	-54.47	-51.34	8.43	-42.91	Average	27	Pass
NVNT	ac80	5775	-49.16	-50.38	-46.72	8.43	-38.29	Peak	27	Pass
NVNT	ac80	5775	-55.34	-55.95	-52.62	8.43	-44.19	Average	27	Pass
NVNT	ac80	5775	-45.58	-47.66	-43.49	8.43	-35.06	Peak	15.6	Pass
NVNT	ac80	5775	-50.08	-53.32	-48.39	8.43	-39.96	Average	15.6	Pass
NVNT	ac80	5775	-42.27	-44.43	-40.21	8.43	-31.78	Peak	10	Pass
NVNT	ac80	5775	-46.93	-49.43	-44.99	8.43	-36.56	Average	10	Pass
NVNT	ac80	5775	-42.92	-44.83	-40.76	8.43	-32.33	Peak	-27	Pass
NVNT	ac80	5775	-47.84	-50.17	-45.84	8.43	-37.41	Average	-27	Pass

Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



NVNT	ax20	5745	-50.3	-50.62	-47.45	8.43	-39.02	Peak	27	Pass
NVNT	ax20	5745	-56.12	-56.5	-53.3	8.43	-44.87	Average	27	Pass
NVNT	ax20	5745	-46.94	-49.83	-45.14	8.43	-36.71	Peak	15.6	Pass
NVNT	ax20	5745	-54.75	-56.17	-52.39	8.43	-43.96	Average	15.6	Pass
NVNT	ax20	5745	-37.02	-40.47	-35.4	8.43	-26.97	Peak	10	Pass
NVNT	ax20	5745	-47.08	-48.21	-44.6	8.43	-36.17	Average	10	Pass
NVNT	ax20	5745	-33.84	-36.21	-31.85	8.43	-23.42	Peak	-27	Pass
NVNT	ax20	5745	-42.86	-42.93	-39.88	8.43	-31.45	Average	-27	Pass
NVNT	ax20	5825	-36.05	-40.82	-34.8	8.43	-26.37	Peak	-27	Pass
NVNT	ax20	5825	-43.21	-46.13	-41.42	8.43	-32.99	Average	-27	Pass
NVNT	ax20	5825	-44.8	-46.35	-42.5	8.43	-34.07	Peak	10	Pass
NVNT	ax20	5825	-51.36	-51.2	-48.27	8.43	-39.84	Average	10	Pass
NVNT	ax20	5825	-47.89	-49.71	-45.7	8.43	-37.27	Peak	15.6	Pass
NVNT	ax20	5825	-54.14	-54.57	-51.34	8.43	-42.91	Average	15.6	Pass
NVNT	ax20	5825	-49.18	-49.61	-46.38	8.43	-37.95	Peak	27	Pass
NVNT	ax20	5825	-54.29	-54.7	-51.48	8.43	-43.05	Average	27	Pass
NVNT	ax40	5755	-50.47	-50.31	-47.38	8.43	-38.95	Peak	-27	Pass
NVNT	ax40	5755	-55.44	-55.54	-52.48	8.43	-44.05	Average	-27	Pass
NVNT	ax40	5755	-47.19	-46.52	-43.83	8.43	-35.40	Peak	10	Pass
NVNT	ax40	5755	-52.25	-53.6	-49.86	8.43	-41.43	Average	10	Pass
NVNT	ax40	5755	-38.02	-36.3	-34.07	8.43	-25.64	Peak	15.6	Pass
NVNT	ax40	5755	-42.94	-44.01	-40.43	8.43	-32.00	Average	15.6	Pass
NVNT	ax40	5755	-36.38	-34.51	-32.33	8.43	-23.90	Peak	27	Pass
NVNT	ax40	5755	-42.93	-43.19	-40.05	8.43	-31.62	Average	27	Pass
NVNT	ax40	5795	-48.93	-49.36	-46.13	8.43	-37.70	Peak	27	Pass
NVNT	ax40	5795	-52.87	-53.26	-50.05	8.43	-41.62	Average	27	Pass
NVNT	ax40	5795	-46.66	-49.05	-44.68	8.43	-36.25	Peak	15.6	Pass
NVNT	ax40	5795	-53.72	-53.84	-50.77	8.43	-42.34	Average	15.6	Pass
NVNT	ax40	5795	-48.69	-49.4	-46.02	8.43	-37.59	Peak	10	Pass
NVNT	ax40	5795	-54.64	-54.65	-51.63	8.43	-43.20	Average	10	Pass
NVNT	ax40	5795	-50.04	-48.86	-46.4	8.43	-37.97	Peak	-27	Pass
NVNT	ax40	5795	-54.96	-54.84	-51.89	8.43	-43.46	Average	-27	Pass
NVNT	ax80	5775	-43.92	-47.57	-42.36	8.43	-33.93	Peak	-27	Pass
NVNT	ax80	5775	-48.48	-51.82	-46.83	8.43	-38.40	Average	-27	Pass
NVNT	ax80	5775	-44.38	-48	-42.81	8.43	-34.38	Peak	10	Pass
NVNT	ax80	5775	-48.76	-51.85	-47.03	8.43	-38.60	Average	10	Pass
NVNT	ax80	5775	-48.04	-47.72	-44.87	8.43	-36.44	Peak	15.6	Pass
NVNT	ax80	5775	-52.69	-54.02	-50.29	8.43	-41.86	Average	15.6	Pass
NVNT	ax80	5775	-48.52	-49.51	-45.98	8.43	-37.55	Peak	27	Pass
NVNT	ax80	5775	-53.75	-54.87	-51.26	8.43	-42.83	Average	27	Pass
NVNT	ax80	5775	-50.54	-51.22	-47.86	8.43	-39.43	Peak	27	Pass
NVNT	ax80	5775	-55.29	-55.83	-52.54	8.43	-44.11	Average	27	Pass

Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com




NVNT	ax80	5775	-44.01	-46.84	-42.19	8.43	-33.76	Peak	15.6	Pass
NVNT	ax80	5775	-50.24	-52.61	-48.25	8.43	-39.82	Average	15.6	Pass
NVNT	ax80	5775	-43	-45.27	-40.98	8.43	-32.55	Peak	10	Pass
NVNT	ax80	5775	-46.62	-50.12	-45.02	8.43	-36.59	Average	10	Pass
NVNT	ax80	5775	-41.73	-39.77	-37.63	8.43	-29.20	Peak	-27	Pass
NVNT	ax80	5775	-47.9	-49.06	-45.43	8.43	-37.00	Average	-27	Pass




D.5 Frequency Stability


Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	a	5745	Ant1	5744.94	-60000	-10.44	25	Pass
NVNT	a	5785	Ant1	5784.94	-60000	-10.37	25	Pass
NVNT	a	5825	Ant1	5824.92	-80000	-13.73	25	Pass
NVNT	n20	5745	Ant1	5744.92	-80000	-13.93	25	Pass
NVNT	n20	5785	Ant1	5784.92	-80000	-13.83	25	Pass
NVNT	n20	5825	Ant1	5824.94	-60000	-10.3	25	Pass
NVNT	n40	5755	Ant1	5754.92	-80000	-13.9	25	Pass
NVNT	n40	5795	Ant1	5794.92	-80000	-13.81	25	Pass
NVNT	ac20	5745	Ant1	5744.94	-60000	-10.44	25	Pass
NVNT	ac20	5785	Ant1	5784.94	-60000	-10.37	25	Pass
NVNT	ac20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
NVNT	ac40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
NVNT	ac40	5795	Ant1	5794.92	-80000	-13.81	25	Pass
NVNT	ac80	5775	Ant1	5774.92	-80000	-13.85	25	Pass
NVNT	ax20	5745	Ant1	5744.96	-40000	-6.96	25	Pass
NVNT	ax20	5785	Ant1	5784.94	-60000	-10.37	25	Pass
NVNT	ax20	5825	Ant1	5824.94	-60000	-10.3	25	Pass
NVNT	ax40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
NVNT	ax40	5795	Ant1	5795	0	0	25	Pass
NVNT	ax80	5775	Ant1	5774.92	-80000	-13.85	25	Pass




Freq. Stability NVNT a 5745MHz Ant1




Freq. Stability NVNT a 5785MHz Ant1




Freq. Stability NVNT a 5825MHz Ant1




Freq. Stability NVNT n20 5745MHz Ant1




Freq. Stability NVNT n20 5785MHz Ant1




Freq. Stability NVNT n20 5825MHz Ant1




Freq. Stability NVNT n40 5755MHz Ant1




Freq. Stability NVNT n40 5795MHz Ant1




Freq. Stability NVNT ac20 5745MHz Ant1




Freq. Stability NVNT ac20 5785MHz Ant1




Freq. Stability NVNT ac20 5825MHz Ant1




Freq. Stability NVNT ac40 5755MHz Ant1




Freq. Stability NVNT ac40 5795MHz Ant1




Freq. Stability NVNT ac80 5775MHz Ant1




Freq. Stability NVNT ax20 5745MHz Ant1




Freq. Stability NVNT ax20 5785MHz Ant1




Freq. Stability NVNT ax20 5825MHz Ant1



Freq. Stability NVNT ax40 5755MHz Ant1




Freq. Stability NVNT ax40 5795MHz Ant1




Freq. Stability NVNT ax80 5775MHz Ant1




Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	a	5745	Ant2	5744.94	-60000	-10.44	25	Pass
NVNT	a	5785	Ant2	5784.96	-40000	-6.91	25	Pass
NVNT	a	5825	Ant2	5824.94	-60000	-10.3	25	Pass
NVNT	n20	5745	Ant2	5744.94	-60000	-10.44	25	Pass
NVNT	n20	5785	Ant2	5784.94	-60000	-10.37	25	Pass
NVNT	n20	5825	Ant2	5824.94	-60000	-10.3	25	Pass
NVNT	n40	5755	Ant2	5754.96	-40000	-6.95	25	Pass
NVNT	n40	5795	Ant2	5794.92	-80000	-13.81	25	Pass
NVNT	ac20	5745	Ant2	5744.96	-40000	-6.96	25	Pass
NVNT	ac20	5785	Ant2	5784.94	-60000	-10.37	25	Pass
NVNT	ac20	5825	Ant2	5824.94	-60000	-10.3	25	Pass
NVNT	ac40	5755	Ant2	5754.96	-40000	-6.95	25	Pass
NVNT	ac40	5795	Ant2	5794.92	-80000	-13.81	25	Pass
NVNT	ac80	5775	Ant2	5775	0	0	25	Pass
NVNT	ax20	5745	Ant2	5744.94	-60000	-10.44	25	Pass
NVNT	ax20	5785	Ant2	5784.92	-80000	-13.83	25	Pass
NVNT	ax20	5825	Ant2	5824.94	-60000	-10.3	25	Pass
NVNT	ax40	5755	Ant2	5754.96	-40000	-6.95	25	Pass
NVNT	ax40	5795	Ant2	5794.88	-120000	-20.71	25	Pass
NVNT	ax80	5775	Ant2	5775	0	0	25	Pass




Freq. Stability NVNT a 5745MHz Ant2




Freq. Stability NVNT a 5785MHz Ant2




Freq. Stability NVNT a 5825MHz Ant2




Freq. Stability NVNT n20 5745MHz Ant2




Freq. Stability NVNT n20 5785MHz Ant2




Freq. Stability NVNT n20 5825MHz Ant2




Freq. Stability NVNT n40 5755MHz Ant2




Freq. Stability NVNT n40 5795MHz Ant2




Freq. Stability NVNT ac20 5745MHz Ant2




Freq. Stability NVNT ac20 5785MHz Ant2




Freq. Stability NVNT ac20 5825MHz Ant2




Freq. Stability NVNT ac40 5755MHz Ant2




Freq. Stability NVNT ac40 5795MHz Ant2




Freq. Stability NVNT ac80 5775MHz Ant2




Freq. Stability NVNT ax20 5745MHz Ant2




Freq. Stability NVNT ax20 5785MHz Ant2




Freq. Stability NVNT ax20 5825MHz Ant2



Freq. Stability NVNT ax40 5755MHz Ant2



Freq. Stability NVNT ax40 5795MHz Ant2




Freq. Stability NVNT ax80 5775MHz Ant2





D.6 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5745	Ant1	64.29	1.92	5.56
NVNT	a	5785	Ant1	62.96	2.01	5.88
NVNT	a	5825	Ant1	64.29	1.92	5.56
NVNT	n20	5745	Ant1	61.54	2.11	6.25
NVNT	n20	5785	Ant1	61.54	2.11	6.25
NVNT	n20	5825	Ant1	61.54	2.11	6.25
NVNT	n40	5755	Ant1	50	3.01	10
NVNT	n40	5795	Ant1	50	3.01	10
NVNT	ac20	5745	Ant1	60	2.22	6.67
NVNT	ac20	5785	Ant1	60	2.22	6.67
NVNT	ac20	5825	Ant1	62.5	2.04	6.67
NVNT	ac40	5755	Ant1	47.37	3.25	11.11
NVNT	ac40	5795	Ant1	47.37	3.25	11.11
NVNT	ac80	5775	Ant1	37.5	4.26	16.67
NVNT	ax20	5745	Ant1	54.55	2.63	8.33
NVNT	ax20	5785	Ant1	57.14	2.43	8.33
NVNT	ax20	5825	Ant1	57.14	2.43	8.33
NVNT	ax40	5755	Ant1	47.37	3.25	11.11
NVNT	ax40	5795	Ant1	47.37	3.25	11.11
NVNT	ax80	5775	Ant1	44.44	3.52	12.5




Duty Cycle NVNT a 5745MHz Ant1







Duty Cycle NVNT a 5825MHz Ant1




Duty Cycle NVNT n20 5745MHz Ant1




Duty Cycle NVNT n20 5785MHz Ant1




Duty Cycle NVNT n20 5825MHz Ant1




Duty Cycle NVNT n40 5755MHz Ant1




Duty Cycle NVNT n40 5795MHz Ant1




Duty Cycle NVNT ac20 5745MHz Ant1




Duty Cycle NVNT ac20 5785MHz Ant1




Duty Cycle NVNT ac20 5825MHz Ant1




Duty Cycle NVNT ac40 5755MHz Ant1




Duty Cycle NVNT ac40 5795MHz Ant1




Duty Cycle NVNT ac80 5775MHz Ant1




Duty Cycle NVNT ax20 5745MHz Ant1




Duty Cycle NVNT ax20 5785MHz Ant1




Duty Cycle NVNT ax20 5825MHz Ant1



Duty Cycle NVNT ax40 5755MHz Ant1




Duty Cycle NVNT ax40 5795MHz Ant1




Duty Cycle NVNT ax80 5775MHz Ant1




Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5745	Ant2	62.96	2.01	5.88
NVNT	a	5785	Ant2	64.29	1.92	5.56
NVNT	a	5825	Ant2	62.96	2.01	5.88
NVNT	n20	5745	Ant2	61.54	2.11	6.25
NVNT	n20	5785	Ant2	61.54	2.11	6.25
NVNT	n20	5825	Ant2	62.96	2.01	5.88
NVNT	n40	5755	Ant2	50	3.01	10
NVNT	n40	5795	Ant2	50	3.01	10
NVNT	ac20	5745	Ant2	58.33	2.34	7.14
NVNT	ac20	5785	Ant2	61.54	2.11	6.25
NVNT	ac20	5825	Ant2	61.54	2.11	6.25
NVNT	ac40	5755	Ant2	50	3.01	11.11
NVNT	ac40	5795	Ant2	47.37	3.25	11.11
NVNT	ac80	5775	Ant2	37.5	4.26	16.67
NVNT	ax20	5745	Ant2	52.38	2.81	9.09
NVNT	ax20	5785	Ant2	54.55	2.63	8.33
NVNT	ax20	5825	Ant2	54.55	2.63	8.33
NVNT	ax40	5755	Ant2	44.44	3.52	12.5
NVNT	ax40	5795	Ant2	47.37	3.25	11.11
NVNT	ax80	5775	Ant2	44.44	3.52	12.5




Duty Cycle NVNT a 5745MHz Ant2




Duty Cycle NVNT a 5785MHz Ant2




Duty Cycle NVNT a 5825MHz Ant2




Duty Cycle NVNT n20 5745MHz Ant2




Duty Cycle NVNT n20 5785MHz Ant2




Duty Cycle NVNT n20 5825MHz Ant2




Duty Cycle NVNT n40 5755MHz Ant2




Duty Cycle NVNT n40 5795MHz Ant2




Duty Cycle NVNT ac20 5745MHz Ant2




Duty Cycle NVNT ac20 5785MHz Ant2




Duty Cycle NVNT ac20 5825MHz Ant2




Duty Cycle NVNT ac40 5755MHz Ant2




Duty Cycle NVNT ac40 5795MHz Ant2




Duty Cycle NVNT ac80 5775MHz Ant2




Duty Cycle NVNT ax20 5745MHz Ant2




Duty Cycle NVNT ax20 5785MHz Ant2




Duty Cycle NVNT ax20 5825MHz Ant2



Duty Cycle NVNT ax40 5755MHz Ant2



Duty Cycle NVNT ax40 5795MHz Ant2



Duty Cycle NVNT ax80 5775MHz Ant2