



11N40SISO	Ant1	Low	2422	AV	2386.957	-43.05	≤-41.20	52.15	≤54	PASS
11N40SISO	Ant1	High	2452	Peak	2483.500	-31.2	≤-21.20	64.00	≤74	PASS
11N40SISO	Ant1	High	2452	Peak	2500.000	-31.35	≤-21.20	63.85	≤74	PASS
11N40SISO	Ant1	High	2452	Peak	2490.036	-28.35	≤-21.20	66.85	≤74	PASS
11N40SISO	Ant1	High	2452	AV	2483.500	-41.59	≤-41.20	53.61	≤54	PASS
11N40SISO	Ant1	High	2452	AV	2500.000	-46.93	≤-41.20	48.27	≤54	PASS
11N40SISO	Ant1	High	2452	AV	2483.877	-41.5	≤-41.20	53.70	≤54	PASS
11AX20SISO	Ant1	Low	2412	Peak	2390.000	-28.38	≤-21.20	66.82	≤74	PASS
11AX20SISO	Ant1	Low	2412	Peak	2310.000	-35.06	≤-21.20	60.14	≤74	PASS
11AX20SISO	Ant1	Low	2412	Peak	2389.870	-28.38	≤-21.20	66.82	≤74	PASS
11AX20SISO	Ant1	Low	2412	AV	2390.000	-42.25	≤-41.20	52.95	≤54	PASS
11AX20SISO	Ant1	Low	2412	AV	2310.000	-56.5	≤-41.20	38.70	≤54	PASS
11AX20SISO	Ant1	Low	2412	AV	2389.681	-42.21	≤-41.20	52.99	≤54	PASS
11AX20SISO	Ant1	High	2462	Peak	2483.500	-31.91	≤-21.20	63.29	≤74	PASS
11AX20SISO	Ant1	High	2462	Peak	2500.000	-34.1	≤-21.20	61.10	≤74	PASS
11AX20SISO	Ant1	High	2462	Peak	2484.478	-30.47	≤-21.20	64.73	≤74	PASS
11AX20SISO	Ant1	High	2462	AV	2483.500	-42.45	≤-41.20	52.75	≤54	PASS
11AX20SISO	Ant1	High	2462	AV	2500.000	-48.28	≤-41.20	46.92	≤54	PASS
11AX20SISO	Ant1	High	2462	AV	2483.681	-42.44	≤-41.20	52.76	≤54	PASS
11AX40SISO	Ant1	Low	2422	Peak	2390.000	-31.14	≤-21.20	64.06	≤74	PASS
11AX40SISO	Ant1	Low	2422	Peak	2310.000	-34.75	≤-21.20	60.45	≤74	PASS
11AX40SISO	Ant1	Low	2422	Peak	2385.435	-30.37	≤-21.20	64.83	≤74	PASS
11AX40SISO	Ant1	Low	2422	AV	2390.000	-45.14	≤-41.20	50.06	≤54	PASS
11AX40SISO	Ant1	Low	2422	AV	2310.000	-55.14	≤-41.20	40.06	≤54	PASS
11AX40SISO	Ant1	Low	2422	AV	2389.130	-44.04	≤-41.20	51.16	≤54	PASS
11AX40SISO	Ant1	High	2452	Peak	2483.500	-32.33	≤-21.20	62.87	≤74	PASS
11AX40SISO	Ant1	High	2452	Peak	2500.000	-32.86	≤-21.20	62.34	≤74	PASS
11AX40SISO	Ant1	High	2452	Peak	2491.848	-30.78	≤-21.20	64.42	≤74	PASS
11AX40SISO	Ant1	High	2452	AV	2483.500	-42.63	≤-41.20	52.57	≤54	PASS
11AX40SISO	Ant1	High	2452	AV	2500.000	-45.74	≤-41.20	49.46	≤54	PASS
11AX40SISO	Ant1	High	2452	AV	2485.145	-41.45	≤-41.20	53.75	≤54	PASS



Note:

1. The Antenna Gain is compensated in the graph.
2. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a), The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.



8.2 Test Graphs



11B-Ant1-2412-PASS




11B-Ant1-2462-PASS




11G-Ant1-2412-PASS


11G-Ant1-2412-PASS




11G-Ant1-2462-PASS




11G-Ant1-2462-PASS




11N20SISO-Ant1-2412-PASS




11N20SISO-Ant1-2412-PASS




11N20SISO-Ant1-2462-PASS




11N20SISO-Ant1-2462-PASS




11N40SISO-Ant1-2422-PASS




11N40SISO-Ant1-2422-PASS




11N40SISO-Ant1-2452-PASS





11N40SISO-Ant1-2452-PASS



11AX20SISO-Ant1-2412-PASS





11AX20SISO-Ant1-2412-PASS





11AX20SISO-Ant1-2462-PASS

11AX20SISO-Ant1-2462-PASS



11AX40SISO-Ant1-2422-PASS

11AX40SISO-Ant1-2422-PASS



11AX40SISO-Ant1-2452-PASS

11AX40SISO-Ant1-2452-PASS

-----END OF THE REPORT-----