



SMART BEE

Easy CNC Tool Management

Smart Cabinet for Cutting Tools

SPECIFICATION



Appearance diagram introduction

-- Smart Cabinet for Cutting Tools

Cutting Tool Cabinet Model X



Parameter Information

Main cabinet-X



Configuration	Content
Model	Cutting Tool Cabinet- X
Overall dimensions (H*W*D)	1866*1216*1001 (mm)
Tool types	Milling cutters, thread mill tools, round nose cutters, inserts, drilling and tapping cutters, ball cutters, thread tapping cutters, reamers, etc.
Capacity	80 spirals, 20 pcs/spiral
Side Boxes	50 Dimension(H*W*D): 118*150*300(mm)
Weight	438KG (approximately)
Screen	18.5 inches touch screen display, printer, scanner
Electrical Data	Power capacity: 500W, Rated voltage: 110-230V, Standby power: 121W, Working power: 230W, Rated frequency: 50HZ
Extension	Max. is 1 main cabinet plus 4 extension cabinets
Lifting plate	1 set, inbuilt
Networking mode	Wired network、4G、WIFI
Login	Face ID, Account, IC card



Parameter Information

extension cabinet: X-E

Connection display



Configuration	Content
Model	X-E
Overall dimensions (H*W*D)	1866*878*1001 (mm)
Tool types	Milling cutters, thread mill tools, round nose cutters, inserts, drilling and tapping cutters, ball cutters, thread tapping cutters, reamers, etc.
Capacity	80 spirals, 20 pcs/spiral
Weight	317KG (approximately)
Electrical Data	Power capacity: Common power supply with main cabinet, Rated voltage: 110-230V, Standby power: 56W, Working power: 138W, Rated frequency: 50HZ

FCC Warning:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Caution: Any changes or modifications to this device not explicitly approved by manufacturer could void your authority to operate this equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator and your body.