


Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2412MHz
Test_Engineer	\	Test_Date	2026/9/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18453.5781	-26.70	62.52	35.82	74.00	38.18	PASS	Vertical	PK
2	19891.8357	-24.95	61.23	36.28	74.00	37.72	PASS	Vertical	PK
3	21189.3276	-25.76	61.06	35.30	74.00	38.70	PASS	Vertical	PK
4	22811.5325	-25.08	59.79	34.71	74.00	39.29	PASS	Vertical	PK
5	24378.3151	-21.79	57.11	35.32	74.00	38.68	PASS	Vertical	PK
6	25680.2272	-20.75	57.36	36.61	74.00	37.39	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2437MHz
Test_Engineer	\	Test_Date	2026/9/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2173.1449	15.43	35.17	50.60	74.00	23.40	PASS	Horizontal	PK
2	2976.3984	17.89	35.55	53.44	74.00	20.56	PASS	Horizontal	PK
3	4874.1249	-8.39	58.29	49.90	74.00	24.10	PASS	Horizontal	PK
4	10254.4836	1.98	50.41	52.39	74.00	21.61	PASS	Horizontal	PK
5	13712.7142	7.24	50.01	57.25	74.00	16.75	PASS	Horizontal	PK
6	15887.8592	9.86	49.02	58.88	74.00	15.12	PASS	Horizontal	PK
7	13760.7174	7.29	38.80	46.09	54.00	7.91	PASS	Horizontal	AV
8	15900.8601	9.89	38.13	48.02	54.00	5.98	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2437MHz
Test_Engineer	\	Test_Date	2026/9/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2185.8124	15.40	35.53	50.93	74.00	23.07	PASS	Vertical	PK
2	2964.7977	17.84	36.36	54.20	74.00	19.80	PASS	Vertical	PK
3	4874.1249	-8.39	54.90	46.51	74.00	27.49	PASS	Vertical	PK
4	7752.3168	-1.46	51.65	50.19	74.00	23.81	PASS	Vertical	PK
5	13751.7168	7.18	50.43	57.61	74.00	16.39	PASS	Vertical	PK
6	15897.8599	9.88	48.44	58.32	74.00	15.68	PASS	Vertical	PK
7	2990.5327	17.90	18.14	36.04	54.00	17.96	PASS	Vertical	AV
8	13751.7168	7.18	38.91	46.09	54.00	7.91	PASS	Vertical	AV
9	15902.8602	9.92	37.55	47.47	54.00	6.53	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2437MHz
Test_Engineer	\	Test_Date	2026/9/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18492.3397	-26.70	62.73	36.03	74.00	37.97	PASS	Horizontal	PK
2	19760.2504	-25.30	60.37	35.07	74.00	38.93	PASS	Horizontal	PK
3	21093.4437	-25.88	60.94	35.06	74.00	38.94	PASS	Horizontal	PK
4	22705.4482	-25.03	59.05	34.02	74.00	39.98	PASS	Horizontal	PK
5	24491.8797	-21.77	56.91	35.14	74.00	38.86	PASS	Horizontal	PK
6	25992.6997	-20.90	57.30	36.40	74.00	37.60	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2437MHz
Test_Engineer	\	Test_Date	2026/9/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18509.6804	-26.69	62.69	36.00	74.00	38.00	PASS	Vertical	PK
2	19561.3425	-25.60	61.39	35.79	74.00	38.21	PASS	Vertical	PK
3	20968.3187	-25.94	61.54	35.60	74.00	38.40	PASS	Vertical	PK
4	22620.7848	-25.01	59.31	34.30	74.00	39.70	PASS	Vertical	PK
5	24414.3566	-21.69	57.30	35.61	74.00	38.39	PASS	Vertical	PK
6	25593.5237	-20.73	57.41	36.68	74.00	37.32	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2462MHz
Test_Engineer	\	Test_Date	2026/9/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2068.4712	14.79	35.40	50.19	74.00	23.81	PASS	Horizontal	PK
2	2960.664	17.76	35.52	53.28	74.00	20.72	PASS	Horizontal	PK
3	3806.0537	-12.40	56.69	44.29	74.00	29.71	PASS	Horizontal	PK
4	7861.3241	-1.56	51.68	50.12	74.00	23.88	PASS	Horizontal	PK
5	13767.7178	7.37	49.26	56.63	74.00	17.37	PASS	Horizontal	PK
6	16493.8996	11.83	48.14	59.97	74.00	14.03	PASS	Horizontal	PK
7	13750.7167	7.17	39.03	46.20	54.00	7.80	PASS	Horizontal	AV
8	16421.8948	10.41	38.39	48.80	54.00	5.20	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2462MHz
Test_Engineer	\	Test_Date	2026/9/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2171.2781	15.44	34.68	50.12	74.00	23.88	PASS	Vertical	PK
2	2947.9965	17.62	36.11	53.73	74.00	20.27	PASS	Vertical	PK
3	5045.1363	-8.09	53.48	45.39	74.00	28.61	PASS	Vertical	PK
4	7764.3176	-1.62	50.90	49.28	74.00	24.72	PASS	Vertical	PK
5	13675.7117	7.35	49.55	56.90	74.00	17.10	PASS	Vertical	PK
6	16274.885	10.70	49.22	59.92	74.00	14.08	PASS	Vertical	PK
7	13713.7142	7.24	38.93	46.17	54.00	7.83	PASS	Vertical	AV
8	16368.8913	10.97	37.21	48.18	54.00	5.82	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2462MHz
Test_Engineer	\	Test_Date	2026/9/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18378.0951	-26.73	63.22	36.49	74.00	37.51	PASS	Horizontal	PK
2	19677.6271	-25.45	60.96	35.51	74.00	38.49	PASS	Horizontal	PK
3	20726.9091	-25.80	60.35	34.55	74.00	39.45	PASS	Horizontal	PK
4	21842.1537	-25.59	60.03	34.44	74.00	39.56	PASS	Horizontal	PK
5	23860.1344	-22.22	58.23	36.01	74.00	37.99	PASS	Horizontal	PK
6	25639.7656	-20.73	56.83	36.10	74.00	37.90	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2462MHz
Test_Engineer	\	Test_Date	2026/9/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18512.4005	-26.69	62.43	35.74	74.00	38.26	PASS	Vertical	PK
2	19668.4467	-25.47	61.26	35.79	74.00	38.21	PASS	Vertical	PK
3	21168.2467	-25.79	61.40	35.61	74.00	38.39	PASS	Vertical	PK
4	22477.9791	-25.06	59.56	34.50	74.00	39.50	PASS	Vertical	PK
5	23978.7992	-21.98	57.20	35.22	74.00	38.78	PASS	Vertical	PK
6	25752.3101	-20.79	57.68	36.89	74.00	37.11	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Test_Engineer	\	Test_Date	2026/9/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1935.7957	14.72	33.66	48.38	74.00	25.62	PASS	Horizontal	PK
2	2984.9323	17.89	35.49	53.38	74.00	20.62	PASS	Horizontal	PK
3	3502.0335	-13.90	61.71	47.81	74.00	26.19	PASS	Horizontal	PK
4	4824.1216	-8.55	55.07	46.52	74.00	27.48	PASS	Horizontal	PK
5	10258.4839	1.97	50.56	52.53	74.00	21.47	PASS	Horizontal	PK
6	16343.8896	11.51	48.62	60.13	74.00	13.87	PASS	Horizontal	PK
7	16426.8951	10.51	37.99	48.50	54.00	5.50	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Test_Engineer	\	Test_Date	2026/9/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2119.9413	15.12	35.21	50.33	74.00	23.67	PASS	Vertical	PK
2	2991.0661	17.91	34.77	52.68	74.00	21.32	PASS	Vertical	PK
3	3518.0345	-13.86	58.97	45.11	74.00	28.89	PASS	Vertical	PK
4	7748.3166	-1.44	51.43	49.99	74.00	24.01	PASS	Vertical	PK
5	13788.7192	7.61	49.40	57.01	74.00	16.99	PASS	Vertical	PK
6	15911.8608	10.06	48.96	59.02	74.00	14.98	PASS	Vertical	PK
7	13673.7116	7.36	38.32	45.68	54.00	8.32	PASS	Vertical	AV
8	15950.8634	10.63	36.79	47.42	54.00	6.58	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Test_Engineer	\	Test_Date	2026/9/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18509.6804	-26.69	63.10	36.41	74.00	37.59	PASS	Horizontal	PK
2	19579.7032	-25.59	60.86	35.27	74.00	38.73	PASS	Horizontal	PK
3	20896.9159	-25.82	61.06	35.24	74.00	38.76	PASS	Horizontal	PK
4	22428.6771	-25.08	59.96	34.88	74.00	39.12	PASS	Horizontal	PK
5	24114.8046	-22.34	57.34	35.00	74.00	39.00	PASS	Horizontal	PK
6	25374.555	-21.39	55.99	34.60	74.00	39.40	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Test_Engineer	\	Test_Date	2026/9/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18503.5601	-26.69	63.28	36.59	74.00	37.41	PASS	Vertical	PK
2	19914.6166	-24.88	60.12	35.24	74.00	38.76	PASS	Vertical	PK
3	21228.4291	-25.76	60.71	34.95	74.00	39.05	PASS	Vertical	PK
4	22655.8062	-25.02	59.12	34.10	74.00	39.90	PASS	Vertical	PK
5	24518.4007	-21.79	56.96	35.17	74.00	38.83	PASS	Vertical	PK
6	25611.5445	-20.72	56.48	35.76	74.00	38.24	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2437MHz
Test_Engineer	\	Test_Date	2026/9/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2144.4763	15.30	35.71	51.01	74.00	22.99	PASS	Horizontal	PK
2	2897.9932	17.70	35.37	53.07	74.00	20.93	PASS	Horizontal	PK
3	4874.1249	-8.39	57.45	49.06	74.00	24.94	PASS	Horizontal	PK
4	7677.3118	-1.95	52.49	50.54	74.00	23.46	PASS	Horizontal	PK
5	13843.7229	7.21	49.69	56.90	74.00	17.10	PASS	Horizontal	PK
6	15946.8631	10.60	48.33	58.93	74.00	15.07	PASS	Horizontal	PK
7	13821.7214	7.47	38.07	45.54	54.00	8.46	PASS	Horizontal	AV
8	15960.8641	10.53	36.58	47.11	54.00	6.89	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2437MHz
Test_Engineer	\	Test_Date	2026/9/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2245.5497	15.44	36.63	52.07	74.00	21.93	PASS	Vertical	PK
2	2981.5988	17.87	35.68	53.55	74.00	20.45	PASS	Vertical	PK
3	4947.1298	-8.03	54.35	46.32	74.00	27.68	PASS	Vertical	PK
4	10212.4808	1.63	50.50	52.13	74.00	21.87	PASS	Vertical	PK
5	13749.7166	7.17	49.91	57.08	74.00	16.92	PASS	Vertical	PK
6	15827.8552	9.64	49.52	59.16	74.00	14.84	PASS	Vertical	PK
7	13750.7167	7.17	38.98	46.15	54.00	7.85	PASS	Vertical	AV
8	15889.8593	9.86	37.45	47.31	54.00	6.69	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2437MHz
Test_Engineer	\	Test_Date	2026/9/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18480.4392	-26.70	62.29	35.59	74.00	38.41	PASS	Horizontal	PK
2	20165.2066	-25.36	60.82	35.46	74.00	38.54	PASS	Horizontal	PK
3	21526.9611	-25.79	61.04	35.25	74.00	38.75	PASS	Horizontal	PK
4	22826.153	-25.13	59.56	34.43	74.00	39.57	PASS	Horizontal	PK
5	24332.7533	-22.01	57.64	35.63	74.00	38.37	PASS	Horizontal	PK
6	25876.075	-20.85	56.24	35.39	74.00	38.61	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2437MHz
Test_Engineer	\	Test_Date	2026/9/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18348.1739	-26.77	62.98	36.21	74.00	37.79	PASS	Vertical	PK
2	19572.9029	-25.60	60.58	34.98	74.00	39.02	PASS	Vertical	PK
3	20840.1336	-25.72	60.75	35.03	74.00	38.97	PASS	Vertical	PK
4	22482.7393	-25.06	59.63	34.57	74.00	39.43	PASS	Vertical	PK
5	23945.1378	-22.05	57.61	35.56	74.00	38.44	PASS	Vertical	PK
6	25868.9348	-20.85	56.35	35.50	74.00	38.50	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2452MHz
Test_Engineer	\	Test_Date	2026/9/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1979.7987	14.51	34.38	48.89	74.00	25.11	PASS	Horizontal	PK
2	2877.8585	17.41	37.23	54.64	74.00	19.36	PASS	Horizontal	PK
3	4924.1283	-8.16	55.61	47.45	74.00	26.55	PASS	Horizontal	PK
4	7739.316	-1.48	50.79	49.31	74.00	24.69	PASS	Horizontal	PK
5	13776.7184	7.48	49.57	57.05	74.00	16.95	PASS	Horizontal	PK
6	15894.8597	9.86	49.60	59.46	74.00	14.54	PASS	Horizontal	PK
7	2873.9916	17.42	18.37	35.79	54.00	18.21	PASS	Horizontal	AV
8	13747.7165	7.17	39.30	46.47	54.00	7.53	PASS	Horizontal	AV
9	15897.8599	9.88	37.27	47.15	54.00	6.85	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2452MHz
Test_Engineer	\	Test_Date	2026/9/20

Test Graph




Suspected List

NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2081.0054	14.95	35.08	50.03	74.00	23.97	PASS	Vertical	PK
2	2861.9908	17.37	35.83	53.20	74.00	20.80	PASS	Vertical	PK
3	3483.0322	-13.89	58.14	44.25	74.00	29.75	PASS	Vertical	PK
4	7700.3134	-1.69	51.66	49.97	74.00	24.03	PASS	Vertical	PK
5	13761.7174	7.30	50.10	57.40	74.00	16.60	PASS	Vertical	PK
6	15944.863	10.56	48.03	58.59	74.00	15.41	PASS	Vertical	PK
7	13710.714	7.24	39.11	46.35	54.00	7.65	PASS	Vertical	AV
8	15858.8573	9.79	37.21	47.00	54.00	7.00	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2452MHz
Test_Engineer	\	Test_Date	2026/9/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18467.1787	-26.70	63.21	36.51	74.00	37.49	PASS	Horizontal	PK
2	19648.0459	-25.50	60.71	35.21	74.00	38.79	PASS	Horizontal	PK
3	20883.6553	-25.80	60.39	34.59	74.00	39.41	PASS	Horizontal	PK
4	22612.2845	-25.00	59.18	34.18	74.00	39.82	PASS	Horizontal	PK
5	24298.4119	-22.17	58.26	36.09	74.00	37.91	PASS	Horizontal	PK
6	26060.7024	-21.04	57.78	36.74	74.00	37.26	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2452MHz
Test_Engineer	\	Test_Date	2026/9/20

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18483.4993	-26.70	63.67	36.97	74.00	37.03	PASS	Vertical	PK
2	19488.5795	-25.60	61.24	35.64	74.00	38.36	PASS	Vertical	PK
3	20657.2063	-25.95	60.79	34.84	74.00	39.16	PASS	Vertical	PK
4	22325.993	-25.21	59.51	34.30	74.00	39.70	PASS	Vertical	PK
5	24060.0624	-22.15	57.14	34.99	74.00	39.01	PASS	Vertical	PK
6	25597.2639	-20.72	56.60	35.88	74.00	38.12	PASS	Vertical	PK


Remark:

- 1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:
Final Test Level =Receiver Reading + Antenna Factor + Cable Factor – Preamplifier Factor
- 2) Scan from 9kHz to 25GHz, the disturbance above 10GHz and below 30MHz was very low. As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. As the PK values are all below 54dBμV/m. So, only the peak measurements were shown in the report.

Restricted bands:

Test_Mode	802.11 b Transmitting	Test_Frequency	2412MHz
Test_Engineer	\	Test_Date	2026/9/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	35.83	51.79	74.00	22.21	PASS	Horizontal	PK
2	2390	15.96	22.35	38.31	54.00	15.69	PASS	Horizontal	AV

Test_Mode	802.11 b Transmitting	Test_Frequency	2412MHz
Test_Engineer	\	Test_Date	2026/9/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	37.06	53.02	74.00	20.98	PASS	Vertical	PK
2	2390	15.96	22.49	38.45	54.00	15.55	PASS	Vertical	AV

Test_Mode	802.11 b Transmitting	Test_Frequency	2462MHz
Test_Engineer	\	Test_Date	2026/9/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	35.01	51.30	74.00	22.70	PASS	Horizontal	PK
2	2483.5	16.29	22.95	39.24	54.00	14.76	PASS	Horizontal	AV

Test_Mode	802.11 b Transmitting	Test_Frequency	2462MHz
Test_Engineer	\	Test_Date	2026/9/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	33.63	49.92	74.00	24.08	PASS	Vertical	PK
2	2483.5	16.29	20.66	36.95	54.00	17.05	PASS	Vertical	AV

Test_Mode	802.11 g Transmitting	Test_Frequency	2412MHz
Test_Engineer	\	Test_Date	2026/9/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	35.44	51.40	74.00	22.60	PASS	Horizontal	PK
2	2390	15.96	22.53	38.49	54.00	15.51	PASS	Horizontal	AV

Test_Mode	802.11 g Transmitting	Test_Frequency	2412MHz
Test_Engineer	\	Test_Date	2026/9/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	35.81	51.77	74.00	22.23	PASS	Vertical	PK
2	2390	15.96	22.51	38.47	54.00	15.53	PASS	Vertical	AV

Test_Mode	802.11 g Transmitting	Test_Frequency	2462MHz
Test_Engineer	\	Test_Date	2026/9/20

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	48.01	64.30	74.00	9.70	PASS	Horizontal	PK
2	2483.5	16.29	29.28	45.57	54.00	8.43	PASS	Horizontal	AV