


Inverted F Antenna Specification

Summary

ITEM	ANT SPEC					
Antenna type	PCB Antenna					
Center Frequency	Horizontal			Vertical		
	2400MHz	2400MHz	2500MHz	2400MHz	2400MHz	2500MHz
	-1.26	-0.76	-0.35	-5.25	-2.46	-1.86
MAX. Gain	-0.35dBi					
Polarization	Horizontal and Vertical					
Azimuth Beam Pattern	Omni-directional					
Impedance	50 Ohm					
Antenna Length	14.3mm					
Manufacture	Shenzhen Xinziye Technology Co., Ltd.					


Antenna Photo & Length (mm)



Horizontal: 2400 MHz 2450 MHz 2500 MHz

Power (dBm)

Max: 0 Min: -40 Scale: 5/div




Frequency (MHz)	Gain(dBi)
	Max
2400	-1.26
2450	-0.76
2500	-0.35

Vertical: 2400 MHz 2450 MHz 2500 MHz

Power (dBm)

Max: 0 Min: -30 Scale: 5/div



Frequency (MHz)	Gain(dBi)
	Max
2400	-5.25
2450	-2.46
2500	-1.86

Unit 701, 4233 Bao'an Avenue, Gushu Community, Xixiang Subdistrict, Bao'an District, Shenzhen