






Band II


802.11ac (HT20)

$$\text{CH}_L$$


Date: 3.NOV.2020 09:48:21

$$\text{CH}_M$$


Date: 3.NOV.2020 09:52:43




$$\text{CH}_H$$



Date: 3.NOV.2020 09:56:30

Band II		802.11n (HT20)																											
CH _L	MultiView Spectrum Ref Level 20.50 dBm Att 30 dB Offset 1.00 dB RBW 300 kHz SWT 1.01 ms VBW 1 MHz Mode Auto Sweep Count 300/300 1 Occupied Bandwidth M1[1] 2.78 dBm 5.2551450 GHz CF 5.26 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz 2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>5.255145 GHz</td><td>2.78 dBm</td><td></td><td></td></tr><tr><td>T1</td><td>1</td><td></td><td>5.25979 GHz</td><td>-5.62 dBm</td><td>Occ Bw</td><td>17.922077922 MHz</td></tr><tr><td>T2</td><td>1</td><td></td><td>5.269011 GHz</td><td>-5.92 dBm</td><td></td><td></td></tr></table> Date: 3 NOV 2020 09:23:15	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		5.255145 GHz	2.78 dBm			T1	1		5.25979 GHz	-5.62 dBm	Occ Bw	17.922077922 MHz	T2	1		5.269011 GHz	-5.92 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		5.255145 GHz	2.78 dBm																									
T1	1		5.25979 GHz	-5.62 dBm	Occ Bw	17.922077922 MHz																							
T2	1		5.269011 GHz	-5.92 dBm																									
CH _M	MultiView Spectrum Ref Level 20.50 dBm Att 30 dB Offset 1.00 dB RBW 300 kHz SWT 1.01 ms VBW 1 MHz Mode Auto Sweep Count 300/300 1 Occupied Bandwidth M1[1] 2.57 dBm 5.2751450 GHz CF 5.28 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz 2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>5.275145 GHz</td><td>2.57 dBm</td><td></td><td></td></tr><tr><td>T1</td><td>1</td><td></td><td>5.271009 GHz</td><td>-5.75 dBm</td><td>Occ Bw</td><td>17.922077922 MHz</td></tr><tr><td>T2</td><td>1</td><td></td><td>5.289311 GHz</td><td>-5.74 dBm</td><td></td><td></td></tr></table> Date: 3 NOV 2020 09:26:24	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		5.275145 GHz	2.57 dBm			T1	1		5.271009 GHz	-5.75 dBm	Occ Bw	17.922077922 MHz	T2	1		5.289311 GHz	-5.74 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		5.275145 GHz	2.57 dBm																									
T1	1		5.271009 GHz	-5.75 dBm	Occ Bw	17.922077922 MHz																							
T2	1		5.289311 GHz	-5.74 dBm																									
CH _H	MultiView Spectrum Ref Level 20.50 dBm Att 30 dB Offset 1.00 dB RBW 300 kHz SWT 1.01 ms VBW 1 MHz Mode Auto Sweep Count 300/300 1 Occupied Bandwidth M1[1] 3.27 dBm 5.3151150 GHz CF 5.32 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz 2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>5.315115 GHz</td><td>3.27 dBm</td><td></td><td></td></tr><tr><td>T1</td><td>1</td><td></td><td>5.310979 GHz</td><td>-5.04 dBm</td><td>Occ Bw</td><td>17.922077922 MHz</td></tr><tr><td>T2</td><td>1</td><td></td><td>5.329011 GHz</td><td>-5.32 dBm</td><td></td><td></td></tr></table> Date: 3 NOV 2020 09:27:33	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		5.315115 GHz	3.27 dBm			T1	1		5.310979 GHz	-5.04 dBm	Occ Bw	17.922077922 MHz	T2	1		5.329011 GHz	-5.32 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		5.315115 GHz	3.27 dBm																									
T1	1		5.310979 GHz	-5.04 dBm	Occ Bw	17.922077922 MHz																							
T2	1		5.329011 GHz	-5.32 dBm																									

Band II


802.11a

$$\text{CH}_L$$

$$\text{CH}_M$$

$$\text{CH}_H$$





Band II

802.11n (HT40)

CH_L

Date: 3/NOV/2020 09:34:29

CH_H


Date: 3/NOV/2020 09:36:51


Band II


802.11ac (HT80)

CH_M

Date: 3/NOV/2020 10:16:24








Band III		802.11ac (HT40)																											
CH _L	MultiView Spectrum Ref Level 20.50 dBm Att 30 dB Offset 1.00 dB RBW 500 kHz SWT 1.01 ms VBW 2 MHz Mode Auto Sweep Count 300/300 1 Occupied Bandwidth 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm CF 5.51 GHz 1001 pts 6.0 MHz/ Span 60.0 MHz M1 2.53 dBm 5.5257640 GHz 2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>5.525764 GHz</td><td>2.53 dBm</td><td></td><td></td></tr><tr><td>T1</td><td>1</td><td></td><td>5.4916583 GHz</td><td>-4.29 dBm</td><td>Occ Bw</td><td>36.623376623 MHz</td></tr><tr><td>T2</td><td>1</td><td></td><td>5.5282817 GHz</td><td>-4.17 dBm</td><td></td><td></td></tr></table> Date: 3/NOV/2020 11:18:34	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		5.525764 GHz	2.53 dBm			T1	1		5.4916583 GHz	-4.29 dBm	Occ Bw	36.623376623 MHz	T2	1		5.5282817 GHz	-4.17 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		5.525764 GHz	2.53 dBm																									
T1	1		5.4916583 GHz	-4.29 dBm	Occ Bw	36.623376623 MHz																							
T2	1		5.5282817 GHz	-4.17 dBm																									
CH _M	MultiView Spectrum Ref Level 20.50 dBm Att 30 dB Offset 1.00 dB RBW 500 kHz SWT 1.01 ms VBW 2 MHz Mode Auto Sweep Count 300/300 1 Occupied Bandwidth 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm CF 5.59 GHz 1001 pts 6.0 MHz/ Span 60.0 MHz M1 2.12 dBm 5.5750750 GHz 2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>5.575075 GHz</td><td>2.12 dBm</td><td></td><td></td></tr><tr><td>T1</td><td>1</td><td></td><td>5.5715984 GHz</td><td>-4.99 dBm</td><td>Occ Bw</td><td>36.683316683 MHz</td></tr><tr><td>T2</td><td>1</td><td></td><td>5.6082817 GHz</td><td>-5.06 dBm</td><td></td><td></td></tr></table> Date: 3/NOV/2020 11:20:37	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		5.575075 GHz	2.12 dBm			T1	1		5.5715984 GHz	-4.99 dBm	Occ Bw	36.683316683 MHz	T2	1		5.6082817 GHz	-5.06 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		5.575075 GHz	2.12 dBm																									
T1	1		5.5715984 GHz	-4.99 dBm	Occ Bw	36.683316683 MHz																							
T2	1		5.6082817 GHz	-5.06 dBm																									
CH _H	MultiView Spectrum Ref Level 20.50 dBm Att 30 dB Offset 1.00 dB RBW 500 kHz SWT 1.01 ms VBW 2 MHz Mode Auto Sweep Count 300/300 1 Occupied Bandwidth 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm CF 5.67 GHz 1001 pts 6.0 MHz/ Span 60.0 MHz M1 1.13 dBm 5.6550750 GHz 2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>5.655075 GHz</td><td>1.13 dBm</td><td></td><td></td></tr><tr><td>T1</td><td>1</td><td></td><td>5.6515385 GHz</td><td>-6.55 dBm</td><td>Occ Bw</td><td>36.683316683 MHz</td></tr><tr><td>T2</td><td>1</td><td></td><td>5.6882218 GHz</td><td>-6.20 dBm</td><td></td><td></td></tr></table> Date: 3/NOV/2020 11:22:06	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		5.655075 GHz	1.13 dBm			T1	1		5.6515385 GHz	-6.55 dBm	Occ Bw	36.683316683 MHz	T2	1		5.6882218 GHz	-6.20 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		5.655075 GHz	1.13 dBm																									
T1	1		5.6515385 GHz	-6.55 dBm	Occ Bw	36.683316683 MHz																							
T2	1		5.6882218 GHz	-6.20 dBm																									


Band III		802.11n (HT40)																											
CH _L	MultiView Spectrum Ref Level 20.50 dBm Att 30 dB Offset 1.00 dB RBW 500 kHz SWT 1.01 ms VBW 2 MHz Mode Auto Sweep Count 300/300 1 Occupied Bandwidth 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm CF 5.51 GHz 1001 pts 6.0 MHz/ Span 60.0 MHz M1 1.96 dBm 5.5257040 GHz 2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>5.525704 GHz</td><td>1.96 dBm</td><td></td><td></td></tr><tr><td>T1</td><td>1</td><td></td><td>5.4916583 GHz</td><td>-4.73 dBm</td><td>Occ Bw</td><td>36.623376623 MHz</td></tr><tr><td>T2</td><td>1</td><td></td><td>5.5282817 GHz</td><td>-4.65 dBm</td><td></td><td></td></tr></table> Date: 3/NOV/2020 10:58:28	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		5.525704 GHz	1.96 dBm			T1	1		5.4916583 GHz	-4.73 dBm	Occ Bw	36.623376623 MHz	T2	1		5.5282817 GHz	-4.65 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		5.525704 GHz	1.96 dBm																									
T1	1		5.4916583 GHz	-4.73 dBm	Occ Bw	36.623376623 MHz																							
T2	1		5.5282817 GHz	-4.65 dBm																									
CH _M	MultiView Spectrum Ref Level 20.50 dBm Att 30 dB Offset 1.00 dB RBW 500 kHz SWT 1.01 ms VBW 2 MHz Mode Auto Sweep Count 300/300 1 Occupied Bandwidth 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm CF 5.59 GHz 1001 pts 6.0 MHz/ Span 60.0 MHz M1 1.64 dBm 5.5750750 GHz 2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>5.575075 GHz</td><td>1.64 dBm</td><td></td><td></td></tr><tr><td>T1</td><td>1</td><td></td><td>5.5715984 GHz</td><td>-5.52 dBm</td><td>Occ Bw</td><td>36.683316683 MHz</td></tr><tr><td>T2</td><td>1</td><td></td><td>5.6082817 GHz</td><td>-5.35 dBm</td><td></td><td></td></tr></table> Date: 3/NOV/2020 11:01:00	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		5.575075 GHz	1.64 dBm			T1	1		5.5715984 GHz	-5.52 dBm	Occ Bw	36.683316683 MHz	T2	1		5.6082817 GHz	-5.35 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		5.575075 GHz	1.64 dBm																									
T1	1		5.5715984 GHz	-5.52 dBm	Occ Bw	36.683316683 MHz																							
T2	1		5.6082817 GHz	-5.35 dBm																									
CH _H	MultiView Spectrum Ref Level 20.50 dBm Att 30 dB Offset 1.00 dB RBW 500 kHz SWT 1.01 ms VBW 2 MHz Mode Auto Sweep Count 300/300 1 Occupied Bandwidth 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm CF 5.67 GHz 1001 pts 6.0 MHz/ Span 60.0 MHz M1 0.66 dBm 5.6550750 GHz 2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>5.655075 GHz</td><td>0.66 dBm</td><td></td><td></td></tr><tr><td>T1</td><td>1</td><td></td><td>5.6515385 GHz</td><td>-6.79 dBm</td><td>Occ Bw</td><td>36.683316683 MHz</td></tr><tr><td>T2</td><td>1</td><td></td><td>5.6882218 GHz</td><td>-6.70 dBm</td><td></td><td></td></tr></table> Date: 3/NOV/2020 11:03:36	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		5.655075 GHz	0.66 dBm			T1	1		5.6515385 GHz	-6.79 dBm	Occ Bw	36.683316683 MHz	T2	1		5.6882218 GHz	-6.70 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		5.655075 GHz	0.66 dBm																									
T1	1		5.6515385 GHz	-6.79 dBm	Occ Bw	36.683316683 MHz																							
T2	1		5.6882218 GHz	-6.70 dBm																									

Band III


802.11ac (HT80)

$$\text{CH}_L$$


Date: 3.NOV.2020 11:30:00

$$\text{CH}_M$$





Date: 3.NOV.2020 11:31:26

$$\text{CH}_H$$


Date: 3.NOV.2020 11:32:50

Band IV




802.11ac (HT20)

CH_LCH_MCH_H

Appendix report page: 64 of 101



Band IV


802.11a

$$\text{CH}_L$$

$$\text{CH}_M$$

$$\text{CH}_H$$


Band IV

802.11ac (HT40)

$$\text{CH}_L$$

$$\text{CH}_H$$





Appendix E: 6dB Bandwidth


Band	Bandwidth (MHz)	Type	Channel	6dB bandwidth (MHz)	Result
IV	20	802.11ac	CH _L	17.76	Pass
			CH _M	17.76	
			CH _H	17.76	
		802.11n	CH _L	17.67	Pass
			CH _M	17.67	
			CH _H	17.70	
		802.11a	CH _L	16.62	Pass
			CH _M	16.62	
			CH _H	16.62	
	40	802.11ac	CH _L	36.66	Pass
			CH _H	36.60	
		802.11n	CH _L	36.70	Pass
			CH _H	36.61	
	80	802.11ac	CH _M	76.68	Pass

Band IV


802.11ac (HT20)

$$\text{CH}_L$$


Date: 3.NOV.2020 16:17:18

$$\text{CH}_M$$





Date: 3.NOV.2020 16:19:16

$$\text{CH}_H$$


Date: 3.NOV.2020 16:20:29

Band IV



802.11n (HT20)

CH_LCH_MCH_H

Band IV		802.11a																											
CH _L	MultiView Spectrum Ref Level 20.50 dBm Att 30 dB Offset 1.00 dB RBW 100 kHz SWI 1.04 ms VBW 300 kHz Mode Auto Sweep Count 500/500 1 Frequency Sweep 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm M1[1] 5.736600 GHz -9.64 dBm M2[1] 5.751480 GHz -2.15 dBm CF 5.745 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz 2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>5.73666 GHz</td><td>-9.64 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>5.75148 GHz</td><td>-2.15 dBm</td><td></td><td></td></tr><tr><td>D3</td><td>M1</td><td>1</td><td>16.62 MHz</td><td>1.26 dB</td><td></td><td></td></tr></table> Date: 3/NOV/2020 14:01:48	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		5.73666 GHz	-9.64 dBm			M2	1		5.75148 GHz	-2.15 dBm			D3	M1	1	16.62 MHz	1.26 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		5.73666 GHz	-9.64 dBm																									
M2	1		5.75148 GHz	-2.15 dBm																									
D3	M1	1	16.62 MHz	1.26 dB																									
CH _M	MultiView Spectrum Ref Level 20.50 dBm Att 30 dB Offset 1.00 dB RBW 100 kHz SWI 1.04 ms VBW 300 kHz Mode Auto Sweep Count 500/500 1 Frequency Sweep 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm M1[1] 5.776600 GHz -9.22 dBm M2[1] 5.791480 GHz -2.13 dBm CF 5.785 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz 2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>5.77666 GHz</td><td>-9.22 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>5.79148 GHz</td><td>-2.13 dBm</td><td></td><td></td></tr><tr><td>D3</td><td>M1</td><td>1</td><td>16.62 MHz</td><td>0.85 dB</td><td></td><td></td></tr></table> Date: 3/NOV/2020 14:03:24	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		5.77666 GHz	-9.22 dBm			M2	1		5.79148 GHz	-2.13 dBm			D3	M1	1	16.62 MHz	0.85 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		5.77666 GHz	-9.22 dBm																									
M2	1		5.79148 GHz	-2.13 dBm																									
D3	M1	1	16.62 MHz	0.85 dB																									
CH _H	MultiView Spectrum Ref Level 20.50 dBm Att 30 dB Offset 1.00 dB RBW 100 kHz SWI 1.04 ms VBW 300 kHz Mode Auto Sweep Count 500/500 1 Frequency Sweep 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm M1[1] 5.816600 GHz -9.73 dBm M2[1] 5.831480 GHz -2.48 dBm CF 5.825 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz 2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>5.81666 GHz</td><td>-9.73 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>5.83148 GHz</td><td>-2.48 dBm</td><td></td><td></td></tr><tr><td>D3</td><td>M1</td><td>1</td><td>16.62 MHz</td><td>0.96 dB</td><td></td><td></td></tr></table> Date: 3/NOV/2020 14:04:37	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		5.81666 GHz	-9.73 dBm			M2	1		5.83148 GHz	-2.48 dBm			D3	M1	1	16.62 MHz	0.96 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		5.81666 GHz	-9.73 dBm																									
M2	1		5.83148 GHz	-2.48 dBm																									
D3	M1	1	16.62 MHz	0.96 dB																									



Band IV


802.11ac (HT40)

$$\text{CH}_L$$

$$\text{CH}_H$$



Band IV


802.11n (HT40)


$$\text{CH}_L$$

$$\text{CH}_H$$






Appendix F: Band edge



















Band II


802.11a


CH_LCH_H















































Appendix G: Frequency stability**Voltage VS Frequency stability**

Band: I			Test Frequency: 5180.00MHz	
Temperature (°C)	Voltage (V)	Frequency Deviation (Hz)	Frequency Deviation (ppm)	Result
T _N	V _L	-15000.00	-2.89575	PASS
T _N	V _N	-14000.00	-2.70270	PASS
T _N	V _H	-16000.00	-3.08880	PASS

Band: II			Test Frequency: 5260.00MHz	
Temperature (°C)	Voltage (V)	Frequency Deviation (Hz)	Frequency Deviation (ppm)	Result
T _N	V _L	-16000.00	-3.04183	PASS
T _N	V _N	-15000.00	-2.85171	PASS
T _N	V _H	-17000.00	-3.23194	PASS

Band: III			Test Frequency: 5500.00MHz	
Temperature (°C)	Voltage (V)	Frequency Deviation (Hz)	Frequency Deviation (ppm)	Result
T _N	V _L	-9000.00	-1.63636	PASS
T _N	V _N	-9000.00	-1.63636	PASS
T _N	V _H	-10000.00	-1.81818	PASS

Band: IV			Test Frequency: 5745.00MHz	
Temperature (°C)	Voltage (V)	Frequency Deviation (Hz)	Frequency Deviation (ppm)	Result
T _N	V _L	-13000.00	-2.26284	PASS
T _N	V _N	-12000.00	-2.08877	PASS
T _N	V _H	-13000.00	-2.26284	PASS

Temperature VS Frequency stability

Band: I			Test Frequency: 5180.00MHz	
Voltage (V)	Temperature (°C)	Frequency Deviation (Hz)	Frequency Deviation (ppm)	Result
V _N	-20	-16000.00	-3.08880	PASS
V _N	-10	-16000.00	-3.08880	PASS
V _N	0	-16000.00	-3.08880	PASS
V _N	10	-16000.00	-3.08880	PASS
V _N	20	-16000.00	-3.08880	PASS
V _N	30	-16000.00	-3.08880	PASS
V _N	40	-16000.00	-3.08880	PASS
V _N	50	-16000.00	-3.08880	PASS

Band: II			Test Frequency: 5260.00MHz	
Voltage (V)	Temperature (°C)	Frequency Deviation (Hz)	Frequency Deviation (ppm)	Result
V _N	-20	-17000.00	-3.23194	PASS
V _N	-10	-17000.00	-3.23194	PASS
V _N	0	-17000.00	-3.23194	PASS
V _N	10	-17000.00	-3.23194	PASS
V _N	20	-17000.00	-3.23194	PASS
V _N	30	-17000.00	-3.23194	PASS
V _N	40	-17000.00	-3.23194	PASS
V _N	50	-17000.00	-3.23194	PASS

Band: III			Test Frequency: 5500.00MHz	
Voltage (V)	Temperature (°C)	Frequency Deviation (Hz)	Frequency Deviation (ppm)	Result
V _N	-20	-10000.00	-1.81818	PASS
V _N	-10	-10000.00	-1.81818	PASS
V _N	0	-10000.00	-1.81818	PASS
V _N	10	-11000.00	-2.00000	PASS
V _N	20	-11000.00	-2.00000	PASS
V _N	30	-11000.00	-2.00000	PASS
V _N	40	-11000.00	-2.00000	PASS
V _N	50	-11000.00	-2.00000	PASS

Band: IV			Test Frequency: 5745.00MHz	
Voltage (V)	Temperature (°C)	Frequency Deviation (Hz)	Frequency Deviation (ppm)	Result
V _N	-20	-14000.00	-2.43690	PASS
V _N	-10	-14000.00	-2.43690	PASS
V _N	0	-14000.00	-2.43690	PASS
V _N	10	-14000.00	-2.43690	PASS
V _N	20	-14000.00	-2.43690	PASS
V _N	30	-14000.00	-2.43690	PASS
V _N	40	-14000.00	-2.43690	PASS
V _N	50	-14000.00	-2.43690	PASS

-----End of Report-----