





























Appendix E: 6dB Bandwidth

Band	Bandwidth (MHz)	Type	Channel	6dB bandwidth (MHz)	Result
IV	20	802.11ac	CH _L	15.18	Pass
			CH _M	15.51	
			CH _H	15.72	
		802.11n	CH _L	15.42	Pass
			CH _M	15.36	
			CH _H	15.69	
		802.11a	CH _L	15.60	Pass
			CH _M	15.69	
			CH _H	15.60	
	40	802.11ac	CH _L	35.22	Pass
			CH _H	35.28	














Appendix F: Band edge












































Appendix G: Frequency stability**Voltage VS Frequency stability**

Band: I			Test Frequency: 5180.00MHz	
Temperature (°C)	Voltage (V)	Frequency Deviation (Hz)	Frequency Deviation (ppm)	Result
T _N	V _L	-3000.00	-0.57915	PASS
T _N	V _N	-4000.00	-0.77220	PASS
T _N	V _H	-3000.00	-0.57915	PASS

Band: II			Test Frequency: 5260.00MHz	
Temperature (°C)	Voltage (V)	Frequency Deviation (Hz)	Frequency Deviation (ppm)	Result
T _N	V _L	-3000.00	-0.57034	PASS
T _N	V _N	-4000.00	-0.76046	PASS
T _N	V _H	-3000.00	-0.57034	PASS

Band: III			Test Frequency: 5500.00MHz	
Temperature (°C)	Voltage (V)	Frequency Deviation (Hz)	Frequency Deviation (ppm)	Result
T _N	V _L	-3000.00	-0.54546	PASS
T _N	V _N	-4000.00	-0.72727	PASS
T _N	V _H	-3000.00	-0.54546	PASS

Band: IV			Test Frequency: 5745.00MHz	
Temperature (°C)	Voltage (V)	Frequency Deviation (Hz)	Frequency Deviation (ppm)	Result
T _N	V _L	-3000.00	-0.52219	PASS
T _N	V _N	-4000.00	-0.69626	PASS
T _N	V _H	-3000.00	-0.52219	PASS

Temperature VS Frequency stability

Band: I			Test Frequency: 5180.00MHz	
Voltage (V)	Temperature (°C)	Frequency Deviation (Hz)	Frequency Deviation (ppm)	Result
V _N	-20	-3000.00	-0.57915	PASS
V _N	-10	-3000.00	-0.57915	PASS
V _N	0	-3000.00	-0.57915	PASS
V _N	10	-3000.00	-0.57915	PASS
V _N	20	-3000.00	-0.57915	PASS
V _N	30	-3000.00	-0.57915	PASS
V _N	40	-3000.00	-0.57915	PASS
V _N	50	-3000.00	-0.57915	PASS

Band: II			Test Frequency: 5260.00MHz	
Voltage (V)	Temperature (°C)	Frequency Deviation (Hz)	Frequency Deviation (ppm)	Result
V _N	-20	-3000.00	-0.57034	PASS
V _N	-10	-3000.00	-0.57034	PASS
V _N	0	-3000.00	-0.57034	PASS
V _N	10	-3000.00	-0.57034	PASS
V _N	20	-3000.00	-0.57034	PASS
V _N	30	-3000.00	-0.57034	PASS
V _N	40	-3000.00	-0.57034	PASS
V _N	50	-3000.00	-0.57034	PASS

Band: III			Test Frequency: 5500.00MHz	
Voltage (V)	Temperature (°C)	Frequency Deviation (Hz)	Frequency Deviation (ppm)	Result
V _N	-20	-3000.00	-0.54546	PASS
V _N	-10	-3000.00	-0.54546	PASS
V _N	0	-3000.00	-0.54546	PASS
V _N	10	-3000.00	-0.54546	PASS
V _N	20	-3000.00	-0.54546	PASS
V _N	30	-3000.00	-0.54546	PASS
V _N	40	-3000.00	-0.54546	PASS
V _N	50	-3000.00	-0.54546	PASS

Band: IV			Test Frequency: 5745.00MHz	
Voltage (V)	Temperature (°C)	Frequency Deviation (Hz)	Frequency Deviation (ppm)	Result
V _N	-20	-3000.00	-0.52219	PASS
V _N	-10	-3000.00	-0.52219	PASS
V _N	0	-3000.00	-0.52219	PASS
V _N	10	-3000.00	-0.52219	PASS
V _N	20	-3000.00	-0.52219	PASS
V _N	30	-3000.00	-0.52219	PASS
V _N	40	-3000.00	-0.52219	PASS
V _N	50	-3000.00	-0.52219	PASS

-----End of Report-----