



ATTACHMENT D – TEST PLOTS

NEC Corp. MODEL: NR-7900A LINE A PCTEST Engineering Lab.
INTERNAL CD R/RW DRIVE (EN55022)




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.189	43.47	64.00	-20.51	42.07	54.11	-12.04
2	.390	29.36	58.00	-28.70	18.59	48.00	-29.43
3	.151	42.56	65.94	-23.38	32.94	56.00	-23.06
4	.285	35.47	60.66	-25.19	33.74	50.70	-16.96
5	.968	29.88	56.00	-26.12	27.92	46.00	-18.08
6	.391	29.37	58.04	-28.67	19.09	48.12	-29.03
7	.860	28.06	56.00	-27.94	23.93	46.00	-22.07
8	2.586	30.04	56.00	-25.96	26.29	46.00	-19.71
9	.668	28.05	56.00	-27.95	25.21	46.00	-20.79
10	1.721	29.05	56.00	-26.95	25.42	46.00	-20.58

NEC Corp. MODEL: NR-7900A LINE B PCTEST Engineering Lab.
INTERNAL CD R/RW DRIVE (EN55022)




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.179	45.73	64.53	-18.80	41.34	54.20	-12.86
2	.391	30.24	58.05	-27.81	22.75	48.03	-25.28
3	.285	36.95	60.66	-23.71	33.71	50.67	-16.96
4	.381	30.40	58.25	-27.85	22.97	48.06	-25.09
5	.151	49.77	65.95	-16.18	43.69	56.00	-12.31
6	.372	30.68	58.45	-27.77	25.85	48.46	-22.61
7	.505	25.85	56.00	-30.15	19.99	46.00	-26.01
8	.572	28.93	56.00	-27.07	25.17	46.00	-20.83
9	.433	29.07	57.19	-28.12	24.13	47.19	-23.06
10	.859	30.14	56.00	-25.86	25.56	46.00	-20.44

NEC Corp. MODEL: NR-7900R LINE B PCTEST Engineering Lab.
INTERNAL CD R/RW DRIVE (EN55022)




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.189	43.47	64.08	-20.61	42.07	54.11	-12.04
2	.390	29.36	58.06	-28.70	18.59	48.02	-29.43
3	.151	42.56	65.94	-23.38	32.94	56.00	-23.06
4	.285	35.47	60.66	-25.19	33.74	50.70	-16.96
5	.968	29.88	56.00	-26.12	27.92	46.00	-18.08
6	.391	29.37	58.04	-28.67	19.09	48.12	-29.03
7	.860	28.06	56.00	-27.94	23.93	46.00	-22.07
8	2.586	30.04	56.00	-25.96	26.29	46.00	-19.71
9	.668	28.05	56.00	-27.95	25.21	46.00	-20.79
10	1.721	29.05	56.00	-26.95	25.42	46.00	-20.58

NEC Corp. MODEL: NR-7900R LINE B PCTEST Engineering Lab.
INTERNAL CD R/RW DRIVE (EN55022)




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.179	45.73	64.53	-18.80	41.34	54.20	-12.86
2	.391	30.24	58.05	-27.81	22.75	48.03	-25.28
3	.285	36.95	60.66	-23.71	33.71	50.67	-16.96
4	.381	30.40	58.25	-27.85	22.97	48.06	-25.09
5	.151	49.77	65.95	-16.18	43.69	56.00	-12.31
6	.372	30.68	58.45	-27.77	25.85	48.46	-22.61
7	.505	25.85	56.00	-30.15	19.99	46.00	-26.01
8	.572	28.93	56.00	-27.07	25.17	46.00	-20.83
9	.433	29.07	57.19	-28.12	24.13	47.19	-23.06
10	.859	30.14	56.00	-25.86	25.56	46.00	-20.44

NEC Corp. MODEL: NR-7900R LINE B PCTEST Engineering Lab.
INTERNAL CD R/RW DRIVE (EN55022)



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.179	45.73	64.53	-18.80	41.34	54.20	-12.86
2	.391	30.24	58.05	-27.81	22.75	48.03	-25.28
3	.285	36.95	60.66	-23.71	33.71	50.67	-16.96
4	.381	30.40	58.25	-27.85	22.97	48.06	-25.09
5	.151	49.77	65.95	-16.18	43.69	56.00	-12.31
6	.372	30.68	58.45	-27.77	25.85	48.46	-22.61
7	.585	25.85	56.00	-30.15	19.99	46.00	-26.01
8	.572	28.93	56.00	-27.07	25.17	46.00	-20.83
9	.433	29.07	57.19	-28.12	24.13	47.19	-23.06
10	.859	30.14	56.00	-25.86	25.56	46.00	-20.44

NEC Corp. MODEL: NR-7900R LINE A PCTEST Engineering Lab.
INTERNAL CD R/RW DRIVE (EN55022)



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.189	43.47	64.08	-20.61	42.87	54.11	-12.04
2	.390	29.36	58.06	-28.70	18.59	48.02	-29.43
3	.151	42.56	65.94	-23.38	32.94	56.00	-23.06
4	.285	35.47	60.66	-25.19	33.74	50.70	-16.96
5	.968	29.88	56.00	-26.12	27.92	46.00	-18.08
6	.391	29.37	58.04	-28.67	19.09	48.12	-29.03
7	.860	28.06	56.00	-27.94	23.93	46.00	-22.07
8	2.586	30.04	56.00	-25.96	26.29	46.00	-19.71
9	.668	28.05	56.00	-27.95	25.21	46.00	-20.79
10	1.721	29.05	56.00	-26.95	25.42	46.00	-20.58