5. PHOTOGRAPHS

5.1. Photos of Conducted Emission Measurement

Test Mode: Input--D-Sub

FRONT VIEW OF CONDUCTED MEASUREMENT

BACK VIEW OF CONDUCTED MEASUREMENT

Test Mode: Input--BNC

FRONT VIEW OF CONDUCTED MEASUREMENT

BACK VIEW OF CONDUCTED MEASUREMENT

5.2. Photos of Radiated Measurement at Simple Anechoic Chamber (30-1000MHz)

Test Mode: Input--D-Sub

FRONT VIEW OF RADIATED MEASUREMENT



BACK VIEW OF RADIATED MEASUREMENT

Test Mode: Input--BNC

FRONT VIEW OF RADIATED MEASUREMENT



BACK VIEW OF RADIATED MEASUREMENT

5.3. Photos of Radiated Measurement at Open Area Test Site (30-1000MHz)

Test Mode: Input--D-Sub

FRONT VIEW OF RADIATED MEASUREMENT

BACK VIEW OF RADIATED MEASUREMEMT

Test Mode: Input--D-Sub, Resolution/ Frequency--2048*1536/80Hz, 130kHz

SETUP WITH MAXIMUM DETECTED EMISSION AT HORIZONTAL POLARIZATION

SETUP WITH MAXIMUM DETECTED EMISSION AT VERTICAL POLARIZATION

Test Mode: Input--BNC

FRONT VIEW OF RADIATED MEASUREMENT

BACK VIEW OF RADIATED MEASUREMEMT

5.4. Photos of Radiated Measurement at Open Area Test Site (1-2GHz)

Test Mode: Input--D-Sub



FRONT VIEW OF RADIATED MEASUREMENT



BACK VIEW OF RADIATED MEASUREMENT

Test Mode: Input--D-Sub

Test Mode: Input--BNC



FRONT VIEW OF RADIATED MEASUREMENT