5. PHOTOGRAPHS

5.1. Photos of Conducted Emission Measurement

Test M/N: 170X6, Test Input Port: D-Sub or DVI

FRONT VIEW OF CONDUCTED MEASUREMENT

BACK VIEW OF CONDUCTED MEASUREMENT

Test M/N: 170C6, Test Input Port: D-Sub

FRONT VIEW OF CONDUCTED MEASUREMENT

BACK VIEW OF CONDUCTED MEASUREMENT

5.2. Photos of Radiated Measurement at Open Area Test Site (30-1000MHz)

Test M/N: 170X6, Test Input Port: D-Sub or DVI



FRONT VIEW OF RADIATED MEASUREMENT



BACK VIEW OF RADIATED MEASUREMENT

Test M/N: 170X6, Test Input Port: DVI, Test Mode: 1280*1024/75Hz

SETUP WITH MAXIMUM DETECTED EMISSION AT HORIZONTAL POLARIZATION

SETUP WITH MAXIMUM DETECTED EMISSION AT VERTICAL POLARIZATION

Test M/N: 170C6, Test Input Port: D-Sub

FRONT VIEW OF RADIATED MEASUREMENT



BACK VIEW OF RADIATED MEASUREMENT

Test M/N: 170C6, Test Input Port: D-Sub, Test Mode: 1024*768/75Hz



SETUP WITH MAXIMUM DETECTED EMISSION AT HORIZONTAL POLARIZATION

SETUP WITH MAXIMUM DETECTED EMISSION AT VERTICAL POLARIZATION

5.3. Photos of Radiated Measurement at Open Area Test Site (1-2GHz)

Test M/N: 170X6

FRONT VIEW OF RADIATED MEASUREMENT

Test M/N: 170C6

FRONT VIEW OF RADIATED MEASUREMENT