




ALL POWER PINS

PIN NAME	VOLTAGE	TYPE	DESCRIPTION
VCCP_5D	+5.0V	RESUME	I/O
VCCP_3E	+3.3V	RESUME	CORE, 32KHZ OSC., USB I/O
UPSPUP	+2.3V	RESUME	WAKE EVENTS, SYSTEM POWER STATE
VCC_5A	+5.0V	NORMAL	5V TOLERANCE FOR PC1, SIO, X BUS, GAME PORT
VCC_F	+5.0V	NORMAL	IDE I/O
VCC_3B	+3.3V	NORMAL	CORE
VCC_3C	+3.3V	NORMAL	CORE, PC1 I/O
VCC_G	+2.5V	NORMAL	CPU INTERFACE I/O








DESIGN	CUSTOMER		
CHECK-1	SOUTH BRIDGE		REV.
CHECK-2			
DATE	2000.08.28	UPDATE	2002.06.12
		SHEET	11
REMARK			
MOBIS L T D.			




DESIGN		CUSTOMER	
CHECK-1	TOUCH		REV.
CHECK-2			
DATE	2000.08.28	UPDATE	2002.06.12
REMARK		SHEET	12
MOBIIIS L T D.			









DESIGN		CUSTOMER	
CHECK-1		PCMCIA POWER SWITCH	REV.
CHECK-2			
DATE	2000.08.28	UPDATE	2002.06.12
REMARK		SHEET	15
MOBIIS L T D.			








DESIGN		CUSTOMER	
CHECK-1	ALL OTHER VOLTAGE REGULATOR		REV.
CHECK-2			
DATE	2000.08.28	UPDATE	2002.06.12
		SHEET	17
REMARK			
MOBIS L T D.			




DESIGN		CUSTOMER	
CHECK-1	Battery Choarger		REV.
CHECK-2			
DATE	2000.08.28	UPDATE	2002.06.12
		SHEET	18
REMARK			
MOBIIIS L T D.			







DESIGN		CUSTOMER	
CHECK-1	Voltage Monitoring & Reset		REV.
CHECK-2			
DATE	2000.08.28	UPDATE	2002.06.12
		SHEET	19
REMARK			
MOBIIS L T D.			




DESIGN		CUSTOMER	
CHECK-1	CPU DDR SDRAM		REV.
CHECK-2			
DATE	UPDATE	SHEET	
2000.08.28	2002.10.01		2
REMARK			
MOBIIS L.T.D.			




DESIGN	CUSTOMER	
CHECK-1		REV.
CHECK-2	DECOUPLING,PULL_UP, and SPARES	
DATE	UPDATE	SHEET
2000.08.28	2002.06.12	20
REMARK		
MOBIS LTD.		




NOTE GRAPHICS CONTROLLER
HAS INTERNAL PULL UPS ON
ALL FMD SIGNALS





DESIGN		CUSTOMER	
CHECK-1	LCD Interface Camera Connector Brightness Control		REV
CHECK-2			
DATE	2000.08.28	UPDATE	2002.06.12
REMARK		SHEET	21
MOBIS L T D.			




DESIGN		CUSTOMER	
CHECK-1	PCMCIA Connector		REV.
CHECK-2			
DATE	2000.08.28	UPDATE	2002.06.12
REMARK		SHEET	22
MOBIS L T D.			





















DESIGN	CUSTOMER		
CHECK-1	Audio (CS4297A)		REV.
CHECK-2			
DATE	2000.08.28	UPDATE	2002.06.12
		SHEET	25
REMARK			
MOBIS L T D.			







DESIGN		CUSTOMER	
CHECK-1	IR & RS232C		REV
CHECK-2			
DATE	2000.08.28	UPDATE	2002.06.12
		SHEET	28
REMARK			
MOBIS L.T.D.			



DESIGN		CUSTOMER	
CHECK-1	IR & RS232C		REV.
CHECK-2			
DATE	2000.08.28	UPDATE	2002.06.12
REMARK		SHEET	29
MOBIS L T D.			

