

**CTK Co., Ltd.**

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si, Gyeonggi-do,
17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2025-03129-1
Page (266) / (480) pages

Edge	Port	Measured Range	Max. Value (dBm)				Limit (dBm)	Worst Margin (dB)
			QPSK	16QAM	64QAM	256QAM		
Low	0	2109 to 2110 MHz	-32.40	-32.17	-30.80	-31.53	-28.05	-2.75
	1		-31.62	-31.68	-31.93	-32.72		-3.57
	2		-31.77	-32.03	-31.92	-31.47		-3.42
	3		-32.74	-31.75	-31.99	-32.52		-3.70
	4		-32.40	-31.69	-32.10	-32.39		-3.64
	5		-31.12	-31.73	-32.12	-32.57		-3.07
	6		-30.65	-32.01	-31.75	-30.78		-2.60
	7		-31.41	-31.64	-32.05	-31.84		-3.36
	8		-33.84	-31.38	-31.84	-30.90		-2.84
	9		-31.91	-31.61	-31.72	-32.46		-3.56
	10		-31.57	-31.87	-32.06	-31.85		-3.52
	11		-31.57	-31.78	-33.05	-31.89		-3.51
	12		-31.82	-31.10	-32.37	-31.48		-3.05
	13		-31.03	-31.28	-31.79	-31.33		-2.98
	14		-32.87	-32.12	-31.04	-32.13		-2.99
	15		-32.42	-31.81	-31.31	-31.88		-3.26
	16		-31.78	-32.78	-31.06	-32.48		-3.01
	17		-31.67	-30.71	-32.58	-32.16		-2.66
	18		-33.43	-31.55	-31.49	-32.05		-3.43
	19		-30.35	-31.34	-30.64	-30.63		-2.30
	20		-32.84	-32.07	-31.68	-32.32		-3.63
	21		-31.76	-32.22	-31.56	-33.07		-3.51
	22		-32.11	-33.38	-31.73	-32.01		-3.68
	23		-31.77	-31.92	-32.26	-30.69		-2.64
	24		-31.93	-32.61	-32.44	-32.33		-3.88
	25		-31.16	-31.64	-30.64	-30.55		-2.50
	26		-31.34	-32.08	-33.17	-31.87		-3.29
	27		-31.35	-31.23	-32.32	-32.45		-3.18
	28		-32.67	-32.79	-30.99	-31.53		-2.94
	29		-32.57	-32.11	-32.68	-31.05		-3.00
	30		-31.79	-31.44	-32.06	-31.90		-3.39
	31		-30.87	-32.49	-31.22	-30.53		-2.48
High	0	2180 to 2181 MHz	-31.50	-30.73	-31.90	-32.77	-28.05	-2.68
	1		-30.07	-31.99	-32.11	-32.10		-2.02
	2		-30.77	-32.20	-32.35	-31.09		-2.72
	3		-31.38	-33.50	-31.59	-31.54		-3.32
	4		-32.01	-31.07	-31.64	-31.39		-3.01
	5		-33.28	-31.02	-31.57	-33.04		-2.97
	6		-31.00	-32.75	-32.34	-30.53		-2.48
	7		-31.43	-33.23	-32.98	-32.15		-3.37
	8		-32.47	-32.14	-31.38	-32.08		-3.33
	9		-32.34	-32.11	-31.71	-31.90		-3.66
	10		-32.22	-31.07	-33.27	-31.79		-3.01
	11		-33.10	-31.90	-31.77	-32.37		-3.72
	12		-30.69	-31.25	-32.41	-31.42		-2.63
	13		-30.76	-32.38	-32.10	-33.59		-2.71
	14		-30.76	-32.95	-31.00	-31.88		-2.71
	15		-31.71	-31.25	-31.27	-31.06		-3.00
	16		-31.63	-31.34	-31.54	-31.29		-3.24
	17		-32.73	-32.57	-32.13	-32.09		-4.04
	18		-31.39	-32.11	-31.97	-32.66		-3.33
	19		-33.59	-31.99	-31.69	-31.06		-3.01
	20		-31.91	-31.02	-31.31	-30.87		-2.82
	21		-32.95	-31.99	-31.75	-31.98		-3.69
	22		-31.27	-31.75	-31.77	-31.61		-3.22
	23		-31.49	-30.80	-31.80	-31.80		-2.75
	24		-32.29	-31.57	-31.70	-30.85		-2.80
	25		-31.73	-32.51	-32.35	-31.28		-3.23
	26		-31.12	-31.90	-31.72	-31.77		-3.07
	27		-32.45	-33.05	-31.47	-32.86		-3.42
	28		-32.07	-32.85	-32.36	-30.59		-2.53
	29		-31.36	-31.98	-31.38	-31.49		-3.31
	30		-31.48	-32.25	-31.55	-31.53		-3.43
	31		-31.67	-31.56	-31.50	-31.32		-3.27

Table 8-124. Band Edge Emission Summary Data (NR_n66_1C_20M)

**CTK Co., Ltd.**

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si, Gyeonggi-do,
17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2025-03129-1
Page (267) / (480) pages

Edge	Port	Measured Range	Max. Value (dBm)				Limit (dBm)	Worst Margin (dB)
			QPSK	16QAM	64QAM	256QAM		
Low	0	2109 to 2110 MHz	-29.99	-29.21	-30.82	-29.17	-28.05	-1.12
	1		-30.60	-30.44	-29.66	-30.41		-1.61
	2		-30.36	-29.97	-29.93	-29.23		-1.18
	3		-30.65	-29.84	-29.65	-29.80		-1.60
	4		-30.95	-30.59	-29.92	-29.90		-1.85
	5		-30.12	-29.99	-30.16	-29.78		-1.73
	6		-31.09	-30.00	-30.40	-30.13		-1.94
	7		-30.24	-30.71	-30.48	-29.36		-1.31
	8		-30.41	-30.32	-29.88	-29.90		-1.83
	9		-29.41	-30.14	-29.84	-29.23		-1.18
	10		-31.30	-30.44	-29.36	-29.71		-1.31
	11		-30.86	-29.51	-30.01	-29.12		-1.07
	12		-30.11	-29.97	-30.10	-29.28		-1.23
	13		-29.26	-30.49	-29.22	-30.31		-1.17
	14		-29.53	-30.11	-30.91	-29.16		-1.10
	15		-29.81	-29.87	-29.99	-29.54		-1.49
	16		-30.57	-30.37	-29.68	-30.56		-1.63
	17		-30.42	-30.24	-30.98	-30.08		-2.03
	18		-30.57	-29.97	-30.44	-29.56		-1.51
	19		-30.73	-30.42	-30.60	-29.24		-1.19
	20		-30.33	-30.15	-30.80	-29.95		-1.90
	21		-30.68	-29.93	-29.88	-29.62		-1.56
	22		-30.91	-30.53	-30.08	-30.32		-2.03
	23		-30.10	-30.58	-29.90	-29.62		-1.56
	24		-31.08	-30.84	-30.53	-29.92		-1.87
	25		-29.79	-30.00	-29.90	-29.82		-1.74
	26		-30.33	-30.10	-30.07	-30.81		-2.02
	27		-30.04	-30.17	-30.21	-30.03		-1.97
	28		-29.98	-31.13	-31.06	-30.78		-1.93
	29		-30.57	-29.86	-29.47	-29.42		-1.37
	30		-29.68	-30.57	-30.00	-29.57		-1.52
	31		-30.02	-29.90	-30.36	-30.42		-1.85
High	0	2180 to 2181 MHz	-30.31	-29.87	-29.71	-30.34	-28.05	-1.66
	1		-29.55	-29.12	-29.82	-30.48		-1.07
	2		-30.03	-30.17	-30.25	-30.75		-1.98
	3		-30.34	-29.64	-29.84	-31.49		-1.59
	4		-29.84	-30.04	-29.81	-31.57		-1.76
	5		-30.53	-29.69	-30.02	-30.51		-1.64
	6		-30.41	-30.04	-30.05	-30.43		-1.98
	7		-29.54	-30.77	-30.17	-30.84		-1.48
	8		-30.71	-30.93	-30.23	-30.80		-2.18
	9		-30.05	-29.88	-29.95	-31.06		-1.83
	10		-29.16	-30.00	-30.04	-30.01		-1.11
	11		-29.51	-29.45	-29.35	-29.63		-1.30
	12		-29.44	-29.47	-29.70	-30.70		-1.39
	13		-30.49	-29.40	-29.87	-30.47		-1.35
	14		-29.98	-29.69	-29.77	-30.64		-1.64
	15		-30.02	-29.31	-29.24	-30.42		-1.19
	16		-30.70	-30.91	-29.74	-30.39		-1.69
	17		-29.09	-29.69	-30.04	-30.88		-1.04
	18		-30.13	-29.94	-30.06	-30.15		-1.89
	19		-29.70	-29.50	-30.68	-31.04		-1.44
	20		-30.54	-30.22	-29.58	-31.02		-1.53
	21		-30.17	-30.14	-30.29	-30.84		-2.09
	22		-29.90	-29.93	-29.67	-30.75		-1.61
	23		-29.48	-29.71	-29.94	-30.65		-1.43
	24		-30.77	-29.84	-29.94	-29.68		-1.63
	25		-29.74	-29.50	-30.00	-30.62		-1.45
	26		-29.83	-29.84	-29.88	-30.92		-1.78
	27		-30.59	-29.58	-29.72	-30.62		-1.53
	28		-29.59	-30.12	-30.74	-31.04		-1.53
	29		-30.43	-29.44	-30.14	-31.00		-1.39
	30		-29.45	-30.07	-29.35	-30.13		-1.30
	31		-30.29	-29.39	-29.97	-29.93		-1.34

Table 8-125. Band Edge Emission Summary Data (NR_n66_1C_25M)

**CTK Co., Ltd.**

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si, Gyeonggi-do,
17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2025-03129-1
Page (268) / (480) pages

Edge	Port	Measured Range	Max. Value (dBm)				Limit (dBm)	Worst Margin (dB)
			QPSK	16QAM	64QAM	256QAM		
Low	0	2109 to 2110 MHz	-30.27	-30.54	-30.86	-29.86	-28.05	-1.80
	1		-29.71	-30.32	-30.61	-30.26		-1.66
	2		-30.90	-30.67	-29.77	-30.50		-1.72
	3		-30.78	-30.63	-30.65	-29.83		-1.78
	4		-29.67	-30.75	-30.18	-30.65		-1.62
	5		-30.03	-30.23	-29.39	-30.44		-1.34
	6		-31.06	-30.10	-30.35	-30.44		-2.05
	7		-30.60	-30.90	-30.46	-30.64		-2.41
	8		-30.63	-30.46	-30.72	-30.81		-2.41
	9		-30.22	-30.23	-29.85	-30.04		-1.80
	10		-29.93	-30.05	-30.26	-30.26		-1.87
	11		-30.83	-31.05	-30.16	-29.70		-1.65
	12		-30.27	-29.96	-29.90	-31.10		-1.85
	13		-30.30	-29.20	-30.00	-29.99		-1.15
	14		-30.30	-30.53	-29.96	-30.10		-1.90
	15		-30.35	-30.52	-29.17	-30.08		-1.12
	16		-29.74	-30.31	-30.94	-30.69		-1.69
	17		-30.08	-30.67	-29.69	-29.96		-1.64
	18		-30.57	-29.99	-30.80	-30.84		-1.94
	19		-29.77	-30.90	-30.35	-29.66		-1.61
	20		-30.76	-30.78	-31.04	-31.08		-2.70
	21		-29.87	-31.06	-30.24	-31.23		-1.82
	22		-31.26	-30.58	-30.65	-30.47		-2.41
	23		-30.02	-30.41	-29.99	-30.04		-1.94
	24		-31.03	-31.13	-30.12	-31.10		-2.07
	25		-29.90	-30.14	-29.91	-30.44		-1.85
	26		-30.54	-30.02	-30.85	-30.10		-1.96
	27		-30.19	-30.32	-30.57	-30.09		-2.04
	28		-30.87	-31.55	-30.55	-31.47		-2.50
	29		-30.12	-30.72	-30.19	-30.56		-2.07
	30		-30.52	-30.32	-31.26	-30.56		-2.26
	31		-29.63	-30.31	-29.87	-30.16		-1.57
High	0	2180 to 2181 MHz	-30.00	-30.40	-29.94	-30.11	-28.05	-1.89
	1		-30.02	-29.56	-30.33	-30.33		-1.51
	2		-30.61	-29.79	-29.91	-30.36		-1.74
	3		-30.16	-30.20	-30.33	-30.52		-2.10
	4		-29.33	-30.50	-30.94	-30.47		-1.28
	5		-30.21	-30.91	-30.31	-30.15		-2.10
	6		-30.25	-29.99	-31.38	-30.01		-1.94
	7		-30.80	-29.96	-30.97	-29.92		-1.87
	8		-30.25	-30.11	-31.00	-31.11		-2.06
	9		-30.14	-29.37	-30.89	-29.95		-1.32
	10		-30.05	-30.06	-30.95	-30.32		-2.00
	11		-30.31	-29.68	-30.71	-30.65		-1.63
	12		-30.58	-29.96	-30.06	-30.49		-1.90
	13		-29.71	-29.29	-30.01	-30.94		-1.24
	14		-30.13	-30.47	-30.43	-30.54		-2.08
	15		-30.47	-30.39	-29.68	-30.14		-1.63
	16		-30.21	-30.36	-30.08	-30.68		-2.03
	17		-30.23	-30.07	-30.53	-30.14		-2.02
	18		-30.13	-29.29	-30.40	-30.71		-1.24
	19		-30.03	-29.05	-29.88	-30.37		-1.00
	20		-30.04	-29.95	-30.48	-30.18		-1.89
	21		-30.09	-30.57	-30.51	-30.96		-2.04
	22		-30.70	-29.49	-30.80	-30.25		-1.44
	23		-30.61	-30.25	-30.06	-29.86		-1.81
	24		-30.51	-30.14	-31.07	-30.50		-2.09
	25		-29.53	-30.32	-30.71	-30.38		-1.48
	26		-30.62	-29.89	-30.08	-30.46		-1.84
	27		-29.28	-29.97	-30.54	-30.05		-1.22
	28		-31.29	-30.73	-30.69	-30.30		-2.24
	29		-29.97	-30.22	-30.88	-30.26		-1.92
	30		-29.96	-29.34	-30.68	-30.22		-1.29
	31		-30.25	-29.69	-30.13	-30.16		-1.63

Table 8-126. Band Edge Emission Summary Data (NR_n66_1C_30M)

**CTK Co., Ltd.**

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si, Gyeonggi-do,
17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2025-03129-1
Page (269) / (480) pages

Edge	Port	Measured Range	Max. Value (dBm)				Limit (dBm)	Worst Margin (dB)
			QPSK	16QAM	64QAM	256QAM		
Low	0	2109 to 2110 MHz	-32.12	-33.01	-32.76	-31.60	-25.05	-3.55
	1		-32.60	-32.12	-32.04	-32.40		-3.98
	2		-32.14	-32.47	-32.03	-32.44		-3.98
	3		-31.40	-32.28	-32.33	-33.04		-3.35
	4		-32.80	-31.92	-32.04	-32.40		-3.87
	5		-31.70	-32.06	-32.49	-32.46		-3.65
	6		-32.40	-32.21	-33.29	-31.56		-3.51
	7		-32.06	-32.74	-32.42	-33.05		-4.01
	8		-31.39	-32.01	-32.28	-32.85		-3.34
	9		-32.44	-31.31	-31.81	-32.10		-3.25
	10		-33.37	-32.70	-32.48	-33.03		-4.42
	11		-32.43	-31.80	-31.91	-32.09		-3.74
	12		-32.47	-33.01	-32.22	-31.88		-3.83
	13		-31.57	-31.14	-32.15	-32.07		-3.09
	14		-32.07	-31.61	-32.43	-32.90		-3.56
	15		-32.39	-32.54	-31.65	-32.24		-3.60
	16		-33.38	-32.59	-32.25	-33.63		-4.19
	17		-32.18	-32.44	-32.22	-31.91		-3.85
	18		-31.49	-32.44	-32.62	-32.57		-3.44
	19		-32.61	-32.86	-32.48	-32.69		-4.42
	20		-32.30	-32.18	-31.94	-30.83		-2.78
	21		-32.69	-32.19	-32.97	-33.66		-4.13
	22		-32.41	-32.07	-32.20	-31.86		-3.81
	23		-32.56	-31.75	-31.92	-31.60		-3.54
	24		-32.69	-32.46	-32.09	-32.37		-4.04
	25		-32.08	-32.10	-33.76	-31.94		-3.89
	26		-32.10	-32.33	-31.44	-31.67		-3.38
	27		-31.61	-32.52	-31.44	-32.62		-3.39
	28		-32.09	-31.84	-33.40	-32.38		-3.79
	29		-32.64	-33.03	-31.53	-32.19		-3.47
	30		-32.05	-33.05	-32.70	-32.12		-4.00
	31		-32.21	-32.33	-31.54	-32.50		-3.49
High	0	2180 to 2181 MHz	-31.51	-32.16	-31.45	-32.01	-25.05	-3.40
	1		-30.51	-31.87	-31.54	-31.71		-2.46
	2		-32.44	-31.30	-31.78	-32.04		-3.25
	3		-32.09	-31.35	-31.73	-33.02		-3.30
	4		-31.53	-32.17	-31.93	-31.94		-3.48
	5		-31.66	-31.69	-31.33	-32.17		-3.28
	6		-31.01	-31.50	-31.41	-32.20		-2.96
	7		-31.44	-31.68	-31.86	-31.90		-3.38
	8		-31.16	-32.24	-31.90	-32.27		-3.10
	9		-32.19	-31.95	-31.31	-31.65		-3.26
	10		-32.02	-31.93	-32.42	-32.53		-3.88
	11		-31.53	-31.42	-31.06	-31.82		-3.01
	12		-31.71	-31.01	-31.49	-31.40		-2.96
	13		-31.33	-31.17	-31.19	-30.95		-2.90
	14		-31.23	-31.55	-31.96	-31.83		-3.17
	15		-31.78	-30.82	-31.76	-31.52		-2.77
	16		-31.72	-31.05	-31.90	-31.75		-3.00
	17		-32.93	-32.15	-31.40	-31.97		-3.35
	18		-31.39	-30.68	-31.97	-32.02		-2.63
	19		-32.50	-30.94	-31.75	-31.23		-2.89
	20		-31.75	-31.76	-31.14	-32.31		-3.08
	21		-31.39	-31.33	-30.95	-32.51		-2.89
	22		-31.77	-31.61	-31.85	-32.16		-3.56
	23		-31.62	-31.28	-31.39	-31.79		-3.23
	24		-31.61	-30.26	-31.24	-31.48		-2.20
	25		-32.77	-31.59	-31.51	-32.58		-3.46
	26		-31.63	-31.97	-30.84	-31.70		-2.79
	27		-32.88	-31.38	-31.54	-31.16		-3.10
	28		-31.33	-30.85	-31.45	-31.84		-2.80
	29		-31.49	-31.71	-32.56	-31.52		-3.43
	30		-31.81	-31.16	-31.30	-32.88		-3.11
	31		-31.49	-31.27	-31.50	-31.80		-3.22

Table 8-127. Band Edge Emission Summary Data (DSS_B/n66_1C_10M)



CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si, Gyeonggi-do,
17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2025-03129-1
Page (270) / (480) pages

Edge	Port	Measured Range	Max. Value (dBm)				Limit (dBm)	Worst Margin (dB)
			QPSK	16QAM	64QAM	256QAM		
Low	0	2109 to 2110 MHz	-34.25	-33.71	-33.16	-33.76	-28.05	-5.11
	1		-33.79	-34.26	-33.49	-33.46		-5.41
	2		-33.42	-33.75	-32.61	-32.89		-4.55
	3		-34.75	-34.86	-33.64	-33.08		-5.03
	4		-32.38	-33.10	-33.44	-33.97		-4.33
	5		-34.62	-33.56	-33.85	-33.76		-5.51
	6		-34.54	-34.16	-32.94	-33.44		-4.88
	7		-33.35	-33.62	-32.66	-34.10		-4.61
	8		-33.25	-33.51	-33.59	-33.52		-5.20
	9		-32.88	-33.50	-32.89	-33.42		-4.83
	10		-33.27	-34.11	-33.55	-32.17		-4.11
	11		-34.44	-34.33	-32.60	-32.52		-4.47
	12		-33.67	-34.56	-33.59	-32.39		-4.34
	13		-34.12	-33.10	-33.17	-33.77		-5.05
	14		-34.04	-34.66	-33.77	-33.45		-5.40
	15		-33.48	-32.90	-33.70	-33.56		-4.85
	16		-34.77	-34.40	-34.32	-33.94		-5.89
	17		-34.42	-33.68	-33.84	-33.65		-5.60
	18		-34.25	-34.05	-32.95	-32.83		-4.78
	19		-32.92	-33.61	-33.20	-33.85		-4.87
	20		-33.61	-34.33	-32.74	-34.14		-4.68
	21		-34.46	-33.88	-33.69	-33.86		-5.64
	22		-33.28	-33.43	-34.45	-32.76		-4.71
	23		-33.67	-33.87	-34.57	-33.81		-5.62
	24		-33.86	-33.87	-34.33	-33.58		-5.52
	25		-34.16	-34.12	-34.98	-34.30		-6.07
	26		-34.54	-33.73	-33.15	-33.83		-5.10
	27		-32.96	-33.58	-32.14	-33.46		-4.09
	28		-33.24	-33.97	-32.64	-32.52		-4.47
	29		-33.57	-34.03	-33.45	-34.15		-5.40
	30		-33.41	-33.19	-33.57	-32.48		-4.43
	31		-33.67	-33.90	-33.74	-33.23		-5.17
High	0	2180 to 2181 MHz	-34.41	-33.95	-33.78	-33.89	-28.05	-5.72
	1		-33.66	-34.00	-33.84	-31.93		-3.88
	2		-33.17	-33.49	-34.09	-33.37		-5.11
	3		-34.07	-34.18	-33.95	-32.99		-4.94
	4		-32.47	-33.36	-33.40	-32.61		-4.42
	5		-32.99	-32.93	-32.94	-32.62		-4.57
	6		-34.14	-33.80	-33.69	-32.57		-4.52
	7		-33.78	-33.91	-34.00	-33.83		-5.72
	8		-33.56	-32.25	-34.14	-32.36		-4.20
	9		-33.65	-34.33	-33.54	-33.12		-5.07
	10		-34.13	-34.57	-34.34	-33.65		-5.60
	11		-33.41	-33.87	-33.51	-32.46		-4.41
	12		-32.89	-33.62	-33.93	-32.53		-4.48
	13		-33.47	-34.16	-34.16	-32.92		-4.86
	14		-34.10	-34.16	-33.93	-33.58		-5.53
	15		-33.30	-33.36	-33.91	-32.31		-4.26
	16		-34.26	-34.75	-33.89	-34.75		-5.83
	17		-33.55	-34.22	-34.32	-33.14		-5.09
	18		-32.95	-33.63	-33.33	-32.86		-4.81
	19		-33.77	-34.19	-34.05	-33.15		-5.09
	20		-33.24	-33.61	-34.11	-32.84		-4.79
	21		-33.30	-34.13	-33.96	-32.52		-4.47
	22		-33.29	-33.66	-34.49	-32.61		-4.56
	23		-32.99	-33.99	-33.72	-32.62		-4.57
	24		-33.42	-33.86	-34.53	-33.41		-5.36
	25		-33.19	-34.55	-33.83	-32.50		-4.45
	26		-33.51	-34.03	-34.44	-33.22		-5.17
	27		-33.49	-34.08	-33.60	-32.40		-4.35
	28		-33.63	-33.35	-33.13	-32.25		-4.20
	29		-33.83	-33.83	-33.62	-32.75		-4.70
	30		-33.79	-33.78	-34.27	-32.59		-4.54
	31		-32.50	-34.25	-34.12	-32.80		-4.45

Table 8-128. Band Edge Emission Summary Data (DSS_B/n66_1C_15M)

**CTK Co., Ltd.**

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si, Gyeonggi-do,
17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2025-03129-1
Page (271) / (480) pages

Edge	Port	Measured Range	Max. Value (dBm)				Limit (dBm)	Worst Margin (dB)
			QPSK	16QAM	64QAM	256QAM		
Low	0	2109 to 2110 MHz	-34.38	-34.75	-35.05	-35.19	-28.05	-6.33
	1		-34.08	-33.62	-34.17	-33.72		-5.57
	2		-34.96	-34.35	-35.53	-35.04		-6.30
	3		-34.42	-34.29	-34.65	-34.99		-6.23
	4		-33.92	-33.19	-34.14	-34.10		-5.14
	5		-33.07	-33.69	-34.07	-34.02		-5.01
	6		-34.38	-33.85	-34.51	-33.94		-5.80
	7		-33.92	-34.41	-34.92	-35.42		-5.87
	8		-32.90	-35.06	-33.28	-33.82		-4.85
	9		-34.64	-34.60	-34.58	-34.08		-6.02
	10		-34.58	-35.87	-34.89	-34.64		-6.53
	11		-34.13	-34.14	-32.94	-34.76		-4.89
	12		-33.47	-35.03	-34.27	-34.48		-5.42
	13		-33.76	-34.10	-33.63	-34.18		-5.58
	14		-34.62	-34.67	-35.18	-34.31		-6.26
	15		-33.41	-34.49	-34.86	-34.36		-5.36
	16		-34.42	-35.18	-36.21	-34.97		-6.37
	17		-33.59	-34.73	-35.96	-35.72		-5.54
	18		-33.45	-34.30	-33.71	-35.04		-5.40
	19		-34.34	-34.70	-33.83	-34.11		-5.78
	20		-33.21	-35.10	-35.16	-34.63		-5.16
	21		-34.39	-34.98	-34.73	-34.77		-6.34
	22		-34.38	-34.83	-35.15	-35.10		-6.33
	23		-33.10	-34.04	-34.17	-34.40		-5.05
	24		-33.88	-34.99	-34.37	-33.69		-5.64
	25		-34.54	-35.31	-35.16	-33.72		-5.66
	26		-34.30	-35.14	-34.62	-34.46		-6.24
	27		-34.42	-34.22	-34.44	-34.86		-6.17
	28		-33.60	-34.73	-33.62	-34.29		-5.55
	29		-35.27	-34.17	-34.60	-33.96		-5.91
	30		-33.84	-34.38	-34.07	-35.01		-5.79
	31		-34.34	-35.31	-34.30	-34.55		-6.25
High	0	2180 to 2181 MHz	-34.09	-33.98	-34.74	-33.82	-28.05	-5.76
	1		-33.19	-33.04	-33.63	-32.93		-4.88
	2		-33.23	-34.06	-33.56	-33.73		-5.18
	3		-33.85	-34.10	-34.43	-34.54		-5.80
	4		-33.23	-33.87	-33.88	-33.37		-5.18
	5		-32.98	-34.73	-33.42	-33.77		-4.93
	6		-33.52	-33.97	-33.65	-34.59		-5.47
	7		-33.21	-33.36	-33.87	-34.09		-5.16
	8		-34.29	-34.09	-31.76	-32.47		-3.71
	9		-33.56	-33.72	-34.34	-34.21		-5.51
	10		-33.01	-32.97	-34.83	-33.77		-4.91
	11		-33.90	-34.83	-35.42	-33.60		-5.55
	12		-33.14	-33.72	-33.92	-34.48		-5.09
	13		-33.22	-34.34	-34.66	-34.40		-5.17
	14		-33.26	-34.93	-34.02	-33.74		-5.20
	15		-33.15	-34.02	-34.09	-34.41		-5.10
	16		-33.65	-34.94	-35.49	-34.19		-5.60
	17		-33.67	-33.43	-34.66	-34.42		-5.37
	18		-33.34	-33.80	-33.73	-32.84		-4.79
	19		-34.58	-35.15	-33.76	-34.72		-5.71
	20		-33.13	-34.11	-34.32	-33.18		-5.08
	21		-33.46	-34.86	-34.84	-33.47		-5.41
	22		-34.13	-33.68	-35.03	-34.31		-5.63
	23		-31.87	-33.42	-33.26	-33.01		-3.82
	24		-32.72	-33.31	-34.33	-33.62		-4.67
	25		-33.35	-34.42	-34.79	-34.41		-5.30
	26		-35.47	-33.37	-34.06	-33.90		-5.32
	27		-32.31	-34.30	-34.95	-34.09		-4.26
	28		-33.46	-33.22	-32.33	-32.52		-4.28
	29		-33.45	-35.43	-33.07	-33.88		-5.02
	30		-33.86	-34.28	-35.06	-34.10		-5.81
	31		-34.38	-33.83	-34.75	-33.10		-5.05

Table 8-129. Band Edge Emission Summary Data (DSS_B/n66_1C_20M)

**CTK Co., Ltd.**

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si, Gyeonggi-do,
17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2025-03129-1
Page (272) / (480) pages

Edge	Port	Measured Range	Max. Value (dBm)_QPSK	Limit (dBm)	Worst Margin (dB)
			LTE_B66_2C_10M+10M		
Low	4	2109 to 2110 MHz	-31.11	-28.05	-3.06
	7		-31.03		-2.98
	8		-31.60		-3.55
	25		-31.29		-3.24
High	4	2180 to 2181 MHz	-31.00		-2.95
	7		-31.06		-3.01
	8		-31.01		-2.96
	25		-30.86		-2.81
Edge	Port	Measured Range	Max. Value (dBm))_QPSK	Limit (dBm)	Worst Margin (dB)
			LTE_B66_4C_5M+15M+20M+20M		
Low	0	2109 to 2110 MHz	-30.04	-28.05	-1.98
	3		-30.96		-2.91
	13		-29.47		-1.42
	14		-30.13		-2.08
High	0	2180 to 2181 MHz	-32.38		-4.33
	3		-29.89		-1.84
	13		-30.89		-2.84
	14		-28.98		-0.93
Edge	Port	Measured Range	Max. Value (dBm))_QPSK	Limit (dBm)	Worst Margin (dB)
			NR_n66_2C_10M+10M		
Low	11	2109 to 2110 MHz	-31.39	-28.05	-3.33
	12		-30.03		-1.98
	17		-29.98		-1.93
	18		-30.26		-2.21
High	11	2180 to 2181 MHz	-30.32		-2.27
	12		-29.20		-1.15
	17		-30.56		-2.51
	18		-29.90		-1.85
Edge	Port	Measured Range	Max. Value (dBm))_QPSK	Limit (dBm)	Worst Margin (dB)
			NR_n66_4C_5M+15M+20M+20M		
Low	0	2109 to 2110 MHz	-30.88	-28.05	-2.83
	7		-30.48		-2.42
	12		-30.60		-2.55
	13		-30.22		-2.17
High	0	2180 to 2181 MHz	-33.51		-5.46
	7		-32.77		-4.72
	12		-32.96		-4.91
	13		-33.44		-5.39

Table 8-130. Band Edge Emission Summary Data (B/n66_Multi-carrier_Configurations)

**CTK Co., Ltd.**

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si, Gyeonggi-do,
17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2025-03129-1
Page (273) / (480) pages

Edge	Port	Measured Range	Max. Value (dBm)_QPSK	Limit (dBm)	Worst Margin (dB)
			MSR_B/n66_3C_LTE 5M+NR 5M+DSS 10M		
Low	2	2109 to 2110 MHz	-29.22	-28.05	-1.17
	5		-29.35		-1.29
	9		-29.29		-1.24
	12		-28.58		-0.53
High	2	2180 to 2181 MHz	-30.98		-2.92
	5		-31.38		-3.33
	9		-31.23		-3.18
	12		-30.03		-1.98
Edge	Port	Measured Range	Max. Value (dBm)_QPSK	Limit (dBm)	Worst Margin (dB)
			MSR_B/n66_4C_LTE 10M+NR 10M+NR 20M+DSS 20M		
Low	1	2109 to 2110 MHz	-31.98	-28.05	-3.93
	4		-31.95		-3.90
	12		-30.93		-2.88
	13		-31.54		-3.49
High	1	2180 to 2181 MHz	-29.51		-1.46
	4		-29.85		-1.80
	12		-30.69		-2.64
	13		-29.84		-1.78

Table 8-131. Band Edge Emission Summary Data (B/n66_MSR_Configurations)



CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si, Gyeonggi-do,
17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2025-03129-1
Page (274) / (480) pages

Edge	Port	Measured Range	Max. Value (dBm)_QPSK	Limit (dBm)	Worst Margin (dB)
			LTE_B66_2NC_10M+10M		
Low	4	2109 to 2110 MHz	-30.54	-28.05	-2.49
	7		-30.02		-1.97
	8		-31.03		-2.98
	25		-30.78		-2.73
High	4	2180 to 2181 MHz	-30.46		-2.41
	7		-29.60		-1.55
	8		-31.17		-3.12
	25		-30.73		-2.68
Edge	Port	Measured Range	Max. Value (dBm)_QPSK	Limit (dBm)	Worst Margin (dB)
			LTE_B66_4NC_5M+15M+20M+20M		
Low	0	2109 to 2110 MHz	-29.57	-28.05	-1.52
	3		-30.85		-2.80
	13		-30.27		-2.22
	14		-29.33		-1.28
High	0	2180 to 2181 MHz	-31.77		-3.72
	3		-34.09		-6.04
	13		-33.34		-5.29
	14		-30.05		-2.00
Edge	Port	Measured Range	Max. Value (dBm)_QPSK	Limit (dBm)	Worst Margin (dB)
			NR_n66_2NC_10M+10M		
Low	11	2109 to 2110 MHz	-29.88	-28.05	-1.83
	12		-29.45		-1.40
	17		-29.69		-1.63
	18		-30.08		-2.03
High	11	2180 to 2181 MHz	-29.80		-1.74
	12		-29.96		-1.91
	17		-29.66		-1.61
	18		-30.37		-2.32
Edge	Port	Measured Range	Max. Value (dBm)_QPSK	Limit (dBm)	Worst Margin (dB)
			NR_n66_4NC_5M+15M+20M+20M		
Low	0	2109 to 2110 MHz	-30.80	-28.05	-2.75
	7		-30.72		-2.67
	12		-30.81		-2.76
	13		-30.20		-2.15
High	0	2180 to 2181 MHz	-33.65		-5.59
	7		-32.59		-4.54
	12		-34.16		-6.11
	13		-33.99		-5.93

Table 8-132. Band Edge Emission Summary Data (B66_Multi-carrier_Non-Contiguous)



CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si, Gyeonggi-do,
17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2025-03129-1
Page (275) / (480) pages

Edge	Port	Measured Range	Max. Value (dBm)_QPSK	Limit (dBm)	Worst Margin (dB)
			MSR_B/n66_3NC_LTE 5M+NR 5M+DSS 10M		
Low	2	2109 to 2110 MHz	-29.00	-28.05	-0.95
	5		-29.03		-0.98
	9		-28.86		-0.81
	12		-28.85		-0.79
High	2	2180 to 2181 MHz	-31.66		-3.60
	5		-29.94		-1.89
	9		-31.39		-3.34
	12		-30.02		-1.96
Edge	Port	Measured Range	Max. Value (dBm)_QPSK	Limit (dBm)	Worst Margin (dB)
			MSR_B/n66_4NC_LTE 10M+NR 10M+NR 20M+DSS 20M		
Low	1	2109 to 2110 MHz	-31.50	-28.05	-3.44
	4		-31.72		-3.67
	12		-31.32		-3.27
	13		-31.24		-3.18
High	1	2180 to 2181 MHz	-30.54		-2.49
	4		-30.84		-2.79
	12		-30.53		-2.48
	13		-29.15		-1.10

Table 8-133. Band Edge Emission Summary Data (B/n66_MSR_Non-Contiguous)




CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si, Gyeonggi-do,
17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2025-03129-1
Page (276) / (480) pages




Plot 8-191. Band Edge Emission Summary Data Plot
(LTE_B25_1C_5M_QPSK - Low Edge, Port 27)



Plot 8-192. Band Edge Emission Summary Data Plot
(LTE_B25_1C_5M_256QAM - High Edge, Port 22)



Plot 8-193. Band Edge Emission Summary Data Plot
(LTE_B25_1C_10M_64QAM - Low Edge, Port 27)



Plot 8-194. Band Edge Emission Summary Data Plot
(LTE_B25_1C_10M_QPSK - High Edge, Port 10)



Plot 8-195. Band Edge Emission Summary Data Plot
(LTE_B25_1C_15M_64QAM - Low Edge, Port 8)




Plot 8-196. Band Edge Emission Summary Data Plot
(LTE_B25_1C_15M_64QAM - High Edge, Port 8)




CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si, Gyeonggi-do,
17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2025-03129-1
Page (277) / (480) pages




Plot 8-197. Band Edge Emission Summary Data Plot
(LTE_B25_1C_20M_QPSK - Low Edge, Port 8)



Plot 8-198. Band Edge Emission Summary Data Plot
(LTE_B25_1C_20M_QPSK - High Edge, Port 8)



Plot 8-199. Band Edge Emission Summary Data Plot
(NR_n25_1C_5M_QPSK - Low Edge, Port 27)



Plot 8-200. Band Edge Emission Summary Data Plot
(NR_n25_1C_5M_256QAM - High Edge, Port 22)



Plot 8-201. Band Edge Emission Summary Data Plot
(NR_n25_1C_10M_16QAM - Low Edge, Port 1)




Plot 8-202. Band Edge Emission Summary Data Plot
(NR_n25_1C_10M_16QAM - High Edge, Port 30)




CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si, Gyeonggi-do,
17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2025-03129-1
Page (278) / (480) pages




Plot 8-203. Band Edge Emission Summary Data Plot
(NR_n25_1C_15M_256QAM - Low Edge, Port 8)




Plot 8-204. Band Edge Emission Summary Data Plot
(NR_n25_1C_15M_QPSK - High Edge, Port 25)



Plot 8-205. Band Edge Emission Summary Data Plot
(NR_n25_1C_20M_QPSK - Low Edge, Port 22)



Plot 8-206. Band Edge Emission Summary Data Plot
(NR_n25_1C_20M_16QAM - High Edge, Port 7)



Plot 8-207. Band Edge Emission Summary Data Plot
(NR_n25_1C_25M_16QAM - Low Edge, Port 14)




Plot 8-208. Band Edge Emission Summary Data Plot
(NR_n25_1C_25M_256QAM - High Edge, Port 27)




CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si, Gyeonggi-do,
17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2025-03129-1
Page (279) / (480) pages



Plot 8-209. Band Edge Emission Summary Data Plot
(NR_n25_1C_30M_16QAM - Low Edge, Port 30)



Plot 8-210. Band Edge Emission Summary Data Plot
(NR_n25_1C_30M_64QAM - High Edge, Port 10)



Plot 8-211. Band Edge Emission Summary Data Plot
(DSS_B/n25_1C_10M_16QAM - Low Edge, Port 25)



Plot 8-212. Band Edge Emission Summary Data Plot
(DSS_B/n25_1C_10M_64QAM - High Edge, Port 5)



Plot 8-213. Band Edge Emission Summary Data Plot
(DSS_B/n25_1C_15M_256QAM - Low Edge, Port 4)








Plot 8-214. Band Edge Emission Summary Data Plot
(DSS_B/n25_1C_15M_64QAM - High Edge, Port 12)



CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si, Gyeonggi-do,
17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2025-03129-1
Page (280) / (480) pages









CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si, Gyeonggi-do,
17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2025-03129-1
Page (281) / (480) pages







CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si, Gyeonggi-do,
17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2025-03129-1
Page (282) / (480) pages




Plot 8-225. Band Edge Emission Summary Data Plot
(LTE_B66_1C_5M_64QAM - Low Edge, Port 7)




Plot 8-226. Band Edge Emission Summary Data Plot
(LTE_B66_1C_5M_16QAM - High Edge, Port 20)




Plot 8-227. Band Edge Emission Summary Data Plot
(LTE_B66_1C_10M_64QAM - Low Edge, Port 0)



Plot 8-228. Band Edge Emission Summary Data Plot
(LTE_B66_1C_10M_256QAM - High Edge, Port 5)



Plot 8-229. Band Edge Emission Summary Data Plot
(LTE_B66_1C_15M_16QAM - Low Edge, Port 5)



Plot 8-230. Band Edge Emission Summary Data Plot
(LTE_B66_1C_15M_256QAM - High Edge, Port 5)