





CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si, Gyeonggi-do,
17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2025-03129-1
Page (283) / (480) pages




Plot 8-231. Band Edge Emission Summary Data Plot
(LTE_B66_1C_20M_16QAM - Low Edge, Port 0)



Plot 8-232. Band Edge Emission Summary Data Plot
(LTE_B66_1C_20M_16QAM - High Edge, Port 5)



Plot 8-233. Band Edge Emission Summary Data Plot
(NR_n66_1C_5M_256QAM - Low Edge, Port 5)



Plot 8-234. Band Edge Emission Summary Data Plot
(NR_n66_1C_5M_16QAM - High Edge, Port 0)



Plot 8-235. Band Edge Emission Summary Data Plot
(NR_n66_1C_10M_256QAM - Low Edge, Port 14)




Plot 8-236. Band Edge Emission Summary Data Plot
(NR_n66_1C_10M_64QAM - High Edge, Port 12)




CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si, Gyeonggi-do,
17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2025-03129-1
Page (284) / (480) pages




Plot 8-237. Band Edge Emission Summary Data Plot
(NR_n66_1C_15M_16QAM - Low Edge, Port 7)




Plot 8-238. Band Edge Emission Summary Data Plot
(NR_n25_1C_15M_QPSK - High Edge, Port 7)




Plot 8-239. Band Edge Emission Summary Data Plot
(NR_n66_1C_20M_QPSK - Low Edge, Port 19)



Plot 8-240. Band Edge Emission Summary Data Plot
(NR_n66_1C_20M_QPSK - High Edge, Port 1)



Plot 8-241. Band Edge Emission Summary Data Plot
(NR_n66_1C_25M_256QAM - Low Edge, Port 11)




Plot 8-242. Band Edge Emission Summary Data Plot
(NR_n66_1C_25M_QPSK - High Edge, Port 17)




CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si, Gyeonggi-do,
17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2025-03129-1
Page (285) / (480) pages




Plot 8-243. Band Edge Emission Summary Data Plot
(NR_n66_1C_30M_64QAM - Low Edge, Port 15)



Plot 8-244. Band Edge Emission Summary Data Plot
(NR_n66_1C_30M_16QAM - High Edge, Port 19)



Plot 8-245. Band Edge Emission Summary Data Plot
(DSS_B/n66_1C_10M_256QAM - Low Edge, Port 20)



Plot 8-246. Band Edge Emission Summary Data Plot
(DSS_B/n66_1C_10M_16QAM - High Edge, Port 24)



Plot 8-247. Band Edge Emission Summary Data Plot
(DSS_B/n66_1C_15M_64QAM - Low Edge, Port 27)




Plot 8-248. Band Edge Emission Summary Data Plot
(DSS_B/n66_1C_15M_256QAM - High Edge, Port 1)




CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si, Gyeonggi-do,
17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2025-03129-1
Page (286) / (480) pages




Plot 8-249. Band Edge Emission Summary Data Plot
(DSS_B/n66_1C_20M_QPSK - Low Edge, Port 8)




Plot 8-250. Band Edge Emission Summary Data Plot
(DSS_B/n66_1C_20M_64QAM - High Edge, Port 8)




Plot 8-251. Band Edge Emission Summary Data Plot
(LTE_B/66_4C_5M+15M+20M+20M_QPSK - Low Edge, Port 13)



Plot 8-252. Band Edge Emission Summary Data Plot
(LTE_B/66_4C_5M+15M+20M+20M_QPSK - High Edge, Port 14)



Plot 8-253. Band Edge Emission Summary Data Plot
(MSR_B/n66_3C_LTE 5M+NR 5M+DSS 10M_QPSK - Low Edge, Port 12)




Plot 8-254. Band Edge Emission Summary Data Plot
(MSR_B/n66_4C_LTE 10M+NR 10M+NR 20M+DSS 20M_QPSK - High Edge, Port 1)




CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si, Gyeonggi-do,
17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2025-03129-1
Page (287) / (480) pages




Plot 8-255. Band Edge Emission Summary Data Plot
(LTE_B66_4NC_5M+15M+20M+20M_QPSK - Low Edge,
Port 14)



Plot 8-256. Band Edge Emission Summary Data Plot
(NR_n66_2NC_10M+10M_QPSK - High Edge, Port 7)



Plot 8-257. Band Edge Emission Summary Data Plot
(MSR_B/n66_3NC_LTE 5M+NR 5M+DSS 10M_QPSK - Low
Edge, Port 12)



Plot 8-258. Band Edge Emission Summary Data Plot
(MSR_B/n66_4NC_LTE 10M+NR 10M+NR 20M+DSS
20M_QPSK - High Edge, Port 13)

8.6 Spurious and Harmonic Emissions at Antenna Terminal

Test Overview

The level of the carrier and the various conducted spurious and harmonic frequencies is measured by means of a calibrated spectrum analyzer. The spectrum is scanned from the lowest frequency generated in the equipment up to a frequency including its 10th harmonic. All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.

Test Procedure Used

KDB 971168 D01 v03r01 – Section 6

KDB 662911 D01 v02r01 – Section E)3) Out-of-Band and Spurious Emission Measurements

a) Absolute Emission Limits

iii) Measure and add $10 \log(N_{ANT})$ dB

ANSI C63.26-2015 – Section 5.7

Test Setting

1. Start frequency was set to 9 kHz and stop frequency was set to at least $10 \times$ the fundamental frequency excluding the frequency range of the band edge measurement.
2. RBW: Please see test notes below.
3. $VBW \geq 3 \times RBW$
4. Detector = RMS
5. Number of sweep points $\geq 2 \times \text{Span}/RBW$
6. Trace mode = trace average
7. Sweep time = auto couple
8. The trace was allowed to stabilize

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 8-5. Test Instrument & Measurement Setup

**CTK Co., Ltd.**

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si, Gyeonggi-do,
17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2025-03129-1
Page (289) / (480) pages

Limit**§ 24.238**

(a) Out of band emissions. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

§ 27.53

(1) General protection levels. Except as otherwise specified below, for operations in the 1695–1710 MHz, 1710–1755 MHz, 1755–1780 MHz, 1915–1920 MHz, 1995–2000 MHz, 2000–2020 MHz, 2110–2155 MHz, 2155–2180 MHz, and 2180–2200 bands, the power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) in watts by at least $43 + 10 \log_{10}(P)$ dB.

Test Notes

1. Per Part 24, Compliance with these rules is based on the use of measurement instrumentation employing a resolution bandwidth of 1 MHz or greater. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. A narrower resolution bandwidth is permitted in all cases to improve measurement accuracy provided the measured power is integrated over the full required measurement bandwidth (i.e. 1 MHz or 1 percent of emission bandwidth, as specified). The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power.
2. Per Part 27, Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 megahertz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power.
3. The limits were adjusted by a factor of $[-10 \log(32)]$ dB to account for the device operation as a 32 port MIMO transmitter, as per FCC KDB 622911. MIMO Factor calculation as below:
 $MIMO \text{ Factor} = 10 \log(32) = 15.05 \text{ dB}$

**CTK Co., Ltd.**

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si, Gyeonggi-do,
17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2025-03129-1
Page (290) / (480) pages

4. Narrower RBW parameter is applied according to Section 5.7 of ANSI C63.26-2015 for some edge channels due to improving measurement accuracy. RBW Factor calculation as below:
- RBW Factor = $10 \cdot \log(1/0.001) = 30$ dB
 - RBW Factor = $10 \cdot \log(1/0.01) = 20$ dB
 - RBW Factor = $10 \cdot \log(1/0.1) = 10$ dB

Frequency range	Basic Limit (dBm/MHz)	MIMO Factor (dB)	References RBW (MHz)	Measurement RBW (MHz)	RBW Factor (dB)	Adjusted limit (dBm)
9 kHz to 150 kHz	-13.00	15.05	1	0.001	30	-58.05
150 kHz to 30 MHz				0.01	20	-48.05
30 MHz to 1 GHz				1	0	-28.05
1 GHz to 1.9 GHz				1	0	-28.05
1.9 GHz to 1.929 GHz				0.1	10	-38.05
1.996 GHz to 2 GHz* LTE_B25_1C_5M (Plot 8-264) mode only				1	0	-28.05
1.996 GHz to 2 GHz				0.1	10	-38.05
2 GHz to 22 GHz				1	0	-28.05

Note: Adjusted limit (dBm/MHz) = Basic limit (dBm/1MHz) - MIMO Factor - RBW Factor

B/n25 Spurious Emission Adjusted limit Table

Frequency range	Basic Limit (dBm/MHz)	MIMO Factor (dB)	References RBW (MHz)	Measurement RBW (MHz)	RBW Factor (dB)	Adjusted limit (dBm)
9 kHz to 150 kHz	-13.00	15.05	1	0.001	30	-58.05
150 kHz to 30 MHz				0.01	20	-48.05
30 MHz to 1 GHz				1	0	-28.05
1 GHz to 2.1 GHz				1	0	-28.05
2.1 GHz to 2.109 GHz				0.1	10	-38.05
2.181 GHz to 2.19 GHz				0.1	10	-38.05
2.19 GHz to 22 GHz				1	0	-28.05

Note: Adjusted limit (dBm/MHz) = Basic limit (dBm/1MHz) - MIMO Factor - RBW Factor

B/n66 Spurious Emission Adjusted limit Table

5. The test results were reported for the worst antenna port only.



CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si, Gyeonggi-do,
17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2025-03129-1
Page (291) / (480) pages

CH	Port	Measurement Range	Level (dBm)				Limit (dBm)	Worst Margin (dB)
			QPSK	16QAM	64QAM	256QAM		
Low	30	9 kHz to 150 kHz	-70.52	-71.10	-70.77	-70.68	-58.05	-12.47
		150 kHz to 30 MHz	-57.16	-56.19	-56.76	-56.65	-48.05	-8.14
		30 MHz to 1 GHz	-43.78	-43.88	-43.84	-43.57	-28.05	-15.52
		1 GHz to 1.9 GHz	-38.79	-38.76	-38.76	-38.92	-28.05	-10.71
		1.9 GHz to 1.929 GHz	-39.54	-39.24	-39.45	-40.13	-38.05	-1.19
		1.996 GHz to 2 GHz	-33.58	-33.81	-33.72	-33.91	-28.05	-5.53
		2 GHz to 6.2 GHz	-33.89	-33.53	-33.78	-33.62	-28.05	-5.48
		6.2 GHz to 18 GHz	-42.03	-42.15	-41.69	-42.05	-28.05	-13.64
		18 GHz to 22 GHz	-39.46	-40.09	-40.02	-40.09	-28.05	-11.41
Mid	30	9 kHz to 150 kHz	-70.75	-71.01	-70.60	-70.88	-58.05	-12.55
		150 kHz to 30 MHz	-56.14	-56.63	-57.03	-56.28	-48.05	-8.09
		30 MHz to 1 GHz	-43.78	-43.72	-43.63	-43.61	-28.05	-15.56
		1GHz to 1.9 GHz	-38.87	-38.90	-38.85	-38.73	-28.05	-10.68
		1.9 GHz to 1.929 GHz	-45.30	-44.72	-44.75	-44.84	-38.05	-6.67
		1.996 GHz to 2 GHz	-33.89	-34.20	-34.11	-33.75	-28.05	-5.70
		2 GHz to 6.2 GHz	-33.62	-33.43	-33.89	-33.69	-28.05	-5.38
		6.2 GHz to 18 GHz	-41.98	-42.16	-42.24	-42.10	-28.05	-13.93
		18 GHz to 22 GHz	-40.04	-40.17	-40.00	-40.05	-28.05	-11.95
High	30	9 kHz to 150 kHz	-70.56	-71.06	-71.04	-71.27	-58.05	-12.51
		150 kHz to 30 MHz	-56.84	-55.34	-56.37	-58.05	-48.05	-7.29
		30 MHz to 1 GHz	-43.84	-43.59	-43.81	-43.76	-28.05	-15.54
		1GHz to 1.9 GHz	-38.85	-39.05	-38.91	-38.68	-28.05	-10.63
		1.9 GHz to 1.929 GHz	-45.23	-44.94	-45.17	-44.87	-38.05	-6.82
		1.996 GHz to 2 GHz	-40.33	-41.11	-40.55	-40.27	-28.05	-12.22
		2 GHz to 6.2 GHz	-33.57	-33.78	-32.91	-33.40	-28.05	-4.86
		6.2 GHz to 18 GHz	-42.10	-42.19	-41.98	-42.29	-28.05	-13.93
		18 GHz to 22 GHz	-40.16	-40.16	-39.62	-40.07	-28.05	-11.57

Table 8-134. Conducted Spurious Emission Summary Data (LTE_B25_1C_5M)



CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si, Gyeonggi-do,
17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2025-03129-1
Page (292) / (480) pages

CH	Port	Measurement Range	Level (dBm)				Limit (dBm)	Worst Margin (dB)
			QPSK	16QAM	64QAM	256QAM		
Low	22	9 kHz to 150 kHz	-68.23	-68.28	-67.90	-68.09	-58.05	-9.85
		150 kHz to 30 MHz	-55.32	-55.95	-56.79	-56.67	-48.05	-7.27
		30 MHz to 1 GHz	-44.24	-44.05	-44.07	-44.26	-28.05	-16.00
		1 GHz to 1.9 GHz	-39.84	-39.82	-39.90	-40.03	-28.05	-11.77
		1.9 GHz to 1.929 GHz	-42.14	-39.58	-42.00	-40.37	-38.05	-1.53
		1.996 GHz to 2 GHz	-43.88	-43.82	-43.84	-43.54	-38.05	-5.49
		2 GHz to 6.2 GHz	-33.51	-33.24	-33.59	-33.22	-28.05	-5.17
		6.2 GHz to 18 GHz	-42.30	-42.07	-41.99	-41.94	-28.05	-13.89
		18 GHz to 22 GHz	-40.41	-40.37	-40.25	-40.10	-28.05	-12.05
Mid	22	9 kHz to 150 kHz	-67.97	-68.06	-68.05	-68.23	-58.05	-9.92
		150 kHz to 30 MHz	-55.08	-55.69	-56.68	-55.57	-48.05	-7.03
		30 MHz to 1 GHz	-44.14	-44.00	-44.22	-44.02	-28.05	-15.95
		1GHz to 1.9 GHz	-39.86	-40.13	-39.96	-39.95	-28.05	-11.81
		1.9 GHz to 1.929 GHz	-45.10	-45.24	-45.04	-45.04	-38.05	-6.99
		1.996 GHz to 2 GHz	-43.86	-43.49	-43.77	-43.79	-38.05	-5.44
		2 GHz to 6.2 GHz	-33.37	-33.65	-33.59	-33.68	-28.05	-5.32
		6.2 GHz to 18 GHz	-42.18	-42.12	-41.80	-41.77	-28.05	-13.72
		18 GHz to 22 GHz	-40.62	-40.42	-40.35	-40.22	-28.05	-12.17
High	22	9 kHz to 150 kHz	-69.02	-69.39	-69.36	-69.28	-58.05	-10.97
		150 kHz to 30 MHz	-55.79	-56.82	-55.24	-55.77	-48.05	-7.19
		30 MHz to 1 GHz	-44.26	-44.02	-44.17	-44.01	-28.05	-15.96
		1GHz to 1.9 GHz	-39.89	-40.08	-40.18	-40.00	-28.05	-11.84
		1.9 GHz to 1.929 GHz	-45.00	-45.14	-44.70	-44.79	-38.05	-6.65
		1.996 GHz to 2 GHz	-41.94	-41.68	-41.52	-42.22	-38.05	-3.47
		2 GHz to 6.2 GHz	-33.34	-33.74	-33.70	-33.57	-28.05	-5.29
		6.2 GHz to 18 GHz	-42.03	-42.05	-41.84	-41.78	-28.05	-13.73
		18 GHz to 22 GHz	-39.86	-40.49	-40.43	-40.41	-28.05	-11.81

Table 8-135. Conducted Spurious Emission Summary Data (LTE_B25_1C_10M)



CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si, Gyeonggi-do,
17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2025-03129-1
Page (293) / (480) pages

CH	Port	Measurement Range	Level (dBm)				Limit (dBm)	Worst Margin (dB)
			QPSK	16QAM	64QAM	256QAM		
Low	3	9 kHz to 150 kHz	-72.73	-72.67	-72.86	-72.75	-58.05	-14.62
		150 kHz to 30 MHz	-55.69	-56.16	-56.74	-55.49	-48.05	-7.44
		30 MHz to 1 GHz	-43.81	-43.72	-43.93	-43.76	-28.05	-15.67
		1 GHz to 1.9 GHz	-37.27	-37.40	-37.32	-37.40	-28.05	-9.22
		1.9 GHz to 1.929 GHz	-41.03	-41.34	-39.06	-40.06	-38.05	-1.01
		1.996 GHz to 2 GHz	-43.97	-43.98	-44.07	-43.95	-38.05	-5.90
		2 GHz to 6.2 GHz	-32.27	-32.70	-33.32	-33.05	-28.05	-4.22
		6.2 GHz to 18 GHz	-42.20	-42.23	-42.03	-42.15	-28.05	-13.98
		18 GHz to 22 GHz	-40.23	-39.97	-40.39	-40.36	-28.05	-11.92
Mid	3	9 kHz to 150 kHz	-72.67	-72.51	-73.04	-71.84	-49.02	-22.82
		150 kHz to 30 MHz	-56.71	-56.57	-57.61	-57.35	-39.02	-17.55
		30 MHz to 1 GHz	-43.81	-43.24	-44.02	-43.81	-19.02	-24.22
		1GHz to 1.9 GHz	-37.22	-37.15	-37.43	-37.20	-19.02	-18.13
		1.9 GHz to 1.929 GHz	-44.07	-44.04	-43.95	-44.17	-38.05	-5.90
		1.996 GHz to 2 GHz	-44.21	-44.03	-43.44	-43.75	-19.02	-24.42
		2 GHz to 6.2 GHz	-32.73	-33.01	-32.88	-33.00	-19.02	-13.71
		6.2 GHz to 18 GHz	-42.09	-42.23	-42.34	-42.13	-19.02	-23.07
		18 GHz to 22 GHz	-40.00	-40.07	-40.43	-40.58	-19.02	-20.98
High	3	9 kHz to 150 kHz	-72.57	-70.07	-70.12	-69.86	-49.02	-20.84
		150 kHz to 30 MHz	-56.94	-55.96	-56.78	-56.77	-39.02	-16.94
		30 MHz to 1 GHz	-43.75	-43.66	-43.87	-43.89	-19.02	-24.64
		1GHz to 1.9 GHz	-37.27	-37.13	-37.23	-37.31	-19.02	-18.11
		1.9 GHz to 1.929 GHz	-43.78	-44.07	-43.81	-44.24	-38.05	-5.73
		1.996 GHz to 2 GHz	-40.57	-42.05	-41.41	-41.81	-19.02	-21.55
		2 GHz to 6.2 GHz	-32.90	-33.04	-33.19	-33.03	-19.02	-13.88
		6.2 GHz to 18 GHz	-42.41	-42.06	-42.28	-42.32	-19.02	-23.04
		18 GHz to 22 GHz	-40.42	-40.24	-40.27	-40.57	-19.02	-21.22

Table 8-136. Conducted Spurious Emission Summary Data (LTE_B25_1C_15M)



CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si, Gyeonggi-do,
17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2025-03129-1
Page (294) / (480) pages

CH	Port	Measurement Range	Level (dBm)				Limit (dBm)	Worst Margin (dB)
			QPSK	16QAM	64QAM	256QAM		
Low	10	9 kHz to 150 kHz	-65.50	-66.69	-67.06	-67.27	-58.05	-7.45
		150 kHz to 30 MHz	-55.32	-56.39	-56.36	-57.30	-48.05	-7.27
		30 MHz to 1 GHz	-43.76	-43.65	-43.95	-44.03	-28.05	-15.60
		1 GHz to 1.9 GHz	-35.74	-35.49	-35.83	-35.48	-28.05	-7.43
		1.9 GHz to 1.929 GHz	-39.90	-39.75	-39.65	-39.29	-38.05	-1.24
		1.996 GHz to 2 GHz	-42.99	-43.94	-43.32	-42.35	-38.05	-4.30
		2 GHz to 6.2 GHz	-32.89	-32.74	-33.10	-33.20	-28.05	-4.69
		6.2 GHz to 18 GHz	-44.52	-44.56	-44.37	-44.49	-28.05	-16.32
		18 GHz to 22 GHz	-41.76	-41.61	-41.26	-41.47	-28.05	-13.21
Mid	10	9 kHz to 150 kHz	-64.96	-66.16	-64.33	-63.77	-58.05	-5.72
		150 kHz to 30 MHz	-55.07	-56.11	-56.11	-56.50	-48.05	-7.02
		30 MHz to 1 GHz	-43.95	-43.98	-43.65	-43.94	-28.05	-15.60
		1GHz to 1.9 GHz	-35.68	-35.70	-35.72	-35.86	-28.05	-7.63
		1.9 GHz to 1.929 GHz	-41.25	-41.74	-42.01	-40.74	-38.05	-2.69
		1.996 GHz to 2 GHz	-42.41	-43.35	-42.95	-42.48	-38.05	-4.36
		2 GHz to 6.2 GHz	-32.80	-32.79	-32.84	-33.11	-28.05	-4.74
		6.2 GHz to 18 GHz	-44.46	-44.29	-44.60	-44.39	-28.05	-16.24
		18 GHz to 22 GHz	-41.86	-41.81	-41.82	-41.46	-28.05	-13.41
High	10	9 kHz to 150 kHz	-62.98	-66.96	-63.85	-63.25	-58.05	-4.93
		150 kHz to 30 MHz	-55.90	-55.43	-56.18	-56.26	-48.05	-7.38
		30 MHz to 1 GHz	-44.04	-44.03	-44.02	-43.97	-28.05	-15.92
		1GHz to 1.9 GHz	-35.97	-35.97	-35.74	-35.78	-28.05	-7.69
		1.9 GHz to 1.929 GHz	-41.83	-41.95	-41.09	-41.38	-38.05	-3.04
		1.996 GHz to 2 GHz	-39.29	-40.49	-39.18	-40.14	-38.05	-1.13
		2 GHz to 6.2 GHz	-32.76	-32.67	-32.92	-33.05	-28.05	-4.62
		6.2 GHz to 18 GHz	-44.52	-44.41	-44.58	-44.62	-28.05	-16.36
		18 GHz to 22 GHz	-41.77	-41.79	-41.81	-41.84	-28.05	-13.72

Table 8-137. Conducted Spurious Emission Summary Data (LTE_B25_1C_20M)



CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si, Gyeonggi-do,
17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2025-03129-1
Page (295) / (480) pages

CH	Port	Measurement Range	Level (dBm)				Limit (dBm)	Worst Margin (dB)
			QPSK	16QAM	64QAM	256QAM		
Low	26	9 kHz to 150 kHz	-71.98	-72.08	-71.68	-71.99	-58.05	-13.63
		150 kHz to 30 MHz	-56.53	-57.40	-57.06	-55.81	-48.05	-7.76
		30 MHz to 1 GHz	-44.41	-44.39	-44.38	-44.04	-28.05	-15.99
		1 GHz to 1.9 GHz	-38.79	-38.77	-38.66	-38.86	-28.05	-10.61
		1.9 GHz to 1.929 GHz	-40.47	-39.89	-39.53	-40.77	-38.05	-1.48
		1.996 GHz to 2 GHz	-43.01	-43.57	-43.22	-43.43	-38.05	-4.96
		2 GHz to 6.2 GHz	-32.55	-32.40	-32.50	-32.53	-28.05	-4.35
		6.2 GHz to 18 GHz	-42.19	-42.16	-41.92	-41.81	-28.05	-13.76
		18 GHz to 22 GHz	-40.46	-40.06	-40.60	-40.23	-28.05	-12.01
Mid	26	9 kHz to 150 kHz	-71.97	-72.03	-71.96	-71.47	-58.05	-13.42
		150 kHz to 30 MHz	-57.89	-56.81	-56.86	-56.81	-48.05	-8.76
		30 MHz to 1 GHz	-44.43	-44.07	-44.14	-44.46	-28.05	-16.02
		1GHz to 1.9 GHz	-38.74	-38.64	-38.75	-38.53	-28.05	-10.48
		1.9 GHz to 1.929 GHz	-45.00	-43.45	-44.78	-44.84	-38.05	-5.40
		1.996 GHz to 2 GHz	-43.62	-45.03	-43.45	-43.55	-38.05	-5.40
		2 GHz to 6.2 GHz	-32.57	-32.53	-32.42	-32.29	-28.05	-4.24
		6.2 GHz to 18 GHz	-41.99	-42.32	-42.18	-42.23	-28.05	-13.94
		18 GHz to 22 GHz	-40.38	-39.99	-40.38	-40.22	-28.05	-11.94
High	26	9 kHz to 150 kHz	-71.82	-72.20	-71.98	-71.60	-58.05	-13.55
		150 kHz to 30 MHz	-56.39	-56.41	-57.43	-57.19	-48.05	-8.34
		30 MHz to 1 GHz	-44.50	-44.44	-44.44	-44.46	-28.05	-16.39
		1GHz to 1.9 GHz	-38.69	-38.69	-38.85	-38.53	-28.05	-10.48
		1.9 GHz to 1.929 GHz	-44.51	-44.74	-45.01	-44.75	-38.05	-6.46
		1.996 GHz to 2 GHz	-40.45	-41.18	-41.11	-41.11	-38.05	-2.40
		2 GHz to 6.2 GHz	-32.43	-32.42	-32.48	-32.32	-28.05	-4.27
		6.2 GHz to 18 GHz	-42.46	-42.11	-41.80	-42.24	-28.05	-13.75
		18 GHz to 22 GHz	-39.84	-40.62	-40.60	-40.38	-28.05	-11.79

Table 8-138. Conducted Spurious Emission Summary Data (NR_n25_1C_5M)

**CTK Co., Ltd.**

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si, Gyeonggi-do,
17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2025-03129-1
Page (296) / (480) pages

CH	Port	Measurement Range	Level (dBm)				Limit (dBm)	Worst Margin (dB)
			QPSK	16QAM	64QAM	256QAM		
Low	28	9 kHz to 150 kHz	-68.62	-69.13	-69.09	-68.80	-58.05	-10.57
		150 kHz to 30 MHz	-55.99	-57.67	-57.27	-56.33	-48.05	-7.94
		30 MHz to 1 GHz	-44.35	-44.26	-44.42	-44.35	-28.05	-16.21
		1 GHz to 1.9 GHz	-39.93	-39.83	-39.96	-39.78	-28.05	-11.73
		1.9 GHz to 1.929 GHz	-42.13	-41.49	-40.50	-41.76	-38.05	-2.45
		1.996 GHz to 2 GHz	-44.31	-43.68	-44.16	-44.06	-38.05	-5.63
		2 GHz to 6.2 GHz	-33.01	-32.70	-32.49	-32.26	-28.05	-4.21
		6.2 GHz to 18 GHz	-44.38	-44.35	-44.51	-44.32	-28.05	-16.27
		18 GHz to 22 GHz	-41.89	-41.24	-41.55	-41.13	-28.05	-13.08
Mid	28	9 kHz to 150 kHz	-69.36	-68.64	-68.77	-69.33	-58.05	-10.59
		150 kHz to 30 MHz	-57.16	-56.55	-56.33	-57.04	-48.05	-8.28
		30 MHz to 1 GHz	-44.21	-44.34	-44.30	-44.11	-28.05	-16.06
		1GHz to 1.9 GHz	-39.98	-39.88	-39.86	-39.77	-28.05	-11.72
		1.9 GHz to 1.929 GHz	-44.67	-45.56	-45.60	-45.55	-38.05	-6.62
		1.996 GHz to 2 GHz	-44.16	-43.96	-44.25	-43.63	-38.05	-5.58
		2 GHz to 6.2 GHz	-32.80	-32.82	-32.49	-32.45	-28.05	-4.40
		6.2 GHz to 18 GHz	-44.31	-44.50	-44.51	-44.51	-28.05	-16.26
		18 GHz to 22 GHz	-41.81	-41.66	-41.48	-41.70	-28.05	-13.43
High	28	9 kHz to 150 kHz	-69.15	-68.50	-68.90	-68.89	-58.05	-10.45
		150 kHz to 30 MHz	-55.66	-57.14	-54.53	-55.16	-48.05	-6.48
		30 MHz to 1 GHz	-44.11	-44.31	-44.29	-44.21	-28.05	-16.06
		1GHz to 1.9 GHz	-39.71	-39.96	-39.91	-39.82	-28.05	-11.66
		1.9 GHz to 1.929 GHz	-45.64	-45.37	-45.09	-45.68	-38.05	-7.04
		1.996 GHz to 2 GHz	-42.23	-41.91	-42.51	-42.00	-38.05	-3.86
		2 GHz to 6.2 GHz	-32.76	-33.04	-32.58	-32.48	-28.05	-4.43
		6.2 GHz to 18 GHz	-44.54	-44.56	-44.52	-44.48	-28.05	-16.43
		18 GHz to 22 GHz	-41.60	-41.81	-41.77	-41.79	-28.05	-13.55

Table 8-139. Conducted Spurious Emission Summary Data (NR_n25_1C_10M)

**CTK Co., Ltd.**

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si, Gyeonggi-do,
17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2025-03129-1
Page (297) / (480) pages

CH	Port	Measurement Range	Level (dBm)				Limit (dBm)	Worst Margin (dB)
			QPSK	16QAM	64QAM	256QAM		
Low	25	9 kHz to 150 kHz	-67.60	-67.20	-67.23	-67.19	-58.05	-9.14
		150 kHz to 30 MHz	-55.49	-56.56	-55.51	-56.13	-48.05	-7.44
		30 MHz to 1 GHz	-44.02	-44.19	-43.99	-44.14	-28.05	-15.94
		1 GHz to 1.9 GHz	-37.98	-38.04	-38.04	-38.04	-28.05	-9.93
		1.9 GHz to 1.929 GHz	-40.85	-39.47	-40.83	-40.11	-38.05	-1.42
		1.996 GHz to 2 GHz	-43.59	-43.31	-43.16	-43.30	-38.05	-5.11
		2 GHz to 6.2 GHz	-32.64	-32.57	-32.74	-32.76	-28.05	-4.52
		6.2 GHz to 18 GHz	-44.50	-44.45	-44.16	-44.20	-28.05	-16.11
		18 GHz to 22 GHz	-41.59	-41.72	-41.91	-41.38	-28.05	-13.33
Mid	25	9 kHz to 150 kHz	-67.45	-67.39	-67.25	-66.32	-58.05	-8.27
		150 kHz to 30 MHz	-55.05	-56.41	-55.07	-54.85	-48.05	-6.80
		30 MHz to 1 GHz	-43.87	-44.21	-43.97	-43.89	-28.05	-15.82
		1GHz to 1.9 GHz	-38.14	-38.12	-37.94	-37.88	-28.05	-9.83
		1.9 GHz to 1.929 GHz	-43.18	-43.07	-43.18	-43.04	-38.05	-4.99
		1.996 GHz to 2 GHz	-42.89	-42.95	-42.52	-42.42	-38.05	-4.37
		2 GHz to 6.2 GHz	-32.66	-32.61	-32.46	-32.87	-28.05	-4.41
		6.2 GHz to 18 GHz	-44.65	-44.59	-44.58	-44.53	-28.05	-16.48
		18 GHz to 22 GHz	-41.74	-41.59	-41.76	-41.58	-28.05	-13.53
High	25	9 kHz to 150 kHz	-68.15	-68.46	-68.30	-67.89	-58.05	-9.84
		150 kHz to 30 MHz	-56.12	-54.48	-55.65	-56.00	-48.05	-6.43
		30 MHz to 1 GHz	-44.14	-44.02	-44.28	-44.16	-28.05	-15.97
		1GHz to 1.9 GHz	-38.15	-38.20	-38.22	-38.10	-28.05	-10.05
		1.9 GHz to 1.929 GHz	-43.60	-43.99	-44.10	-44.03	-38.05	-5.55
		1.996 GHz to 2 GHz	-39.94	-40.13	-39.07	-39.76	-38.05	-1.02
		2 GHz to 6.2 GHz	-32.72	-33.01	-32.82	-33.05	-28.05	-4.67
		6.2 GHz to 18 GHz	-44.64	-44.49	-44.61	-44.66	-28.05	-16.44
		18 GHz to 22 GHz	-41.81	-41.73	-41.98	-41.66	-28.05	-13.61

Table 8-140. Conducted Spurious Emission Summary Data (NR_n25_1C_15M)

**CTK Co., Ltd.**

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si, Gyeonggi-do,
17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2025-03129-1
Page (298) / (480) pages

CH	Port	Measurement Range	Level (dBm)				Limit (dBm)	Worst Margin (dB)
			QPSK	16QAM	64QAM	256QAM		
Low	19	9 kHz to 150 kHz	-68.22	-67.95	-67.80	-68.33	-58.05	-9.75
		150 kHz to 30 MHz	-54.49	-55.53	-57.42	-57.19	-48.05	-6.44
		30 MHz to 1 GHz	-43.52	-43.52	-43.45	-43.63	-28.05	-15.40
		1 GHz to 1.9 GHz	-35.29	-35.30	-35.24	-35.14	-28.05	-7.09
		1.9 GHz to 1.929 GHz	-39.14	-40.17	-39.98	-40.35	-38.05	-1.09
		1.996 GHz to 2 GHz	-43.22	-43.34	-43.54	-43.58	-38.05	-5.17
		2 GHz to 6.2 GHz	-32.86	-33.03	-32.92	-32.83	-28.05	-4.78
		6.2 GHz to 18 GHz	-44.23	-44.24	-44.22	-44.49	-28.05	-16.17
		18 GHz to 22 GHz	-41.46	-41.66	-41.62	-41.96	-28.05	-13.41
Mid	19	9 kHz to 150 kHz	-68.45	-68.48	-68.38	-68.88	-58.05	-10.33
		150 kHz to 30 MHz	-55.97	-55.72	-56.48	-55.75	-48.05	-7.67
		30 MHz to 1 GHz	-43.58	-43.10	-43.36	-43.33	-28.05	-15.05
		1GHz to 1.9 GHz	-34.77	-34.89	-34.97	-35.02	-28.05	-6.72
		1.9 GHz to 1.929 GHz	-41.91	-41.75	-41.84	-41.56	-38.05	-3.51
		1.996 GHz to 2 GHz	-42.40	-40.59	-42.82	-42.44	-38.05	-2.54
		2 GHz to 6.2 GHz	-32.76	-32.80	-33.06	-32.64	-28.05	-4.59
		6.2 GHz to 18 GHz	-44.14	-44.35	-44.41	-44.54	-28.05	-16.09
		18 GHz to 22 GHz	-41.60	-41.91	-41.74	-41.65	-28.05	-13.55
High	19	9 kHz to 150 kHz	-68.46	-68.43	-68.95	-69.07	-58.05	-10.38
		150 kHz to 30 MHz	-56.30	-55.44	-54.75	-55.66	-48.05	-6.70
		30 MHz to 1 GHz	-43.46	-43.39	-43.27	-43.29	-28.05	-15.22
		1GHz to 1.9 GHz	-34.98	-35.13	-35.06	-34.99	-28.05	-6.93
		1.9 GHz to 1.929 GHz	-42.30	-41.82	-41.78	-42.22	-38.05	-3.73
		1.996 GHz to 2 GHz	-40.34	-40.13	-39.95	-40.63	-38.05	-1.90
		2 GHz to 6.2 GHz	-32.94	-32.97	-32.86	-32.82	-28.05	-4.77
		6.2 GHz to 18 GHz	-44.17	-44.30	-44.38	-44.39	-28.05	-16.12
		18 GHz to 22 GHz	-41.74	-41.62	-41.19	-41.53	-28.05	-13.14

Table 8-141. Conducted Spurious Emission Summary Data (NR_n25_1C_20M)

**CTK Co., Ltd.**

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si, Gyeonggi-do,
17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2025-03129-1
Page (299) / (480) pages

CH	Port	Measurement Range	Level (dBm)				Limit (dBm)	Worst Margin (dB)
			QPSK	16QAM	64QAM	256QAM		
Low	15	9 kHz to 150 kHz	-68.25	-68.54	-68.64	-68.68	-58.05	-10.20
		150 kHz to 30 MHz	-54.70	-55.12	-56.50	-54.91	-48.05	-6.65
		30 MHz to 1 GHz	-43.22	-43.32	-43.22	-43.29	-28.05	-15.17
		1 GHz to 1.9 GHz	-35.11	-35.32	-35.01	-34.92	-28.05	-6.87
		1.9 GHz to 1.929 GHz	-40.28	-40.31	-39.10	-40.97	-38.05	-1.05
		1.996 GHz to 2 GHz	-43.03	-43.40	-42.26	-43.17	-38.05	-4.21
		2 GHz to 6.2 GHz	-32.74	-33.72	-33.50	-33.43	-28.05	-4.69
		6.2 GHz to 18 GHz	-44.39	-44.49	-44.56	-44.17	-28.05	-16.12
		18 GHz to 22 GHz	-42.02	-41.77	-41.62	-42.06	-28.05	-13.57
Mid	15	9 kHz to 150 kHz	-68.74	-68.38	-68.43	-67.64	-58.05	-9.59
		150 kHz to 30 MHz	-55.13	-55.10	-55.41	-56.51	-48.05	-7.05
		30 MHz to 1 GHz	-43.36	-45.38	-43.18	-43.23	-28.05	-15.13
		1GHz to 1.9 GHz	-35.14	-35.03	-35.12	-35.15	-28.05	-6.98
		1.9 GHz to 1.929 GHz	-41.91	-41.41	-41.53	-41.47	-38.05	-3.36
		1.996 GHz to 2 GHz	-41.98	-43.03	-42.49	-43.02	-38.05	-3.93
		2 GHz to 6.2 GHz	-33.44	-33.56	-33.39	-33.05	-28.05	-5.00
		6.2 GHz to 18 GHz	-44.43	-44.40	-44.47	-44.15	-28.05	-16.10
		18 GHz to 22 GHz	-41.84	-41.90	-41.71	-42.02	-28.05	-13.66
High	15	9 kHz to 150 kHz	-69.68	-69.19	-68.94	-69.31	-58.05	-10.89
		150 kHz to 30 MHz	-55.28	-56.74	-54.49	-55.53	-48.05	-6.44
		30 MHz to 1 GHz	-43.30	-43.45	-43.50	-43.32	-28.05	-15.25
		1GHz to 1.9 GHz	-35.34	-35.21	-35.18	-35.07	-28.05	-7.02
		1.9 GHz to 1.929 GHz	-41.99	-42.31	-41.94	-42.28	-38.05	-3.89
		1.996 GHz to 2 GHz	-41.15	-41.57	-41.83	-41.46	-38.05	-3.10
		2 GHz to 6.2 GHz	-33.65	-33.62	-33.19	-33.59	-28.05	-5.14
		6.2 GHz to 18 GHz	-44.51	-44.67	-44.65	-44.11	-28.05	-16.06
		18 GHz to 22 GHz	-41.74	-41.68	-41.92	-41.86	-28.05	-13.63

Table 8-142. Conducted Spurious Emission Summary Data (NR_n25_1C_25M)

**CTK Co., Ltd.**

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si, Gyeonggi-do,
17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2025-03129-1
Page (300) / (480) pages

CH	Port	Measurement Range	Level (dBm)				Limit (dBm)	Worst Margin (dB)
			QPSK	16QAM	64QAM	256QAM		
Low	26	9 kHz to 150 kHz	-69.36	-69.01	-68.80	-68.85	-58.05	-10.75
		150 kHz to 30 MHz	-55.55	-55.60	-57.41	-57.16	-48.05	-7.50
		30 MHz to 1 GHz	-43.86	-43.82	-43.85	-43.84	-28.05	-15.77
		1 GHz to 1.9 GHz	-34.34	-34.77	-34.62	-34.64	-28.05	-6.29
		1.9 GHz to 1.929 GHz	-40.37	-39.58	-40.08	-40.68	-38.05	-1.53
		1.996 GHz to 2 GHz	-42.10	-41.64	-42.29	-41.93	-38.05	-3.59
		2 GHz to 6.2 GHz	-32.37	-32.44	-32.19	-32.30	-28.05	-4.14
		6.2 GHz to 18 GHz	-44.58	-44.47	-44.80	-44.61	-28.05	-16.42
		18 GHz to 22 GHz	-41.99	-41.69	-41.80	-41.80	-28.05	-13.64
Mid	26	9 kHz to 150 kHz	-69.63	-69.71	-68.83	-69.61	-58.05	-10.78
		150 kHz to 30 MHz	-57.04	-56.50	-55.82	-55.98	-48.05	-7.77
		30 MHz to 1 GHz	-43.98	-43.60	-44.00	-43.74	-28.05	-15.55
		1GHz to 1.9 GHz	-34.72	-34.77	-34.66	-34.44	-28.05	-6.39
		1.9 GHz to 1.929 GHz	-41.95	-41.57	-41.44	-41.97	-38.05	-3.39
		1.996 GHz to 2 GHz	-42.52	-42.06	-42.38	-42.42	-38.05	-4.01
		2 GHz to 6.2 GHz	-32.29	-31.98	-32.05	-32.11	-28.05	-3.93
		6.2 GHz to 18 GHz	-44.51	-44.70	-44.61	-44.44	-28.05	-16.39
		18 GHz to 22 GHz	-41.85	-41.58	-41.47	-41.31	-28.05	-13.26
High	26	9 kHz to 150 kHz	-70.51	-70.06	-69.99	-69.98	-58.05	-11.93
		150 kHz to 30 MHz	-56.93	-56.10	-56.22	-56.77	-48.05	-8.05
		30 MHz to 1 GHz	-43.78	-43.53	-43.72	-44.14	-28.05	-15.48
		1GHz to 1.9 GHz	-34.45	-34.56	-34.68	-34.42	-28.05	-6.37
		1.9 GHz to 1.929 GHz	-42.00	-41.64	-41.76	-41.81	-38.05	-3.59
		1.996 GHz to 2 GHz	-41.02	-40.88	-39.19	-40.14	-38.05	-1.14
		2 GHz to 6.2 GHz	-32.20	-32.42	-32.45	-32.17	-28.05	-4.12
		6.2 GHz to 18 GHz	-44.39	-44.71	-44.43	-44.26	-28.05	-16.21
		18 GHz to 22 GHz	-41.09	-41.74	-41.59	-41.45	-28.05	-13.04

Table 8-143. Conducted Spurious Emission Summary Data (NR_n25_1C_30M)



CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si, Gyeonggi-do,
17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2025-03129-1
Page (301) / (480) pages

CH	Port	Measurement Range	Level (dBm)				Limit (dBm)	Worst Margin (dB)
			QPSK	16QAM	64QAM	256QAM		
Low	28	9 kHz to 150 kHz	-62.95	-63.23	-61.72	-63.31	-58.05	-3.67
		150 kHz to 30 MHz	-56.31	-55.95	-56.50	-55.95	-48.05	-7.90
		30 MHz to 1 GHz	-44.79	-44.74	-44.59	-44.59	-28.05	-16.54
		1 GHz to 1.9 GHz	-40.07	-39.99	-40.21	-40.08	-28.05	-11.94
		1.9 GHz to 1.929 GHz	-42.34	-39.86	-40.85	-40.45	-38.05	-1.81
		1.996 GHz to 2 GHz	-43.72	-43.97	-43.70	-43.74	-38.05	-5.65
		2 GHz to 6.2 GHz	-33.58	-34.47	-33.91	-34.17	-28.05	-5.53
		6.2 GHz to 18 GHz	-44.60	-44.60	-44.62	-44.61	-28.05	-16.55
		18 GHz to 22 GHz	-41.65	-41.87	-41.75	-42.04	-28.05	-13.60
Mid	28	9 kHz to 150 kHz	-64.09	-62.97	-63.03	-62.71	-58.05	-4.66
		150 kHz to 30 MHz	-56.26	-56.46	-57.51	-56.86	-48.05	-8.21
		30 MHz to 1 GHz	-44.21	-44.63	-44.68	-44.54	-28.05	-16.16
		1GHz to 1.9 GHz	-40.10	-39.97	-40.00	-40.00	-28.05	-11.92
		1.9 GHz to 1.929 GHz	-45.30	-44.96	-44.89	-45.02	-38.05	-6.84
		1.996 GHz to 2 GHz	-43.88	-43.75	-43.73	-43.58	-38.05	-5.53
		2 GHz to 6.2 GHz	-33.82	-34.08	-33.95	-34.04	-28.05	-5.77
		6.2 GHz to 18 GHz	-44.39	-44.62	-44.69	-44.75	-28.05	-16.34
		18 GHz to 22 GHz	-42.04	-41.50	-41.85	-41.67	-28.05	-13.45
High	28	9 kHz to 150 kHz	-62.34	-63.42	-63.18	-63.71	-58.05	-4.29
		150 kHz to 30 MHz	-57.58	-56.91	-56.92	-56.09	-48.05	-8.04
		30 MHz to 1 GHz	-44.65	-44.70	-44.56	-44.64	-28.05	-16.51
		1GHz to 1.9 GHz	-40.10	-39.99	-39.95	-40.07	-28.05	-11.90
		1.9 GHz to 1.929 GHz	-45.35	-44.72	-44.57	-45.30	-38.05	-6.52
		1.996 GHz to 2 GHz	-41.04	-41.34	-41.06	-40.81	-38.05	-2.76
		2 GHz to 6.2 GHz	-34.03	-34.04	-33.87	-33.87	-28.05	-5.82
		6.2 GHz to 18 GHz	-44.50	-44.66	-44.49	-44.57	-28.05	-16.44
		18 GHz to 22 GHz	-41.98	-41.51	-41.22	-41.85	-28.05	-13.17

Table 8-144. Conducted Spurious Emission Summary Data (DSS_B/n25_1C_10M)



CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si, Gyeonggi-do,
17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2025-03129-1
Page (302) / (480) pages

CH	Port	Measurement Range	Level (dBm)				Limit (dBm)	Worst Margin (dB)
			QPSK	16QAM	64QAM	256QAM		
Low	29	9 kHz to 150 kHz	-60.97	-62.96	-62.78	-61.96	-58.05	-2.92
		150 kHz to 30 MHz	-57.49	-56.92	-55.01	-56.24	-48.05	-6.96
		30 MHz to 1 GHz	-44.06	-44.11	-43.92	-44.18	-28.05	-15.87
		1 GHz to 1.9 GHz	-37.74	-37.63	-37.63	-37.54	-28.05	-9.49
		1.9 GHz to 1.929 GHz	-40.44	-39.14	-40.53	-39.95	-38.05	-1.09
		1.996 GHz to 2 GHz	-43.70	-43.71	-43.10	-43.80	-38.05	-5.05
		2 GHz to 6.2 GHz	-33.83	-33.92	-33.83	-33.79	-28.05	-5.74
		6.2 GHz to 18 GHz	-44.25	-44.13	-44.44	-44.44	-28.05	-16.08
		18 GHz to 22 GHz	-41.55	-41.79	-41.61	-41.83	-28.05	-13.50
Mid	29	9 kHz to 150 kHz	-62.01	-62.41	-62.36	-62.17	-58.05	-3.96
		150 kHz to 30 MHz	-57.27	-57.95	-55.78	-55.72	-48.05	-7.67
		30 MHz to 1 GHz	-43.77	-44.20	-44.03	-44.20	-28.05	-15.72
		1GHz to 1.9 GHz	-37.39	-37.10	-37.40	-37.27	-28.05	-9.05
		1.9 GHz to 1.929 GHz	-43.22	-43.20	-43.44	-42.76	-38.05	-4.71
		1.996 GHz to 2 GHz	-42.97	-42.61	-43.05	-42.83	-38.05	-4.56
		2 GHz to 6.2 GHz	-33.81	-33.65	-33.59	-33.78	-28.05	-5.54
		6.2 GHz to 18 GHz	-44.70	-44.05	-44.39	-44.63	-28.05	-16.00
		18 GHz to 22 GHz	-42.20	-41.81	-41.83	-42.11	-28.05	-13.76
High	29	9 kHz to 150 kHz	-62.43	-62.46	-63.31	-62.95	-58.05	-4.38
		150 kHz to 30 MHz	-57.89	-55.62	-56.29	-56.17	-48.05	-7.57
		30 MHz to 1 GHz	-44.18	-44.02	-44.00	-43.80	-28.05	-15.75
		1GHz to 1.9 GHz	-37.47	-37.67	-37.72	-37.57	-28.05	-9.42
		1.9 GHz to 1.929 GHz	-43.58	-43.75	-43.85	-43.94	-38.05	-5.53
		1.996 GHz to 2 GHz	-40.29	-39.23	-40.39	-40.94	-38.05	-1.18
		2 GHz to 6.2 GHz	-33.47	-33.34	-33.61	-33.54	-28.05	-5.29
		6.2 GHz to 18 GHz	-44.39	-44.72	-44.81	-44.69	-28.05	-16.34
		18 GHz to 22 GHz	-41.48	-42.18	-41.98	-42.04	-28.05	-13.43

Table 8-145. Conducted Spurious Emission Summary Data (DSS_B/n25_1C_15M)

**CTK Co., Ltd.**

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si, Gyeonggi-do,
17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2025-03129-1
Page (303) / (480) pages

CH	Port	Measurement Range	Level (dBm)				Limit (dBm)	Worst Margin (dB)
			QPSK	16QAM	64QAM	256QAM		
Low	12	9 kHz to 150 kHz	-62.94	-62.52	-62.93	-63.36	-58.05	-4.47
		150 kHz to 30 MHz	-55.64	-56.62	-57.82	-56.42	-48.05	-7.59
		30 MHz to 1 GHz	-43.67	-44.02	-43.96	-43.90	-28.05	-15.62
		1 GHz to 1.9 GHz	-35.40	-35.16	-35.07	-34.91	-28.05	-6.86
		1.9 GHz to 1.929 GHz	-39.49	-40.06	-39.16	-41.08	-38.05	-1.11
		1.996 GHz to 2 GHz	-43.03	-43.08	-42.75	-43.61	-38.05	-4.70
		2 GHz to 6.2 GHz	-32.79	-32.88	-33.10	-33.14	-28.05	-4.74
		6.2 GHz to 18 GHz	-44.46	-44.60	-43.92	-44.36	-28.05	-15.87
		18 GHz to 22 GHz	-41.61	-41.51	-41.35	-41.33	-28.05	-13.28
Mid	12	9 kHz to 150 kHz	-62.18	-62.82	-62.46	-63.00	-58.05	-4.13
		150 kHz to 30 MHz	-56.03	-54.91	-56.87	-56.03	-48.05	-6.86
		30 MHz to 1 GHz	-43.62	-43.87	-43.79	-43.79	-28.05	-15.57
		1GHz to 1.9 GHz	-34.83	-34.87	-35.23	-35.29	-28.05	-6.78
		1.9 GHz to 1.929 GHz	-41.89	-42.00	-40.97	-41.96	-38.05	-2.92
		1.996 GHz to 2 GHz	-42.71	-43.00	-42.36	-42.98	-38.05	-4.31
		2 GHz to 6.2 GHz	-32.63	-32.84	-33.04	-32.79	-28.05	-4.58
		6.2 GHz to 18 GHz	-44.53	-44.47	-44.56	-44.55	-28.05	-16.42
		18 GHz to 22 GHz	-41.28	-41.63	-41.82	-41.57	-28.05	-13.23
High	12	9 kHz to 150 kHz	-62.81	-63.11	-62.92	-63.28	-58.05	-4.76
		150 kHz to 30 MHz	-56.56	-55.86	-57.56	-56.25	-48.05	-7.81
		30 MHz to 1 GHz	-43.64	-43.76	-43.64	-43.83	-28.05	-15.59
		1GHz to 1.9 GHz	-35.07	-35.12	-35.25	-35.31	-28.05	-7.02
		1.9 GHz to 1.929 GHz	-42.32	-41.78	-42.16	-41.86	-38.05	-3.73
		1.996 GHz to 2 GHz	-40.81	-42.14	-41.16	-42.11	-38.05	-2.76
		2 GHz to 6.2 GHz	-32.96	-32.74	-32.77	-32.96	-28.05	-4.69
		6.2 GHz to 18 GHz	-44.46	-44.52	-44.39	-44.39	-28.05	-16.34
		18 GHz to 22 GHz	-41.99	-41.44	-41.93	-41.63	-28.05	-13.39

Table 8-146. Conducted Spurious Emission Summary Data (DSS_B/n25_1C_20M)

**CTK Co., Ltd.**

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si, Gyeonggi-do,
17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2025-03129-1
Page (304) / (480) pages

	Measurement Range	Level (dBm)				Limit (dBm)	Worst Margin (dB)
		LTE_2C 10M+10M Port 13	LTE_3C 5M+10M+15M Port 7	NR_2C 10M+10M Port 0	NR_3C 5M+10M+15M Port 19		
Low	9 kHz to 150 kHz	-68.59	-70.61	-69.34	-70.38	-58.05	-10.54
	150 kHz to 9 MHz	-58.53	-57.66	-57.69	-56.74	-48.05	-8.69
	9 MHz to 30 MHz	-55.19	-61.19	-59.76	-59.91	-48.05	-7.14
	30 MHz to 1 GHz	-43.83	-43.51	-43.81	-42.56	-28.05	-14.51
	1 GHz to 1.9 GHz	-39.38	-32.47	-39.25	-37.29	-28.05	-4.42
	1.9 GHz to 1.929 GHz	-39.88	-39.83	-39.07	-40.47	-38.05	-1.02
	1.996 GHz to 2 GHz	-40.38	-40.49	-43.13	-41.94	-38.05	-2.33
	2 GHz to 6.2 GHz	-33.21	-33.54	-31.81	-32.85	-28.05	-3.76
	6.2 GHz to 18 GHz	-46.68	-46.55	-46.53	-41.77	-28.05	-13.72
Mid	18 GHz to 22 GHz	-43.44	-43.84	-43.61	-40.14	-28.05	-12.09
	9 kHz to 150 kHz	-67.86	-69.41	-68.48	-70.42	-58.05	-9.81
	150 kHz to 9 MHz	-58.63	-57.28	-57.80	-55.67	-48.05	-7.62
	9 MHz to 30 MHz	-55.13	-60.93	-59.17	-59.50	-48.05	-7.08
	30 MHz to 1 GHz	-43.80	-43.75	-43.83	-42.36	-28.05	-14.31
	1 GHz to 1.9 GHz	-39.40	-39.29	-39.17	-36.97	-28.05	-8.92
	1.9 GHz to 1.929 GHz	-42.91	-41.80	-43.30	-40.24	-38.05	-2.19
	1.996 GHz to 2 GHz	-42.02	-41.18	-43.17	-39.65	-38.05	-1.60
	2 GHz to 6.2 GHz	-32.93	-34.06	-31.85	-33.00	-28.05	-3.80
High	6.2 GHz to 18 GHz	-46.17	-46.65	-46.46	-41.92	-28.05	-13.87
	18 GHz to 22 GHz	-43.55	-43.64	-43.55	-40.33	-28.05	-12.28
	9 kHz to 150 kHz	-68.24	-69.18	-70.32	-69.98	-58.05	-10.19
	150 kHz to 9 MHz	-57.46	-57.08	-59.79	-56.60	-48.05	-8.55
	9 MHz to 30 MHz	-55.83	-60.83	-60.22	-59.67	-48.05	-7.78
	30 MHz to 1 GHz	-43.83	-43.67	-43.88	-42.52	-28.05	-14.47
	1 GHz to 1.9 GHz	-37.50	-39.21	-39.16	-37.02	-28.05	-8.97
	1.9 GHz to 1.929 GHz	-43.31	-39.33	-44.38	-42.53	-38.05	-1.28
	1.996 GHz to 2 GHz	-39.36	-39.74	-39.54	-39.49	-38.05	-1.31
	2 GHz to 6.2 GHz	-33.32	-34.10	-32.04	-32.59	-28.05	-3.99
	6.2 GHz to 18 GHz	-46.37	-46.60	-46.48	-41.79	-28.05	-13.74
	18 GHz to 22 GHz	-43.47	-43.37	-43.38	-40.05	-28.05	-12.00

Table 8-147. Conducted Spurious Emission Summary Data (B/n25_ Multi-carrier Contiguous Configurations)

CH	Measurement Range	Level (dBm)				Limit (dBm)	Worst Margin (dB)
		LTE_2NC 10M+10M Port 19	LTE_3NC 5M+10M+15M Port 13	NR_2NC 10M+10M Port 13	NR_3NC 5M+10M+15M Port 10		
Mid	9 kHz to 150 kHz	-69.90	-70.84	-68.72	-70.16	-58.05	-10.67
	150 kHz to 9 MHz	-58.54	-57.10	-58.53	-57.21	-48.05	-9.05
	9 MHz to 30 MHz	-60.60	-61.10	-61.71	-59.88	-48.05	-11.83
	30 MHz to 1 GHz	-43.35	-43.88	-44.08	-42.85	-28.05	-14.80
	1 GHz to 1.9 GHz	-40.97	-39.56	-39.46	-37.59	-28.05	-9.54
	1.9 GHz to 1.929 GHz	-40.09	-40.70	-40.73	-39.39	-38.05	-1.34
	1.996 GHz to 2 GHz	-39.26	-40.54	-39.96	-39.65	-38.05	-1.21
	2 GHz to 6.2 GHz	-31.63	-33.48	-31.83	-33.28	-28.05	-3.58
	6.2 GHz to 18 GHz	-46.44	-46.35	-45.97	-42.04	-28.05	-13.99
	18 GHz to 22 GHz	-43.33	-43.69	-43.65	-40.27	-28.05	-12.22

Table 8-148. Conducted Spurious Emission Summary Data (B/n25_ Multi-carrier_Non-Contiguous Configurations)



CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si, Gyeonggi-do,
17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2025-03129-1
Page (305) / (480) pages

CH	Measurement Range	Level (dBm)		Limit (dBm)	Worst Margin (dB)
		MSR_B/n25_3C_LTE 5M+NR 5M+DSS 10M Port 5	MSR_B/n25_3C_LTE 10M+NR 10M+DSS 10M Port 4		
Low	9 kHz to 150 kHz	-62.36	-62.76	-58.05	-4.31
	150 kHz to 30 MHz	-56.20	-56.05	-48.05	-8.00
	30 MHz to 1 GHz	-44.35	-43.66	-28.05	-15.61
	1 GHz to 1.9 GHz	-36.15	-33.64	-28.05	-5.59
	1.9 GHz to 1.929 GHz	-39.29	-39.58	-38.05	-1.24
	1.996 GHz to 2 GHz	-43.42	-42.52	-38.05	-4.47
	2 GHz to 6.2 GHz	-32.71	-33.17	-28.05	-4.66
	6.2 GHz to 18 GHz	-44.22	-44.30	-28.05	-16.17
	18 GHz to 22 GHz	-41.32	-41.74	-28.05	-13.27
Mid	9 kHz to 150 kHz	-62.42	-62.80	-58.05	-4.37
	150 kHz to 30 MHz	-55.40	-57.06	-48.05	-7.35
	30 MHz to 1 GHz	-44.35	-43.64	-28.05	-15.59
	1 GHz to 1.9 GHz	-36.47	-35.09	-28.05	-7.04
	1.9 GHz to 1.929 GHz	-40.72	-40.84	-38.05	-2.67
	1.996 GHz to 2 GHz	-41.20	-42.67	-38.05	-3.15
	2 GHz to 6.2 GHz	-33.89	-33.19	-28.05	-5.14
	6.2 GHz to 18 GHz	-44.51	-44.32	-28.05	-16.27
	18 GHz to 22 GHz	-41.37	-41.32	-28.05	-13.27
High	9 kHz to 150 kHz	-62.39	-63.23	-58.05	-4.34
	150 kHz to 30 MHz	-55.91	-57.06	-48.05	-7.86
	30 MHz to 1 GHz	-44.38	-43.66	-28.05	-15.61
	1 GHz to 1.9 GHz	-35.91	-35.05	-28.05	-7.00
	1.9 GHz to 1.929 GHz	-41.99	-41.92	-38.05	-3.87
	1.996 GHz to 2 GHz	-39.10	-41.31	-38.05	-1.05
	2 GHz to 6.2 GHz	-33.40	-33.03	-28.05	-4.98
	6.2 GHz to 18 GHz	-44.42	-44.20	-28.05	-16.15
	18 GHz to 22 GHz	-41.47	-41.35	-28.05	-13.30

Table 8-149. Conducted Spurious Emission Summary Data (MSR_B/n25_Contiguous Configurations)

CH	Measurement Range	Level (dBm)		Limit (dBm)	Worst Margin (dB)
		MSR_B/n25_3NC_LTE 5M+NR 5M+DSS 10M	MSR_B/n25_3NC_LTE 10M+NR 10M+DSS 10M		
Mid	9 kHz to 150 kHz	-62.87	-63.39	-58.05	-4.82
	150 kHz to 30 MHz	-56.19	-56.34	-48.05	-8.14
	30 MHz to 1 GHz	-43.77	-43.73	-28.05	-15.68
	1 GHz to 1.9 GHz	-34.85	-35.07	-28.05	-6.80
	1.9 GHz to 1.929 GHz	-39.10	-40.30	-38.05	-1.05
	1.996 GHz to 2 GHz	-41.22	-41.50	-38.05	-3.17
	2 GHz to 6.2 GHz	-33.16	-33.39	-28.05	-5.11
	6.2 GHz to 18 GHz	-44.37	-44.69	-28.05	-16.32
	18 GHz to 22 GHz	-41.56	-41.32	-28.05	-13.27

Table 8-150. Conducted Spurious Emission Summary Data (MSR_B/n25_Non-Contiguous Configurations)

**CTK Co., Ltd.**

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si, Gyeonggi-do,
17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2025-03129-1
Page (306) / (480) pages

CH	Port	Measurement Range	Level (dBm)				Limit (dBm)	Worst Margin (dB)
			QPSK	16QAM	64QAM	256QAM		
Low	5	9 kHz to 150 kHz	-69.43	-69.35	-69.19	-68.98	-58.05	-10.93
		150 kHz to 30 MHz	-53.58	-54.42	-55.75	-54.40	-48.05	-5.53
		30 MHz to 1 GHz	-41.01	-41.14	-41.12	-41.26	-28.05	-12.96
		1 GHz to 2.1 GHz	-31.09	-30.86	-30.74	-31.06	-28.05	-2.69
		2.1 GHz to 2.109 GHz	-40.22	-40.41	-40.31	-39.48	-38.05	-1.43
		2.181 GHz to 2.19 GHz	-42.19	-42.50	-42.24	-42.30	-38.05	-4.14
		2.19 GHz to 6.2 GHz	-32.35	-33.31	-32.92	-33.31	-28.05	-4.30
		6.2 GHz to 18 GHz	-41.86	-42.05	-42.20	-42.04	-28.05	-13.81
		18 GHz to 22 GHz	-40.31	-40.10	-39.80	-40.63	-28.05	-11.75
Mid	5	9 kHz to 150 kHz	-69.42	-68.57	-69.50	-68.76	-58.05	-10.52
		150 kHz to 30 MHz	-55.34	-56.01	-54.82	-55.32	-48.05	-6.77
		30 MHz to 1 GHz	-40.89	-40.99	-40.97	-41.19	-28.05	-12.84
		1 GHz to 2.1 GHz	-30.68	-30.68	-30.84	-30.74	-28.05	-2.63
		2.1 GHz to 2.109 GHz	-41.60	-42.07	-41.59	-41.90	-38.05	-3.54
		2.181 GHz to 2.19 GHz	-42.09	-42.48	-42.42	-42.27	-38.05	-4.04
		2.19 GHz to 6.2 GHz	-33.75	-33.38	-32.71	-32.69	-28.05	-4.64
		6.2 GHz to 18 GHz	-42.07	-42.28	-42.16	-42.05	-28.05	-14.00
		18 GHz to 22 GHz	-40.34	-40.30	-40.55	-40.44	-28.05	-12.25
High	5	9 kHz to 150 kHz	-68.54	-68.70	-69.70	-68.79	-58.05	-10.49
		150 kHz to 30 MHz	-53.99	-54.48	-53.86	-53.23	-48.05	-5.18
		30 MHz to 1 GHz	-40.95	-40.94	-41.06	-40.86	-28.05	-12.81
		1 GHz to 2.1 GHz	-30.57	-29.48	-29.72	-29.92	-28.05	-1.43
		2.1 GHz to 2.109 GHz	-40.96	-41.33	-41.26	-41.15	-38.05	-2.91
		2.181 GHz to 2.19 GHz	-40.25	-40.65	-40.17	-39.46	-38.05	-1.41
		2.19 GHz to 6.2 GHz	-32.58	-32.50	-33.59	-31.50	-28.05	-3.45
		6.2 GHz to 18 GHz	-42.17	-42.06	-41.81	-42.07	-28.05	-13.76
		18 GHz to 22 GHz	-40.10	-40.22	-40.31	-40.30	-28.05	-12.05

Table 8-151. Conducted Spurious Emission Summary Data (LTE_B66_1C_5M)



CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si, Gyeonggi-do,
17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2025-03129-1
Page (307) / (480) pages

CH	Port	Measurement Range	Level (dBm)				Limit (dBm)	Worst Margin (dB)
			QPSK	16QAM	64QAM	256QAM		
Low	11	9 kHz to 150 kHz	-68.86	-70.40	-70.00	-70.20	-58.05	-10.81
		150 kHz to 30 MHz	-56.51	-56.47	-56.48	-55.93	-48.05	-7.88
		30 MHz to 1 GHz	-43.35	-43.54	-43.62	-43.38	-28.05	-15.30
		1 GHz to 2.1 GHz	-32.26	-32.33	-32.81	-32.99	-28.05	-4.21
		2.1 GHz to 2.109 GHz	-41.32	-41.24	-41.30	-41.41	-38.05	-3.19
		2.181 GHz to 2.19 GHz	-43.62	-43.87	-43.43	-43.57	-38.05	-5.38
		2.19 GHz to 6.2 GHz	-34.36	-34.18	-34.60	-33.87	-28.05	-5.82
		6.2 GHz to 18 GHz	-41.97	-41.92	-41.93	-42.07	-28.05	-13.87
		18 GHz to 22 GHz	-40.32	-40.45	-40.61	-40.38	-28.05	-12.27
Mid	11	9 kHz to 150 kHz	-70.04	-70.35	-69.98	-70.10	-58.05	-11.93
		150 kHz to 30 MHz	-57.49	-56.25	-56.95	-56.46	-48.05	-8.20
		30 MHz to 1 GHz	-43.56	-43.67	-43.48	-43.43	-28.05	-15.38
		1 GHz to 2.1 GHz	-32.82	-32.80	-33.03	-32.80	-28.05	-4.75
		2.1 GHz to 2.109 GHz	-43.35	-43.42	-43.29	-43.64	-38.05	-5.24
		2.181 GHz to 2.19 GHz	-43.78	-43.48	-43.79	-43.47	-38.05	-5.42
		2.19 GHz to 6.2 GHz	-34.09	-34.55	-34.34	-33.39	-28.05	-5.34
		6.2 GHz to 18 GHz	-41.94	-41.73	-42.00	-42.35	-28.05	-13.68
		18 GHz to 22 GHz	-40.31	-40.39	-40.56	-40.49	-28.05	-12.26
High	11	9 kHz to 150 kHz	-70.46	-70.05	-70.62	-70.00	-58.05	-11.95
		150 kHz to 30 MHz	-56.57	-56.72	-54.96	-56.04	-48.05	-6.91
		30 MHz to 1 GHz	-43.52	-43.63	-43.67	-43.67	-28.05	-15.47
		1 GHz to 2.1 GHz	-32.43	-32.32	-32.40	-32.43	-28.05	-4.27
		2.1 GHz to 2.109 GHz	-43.22	-42.59	-42.99	-43.17	-38.05	-4.54
		2.181 GHz to 2.19 GHz	-39.81	-40.53	-40.13	-39.07	-38.05	-1.02
		2.19 GHz to 6.2 GHz	-34.54	-34.21	-33.92	-34.33	-28.05	-5.87
		6.2 GHz to 18 GHz	-41.86	-41.99	-42.16	-42.29	-28.05	-13.81
		18 GHz to 22 GHz	-40.28	-40.51	-40.52	-40.18	-28.05	-12.13

Table 8-152. Conducted Spurious Emission Summary Data (LTE_B66_1C_10M)



CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si, Gyeonggi-do,
17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2025-03129-1
Page (308) / (480) pages

CH	Port	Measurement Range	Level (dBm)				Limit (dBm)	Worst Margin (dB)
			QPSK	16QAM	64QAM	256QAM		
Low	25	9 kHz to 150 kHz	-68.30	-68.48	-68.13	-68.52	-58.05	-10.08
		150 kHz to 30 MHz	-54.43	-55.22	-54.93	-54.88	-48.05	-6.38
		30 MHz to 1 GHz	-42.52	-42.39	-42.33	-42.05	-28.05	-14.00
		1 GHz to 2.1 GHz	-30.67	-30.53	-30.49	-30.79	-28.05	-2.44
		2.1 GHz to 2.109 GHz	-39.16	-39.41	-39.33	-39.78	-38.05	-1.11
		2.181 GHz to 2.19 GHz	-42.91	-42.94	-42.87	-42.58	-38.05	-4.53
		2.19 GHz to 6.2 GHz	-34.12	-33.75	-34.27	-34.07	-28.05	-5.70
		6.2 GHz to 18 GHz	-42.25	-42.16	-41.79	-41.98	-28.05	-13.74
		18 GHz to 22 GHz	-40.35	-40.20	-40.10	-40.32	-28.05	-12.05
Mid	25	9 kHz to 150 kHz	-67.80	-67.71	-68.99	-68.65	-58.05	-9.66
		150 kHz to 30 MHz	-54.76	-55.58	-55.19	-56.35	-48.05	-6.71
		30 MHz to 1 GHz	-42.57	-42.26	-42.35	-42.32	-28.05	-14.21
		1 GHz to 2.1 GHz	-30.34	-30.69	-30.61	-30.65	-28.05	-2.29
		2.1 GHz to 2.109 GHz	-41.90	-42.27	-42.59	-42.02	-38.05	-3.85
		2.181 GHz to 2.19 GHz	-42.18	-42.19	-42.65	-41.86	-38.05	-3.81
		2.19 GHz to 6.2 GHz	-33.49	-33.07	-33.72	-33.36	-28.05	-5.02
		6.2 GHz to 18 GHz	-41.72	-41.91	-42.14	-42.00	-28.05	-13.67
		18 GHz to 22 GHz	-40.10	-40.28	-39.58	-40.36	-28.05	-11.53
High	25	9 kHz to 150 kHz	-68.80	-68.46	-69.54	-68.77	-58.05	-10.41
		150 kHz to 30 MHz	-56.15	-54.62	-54.40	-55.30	-48.05	-6.35
		30 MHz to 1 GHz	-42.22	-42.34	-42.32	-42.32	-28.05	-14.17
		1 GHz to 2.1 GHz	-30.44	-30.77	-30.40	-30.65	-28.05	-2.35
		2.1 GHz to 2.109 GHz	-42.72	-42.74	-42.88	-42.92	-38.05	-4.67
		2.181 GHz to 2.19 GHz	-39.11	-39.05	-39.23	-39.40	-38.05	-1.00
		2.19 GHz to 6.2 GHz	-33.88	-33.72	-33.99	-33.33	-28.05	-5.28
		6.2 GHz to 18 GHz	-41.98	-41.97	-41.98	-42.20	-28.05	-13.92
		18 GHz to 22 GHz	-40.13	-40.15	-40.47	-40.17	-28.05	-12.08

Table 8-153. Conducted Spurious Emission Summary Data (LTE_B66_1C_15M)



CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si, Gyeonggi-do,
17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2025-03129-1
Page (309) / (480) pages

CH	Port	Measurement Range	Level (dBm)				Limit (dBm)	Worst Margin (dB)
			QPSK	16QAM	64QAM	256QAM		
Low	9	9 kHz to 150 kHz	-69.34	-69.19	-69.07	-69.82	-58.05	-11.02
		150 kHz to 30 MHz	-57.25	-56.17	-55.64	-55.20	-48.05	-7.15
		30 MHz to 1 GHz	-42.82	-42.89	-43.12	-43.22	-28.05	-14.77
		1 GHz to 2.1 GHz	-30.48	-30.49	-30.35	-30.41	-28.05	-2.30
		2.1 GHz to 2.109 GHz	-39.75	-39.65	-39.85	-40.10	-38.05	-1.60
		2.181 GHz to 2.19 GHz	-43.10	-43.34	-43.96	-43.68	-38.05	-5.05
		2.19 GHz to 6.2 GHz	-34.11	-33.57	-33.95	-33.97	-28.05	-5.52
		6.2 GHz to 18 GHz	-41.83	-42.36	-42.14	-42.26	-28.05	-13.78
		18 GHz to 22 GHz	-40.51	-40.17	-40.29	-40.29	-28.05	-12.12
Mid	9	9 kHz to 150 kHz	-69.55	-69.74	-69.95	-69.44	-58.05	-11.39
		150 kHz to 30 MHz	-55.62	-55.60	-55.99	-55.13	-48.05	-7.08
		30 MHz to 1 GHz	-43.01	-42.95	-42.80	-42.82	-28.05	-14.75
		1 GHz to 2.1 GHz	-30.43	-30.45	-30.03	-30.60	-28.05	-1.98
		2.1 GHz to 2.109 GHz	-41.71	-40.93	-41.26	-40.89	-38.05	-2.84
		2.181 GHz to 2.19 GHz	-43.30	-41.65	-42.96	-42.79	-38.05	-3.60
		2.19 GHz to 6.2 GHz	-34.06	-34.32	-33.85	-34.02	-28.05	-5.80
		6.2 GHz to 18 GHz	-42.23	-41.92	-42.34	-41.93	-28.05	-13.87
		18 GHz to 22 GHz	-40.49	-40.50	-40.24	-40.28	-28.05	-12.19
High	9	9 kHz to 150 kHz	-69.86	-69.86	-69.91	-69.70	-58.05	-11.65
		150 kHz to 30 MHz	-55.27	-55.39	-56.52	-55.16	-48.05	-7.11
		30 MHz to 1 GHz	-42.99	-42.87	-43.01	-43.10	-28.05	-14.82
		1 GHz to 2.1 GHz	-30.27	-30.07	-30.23	-29.93	-28.05	-1.88
		2.1 GHz to 2.109 GHz	-41.17	-41.45	-41.40	-41.53	-38.05	-3.12
		2.181 GHz to 2.19 GHz	-39.44	-39.14	-39.07	-39.05	-38.05	-1.00
		2.19 GHz to 6.2 GHz	-34.24	-33.78	-33.72	-33.80	-28.05	-5.67
		6.2 GHz to 18 GHz	-42.00	-42.45	-42.13	-42.17	-28.05	-13.95
		18 GHz to 22 GHz	-39.60	-40.41	-40.13	-40.26	-28.05	-11.55

Table 8-154. Conducted Spurious Emission Summary Data (LTE_B66_1C_20M)



CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si, Gyeonggi-do,
17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2025-03129-1
Page (310) / (480) pages

CH	Port	Measurement Range	Level (dBm)				Limit (dBm)	Worst Margin (dB)
			QPSK	16QAM	64QAM	256QAM		
Low	4	9 kHz to 150 kHz	-70.19	-70.30	-70.20	-70.21	-58.05	-12.14
		150 kHz to 30 MHz	-54.97	-56.16	-55.78	-56.43	-48.05	-6.92
		30 MHz to 1 GHz	-42.58	-42.54	-42.66	-42.73	-28.05	-14.49
		1 GHz to 2.1 GHz	-31.25	-31.72	-32.28	-31.94	-28.05	-3.20
		2.1 GHz to 2.109 GHz	-41.52	-42.11	-40.98	-41.64	-38.05	-2.93
		2.181 GHz to 2.19 GHz	-43.16	-43.32	-43.46	-43.40	-38.05	-5.11
		2.19 GHz to 6.2 GHz	-33.31	-33.98	-32.60	-33.65	-28.05	-4.55
		6.2 GHz to 18 GHz	-42.21	-41.90	-42.16	-42.31	-28.05	-13.85
		18 GHz to 22 GHz	-40.01	-40.42	-40.40	-39.67	-28.05	-11.62
Mid	4	9 kHz to 150 kHz	-70.66	-70.40	-70.56	-70.89	-58.05	-12.35
		150 kHz to 30 MHz	-56.90	-55.95	-55.54	-55.17	-48.05	-7.12
		30 MHz to 1 GHz	-42.76	-42.76	-42.66	-42.47	-28.05	-14.42
		1 GHz to 2.1 GHz	-31.91	-31.84	-31.88	-32.10	-28.05	-3.79
		2.1 GHz to 2.109 GHz	-43.22	-43.36	-43.12	-43.42	-38.05	-5.07
		2.181 GHz to 2.19 GHz	-43.22	-43.37	-43.32	-43.03	-38.05	-4.98
		2.19 GHz to 6.2 GHz	-33.37	-33.14	-33.19	-33.46	-28.05	-5.09
		6.2 GHz to 18 GHz	-42.14	-42.35	-42.10	-42.34	-28.05	-14.05
		18 GHz to 22 GHz	-40.25	-40.59	-40.65	-40.39	-28.05	-12.20
High	4	9 kHz to 150 kHz	-70.53	-70.95	-70.38	-70.17	-58.05	-12.12
		150 kHz to 30 MHz	-55.89	-56.13	-55.43	-55.31	-48.05	-7.26
		30 MHz to 1 GHz	-42.41	-42.76	-42.41	-42.69	-28.05	-14.36
		1 GHz to 2.1 GHz	-31.52	-31.42	-31.25	-31.27	-28.05	-3.20
		2.1 GHz to 2.109 GHz	-42.73	-42.77	-42.75	-42.66	-38.05	-4.61
		2.181 GHz to 2.19 GHz	-40.52	-39.75	-40.44	-39.15	-38.05	-1.10
		2.19 GHz to 6.2 GHz	-33.76	-32.84	-32.65	-33.37	-28.05	-4.60
		6.2 GHz to 18 GHz	-42.14	-42.13	-42.22	-42.03	-28.05	-13.98
		18 GHz to 22 GHz	-40.06	-40.58	-39.79	-40.42	-28.05	-11.74

Table 8-155. Conducted Spurious Emission Summary Data (NR_n66_1C_5M)

**CTK Co., Ltd.**

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si, Gyeonggi-do,
17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2025-03129-1
Page (311) / (480) pages

CH	Port	Measurement Range	Level (dBm)				Limit (dBm)	Worst Margin (dB)
			QPSK	16QAM	64QAM	256QAM		
Low	5	9 kHz to 150 kHz	-67.86	-68.76	-67.30	-68.03	-58.05	-9.25
		150 kHz to 30 MHz	-53.83	-54.74	-54.06	-54.01	-48.05	-5.78
		30 MHz to 1 GHz	-40.83	-40.85	-40.90	-40.87	-28.05	-12.78
		1 GHz to 2.1 GHz	-30.01	-30.16	-30.09	-30.24	-28.05	-1.96
		2.1 GHz to 2.109 GHz	-39.40	-40.23	-39.74	-39.26	-38.05	-1.21
		2.181 GHz to 2.19 GHz	-42.01	-41.70	-41.79	-41.84	-38.05	-3.65
		2.19 GHz to 6.2 GHz	-32.78	-33.55	-32.31	-33.02	-28.05	-4.26
		6.2 GHz to 18 GHz	-42.31	-42.39	-42.26	-42.17	-28.05	-14.12
		18 GHz to 22 GHz	-40.54	-40.37	-40.19	-40.63	-28.05	-12.14
Mid	5	9 kHz to 150 kHz	-67.76	-68.47	-69.04	-67.75	-58.05	-9.70
		150 kHz to 30 MHz	-54.94	-53.02	-53.70	-53.31	-48.05	-4.97
		30 MHz to 1 GHz	-40.81	-41.00	-41.21	-40.83	-28.05	-12.76
		1 GHz to 2.1 GHz	-29.81	-29.55	-30.05	-30.18	-28.05	-1.50
		2.1 GHz to 2.109 GHz	-41.30	-41.40	-41.04	-41.55	-38.05	-2.99
		2.181 GHz to 2.19 GHz	-41.89	-41.81	-41.90	-41.78	-38.05	-3.73
		2.19 GHz to 6.2 GHz	-33.41	-32.91	-32.89	-32.38	-28.05	-4.33
		6.2 GHz to 18 GHz	-42.48	-42.51	-42.48	-42.41	-28.05	-14.36
		18 GHz to 22 GHz	-40.75	-40.66	-40.60	-40.34	-28.05	-12.29
High	5	9 kHz to 150 kHz	-68.46	-67.34	-68.54	-67.81	-58.05	-9.29
		150 kHz to 30 MHz	-53.78	-53.58	-52.92	-53.48	-48.05	-4.87
		30 MHz to 1 GHz	-40.66	-40.77	-40.72	-40.72	-28.05	-12.61
		1 GHz to 2.1 GHz	-29.13	-29.46	-29.28	-29.45	-28.05	-1.08
		2.1 GHz to 2.109 GHz	-41.22	-40.83	-40.92	-40.95	-38.05	-2.78
		2.181 GHz to 2.19 GHz	-39.07	-39.42	-39.97	-39.78	-38.05	-1.02
		2.19 GHz to 6.2 GHz	-33.14	-32.57	-33.00	-32.54	-28.05	-4.49
		6.2 GHz to 18 GHz	-42.44	-42.37	-42.50	-42.19	-28.05	-14.14
		18 GHz to 22 GHz	-40.40	-40.60	-40.14	-40.39	-28.05	-12.09

Table 8-156. Conducted Spurious Emission Summary Data (NR_n66_1C_10M)

**CTK Co., Ltd.**

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si, Gyeonggi-do,
17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2025-03129-1
Page (312) / (480) pages

CH	Port	Measurement Range	Level (dBm)				Limit (dBm)	Worst Margin (dB)
			QPSK	16QAM	64QAM	256QAM		
Low	29	9 kHz to 150 kHz	-69.59	-69.46	-69.54	-69.49	-58.05	-11.41
		150 kHz to 30 MHz	-55.96	-55.97	-55.19	-55.67	-48.05	-7.14
		30 MHz to 1 GHz	-43.05	-43.02	-42.89	-42.97	-28.05	-14.84
		1 GHz to 2.1 GHz	-30.98	-30.87	-30.82	-30.93	-28.05	-2.77
		2.1 GHz to 2.109 GHz	-40.85	-40.18	-40.04	-39.99	-38.05	-1.94
		2.181 GHz to 2.19 GHz	-44.25	-44.33	-44.39	-44.41	-38.05	-6.20
		2.19 GHz to 6.2 GHz	-33.89	-34.43	-34.47	-34.69	-28.05	-5.84
		6.2 GHz to 18 GHz	-42.35	-42.20	-42.17	-42.30	-28.05	-14.12
		18 GHz to 22 GHz	-40.64	-40.48	-40.84	-40.13	-28.05	-12.08
Mid	29	9 kHz to 150 kHz	-69.62	-69.75	-69.60	-70.21	-58.05	-11.55
		150 kHz to 30 MHz	-56.01	-55.25	-55.24	-54.22	-48.05	-6.17
		30 MHz to 1 GHz	-42.79	-42.55	-42.75	-42.96	-28.05	-14.50
		1 GHz to 2.1 GHz	-30.92	-30.91	-30.66	-31.04	-28.05	-2.61
		2.1 GHz to 2.109 GHz	-42.96	-42.57	-42.73	-42.85	-38.05	-4.52
		2.181 GHz to 2.19 GHz	-43.52	-43.30	-43.71	-43.82	-38.05	-5.25
		2.19 GHz to 6.2 GHz	-33.47	-34.02	-33.01	-33.46	-28.05	-4.96
		6.2 GHz to 18 GHz	-42.40	-42.09	-42.11	-41.96	-28.05	-13.91
		18 GHz to 22 GHz	-40.77	-40.38	-40.59	-40.33	-28.05	-12.28
High	29	9 kHz to 150 kHz	-70.09	-69.96	-69.48	-69.84	-58.05	-11.43
		150 kHz to 30 MHz	-55.76	-56.98	-56.14	-55.17	-48.05	-7.12
		30 MHz to 1 GHz	-42.85	-42.99	-42.85	-42.83	-28.05	-14.78
		1 GHz to 2.1 GHz	-30.57	-30.69	-30.37	-30.59	-28.05	-2.32
		2.1 GHz to 2.109 GHz	-42.73	-42.74	-42.90	-42.50	-38.05	-4.45
		2.181 GHz to 2.19 GHz	-39.08	-39.06	-39.32	-40.01	-38.05	-1.01
		2.19 GHz to 6.2 GHz	-33.41	-32.71	-32.64	-33.14	-28.05	-4.59
		6.2 GHz to 18 GHz	-42.08	-42.17	-42.49	-42.24	-28.05	-14.03
		18 GHz to 22 GHz	-40.69	-40.50	-40.55	-40.70	-28.05	-12.45

Table 8-157. Conducted Spurious Emission Summary Data (NR_n66_1C_15M)

**CTK Co., Ltd.**

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si, Gyeonggi-do,
17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2025-03129-1
Page (313) / (480) pages

CH	Port	Measurement Range	Level (dBm)				Limit (dBm)	Worst Margin (dB)
			QPSK	16QAM	64QAM	256QAM		
Low	22	9 kHz to 150 kHz	-70.09	-70.08	-69.67	-69.66	-58.05	-11.61
		150 kHz to 30 MHz	-57.85	-54.74	-55.46	-56.35	-48.05	-6.69
		30 MHz to 1 GHz	-42.64	-42.85	-42.68	-42.81	-28.05	-14.59
		1 GHz to 2.1 GHz	-30.93	-30.80	-30.68	-30.17	-28.05	-2.12
		2.1 GHz to 2.109 GHz	-39.13	-39.20	-39.68	-39.53	-38.05	-1.08
		2.181 GHz to 2.19 GHz	-43.73	-43.78	-43.73	-43.52	-38.05	-5.47
		2.19 GHz to 6.2 GHz	-33.48	-32.68	-31.97	-33.14	-28.05	-3.92
		6.2 GHz to 18 GHz	-42.19	-42.40	-41.98	-42.21	-28.05	-13.93
		18 GHz to 22 GHz	-40.42	-40.63	-39.95	-40.71	-28.05	-11.90
Mid	22	9 kHz to 150 kHz	-69.76	-70.30	-69.93	-70.84	-58.05	-11.71
		150 kHz to 30 MHz	-56.85	-56.57	-56.17	-54.80	-48.05	-6.75
		30 MHz to 1 GHz	-42.79	-42.97	-42.90	-42.94	-28.05	-14.74
		1 GHz to 2.1 GHz	-30.61	-30.83	-30.70	-30.61	-28.05	-2.56
		2.1 GHz to 2.109 GHz	-41.15	-41.77	-41.30	-41.47	-38.05	-3.10
		2.181 GHz to 2.19 GHz	-42.80	-43.24	-42.41	-43.35	-38.05	-4.36
		2.19 GHz to 6.2 GHz	-32.81	-33.64	-33.08	-33.80	-28.05	-4.76
		6.2 GHz to 18 GHz	-42.31	-41.96	-42.09	-42.19	-28.05	-13.91
		18 GHz to 22 GHz	-40.55	-40.59	-40.50	-40.16	-28.05	-12.11
High	22	9 kHz to 150 kHz	-69.98	-70.23	-70.05	-70.50	-58.05	-11.93
		150 kHz to 30 MHz	-55.70	-55.39	-56.07	-55.04	-48.05	-6.99
		30 MHz to 1 GHz	-43.14	-43.11	-42.77	-43.10	-28.05	-14.72
		1 GHz to 2.1 GHz	-30.23	-30.33	-30.56	-30.56	-28.05	-2.18
		2.1 GHz to 2.109 GHz	-41.57	-41.44	-41.52	-41.41	-38.05	-3.36
		2.181 GHz to 2.19 GHz	-39.25	-39.06	-39.48	-40.12	-38.05	-1.01
		2.19 GHz to 6.2 GHz	-33.73	-33.11	-33.23	-33.78	-28.05	-5.06
		6.2 GHz to 18 GHz	-42.19	-42.02	-41.85	-42.18	-28.05	-13.80
		18 GHz to 22 GHz	-40.47	-40.26	-40.67	-40.27	-28.05	-12.21

Table 8-158. Conducted Spurious Emission Summary Data (NR_n66_1C_20M)

**CTK Co., Ltd.**

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si, Gyeonggi-do,
17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2025-03129-1
Page (314) / (480) pages

CH	Port	Measurement Range	Level (dBm)				Limit (dBm)	Worst Margin (dB)
			QPSK	16QAM	64QAM	256QAM		
Low	26	9 kHz to 150 kHz	-70.09	-70.09	-70.19	-70.87	-58.05	-12.04
		150 kHz to 30 MHz	-57.15	-55.88	-56.03	-56.00	-48.05	-7.83
		30 MHz to 1 GHz	-42.66	-42.65	-42.45	-42.49	-28.05	-14.40
		1 GHz to 2.1 GHz	-30.22	-30.21	-30.04	-30.35	-28.05	-1.99
		2.1 GHz to 2.109 GHz	-39.63	-39.42	-39.22	-39.70	-38.05	-1.17
		2.181 GHz to 2.19 GHz	-43.52	-43.11	-43.29	-43.70	-38.05	-5.06
		2.19 GHz to 6.2 GHz	-33.17	-32.17	-32.98	-33.48	-28.05	-4.12
		6.2 GHz to 18 GHz	-42.34	-42.41	-42.29	-42.15	-28.05	-14.10
		18 GHz to 22 GHz	-40.28	-40.37	-40.48	-40.26	-28.05	-12.21
Mid	26	9 kHz to 150 kHz	-70.80	-70.24	-70.64	-70.91	-58.05	-12.19
		150 kHz to 30 MHz	-55.71	-57.12	-57.15	-56.15	-48.05	-7.66
		30 MHz to 1 GHz	-42.21	-42.47	-42.60	-42.60	-28.05	-14.16
		1 GHz to 2.1 GHz	-30.27	-29.77	-30.18	-30.00	-28.05	-1.72
		2.1 GHz to 2.109 GHz	-41.46	-41.53	-41.36	-41.39	-38.05	-3.31
		2.181 GHz to 2.19 GHz	-42.49	-43.26	-43.09	-43.09	-38.05	-4.44
		2.19 GHz to 6.2 GHz	-32.75	-31.58	-34.27	-33.99	-28.05	-3.53
		6.2 GHz to 18 GHz	-42.29	-42.13	-42.31	-42.20	-28.05	-14.08
		18 GHz to 22 GHz	-40.35	-40.36	-40.58	-40.60	-28.05	-12.30
High	26	9 kHz to 150 kHz	-70.67	-69.88	-70.05	-71.13	-58.05	-11.83
		150 kHz to 30 MHz	-55.79	-56.62	-56.41	-57.46	-48.05	-7.74
		30 MHz to 1 GHz	-42.68	-42.22	-42.50	-42.59	-28.05	-14.17
		1 GHz to 2.1 GHz	-29.96	-29.87	-29.50	-29.98	-28.05	-1.45
		2.1 GHz to 2.109 GHz	-41.50	-41.57	-41.42	-41.39	-38.05	-3.34
		2.181 GHz to 2.19 GHz	-39.05	-39.35	-39.37	-39.30	-38.05	-1.00
		2.19 GHz to 6.2 GHz	-32.26	-33.26	-33.55	-32.05	-28.05	-4.00
		6.2 GHz to 18 GHz	-42.22	-42.09	-42.21	-42.02	-28.05	-13.97
		18 GHz to 22 GHz	-40.35	-40.18	-40.18	-40.41	-28.05	-12.13

Table 8-159. Conducted Spurious Emission Summary Data (NR_n66_1C_25M)

**CTK Co., Ltd.**

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si, Gyeonggi-do,
17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2025-03129-1
Page (315) / (480) pages

CH	Port	Measurement Range	Level (dBm)				Limit (dBm)	Worst Margin (dB)
			QPSK	16QAM	64QAM	256QAM		
Low	18	9 kHz to 150 kHz	-70.34	-70.54	-70.18	-70.51	-58.05	-12.13
		150 kHz to 30 MHz	-56.53	-56.55	-56.36	-56.16	-48.05	-8.11
		30 MHz to 1 GHz	-42.90	-42.83	-42.82	-42.87	-28.05	-14.77
		1 GHz to 2.1 GHz	-30.27	-30.28	-30.22	-30.27	-28.05	-2.17
		2.1 GHz to 2.109 GHz	-39.77	-39.08	-39.71	-39.65	-38.05	-1.03
		2.181 GHz to 2.19 GHz	-43.68	-43.62	-43.79	-43.93	-38.05	-5.57
		2.19 GHz to 6.2 GHz	-33.68	-34.06	-34.01	-34.14	-28.05	-5.63
		6.2 GHz to 18 GHz	-42.23	-42.11	-41.98	-42.24	-28.05	-13.93
		18 GHz to 22 GHz	-40.45	-40.60	-40.11	-40.02	-28.05	-11.97
Mid	18	9 kHz to 150 kHz	-70.77	-70.36	-70.17	-70.61	-58.05	-12.12
		150 kHz to 30 MHz	-55.56	-56.88	-57.02	-55.15	-48.05	-7.10
		30 MHz to 1 GHz	-42.95	-43.02	-42.90	-42.75	-28.05	-14.70
		1 GHz to 2.1 GHz	-29.52	-30.14	-30.14	-29.96	-28.05	-1.47
		2.1 GHz to 2.109 GHz	-41.31	-41.30	-40.93	-41.53	-38.05	-2.88
		2.181 GHz to 2.19 GHz	-43.08	-42.97	-43.18	-43.59	-38.05	-4.92
		2.19 GHz to 6.2 GHz	-33.69	-33.52	-33.81	-33.17	-28.05	-5.12
		6.2 GHz to 18 GHz	-42.10	-42.20	-42.17	-41.73	-28.05	-13.68
		18 GHz to 22 GHz	-39.92	-40.18	-39.81	-39.89	-28.05	-11.76
High	18	9 kHz to 150 kHz	-70.74	-70.10	-70.49	-70.12	-58.05	-12.05
		150 kHz to 30 MHz	-54.21	-56.73	-55.26	-56.83	-48.05	-6.16
		30 MHz to 1 GHz	-42.85	-42.94	-42.93	-42.82	-28.05	-14.77
		1 GHz to 2.1 GHz	-29.81	-29.87	-29.62	-30.21	-28.05	-1.57
		2.1 GHz to 2.109 GHz	-40.93	-41.41	-41.40	-41.25	-38.05	-2.88
		2.181 GHz to 2.19 GHz	-39.57	-40.02	-39.40	-40.19	-38.05	-1.35
		2.19 GHz to 6.2 GHz	-33.91	-34.45	-33.90	-33.77	-28.05	-5.72
		6.2 GHz to 18 GHz	-42.43	-42.19	-42.26	-41.75	-28.05	-13.70
		18 GHz to 22 GHz	-40.43	-40.02	-40.13	-40.03	-28.05	-11.97

Table 8-160. Conducted Spurious Emission Summary Data (NR_n66_1C_30M)



CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si, Gyeonggi-do,
17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2025-03129-1
Page (316) / (480) pages

CH	Port	Measurement Range	Level (dBm)				Limit (dBm)	Worst Margin (dB)
			QPSK	16QAM	64QAM	256QAM		
Low	5	9 kHz to 150 kHz	-60.15	-60.62	-60.49	-60.90	-58.05	-2.10
		150 kHz to 30 MHz	-55.39	-54.07	-54.88	-53.88	-48.05	-5.83
		30 MHz to 1 GHz	-42.23	-42.35	-42.35	-42.30	-28.05	-14.18
		1 GHz to 2.1 GHz	-30.44	-30.03	-30.03	-30.29	-28.05	-1.98
		2.1 GHz to 2.109 GHz	-40.28	-40.16	-39.31	-40.16	-38.05	-1.26
		2.181 GHz to 2.19 GHz	-42.29	-42.35	-42.24	-42.39	-38.05	-4.19
		2.19 GHz to 6.2 GHz	-34.73	-35.03	-34.81	-35.05	-28.05	-6.68
		6.2 GHz to 18 GHz	-44.55	-44.50	-44.32	-44.42	-28.05	-16.27
		18 GHz to 22 GHz	-42.06	-41.58	-41.34	-41.97	-28.05	-13.29
Mid	5	9 kHz to 150 kHz	-60.23	-60.44	-60.60	-59.83	-58.05	-1.78
		150 kHz to 30 MHz	-54.44	-54.71	-54.18	-52.72	-48.05	-4.67
		30 MHz to 1 GHz	-42.25	-42.30	-42.09	-42.27	-28.05	-14.04
		1 GHz to 2.1 GHz	-30.00	-30.10	-29.62	-30.07	-28.05	-1.57
		2.1 GHz to 2.109 GHz	-41.54	-41.38	-41.38	-41.39	-38.05	-3.33
		2.181 GHz to 2.19 GHz	-41.89	-42.01	-41.83	-41.97	-38.05	-3.78
		2.19 GHz to 6.2 GHz	-34.66	-34.61	-34.86	-35.24	-28.05	-6.56
		6.2 GHz to 18 GHz	-44.23	-44.40	-44.81	-44.47	-28.05	-16.18
		18 GHz to 22 GHz	-41.41	-41.87	-41.65	-41.96	-28.05	-13.36
High	5	9 kHz to 150 kHz	-60.41	-61.45	-60.14	-60.49	-58.05	-2.09
		150 kHz to 30 MHz	-54.09	-54.23	-53.66	-54.81	-48.05	-5.61
		30 MHz to 1 GHz	-41.90	-42.28	-42.23	-42.13	-28.05	-13.85
		1 GHz to 2.1 GHz	-29.07	-29.67	-29.45	-29.36	-28.05	-1.02
		2.1 GHz to 2.109 GHz	-41.26	-41.47	-41.12	-41.16	-38.05	-3.07
		2.181 GHz to 2.19 GHz	-41.30	-41.07	-40.33	-40.84	-38.05	-2.28
		2.19 GHz to 6.2 GHz	-34.28	-34.06	-34.08	-33.79	-28.05	-5.74
		6.2 GHz to 18 GHz	-44.53	-44.65	-44.68	-44.58	-28.05	-16.48
		18 GHz to 22 GHz	-41.68	-41.06	-41.84	-41.75	-28.05	-13.01

Table 8-161. Conducted Spurious Emission Summary Data (DSS_B/n66_1C_10M)

**CTK Co., Ltd.**

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si, Gyeonggi-do,
17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2025-03129-1
Page (317) / (480) pages

CH	Port	Measurement Range	Level (dBm)				Limit (dBm)	Worst Margin (dB)
			QPSK	16QAM	64QAM	256QAM		
Low	4	9 kHz to 150 kHz	-63.84	-63.54	-63.16	-63.33	-58.05	-5.11
		150 kHz to 30 MHz	-56.19	-56.00	-57.40	-57.20	-48.05	-7.95
		30 MHz to 1 GHz	-43.78	-43.79	-43.73	-43.70	-28.05	-15.65
		1 GHz to 2.1 GHz	-31.49	-31.74	-31.57	-31.90	-28.05	-3.44
		2.1 GHz to 2.109 GHz	-40.25	-39.71	-40.81	-40.84	-38.05	-1.66
		2.181 GHz to 2.19 GHz	-44.59	-44.65	-44.70	-44.61	-38.05	-6.54
		2.19 GHz to 6.2 GHz	-33.06	-32.93	-33.19	-33.03	-28.05	-4.88
		6.2 GHz to 18 GHz	-44.55	-44.56	-44.54	-44.28	-28.05	-16.23
		18 GHz to 22 GHz	-41.66	-41.74	-41.81	-41.81	-28.05	-13.61
Mid	4	9 kHz to 150 kHz	-62.48	-62.62	-62.42	-62.78	-58.05	-4.37
		150 kHz to 30 MHz	-57.68	-57.78	-56.77	-56.78	-48.05	-8.72
		30 MHz to 1 GHz	-43.42	-43.87	-43.74	-43.59	-28.05	-15.37
		1 GHz to 2.1 GHz	-31.13	-30.83	-31.44	-31.17	-28.05	-2.78
		2.1 GHz to 2.109 GHz	-43.17	-43.60	-43.31	-43.18	-38.05	-5.12
		2.181 GHz to 2.19 GHz	-43.97	-44.06	-44.16	-44.17	-38.05	-5.92
		2.19 GHz to 6.2 GHz	-32.93	-32.90	-32.87	-32.76	-28.05	-4.71
		6.2 GHz to 18 GHz	-44.43	-44.46	-44.51	-44.25	-28.05	-16.20
		18 GHz to 22 GHz	-41.65	-41.77	-41.51	-41.58	-28.05	-13.46
High	4	9 kHz to 150 kHz	-62.95	-63.57	-63.07	-62.58	-58.05	-4.53
		150 kHz to 30 MHz	-57.28	-56.39	-56.86	-57.09	-48.05	-8.34
		30 MHz to 1 GHz	-43.75	-43.53	-43.40	-43.82	-28.05	-15.35
		1 GHz to 2.1 GHz	-31.29	-31.49	-31.54	-30.53	-28.05	-2.48
		2.1 GHz to 2.109 GHz	-43.36	-43.48	-43.50	-43.26	-38.05	-5.21
		2.181 GHz to 2.19 GHz	-39.07	-39.55	-39.71	-39.95	-38.05	-1.02
		2.19 GHz to 6.2 GHz	-33.14	-32.91	-32.76	-33.18	-28.05	-4.71
		6.2 GHz to 18 GHz	-44.46	-44.41	-44.49	-44.45	-28.05	-16.36
		18 GHz to 22 GHz	-41.72	-41.67	-41.45	-41.41	-28.05	-13.36

Table 8-162. Conducted Spurious Emission Summary Data (DSS_B/n66_1C_15M)

**CTK Co., Ltd.**

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si, Gyeonggi-do,
17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2025-03129-1
Page (318) / (480) pages

CH	Port	Measurement Range	Level (dBm)				Limit (dBm)	Worst Margin (dB)
			QPSK	16QAM	64QAM	256QAM		
Low	4	9 kHz to 150 kHz	-63.44	-63.71	-63.02	-63.07	-58.05	-4.97
		150 kHz to 30 MHz	-57.21	-56.08	-56.26	-57.22	-48.05	-8.03
		30 MHz to 1 GHz	-43.27	-43.34	-41.97	-43.46	-28.05	-13.92
		1 GHz to 2.1 GHz	-30.69	-31.20	-30.90	-30.82	-28.05	-2.64
		2.1 GHz to 2.109 GHz	-39.12	-39.35	-39.55	-39.08	-38.05	-1.03
		2.181 GHz to 2.19 GHz	-43.99	-44.05	-44.10	-43.65	-38.05	-5.60
		2.19 GHz to 6.2 GHz	-32.56	-32.38	-32.56	-32.43	-28.05	-4.33
		6.2 GHz to 18 GHz	-44.57	-44.25	-44.20	-44.45	-28.05	-16.15
		18 GHz to 22 GHz	-41.88	-41.78	-41.93	-41.34	-28.05	-13.29
Mid	4	9 kHz to 150 kHz	-63.05	-63.13	-63.39	-63.91	-58.05	-5.00
		150 kHz to 30 MHz	-56.34	-56.42	-56.75	-56.57	-48.05	-8.29
		30 MHz to 1 GHz	-43.40	-43.51	-43.43	-43.06	-28.05	-15.01
		1 GHz to 2.1 GHz	-30.91	-30.49	-30.64	-30.97	-28.05	-2.44
		2.1 GHz to 2.109 GHz	-41.57	-41.55	-41.94	-41.38	-38.05	-3.33
		2.181 GHz to 2.19 GHz	-42.76	-43.39	-43.14	-43.24	-38.05	-4.71
		2.19 GHz to 6.2 GHz	-32.39	-31.87	-32.66	-33.08	-28.05	-3.82
		6.2 GHz to 18 GHz	-44.38	-44.11	-44.27	-44.45	-28.05	-16.06
		18 GHz to 22 GHz	-41.58	-41.21	-41.63	-41.81	-28.05	-13.16
High	4	9 kHz to 150 kHz	-63.89	-63.52	-63.64	-63.30	-58.05	-5.25
		150 kHz to 30 MHz	-56.33	-56.26	-54.50	-55.79	-48.05	-6.45
		30 MHz to 1 GHz	-43.46	-43.46	-43.62	-43.46	-28.05	-15.41
		1 GHz to 2.1 GHz	-30.50	-30.56	-29.95	-30.76	-28.05	-1.90
		2.1 GHz to 2.109 GHz	-41.72	-41.71	-41.50	-41.67	-38.05	-3.45
		2.181 GHz to 2.19 GHz	-39.72	-39.91	-39.16	-39.32	-38.05	-1.11
		2.19 GHz to 6.2 GHz	-32.50	-32.54	-32.70	-32.38	-28.05	-4.33
		6.2 GHz to 18 GHz	-44.45	-44.37	-44.25	-44.28	-28.05	-16.20
		18 GHz to 22 GHz	-41.71	-41.86	-41.29	-41.52	-28.05	-13.24

Table 8-163. Conducted Spurious Emission Summary Data (DSS_B/n66_1C_20M)

**CTK Co., Ltd.**

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si, Gyeonggi-do,
17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2025-03129-1
Page (319) / (480) pages

CH	Measurement Range	Level (dBm)				Limit (dBm)	Worst Margin (dB)
		LTE_2C 10M+10M Port 8	LTE_4C 5M+15M+ 20M+20M Port 13	NR_2C 10M+10M Port 18	NR_4C 5M+15M+ 20M+20M Port 13		
Low	9 kHz to 150 kHz	-69.03	-68.20	-68.01	-68.83	-58.05	-9.96
	150 kHz to 9 MHz	-56.53	-60.54	-55.23	-57.89	-48.05	-7.18
	9 MHz to 30 MHz	-53.87	-61.84	-56.94	-61.08	-48.05	-5.82
	30 MHz to 1 GHz	-42.43	-44.46	-42.39	-44.23	-28.05	-14.34
	1 GHz to 2.1 GHz	-31.20	-29.74	-32.78	-31.16	-28.05	-1.69
	2.1 GHz to 2.109 GHz	-40.35	-39.66	-39.35	-39.63	-38.05	-1.30
	2.181 GHz to 2.19 GHz	-43.07	-40.02	-43.98	-41.46	-38.05	-1.97
	2.19 GHz to 6.2 GHz	-33.02	-32.55	-33.27	-33.57	-28.05	-4.50
	6.2 GHz to 18 GHz	-42.26	-46.39	-46.68	-46.48	-28.05	-14.21
	18 GHz to 22 GHz	-40.07	-43.33	-43.46	-43.45	-28.05	-12.02
Mid	9 kHz to 150 kHz	-69.20	-69.31	-65.46	-68.78	-58.05	-7.41
	150 kHz to 9 MHz	-56.26	-57.31	-55.58	-58.08	-48.05	-7.53
	9 MHz to 30 MHz	-54.40	-61.51	-55.71	-61.50	-48.05	-6.35
	30 MHz to 1 GHz	-42.32	-44.14	-43.18	-44.27	-28.05	-14.27
	1 GHz to 2.1 GHz	-31.30	-31.37	-32.22	-30.97	-28.05	-2.92
	2.1 GHz to 2.109 GHz	-41.36	-40.60	-42.59	-40.40	-38.05	-2.35
	2.181 GHz to 2.19 GHz	-42.42	-41.17	-43.58	-41.60	-38.05	-3.12
	2.19 GHz to 6.2 GHz	-31.89	-31.53	-34.05	-34.07	-28.05	-3.48
	6.2 GHz to 18 GHz	-42.12	-46.38	-46.59	-46.49	-28.05	-14.07
	18 GHz to 22 GHz	-40.39	-43.55	-43.32	-43.52	-28.05	-12.34
High	9 kHz to 150 kHz	-69.42	-69.71	-70.17	-69.03	-58.05	-10.98
	150 kHz to 9 MHz	-56.35	-57.72	-57.78	-58.11	-48.05	-8.30
	9 MHz to 30 MHz	-54.53	-61.66	-60.89	-61.42	-48.05	-6.48
	30 MHz to 1 GHz	-42.39	-44.42	-43.35	-44.22	-28.05	-14.34
	1 GHz to 2.1 GHz	-31.23	-31.04	-32.10	-31.05	-28.05	-2.99
	2.1 GHz to 2.109 GHz	-42.75	-39.10	-43.28	-40.33	-38.05	-1.05
	2.181 GHz to 2.19 GHz	-39.07	-39.13	-39.10	-40.75	-38.05	-1.02
	2.19 GHz to 6.2 GHz	-32.51	-32.85	-33.31	-33.82	-28.05	-4.46
	6.2 GHz to 18 GHz	-42.38	-46.49	-46.63	-46.40	-28.05	-14.33
	18 GHz to 22 GHz	-40.37	-43.58	-43.39	-43.61	-28.05	-12.32

Table 8-164. Conducted Spurious Emission Summary Data (B/n66_Multi-carrier Contiguous Configurations)

CH	Measurement Range	Level (dBm)				Limit (dBm)	Worst Margin (dB)
		LTE_2NC 10M+10M Port 18	LTE_4NC 5M+15M+ 20M+20M Port 13	NR_2NC 10M+10M Port 18	NR_4NC 5M+15M+ 20M+20M Port 13		
Mid	9 kHz to 150 kHz	-70.01	-67.96	-68.21	-69.57	-58.05	-9.91
	150 kHz to 9 MHz	-57.35	-55.46	-57.83	-58.41	-48.05	-7.41
	9 MHz to 30 MHz	-60.92	-61.30	-61.02	-61.22	-48.05	-12.87
	30 MHz to 1 GHz	-42.36	-43.84	-43.24	-44.34	-28.05	-14.31
	1 GHz to 2.1 GHz	-29.17	-30.65	-29.43	-30.95	-28.05	-1.12
	2.1 GHz to 2.109 GHz	-39.91	-39.18	-40.10	-39.94	-38.05	-1.13
	2.181 GHz to 2.19 GHz	-41.65	-39.62	-40.89	-41.52	-38.05	-1.57
	2.19 GHz to 6.2 GHz	-33.93	-32.53	-33.97	-33.76	-28.05	-4.48
	6.2 GHz to 18 GHz	-42.17	-46.49	-46.49	-46.04	-28.05	-14.12
	18 GHz to 22 GHz	-40.57	-43.60	-43.56	-43.55	-28.05	-12.52

Table 8-165. Conducted Spurious Emission Summary Data (B/n66_Multi-carrier_Non-Contiguous Configurations)

**CTK Co., Ltd.**

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si, Gyeonggi-do,
17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2025-03129-1
Page (320) / (480) pages

CH	Measurement Range	Level (dBm)		Limit (dBm)	Worst Margin (dB)
		MSR_B/n66_3C_LTE 5M+NR 5M+DSS 10M Port 12	MSR_B/n66_4C_LTE 10M+NR 10M+NR 20M+DSS 20M Port 12		
Low	9 kHz to 150 kHz	-62.47	-62.37	-58.05	-4.32
	150 kHz to 30 MHz	-56.11	-56.02	-48.05	-7.97
	30 MHz to 1 GHz	-43.45	-43.54	-28.05	-15.40
	1 GHz to 2.1 GHz	-30.43	-29.85	-28.05	-1.80
	2.1 GHz to 2.109 GHz	-39.09	-39.33	-38.05	-1.04
	2.181 GHz to 2.19 GHz	-43.35	-41.79	-38.05	-3.74
	2.19 GHz to 6.2 GHz	-32.70	-32.50	-28.05	-4.45
	6.2 GHz to 18 GHz	-44.40	-44.16	-28.05	-16.11
	18 GHz to 22 GHz	-41.81	-41.92	-28.05	-13.76
Mid	9 kHz to 150 kHz	-62.83	-62.59	-58.05	-4.54
	150 kHz to 30 MHz	-56.79	-57.32	-48.05	-8.74
	30 MHz to 1 GHz	-43.53	-43.50	-28.05	-15.45
	1 GHz to 2.1 GHz	-30.40	-30.14	-28.05	-2.09
	2.1 GHz to 2.109 GHz	-40.53	-40.06	-38.05	-2.01
	2.181 GHz to 2.19 GHz	-40.81	-42.09	-38.05	-2.76
	2.19 GHz to 6.2 GHz	-31.90	-31.99	-28.05	-3.85
	6.2 GHz to 18 GHz	-44.43	-44.48	-28.05	-16.38
	18 GHz to 22 GHz	-41.63	-41.55	-28.05	-13.5
High	9 kHz to 150 kHz	-62.46	-63.30	-58.05	-4.41
	150 kHz to 30 MHz	-55.12	-55.57	-48.05	-7.07
	30 MHz to 1 GHz	-43.51	-43.69	-28.05	-15.46
	1 GHz to 2.1 GHz	-29.77	-30.20	-28.05	-1.72
	2.1 GHz to 2.109 GHz	-41.47	-40.49	-38.05	-2.44
	2.181 GHz to 2.19 GHz	-39.09	-41.93	-38.05	-1.04
	2.19 GHz to 6.2 GHz	-31.82	-32.58	-28.05	-3.77
	6.2 GHz to 18 GHz	-44.22	-44.65	-28.05	-16.17
	18 GHz to 22 GHz	-41.41	-41.88	-28.05	-13.36

Table 8-166. Conducted Spurious Emission Summary Data (MSR_B/n66_ Contiguous Configurations)

CH	Measurement Range	Level (dBm)		Limit (dBm)	Worst Margin (dB)
		MSR_B/n66_3NC_LTE 5M+NR 5M+DSS 10M Port 12	MSR_B/n66_4NC_LTE 10M+NR 10M+NR 20M+DSS 20M Port 13		
Mid	9 kHz to 150 kHz	-62.71	-62.91	-58.05	-4.66
	150 kHz to 30 MHz	-55.06	-57.68	-48.05	-7.01
	30 MHz to 1 GHz	-43.71	-43.45	-28.05	-15.4
	1 GHz to 2.1 GHz	-30.13	-30.40	-28.05	-2.08
	2.1 GHz to 2.109 GHz	-39.20	-39.74	-38.05	-1.15
	2.181 GHz to 2.19 GHz	-40.55	-41.51	-38.05	-2.50
	2.19 GHz to 6.2 GHz	-31.73	-32.78	-28.05	-3.68
	6.2 GHz to 18 GHz	-44.30	-44.59	-28.05	-16.25
	18 GHz to 22 GHz	-41.10	-41.22	-28.05	-13.05

Table 8-167. Conducted Spurious Emission Summary Data (MSR_B/n66_Non-Contiguous Configurations)

**CTK Co., Ltd.**

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si, Gyeonggi-do,
17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2025-03129-1
Page (321) / (480) pages

CH	Measurement Range	Level (dBm)		Limit (dBm)	Worst Margin (dB)
		Multi-Band_ DSS_B/n25_1C_20M+ DSS_B/n66_1C_20M Port 1	Multi-Band_ MSR_B/n25_3C_LTE 10M+NR 10M+DSS 10M+ MSR_B/n66_3C_LTE 20M+NR 20M+DSS 20M Port 1		
Mid	9 kHz to 150 kHz	-61.95	-61.98	-58.05	-3.90
	150 kHz to 30 MHz	-56.93	-55.20	-48.05	-7.15
	30 MHz to 1 GHz	-43.39	-43.45	-28.05	-15.34
	1 GHz to 1.9 GHz	-35.28	-35.48	-28.05	-7.23
	1.9 GHz to 1.929 GHz	-42.51	-41.11	-38.05	-3.06
	1.929 GHz to 1.930 GHz	-29.97	-29.56	-28.05	-1.51
	1.995 GHz to 1.996 GHz	-29.87	-29.29	-28.05	-1.24
	1.996 GHz to 2 GHz	-44.14	-40.11	-38.05	-2.06
	2 GHz to 2.1 GHz	-34.26	-34.38	-28.05	-6.21
	2.1 GHz to 2.109 GHz	-42.87	-40.84	-38.05	-2.79
	2.109 GHz to 2.110 GHz	-31.49	-29.94	-28.05	-1.89
	2.180 GHz to 2.181 GHz	-29.23	-31.05	-28.05	-1.18
	2.181 to 2.190 GHz	-44.89	-40.35	-38.05	-2.30
	2.190 GHz to 6.2 GHz	-30.38	-30.42	-28.05	-2.33
	6.2 GHz to 18 GHz	-44.17	-44.45	-28.05	-16.12
	18 GHz to 22 GHz	-41.59	-40.96	-28.05	-12.91

Table 8-168. Conducted Spurious Emission Summary Data (Multi-Band Configurations)