

SAMSUNG FCC ID:A3LSCHN370 -- PCS CDMA HEAD SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Brain: $\sigma = 1.62$ mho/m $\epsilon_r = 40.0$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.674 mW/g, SAR (10g): 0.346 mW/g

SAMSUNG TriMode phone Model: SCH-N370


PCS CDMA Mode, Ch.0025 [1851.25MHz]; Standard Battery

Conducted Power = 26.0dBm; Left Head Phantom, Cheek/Touch position

Test Date -- 09/11/2001



SAR_{Tot} [mW/g]



SAMSUNG FCC ID:A3LSCHN370 -- PCS CDMA HEAD SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Brain: $\sigma = 1.62$ mho/m $\epsilon_r = 40.0$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.599 mW/g, SAR (10g): 0.300 mW/g

SAMSUNG TriMode phone Model: SCH-N370

PCS CDMA Mode, Ch.0025 [1851.25MHz]; Standard Battery

Conducted Power = 26.0dBm; Left Head Phantom, Cheek/Touch position

Test Date -- 09/11/2001



SAMSUNG FCC ID:A3LSCHN370 -- PCS CDMA HEAD SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Brain: $\sigma = 1.62$ mho/m $\epsilon_r = 40.0$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 1.01 mW/g, SAR (10g): 0.517 mW/g

SAMSUNG TriMode phone Model: SCH-N370


PCS CDMA Mode, Ch.0600 [1800.00MHz]; Standard Battery

Conducted Power = 26.0dBm; Left Head Phantom, Cheek/Touch position

Test Date -- 09/11/2001



SAR_{Tot} [mW/g]



SAMSUNG FCC ID:A3LSCHN370 -- PCS CDMA HEAD SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Brain: $\sigma = 1.62$ mho/m $\epsilon_r = 40.0$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.868 mW/g, SAR (10g): 0.435 mW/g

SAMSUNG TriMode phone Model: SCH-N370


PCS CDMA Mode, Ch.0600 [1880.00MHz]; Standard Battery

Conducted Power = 26.0dBm; Left Head Phantom, Cheek/Touch position

Test Date -- 09/11/2001



SAR_{Tot} [mW/g]



SAMSUNG FCC ID:A3LSCHN370 -- PCS CDMA HEAD SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Brain: $\sigma = 1.62$ mho/m $\epsilon_r = 40.0$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.723 mW/g, SAR (10g): 0.370 mW/g

SAMSUNG TriMode phone Model: SCH-N370


PCS CDMA Mode, Ch.1175 [1908.75MHz]; Standard Battery

Conducted Power = 26.0dBm; Left Head Phantom, Cheek/Touch position

Test Date -- 09/11/2001



SAR_{Tot} [mW/g]



SAMSUNG FCC ID:A3LSCHN370 -- PCS CDMA HEAD SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Brain: $\sigma = 1.62$ mho/m $\epsilon_r = 40.0$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.723 mW/g, SAR (10g): 0.360 mW/g

SAMSUNG TriMode phone Model: SCH-N370


PCS CDMA Mode, Ch.1175 [1908.75MHz]; Standard Battery

Conducted Power = 26.0dBm; Left Head Phantom, Cheek/Touch position

Test Date -- 09/11/2001



SAR_{Tot} [mW/g]



SAMSUNG FCC ID:A3LSCHN370 -- PCS CDMA HEAD SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Brain: $\sigma = 1.62$ mho/m $\epsilon_r = 40.0$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 1.12 mW/g, SAR (10g): 0.556 mW/g

SAMSUNG TriMode phone Model: SCH-N370


PCS CDMA Mode, Ch.0025 [1851.25MHz]; Standard Battery

Conducted Power = 26.0dBm; Left Head Phantom, Ear/15degree Tilt position

Test Date -- 09/11/2001




SAR_{Tot} [mW/g]



SAMSUNG FCC ID:A3LSCHN370 -- PCS CDMA HEAD SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 1900 MHz Brain: $\sigma = 1.62$ mho/m $\epsilon_r = 40.0$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 1.05 mW/g, SAR (10g): 0.511 mW/g

SAMSUNG TriMode phone Model: SCH-N370
PCS CDMA Mode, Ch.0025 [181.250MHz]; Standard Battery
Conducted Power = 26.0dBm; Left Head Phantom, Ear/15degree Tilt position
Test Date -- 09/11/2001



SAMSUNG FCC ID:A3LSCHN370 -- PCS CDMA HEAD SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Brain: $\sigma = 1.62$ mho/m $\epsilon_r = 40.0$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 1.48 mW/g, SAR (10g): 0.734 mW/g

SAMSUNG TriMode phone Model: SCH-N370


PCS CDMA Mode, Ch.0600 [1880.00MHz]; Standard Battery

Conducted Power = 26.0dBm; Left Head Phantom, Ear/15degree Tilt position

Test Date -- 09/11/2001




SAR_{Tot} [mW/g]




SAMSUNG FCC ID:A3LSCHN370 -- PCS CDMA HEAD SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 1900 MHz Brain: $\sigma = 1.62$ mho/m $\epsilon_r = 40.0$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 1.32 mW/g, SAR (10g): 0.648 mW/g

SAMSUNG TriMode phone Model: SCH-N370
PCS CDMA Mode, Ch.0600 [1880.00MHz]; Standard Battery
Conducted Power = 26.0dBm; Left Head Phantom, Ear/15degree Tilt position
Test Date -- 09/11/2001



SAR_{Tot} [mW/g]



SAMSUNG FCC ID:A3LSCHN370 -- PCS CDMA HEAD SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Brain: $\sigma = 1.62$ mho/m $\epsilon_r = 40.0$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 1.34 mW/g, SAR (10g): 0.657 mW/g

SAMSUNG TriMode phone Model: SCH-N370


PCS CDMA Mode, Ch.1175 [1908.75MHz]; Standard Battery

Conducted Power = 26.0dBm; Left Head Phantom, Ear/15degree Tilt position

Test Date -- 09/11/2001



SAR_{Tot} [mW/g]



SAMSUNG FCC ID:A3LSCHN370 -- PCS CDMA HEAD SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Brain: $\sigma = 1.62$ mho/m $\epsilon_r = 40.0$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 1.11 mW/g, SAR (10g): 0.553 mW/g

SAMSUNG TriMode phone Model: SCH-N370


PCS CDMA Mode, Ch.1175 [1908.75MHz]; Standard Battery

Conducted Power = 26.0dBm; Left Head Phantom, Ear/15degree Tilt position

Test Date -- 09/11/2001



SAR_{Tot} [mW/g]



SAMSUNG FCC ID:A3LSCHN370 -- PCS CDMA HEAD SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Brain: $\sigma = 1.62$ mho/m $\epsilon_r = 40.0$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 1.29 mW/g, SAR (10g): 0.667 mW/g

SAMSUNG TriMode phone Model: SCH-N370


PCS CDMA Mode, Ch.0600 [1880.00MHz]; Extended Battery

Conducted Power = 26.0dBm; Left Head Phantom, Ear/15degree Tilt position

Test Date -- 09/11/2001




SAR_{Tot} [mW/g]



SAMSUNG FCC ID:A3LSCHN370 -- PCS CDMA HEAD SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 1900 MHz Brain: $\sigma = 1.62$ mho/m $\epsilon_r = 40.0$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 1.16 mW/g, SAR (10g): 0.596 mW/g

SAMSUNG TriMode phone Model: SCH-N370
PCS CDMA Mode, Ch.0600 [1880.00MHz]; Extended Battery
Conducted Power = 26.0dBm; Left Head Phantom, Ear/15degree Tilt position
Test Date -- 09/11/2001



SAMSUNG FCC ID:A3LSCHN370 -- PCS CDMA HEAD SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Brain: $\sigma = 1.62$ mho/m $\epsilon_r = 40.0$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.487 mW/g, SAR (10g): 0.267 mW/g

SAMSUNG TriMode phone Model: SCH-N370


PCS CDMA Mode, Ch.0025 [1851.25MHz]; Standard Battery

Conducted Power = 26.0dBm; Right Head Phantom, Cheek/Touch position

Test Date -- 09/11/2001



SAR_{Tot} [mW/g]



SAMSUNG FCC ID:A3LSCHN370 -- PCS CDMA HEAD SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Brain: $\sigma = 1.62$ mho/m $\epsilon_r = 40.0$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.475 mW/g, SAR (10g): 0.256 mW/g

SAMSUNG TriMode phone Model: SCH-N370


PCS CDMA Mode, Ch.0025 [1851.25MHz]; Standard Battery

Conducted Power = 26.0dBm; Right Head Phantom, Cheek/Touch position

Test Date -- 09/11/2001




SAR_{Tot} [mW/g]




SAMSUNG FCC ID:A3LSCHN370 -- PCS CDMA HEAD SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 1900 MHz Brain: $\sigma = 1.62$ mho/m $\epsilon_r = 40.0$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0
SAR (1g): 0.624 mW/g, SAR (10g): 0.303 mW/g

SAMSUNG TriMode phone Model: SCH-N370
PCS CDMA Mode, Ch.0600 [1880.00MHz]; Standard Battery
Conducted Power = 26.0dBm; Right Head Phantom, Cheek/Touch position
Test Date -- 09/11/2001



SAR_{Tot} [mW/g]



SAMSUNG FCC ID:A3LSCHN370 -- PCS CDMA HEAD SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Brain: $\sigma = 1.62$ mho/m $\epsilon_r = 40.0$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.633 mW/g, SAR (10g): 0.339 mW/g

SAMSUNG TriMode phone Model: SCH-N370


PCS CDMA Mode, Ch.0600 [1880.00MHz]; Standard Battery

Conducted Power = 26.0dBm; Right Head Phantom, Cheek/Touch position

Test Date -- 09/11/2001



SAR_{Tot} [mW/g]



SAMSUNG FCC ID:A3LSCHN370 -- PCS CDMA HEAD SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Brain: $\sigma = 1.62$ mho/m $\epsilon_r = 40.0$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.565 mW/g, SAR (10g): 0.306 mW/g

SAMSUNG TriMode phone Model: SCH-N370


PCS CDMA Mode, Ch.1175 [1908.75MHz]; Standard Battery

Conducted Power = 26.0dBm; Right Head Phantom, Cheek/Touch position

Test Date -- 09/11/2001




SAR_{Tot} [mW/g]



SAMSUNG FCC ID:A3LSCHN370 -- PCS CDMA HEAD SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 1900 MHz Brain: $\sigma = 1.62$ mho/m $\epsilon_r = 40.0$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 0.488 mW/g, SAR (10g): 0.260 mW/g


SAMSUNG TriMode phone Model: SCH-N370
PCS CDMA Mode, Ch.1175 [1908.75MHz]; Standard Battery
Conducted Power = 26.0dBm; Right Head Phantom, Cheek/Touch position
Test Date -- 09/11/2001




SAMSUNG FCC ID:A3LSCHN370 -- PCS CDMA HEAD SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 1900 MHz Brain: $\sigma = 1.62$ mho/m $\epsilon_r = 40.0$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0
SAR (1g): 0.908 mW/g, SAR (10g): 0.486 mW/g

SAMSUNG TriMode phone Model: SCH-N370
PCS CDMA Mode, Ch.0025 [1851.25MHz]; Standard Battery
Conducted Power = 26.0dBm; Right Head Phantom, Ear/15degree Tilt position
Test Date -- 09/11/2001



SAR_{Tot} [mW/g]



SAMSUNG FCC ID:A3LSCHN370 -- PCS CDMA HEAD SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Brain: $\sigma = 1.62$ mho/m $\epsilon_r = 40.0$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.825 mW/g, SAR (10g): 0.441 mW/g

SAMSUNG TriMode phone Model: SCH-N370

PCS CDMA Mode, Ch.0025 [1851.25MHz]; Standard Battery

Conducted Power = 26.0dBm; Right Head Phantom, Ear/15degree Tilt position


Test Date -- 09/11/2001



SAMSUNG FCC ID:A3LSCHN370 -- PCS CDMA HEAD SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 1900 MHz Brain: $\sigma = 1.62$ mho/m $\epsilon_r = 40.0$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0
SAR (1g): 1.24 mW/g, SAR (10g): 0.658 mW/g

SAMSUNG TriMode phone Model: SCH-N370
PCS CDMA Mode, Ch.0600 [1880.00MHz]; Standard Battery
Conducted Power = 26.0dBm; Right Head Phantom, Ear/15degree Tilt position
Test Date -- 09/11/2001



SAMSUNG FCC ID:A3LSCHN370 -- PCS CDMA HEAD SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Brain: $\sigma = 1.62$ mho/m $\epsilon_r = 40.0$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 1.17 mW/g, SAR (10g): 0.623 mW/g

SAMSUNG TriMode phone Model: SCH-N370


PCS CDMA Mode, Ch.0600 [1880.00MHz]; Standard Battery

Conducted Power = 26.0dBm; Right Head Phantom, Ear/15degree Tilt position

Test Date -- 09/11/2001




SAR_{Tot} [mW/g]




SAMSUNG FCC ID:A3LSCHN370 -- PCS CDMA HEAD SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 1900 MHz Brain: $\sigma = 1.62$ mho/m $\epsilon_r = 40.0$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0
SAR (1g): 1.01 mW/g, SAR (10g): 0.540 mW/g

SAMSUNG TriMode phone Model: SCH-N370
PCS CDMA Mode, Ch.1175 [1908.75MHz]; Standard Battery
Conducted Power = 26.0dBm; Right Head Phantom, Ear/15degree Tilt position
Test Date -- 09/11/2001



SAR_{Tot} [mW/g]



SAMSUNG FCC ID:A3LSCHN370 -- PCS CDMA HEAD SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Brain: $\sigma = 1.62$ mho/m $\epsilon_r = 40.0$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.955 mW/g, SAR (10g): 0.508 mW/g

SAMSUNG TriMode phone Model: SCH-N370


PCS CDMA Mode, Ch.1175 [1908.75MHz]; Standard Battery

Conducted Power = 26.0dBm; Right Head Phantom, Ear/15degree Tilt position

Test Date -- 09/11/2001



SAR_{Tot} [mW/g]



SAMSUNG FCC ID:A3LSCHN370 -- PCS CDMA BODY SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.52$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.132 mW/g, SAR (10g): 0.0771 mW/g

SAMSUNG TriMode phone Model: SCH-N370

Cellular PCS Mode, Ch.0025 [1851.25MHz]; Standard Battery

Conducted Power = 26.0dBm; Flat Phantom, Spacing = 2.0cm from flat phantom to back of phone w/ Beltclip

Test Date -- 09/12/2001



SAMSUNG FCC ID:A3LSCHN370 -- PCS CDMA BODY SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.52$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.124 mW/g, SAR (10g): 0.0722 mW/g

SAMSUNG TriMode phone Model: SCH-N370

Cellular PCS Mode, Ch.0025 [1851.25MHz]; Standard Battery

Conducted Power = 26.0dBm; Flat Phantom, Spacing = 2.0cm from flat phantom to back of phone w/ Beltclip

Test Date -- 09/12/2001



SAMSUNG FCC ID:A3LSCHN370 -- PCS CDMA BODY SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.52$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.170 mW/g, SAR (10g): 0.0985 mW/g

SAMSUNG TriMode phone Model: SCH-N370

Cellular PCS Mode, Ch.0600 [1880.00MHz]; Standard Battery

Conducted Power = 26.0dBm; Flat Phantom, Spacing = 2.0cm from flat phantom to back of phone w/ Beltclip

Test Date -- 09/12/2001



SAMSUNG FCC ID:A3LSCHN370 -- PCS CDMA BODY SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.52$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.157 mW/g, SAR (10g): 0.0909 mW/g

SAMSUNG TriMode phone Model: SCH-N370

Cellular PCS Mode, Ch.0600 [1880.00MHz]; Standard Battery

Conducted Power = 26.0dBm; Flat Phantom, Spacing = 2.0cm from flat phantom to back of phone w/ Beltclip

Test Date -- 09/12/2001



SAMSUNG FCC ID:A3LSCHN370 -- PCS CDMA BODY SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.52$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.126 mW/g, SAR (10g): 0.0721 mW/g

SAMSUNG TriMode phone Model: SCH-N370

Cellular PCS Mode, Ch.1175 [1908.75MHz]; Standard Battery

Conducted Power = 26.0dBm; Flat Phantom, Spacing = 2.0cm from flat phantom to back of phone w/ Beltclip

Test Date -- 09/12/2001



SAMSUNG FCC ID:A3LSCHN370 -- PCS CDMA BODY SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.52$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.116 mW/g, SAR (10g): 0.0658 mW/g

SAMSUNG TriMode phone Model: SCH-N370

Cellular PCS Mode, Ch.1175 [1908.75Hz]; Standard Battery

Conducted Power = 26.0dBm; Flat Phantom, Spacing = 2.0cm from flat phantom to back of phone w/ Beltclip

Test Date -- 09/12/2001



SAMSUNG FCC ID:A3LSCHN370 -- PCS CDMA BODY SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.52$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.155 mW/g, SAR (10g): 0.0895 mW/g

SAMSUNG TriMode phone Model: SCH-N370

Cellular PCS Mode, Ch.0600 [1880.00MHz]; Extended Battery

Conducted Power = 26.0dBm; Flat Phantom, Spacing = 2.0cm from flat phantom to back of phone w/ Beltclip

Test Date -- 09/12/2001



SAMSUNG FCC ID:A3LSCHN370 -- PCS CDMA BODY SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.52$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0

SAR (1g): 0.149 mW/g, SAR (10g): 0.0858 mW/g

SAMSUNG TriMode phone Model: SCH-N370

Cellular PCS Mode, Ch.0600 [1880.00MHz]; Extended Battery

Conducted Power = 26.0dBm; Flat Phantom, Spacing = 2.0cm from flat phantom to back of phone w/ Beltclip

Test Date -- 09/12/2001

