

# APPENDIX H: SAR REPORT LTE MPR DEVIATION INFORMATION PER FCC

## H.1 LTE Conducted Powers

### H.1.1

### LTE Band 17

Table H-1  
LTE Band 17 Conducted Powers - 10 MHz Bandwidth

| LTE Band 17<br>10 MHz Bandwidth |         |           |                                                                 |                              |          |                |
|---------------------------------|---------|-----------|-----------------------------------------------------------------|------------------------------|----------|----------------|
| Modulation                      | RB Size | RB Offset | Mid Channel<br>23790<br>(710.0 MHz)<br>Conducted Power<br>[dBm] | MPR Allowed per<br>3GPP [dB] | MPR [dB] | Deviation [dB] |
| QPSK                            | 1       | 0         | 23.49                                                           | 0                            | 0        | 0.49           |
|                                 | 1       | 25        | 23.41                                                           |                              | 0        | 0.41           |
|                                 | 1       | 49        | 23.27                                                           |                              | 0        | 0.27           |
|                                 | 25      | 0         | 22.46                                                           | 0-1                          | 1        | 0.46           |
|                                 | 25      | 12        | 22.41                                                           |                              | 1        | 0.41           |
|                                 | 25      | 25        | 22.39                                                           |                              | 1        | 0.39           |
|                                 | 50      | 0         | 22.44                                                           |                              | 1        | 0.44           |
| 16QAM                           | 1       | 0         | 22.50                                                           | 0-1                          | 1        | 0.50           |
|                                 | 1       | 25        | 22.47                                                           |                              | 1        | 0.47           |
|                                 | 1       | 49        | 22.48                                                           |                              | 1        | 0.48           |
|                                 | 25      | 0         | 21.42                                                           | 0-2                          | 2        | 0.42           |
|                                 | 25      | 12        | 21.48                                                           |                              | 2        | 0.48           |
|                                 | 25      | 25        | 21.41                                                           |                              | 2        | 0.41           |
|                                 | 50      | 0         | 21.42                                                           |                              | 2        | 0.42           |
| 64QAM                           | 1       | 0         | 21.50                                                           | 0-2                          | 2        | 0.50           |
|                                 | 1       | 25        | 21.45                                                           |                              | 2        | 0.45           |
|                                 | 1       | 49        | 21.45                                                           |                              | 2        | 0.45           |
|                                 | 25      | 0         | 20.45                                                           | 0-3                          | 3        | 0.45           |
|                                 | 25      | 12        | 20.48                                                           |                              | 3        | 0.48           |
|                                 | 25      | 25        | 20.40                                                           |                              | 3        | 0.40           |
|                                 | 50      | 0         | 20.49                                                           |                              | 3        | 0.49           |

Note: LTE Band 17 at 10 MHz bandwidth does not support three non-overlapping channels. Per KDB Publication 941225 D05v02, when a device supports overlapping channel assignment in a channel bandwidth configuration, the middle channel of the group of overlapping channels should be selected for testing.

|                                    |                                                                                     |                             |                                                                                       |                                 |
|------------------------------------|-------------------------------------------------------------------------------------|-----------------------------|---------------------------------------------------------------------------------------|---------------------------------|
| FCC ID A3LSCV35                    |  | SAR EVALUATION REPORT       |  | Approved by:<br>Quality Manager |
| Test Dates:<br>01/04/17 – 04/06/17 | DUT Type:<br>Portable Handset                                                       | APPENDIX H:<br>Page 1 of 11 |                                                                                       |                                 |

**Table H-2**  
**LTE Band 17 Conducted Powers - 5 MHz Bandwidth**

| LTE Band 17<br>5 MHz Bandwidth |         |           |                          |                              |          |                    |
|--------------------------------|---------|-----------|--------------------------|------------------------------|----------|--------------------|
| Modulation                     | RB Size | RB Offset | Mid Channel              | MPR Allowed per<br>3GPP [dB] | MPR [dB] | Deviation Mid [dB] |
|                                |         |           | 23790<br>(710.0 MHz)     |                              |          |                    |
|                                |         |           | Conducted Power<br>[dBm] |                              |          |                    |
| QPSK                           | 1       | 0         | 23.16                    | 0                            | 0        | 0.16               |
|                                | 1       | 12        | 23.10                    |                              | 0        | 0.10               |
|                                | 1       | 24        | 23.14                    |                              | 0        | 0.14               |
|                                | 12      | 0         | 22.12                    | 0-1                          | 1        | 0.12               |
|                                | 12      | 6         | 22.13                    |                              | 1        | 0.13               |
|                                | 12      | 13        | 22.09                    |                              | 1        | 0.09               |
|                                | 25      | 0         | 22.08                    |                              | 1        | 0.08               |
| 16QAM                          | 1       | 0         | 22.32                    | 0-1                          | 1        | 0.32               |
|                                | 1       | 12        | 22.29                    |                              | 1        | 0.29               |
|                                | 1       | 24        | 22.22                    |                              | 1        | 0.22               |
|                                | 12      | 0         | 21.13                    | 0-2                          | 2        | 0.13               |
|                                | 12      | 6         | 21.14                    |                              | 2        | 0.14               |
|                                | 12      | 13        | 21.11                    |                              | 2        | 0.11               |
|                                | 25      | 0         | 21.10                    |                              | 2        | 0.10               |
| 64QAM                          | 1       | 0         | 21.26                    | 0-2                          | 2        | 0.26               |
|                                | 1       | 12        | 21.06                    |                              | 2        | 0.06               |
|                                | 1       | 24        | 21.04                    |                              | 2        | 0.04               |
|                                | 12      | 0         | 20.10                    | 0-3                          | 3        | 0.10               |
|                                | 12      | 6         | 20.11                    |                              | 3        | 0.11               |
|                                | 12      | 13        | 20.10                    |                              | 3        | 0.10               |
|                                | 25      | 0         | 20.04                    |                              | 3        | 0.04               |

Note: LTE Band 17 at 5 MHz bandwidth does not support three non-overlapping channels. Per KDB Publication 941225 D05v02, when a device supports overlapping channel assignment in a channel bandwidth configuration, the middle channel of the group of overlapping channels should be selected for testing.

|                                    |                                                                                     |                             |                                                                                       |                                 |
|------------------------------------|-------------------------------------------------------------------------------------|-----------------------------|---------------------------------------------------------------------------------------|---------------------------------|
| FCC ID A3LSCV35                    |  | SAR EVALUATION REPORT       |  | Approved by:<br>Quality Manager |
| Test Dates:<br>01/04/17 – 04/06/17 | DUT Type:<br>Portable Handset                                                       | APPENDIX H:<br>Page 2 of 11 |                                                                                       |                                 |

## H.1.2 LTE Band 13

**Table H-3**  
**LTE Band 13 Conducted Powers - 10 MHz Bandwidth**

| LTE Band 13<br>10 MHz Bandwidth |         |           |                                                                 |                              |          |                       |
|---------------------------------|---------|-----------|-----------------------------------------------------------------|------------------------------|----------|-----------------------|
| Modulation                      | RB Size | RB Offset | Mid Channel<br>23230<br>(782.0 MHz)<br>Conducted Power<br>[dBm] | MPR Allowed per<br>3GPP [dB] | MPR [dB] | Deviation<br>Mid [dB] |
| QPSK                            | 1       | 0         | 23.01                                                           | 0                            | 0        | -0.49                 |
|                                 | 1       | 25        | 22.97                                                           |                              | 0        | -0.53                 |
|                                 | 1       | 49        | 22.83                                                           |                              | 0        | -0.67                 |
|                                 | 25      | 0         | 22.05                                                           | 0-1                          | 1        | -0.45                 |
|                                 | 25      | 12        | 22.02                                                           |                              | 1        | -0.48                 |
|                                 | 25      | 25        | 21.98                                                           |                              | 1        | -0.52                 |
|                                 | 50      | 0         | 22.04                                                           |                              | 1        | -0.46                 |
| 16QAM                           | 1       | 0         | 22.75                                                           | 0-1                          | 1        | 0.25                  |
|                                 | 1       | 25        | 22.68                                                           |                              | 1        | 0.18                  |
|                                 | 1       | 49        | 22.57                                                           |                              | 1        | 0.07                  |
|                                 | 25      | 0         | 21.04                                                           | 0-2                          | 2        | -0.46                 |
|                                 | 25      | 12        | 20.98                                                           |                              | 2        | -0.52                 |
|                                 | 25      | 25        | 20.98                                                           |                              | 2        | -0.52                 |
|                                 | 50      | 0         | 20.97                                                           |                              | 2        | -0.53                 |
| 64QAM                           | 1       | 0         | 21.65                                                           | 0-2                          | 2        | 0.15                  |
|                                 | 1       | 25        | 21.46                                                           |                              | 2        | -0.04                 |
|                                 | 1       | 49        | 21.53                                                           |                              | 2        | 0.03                  |
|                                 | 25      | 0         | 20.03                                                           | 0-3                          | 3        | -0.47                 |
|                                 | 25      | 12        | 20.03                                                           |                              | 3        | -0.47                 |
|                                 | 25      | 25        | 19.90                                                           |                              | 3        | -0.60                 |
|                                 | 50      | 0         | 20.13                                                           |                              | 3        | -0.37                 |

|                                           |                                                                                     |                              |                                                                                       |                                        |
|-------------------------------------------|-------------------------------------------------------------------------------------|------------------------------|---------------------------------------------------------------------------------------|----------------------------------------|
| FCC ID A3LSCV35                           |  | <b>SAR EVALUATION REPORT</b> |  | <b>Approved by:</b><br>Quality Manager |
| <b>Test Dates:</b><br>01/04/17 – 04/06/17 | <b>DUT Type:</b><br>Portable Handset                                                |                              |                                                                                       | APPENDIX H:<br>Page 3 of 11            |

**Table H-4**  
**LTE Band 13 Conducted Powers - 5 MHz Bandwidth**

| LTE Band 13<br>5 MHz Bandwidth |         |           |                          |                              |          | Popula                |
|--------------------------------|---------|-----------|--------------------------|------------------------------|----------|-----------------------|
| Modulation                     | RB Size | RB Offset | Mid Channel              | MPR Allowed per<br>3GPP [dB] | MPR [dB] | Deviation<br>Mid [dB] |
|                                |         |           | 23230<br>(782.0 MHz)     |                              |          |                       |
|                                |         |           | Conducted Power<br>[dBm] |                              |          |                       |
| QPSK                           | 1       | 0         | 22.84                    | 0                            | 0        | -0.66                 |
|                                | 1       | 12        | 22.75                    |                              | 0        | -0.75                 |
|                                | 1       | 24        | 22.75                    |                              | 0        | -0.75                 |
|                                | 12      | 0         | 21.87                    | 0-1                          | 1        | -0.63                 |
|                                | 12      | 6         | 21.85                    |                              | 1        | -0.65                 |
|                                | 12      | 13        | 21.83                    |                              | 1        | -0.67                 |
|                                | 25      | 0         | 21.82                    |                              | 1        | -0.68                 |
| 16QAM                          | 1       | 0         | 22.18                    | 0-1                          | 1        | -0.32                 |
|                                | 1       | 12        | 22.20                    |                              | 1        | -0.30                 |
|                                | 1       | 24        | 22.16                    |                              | 1        | -0.34                 |
|                                | 12      | 0         | 20.86                    | 0-2                          | 2        | -0.64                 |
|                                | 12      | 6         | 20.85                    |                              | 2        | -0.65                 |
|                                | 12      | 13        | 20.78                    |                              | 2        | -0.72                 |
|                                | 25      | 0         | 20.84                    |                              | 2        | -0.66                 |
| 64QAM                          | 1       | 0         | 21.17                    | 0-2                          | 2        | -0.33                 |
|                                | 1       | 12        | 21.10                    |                              | 2        | -0.40                 |
|                                | 1       | 24        | 21.14                    |                              | 2        | -0.36                 |
|                                | 12      | 0         | 19.96                    | 0-3                          | 3        | -0.54                 |
|                                | 12      | 6         | 19.93                    |                              | 3        | -0.57                 |
|                                | 12      | 13        | 19.77                    |                              | 3        | -0.73                 |
|                                | 25      | 0         | 19.85                    |                              | 3        | -0.65                 |

Note: LTE Band 13 at 5 MHz bandwidth does not support three non-overlapping channels. Per KDB Publication 941225 D05v02, when a device supports overlapping channel assignment in a channel bandwidth configuration, the middle channel of the group of overlapping channels should be selected for testing.

|                                    |                                                                                     |                       |                                                                                       |                                 |
|------------------------------------|-------------------------------------------------------------------------------------|-----------------------|---------------------------------------------------------------------------------------|---------------------------------|
| FCC ID A3LSCV35                    |  | SAR EVALUATION REPORT |  | Approved by:<br>Quality Manager |
| Test Dates:<br>01/04/17 – 04/06/17 | DUT Type:<br>Portable Handset                                                       |                       |                                                                                       | APPENDIX H:<br>Page 4 of 11     |

### H.1.3

### LTE Band 26 (Cell)

**Table H-5**  
**LTE Band 26 (Cell) Conducted Powers - 15 MHz Bandwidth**

| LTE Band 26 (Cell)<br>15 MHz Bandwidth |         |           |                                                                 |                              |          |                |
|----------------------------------------|---------|-----------|-----------------------------------------------------------------|------------------------------|----------|----------------|
| Modulation                             | RB Size | RB Offset | Mid Channel<br>26865<br>(831.5 MHz)<br>Conducted Power<br>[dBm] | MPR Allowed per<br>3GPP [dB] | MPR [dB] | Deviation [dB] |
| QPSK                                   | 1       | 0         | 24.14                                                           | 0                            | 0        | 0.14           |
|                                        | 1       | 36        | 24.05                                                           |                              | 0        | 0.05           |
|                                        | 1       | 74        | 23.84                                                           |                              | 0        | -0.16          |
|                                        | 36      | 0         | 23.02                                                           | 0-1                          | 1        | 0.02           |
|                                        | 36      | 18        | 23.03                                                           |                              | 1        | 0.03           |
|                                        | 36      | 37        | 22.89                                                           |                              | 1        | -0.11          |
|                                        | 75      | 0         | 22.91                                                           |                              | 1        | -0.09          |
| 16QAM                                  | 1       | 0         | 23.33                                                           | 0-1                          | 1        | 0.33           |
|                                        | 1       | 36        | 23.30                                                           |                              | 1        | 0.30           |
|                                        | 1       | 74        | 23.02                                                           |                              | 1        | 0.02           |
|                                        | 36      | 0         | 22.18                                                           | 0-2                          | 2        | 0.18           |
|                                        | 36      | 18        | 22.08                                                           |                              | 2        | 0.08           |
|                                        | 36      | 37        | 22.00                                                           |                              | 2        | 0.00           |
|                                        | 75      | 0         | 21.94                                                           |                              | 2        | -0.06          |
| 64QAM                                  | 1       | 0         | 22.50                                                           | 0-2                          | 2        | 0.50           |
|                                        | 1       | 36        | 22.48                                                           |                              | 2        | 0.48           |
|                                        | 1       | 74        | 22.24                                                           |                              | 2        | 0.24           |
|                                        | 36      | 0         | 21.10                                                           | 0-3                          | 3        | 0.10           |
|                                        | 36      | 18        | 21.07                                                           |                              | 3        | 0.07           |
|                                        | 36      | 37        | 20.94                                                           |                              | 3        | -0.06          |
|                                        | 75      | 0         | 20.95                                                           |                              | 3        | -0.05          |

Note: LTE Band 26 (Cell) at 15 MHz bandwidth does not support three non-overlapping channels. Per KDB Publication 941225 D05v02, when a device supports overlapping channel assignment in a channel bandwidth configuration, the middle channel of the group of overlapping channels should be selected for testing.

|                                    |                                                                                     |                             |                                                                                       |                                 |
|------------------------------------|-------------------------------------------------------------------------------------|-----------------------------|---------------------------------------------------------------------------------------|---------------------------------|
| FCC ID A3LSCV35                    |  | SAR EVALUATION REPORT       |  | Approved by:<br>Quality Manager |
| Test Dates:<br>01/04/17 – 04/06/17 | DUT Type:<br>Portable Handset                                                       | APPENDIX H:<br>Page 5 of 11 |                                                                                       |                                 |

**Table H-6**  
**LTE Band 26 (Cell) Conducted Powers - 10 MHz Bandwidth**

| LTE Band 26 (Cell)<br>10 MHz Bandwidth |         |           |                                     |                                     |                                      |                              |          |                       |                       |                        |
|----------------------------------------|---------|-----------|-------------------------------------|-------------------------------------|--------------------------------------|------------------------------|----------|-----------------------|-----------------------|------------------------|
| Modulation                             | RB Size | RB Offset | Low Channel<br>26740<br>(819.0 MHz) | Mid Channel<br>26865<br>(831.5 MHz) | High Channel<br>26990<br>(844.0 MHz) | MPR Allowed per<br>3GPP [dB] | MPR [dB] | Deviation<br>Low [dB] | Deviation<br>Mid [dB] | Deviation<br>High [dB] |
| QPSK                                   | 1       | 0         | 23.95                               | 23.98                               | 23.97                                | 0                            | 0        | -0.05                 | -0.02                 | -0.03                  |
|                                        | 1       | 25        | 23.77                               | 23.87                               | 23.87                                |                              | 0        | -0.23                 | -0.13                 | -0.13                  |
|                                        | 1       | 49        | 23.65                               | 23.72                               | 23.28                                |                              | 0        | -0.35                 | -0.28                 | -0.72                  |
|                                        | 25      | 0         | 22.87                               | 22.97                               | 22.91                                | 0-1                          | 1        | -0.13                 | -0.03                 | -0.09                  |
|                                        | 25      | 12        | 22.80                               | 22.96                               | 22.89                                |                              | 1        | -0.20                 | -0.04                 | -0.11                  |
|                                        | 25      | 25        | 22.74                               | 22.88                               | 22.78                                |                              | 1        | -0.26                 | -0.12                 | -0.22                  |
|                                        | 50      | 0         | 22.77                               | 22.95                               | 22.86                                |                              | 1        | -0.23                 | -0.05                 | -0.14                  |
| 16QAM                                  | 1       | 0         | 22.83                               | 23.19                               | 23.05                                | 0-1                          | 1        | -0.17                 | 0.19                  | 0.05                   |
|                                        | 1       | 25        | 22.69                               | 23.09                               | 23.04                                |                              | 1        | -0.31                 | 0.09                  | 0.04                   |
|                                        | 1       | 49        | 22.64                               | 22.98                               | 22.63                                |                              | 1        | -0.36                 | -0.02                 | -0.37                  |
|                                        | 25      | 0         | 21.87                               | 21.94                               | 21.97                                | 0-2                          | 2        | -0.13                 | -0.06                 | -0.03                  |
|                                        | 25      | 12        | 21.86                               | 21.96                               | 21.92                                |                              | 2        | -0.14                 | -0.04                 | -0.08                  |
|                                        | 25      | 25        | 21.77                               | 21.85                               | 21.79                                |                              | 2        | -0.23                 | -0.15                 | -0.21                  |
|                                        | 50      | 0         | 21.83                               | 21.92                               | 21.87                                |                              | 2        | -0.17                 | -0.08                 | -0.13                  |
| 64QAM                                  | 1       | 0         | 21.69                               | 22.11                               | 22.18                                | 0-2                          | 2        | -0.31                 | 0.11                  | 0.18                   |
|                                        | 1       | 25        | 21.61                               | 22.01                               | 21.70                                |                              | 2        | -0.39                 | 0.01                  | -0.30                  |
|                                        | 1       | 49        | 21.51                               | 21.91                               | 21.23                                |                              | 2        | -0.49                 | -0.09                 | -0.77                  |
|                                        | 25      | 0         | 20.87                               | 20.99                               | 20.94                                | 0-3                          | 3        | -0.13                 | -0.01                 | -0.06                  |
|                                        | 25      | 12        | 20.86                               | 20.95                               | 20.89                                |                              | 3        | -0.14                 | -0.05                 | -0.11                  |
|                                        | 25      | 25        | 20.80                               | 20.86                               | 20.78                                |                              | 3        | -0.20                 | -0.14                 | -0.22                  |
|                                        | 50      | 0         | 20.85                               | 20.92                               | 20.88                                |                              | 3        | -0.15                 | -0.08                 | -0.12                  |

**Table H-7**  
**LTE Band 26 (Cell) Conducted Powers - 5 MHz Bandwidth**

| LTE Band 26 (Cell)<br>5 MHz Bandwidth |         |           |                                     |                                     |                                      |                              |          |                       |                       |                        |
|---------------------------------------|---------|-----------|-------------------------------------|-------------------------------------|--------------------------------------|------------------------------|----------|-----------------------|-----------------------|------------------------|
| Modulation                            | RB Size | RB Offset | Low Channel<br>26715<br>(816.5 MHz) | Mid Channel<br>26865<br>(831.5 MHz) | High Channel<br>27015<br>(846.5 MHz) | MPR Allowed per<br>3GPP [dB] | MPR [dB] | Deviation<br>Low [dB] | Deviation<br>Mid [dB] | Deviation<br>High [dB] |
| QPSK                                  | 1       | 0         | 23.83                               | 23.89                               | 23.76                                | 0                            | 0        | -0.17                 | -0.11                 | -0.24                  |
|                                       | 1       | 12        | 23.74                               | 23.84                               | 23.67                                |                              | 0        | -0.26                 | -0.16                 | -0.33                  |
|                                       | 1       | 24        | 23.71                               | 23.82                               | 23.11                                |                              | 0        | -0.29                 | -0.18                 | -0.89                  |
|                                       | 12      | 0         | 22.79                               | 22.96                               | 22.81                                | 0-1                          | 1        | -0.21                 | -0.04                 | -0.19                  |
|                                       | 12      | 6         | 22.82                               | 22.97                               | 22.82                                |                              | 1        | -0.18                 | -0.03                 | -0.18                  |
|                                       | 12      | 13        | 22.75                               | 22.88                               | 22.74                                |                              | 1        | -0.25                 | -0.12                 | -0.26                  |
|                                       | 25      | 0         | 22.79                               | 22.87                               | 22.79                                |                              | 1        | -0.21                 | -0.13                 | -0.21                  |
| 16QAM                                 | 1       | 0         | 23.46                               | 22.89                               | 22.74                                | 0-1                          | 1        | 0.46                  | -0.11                 | -0.26                  |
|                                       | 1       | 12        | 23.42                               | 23.11                               | 22.63                                |                              | 1        | 0.42                  | 0.11                  | -0.37                  |
|                                       | 1       | 24        | 23.36                               | 23.14                               | 22.16                                |                              | 1        | 0.36                  | 0.14                  | -0.84                  |
|                                       | 12      | 0         | 21.84                               | 22.00                               | 21.81                                | 0-2                          | 2        | -0.16                 | 0.00                  | -0.19                  |
|                                       | 12      | 6         | 21.82                               | 21.96                               | 21.79                                |                              | 2        | -0.18                 | -0.04                 | -0.21                  |
|                                       | 12      | 13        | 21.79                               | 21.92                               | 21.78                                |                              | 2        | -0.21                 | -0.08                 | -0.22                  |
|                                       | 25      | 0         | 21.84                               | 21.95                               | 21.70                                |                              | 2        | -0.16                 | -0.05                 | -0.30                  |
| 64QAM                                 | 1       | 0         | 22.12                               | 21.78                               | 22.07                                | 0-2                          | 2        | 0.12                  | -0.22                 | 0.07                   |
|                                       | 1       | 12        | 22.04                               | 21.72                               | 22.01                                |                              | 2        | 0.04                  | -0.28                 | 0.01                   |
|                                       | 1       | 24        | 22.01                               | 21.67                               | 21.29                                |                              | 2        | 0.01                  | -0.33                 | -0.71                  |
|                                       | 12      | 0         | 20.91                               | 21.01                               | 20.91                                | 0-3                          | 3        | -0.09                 | 0.01                  | -0.09                  |
|                                       | 12      | 6         | 20.92                               | 20.99                               | 20.90                                |                              | 3        | -0.08                 | -0.01                 | -0.10                  |
|                                       | 12      | 13        | 20.85                               | 20.95                               | 20.85                                |                              | 3        | -0.15                 | -0.05                 | -0.15                  |
|                                       | 25      | 0         | 20.73                               | 20.96                               | 20.77                                |                              | 3        | -0.27                 | -0.04                 | -0.23                  |

|                                           |                                                                                     |                              |                                                                                       |                                        |
|-------------------------------------------|-------------------------------------------------------------------------------------|------------------------------|---------------------------------------------------------------------------------------|----------------------------------------|
| FCC ID A3LSCV35                           |  | <b>SAR EVALUATION REPORT</b> |  | <b>Approved by:</b><br>Quality Manager |
| <b>Test Dates:</b><br>01/04/17 – 04/06/17 | <b>DUT Type:</b><br>Portable Handset                                                |                              |                                                                                       | <b>APPENDIX H:</b><br>Page 6 of 11     |

**Table H-8**  
**LTE Band 26 (Cell) Conducted Powers -3 MHz Bandwidth**

| LTE Band 26 (Cell)<br>3 MHz Bandwidth |         |           |                       |                      |                      |                              |          |                       |                       |                        |
|---------------------------------------|---------|-----------|-----------------------|----------------------|----------------------|------------------------------|----------|-----------------------|-----------------------|------------------------|
| Modulation                            | RB Size | RB Offset | Low Channel           | Mid Channel          | High Channel         | MPR Allowed per<br>3GPP [dB] | MPR [dB] | Deviation<br>Low [dB] | Deviation<br>Mid [dB] | Deviation<br>High [dB] |
|                                       |         |           | 26705<br>(815.5 MHz)  | 26865<br>(831.5 MHz) | 27025<br>(847.5 MHz) |                              |          |                       |                       |                        |
|                                       |         |           | Conducted Power [dBm] |                      |                      |                              |          |                       |                       |                        |
| QPSK                                  | 1       | 0         | 23.76                 | 23.92                | 23.73                | 0                            | 0        | -0.24                 | -0.08                 | -0.27                  |
|                                       | 1       | 7         | 23.84                 | 23.98                | 23.92                |                              | 0        | -0.16                 | -0.02                 | -0.08                  |
|                                       | 1       | 14        | 23.82                 | 23.83                | 23.17                |                              | 0        | -0.18                 | -0.17                 | -0.83                  |
|                                       | 8       | 0         | 22.85                 | 22.89                | 22.79                | 0-1                          | 1        | -0.15                 | -0.11                 | -0.21                  |
|                                       | 8       | 4         | 22.84                 | 22.90                | 22.78                |                              | 1        | -0.16                 | -0.10                 | -0.22                  |
|                                       | 8       | 7         | 22.83                 | 22.83                | 22.59                |                              | 1        | -0.17                 | -0.17                 | -0.41                  |
|                                       | 15      | 0         | 22.85                 | 22.87                | 22.75                |                              | 1        | -0.15                 | -0.13                 | -0.25                  |
| 16QAM                                 | 1       | 0         | 22.69                 | 22.83                | 23.09                | 0-1                          | 1        | -0.31                 | -0.17                 | 0.09                   |
|                                       | 1       | 7         | 23.09                 | 22.91                | 23.14                |                              | 1        | 0.09                  | -0.09                 | 0.14                   |
|                                       | 1       | 14        | 22.63                 | 22.79                | 22.29                |                              | 1        | -0.37                 | -0.21                 | -0.71                  |
|                                       | 8       | 0         | 21.87                 | 21.92                | 21.89                | 0-2                          | 2        | -0.13                 | -0.08                 | -0.11                  |
|                                       | 8       | 4         | 21.86                 | 21.93                | 21.86                |                              | 2        | -0.14                 | -0.07                 | -0.14                  |
|                                       | 8       | 7         | 21.82                 | 21.91                | 21.80                |                              | 2        | -0.18                 | -0.09                 | -0.20                  |
|                                       | 15      | 0         | 21.87                 | 21.78                | 21.66                |                              | 2        | -0.13                 | -0.22                 | -0.34                  |
| 64QAM                                 | 1       | 0         | 22.15                 | 21.68                | 22.06                | 0-2                          | 2        | 0.15                  | -0.32                 | 0.06                   |
|                                       | 1       | 7         | 22.07                 | 21.79                | 22.11                |                              | 2        | 0.07                  | -0.21                 | 0.11                   |
|                                       | 1       | 14        | 21.97                 | 21.68                | 21.35                |                              | 2        | -0.03                 | -0.32                 | -0.65                  |
|                                       | 8       | 0         | 20.90                 | 20.99                | 20.81                | 0-3                          | 3        | -0.10                 | -0.01                 | -0.19                  |
|                                       | 8       | 4         | 20.88                 | 20.93                | 20.84                |                              | 3        | -0.12                 | -0.07                 | -0.16                  |
|                                       | 8       | 7         | 20.85                 | 20.80                | 20.77                |                              | 3        | -0.15                 | -0.20                 | -0.23                  |
|                                       | 15      | 0         | 20.88                 | 20.97                | 20.77                |                              | 3        | -0.12                 | -0.03                 | -0.23                  |

**Table H-9**  
**LTE Band 26 (Cell) Conducted Powers -1.4 MHz Bandwidth**

| LTE Band 26 (Cell)<br>1.4 MHz Bandwidth |         |           |                       |                      |                      |                              |          |                       |                       |                        |
|-----------------------------------------|---------|-----------|-----------------------|----------------------|----------------------|------------------------------|----------|-----------------------|-----------------------|------------------------|
| Modulation                              | RB Size | RB Offset | Low Channel           | Mid Channel          | High Channel         | MPR Allowed per<br>3GPP [dB] | MPR [dB] | Deviation<br>Low [dB] | Deviation<br>Mid [dB] | Deviation<br>High [dB] |
|                                         |         |           | 26697<br>(814.7 MHz)  | 26865<br>(831.5 MHz) | 27033<br>(848.3 MHz) |                              |          |                       |                       |                        |
|                                         |         |           | Conducted Power [dBm] |                      |                      |                              |          |                       |                       |                        |
| QPSK                                    | 1       | 0         | 23.71                 | 23.77                | 23.46                | 0                            | 0        | -0.29                 | -0.23                 | -0.54                  |
|                                         | 1       | 2         | 23.75                 | 23.82                | 23.34                |                              | 0        | -0.25                 | -0.18                 | -0.66                  |
|                                         | 1       | 5         | 23.73                 | 23.71                | 22.83                |                              | 0        | -0.27                 | -0.29                 | -1.17                  |
|                                         | 3       | 0         | 23.66                 | 23.79                | 23.37                |                              | 0        | -0.34                 | -0.21                 | -0.63                  |
|                                         | 3       | 2         | 23.75                 | 23.82                | 23.08                |                              | 0        | -0.25                 | -0.18                 | -0.92                  |
|                                         | 3       | 3         | 23.70                 | 23.78                | 22.88                |                              | 0        | -0.30                 | -0.22                 | -1.12                  |
|                                         | 6       | 0         | 22.70                 | 22.84                | 22.28                |                              | 0-1      | 1                     | -0.30                 | -0.16                  |
| 16QAM                                   | 1       | 0         | 23.25                 | 22.65                | 22.52                | 0-1                          | 1        | 0.25                  | -0.35                 | -0.48                  |
|                                         | 1       | 2         | 23.34                 | 22.72                | 22.33                |                              | 1        | 0.34                  | -0.28                 | -0.67                  |
|                                         | 1       | 5         | 23.04                 | 22.63                | 22.00                |                              | 1        | 0.04                  | -0.37                 | -1.00                  |
|                                         | 3       | 0         | 22.89                 | 22.68                | 22.42                |                              | 1        | -0.11                 | -0.32                 | -0.58                  |
|                                         | 3       | 2         | 22.95                 | 22.74                | 22.40                |                              | 1        | -0.05                 | -0.26                 | -0.60                  |
|                                         | 3       | 3         | 22.88                 | 22.65                | 22.12                |                              | 1        | -0.12                 | -0.35                 | -0.88                  |
|                                         | 6       | 0         | 21.87                 | 21.91                | 21.30                |                              | 0-2      | 2                     | -0.13                 | -0.09                  |
| 64QAM                                   | 1       | 0         | 21.98                 | 21.85                | 21.74                | 0-2                          | 2        | -0.02                 | -0.15                 | -0.26                  |
|                                         | 1       | 2         | 22.02                 | 22.09                | 21.48                |                              | 2        | 0.02                  | 0.09                  | -0.52                  |
|                                         | 1       | 5         | 21.69                 | 22.00                | 21.01                |                              | 2        | -0.31                 | 0.00                  | -0.99                  |
|                                         | 3       | 0         | 21.74                 | 21.87                | 21.76                |                              | 2        | -0.26                 | -0.13                 | -0.24                  |
|                                         | 3       | 2         | 21.79                 | 21.91                | 21.62                |                              | 2        | -0.21                 | -0.09                 | -0.38                  |
|                                         | 3       | 3         | 21.76                 | 21.88                | 21.19                |                              | 2        | -0.24                 | -0.12                 | -0.81                  |
|                                         | 6       | 0         | 20.72                 | 20.97                | 20.39                |                              | 0-3      | 3                     | -0.28                 | -0.03                  |

|                                           |                                                                                     |                              |                                                                                       |                                        |
|-------------------------------------------|-------------------------------------------------------------------------------------|------------------------------|---------------------------------------------------------------------------------------|----------------------------------------|
| FCC ID A3LSCV35                           |  | <b>SAR EVALUATION REPORT</b> |  | <b>Approved by:</b><br>Quality Manager |
| <b>Test Dates:</b><br>01/04/17 – 04/06/17 | <b>DUT Type:</b><br>Portable Handset                                                |                              |                                                                                       | <b>APPENDIX H:</b><br>Page 7 of 11     |

## H.1.4

## LTE Band 5 (Cell)

**Table H-10**  
**LTE Band 5 (Cell) Conducted Powers - 10 MHz Bandwidth**

| LTE Band 5 (Cell)<br>10 MHz Bandwidth |         |           |                          |                              |          |                    |
|---------------------------------------|---------|-----------|--------------------------|------------------------------|----------|--------------------|
| Modulation                            | RB Size | RB Offset | Mid Channel              | MPR Allowed per<br>3GPP [dB] | MPR [dB] | Deviation Mid [dB] |
|                                       |         |           | 20525<br>(836.5 MHz)     |                              |          |                    |
|                                       |         |           | Conducted Power<br>[dBm] |                              |          |                    |
| QPSK                                  | 1       | 0         | 23.47                    | 0                            | 0        | 0.47               |
|                                       | 1       | 25        | 23.35                    |                              | 0        | 0.35               |
|                                       | 1       | 49        | 23.32                    |                              | 0        | 0.32               |
|                                       | 25      | 0         | 22.37                    | 0-1                          | 1        | 0.37               |
|                                       | 25      | 12        | 22.36                    |                              | 1        | 0.36               |
|                                       | 25      | 25        | 22.28                    |                              | 1        | 0.28               |
|                                       | 50      | 0         | 22.34                    |                              | 1        | 0.34               |
| 16QAM                                 | 1       | 0         | 22.50                    | 0-1                          | 1        | 0.50               |
|                                       | 1       | 25        | 22.46                    |                              | 1        | 0.46               |
|                                       | 1       | 49        | 22.42                    |                              | 1        | 0.42               |
|                                       | 25      | 0         | 21.32                    | 0-2                          | 2        | 0.32               |
|                                       | 25      | 12        | 21.35                    |                              | 2        | 0.35               |
|                                       | 25      | 25        | 21.31                    |                              | 2        | 0.31               |
|                                       | 50      | 0         | 21.37                    |                              | 2        | 0.37               |
| 64QAM                                 | 1       | 0         | 21.44                    | 0-2                          | 2        | 0.44               |
|                                       | 1       | 25        | 21.34                    |                              | 2        | 0.34               |
|                                       | 1       | 49        | 21.28                    |                              | 2        | 0.28               |
|                                       | 25      | 0         | 20.39                    | 0-3                          | 3        | 0.39               |
|                                       | 25      | 12        | 20.40                    |                              | 3        | 0.40               |
|                                       | 25      | 25        | 20.30                    |                              | 3        | 0.30               |
|                                       | 50      | 0         | 20.30                    |                              | 3        | 0.30               |

Note: LTE Band 5 (Cell) at 10 MHz bandwidth does not support three non-overlapping channels. Per KDB Publication 941225 D05v02, when a device supports overlapping channel assignment in a channel bandwidth configuration, the middle channel of the group of overlapping channels should be selected for testing.

**Table H-11**  
**LTE Band 5 (Cell) Conducted Powers - 5 MHz Bandwidth**

| LTE Band 5 (Cell)<br>5 MHz Bandwidth |         |           |                       |                      |                      |                              |          |                       |                       |                        |
|--------------------------------------|---------|-----------|-----------------------|----------------------|----------------------|------------------------------|----------|-----------------------|-----------------------|------------------------|
| Modulation                           | RB Size | RB Offset | Low Channel           | Mid Channel          | High Channel         | MPR Allowed per<br>3GPP [dB] | MPR [dB] | Deviation<br>Low [dB] | Deviation<br>Mid [dB] | Deviation<br>High [dB] |
|                                      |         |           | 20425<br>(826.5 MHz)  | 20525<br>(836.5 MHz) | 20625<br>(846.5 MHz) |                              |          |                       |                       |                        |
|                                      |         |           | Conducted Power [dBm] |                      |                      |                              |          |                       |                       |                        |
| QPSK                                 | 1       | 0         | 23.25                 | 23.10                | 23.08                | 0                            | 0        | 0.25                  | 0.10                  | 0.08                   |
|                                      | 1       | 12        | 23.19                 | 23.07                | 23.01                |                              | 0        | 0.19                  | 0.07                  | 0.01                   |
|                                      | 1       | 24        | 23.15                 | 22.66                | 22.58                |                              | 0        | 0.15                  | -0.34                 | -0.42                  |
|                                      | 12      | 0         | 22.19                 | 22.07                | 22.08                | 0-1                          | 1        | 0.19                  | 0.07                  | 0.08                   |
|                                      | 12      | 6         | 22.18                 | 22.10                | 22.07                |                              | 1        | 0.18                  | 0.10                  | 0.07                   |
|                                      | 12      | 13        | 22.12                 | 22.03                | 22.01                |                              | 1        | 0.12                  | 0.03                  | 0.01                   |
|                                      | 25      | 0         | 22.15                 | 22.05                | 22.04                |                              | 1        | 0.15                  | 0.05                  | 0.04                   |
| 16QAM                                | 1       | 0         | 22.43                 | 22.36                | 21.95                | 0-1                          | 1        | 0.43                  | 0.36                  | -0.05                  |
|                                      | 1       | 12        | 22.42                 | 22.32                | 22.08                |                              | 1        | 0.42                  | 0.32                  | 0.08                   |
|                                      | 1       | 24        | 22.47                 | 22.09                | 21.75                |                              | 1        | 0.47                  | 0.09                  | -0.25                  |
|                                      | 12      | 0         | 21.18                 | 21.16                | 21.14                | 0-2                          | 2        | 0.18                  | 0.16                  | 0.14                   |
|                                      | 12      | 6         | 21.20                 | 21.13                | 21.12                |                              | 2        | 0.20                  | 0.13                  | 0.12                   |
|                                      | 12      | 13        | 21.14                 | 21.07                | 21.07                |                              | 2        | 0.14                  | 0.07                  | 0.07                   |
|                                      | 25      | 0         | 21.16                 | 21.06                | 21.02                |                              | 2        | 0.16                  | 0.06                  | 0.02                   |
| 64QAM                                | 1       | 0         | 21.34                 | 21.34                | 21.35                | 0-2                          | 2        | 0.34                  | 0.34                  | 0.35                   |
|                                      | 1       | 12        | 21.28                 | 21.25                | 21.30                |                              | 2        | 0.28                  | 0.25                  | 0.30                   |
|                                      | 1       | 24        | 21.27                 | 21.20                | 21.21                |                              | 2        | 0.27                  | 0.20                  | 0.21                   |
|                                      | 12      | 0         | 20.29                 | 20.23                | 20.09                | 0-3                          | 3        | 0.29                  | 0.23                  | 0.09                   |
|                                      | 12      | 6         | 20.28                 | 20.22                | 20.10                |                              | 3        | 0.28                  | 0.22                  | 0.10                   |
|                                      | 12      | 13        | 20.21                 | 20.14                | 20.03                |                              | 3        | 0.21                  | 0.14                  | 0.03                   |
|                                      | 25      | 0         | 20.17                 | 20.07                | 20.07                |                              | 3        | 0.17                  | 0.07                  | 0.07                   |

|                                    |                                                                                     |                             |                                                                                       |                                 |
|------------------------------------|-------------------------------------------------------------------------------------|-----------------------------|---------------------------------------------------------------------------------------|---------------------------------|
| FCC ID A3LSCV35                    |  | SAR EVALUATION REPORT       |  | Approved by:<br>Quality Manager |
| Test Dates:<br>01/04/17 – 04/06/17 | DUT Type:<br>Portable Handset                                                       | APPENDIX H:<br>Page 8 of 11 |                                                                                       |                                 |

**Table H-12**  
**LTE Band 5 (Cell) Conducted Powers -3 MHz Bandwidth**

| LTE Band 5 (Cell)<br>3 MHz Bandwidth |         |           |                       |                      |                      |                              |          |                       |                       |                        |
|--------------------------------------|---------|-----------|-----------------------|----------------------|----------------------|------------------------------|----------|-----------------------|-----------------------|------------------------|
| Modulation                           | RB Size | RB Offset | Low Channel           | Mid Channel          | High Channel         | MPR Allowed per<br>3GPP [dB] | MPR [dB] | Deviation<br>Low [dB] | Deviation<br>Mid [dB] | Deviation<br>High [dB] |
|                                      |         |           | 20415<br>(825.5 MHz)  | 20525<br>(836.5 MHz) | 20635<br>(847.5 MHz) |                              |          |                       |                       |                        |
|                                      |         |           | Conducted Power [dBm] |                      |                      |                              |          |                       |                       |                        |
| QPSK                                 | 1       | 0         | 23.21                 | 23.03                | 23.07                | 0                            | 0        | 0.21                  | 0.03                  | 0.07                   |
|                                      | 1       | 7         | 23.22                 | 23.06                | 23.14                |                              | 0        | 0.22                  | 0.06                  | 0.14                   |
|                                      | 1       | 14        | 23.09                 | 22.94                | 22.60                |                              | 0        | 0.09                  | -0.06                 | -0.40                  |
|                                      | 8       | 0         | 22.17                 | 21.96                | 22.06                | 0-1                          | 1        | 0.17                  | -0.04                 | 0.06                   |
|                                      | 8       | 4         | 22.18                 | 21.97                | 22.08                |                              | 1        | 0.18                  | -0.03                 | 0.08                   |
|                                      | 8       | 7         | 22.14                 | 21.90                | 22.05                |                              | 1        | 0.14                  | -0.10                 | 0.05                   |
|                                      | 15      | 0         | 22.16                 | 21.93                | 21.99                |                              | 1        | 0.16                  | -0.07                 | -0.01                  |
| 16QAM                                | 1       | 0         | 22.45                 | 21.97                | 22.04                | 0-1                          | 1        | 0.45                  | -0.03                 | 0.04                   |
|                                      | 1       | 7         | 22.50                 | 22.02                | 22.08                |                              | 1        | 0.50                  | 0.02                  | 0.08                   |
|                                      | 1       | 14        | 22.42                 | 21.92                | 21.60                |                              | 1        | 0.42                  | -0.08                 | -0.40                  |
|                                      | 8       | 0         | 21.19                 | 20.89                | 21.08                | 0-2                          | 2        | 0.19                  | -0.11                 | 0.08                   |
|                                      | 8       | 4         | 21.20                 | 21.03                | 21.05                |                              | 2        | 0.20                  | 0.03                  | 0.05                   |
|                                      | 8       | 7         | 21.17                 | 21.01                | 21.02                |                              | 2        | 0.17                  | 0.01                  | 0.02                   |
|                                      | 15      | 0         | 21.17                 | 21.05                | 21.07                |                              | 2        | 0.17                  | 0.05                  | 0.07                   |
| 64QAM                                | 1       | 0         | 21.27                 | 21.31                | 20.90                | 0-2                          | 2        | 0.27                  | 0.31                  | -0.10                  |
|                                      | 1       | 7         | 21.33                 | 21.38                | 20.95                |                              | 2        | 0.33                  | 0.38                  | -0.05                  |
|                                      | 1       | 14        | 21.19                 | 21.29                | 20.63                |                              | 2        | 0.19                  | 0.29                  | -0.37                  |
|                                      | 8       | 0         | 20.18                 | 20.12                | 20.16                | 0-3                          | 3        | 0.18                  | 0.12                  | 0.16                   |
|                                      | 8       | 4         | 20.21                 | 20.10                | 20.14                |                              | 3        | 0.21                  | 0.10                  | 0.14                   |
|                                      | 8       | 7         | 20.14                 | 20.07                | 20.12                |                              | 3        | 0.14                  | 0.07                  | 0.12                   |
|                                      | 15      | 0         | 20.10                 | 20.09                | 20.08                |                              | 3        | 0.10                  | 0.09                  | 0.08                   |

**Table H-13**  
**LTE Band 5 (Cell) Conducted Powers -1.4 MHz Bandwidth**

| LTE Band 5 (Cell)<br>1.4 MHz Bandwidth |         |           |                       |                      |                      |                              |          |                       |                       |                        |
|----------------------------------------|---------|-----------|-----------------------|----------------------|----------------------|------------------------------|----------|-----------------------|-----------------------|------------------------|
| Modulation                             | RB Size | RB Offset | Low Channel           | Mid Channel          | High Channel         | MPR Allowed per<br>3GPP [dB] | MPR [dB] | Deviation<br>Low [dB] | Deviation<br>Mid [dB] | Deviation<br>High [dB] |
|                                        |         |           | 20407<br>(824.7 MHz)  | 20525<br>(836.5 MHz) | 20643<br>(848.3 MHz) |                              |          |                       |                       |                        |
|                                        |         |           | Conducted Power [dBm] |                      |                      |                              |          |                       |                       |                        |
| QPSK                                   | 1       | 0         | 23.16                 | 23.02                | 22.95                | 0                            | 0        | 0.16                  | 0.02                  | -0.05                  |
|                                        | 1       | 2         | 23.24                 | 23.08                | 23.00                |                              | 0        | 0.24                  | 0.08                  | 0.00                   |
|                                        | 1       | 5         | 23.13                 | 23.03                | 22.59                |                              | 0        | 0.13                  | 0.03                  | -0.41                  |
|                                        | 3       | 0         | 23.15                 | 23.01                | 22.88                |                              | 0        | 0.15                  | 0.01                  | -0.12                  |
|                                        | 3       | 2         | 23.17                 | 23.07                | 22.89                |                              | 0        | 0.17                  | 0.07                  | -0.11                  |
|                                        | 3       | 3         | 23.11                 | 23.00                | 22.67                |                              | 0        | 0.11                  | 0.00                  | -0.33                  |
|                                        | 6       | 0         | 22.12                 | 21.98                | 21.96                | 0-1                          | 1        | 0.12                  | -0.02                 | -0.04                  |
| 16QAM                                  | 1       | 0         | 22.34                 | 22.26                | 22.24                | 0-1                          | 1        | 0.34                  | 0.26                  | 0.24                   |
|                                        | 1       | 2         | 22.40                 | 22.35                | 22.25                |                              | 1        | 0.40                  | 0.35                  | 0.25                   |
|                                        | 1       | 5         | 22.33                 | 22.23                | 21.86                |                              | 1        | 0.33                  | 0.23                  | -0.14                  |
|                                        | 3       | 0         | 22.05                 | 22.15                | 22.10                |                              | 1        | 0.05                  | 0.15                  | 0.10                   |
|                                        | 3       | 2         | 22.06                 | 22.18                | 22.13                |                              | 1        | 0.06                  | 0.18                  | 0.13                   |
|                                        | 3       | 3         | 22.01                 | 22.12                | 21.93                |                              | 1        | 0.01                  | 0.12                  | -0.07                  |
|                                        | 6       | 0         | 21.21                 | 21.05                | 21.01                | 0-2                          | 2        | 0.21                  | 0.05                  | 0.01                   |
| 64QAM                                  | 1       | 0         | 21.16                 | 21.19                | 21.14                | 0-2                          | 2        | 0.16                  | 0.19                  | 0.14                   |
|                                        | 1       | 2         | 21.23                 | 21.23                | 21.20                |                              | 2        | 0.23                  | 0.23                  | 0.20                   |
|                                        | 1       | 5         | 21.17                 | 21.15                | 20.88                |                              | 2        | 0.17                  | 0.15                  | -0.12                  |
|                                        | 3       | 0         | 21.18                 | 21.17                | 21.13                |                              | 2        | 0.18                  | 0.17                  | 0.13                   |
|                                        | 3       | 2         | 21.20                 | 21.21                | 21.14                |                              | 2        | 0.20                  | 0.21                  | 0.14                   |
|                                        | 3       | 3         | 21.16                 | 21.14                | 20.93                |                              | 2        | 0.16                  | 0.14                  | -0.07                  |
|                                        | 6       | 0         | 19.99                 | 19.99                | 19.96                | 0-3                          | 3        | -0.01                 | -0.01                 | -0.04                  |

|                                           |                                                                                     |                              |                                                                                       |                                        |
|-------------------------------------------|-------------------------------------------------------------------------------------|------------------------------|---------------------------------------------------------------------------------------|----------------------------------------|
| FCC ID A3LSCV35                           |  | <b>SAR EVALUATION REPORT</b> |  | <b>Approved by:</b><br>Quality Manager |
| <b>Test Dates:</b><br>01/04/17 – 04/06/17 | <b>DUT Type:</b><br>Portable Handset                                                | APPENDIX H:<br>Page 9 of 11  |                                                                                       |                                        |

## H.1.5

## LTE Band 41

**Table H-14**  
**LTE Band 41 Conducted Powers - 20 MHz Bandwidth**

| LTE Band 41<br>20 MHz Bandwidth |         |           |                                      |                                          |                                      |                                           |                                       |                              |          |                       |                           |                       |                            |                        |
|---------------------------------|---------|-----------|--------------------------------------|------------------------------------------|--------------------------------------|-------------------------------------------|---------------------------------------|------------------------------|----------|-----------------------|---------------------------|-----------------------|----------------------------|------------------------|
| Modulation                      | RB Size | RB Offset | Low Channel<br>39750<br>(2506.0 MHz) | Low-Mid Channel<br>40185<br>(2549.5 MHz) | Mid Channel<br>40620<br>(2593.0 MHz) | Mid-High Channel<br>41055<br>(2636.5 MHz) | High Channel<br>41490<br>(2680.0 MHz) | MPR Allowed per<br>3GPP [dB] | MPR [dB] | Deviation Low<br>[dB] | Deviation Low-Mid<br>[dB] | Deviation Mid<br>[dB] | Deviation Mid-High<br>[dB] | Deviation High<br>[dB] |
| Conducted Power [dBm]           |         |           |                                      |                                          |                                      |                                           |                                       |                              |          |                       |                           |                       |                            |                        |
| QPSK                            | 1       | 0         | 23.32                                | 23.45                                    | 23.63                                | 23.55                                     | 23.73                                 | 0                            | 0        | -0.18                 | -0.05                     | 0.13                  | 0.05                       | 0.23                   |
|                                 | 1       | 50        | 23.23                                | 23.39                                    | 23.48                                | 23.42                                     | 23.55                                 |                              | 0        | -0.27                 | -0.11                     | -0.02                 | -0.08                      | 0.05                   |
|                                 | 1       | 99        | 23.17                                | 23.35                                    | 23.47                                | 23.39                                     | 23.49                                 |                              | 0        | -0.33                 | -0.15                     | -0.03                 | -0.11                      | -0.01                  |
|                                 | 50      | 0         | 22.40                                | 22.33                                    | 22.46                                | 22.52                                     | 22.53                                 | 0-1                          | 1        | -0.10                 | -0.17                     | -0.04                 | 0.02                       | 0.03                   |
|                                 | 50      | 25        | 22.24                                | 22.30                                    | 22.43                                | 22.49                                     | 22.50                                 |                              | 1        | -0.26                 | -0.20                     | -0.07                 | -0.01                      | 0.00                   |
|                                 | 50      | 50        | 22.19                                | 22.28                                    | 22.39                                | 22.41                                     | 22.44                                 |                              | 1        | -0.31                 | -0.22                     | -0.11                 | -0.09                      | -0.06                  |
|                                 | 100     | 0         | 22.19                                | 22.27                                    | 22.40                                | 22.44                                     | 22.46                                 |                              | 1        | -0.31                 | -0.23                     | -0.10                 | -0.06                      | -0.04                  |
| 16QAM                           | 1       | 0         | 22.63                                | 22.69                                    | 22.68                                | 22.49                                     | 22.72                                 | 0-1                          | 1        | 0.13                  | 0.19                      | 0.18                  | -0.01                      | 0.22                   |
|                                 | 1       | 50        | 22.49                                | 22.61                                    | 22.66                                | 22.37                                     | 22.69                                 |                              | 1        | -0.01                 | 0.11                      | 0.16                  | -0.13                      | 0.19                   |
|                                 | 1       | 99        | 22.50                                | 22.59                                    | 22.62                                | 22.29                                     | 22.73                                 |                              | 1        | 0.00                  | 0.09                      | 0.12                  | -0.21                      | 0.23                   |
|                                 | 50      | 0         | 21.27                                | 21.38                                    | 21.42                                | 21.54                                     | 21.59                                 | 0-2                          | 2        | -0.23                 | -0.12                     | -0.08                 | 0.04                       | 0.09                   |
|                                 | 50      | 25        | 21.21                                | 21.26                                    | 21.37                                | 21.47                                     | 21.55                                 |                              | 2        | -0.29                 | -0.24                     | -0.13                 | -0.03                      | 0.05                   |
|                                 | 50      | 50        | 21.18                                | 21.25                                    | 21.33                                | 21.44                                     | 21.52                                 |                              | 2        | -0.32                 | -0.25                     | -0.17                 | -0.06                      | 0.02                   |
|                                 | 100     | 0         | 21.20                                | 21.31                                    | 21.32                                | 21.46                                     | 21.43                                 |                              | 2        | -0.30                 | -0.19                     | -0.18                 | -0.04                      | -0.07                  |
| 64QAM                           | 1       | 0         | 21.70                                | 21.70                                    | 21.73                                | 21.73                                     | 21.48                                 | 0-2                          | 2        | 0.20                  | 0.20                      | 0.23                  | 0.23                       | -0.02                  |
|                                 | 1       | 50        | 21.67                                | 21.64                                    | 21.64                                | 21.68                                     | 21.36                                 |                              | 2        | 0.17                  | 0.14                      | 0.14                  | 0.18                       | -0.14                  |
|                                 | 1       | 99        | 21.53                                | 21.59                                    | 21.71                                | 21.61                                     | 21.30                                 |                              | 2        | 0.03                  | 0.09                      | 0.21                  | 0.11                       | -0.20                  |
|                                 | 50      | 0         | 20.36                                | 20.59                                    | 20.62                                | 20.47                                     | 20.51                                 | 0-3                          | 3        | -0.14                 | 0.09                      | 0.12                  | -0.03                      | 0.01                   |
|                                 | 50      | 25        | 20.23                                | 20.36                                    | 20.53                                | 20.42                                     | 20.46                                 |                              | 3        | -0.27                 | -0.14                     | 0.03                  | -0.08                      | -0.04                  |
|                                 | 50      | 50        | 20.16                                | 20.32                                    | 20.49                                | 20.35                                     | 20.44                                 |                              | 3        | -0.34                 | -0.18                     | -0.01                 | -0.15                      | -0.06                  |
|                                 | 100     | 0         | 20.18                                | 20.31                                    | 20.47                                | 20.44                                     | 20.47                                 |                              | 3        | -0.32                 | -0.19                     | -0.03                 | -0.06                      | -0.03                  |

**Table H-15**  
**LTE Band 41 Conducted Powers - 15 MHz Bandwidth**

| LTE Band 41<br>15 MHz Bandwidth |         |           |                                      |                                          |                                      |                                           |                                       |                              |          |                       |                           |                       |                            |                        |
|---------------------------------|---------|-----------|--------------------------------------|------------------------------------------|--------------------------------------|-------------------------------------------|---------------------------------------|------------------------------|----------|-----------------------|---------------------------|-----------------------|----------------------------|------------------------|
| Modulation                      | RB Size | RB Offset | Low Channel<br>39750<br>(2506.0 MHz) | Low-Mid Channel<br>40185<br>(2549.5 MHz) | Mid Channel<br>40620<br>(2593.0 MHz) | Mid-High Channel<br>41055<br>(2636.5 MHz) | High Channel<br>41490<br>(2680.0 MHz) | MPR Allowed per<br>3GPP [dB] | MPR [dB] | Deviation Low<br>[dB] | Deviation Low-Mid<br>[dB] | Deviation Mid<br>[dB] | Deviation Mid-High<br>[dB] | Deviation High<br>[dB] |
| Conducted Power [dBm]           |         |           |                                      |                                          |                                      |                                           |                                       |                              |          |                       |                           |                       |                            |                        |
| QPSK                            | 1       | 0         | 23.53                                | 23.36                                    | 23.72                                | 23.66                                     | 23.90                                 | 0                            | 0        | 0.03                  | -0.14                     | 0.22                  | 0.16                       | 0.40                   |
|                                 | 1       | 36        | 23.46                                | 23.23                                    | 23.57                                | 23.50                                     | 23.80                                 |                              | 0        | -0.04                 | -0.27                     | 0.07                  | 0.00                       | 0.30                   |
|                                 | 1       | 74        | 23.41                                | 23.22                                    | 23.54                                | 23.48                                     | 23.72                                 |                              | 0        | -0.09                 | -0.28                     | 0.04                  | -0.02                      | 0.22                   |
|                                 | 36      | 0         | 22.48                                | 22.35                                    | 22.73                                | 22.68                                     | 22.85                                 | 0-1                          | 1        | -0.02                 | -0.15                     | 0.23                  | 0.18                       | 0.35                   |
|                                 | 36      | 18        | 22.45                                | 22.36                                    | 22.62                                | 22.63                                     | 22.80                                 |                              | 1        | -0.05                 | -0.14                     | 0.12                  | 0.13                       | 0.30                   |
|                                 | 36      | 37        | 22.43                                | 22.34                                    | 22.57                                | 22.57                                     | 22.77                                 |                              | 1        | -0.07                 | -0.16                     | 0.07                  | 0.07                       | 0.27                   |
|                                 | 75      | 0         | 22.39                                | 22.33                                    | 22.58                                | 22.58                                     | 22.74                                 |                              | 1        | -0.11                 | -0.17                     | 0.08                  | 0.08                       | 0.24                   |
| 16QAM                           | 1       | 0         | 22.88                                | 22.36                                    | 22.85                                | 22.59                                     | 22.98                                 | 0-1                          | 1        | 0.38                  | -0.14                     | 0.35                  | 0.09                       | 0.48                   |
|                                 | 1       | 36        | 22.79                                | 22.19                                    | 22.71                                | 22.46                                     | 22.84                                 |                              | 1        | 0.29                  | -0.31                     | 0.21                  | -0.04                      | 0.34                   |
|                                 | 1       | 74        | 22.75                                | 22.18                                    | 22.63                                | 22.44                                     | 22.76                                 |                              | 1        | 0.25                  | -0.32                     | 0.13                  | -0.06                      | 0.26                   |
|                                 | 36      | 0         | 21.45                                | 21.55                                    | 21.61                                | 21.76                                     | 21.94                                 | 0-2                          | 2        | -0.05                 | 0.05                      | 0.11                  | 0.26                       | 0.44                   |
|                                 | 36      | 18        | 21.39                                | 21.49                                    | 21.58                                | 21.72                                     | 21.73                                 |                              | 2        | -0.11                 | -0.01                     | 0.08                  | 0.22                       | 0.23                   |
|                                 | 36      | 37        | 21.35                                | 21.40                                    | 21.52                                | 21.66                                     | 21.70                                 |                              | 2        | -0.15                 | -0.10                     | 0.02                  | 0.16                       | 0.20                   |
|                                 | 75      | 0         | 21.37                                | 21.31                                    | 21.55                                | 21.59                                     | 21.75                                 |                              | 2        | -0.13                 | -0.19                     | 0.05                  | 0.09                       | 0.25                   |
| 64QAM                           | 1       | 0         | 21.61                                | 21.30                                    | 21.45                                | 21.64                                     | 21.85                                 | 0-2                          | 2        | 0.11                  | -0.20                     | -0.05                 | 0.14                       | 0.35                   |
|                                 | 1       | 36        | 21.53                                | 21.16                                    | 21.32                                | 21.46                                     | 21.66                                 |                              | 2        | 0.03                  | -0.34                     | -0.18                 | -0.04                      | 0.16                   |
|                                 | 1       | 74        | 21.46                                | 21.13                                    | 21.28                                | 21.43                                     | 21.59                                 |                              | 2        | -0.04                 | -0.37                     | -0.22                 | -0.07                      | 0.09                   |
|                                 | 36      | 0         | 20.44                                | 20.42                                    | 20.66                                | 20.74                                     | 20.96                                 | 0-3                          | 3        | -0.06                 | -0.08                     | 0.16                  | 0.24                       | 0.46                   |
|                                 | 36      | 18        | 20.38                                | 20.41                                    | 20.55                                | 20.69                                     | 20.86                                 |                              | 3        | -0.12                 | -0.09                     | 0.05                  | 0.19                       | 0.36                   |
|                                 | 36      | 37        | 20.34                                | 20.39                                    | 20.51                                | 20.63                                     | 20.83                                 |                              | 3        | -0.16                 | -0.11                     | 0.01                  | 0.13                       | 0.33                   |
|                                 | 75      | 0         | 20.40                                | 20.40                                    | 20.54                                | 20.67                                     | 20.81                                 |                              | 3        | -0.10                 | -0.10                     | 0.04                  | 0.17                       | 0.31                   |

|                                    |                                                                                     |                              |                                                                                       |                                 |
|------------------------------------|-------------------------------------------------------------------------------------|------------------------------|---------------------------------------------------------------------------------------|---------------------------------|
| FCC ID A3LSCV35                    |  | SAR EVALUATION REPORT        |  | Approved by:<br>Quality Manager |
| Test Dates:<br>01/04/17 – 04/06/17 | DUT Type:<br>Portable Handset                                                       | APPENDIX H:<br>Page 10 of 11 |                                                                                       |                                 |

**Table H-16**  
**LTE Band 41 Conducted Powers - 10 MHz Bandwidth**

| LTE Band 41<br>10 MHzBandwidth |         |           |                       |                       |                       |                       |                       |                              |          |                    |                        |                    |                         |                     |
|--------------------------------|---------|-----------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|------------------------------|----------|--------------------|------------------------|--------------------|-------------------------|---------------------|
| Modulation                     | RB Size | RB Offset | Low Channel           | Low-Mid Channel       | Mid Channel           | Mid-High Channel      | High Channel          | MPR Allowed per<br>3GPP [dB] | MPR [dB] | Deviation Low [dB] | Deviation Low-Mid [dB] | Deviation Mid [dB] | Deviation Mid-High [dB] | Deviation High [dB] |
|                                |         |           | 39750<br>(2506.0 MHz) | 40185<br>(2549.5 MHz) | 40620<br>(2593.0 MHz) | 41055<br>(2636.5 MHz) | 41490<br>(2680.0 MHz) |                              |          |                    |                        |                    |                         |                     |
|                                |         |           | Conducted Power [dBm] |                       |                       |                       |                       |                              |          |                    |                        |                    |                         |                     |
| QPSK                           | 1       | 0         | 23.38                 | 23.31                 | 23.35                 | 23.40                 | 23.49                 | 0                            | 0        | -0.12              | -0.19                  | -0.15              | -0.10                   | -0.01               |
|                                | 1       | 25        | 23.30                 | 23.26                 | 23.24                 | 23.38                 | 23.40                 |                              | 0        | -0.20              | -0.24                  | -0.26              | -0.12                   | -0.10               |
|                                | 1       | 49        | 23.27                 | 23.25                 | 23.26                 | 23.36                 | 23.42                 |                              | 0        | -0.23              | -0.25                  | -0.24              | -0.14                   | -0.08               |
|                                | 25      | 0         | 22.44                 | 22.24                 | 22.35                 | 22.42                 | 22.52                 | 0-1                          | 1        | -0.06              | -0.26                  | -0.15              | -0.08                   | 0.02                |
|                                | 25      | 12        | 22.24                 | 22.23                 | 22.37                 | 22.43                 | 22.54                 |                              | 1        | -0.26              | -0.27                  | -0.13              | -0.07                   | 0.04                |
|                                | 25      | 25        | 22.22                 | 22.21                 | 22.35                 | 22.41                 | 22.45                 |                              | 1        | -0.28              | -0.29                  | -0.15              | -0.09                   | -0.05               |
|                                | 50      | 0         | 22.24                 | 22.25                 | 22.33                 | 22.43                 | 22.47                 |                              | 1        | -0.26              | -0.25                  | -0.17              | -0.07                   | -0.03               |
| 16QAM                          | 1       | 0         | 22.30                 | 22.08                 | 22.71                 | 22.77                 | 22.75                 | 0-1                          | 1        | -0.20              | -0.42                  | 0.21               | 0.27                    | 0.25                |
|                                | 1       | 25        | 22.16                 | 22.01                 | 22.61                 | 22.72                 | 22.71                 |                              | 1        | -0.34              | -0.49                  | 0.11               | 0.22                    | 0.21                |
|                                | 1       | 49        | 22.17                 | 22.01                 | 22.56                 | 22.69                 | 22.73                 |                              | 1        | -0.33              | -0.49                  | 0.06               | 0.19                    | 0.23                |
|                                | 25      | 0         | 21.28                 | 21.20                 | 21.30                 | 21.40                 | 21.44                 | 0-2                          | 2        | -0.22              | -0.30                  | -0.20              | -0.10                   | -0.06               |
|                                | 25      | 12        | 21.23                 | 21.22                 | 21.31                 | 21.44                 | 21.45                 |                              | 2        | -0.27              | -0.28                  | -0.19              | -0.06                   | -0.05               |
|                                | 25      | 25        | 21.28                 | 21.18                 | 21.30                 | 21.40                 | 21.40                 |                              | 2        | -0.22              | -0.32                  | -0.20              | -0.10                   | -0.10               |
|                                | 50      | 0         | 21.33                 | 21.23                 | 21.27                 | 21.39                 | 21.42                 |                              | 2        | -0.17              | -0.27                  | -0.23              | -0.11                   | -0.08               |
| 64QAM                          | 1       | 0         | 20.94                 | 20.85                 | 21.48                 | 21.50                 | 21.57                 | 0-2                          | 2        | -0.56              | -0.65                  | -0.02              | 0.00                    | 0.07                |
|                                | 1       | 25        | 20.85                 | 20.77                 | 21.30                 | 21.46                 | 21.48                 |                              | 2        | -0.65              | -0.73                  | -0.20              | -0.04                   | -0.02               |
|                                | 1       | 49        | 20.85                 | 20.80                 | 21.35                 | 21.37                 | 21.45                 |                              | 2        | -0.65              | -0.70                  | -0.15              | -0.13                   | -0.05               |
|                                | 25      | 0         | 20.28                 | 20.22                 | 20.34                 | 20.44                 | 20.40                 | 0-3                          | 3        | -0.22              | -0.28                  | -0.16              | -0.06                   | -0.10               |
|                                | 25      | 12        | 20.23                 | 20.30                 | 20.23                 | 20.38                 | 20.42                 |                              | 3        | -0.27              | -0.20                  | -0.27              | -0.12                   | -0.08               |
|                                | 25      | 25        | 20.20                 | 20.18                 | 20.29                 | 20.41                 | 20.36                 |                              | 3        | -0.30              | -0.32                  | -0.21              | -0.09                   | -0.14               |
|                                | 50      | 0         | 20.24                 | 20.21                 | 20.33                 | 20.40                 | 20.49                 |                              | 3        | -0.26              | -0.29                  | -0.17              | -0.10                   | -0.01               |

**Table H-17**  
**LTE Band 41 Conducted Powers - 5 MHz Bandwidth**

| LTE Band 41<br>5 MHzBandwidth |         |           |                       |                       |                       |                       |                       |                           |          |               |                   |               |                    |                |
|-------------------------------|---------|-----------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|---------------------------|----------|---------------|-------------------|---------------|--------------------|----------------|
| Modulation                    | RB Size | RB Offset | Low Channel           | Low-Mid Channel       | Mid Channel           | Mid-High Channel      | High Channel          | MPR Allowed per 3GPP [dB] | MPR [dB] | Dev. Low [dB] | Dev. Low-Mid [dB] | Dev. Mid [dB] | Dev. Mid-High [dB] | Dev. High [dB] |
|                               |         |           | 39750<br>(2506.0 MHz) | 40185<br>(2549.5 MHz) | 40620<br>(2593.0 MHz) | 41055<br>(2636.5 MHz) | 41490<br>(2680.0 MHz) |                           |          |               |                   |               |                    |                |
|                               |         |           | Conducted Power [dBm] |                       |                       |                       |                       |                           |          |               |                   |               |                    |                |
| QPSK                          | 1       | 0         | 23.32                 | 23.25                 | 23.35                 | 23.40                 | 23.60                 | 0                         | 0        | -0.18         | -0.25             | -0.15         | -0.10              | 0.10           |
|                               | 1       | 12        | 23.26                 | 23.24                 | 23.33                 | 23.44                 | 23.56                 |                           | 0        | -0.24         | -0.26             | -0.17         | -0.06              | 0.06           |
|                               | 1       | 24        | 23.36                 | 23.23                 | 23.28                 | 23.46                 | 23.54                 |                           | 0        | -0.14         | -0.27             | -0.22         | -0.04              | 0.04           |
|                               | 12      | 0         | 22.28                 | 22.22                 | 22.32                 | 22.49                 | 22.48                 | 0-1                       | 1        | -0.22         | -0.28             | -0.18         | -0.01              | -0.02          |
|                               | 12      | 6         | 22.27                 | 22.27                 | 22.37                 | 22.43                 | 22.50                 |                           | 1        | -0.23         | -0.23             | -0.13         | -0.07              | 0.00           |
|                               | 12      | 13        | 22.26                 | 22.25                 | 22.33                 | 22.42                 | 22.46                 |                           | 1        | -0.24         | -0.25             | -0.17         | -0.08              | -0.04          |
|                               | 25      | 0         | 22.28                 | 22.24                 | 22.36                 | 22.48                 | 22.46                 |                           | 1        | -0.22         | -0.26             | -0.14         | -0.02              | -0.04          |
| 16QAM                         | 1       | 0         | 22.40                 | 21.85                 | 21.96                 | 22.53                 | 22.44                 | 0-1                       | 1        | -0.10         | -0.65             | -0.54         | 0.03               | -0.06          |
|                               | 1       | 12        | 22.39                 | 21.78                 | 21.86                 | 22.50                 | 22.43                 |                           | 1        | -0.11         | -0.72             | -0.64         | 0.00               | -0.07          |
|                               | 1       | 24        | 22.42                 | 21.80                 | 21.88                 | 22.52                 | 22.38                 |                           | 1        | -0.08         | -0.70             | -0.62         | 0.02               | -0.12          |
|                               | 12      | 0         | 21.24                 | 21.20                 | 21.31                 | 21.46                 | 21.60                 | 0-2                       | 2        | -0.26         | -0.30             | -0.19         | -0.04              | 0.10           |
|                               | 12      | 6         | 21.29                 | 21.17                 | 21.26                 | 21.43                 | 21.59                 |                           | 2        | -0.21         | -0.33             | -0.24         | -0.07              | 0.09           |
|                               | 12      | 13        | 21.22                 | 21.16                 | 21.29                 | 21.41                 | 21.55                 |                           | 2        | -0.28         | -0.34             | -0.21         | -0.09              | 0.05           |
|                               | 25      | 0         | 21.17                 | 21.26                 | 21.40                 | 21.39                 | 21.51                 |                           | 2        | -0.33         | -0.24             | -0.10         | -0.11              | 0.01           |
| 64QAM                         | 1       | 0         | 20.96                 | 21.30                 | 21.46                 | 21.24                 | 21.54                 | 0-2                       | 2        | -0.54         | -0.20             | -0.04         | -0.26              | 0.04           |
|                               | 1       | 12        | 20.90                 | 21.32                 | 21.44                 | 21.22                 | 21.44                 |                           | 2        | -0.60         | -0.18             | -0.06         | -0.28              | -0.06          |
|                               | 1       | 24        | 20.88                 | 21.27                 | 21.45                 | 21.17                 | 21.48                 |                           | 2        | -0.62         | -0.23             | -0.05         | -0.33              | -0.02          |
|                               | 12      | 0         | 20.33                 | 20.22                 | 20.31                 | 20.58                 | 20.53                 | 0-3                       | 3        | -0.17         | -0.28             | -0.19         | 0.08               | 0.03           |
|                               | 12      | 6         | 20.36                 | 20.24                 | 20.36                 | 20.55                 | 20.52                 |                           | 3        | -0.14         | -0.26             | -0.14         | 0.05               | 0.02           |
|                               | 12      | 13        | 20.33                 | 20.20                 | 20.34                 | 20.53                 | 20.49                 |                           | 3        | -0.17         | -0.30             | -0.16         | 0.03               | -0.01          |
|                               | 25      | 0         | 20.23                 | 20.19                 | 20.29                 | 20.46                 | 20.46                 |                           | 3        | -0.27         | -0.31             | -0.21         | -0.04              | -0.04          |

|                                    |                                                                                     |                              |                                                                                       |                                 |
|------------------------------------|-------------------------------------------------------------------------------------|------------------------------|---------------------------------------------------------------------------------------|---------------------------------|
| FCC ID A3LSCV35                    |  | <b>SAR EVALUATION REPORT</b> |  | Approved by:<br>Quality Manager |
| Test Dates:<br>01/04/17 – 04/06/17 | DUT Type:<br>Portable Handset                                                       | APPENDIX H:<br>Page 11 of 11 |                                                                                       |                                 |