

SAMSUNG FCC ID: A3LSGHE600 -- 1900MHz PCS GSM Head SAR

SAM Phantom; Right Cheek(CRP) Section; Probe:ET3DV6 - SN1551; ConvF(5.40,5.40,5.40)

Head 1900 MHz: $\sigma = 1.39$ mho/m $\epsilon_r = 40.1$ $\rho = 1.00$ g/cm³; Antenna Position-Fixed; Crest Factor 8.0


SAR (1g): 0.564 mW/g

SAMSUNG Single-Band PCS Only Phone Model: SGH-E600

GSM1900 Mode, Ch 512[1850.2MHz]; Standard Battery; Meas. Ambient Temp. (°C) -21.8

Conducted Power=30dBm; Right Head Phantom, Cheek/Touch Position; Meas. Tissue Temp. (°C) -21.2

Test Date--01/14/2004[FCC/OET Bulletin 65-Supplement C, July 2001]



SAMSUNG FCC ID: A3LSGHE600 -- 1900MHz PCS GSM Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1551; ConvF(5.40,5.40,5.40)

Head 1900 MHz: $\sigma = 1.39$ mho/m $\epsilon_r = 40.1$ $\rho = 1.00$ g/cm³; Antenna Position-Fixed; Crest Factor 8.0


SAR (1g): 0.142 mW/g

SAMSUNG Single-Band PCS Only Phone Model: SGH-E600

GSM1900 Mode, Ch 512[1850.2MHz]; Standard Battery; Meas. Ambient Temp. (°C) -21.8

Conducted Power=30dBm; Right Head Phantom, Ear/Tilt 15 deg Position; Meas. Tissue Temp. (°C) -21.2

Test Date--01/14/2004[FCC/OET Bulletin 65-Supplement C, July 2001]



SAMSUNG FCC ID: A3LSGHE600 -- 1900MHz PCS GSM Head SAR

SAM Phantom; Left Cheek(CRP) Section; Probe:ET3DV6 - SN1551; ConvF(5.40,5.40,5.40)

Head 1900 MHz: $\sigma = 1.39$ mho/m $\epsilon_r = 40.1$ $\rho = 1.00$ g/cm³; Antenna Position-Fixed; Crest Factor 8.0


SAR (1g): 0.537 mW/g

SAMSUNG Single-Band PCS Only Phone Model: SGH-E600

GSM1900 Mode, Ch 512[1850.2MHz]; Standard Battery; Meas. Ambient Temp. (°C) -21.8

Conducted Power=30dBm; Left Head Phantom, Cheek/Touch Position; Meas. Tissue Temp. (°C) -21.2

Test Date--01/14/2004[FCC/OET Bulletin 65-Supplement C, July 2001]



SAMSUNG FCC ID: A3LSGHE600 -- 1900MHz PCS GSM Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1551; ConvF(5.40,5.40,5.40)

Head 1900 MHz: $\sigma = 1.39$ mho/m $\epsilon_r = 40.1$ $\rho = 1.00$ g/cm³; Antenna Position-Fixed; Crest Factor 8.0


SAR (1g): 0.159 mW/g

SAMSUNG Single-Band PCS Only Phone Model: SGH-E600

GSM1900 Mode, Ch 512[1850.2MHz]; Standard Battery; Meas. Ambient Temp. (°C) -21.8

Conducted Power=30dBm; Left Head Phantom, Ear/Tilt 15 deg Position; Meas. Tissue Temp. (°C) -21.2

Test Date--01/14/2004[FCC/OET Bulletin 65-Supplement C, July 2001]



SAMSUNG FCC ID: A3LSGHE600 -- 1900MHz PCS GSM Body SAR

SAM Phantom; Flat Section; Probe:ET3DV6 - SN1551; ConvF(4.80,4.80,4.80)

Body 1900 MHz: $\sigma = 1.53$ mho/m $\epsilon_r = 50.9$ $\rho = 1.00$ g/cm³; Antenna Position-Fixed; Crest Factor 8.0


SAR (1g): 0.123 mW/g

SAMSUNG Single-Band PCS Only Phone Model: SGH-E600

GSM1900 Mode, Ch 512[1850.2MHz]; Standard Battery; Ambient Temp. (°C) -21.5

Conducted Power=30dBm;Spacing=1.5cm flat phantom to phone, w/o Leather; Tissue Temp. (°C) -21.1

Test Date--01/14/2004[FCC/OET Bulletin 65-Supplement C, July 2001]



SAMSUNG FCC ID: A3LSGHE600 -- 1900MHz PCS GSM Head SAR

SAM Phantom; Right Cheek(CRP) Section; Probe:ET3DV6 - SN1551; ConvF(5.40,5.40,5.40)

Head 1900 MHz: $\sigma = 1.39$ mho/m $\epsilon_r = 40.1$ $\rho = 1.00$ g/cm³; Antenna Position-Fixed; Crest Factor 8.0


SAR (1g): 0.564 mW/g

SAMSUNG Single-Band PCS Only Phone Model: SGH-E600

GSM1900 Mode, Ch 512[1850.2MHz]; Standard Battery; Meas. Ambient Temp. (°C) -21.8

Conducted Power=30dBm; Right Head Phantom, Cheek/Touch Position; Meas. Tissue Temp. (°C) -21.2

Test Date--01/14/2004[FCC/OET Bulletin 65-Supplement C, July 2001]



SAMSUNG FCC ID: A3LSGHE600 -- 1900MHz PCS GSM Body SAR

SAM Phantom; Flat Section; Probe:ET3DV6 - SN1551; ConvF(4.80,4.80,4.80)

Body 1900 MHz: $\sigma = 1.53$ mho/m $\epsilon_r = 50.9$ $\rho = 1.00$ g/cm³; Antenna Position-Fixed; Crest Factor 8.0

SAR (1g): 0.123 mW/g

SAMSUNG Single-Band PCS Only Phone Model: SGH-E600

GSM1900 Mode, Ch 512[1850.2MHz]; Standard Battery; Ambient Temp. (°C) -21.5

Conducted Power=30dBm;Spacing=1.5cm flat phantom to phone, w/o Leather; Tissue Temp. (°C) -21.1

Test Date--01/14/2004[FCC/OET Bulletin 65-Supplement C, July 2001]

