

Appendix I. – P_{max} Conducted Power

LTE Band 2 Conducted_Power_ Measured Pmax _MAIN 1 [Ant A]

LTE Band 2_1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18607 Ch. 1850.7 MHz	18900 Ch. 1880 MHz	19193 Ch. 1909.3 MHz		
1.4 MHz	QPSK	1	0	23.81	23.78	23.71	0	0
		1	3	23.78	23.77	23.70	0	0
		1	5	23.92	23.85	23.83	0	0
		3	0	23.86	23.88	23.81	0 - 1	0
		3	1	23.83	23.81	23.72	0 - 1	0
		3	3	23.90	23.92	23.82	0 - 1	0
		6	0	22.89	22.89	22.80	0 - 1	1
	16QAM	1	0	23.23	23.18	23.09	0 - 1	1
		1	3	23.16	23.22	23.05	0 - 1	1
		1	5	23.23	23.26	23.15	0 - 1	1
		3	0	23.02	22.97	22.93	0 - 2	1
		3	1	22.93	22.91	22.83	0 - 2	1
		3	3	22.99	23.01	22.86	0 - 2	1
		6	0	22.03	21.98	21.93	0 - 2	2
	64QAM	1	0	22.11	22.04	22.08	0 - 2	2
		1	3	22.01	21.97	21.86	0 - 2	2
		1	5	22.11	22.08	21.94	0 - 2	2
		3	0	22.03	21.96	21.89	0 - 3	2
		3	1	21.92	21.85	21.79	0 - 3	2
		3	3	22.00	21.97	21.88	0 - 3	2
		6	0	21.00	20.92	20.86	0 - 3	3
	256QAM	1	0	19.03	19.00	18.98	0 - 5	5
		1	3	18.87	18.88	18.77	0 - 5	5
		1	5	18.99	18.93	18.92	0 - 5	5
		3	0	19.06	18.97	18.88	0 - 5	5
		3	1	18.96	18.90	18.84	0 - 5	5
		3	3	19.04	19.02	18.91	0 - 5	5
		6	0	18.87	18.87	18.80	0 - 5	5

LTE Band 2_3 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18615 Ch. 1851.5 MHz	18900 Ch. 1880 MHz	19185 Ch. 1908.5 MHz		
3 MHz	QPSK	1	0	23.90	23.90	23.80	0	0
		1	7	23.98	24.04	23.89	0	0
		1	14	23.89	23.85	23.80	0	0
		8	0	22.92	22.95	22.87	0 - 1	1
		8	3	22.94	22.93	22.83	0 - 1	1
		8	7	23.01	22.96	22.88	0 - 1	1
		15	0	23.03	23.01	22.89	0 - 1	1
	16QAM	1	0	23.21	23.32	23.11	0 - 1	1
		1	7	23.22	23.07	23.06	0 - 1	1
		1	14	23.22	23.12	23.04	0 - 1	1
		8	0	22.03	22.01	21.96	0 - 2	2
		8	3	22.07	22.10	21.96	0 - 2	2
		8	7	22.06	22.06	21.96	0 - 2	2
		15	0	22.00	22.00	21.90	0 - 2	2
	64QAM	1	0	22.16	22.07	22.03	0 - 2	2
		1	7	21.88	21.92	21.75	0 - 2	2
		1	14	22.13	22.07	22.01	0 - 2	2
		8	0	21.01	21.00	20.91	0 - 3	3
		8	3	20.99	20.96	20.87	0 - 3	3
		8	7	21.05	21.02	20.91	0 - 3	3
		15	0	20.96	20.98	20.86	0 - 3	3
	256QAM	1	0	19.01	19.08	18.91	0 - 5	5
		1	7	18.90	18.93	18.79	0 - 5	5
		1	14	19.01	19.00	18.94	0 - 5	5
		8	0	18.98	18.92	18.86	0 - 5	5
		8	3	18.96	18.96	18.81	0 - 5	5
		8	7	18.96	18.92	18.80	0 - 5	5
		15	0	18.97	18.89	18.86	0 - 5	5

LTE Band 2_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18625 Ch. 1852.5 MHz	18900 Ch. 1880 MHz	19175 Ch. 1907.5 MHz		
5 MHz	QPSK	1	0	23.94	23.92	23.80	0	0
		1	12	24.02	24.06	23.94	0	0
		1	24	23.95	23.95	23.83	0	0
		12	0	23.02	23.04	22.92	0 - 1	1
		12	6	23.03	23.00	22.89	0 - 1	1
		12	11	23.05	23.03	22.92	0 - 1	1
		25	0	23.03	22.98	22.95	0 - 1	1
	16QAM	1	0	23.28	23.24	23.21	0 - 1	1
		1	12	23.25	23.15	23.13	0 - 1	1
		1	24	23.34	23.22	23.04	0 - 1	1
		12	0	22.09	22.03	21.94	0 - 2	2
		12	6	22.09	22.05	21.96	0 - 2	2
		12	11	22.11	22.08	21.96	0 - 2	2
		25	0	22.00	22.01	21.90	0 - 2	2
	64QAM	1	0	22.13	22.19	22.09	0 - 2	2
		1	12	21.92	21.86	21.83	0 - 2	2
		1	24	22.11	22.16	21.98	0 - 2	2
		12	0	21.08	21.04	20.93	0 - 3	3
		12	6	21.05	21.00	20.87	0 - 3	3
		12	11	21.06	21.01	20.89	0 - 3	3
		25	0	20.99	20.96	20.84	0 - 3	3
	256QAM	1	0	19.09	19.13	18.99	0 - 5	5
		1	12	18.97	18.97	18.81	0 - 5	5
		1	24	19.10	19.00	18.97	0 - 5	5
		12	0	18.99	18.96	18.88	0 - 5	5
		12	6	19.01	18.97	18.87	0 - 5	5
		12	11	19.01	18.94	18.83	0 - 5	5
		25	0	18.99	18.95	18.84	0 - 5	5

LTE Band 2_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18650 Ch. 1855 MHz	18900 Ch. 1880 MHz	19150 Ch. 1905 MHz		
10 MHz	QPSK	1	0	23.94	24.00	23.89	0	0
		1	24	23.96	24.00	23.87	0	0
		1	49	23.98	23.91	23.86	0	0
		25	0	23.06	23.04	22.98	0 - 1	1
		25	12	23.07	23.04	22.95	0 - 1	1
		25	24	23.03	23.03	22.98	0 - 1	1
		50	0	23.16	23.06	22.99	0 - 1	1
	16QAM	1	0	23.21	23.25	23.21	0 - 1	1
		1	24	23.24	23.28	23.09	0 - 1	1
		1	49	23.30	23.24	23.13	0 - 1	1
		25	0	22.09	22.00	21.97	0 - 2	2
		25	12	22.06	21.99	21.95	0 - 2	2
		25	24	22.04	22.02	21.95	0 - 2	2
		50	0	22.11	22.06	21.98	0 - 2	2
	64QAM	1	0	22.14	22.21	22.13	0 - 2	2
		1	24	22.22	22.23	22.10	0 - 2	2
		1	49	22.22	22.21	22.05	0 - 2	2
		25	0	21.08	21.01	20.95	0 - 3	3
		25	12	21.04	20.97	20.94	0 - 3	3
		25	24	21.04	21.00	20.89	0 - 3	3
		50	0	21.09	21.01	20.94	0 - 3	3
	256QAM	1	0	19.15	19.10	19.02	0 - 5	5
		1	24	19.15	19.03	19.01	0 - 5	5
		1	49	19.16	19.07	19.01	0 - 5	5
		25	0	18.99	18.96	18.90	0 - 5	5
		25	12	19.00	18.95	18.85	0 - 5	5
		25	24	19.00	18.98	18.88	0 - 5	5
		50	0	19.03	18.96	18.88	0 - 5	5

LTE Band 2_15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18675 Ch. 1857.5 MHz	18900 Ch. 1880 MHz	19125 Ch. 1902.5 MHz		
15 MHz	QPSK	1	0	23.96	23.97	23.91	0	0
		1	36	24.03	24.05	23.99	0	0
		1	74	24.06	23.99	23.89	0	0
		36	0	23.08	23.03	22.99	0 - 1	1
		36	18	23.08	23.08	22.95	0 - 1	1
		36	39	23.11	23.02	22.98	0 - 1	1
		75	0	23.12	23.02	22.96	0 - 1	1
	16QAM	1	0	23.33	23.36	23.20	0 - 1	1
		1	36	23.22	23.15	23.14	0 - 1	1
		1	74	23.30	23.30	23.23	0 - 1	1
		36	0	22.11	22.06	22.00	0 - 2	2
		36	18	22.09	22.03	21.97	0 - 2	2
		36	39	22.13	22.02	21.98	0 - 2	2
		75	0	22.08	22.00	21.96	0 - 2	2
	64QAM	1	0	22.28	22.22	22.19	0 - 2	2
		1	36	21.95	21.91	21.85	0 - 2	2
		1	74	22.29	22.10	22.09	0 - 2	2
		36	0	21.12	21.05	21.03	0 - 3	3
		36	18	21.11	21.00	20.97	0 - 3	3
		36	39	21.12	21.02	21.02	0 - 3	3
		75	0	21.07	20.99	20.95	0 - 3	3
	256QAM	1	0	19.18	19.10	19.10	0 - 5	5
		1	36	19.02	18.90	18.85	0 - 5	5
		1	74	19.14	19.06	18.97	0 - 5	5
		36	0	19.07	19.01	18.96	0 - 5	5
		36	18	19.06	19.00	18.94	0 - 5	5
		36	39	19.08	19.03	18.95	0 - 5	5
		75	0	19.02	18.96	18.92	0 - 5	5

LTE Band 2_20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18700 Ch. 1860 MHz	18900 Ch. 1880 MHz	19100 Ch. 1900 MHz		
20 MHz	QPSK	1	0	23.98	24.02	23.93	0	0
		1	49	24.02	23.99	23.92	0	0
		1	99	24.00	23.96	23.87	0	0
		50	0	23.14	23.10	23.06	0 - 1	1
		50	25	23.14	23.10	23.05	0 - 1	1
		50	49	23.13	23.07	23.07	0 - 1	1
		100	0	23.09	23.03	23.04	0 - 1	1
	16QAM	1	0	23.49	23.45	23.22	0 - 1	1
		1	49	23.21	23.24	23.21	0 - 1	1
		1	99	23.38	23.30	23.16	0 - 1	1
		50	0	22.16	22.12	22.08	0 - 2	2
		50	25	22.17	22.06	22.06	0 - 2	2
		50	49	22.14	22.08	22.02	0 - 2	2
		100	0	22.08	22.03	22.03	0 - 2	2
	64QAM	1	0	22.24	22.26	22.16	0 - 2	2
		1	49	22.34	22.25	22.26	0 - 2	2
		1	99	22.37	22.18	22.20	0 - 2	2
		50	0	21.17	21.11	21.08	0 - 3	3
		50	25	21.10	21.06	21.01	0 - 3	3
		50	49	21.15	21.06	21.04	0 - 3	3
		100	0	21.08	20.99	21.00	0 - 3	3
	256QAM	1	0	19.21	19.24	19.18	0 - 5	5
		1	49	19.21	19.13	19.10	0 - 5	5
		1	99	19.17	19.10	19.10	0 - 5	5
		50	0	19.10	19.02	18.99	0 - 5	5
		50	25	19.10	19.00	18.99	0 - 5	5
		50	49	19.02	18.97	18.98	0 - 5	5
		100	0	19.08	19.00	18.97	0 - 5	5

LTE FDD Band 2 Conducted Power _ Measured P_{max} SUB2 [Ant F]

LTE Band 2 _ 1.4 MHz Bandwidth Conducted Power _ Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18607 Ch. 1850.7 MHz	18900 Ch. 1880 MHz	19193 Ch. 1909.3 MHz		
1.4 MHz	QPSK	1	0	23.54	23.65	23.60	0	0
		1	3	23.62	23.70	23.55	0	0
		1	5	23.59	23.63	23.53	0	0
		3	0	22.74	22.84	22.71	0 - 1	0
		3	1	22.72	22.75	22.73	0 - 1	0
		3	3	22.74	22.78	22.76	0 - 1	0
	16QAM	6	0	22.70	22.82	22.70	0 - 1	1
		1	0	22.74	22.91	22.89	0 - 1	1
		1	3	22.84	22.94	22.80	0 - 1	1
		1	5	22.95	22.87	22.88	0 - 1	1
		3	0	21.66	21.74	21.71	0 - 2	1
		3	1	21.70	21.76	21.73	0 - 2	1
	64QAM	3	3	21.73	21.75	21.72	0 - 2	1
		6	0	21.70	21.72	21.70	0 - 2	2
		1	0	21.70	21.81	21.83	0 - 2	2
		1	3	21.83	21.88	21.81	0 - 2	2
		1	5	21.86	21.83	21.83	0 - 2	2
		3	0	20.78	20.74	20.70	0 - 3	2
	256QAM	3	1	20.75	20.79	20.71	0 - 3	2
		3	3	20.73	20.71	20.74	0 - 3	2
		6	0	20.68	20.79	20.66	0 - 3	3
		1	0	18.86	18.80	18.80	0 - 5	5
		1	3	18.82	18.77	18.86	0 - 5	5
		1	5	18.76	18.89	18.93	0 - 5	5
		3	0	18.68	18.72	18.63	0 - 5	5
		3	1	18.71	18.75	18.75	0 - 5	5
		3	3	18.71	18.77	18.71	0 - 5	5
		6	0	18.67	18.78	18.71	0 - 5	5

LTE Band 2_3 MHz Bandwidth Conducted Power_Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18615 Ch. 1851.5 MHz	18900 Ch. 1880 MHz	19185 Ch. 1908.5 MHz		
3 MHz	QPSK	1	0	23.53	23.67	23.57	0	0
		1	7	23.62	23.70	23.54	0	0
		1	14	23.62	23.63	23.60	0	0
		8	0	22.73	22.86	22.78	0 - 1	1
		8	3	22.77	22.74	22.79	0 - 1	1
		8	7	22.74	22.76	22.74	0 - 1	1
		15	0	22.70	22.80	22.71	0 - 1	1
	16QAM	1	0	22.76	22.95	22.87	0 - 1	1
		1	7	22.86	22.95	22.75	0 - 1	1
		1	14	22.93	22.92	22.91	0 - 1	1
		8	0	21.68	21.79	21.70	0 - 2	2
		8	3	21.74	21.73	21.76	0 - 2	2
		8	7	21.73	21.78	21.77	0 - 2	2
		15	0	21.66	21.76	21.65	0 - 2	2
	64QAM	1	0	21.75	21.82	21.82	0 - 2	2
		1	7	21.83	21.89	21.86	0 - 2	2
		1	14	21.90	21.89	21.85	0 - 2	2
		8	0	20.78	20.82	20.71	0 - 3	3
		8	3	20.74	20.73	20.69	0 - 3	3
		8	7	20.75	20.75	20.75	0 - 3	3
		15	0	20.68	20.74	20.65	0 - 3	3
	256QAM	1	0	18.85	18.79	18.84	0 - 5	5
		1	7	18.86	18.74	18.89	0 - 5	5
		1	14	18.78	18.90	18.86	0 - 5	5
		8	0	18.68	18.76	18.65	0 - 5	5
		8	3	18.71	18.72	18.71	0 - 5	5
		8	7	18.72	18.76	18.73	0 - 5	5
		15	0	18.73	18.79	18.70	0 - 5	5

LTE Band 2_5 MHz Bandwidth Conducted Power _Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18625 Ch. 1852.5 MHz	18900 Ch. 1880 MHz	19175 Ch. 1907.5 MHz		
5 MHz	QPSK	1	0	23.54	23.64	23.57	0	0
		1	12	23.69	23.83	23.70	0	0
		1	24	23.61	23.70	23.68	0	0
		12	0	22.64	22.73	22.65	0 - 1	1
		12	6	22.64	22.74	22.68	0 - 1	1
		12	11	22.68	22.76	22.71	0 - 1	1
		25	0	22.66	22.73	22.72	0 - 1	1
	16QAM	1	0	22.93	22.98	22.84	0 - 1	1
		1	12	22.81	22.99	22.73	0 - 1	1
		1	24	22.82	22.92	22.93	0 - 1	1
		12	0	21.66	21.80	21.71	0 - 2	2
		12	6	21.66	21.78	21.77	0 - 2	2
		12	11	21.70	21.81	21.73	0 - 2	2
		25	0	21.71	21.75	21.68	0 - 2	2
	64QAM	1	0	21.91	21.83	21.78	0 - 2	2
		1	12	21.58	21.54	21.50	0 - 2	2
		1	24	21.91	21.87	21.75	0 - 2	2
		12	0	20.79	20.76	20.70	0 - 3	3
		12	6	20.83	20.78	20.70	0 - 3	3
		12	11	20.81	20.76	20.70	0 - 3	3
		25	0	20.73	20.68	20.67	0 - 3	3
	256QAM	1	0	18.88	18.83	18.78	0 - 5	5
		1	12	18.66	18.68	18.64	0 - 5	5
		1	24	18.73	18.92	18.70	0 - 5	5
		12	0	18.73	18.79	18.67	0 - 5	5
		12	6	18.73	18.76	18.74	0 - 5	5
		12	11	18.69	18.80	18.74	0 - 5	5
		25	0	18.66	18.75	18.70	0 - 5	5

LTE Band 2_10 MHz Bandwidth Conducted Power_Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18650 Ch. 1855 MHz	18900 Ch. 1880 MHz	19150 Ch. 1905 MHz		
10 MHz	QPSK	1	0	23.53	23.58	23.56	0	0
		1	24	23.57	23.67	23.61	0	0
		1	49	23.61	23.65	23.44	0	0
		25	0	22.66	22.75	22.70	0 - 1	1
		25	12	22.68	22.78	22.71	0 - 1	1
		25	24	22.70	22.78	22.73	0 - 1	1
	16QAM	50	0	22.73	22.81	22.73	0 - 1	1
		1	0	22.80	22.98	22.75	0 - 1	1
		1	24	22.78	22.87	22.87	0 - 1	1
		1	49	22.91	23.02	22.86	0 - 1	1
		25	0	21.67	21.73	21.65	0 - 2	2
		25	12	21.71	21.75	21.66	0 - 2	2
	64QAM	25	24	21.69	21.76	21.69	0 - 2	2
		50	0	21.73	21.79	21.69	0 - 2	2
		1	0	21.76	21.87	21.67	0 - 2	2
		1	24	21.88	21.87	21.80	0 - 2	2
		1	49	21.87	21.86	21.77	0 - 2	2
		25	0	20.69	20.69	20.65	0 - 3	3
	256QAM	25	12	20.68	20.75	20.64	0 - 3	3
		25	24	20.65	20.73	20.66	0 - 3	3
		50	0	20.70	20.71	20.70	0 - 3	3
		1	0	18.83	18.81	18.71	0 - 5	5
		1	24	18.73	18.82	18.71	0 - 5	5
		1	49	18.87	18.80	18.80	0 - 5	5
		25	0	18.67	18.73	18.66	0 - 5	5
		25	12	18.68	18.70	18.64	0 - 5	5
		25	24	18.68	18.71	18.69	0 - 5	5
		50	0	18.67	18.73	18.69	0 - 5	5

LTE Band 2_15 MHz Bandwidth Conducted Power_ Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18675 Ch. 1857.5 MHz	18900 Ch. 1880 MHz	19125 Ch. 1902.5 MHz		
15 MHz	QPSK	1	0	23.51	23.62	23.58	0	0
		1	36	23.67	23.78	23.59	0	0
		1	74	23.66	23.72	23.62	0	0
		36	0	22.69	22.75	22.66	0 - 1	1
		36	18	22.66	22.76	22.63	0 - 1	1
		36	39	22.74	22.80	22.66	0 - 1	1
		75	0	22.67	22.77	22.65	0 - 1	1
	16QAM	1	0	22.87	22.88	22.80	0 - 1	1
		1	36	22.90	22.94	22.79	0 - 1	1
		1	74	22.95	23.01	22.81	0 - 1	1
		36	0	21.67	21.76	21.65	0 - 2	2
		36	18	21.68	21.73	21.63	0 - 2	2
		36	39	21.74	21.77	21.65	0 - 2	2
		75	0	21.72	21.69	21.61	0 - 2	2
	64QAM	1	0	21.81	21.81	21.80	0 - 2	2
		1	36	21.47	21.58	21.55	0 - 2	2
		1	74	21.88	21.89	21.76	0 - 2	2
		36	0	20.72	20.74	20.61	0 - 3	3
		36	18	20.75	20.80	20.66	0 - 3	3
		36	39	20.77	20.80	20.65	0 - 3	3
		75	0	20.71	20.71	20.63	0 - 3	3
	256QAM	1	0	18.85	18.89	18.69	0 - 5	5
		1	36	18.73	18.73	18.68	0 - 5	5
		1	74	18.85	18.84	18.74	0 - 5	5
		36	0	18.71	18.79	18.69	0 - 5	5
		36	18	18.73	18.78	18.63	0 - 5	5
		36	39	18.74	18.78	18.68	0 - 5	5
		75	0	18.69	18.77	18.63	0 - 5	5

LTE Band 2_20 MHz Bandwidth Conducted Power_ Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18700 Ch. 1860 MHz	18900 Ch. 1880 MHz	19100 Ch. 1900 MHz		
20 MHz	QPSK	1	0	23.58	23.70	23.63	0	0
		1	49	23.63	23.77	23.59	0	0
		1	99	23.66	23.65	23.61	0	0
		50	0	22.75	22.89	22.79	0 - 1	1
		50	25	22.77	22.82	22.79	0 - 1	1
		50	49	22.80	22.82	22.79	0 - 1	1
		100	0	22.77	22.84	22.75	0 - 1	1
	16QAM	1	0	22.80	22.98	22.90	0 - 1	1
		1	49	22.91	22.95	22.80	0 - 1	1
		1	99	22.97	22.93	22.93	0 - 1	1
		50	0	21.74	21.81	21.76	0 - 2	2
		50	25	21.75	21.81	21.76	0 - 2	2
		50	49	21.77	21.80	21.78	0 - 2	2
		100	0	21.74	21.78	21.71	0 - 2	2
	64QAM	1	0	21.78	21.83	21.87	0 - 2	2
		1	49	21.90	21.91	21.89	0 - 2	2
		1	99	21.92	21.90	21.86	0 - 2	2
		50	0	20.79	20.82	20.73	0 - 3	3
		50	25	20.76	20.80	20.72	0 - 3	3
		50	49	20.79	20.79	20.77	0 - 3	3
		100	0	20.75	20.79	20.69	0 - 3	3
	256QAM	1	0	18.87	18.86	18.85	0 - 5	5
		1	49	18.88	18.81	18.92	0 - 5	5
		1	99	18.83	18.93	18.93	0 - 5	5
		50	0	18.72	18.79	18.71	0 - 5	5
		50	25	18.73	18.80	18.75	0 - 5	5
		50	49	18.79	18.80	18.77	0 - 5	5
		100	0	18.73	18.80	18.74	0 - 5	5

LTE FDD Band 4 Conducted Power _ Measured P_{max_MAIN1} [Ant A]

LTE Band 4 _ 1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				19957 Ch. 1710.7 MHz	20175 Ch. 1732.5 MHz	20393 Ch. 1754.3 MHz		
1.4 MHz	QPSK	1	0	23.60	23.64	24.06	0	0
		1	3	23.50	23.58	23.96	0	0
		1	5	23.64	23.70	24.06	0	0
		3	0	23.59	23.77	24.06	0 - 1	0
		3	1	23.56	23.63	24.03	0 - 1	0
		3	3	23.65	23.74	24.05	0 - 1	0
		6	0	22.64	22.75	23.04	0 - 1	1
	16QAM	1	0	22.94	23.03	23.42	0 - 1	1
		1	3	22.89	22.99	23.41	0 - 1	1
		1	5	22.87	23.06	23.38	0 - 1	1
		3	0	22.74	22.80	23.19	0 - 2	1
		3	1	22.65	22.72	23.09	0 - 2	1
		3	3	22.75	22.88	23.12	0 - 2	1
		6	0	21.79	21.85	22.17	0 - 2	2
	64QAM	1	0	21.88	21.90	22.28	0 - 2	2
		1	3	21.81	21.83	22.17	0 - 2	2
		1	5	21.79	21.89	22.26	0 - 2	2
		3	0	21.72	21.83	22.13	0 - 3	2
		3	1	21.71	21.77	22.04	0 - 3	2
		3	3	21.69	21.85	22.09	0 - 3	2
		6	0	20.72	20.73	21.13	0 - 3	3
	256QAM	1	0	18.81	18.75	19.22	0 - 5	5
		1	3	18.71	18.72	19.11	0 - 5	5
		1	5	18.82	18.76	19.13	0 - 5	5
		3	0	18.79	18.88	19.19	0 - 5	5
		3	1	18.73	18.78	19.15	0 - 5	5
		3	3	18.85	18.85	19.21	0 - 5	5
		6	0	18.72	18.80	19.09	0 - 5	5

LTE Band 4_3 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				19965 Ch. 1711.5 MHz	20175 Ch. 1732.5 MHz	20385 Ch. 1753.5 MHz		
3 MHz	QPSK	1	0	23.62	23.71	24.06	0	0
		1	7	23.68	23.88	24.16	0	0
		1	14	23.58	23.73	24.08	0	0
		8	0	22.69	22.77	23.09	0 - 1	1
		8	3	22.64	22.77	23.07	0 - 1	1
		8	7	22.73	22.79	23.13	0 - 1	1
	16QAM	15	0	22.76	22.83	23.16	0 - 1	1
		1	0	22.99	23.06	23.41	0 - 1	1
		1	7	22.97	22.95	23.21	0 - 1	1
		1	14	22.89	23.07	23.31	0 - 1	1
		8	0	21.80	21.86	22.20	0 - 2	2
		8	3	21.84	21.86	22.22	0 - 2	2
	64QAM	8	7	21.80	21.90	22.21	0 - 2	2
		15	0	21.73	21.86	22.16	0 - 2	2
		1	0	21.80	21.91	22.26	0 - 2	2
		1	7	21.56	21.75	21.96	0 - 2	2
		1	14	21.94	21.94	22.23	0 - 2	2
		8	0	20.71	20.82	21.11	0 - 3	3
	256QAM	8	3	20.69	20.78	21.12	0 - 3	3
		8	7	20.77	20.84	21.12	0 - 3	3
		15	0	20.73	20.79	21.13	0 - 3	3
		1	0	18.74	18.83	19.17	0 - 5	5
		1	7	18.64	18.76	19.07	0 - 5	5
		1	14	18.81	18.84	19.15	0 - 5	5
		8	0	18.72	18.82	19.14	0 - 5	5
		8	3	18.75	18.81	19.13	0 - 5	5
		8	7	18.73	18.79	19.09	0 - 5	5
		15	0	18.71	18.81	19.16	0 - 5	5

LTE Band 4_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				19975 Ch. 1712.5 MHz	20175 Ch. 1732.5 MHz	20375 Ch. 1752.5 MHz		
5 MHz	QPSK	1	0	23.60	23.72	24.05	0	0
		1	12	23.69	23.87	24.20	0	0
		1	24	23.67	23.76	24.11	0	0
		12	0	22.74	22.79	23.15	0 - 1	1
		12	6	22.72	22.83	23.12	0 - 1	1
		12	11	22.72	22.87	23.19	0 - 1	1
		25	0	22.74	22.82	23.16	0 - 1	1
	16QAM	1	0	22.94	23.07	23.32	0 - 1	1
		1	12	22.94	23.08	23.31	0 - 1	1
		1	24	22.98	23.03	23.32	0 - 1	1
		12	0	21.82	21.89	22.18	0 - 2	2
		12	6	21.81	21.90	22.20	0 - 2	2
		12	11	21.84	21.91	22.24	0 - 2	2
		25	0	21.76	21.80	22.13	0 - 2	2
	64QAM	1	0	21.90	22.05	22.31	0 - 2	2
		1	12	21.58	21.68	22.04	0 - 2	2
		1	24	21.87	21.96	22.28	0 - 2	2
		12	0	20.77	20.84	21.16	0 - 3	3
		12	6	20.72	20.84	21.11	0 - 3	3
		12	11	20.76	20.82	21.14	0 - 3	3
		25	0	20.70	20.80	21.09	0 - 3	3
	256QAM	1	0	18.80	18.91	19.26	0 - 5	5
		1	12	18.69	18.73	19.10	0 - 5	5
		1	24	18.83	18.86	19.18	0 - 5	5
		12	0	18.76	18.81	19.15	0 - 5	5
		12	6	18.78	18.83	19.10	0 - 5	5
		12	11	18.78	18.84	19.17	0 - 5	5
		25	0	18.75	18.82	19.10	0 - 5	5

LTE Band 4_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20000 Ch. 1715 MHz	20175 Ch. 1732.5 MHz	20350 Ch. 1750 MHz		
10 MHz	QPSK	1	0	23.68	23.80	24.03	0	0
		1	24	23.68	23.78	24.04	0	0
		1	49	23.67	23.81	24.03	0	0
		25	0	22.76	22.86	23.16	0 - 1	1
		25	12	22.72	22.89	23.15	0 - 1	1
		25	24	22.75	22.87	23.14	0 - 1	1
		50	0	22.78	22.91	23.21	0 - 1	1
	16QAM	1	0	22.93	23.19	23.35	0 - 1	1
		1	24	22.93	23.01	23.23	0 - 1	1
		1	49	22.99	23.09	23.37	0 - 1	1
		25	0	21.74	21.85	22.09	0 - 2	2
		25	12	21.74	21.84	22.15	0 - 2	2
		25	24	21.77	21.84	22.13	0 - 2	2
		50	0	21.79	21.88	22.16	0 - 2	2
	64QAM	1	0	21.92	22.00	22.25	0 - 2	2
		1	24	21.90	22.04	22.27	0 - 2	2
		1	49	21.94	22.02	22.31	0 - 2	2
		25	0	20.73	20.84	21.12	0 - 3	3
		25	12	20.74	20.81	21.06	0 - 3	3
		25	24	20.71	20.84	21.10	0 - 3	3
		50	0	20.73	20.86	21.13	0 - 3	3
	256QAM	1	0	18.81	18.87	19.16	0 - 5	5
		1	24	18.82	18.97	19.14	0 - 5	5
		1	49	18.85	18.91	19.30	0 - 5	5
		25	0	18.74	18.83	19.09	0 - 5	5
		25	12	18.74	18.83	19.10	0 - 5	5
		25	24	18.76	18.85	19.11	0 - 5	5
		50	0	18.74	18.85	19.14	0 - 5	5

LTE Band 4_15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20025 Ch. 1717.5 MHz	20175 Ch. 1732.5 MHz	20325 Ch. 1747.5 MHz		
15 MHz	QPSK	1	0	23.62	23.77	23.89	0	0
		1	36	23.72	23.87	24.05	0	0
		1	74	23.70	23.85	24.00	0	0
		36	0	22.79	22.88	23.08	0 - 1	1
		36	18	22.75	22.86	23.08	0 - 1	1
		36	39	22.79	22.87	23.08	0 - 1	1
		75	0	22.77	22.87	23.04	0 - 1	1
	16QAM	1	0	22.99	23.12	23.25	0 - 1	1
		1	36	22.91	23.06	23.19	0 - 1	1
		1	74	23.14	23.19	23.32	0 - 1	1
		36	0	21.80	21.90	22.07	0 - 2	2
		36	18	21.76	21.85	22.04	0 - 2	2
		36	39	21.80	21.90	22.07	0 - 2	2
		75	0	21.73	21.83	22.04	0 - 2	2
	64QAM	1	0	21.94	21.96	22.23	0 - 2	2
		1	36	21.55	21.71	21.86	0 - 2	2
		1	74	21.92	21.99	22.22	0 - 2	2
		36	0	20.78	20.86	21.06	0 - 3	3
		36	18	20.75	20.84	21.04	0 - 3	3
		36	39	20.79	20.88	21.08	0 - 3	3
		75	0	20.69	20.80	21.02	0 - 3	3
	256QAM	1	0	18.80	18.92	19.06	0 - 5	5
		1	36	18.72	18.84	18.98	0 - 5	5
		1	74	18.85	19.03	19.14	0 - 5	5
		36	0	18.76	18.81	19.07	0 - 5	5
		36	18	18.81	18.85	19.06	0 - 5	5
		36	39	18.84	18.88	19.10	0 - 5	5
		75	0	18.78	18.82	19.05	0 - 5	5

LTE Band 4_20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
					20175 Ch. 1732.5 MHz			
20 MHz	QPSK	1	0		23.80		0	0
		1	49		23.76		0	0
		1	99		23.81		0	0
		50	0		22.91		0 - 1	1
		50	25		22.94		0 - 1	1
		50	49		22.93		0 - 1	1
		100	0		22.90		0 - 1	1
	16QAM	1	0		23.17		0 - 1	1
		1	49		23.06		0 - 1	1
		1	99		23.05		0 - 1	1
		50	0		21.90		0 - 2	2
		50	25		21.92		0 - 2	2
		50	49		21.92		0 - 2	2
		100	0		21.85		0 - 2	2
	64QAM	1	0		21.98		0 - 2	2
		1	49		22.01		0 - 2	2
		1	99		22.13		0 - 2	2
		50	0		20.85		0 - 3	3
		50	25		20.90		0 - 3	3
		50	49		20.87		0 - 3	3
		100	0		20.83		0 - 3	3
	256QAM	1	0		18.92		0 - 5	5
		1	49		18.87		0 - 5	5
		1	99		19.01		0 - 5	5
		50	0		18.85		0 - 5	5
		50	25		18.84		0 - 5	5
		50	49		18.86		0 - 5	5
		100	0		18.86		0 - 5	5

LTE FDD Band 25 Conducted Power_ Measured P_{max} _ MAIN1 [Ant A]

LTE Band 25_ 1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26047 Ch. 1850.7 MHz	26365 Ch. 1882.5 MHz	26683 Ch. 1914.3 MHz		
1.4 MHz	QPSK	1	0	23.87	23.81	23.82	0	0
		1	3	23.80	23.73	23.75	0	0
		1	5	23.92	23.86	23.83	0	0
		3	0	23.89	23.88	23.86	0 - 1	0
		3	1	23.86	23.83	23.83	0 - 1	0
		3	3	23.95	23.88	23.84	0 - 1	0
		6	0	22.92	22.84	22.84	0 - 1	1
	16QAM	1	0	23.21	23.25	23.11	0 - 1	1
		1	3	23.25	23.06	23.16	0 - 1	1
		1	5	23.25	23.18	23.18	0 - 1	1
		3	0	23.03	22.98	22.95	0 - 2	1
		3	1	22.98	22.89	22.88	0 - 2	1
		3	3	23.03	22.96	22.90	0 - 2	1
		6	0	22.02	21.94	21.97	0 - 2	2
	64QAM	1	0	22.15	22.02	22.09	0 - 2	2
		1	3	22.00	22.01	21.94	0 - 2	2
		1	5	22.13	21.96	22.00	0 - 2	2
		3	0	22.00	22.02	21.97	0 - 3	2
		3	1	21.89	21.90	21.80	0 - 3	2
		3	3	21.99	21.98	21.87	0 - 3	2
		6	0	21.05	20.95	20.91	0 - 3	3
	256QAM	1	0	18.98	18.97	18.93	0 - 5	5
		1	3	18.92	18.84	18.80	0 - 5	5
		1	5	19.04	18.98	18.92	0 - 5	5
		3	0	19.02	18.98	18.92	0 - 5	5
		3	1	18.95	18.90	18.87	0 - 5	5
		3	3	19.01	18.96	18.96	0 - 5	5
		6	0	18.90	18.85	18.78	0 - 5	5

LTE Band 25_3 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26055 Ch. 1851.5 MHz	26365 Ch. 1882.5 MHz	26675 Ch. 1913.5 MHz		
3 MHz	QPSK	1	0	23.89	23.93	23.86	0	0
		1	7	23.99	24.03	23.97	0	0
		1	14	23.89	23.89	23.82	0	0
		8	0	22.99	22.93	22.91	0 - 1	1
		8	3	22.93	22.94	22.89	0 - 1	1
		8	7	23.00	22.95	22.93	0 - 1	1
		15	0	23.01	22.99	22.97	0 - 1	1
	16QAM	1	0	23.31	23.29	23.18	0 - 1	1
		1	7	23.13	23.07	23.13	0 - 1	1
		1	14	23.20	23.10	23.11	0 - 1	1
		8	0	22.10	21.99	22.02	0 - 2	2
		8	3	22.08	22.07	22.03	0 - 2	2
		8	7	22.11	22.04	21.99	0 - 2	2
		15	0	22.02	21.93	21.95	0 - 2	2
	64QAM	1	0	22.11	22.04	22.13	0 - 2	2
		1	7	21.82	21.82	21.83	0 - 2	2
		1	14	22.13	22.12	22.05	0 - 2	2
		8	0	21.01	21.00	20.95	0 - 3	3
		8	3	21.04	20.97	20.97	0 - 3	3
		8	7	21.06	20.98	20.99	0 - 3	3
		15	0	21.02	20.96	20.93	0 - 3	3
	256QAM	1	0	19.05	18.96	19.02	0 - 5	5
		1	7	18.87	18.85	18.86	0 - 5	5
		1	14	19.00	18.97	18.95	0 - 5	5
		8	0	18.99	18.93	18.85	0 - 5	5
		8	3	18.97	18.95	18.89	0 - 5	5
		8	7	18.95	18.90	18.87	0 - 5	5
		15	0	18.94	18.95	18.92	0 - 5	5

LTE Band 25_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26065 Ch. 1852.5 MHz	26365 Ch. 1882.5 MHz	26665 Ch. 1912.5 MHz		
5 MHz	QPSK	1	0	23.90	23.92	23.90	0	0
		1	12	23.99	24.04	24.00	0	0
		1	24	23.99	23.95	23.90	0	0
		12	0	23.00	22.99	22.99	0 - 1	1
		12	6	23.02	23.01	22.95	0 - 1	1
		12	11	23.05	23.00	22.99	0 - 1	1
		25	0	23.03	23.01	22.99	0 - 1	1
	16QAM	1	0	23.23	23.27	23.26	0 - 1	1
		1	12	23.20	23.14	23.12	0 - 1	1
		1	24	23.21	23.17	23.09	0 - 1	1
		12	0	22.09	22.03	22.07	0 - 2	2
		12	6	22.05	22.04	22.03	0 - 2	2
		12	11	22.15	22.03	22.02	0 - 2	2
		25	0	22.04	22.00	21.99	0 - 2	2
	64QAM	1	0	22.23	22.16	22.11	0 - 2	2
		1	12	21.94	21.89	21.87	0 - 2	2
		1	24	22.11	22.09	22.01	0 - 2	2
		12	0	21.06	20.98	20.97	0 - 3	3
		12	6	21.01	20.97	20.98	0 - 3	3
		12	11	21.04	20.94	21.00	0 - 3	3
		25	0	21.00	20.96	20.92	0 - 3	3
	256QAM	1	0	19.11	19.09	19.02	0 - 5	5
		1	12	18.95	18.93	18.87	0 - 5	5
		1	24	19.03	19.02	18.96	0 - 5	5
		12	0	19.01	18.96	18.97	0 - 5	5
		12	6	19.02	18.91	18.91	0 - 5	5
		12	11	18.97	18.93	18.94	0 - 5	5
		25	0	18.97	18.92	18.92	0 - 5	5

LTE Band 25_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26090 Ch. 1855 MHz	26365 Ch. 1882.5 MHz	26640 Ch. 1910 MHz		
10 MHz	QPSK	1	0	23.97	23.96	23.88	0	0
		1	24	23.97	23.96	23.87	0	0
		1	49	23.95	23.94	23.85	0	0
		25	0	23.04	22.99	22.96	0 - 1	1
		25	12	23.07	23.03	22.97	0 - 1	1
		25	24	23.06	22.99	22.96	0 - 1	1
		50	0	23.13	23.03	23.03	0 - 1	1
	16QAM	1	0	23.28	23.22	23.21	0 - 1	1
		1	24	23.29	23.15	23.20	0 - 1	1
		1	49	23.31	23.20	23.16	0 - 1	1
		25	0	22.07	22.04	21.98	0 - 2	2
		25	12	22.04	22.01	21.99	0 - 2	2
		25	24	22.08	22.01	21.98	0 - 2	2
		50	0	22.05	22.04	22.01	0 - 2	2
	64QAM	1	0	22.24	22.15	22.06	0 - 2	2
		1	24	22.24	22.16	22.13	0 - 2	2
		1	49	22.19	22.16	22.06	0 - 2	2
		25	0	21.05	20.96	20.93	0 - 3	3
		25	12	21.07	20.95	20.96	0 - 3	3
		25	24	21.04	20.96	20.96	0 - 3	3
		50	0	21.07	21.04	20.98	0 - 3	3
	256QAM	1	0	19.09	19.03	18.97	0 - 5	5
		1	24	19.14	19.06	18.92	0 - 5	5
		1	49	19.16	18.94	19.01	0 - 5	5
		25	0	19.02	18.97	18.95	0 - 5	5
		25	12	18.99	18.93	18.91	0 - 5	5
		25	24	18.99	18.94	18.91	0 - 5	5
		50	0	19.05	18.97	18.93	0 - 5	5

LTE Band 25_15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26115 Ch. 1857.5 MHz	26365 Ch. 1882.5 MHz	26615 Ch. 1907.5 MHz		
15 MHz	QPSK	1	0	23.97	23.99	23.88	0	0
		1	36	24.08	24.01	23.94	0	0
		1	74	24.05	23.94	23.85	0	0
		36	0	23.11	23.04	22.94	0 - 1	1
		36	18	23.06	23.02	22.96	0 - 1	1
		36	39	23.07	23.04	22.95	0 - 1	1
		75	0	23.11	23.01	22.95	0 - 1	1
	16QAM	1	0	23.38	23.29	23.19	0 - 1	1
		1	36	23.29	23.12	23.03	0 - 1	1
		1	74	23.43	23.34	23.11	0 - 1	1
		36	0	22.13	22.03	21.94	0 - 2	2
		36	18	22.10	21.99	21.94	0 - 2	2
		36	39	22.14	22.02	21.96	0 - 2	2
		75	0	22.09	22.00	21.94	0 - 2	2
	64QAM	1	0	22.23	22.24	22.15	0 - 2	2
		1	36	21.90	21.91	21.78	0 - 2	2
		1	74	22.26	22.13	22.02	0 - 2	2
		36	0	21.11	21.03	20.94	0 - 3	3
		36	18	21.15	21.06	20.97	0 - 3	3
		36	39	21.12	21.04	20.95	0 - 3	3
		75	0	21.06	20.97	20.90	0 - 3	3
	256QAM	1	0	19.17	19.06	19.07	0 - 5	5
		1	36	19.01	18.92	18.83	0 - 5	5
		1	74	19.16	19.00	19.01	0 - 5	5
		36	0	19.06	18.99	18.90	0 - 5	5
		36	18	19.07	18.95	18.92	0 - 5	5
		36	39	19.07	18.98	18.91	0 - 5	5
		75	0	19.03	18.95	18.86	0 - 5	5

LTE Band 25_20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26140 Ch. 1860 MHz	26365 Ch. 1882.5 MHz	26590 Ch. 1905 MHz		
20 MHz	QPSK	1	0	24.03	24.03	23.97	0	0
		1	49	24.02	23.96	23.90	0	0
		1	99	24.05	23.93	23.85	0	0
		50	0	23.16	23.08	23.02	0 - 1	1
		50	25	23.15	23.05	23.05	0 - 1	1
		50	49	23.10	23.05	23.01	0 - 1	1
		100	0	23.12	23.07	22.98	0 - 1	1
	16QAM	1	0	23.28	23.33	23.29	0 - 1	1
		1	49	23.27	23.21	23.17	0 - 1	1
		1	99	23.49	23.29	23.16	0 - 1	1
		50	0	22.17	22.09	21.99	0 - 2	2
		50	25	22.14	22.05	22.02	0 - 2	2
		50	49	22.18	22.01	22.01	0 - 2	2
		100	0	22.15	22.06	21.99	0 - 2	2
	64QAM	1	0	22.17	22.25	22.14	0 - 2	2
		1	49	22.29	22.16	22.17	0 - 2	2
		1	99	22.35	22.20	22.13	0 - 2	2
		50	0	21.13	21.04	21.02	0 - 3	3
		50	25	21.14	21.06	20.98	0 - 3	3
		50	49	21.10	21.05	20.98	0 - 3	3
		100	0	21.10	20.97	20.94	0 - 3	3
	256QAM	1	0	19.16	19.16	19.06	0 - 5	5
		1	49	19.23	19.07	19.02	0 - 5	5
		1	99	19.20	19.04	19.00	0 - 5	5
		50	0	19.08	18.99	18.95	0 - 5	5
		50	25	19.09	19.00	18.94	0 - 5	5
		50	49	19.06	18.96	18.91	0 - 5	5
		100	0	19.07	18.98	18.91	0 - 5	5

LTE TDD Band 48 Conducted Power_ Measured P_{max} _SUB3 [Ant G]

LTE Band 48_ 5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR Allowed Per 3GPP [dB]	MPR [dB]
				55265 Ch.	55748 Ch.	56232 Ch.	56715 Ch.		
				3552.5 MHz	3600.8 MHz	3649.2 MHz	3697.5 MHz		
5 MHz	QPSK	1	0	21.24	21.44	20.97	21.08	0	0
		1	12	21.42	21.55	21.14	21.23	0	0
		1	24	21.32	21.48	21.03	21.15	0	0
		12	0	20.32	20.51	20.04	20.18	0 - 1	1
		12	6	20.33	20.51	20.04	20.17	0 - 1	1
		12	11	20.36	20.51	20.07	20.20	0 - 1	1
		25	0	20.31	20.49	20.03	20.17	0 - 1	1
	16QAM	1	0	20.38	20.51	20.04	20.16	0 - 1	1
		1	12	20.41	20.45	20.03	20.16	0 - 1	1
		1	24	20.43	20.50	20.05	20.18	0 - 1	1
		12	0	19.29	19.46	18.99	19.11	0 - 2	2
		12	6	19.30	19.45	18.98	19.10	0 - 2	2
		12	11	19.34	19.49	19.03	19.16	0 - 2	2
		25	0	19.32	19.54	19.06	19.20	0 - 2	2
	64QAM	1	0	19.11	19.18	18.69	18.83	0 - 2	2
		1	12	18.91	18.83	18.38	18.54	0 - 2	2
		1	24	19.13	19.16	18.70	18.85	0 - 2	2
		12	0	18.54	18.46	18.00	18.13	0 - 3	3
		12	6	18.44	18.45	17.98	18.11	0 - 3	3
		12	11	18.41	18.46	18.01	18.14	0 - 3	3
		25	0	18.42	18.48	18.03	18.15	0 - 3	3
	256QAM	1	0	16.14	16.35	15.88	16.01	0 - 5	5
		1	12	16.06	16.23	15.74	15.94	0 - 5	5
		1	24	16.14	16.31	15.87	16.00	0 - 5	5
		12	0	15.39	15.60	15.13	15.26	0 - 5	5
		12	6	15.40	15.62	15.14	15.26	0 - 5	5
		12	11	15.43	15.62	15.14	15.29	0 - 5	5
		25	0	15.31	15.51	15.07	15.20	0 - 5	5

LTE Band 48_10 MHz Bandwidth Conducted Power

bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR Allowed Per 3GPP [dB]	MPR [dB]
				55290 Ch. 3555 MHz	55757 Ch. 3601.7 MHz	56223 Ch. 3648.3 MHz	56690 Ch. 3695 MHz		
10 MHz	QPSK	1	0	21.22	21.45	21.01	21.06	0	0
		1	24	21.23	21.44	21.00	21.06	0	0
		1	49	21.27	21.43	21.01	21.09	0	0
		25	0	20.26	20.48	20.02	20.10	0 - 1	1
		25	12	20.28	20.49	20.03	20.13	0 - 1	1
		25	24	20.30	20.49	20.05	20.14	0 - 1	1
		50	0	20.29	20.50	20.04	20.12	0 - 1	1
	16QAM	1	0	20.26	20.49	20.03	20.08	0 - 1	1
		1	24	20.18	20.39	19.94	20.01	0 - 1	1
		1	49	20.33	20.50	20.06	20.16	0 - 1	1
		25	0	19.30	19.52	19.06	19.15	0 - 2	2
		25	12	19.32	19.52	19.08	19.14	0 - 2	2
		25	24	19.34	19.52	19.08	19.17	0 - 2	2
		50	0	19.32	19.53	19.07	19.17	0 - 2	2
	64QAM	1	0	18.94	19.17	18.70	18.76	0 - 2	2
		1	24	18.97	19.17	18.72	18.79	0 - 2	2
		1	49	19.01	19.18	18.73	18.83	0 - 2	2
		25	0	18.27	18.48	18.01	18.10	0 - 3	3
		25	12	18.28	18.49	18.03	18.13	0 - 3	3
		25	24	18.31	18.48	18.04	18.13	0 - 3	3
		50	0	18.35	18.55	18.10	18.18	0 - 3	3
	256QAM	1	0	16.13	16.35	15.88	15.94	0 - 5	5
		1	24	16.11	16.33	15.87	15.95	0 - 5	5
		1	49	16.19	16.36	15.92	16.02	0 - 5	5
		25	0	15.31	15.52	15.06	15.14	0 - 5	5
		25	12	15.31	15.52	15.05	15.14	0 - 5	5
		25	24	15.34	15.51	15.07	15.15	0 - 5	5
		50	0	15.35	15.56	15.09	15.18	0 - 5	5

LTE Band 48_15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR Allowed Per 3GPP [dB]	MPR [dB]
				55315 Ch. 3557.5 MHz	55765 Ch. 3602.5 MHz	56215 Ch. 3647.5 MHz	56665 Ch. 3692.5 MHz		
15 MHz	QPSK	1	0	21.22	21.46	20.99	20.97	0	0
		1	36	21.35	21.51	21.11	21.13	0	0
		1	74	21.34	21.49	21.07	21.10	0	0
		36	0	20.31	20.52	20.06	20.06	0 - 1	1
		36	18	20.32	20.51	20.05	20.07	0 - 1	1
		36	39	20.35	20.52	20.08	20.12	0 - 1	1
		75	0	20.31	20.49	20.04	20.08	0 - 1	1
	16QAM	1	0	20.29	20.51	20.05	20.05	0 - 1	1
		1	36	20.29	20.49	19.99	20.02	0 - 1	1
		1	74	20.39	20.52	20.10	20.13	0 - 1	1
		36	0	19.28	19.48	19.02	19.03	0 - 2	2
		36	18	19.29	19.46	19.02	19.04	0 - 2	2
		36	39	19.31	19.47	19.03	19.07	0 - 2	2
		75	0	19.32	19.50	19.05	19.08	0 - 2	2
	64QAM	1	0	19.00	19.20	18.73	18.73	0 - 2	2
		1	36	18.70	18.85	18.41	18.42	0 - 2	2
		1	74	19.05	19.19	18.76	18.81	0 - 2	2
		36	0	18.34	18.54	18.06	18.09	0 - 3	3
		36	18	18.36	18.54	18.07	18.10	0 - 3	3
		36	39	18.37	18.53	18.09	18.13	0 - 3	3
		75	0	18.34	18.52	18.08	18.11	0 - 3	3
	256QAM	1	0	16.16	16.38	15.91	15.91	0 - 5	5
		1	36	16.07	16.23	15.82	15.86	0 - 5	5
		1	74	16.22	16.36	15.93	15.97	0 - 5	5
		36	0	15.34	15.55	15.09	15.10	0 - 5	5
		36	18	15.37	15.55	15.09	15.11	0 - 5	5
		36	39	15.39	15.54	15.10	15.14	0 - 5	5
		75	0	15.35	15.52	15.07	15.10	0 - 5	5

LTE Band 48_20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR Allowed Per 3GPP [dB]	MPR [dB]
				55340 Ch.	55773 Ch.	56207 Ch.	56640 Ch.		
				3560 MHz	3603.3 MHz	3646.7 MHz	3690 MHz		
20 MHz	QPSK	1	0	21.29	21.45	21.02	20.94	0	0
		1	49	21.32	21.43	21.02	20.97	0	0
		1	99	21.35	21.42	21.04	21.02	0	0
		50	0	20.33	20.51	20.06	20.01	0 - 1	1
		50	25	20.35	20.50	20.08	20.03	0 - 1	1
		50	49	20.38	20.49	20.08	20.06	0 - 1	1
		100	0	20.35	20.49	20.09	20.03	0 - 1	1
	16QAM	1	0	20.33	20.53	20.09	19.98	0 - 1	1
		1	49	20.26	20.40	19.97	19.92	0 - 1	1
		1	99	20.43	20.52	20.12	20.09	0 - 1	1
		50	0	19.37	19.55	19.10	19.04	0 - 2	2
		50	25	19.41	19.56	19.13	19.08	0 - 2	2
		50	49	19.43	19.54	19.12	19.09	0 - 2	2
		100	0	19.40	19.53	19.12	19.07	0 - 2	2
	64QAM	1	0	19.00	19.20	18.75	18.65	0 - 2	2
		1	49	19.04	19.19	18.75	18.70	0 - 2	2
		1	99	19.12	19.21	18.81	18.78	0 - 2	2
		50	0	18.40	18.58	18.14	18.08	0 - 3	3
		50	25	18.43	18.57	18.15	18.10	0 - 3	3
		50	49	18.45	18.56	18.15	18.11	0 - 3	3
		100	0	18.38	18.51	18.10	18.04	0 - 3	3
	256QAM	1	0	16.17	16.39	15.92	15.83	0 - 5	5
		1	49	16.21	16.36	15.92	15.86	0 - 5	5
		1	99	16.29	16.39	15.98	15.95	0 - 5	5
		50	0	15.41	15.57	15.14	15.07	0 - 5	5
		50	25	15.44	15.56	15.14	15.10	0 - 5	5
		50	49	15.45	15.55	15.14	15.11	0 - 5	5
		100	0	15.39	15.52	15.10	15.05	0 - 5	5

LTE FDD Band 66 Conducted Power _ Measured P_{max_MAIN} 1[Ant A]

LTE Band 66_1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				131979 Ch. 1710.7 MHz	132322 Ch. 1745 MHz	132665 Ch. 1779.3 MHz		
1.4 MHz	QPSK	1	0	23.57	23.78	23.76	0	0
		1	3	23.51	23.73	23.75	0	0
		1	5	23.63	23.84	23.82	0	0
		3	0	23.62	23.82	23.83	0 - 1	0
		3	1	23.55	23.79	23.81	0 - 1	0
		3	3	23.62	23.84	23.83	0 - 1	0
		6	0	22.60	22.82	22.85	0 - 1	1
	16QAM	1	0	22.87	23.11	23.08	0 - 1	1
		1	3	22.86	23.15	23.17	0 - 1	1
		1	5	22.99	23.15	23.14	0 - 1	1
		3	0	22.73	22.89	22.97	0 - 2	1
		3	1	22.69	22.89	22.86	0 - 2	1
		3	3	22.71	22.91	22.89	0 - 2	1
		6	0	21.68	21.91	21.91	0 - 2	2
	64QAM	1	0	21.85	21.99	22.09	0 - 2	2
		1	3	21.74	21.93	21.95	0 - 2	2
		1	5	21.81	22.02	21.90	0 - 2	2
		3	0	21.70	21.88	21.87	0 - 3	2
		3	1	21.58	21.83	21.87	0 - 3	2
		3	3	21.77	21.91	21.90	0 - 3	2
		6	0	20.65	20.83	20.91	0 - 3	3
	256QAM	1	0	18.73	18.91	19.02	0 - 5	5
		1	3	18.63	18.80	18.85	0 - 5	5
		1	5	18.68	18.93	19.04	0 - 5	5
		3	0	18.74	18.94	19.00	0 - 5	5
		3	1	18.74	18.92	18.98	0 - 5	5
		3	3	18.80	18.97	19.09	0 - 5	5
		6	0	18.71	18.87	18.90	0 - 5	5

LTE Band 66_3 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				131987 Ch. 1711.5 MHz	132322 Ch. 1745 MHz	132657 Ch. 1778.5 MHz		
3 MHz	QPSK	1	0	23.62	23.85	23.91	0	0
		1	7	23.71	23.91	23.99	0	0
		1	14	23.65	23.83	23.87	0	0
		8	0	22.65	22.84	22.94	0 - 1	1
		8	3	22.67	22.84	22.92	0 - 1	1
		8	7	22.70	22.91	22.96	0 - 1	1
		15	0	22.72	22.92	23.00	0 - 1	1
	16QAM	1	0	22.94	23.19	23.18	0 - 1	1
		1	7	22.90	23.05	23.16	0 - 1	1
		1	14	22.83	23.13	23.13	0 - 1	1
		8	0	21.76	21.94	22.05	0 - 2	2
		8	3	21.78	22.02	22.00	0 - 2	2
		8	7	21.80	21.96	22.04	0 - 2	2
		15	0	21.72	21.92	21.97	0 - 2	2
	64QAM	1	0	21.86	22.08	22.12	0 - 2	2
		1	7	21.58	21.77	21.79	0 - 2	2
		1	14	21.87	22.04	22.07	0 - 2	2
		8	0	20.73	20.89	20.93	0 - 3	3
		8	3	20.76	20.92	20.99	0 - 3	3
		8	7	20.75	20.93	20.91	0 - 3	3
		15	0	20.73	20.92	20.92	0 - 3	3
	256QAM	1	0	18.79	18.93	18.98	0 - 5	5
		1	7	18.69	18.84	18.92	0 - 5	5
		1	14	18.78	18.99	19.04	0 - 5	5
		8	0	18.75	18.89	18.99	0 - 5	5
		8	3	18.74	18.95	18.99	0 - 5	5
		8	7	18.71	18.88	18.97	0 - 5	5
		15	0	18.77	18.90	18.98	0 - 5	5

LTE Band 66_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				131997 Ch. 1712.5 MHz	132322 Ch. 1745 MHz	132647 Ch. 1777.5 MHz		
5 MHz	QPSK	1	0	23.59	23.90	23.88	0	0
		1	12	23.71	23.97	24.01	0	0
		1	24	23.62	23.87	23.92	0	0
		12	0	22.68	22.94	23.01	0 - 1	1
		12	6	22.72	22.94	22.97	0 - 1	1
		12	11	22.73	22.96	23.03	0 - 1	1
		25	0	22.71	22.94	23.04	0 - 1	1
	16QAM	1	0	22.98	23.11	23.29	0 - 1	1
		1	12	22.86	23.16	23.18	0 - 1	1
		1	24	22.98	23.20	23.13	0 - 1	1
		12	0	21.74	21.96	22.06	0 - 2	2
		12	6	21.79	21.99	22.05	0 - 2	2
		12	11	21.79	21.97	22.07	0 - 2	2
		25	0	21.74	21.91	21.98	0 - 2	2
	64QAM	1	0	21.92	22.11	22.06	0 - 2	2
		1	12	21.54	21.79	21.81	0 - 2	2
		1	24	21.88	22.07	22.10	0 - 2	2
		12	0	20.76	20.96	20.99	0 - 3	3
		12	6	20.75	20.90	20.98	0 - 3	3
		12	11	20.74	20.93	20.95	0 - 3	3
		25	0	20.68	20.89	20.95	0 - 3	3
	256QAM	1	0	18.72	19.01	19.11	0 - 5	5
		1	12	18.64	18.86	18.97	0 - 5	5
		1	24	18.80	18.98	19.02	0 - 5	5
		12	0	18.74	18.92	19.02	0 - 5	5
		12	6	18.78	18.95	19.03	0 - 5	5
		12	11	18.69	18.95	19.01	0 - 5	5
		25	0	18.71	18.89	19.00	0 - 5	5

LTE Band 66_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				132022 Ch. 1715 MHz	132322 Ch. 1745 MHz	132622 Ch. 1775 MHz		
10 MHz	QPSK	1	0	23.60	23.91	24.01	0	0
		1	24	23.66	23.94	23.96	0	0
		1	49	23.63	23.91	23.92	0	0
		25	0	22.71	22.96	23.06	0 - 1	1
		25	12	22.74	23.02	23.04	0 - 1	1
		25	24	22.76	22.97	23.09	0 - 1	1
	16QAM	50	0	22.77	23.04	23.11	0 - 1	1
		1	0	23.02	23.11	23.23	0 - 1	1
		1	24	22.91	23.11	23.18	0 - 1	1
		1	49	22.99	23.27	23.26	0 - 1	1
		25	0	21.75	21.95	22.03	0 - 2	2
		25	12	21.74	21.95	22.06	0 - 2	2
	64QAM	25	24	21.77	21.94	22.06	0 - 2	2
		50	0	21.75	22.00	22.05	0 - 2	2
		1	0	21.85	22.10	22.17	0 - 2	2
		1	24	21.94	22.14	22.16	0 - 2	2
		1	49	21.83	22.12	22.10	0 - 2	2
		25	0	20.72	20.93	21.02	0 - 3	3
	256QAM	25	12	20.70	20.91	21.02	0 - 3	3
		25	24	20.69	20.95	20.98	0 - 3	3
		50	0	20.74	20.96	21.04	0 - 3	3
		1	0	18.75	19.00	19.11	0 - 5	5
		1	24	18.84	19.05	19.12	0 - 5	5
		1	49	18.85	19.06	19.06	0 - 5	5
		25	0	18.73	18.94	19.03	0 - 5	5
		25	12	18.71	18.93	19.03	0 - 5	5
		25	24	18.71	18.95	19.04	0 - 5	5
		50	0	18.73	18.95	19.01	0 - 5	5

LTE Band 66_15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				132047 Ch. 1717.5 MHz	132322 Ch. 1745 MHz	132597 Ch. 1772.5 MHz		
15 MHz	QPSK	1	0	23.65	23.90	24.05	0	0
		1	36	23.70	23.97	24.06	0	0
		1	74	23.69	23.93	23.97	0	0
		36	0	22.76	23.04	23.11	0 - 1	1
		36	18	22.74	22.95	23.07	0 - 1	1
		36	39	22.79	23.04	23.11	0 - 1	1
		75	0	22.76	22.98	23.10	0 - 1	1
	16QAM	1	0	22.97	23.13	23.38	0 - 1	1
		1	36	23.02	23.14	23.19	0 - 1	1
		1	74	22.96	23.22	23.22	0 - 1	1
		36	0	21.78	22.02	22.08	0 - 2	2
		36	18	21.76	21.98	22.04	0 - 2	2
		36	39	21.80	22.02	22.05	0 - 2	2
		75	0	21.77	21.91	22.05	0 - 2	2
	64QAM	1	0	21.98	22.12	22.29	0 - 2	2
		1	36	21.64	21.84	21.95	0 - 2	2
		1	74	21.92	22.10	22.14	0 - 2	2
		36	0	20.76	21.01	21.11	0 - 3	3
		36	18	20.77	20.96	21.09	0 - 3	3
		36	39	20.80	20.97	21.07	0 - 3	3
		75	0	20.72	20.96	21.04	0 - 3	3
	256QAM	1	0	18.86	19.01	19.21	0 - 5	5
		1	36	18.73	18.96	19.03	0 - 5	5
		1	74	18.84	19.03	19.10	0 - 5	5
		36	0	18.79	18.97	19.11	0 - 5	5
		36	18	18.80	19.01	19.08	0 - 5	5
		36	39	18.77	18.97	19.08	0 - 5	5
		75	0	18.78	18.96	19.06	0 - 5	5

LTE Band 66_20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				132072 Ch. 1720 MHz	132322 Ch. 1745 MHz	132572 Ch. 1770 MHz		
20 MHz	QPSK	1	0	23.67	23.91	24.05	0	0
		1	49	23.68	23.91	24.00	0	0
		1	99	23.71	23.88	23.94	0	0
		50	0	22.79	23.06	23.13	0 - 1	1
		50	25	22.82	23.06	23.15	0 - 1	1
		50	49	22.86	23.03	23.20	0 - 1	1
		100	0	22.83	23.02	23.17	0 - 1	1
	16QAM	1	0	23.03	23.26	23.41	0 - 1	1
		1	49	22.99	23.15	23.37	0 - 1	1
		1	99	23.18	23.26	23.33	0 - 1	1
		50	0	21.85	22.04	22.17	0 - 2	2
		50	25	21.88	22.04	22.20	0 - 2	2
		50	49	21.84	22.03	22.18	0 - 2	2
		100	0	21.79	21.98	22.14	0 - 2	2
	64QAM	1	0	21.87	22.16	22.34	0 - 2	2
		1	49	21.89	22.12	22.30	0 - 2	2
		1	99	22.02	22.19	22.21	0 - 2	2
		50	0	20.81	21.07	21.20	0 - 3	3
		50	25	20.84	21.04	21.15	0 - 3	3
		50	49	20.83	21.02	21.16	0 - 3	3
		100	0	20.78	20.98	21.11	0 - 3	3
	256QAM	1	0	18.86	19.07	19.28	0 - 5	5
		1	49	18.91	19.09	19.25	0 - 5	5
		1	99	18.96	19.12	19.19	0 - 5	5
		50	0	18.77	18.99	19.14	0 - 5	5
		50	25	18.79	18.95	19.13	0 - 5	5
		50	49	18.74	18.99	19.12	0 - 5	5
		100	0	18.82	18.97	19.14	0 - 5	5

LTE FDD Band 66 Conducted Power _ Measured $P_{max_SUB\ 2}$ [Ant F]

LTE Band 66_1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				131979 Ch. 1710.7 MHz	132322 Ch. 1745 MHz	132665 Ch. 1779.3 MHz		
1.4 MHz	QPSK	1	0	23.96	24.04	24.13	0	0
		1	3	23.87	24.02	24.00	0	0
		1	5	23.90	24.05	24.02	0	0
		3	0	23.01	23.38	23.25	0 - 1	1
		3	1	23.03	23.31	23.24	0 - 1	1
		3	3	23.06	23.32	23.28	0 - 1	1
	16QAM	6	0	22.95	23.26	23.18	0 - 1	1
		1	0	23.24	23.26	23.33	0 - 1	1
		1	3	23.12	23.17	23.15	0 - 1	1
		1	5	23.29	23.49	23.34	0 - 1	1
		3	0	22.02	22.25	22.13	0 - 2	2
		3	1	22.03	22.20	22.17	0 - 2	2
	64QAM	3	3	22.10	22.20	22.18	0 - 2	2
		6	0	22.01	22.15	22.15	0 - 2	2
		1	0	22.20	22.22	22.27	0 - 2	2
		1	3	22.11	22.23	22.23	0 - 2	2
		1	5	22.25	22.30	22.28	0 - 2	2
		3	0	21.03	21.21	21.21	0 - 3	3
	256QAM	3	1	21.01	21.25	21.15	0 - 3	3
		3	3	21.04	21.23	21.18	0 - 3	3
		6	0	21.04	21.17	21.16	0 - 3	3
		1	0	19.08	19.24	19.15	0 - 5	5
		1	3	19.22	19.18	19.22	0 - 5	5
		1	5	19.15	19.39	19.35	0 - 5	5
		3	0	19.06	19.20	19.14	0 - 5	5
		3	1	18.95	19.15	19.16	0 - 5	5
		3	3	19.02	19.15	19.21	0 - 5	5
		6	0	19.00	19.23	19.19	0 - 5	5

LTE Band 66_3 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				131987 Ch. 1711.5 MHz	132322 Ch. 1745 MHz	132657 Ch. 1778.5 MHz		
3 MHz	QPSK	1	0	24.01	23.98	24.12	0	0
		1	7	23.88	24.05	23.99	0	0
		1	14	23.90	24.10	24.03	0	0
		8	0	23.04	23.33	23.19	0 - 1	1
		8	3	23.09	23.36	23.26	0 - 1	1
		8	7	23.09	23.33	23.28	0 - 1	1
	16QAM	15	0	23.01	23.24	23.24	0 - 1	1
		1	0	23.24	23.28	23.38	0 - 1	1
		1	7	23.18	23.23	23.18	0 - 1	1
		1	14	23.25	23.49	23.32	0 - 1	1
		8	0	22.05	22.26	22.15	0 - 2	2
		8	3	22.07	22.20	22.24	0 - 2	2
	64QAM	8	7	22.05	22.24	22.20	0 - 2	2
		15	0	22.01	22.16	22.18	0 - 2	2
		1	0	22.16	22.26	22.22	0 - 2	2
		1	7	22.09	22.26	22.22	0 - 2	2
		1	14	22.20	22.31	22.32	0 - 2	2
		8	0	21.02	21.26	21.20	0 - 3	3
	256QAM	8	3	21.02	21.26	21.21	0 - 3	3
		8	7	21.05	21.18	21.17	0 - 3	3
		15	0	21.06	21.19	21.15	0 - 3	3
		1	0	19.15	19.29	19.16	0 - 5	5
		1	7	19.22	19.20	19.18	0 - 5	5
		1	14	19.19	19.34	19.41	0 - 5	5
		8	0	19.05	19.20	19.12	0 - 5	5
		8	3	18.99	19.18	19.19	0 - 5	5
		8	7	19.03	19.16	19.20	0 - 5	5
		15	0	19.07	19.21	19.20	0 - 5	5

LTE Band 66_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				131997 Ch. 1712.5 MHz	132322 Ch. 1745 MHz	132647 Ch. 1777.5 MHz		
5 MHz	QPSK	1	0	23.82	24.04	23.94	0	0
		1	12	23.97	24.09	24.02	0	0
		1	24	23.96	24.16	24.02	0	0
		12	0	22.98	23.19	23.13	0 - 1	1
		12	6	23.00	23.16	23.11	0 - 1	1
		12	11	23.03	23.26	23.09	0 - 1	1
	16QAM	25	0	22.95	23.27	23.15	0 - 1	1
		1	0	23.25	23.23	23.29	0 - 1	1
		1	12	23.20	23.32	23.21	0 - 1	1
		1	24	23.23	23.38	23.22	0 - 1	1
		12	0	22.08	22.21	22.07	0 - 2	2
		12	6	22.02	22.21	22.05	0 - 2	2
	64QAM	12	11	22.00	22.24	22.14	0 - 2	2
		25	0	21.94	22.19	22.08	0 - 2	2
		1	0	22.14	22.33	22.21	0 - 2	2
		1	12	21.84	21.90	21.85	0 - 2	2
		1	24	22.15	22.40	22.13	0 - 2	2
		12	0	21.04	21.21	21.14	0 - 3	3
	256QAM	12	6	21.01	21.21	21.12	0 - 3	3
		12	11	21.08	21.25	21.14	0 - 3	3
		25	0	20.98	21.18	21.06	0 - 3	3
		1	0	19.16	19.34	19.27	0 - 5	5
		1	12	18.90	19.10	19.06	0 - 5	5
		1	24	19.05	19.32	19.27	0 - 5	5
		12	0	19.05	19.25	19.16	0 - 5	5
		12	6	19.01	19.20	19.13	0 - 5	5
		12	11	19.02	19.18	19.16	0 - 5	5
		25	0	18.95	19.18	19.11	0 - 5	5

LTE Band 66_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				132022 Ch. 1715 MHz	132322 Ch. 1745 MHz	132622 Ch. 1775 MHz		
10 MHz	QPSK	1	0	23.87	24.07	23.95	0	0
		1	24	23.95	24.12	24.05	0	0
		1	49	23.95	24.10	24.02	0	0
		25	0	22.97	23.24	23.13	0 - 1	1
		25	12	23.04	23.18	23.06	0 - 1	1
		25	24	23.05	23.25	23.11	0 - 1	1
	16QAM	50	0	22.97	23.21	23.12	0 - 1	1
		1	0	23.26	23.21	23.28	0 - 1	1
		1	24	23.17	23.32	23.21	0 - 1	1
		1	49	23.27	23.31	23.20	0 - 1	1
		25	0	22.03	22.22	22.08	0 - 2	2
		25	12	22.04	22.17	22.08	0 - 2	2
	64QAM	25	24	22.02	22.21	22.14	0 - 2	2
		50	0	21.94	22.20	22.03	0 - 2	2
		1	0	22.16	22.31	22.27	0 - 2	2
		1	24	21.80	21.92	21.90	0 - 2	2
		1	49	22.11	22.35	22.19	0 - 2	2
		25	0	21.07	21.20	21.15	0 - 3	3
	256QAM	25	12	21.03	21.18	21.12	0 - 3	3
		25	24	21.04	21.21	21.07	0 - 3	3
		50	0	21.00	21.20	21.06	0 - 3	3
		1	0	19.17	19.36	19.24	0 - 5	5
		1	24	18.92	19.11	19.01	0 - 5	5
		1	49	19.08	19.34	19.28	0 - 5	5
		25	0	19.04	19.21	19.09	0 - 5	5
		25	12	19.00	19.25	19.07	0 - 5	5
		25	24	19.06	19.24	19.11	0 - 5	5
		50	0	18.98	19.18	19.08	0 - 5	5

LTE Band 66_15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				132047 Ch. 1717.5 MHz	132322 Ch. 1745 MHz	132597 Ch. 1772.5 MHz		
15 MHz	QPSK	1	0	23.90	24.10	23.99	0	0
		1	36	23.97	24.14	24.07	0	0
		1	74	23.99	24.16	24.06	0	0
		36	0	23.04	23.26	23.19	0 - 1	1
		36	18	23.04	23.24	23.14	0 - 1	1
		36	39	23.06	23.27	23.16	0 - 1	1
		75	0	23.01	23.27	23.18	0 - 1	1
	16QAM	1	0	23.30	23.28	23.33	0 - 1	1
		1	36	23.21	23.37	23.28	0 - 1	1
		1	74	23.28	23.38	23.23	0 - 1	1
		36	0	22.08	22.23	22.12	0 - 2	2
		36	18	22.06	22.21	22.10	0 - 2	2
		36	39	22.07	22.26	22.17	0 - 2	2
		75	0	21.99	22.21	22.10	0 - 2	2
	64QAM	1	0	22.19	22.34	22.28	0 - 2	2
		1	36	21.87	21.96	21.93	0 - 2	2
		1	74	22.16	22.41	22.20	0 - 2	2
		36	0	21.08	21.21	21.17	0 - 3	3
		36	18	21.05	21.25	21.15	0 - 3	3
		36	39	21.11	21.25	21.15	0 - 3	3
		75	0	21.02	21.22	21.11	0 - 3	3
	256QAM	1	0	19.22	19.38	19.27	0 - 5	5
		1	36	18.96	19.14	19.08	0 - 5	5
		1	74	19.13	19.35	19.33	0 - 5	5
		36	0	19.07	19.26	19.16	0 - 5	5
		36	18	19.08	19.26	19.15	0 - 5	5
		36	39	19.08	19.25	19.17	0 - 5	5
		75	0	19.01	19.22	19.14	0 - 5	5

LTE Band 66_20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				132072 Ch. 1720 MHz	132322 Ch. 1745 MHz	132572 Ch. 1770 MHz		
20 MHz	QPSK	1	0	24.01	24.04	24.14	0	0
		1	49	23.91	24.07	24.03	0	0
		1	99	23.91	24.12	24.06	0	0
		50	0	23.07	23.41	23.26	0 - 1	1
		50	25	23.09	23.38	23.31	0 - 1	1
		50	49	23.10	23.33	23.29	0 - 1	1
		100	0	23.03	23.31	23.24	0 - 1	1
	16QAM	1	0	23.28	23.32	23.39	0 - 1	1
		1	49	23.18	23.24	23.20	0 - 1	1
		1	99	23.30	23.56	23.35	0 - 1	1
		50	0	22.09	22.29	22.20	0 - 2	2
		50	25	22.10	22.28	22.25	0 - 2	2
		50	49	22.10	22.27	22.25	0 - 2	2
		100	0	22.04	22.23	22.20	0 - 2	2
	64QAM	1	0	22.20	22.29	22.27	0 - 2	2
		1	49	22.14	22.27	22.28	0 - 2	2
		1	99	22.25	22.35	22.32	0 - 2	2
		50	0	21.09	21.29	21.24	0 - 3	3
		50	25	21.07	21.26	21.23	0 - 3	3
		50	49	21.08	21.25	21.22	0 - 3	3
		100	0	21.07	21.20	21.19	0 - 3	3
	256QAM	1	0	19.15	19.32	19.21	0 - 5	5
		1	49	19.26	19.24	19.24	0 - 5	5
		1	99	19.20	19.41	19.42	0 - 5	5
		50	0	19.06	19.21	19.19	0 - 5	5
		50	25	19.01	19.18	19.19	0 - 5	5
		50	49	19.04	19.21	19.21	0 - 5	5
		100	0	19.08	19.23	19.20	0 - 5	5

The EUT enables maximum power reduction in accordance with 3GPP 36.101. The MPR settings are configured during the manufacture process and are not configurable by the network, carrier, or end user.

NR FDD Band n2 Conducted Power_ Measured P_{max} _ MAIN1 [Ant A]

NR Band n2_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						370500 Ch. 1852.5 MHz	376000 Ch. 1880 MHz	381500 Ch. 1907.5 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1	23.87	23.90	23.80	0
				1	13	23.84	23.83	23.77	0
				1	23	23.93	23.84	23.86	0
				12	0	23.49	23.41	23.40	0.5
				12	7	23.93	23.87	23.77	0
				12	13	23.44	23.38	23.30	0.5
				25	0	23.44	23.39	23.27	0.5
			QPSK	1	1	23.96	23.94	23.82	0
				1	13	23.90	23.80	23.79	0
				1	23	23.90	23.91	23.87	0
				12	0	22.95	22.94	22.82	1
				12	7	24.00	23.93	23.83	0
				12	13	22.97	22.92	22.86	1
				25	0	22.98	22.94	22.85	1
			16QAM	1	1	22.92	23.08	23.01	1
			64QAM	1	1	21.55	21.53	21.28	2.5
			256QAM	1	1	19.31	19.42	19.31	4
		CP	QPSK	1	1	22.45	22.39	22.29	1.5

NR Band n2_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						371000 Ch. 1855 MHz	376000 Ch. 1880 MHz	381000 Ch. 1905 MHz	
10 MHz	15	DFT-s	pi/2 BPSK	1	1	23.89	23.89	23.84	0
				1	26	24.11	23.99	24.06	0
				1	50	24.00	23.86	23.91	0
				25	0	23.48	23.31	23.44	0.5
				25	14	23.98	23.88	23.91	0
				25	27	23.53	23.31	23.38	0.5
				50	0	23.48	23.34	23.39	0.5
			QPSK	1	1	24.00	23.85	23.91	0
				1	26	24.08	23.94	24.07	0
				1	50	24.06	23.82	23.96	0
				25	0	23.01	22.91	22.95	1
				25	14	24.00	23.91	23.93	0
				25	27	23.01	22.89	22.91	1
				50	0	22.99	22.89	22.94	1
			16QAM	1	1	23.05	23.10	23.00	1
			64QAM	1	1	21.51	21.59	21.56	2.5
			256QAM	1	1	19.41	19.25	19.48	4
		CP	QPSK	1	1	22.43	22.44	22.41	1.5

NR Band n2_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						371500 Ch. 1857.5 MHz	376000 Ch. 1880 MHz	380500 Ch. 1902.5 MHz	
15 MHz	15	DFT-s	pi/2 BPSK	1	1	23.90	23.90	23.77	0
				1	40	23.87	23.79	23.73	0
				1	77	23.97	23.79	23.79	0
				36	0	23.40	23.39	23.34	0.5
				36	22	24.01	23.94	23.86	0
				36	43	23.52	23.37	23.34	0.5
				75	0	23.49	23.42	23.34	0.5
			QPSK	1	1	23.94	23.92	23.83	0
				1	40	23.94	23.87	23.75	0
				1	77	24.02	23.79	23.85	0
				36	0	22.99	22.94	22.87	1
				36	22	24.05	23.94	23.90	0
				36	43	23.03	22.92	22.85	1
				75	0	23.05	22.95	22.90	1
			16QAM	1	1	22.96	22.94	22.80	1
			64QAM	1	1	21.45	21.69	21.42	2.5
			256QAM	1	1	19.54	19.22	19.27	4
		CP	QPSK	1	1	22.41	22.40	22.25	1.5

NR Band n2_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						372000 Ch. 1860 MHz	376000 Ch. 1880 MHz	380000 Ch. 1900 MHz	
20 MHz	15	DFT-s	pi/2 BPSK	1	1	23.81	23.87	23.77	0
				1	53	24.11	24.04	23.97	0
				1	104	23.90	23.78	23.79	0
				50	0	23.40	23.42	23.36	0.5
				50	28	23.95	23.95	23.87	0
				50	56	23.49	23.37	23.34	0.5
				100	0	23.46	23.44	23.42	0.5
			QPSK	1	1	23.81	23.93	23.78	0
				1	53	24.01	23.93	23.90	0
				1	104	23.92	23.83	23.85	0
				50	0	22.95	22.93	22.87	1
				50	28	24.00	23.95	23.91	0
				50	56	23.01	22.87	22.89	1
				100	0	23.00	22.95	22.90	1
			16QAM	1	1	23.03	22.88	22.83	1
			64QAM	1	1	21.40	21.50	21.19	2.5
			256QAM	1	1	19.26	19.45	19.18	4
		CP	QPSK	1	1	22.34	22.41	22.19	1.5

NR Band n2_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]	
						372500 Ch. 1862.5 MHz	379500 Ch. 1897.5 MHz		
25 MHz	15	DFT-s	pi/2 BPSK	1	1	23.79		23.74	0
				1	66	23.99		24.01	0
				1	131	23.84		23.84	0
				64	0	23.42		23.32	0.5
				64	35	23.93		23.88	0
				64	69	23.38		23.39	0.5
				128	0	23.47		23.35	0.5
			QPSK	1	1	23.93		23.83	0
				1	66	24.08		23.92	0
				1	131	23.92		23.81	0
				64	0	22.95		22.89	1
				64	35	24.00		23.91	0
				64	69	22.99		22.88	1
				128	0	22.98		22.92	1
			16QAM	1	1	22.84		22.82	1
			64QAM	1	1	21.41		21.31	2.5
			256QAM	1	1	19.38		19.15	4
		CP	QPSK	1	1	22.34		22.23	1.5

NR Band n2_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]	
						373000 Ch. 1865 MHz	379000 Ch. 1895 MHz		
30 MHz	15	DFT-s	pi/2 BPSK	1	1	23.83		23.82	0
				1	80	24.16		23.96	0
				1	158	23.92		23.81	0
				80	0	23.46		23.35	0.5
				80	40	24.03		23.89	0
				80	80	23.49		23.42	0.5
				160	0	23.52		23.38	0.5
			QPSK	1	1	23.92		23.89	0
				1	80	24.06		23.95	0
				1	158	23.92		23.87	0
				80	0	23.06		22.87	1
				80	40	24.05		23.91	0
				80	80	22.99		22.94	1
				160	0	23.03		22.90	1
			16QAM	1	1	22.78		22.94	1
			64QAM	1	1	21.42		21.35	2.5
			256QAM	1	1	19.31		19.26	4
		CP	QPSK	1	1	22.37		22.36	1.5

NR Band n2_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							376000 Ch. 1880 MHz	
40 MHz	15	DFT-s	pi/2 BPSK	1	1		23.80	0
				1	108		24.02	0
				1	214		23.77	0
				108	0		23.45	0.5
				108	54		23.91	0
				108	108		23.33	0.5
			QPSK	216	0		23.42	0.5
				1	1		23.86	0
				1	108		23.95	0
				1	214		23.82	0
				108	0		22.98	1
				108	54		23.96	0
				108	108		22.86	1
				216	0		22.97	1
			16QAM	1	1		22.90	1
			64QAM	1	1		21.21	2.5
			256QAM	1	1		19.19	4
		CP	QPSK	1	1		22.38	1.5

NR FDD Band n2 Conducted Power_ Measured P_{max} _ SUB2 [Ant F]

NR Band n2_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						370500 Ch. 1852.5 MHz	376000 Ch. 1880 MHz	381500 Ch. 1907.5 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1	24.12	24.24	24.24	0
				1	13	24.11	24.15	24.15	0
				1	23	24.20	24.18	24.26	0
				12	0	23.72	23.77	23.77	0.5
				12	7	24.21	24.26	24.31	0
				12	13	23.78	23.72	23.82	0.5
				25	0	23.73	23.75	23.80	0.5
			QPSK	1	1	24.17	24.31	24.28	0
				1	13	24.14	24.23	24.23	0
				1	23	24.25	24.26	24.32	0
				12	0	23.27	23.27	23.30	1
				12	7	24.26	24.26	24.34	0
				12	13	23.27	23.28	23.34	1
				25	0	23.27	23.28	23.33	1
			16QAM	1	1	23.13	23.23	23.27	1
			64QAM	1	1	21.79	21.83	21.87	2.5
			256QAM	1	1	19.71	19.90	19.54	4.5
		CP	QPSK	1	1	22.66	22.82	22.71	1.5

NR Band n2_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						371000 Ch. 1855 MHz	376000 Ch. 1880 MHz	381000 Ch. 1905 MHz	
10 MHz	15	DFT-s	pi/2 BPSK	1	1	22.95	24.22	24.26	0
				1	26	24.38	24.38	24.47	0
				1	50	24.35	24.21	24.31	0
				25	0	23.84	23.82	23.82	0.5
				25	14	24.33	24.29	24.31	0
				25	27	23.86	23.76	23.83	0.5
				50	0	23.84	23.79	23.88	0.5
			QPSK	1	1	24.34	24.30	24.32	0
				1	26	24.51	24.39	24.41	0
				1	50	24.44	24.28	24.38	0
				25	0	23.38	23.36	23.40	1
				25	14	24.35	24.28	24.34	0
				25	27	23.41	23.29	23.34	1
				50	0	23.40	23.30	23.38	1
			16QAM	1	1	23.41	23.44	23.37	1
			64QAM	1	1	21.87	21.76	21.99	2.5
			256QAM	1	1	19.78	19.83	19.82	4.5
		CP	QPSK	1	1	22.72	22.76	22.80	1.5

NR Band n2_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						371500 Ch. 1857.5 MHz	376000 Ch. 1880 MHz	380500 Ch. 1902.5 MHz	
15 MHz	15	DFT-s	pi/2 BPSK	1	1	24.23	24.28	24.13	0
				1	40	24.19	24.20	24.16	0
				1	77	24.42	24.23	24.26	0
				36	0	23.82	23.80	23.71	0.5
				36	22	24.29	24.28	24.22	0
				36	43	23.86	23.77	23.82	0.5
				75	0	23.87	23.81	23.75	0.5
			QPSK	1	1	24.27	24.32	24.18	0
				1	40	24.21	24.21	24.19	0
				1	77	24.47	24.28	24.31	0
				36	0	23.35	23.31	23.24	1
				36	22	24.36	24.31	24.28	0
				36	43	23.45	23.31	23.34	1
				75	0	23.36	23.31	23.30	1
			16QAM	1	1	23.26	23.38	23.26	1
			64QAM	1	1	21.84	21.86	21.72	2.5
			256QAM	1	1	19.80	19.73	19.54	4.5
		CP	QPSK	1	1	22.75	22.84	22.71	1.5

NR Band n2_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						372000 Ch. 1860 MHz	376000 Ch. 1880 MHz	380000 Ch. 1900 MHz	
20 MHz	15	DFT-s	pi/2 BPSK	1	1	24.20	24.29	24.21	0
				1	53	24.42	24.49	24.33	0
				1	104	24.34	24.23	24.28	0
				50	0	23.79	23.82	23.71	0.5
				50	28	24.36	24.32	24.27	0
				50	56	23.90	23.78	23.82	0.5
				100	0	23.86	23.85	23.77	0.5
			QPSK	1	1	24.30	24.37	24.22	0
				1	53	24.43	24.40	24.38	0
				1	104	24.37	24.27	24.30	0
				50	0	23.35	23.38	23.26	1
				50	28	24.38	24.32	24.27	0
				50	56	23.41	23.32	23.33	1
				100	0	23.40	23.36	23.28	1
			16QAM	1	1	23.23	23.42	23.34	1
			64QAM	1	1	21.82	21.88	21.75	2.5
			256QAM	1	1	19.70	19.70	19.69	4.5
		CP	QPSK	1	1	22.81	22.85	22.76	1.5

NR Band n2_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]	
						372500 Ch. 1862.5 MHz	379500 Ch. 1897.5 MHz		
25 MHz	15	DFT-s	pi/2 BPSK	1	1	24.18		24.28	0
				1	66	24.48		24.47	0
				1	131	24.27		24.09	0
				64	0	23.79		23.78	0.5
				64	35	24.37		24.29	0
				64	69	23.88		23.85	0.5
				128	0	23.86		23.78	0.5
			QPSK	1	1	24.27		24.25	0
				1	66	24.36		24.42	0
				1	131	24.27		24.13	0
				64	0	23.35		23.30	1
				64	35	24.39		24.32	0
				64	69	23.38		23.35	1
				128	0	23.39		23.28	1
			16QAM	1	1	23.16		23.30	1
			64QAM	1	1	21.89		21.75	2.5
			256QAM	1	1	19.52		19.61	4.5
		CP	QPSK	1	1	22.74		22.73	1.5

NR Band n2_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]	
						373000 Ch. 1865 MHz	379000 Ch. 1895 MHz		
30 MHz	15	DFT-s	pi/2 BPSK	1	1	24.24		24.25	0
				1	80	24.60		24.40	0
				1	158	24.25		24.29	0
				80	0	23.89		23.80	0.5
				80	40	24.45		24.30	0
				80	80	23.92		23.86	0.5
				160	0	23.93		23.84	0.5
			QPSK	1	1	24.30		24.28	0
				1	80	24.57		24.41	0
				1	158	24.33		24.35	0
				80	0	23.40		23.36	1
				80	40	24.48		24.37	0
				80	80	23.45		23.41	1
				160	0	23.46		23.36	1
			16QAM	1	1	23.24		23.24	1
			64QAM	1	1	21.87		21.84	2.5
			256QAM	1	1	19.67		19.83	4.5
		CP	QPSK	1	1	22.74		22.77	1.5

NR Band n2_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							376000 Ch. 1880 MHz	
40 MHz	15	DFT-s	pi/2 BPSK	1	1		24.13	0
				1	108		24.50	0
				1	214		24.10	0
				108	0		23.84	0.5
				108	54		24.32	0
				108	108		23.78	0.5
				216	0		23.81	0.5
			QPSK	1	1		24.30	0
				1	108		24.50	0
				1	214		24.19	0
				108	0		23.38	1
				108	54		24.33	0
				108	108		23.29	1
				216	0		23.33	1
			16QAM	1	1		23.29	1
			64QAM	1	1		21.78	2.5
			256QAM	1	1		19.78	4.5
		CP	QPSK	1	1		22.73	1.5

NR FDD Band n25 Conducted Power_ Measured P_{max} _ MAIN1 [Ant A]

NR Band n25_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						370500 Ch. 1852.5 MHz	376500 Ch. 1882.5 MHz	382500 Ch. 1912.5 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1	23.77	23.82	23.84	0
				1	13	23.74	23.72	23.77	0
				1	23	23.82	23.83	23.83	0
				12	0	23.38	23.34	23.36	0.5
				12	7	23.91	23.86	23.86	0
				12	13	23.38	23.33	23.39	0.5
				25	0	23.37	23.37	23.36	0.5
			QPSK	1	1	23.88	23.91	23.85	0
				1	13	23.78	23.80	23.81	0
				1	23	23.91	23.88	23.88	0
				12	0	22.94	22.84	22.92	1
				12	7	23.92	23.87	23.89	0
				12	13	22.91	22.87	22.94	1
				25	0	22.96	22.89	22.93	1
			16QAM	1	1	22.85	22.89	22.89	1
			64QAM	1	1	21.47	21.50	21.37	2.5
			256QAM	1	1	19.27	19.26	19.23	4
		CP	QPSK	1	1	22.40	22.35	22.32	1.5

NR Band n25_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						371000 Ch. 1855 MHz	376500 Ch. 1882.5 MHz	382000 Ch. 1910 MHz	
10 MHz	15	DFT-s	pi/2 BPSK	1	1	23.85	23.86	23.79	0
				1	26	24.08	23.90	24.01	0
				1	50	23.98	23.81	23.87	0
				25	0	23.49	23.36	23.34	0.5
				25	14	23.95	23.84	23.88	0
				25	27	23.52	23.32	23.41	0.5
				50	0	23.49	23.41	23.38	0.5
			QPSK	1	1	23.99	23.97	23.83	0
				1	26	23.97	23.96	23.99	0
				1	50	24.07	23.88	23.94	0
				25	0	23.00	22.91	22.87	1
				25	14	24.03	23.86	23.92	0
				25	27	23.05	22.87	22.95	1
				50	0	23.02	22.89	22.92	1
			16QAM	1	1	22.96	22.99	22.93	1
			64QAM	1	1	21.65	21.49	21.46	2.5
			256QAM	1	1	19.29	19.50	19.06	4
		CP	QPSK	1	1	22.45	22.40	22.33	1.5

NR Band n25_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						371500 Ch. 1857.5 MHz	376500 Ch. 1882.5 MHz	381500 Ch. 1907.5 MHz	
15 MHz	15	DFT-s	pi/2 BPSK	1	1	23.82	23.82	23.84	0
				1	40	23.85	23.75	23.73	0
				1	77	23.98	23.79	23.91	0
				36	0	23.41	23.41	23.41	0.5
				36	22	24.00	23.87	23.88	0
				36	43	23.55	23.36	23.44	0.5
				75	0	23.50	23.35	23.35	0.5
			QPSK	1	1	23.97	23.91	23.88	0
				1	40	23.97	23.79	23.77	0
				1	77	24.04	23.80	23.93	0
				36	0	23.03	22.96	22.95	1
				36	22	24.03	23.91	23.92	0
				36	43	23.04	22.87	22.95	1
				75	0	23.06	22.93	22.92	1
			16QAM	1	1	23.08	22.97	22.99	1
			64QAM	1	1	21.45	21.50	21.43	2.5
			256QAM	1	1	19.40	19.31	19.36	4
		CP	QPSK	1	1	22.42	22.42	22.37	1.5

NR Band n25_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						372000 Ch. 1860 MHz	376500 Ch. 1882.5 MHz	381000 Ch. 1905 MHz	
20 MHz	15	DFT-s	pi/2 BPSK	1	1	23.89	23.79	23.83	0
				1	53	24.12	23.81	23.97	0
				1	104	23.95	23.71	23.88	0
				50	0	23.44	23.32	23.35	0.5
				50	28	24.01	23.82	23.86	0
				50	56	23.54	23.28	23.39	0.5
				100	0	23.50	23.29	23.35	0.5
			QPSK	1	1	23.98	23.79	23.85	0
				1	53	24.12	23.88	23.91	0
				1	104	24.00	23.76	23.94	0
				50	0	23.03	22.90	22.93	1
				50	28	24.04	23.83	23.89	0
				50	56	23.07	22.79	22.94	1
				100	0	23.04	22.82	22.91	1
			16QAM	1	1	22.98	23.03	23.03	1
			64QAM	1	1	21.35	21.39	21.42	2.5
			256QAM	1	1	19.40	19.13	19.33	4
		CP	QPSK	1	1	22.40	22.30	22.38	1.5

NR Band n25_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]	
						372500 Ch. 1862.5 MHz	380500 Ch. 1902.5 MHz		
25 MHz	15	DFT-s	pi/2 BPSK	1	1	23.79		23.62	0
				1	66	24.05		23.93	0
				1	131	23.84		23.77	0
				64	0	23.40		23.29	0.5
				64	35	23.77		23.85	0
				64	69	23.40		23.30	0.5
				128	0	23.42		23.38	0.5
			QPSK	1	1	23.88		23.72	0
				1	66	24.04		23.98	0
				1	131	23.82		23.83	0
				64	0	22.93		22.82	1
				64	35	23.97		23.88	0
				64	69	22.94		22.86	1
				128	0	22.98		22.89	1
			16QAM	1	1	22.86		22.71	1
			64QAM	1	1	21.44		21.46	2.5
			256QAM	1	1	19.17		19.24	4
		CP	QPSK	1	1	22.32		22.19	1.5

NR Band n25_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]	
						373000 Ch. 1865 MHz	380000 Ch. 1900 MHz		
30 MHz	15	DFT-s	pi/2 BPSK	1	1	23.88		23.77	0
				1	80	24.19		23.92	0
				1	158	23.86		23.82	0
				80	0	23.52		23.32	0.5
				80	40	24.06		23.86	0
				80	80	23.51		23.36	0.5
				160	0	23.54		23.38	0.5
			QPSK	1	1	23.98		23.85	0
				1	80	24.05		23.94	0
				1	158	23.93		23.93	0
				80	0	23.07		22.85	1
				80	40	24.09		23.91	0
				80	80	23.00		22.84	1
				160	0	23.04		22.94	1
			16QAM	1	1	23.08		22.86	1
			64QAM	1	1	21.53		21.43	2.5
			256QAM	1	1	19.37		19.11	4
		CP	QPSK	1	1	22.41		22.29	1.5

NR Band n25_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							376500 Ch. 1882.5 MHz	
40 MHz	15	DFT-s	pi/2 BPSK	1	1		23.83	0
				1	108		23.92	0
				1	214		23.76	0
				108	0		23.38	0.5
				108	54		23.87	0
				108	108		23.29	0.5
				216	0		23.35	0.5
			QPSK	1	1		23.86	0
				1	108		23.96	0
				1	214		23.79	0
				108	0		22.93	1
				108	54		23.90	0
				108	108		22.83	1
				216	0		22.90	1
			16QAM	1	1		23.02	1
			64QAM	1	1		21.60	2.5
			256QAM	1	1		19.24	4
		CP	QPSK	1	1		22.27	1.5

NR TDD Band n48 Conducted Power_ Measured P_{max} _ SUB3 [Ant G]

NR Band n48_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]
						637000 Ch.	640112 Ch.	643222 Ch.	646332 Ch.	
						3555 MHz	3601.68 MHz	3648.33 MHz	3694.98 MHz	
10MHz	30	DFT-s	pi/2 BPSK	1	1	20.98	20.77	20.54	20.44	0
				1	12	21.09	21.28	20.50	20.55	0
				1	22	21.04	21.23	20.59	20.36	0
				12	0	20.53	20.81	20.21	19.80	0.5
				12	6	21.05	21.33	20.67	20.57	0
				12	12	20.58	20.58	20.18	20.14	0.5
				24	0	20.56	20.82	20.20	19.86	0.5
			QPSK	1	1	20.91	20.95	20.64	20.16	0
				1	12	20.92	21.21	20.57	20.26	0
				1	22	20.98	20.97	20.07	20.54	0
				12	0	20.06	20.35	19.75	19.57	1
				12	6	21.06	21.33	20.50	20.61	0
				12	12	20.11	20.33	19.71	19.65	1
				24	0	20.09	20.11	19.73	19.62	1
			16QAM	1	1	20.04	20.31	19.73	19.47	1
			64QAM	1	1	18.51	18.76	18.19	18.03	2.5
			256QAM	1	1	16.43	16.72	16.19	16.05	4.5
		CP	QPSK	1	1	19.51	19.77	19.27	19.00	1.5

NR Band n48_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]
						637168 Ch.	640166 Ch.	643166 Ch.	646166 Ch.	
						3557.52 MHz	3602.49 MHz	3647.49 MHz	3692.49 MHz	
15MHz	30	DFT-s	pi/2 BPSK	1	1	20.75	21.21	21.12	20.58	0
				1	18	20.95	20.95	20.54	20.33	0
				1	36	21.07	21.21	20.52	20.72	0
				18	0	20.58	20.58	20.22	20.14	0.5
				18	9	20.88	21.30	20.46	20.47	0
				18	18	20.62	20.58	20.13	20.03	0.5
				36	0	20.40	20.59	20.19	20.21	0.5
			QPSK	1	1	20.95	21.14	20.66	20.48	0
				1	18	20.43	21.15	20.48	20.54	0
				1	36	20.97	20.95	20.43	20.70	0
				18	0	20.11	20.33	19.53	19.67	1
				18	9	21.13	21.34	20.70	20.50	0
				18	18	20.16	20.11	19.45	19.78	1
				36	0	20.14	20.12	19.50	19.27	1
			16QAM	1	1	20.05	20.29	19.60	19.59	1
			64QAM	1	1	18.56	18.55	18.08	18.23	2.5
			256QAM	1	1	16.63	16.57	16.26	16.07	4.5
		CP	QPSK	1	1	19.54	19.78	19.23	19.05	1.5

NR Band n48 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]
						637334 Ch.	640222 Ch.	643112 Ch.	646000 Ch.	
						3560.01 MHz	3603.33 MHz	3646.68 MHz	3690 MHz	
20MHz	30	DFT-s	pi/2 BPSK	1	1	20.66	20.98	20.48	20.42	0
				1	26	21.09	21.23	20.56	20.28	0
				1	49	20.91	21.21	20.25	20.66	0
				25	0	20.63	20.80	20.25	20.04	0.5
				25	13	20.96	21.08	20.67	20.59	0
				25	26	20.68	20.80	20.10	19.95	0.5
				50	0	20.68	20.81	19.95	20.11	0.5
			QPSK	1	1	20.95	21.19	20.65	20.41	0
				1	26	20.56	21.19	20.50	20.46	0
				1	49	21.08	21.11	20.43	20.57	0
				25	0	20.16	20.13	19.76	19.58	1
				25	13	21.19	21.12	20.46	20.62	0
				25	26	20.21	20.08	19.40	19.70	1
				50	0	20.20	20.34	19.69	19.62	1
			16QAM	1	1	20.09	20.25	19.79	19.32	1
			64QAM	1	1	18.36	18.51	18.32	17.84	2.5
			256QAM	1	1	16.34	16.35	16.27	15.79	4.5
		CP	QPSK	1	1	19.55	19.75	19.23	18.99	1.5

NR Band n48_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR [dB]
						637668 Ch.	640334 Ch.	643000 Ch.	645666 Ch.	
						3565.02 MHz	3605.01 MHz	3645 MHz	3684.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	20.66	20.58	20.47	20.26	0
				1	32	20.99	21.03	20.62	20.58	0
				1	63	20.79	20.98	20.46	20.66	0
				32	0	20.51	20.57	20.29	20.11	0.5
				32	17	21.05	20.62	20.21	20.44	0
				32	33	20.57	20.58	19.87	19.97	0.5
				64	0	20.58	20.60	20.18	19.92	0.5
			QPSK	1	1	20.87	20.95	20.76	20.49	0
				1	32	20.94	20.99	20.53	20.55	0
				1	63	20.97	20.72	20.37	20.60	0
				32	0	20.05	19.89	19.83	19.66	1
				32	17	20.86	21.13	20.26	20.45	0
				32	33	19.87	19.88	19.62	19.49	1
				64	0	20.10	20.13	19.72	19.67	1
			16QAM	1	1	20.12	19.84	19.41	19.35	1
			64QAM	1	1	18.24	18.50	18.37	17.96	2.5
			256QAM	1	1	16.45	16.31	16.44	15.91	4.5
		CP	QPSK	1	1	19.43	19.56	19.35	19.05	1.5

NR Band n48_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR [dB]
						638000 Ch. 3570 MHz	641666 Ch. 3624.99 MHz		645334 Ch. 3680.01 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	21.01	20.20		20.23	0
				1	53	21.19	21.22		20.51	0
				1	104	21.09	20.75		20.59	0
				50	0	20.68	20.77		19.96	0.5
				50	28	21.20	20.54		20.50	0
				50	56	20.70	20.12		20.14	0.5
				100	0	20.71	20.77		19.98	0.5
			QPSK	1	1	20.95	21.45		20.31	0
				1	53	21.11	21.13		20.38	0
				1	104	21.02	20.66		20.51	0
				50	0	20.21	20.33		20.51	1
				50	28	21.23	21.55		20.52	0
				50	56	20.21	20.07		19.58	1
				100	0	20.21	20.26		19.52	1
			16QAM	1	1	20.15	20.54		20.54	1
			64QAM	1	1	18.47	17.69		18.51	2.5
			256QAM	1	1	16.56	16.72		15.91	4.5
		CP	QPSK	1	1	19.58	19.75		18.91	1.5

NR FDD Band n66 Conducted Power_ Measured P_{max} _ MAIN1 [Ant A]

NR Band n66_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						342500 Ch. 1712.5 MHz	349000 Ch. 1745 MHz	355500 Ch. 1777.5 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1	23.65	23.74	23.81	0
				1	13	23.55	23.72	23.76	0
				1	23	23.66	23.87	23.87	0
				12	0	23.19	23.30	23.39	0.5
				12	7	23.67	23.86	23.86	0
				12	13	23.15	23.40	23.37	0.5
				25	0	23.21	23.35	23.39	0.5
			QPSK	1	1	23.67	23.83	23.91	0
				1	13	23.56	23.85	23.82	0
				1	23	23.65	23.97	23.90	0
				12	0	22.68	22.83	22.92	1
				12	7	23.66	23.87	23.90	0
				12	13	22.67	22.91	22.92	1
				25	0	22.70	22.93	22.94	1
			16QAM	1	1	22.74	22.82	22.92	1
			64QAM	1	1	21.26	21.40	21.54	2.5
			256QAM	1	1	19.14	19.15	19.39	4.5
		CP	QPSK	1	1	22.20	22.32	22.39	1.5

NR Band n66_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						343000 Ch. 1715 MHz	349000 Ch. 1745 MHz	355000 Ch. 1775 MHz	
10 MHz	15	DFT-s	pi/2 BPSK	1	1	23.66	23.75	23.88	0
				1	26	23.77	23.96	24.09	0
				1	50	23.67	24.00	23.93	0
				25	0	23.21	23.32	23.42	0.5
				25	14	23.69	23.89	23.90	0
				25	27	23.24	23.48	23.43	0.5
				50	0	23.23	23.38	23.45	0.5
			QPSK	1	1	23.76	23.79	24.07	0
				1	26	23.82	23.91	24.01	0
				1	50	23.74	23.98	24.01	0
				25	0	22.76	22.82	23.01	1
				25	14	23.76	23.92	24.01	0
				25	27	22.80	22.96	22.97	1
				50	0	22.78	22.95	22.98	1
			16QAM	1	1	22.75	22.88	22.91	1
			64QAM	1	1	21.33	21.31	21.52	2.5
			256QAM	1	1	19.31	19.22	19.65	4.5
		CP	QPSK	1	1	22.32	22.26	22.45	1.5

NR Band n66_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						343500 Ch. 1717.5 MHz	349000 Ch. 1745 MHz	354500 Ch. 1772.5 MHz	
15 MHz	15	DFT-s	pi/2 BPSK	1	1	23.68	23.82	23.96	0
				1	40	23.60	23.90	23.85	0
				1	77	23.73	24.11	23.91	0
				36	0	23.23	23.38	23.47	0.5
				36	22	23.71	23.99	23.94	0
				36	43	23.28	23.61	23.44	0.5
				75	0	23.19	23.45	23.45	0.5
			QPSK	1	1	23.75	23.87	23.98	0
				1	40	23.67	23.90	23.88	0
				1	77	23.82	24.16	23.94	0
				36	0	22.77	22.93	22.99	1
				36	22	23.76	23.99	23.98	0
				36	43	22.80	23.08	22.97	1
				75	0	22.77	22.99	22.96	1
			16QAM	1	1	22.68	22.83	23.01	1
			64QAM	1	1	21.33	21.45	21.52	2.5
			256QAM	1	1	19.13	19.46	19.60	4.5
		CP	QPSK	1	1	22.31	22.39	22.50	1.5

NR Band n66_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						344000 Ch. 1720 MHz	349000 Ch. 1745 MHz	354000 Ch. 1770 MHz	
20 MHz	15	DFT-s	pi/2 BPSK	1	1	23.69	23.80	24.00	0
				1	53	23.78	24.02	24.09	0
				1	104	23.74	24.08	23.92	0
				50	0	23.20	23.31	23.53	0.5
				50	28	23.72	23.92	24.00	0
				50	56	23.32	23.56	23.48	0.5
				100	0	23.25	23.44	23.51	0.5
			QPSK	1	1	23.74	23.77	24.05	0
				1	53	23.87	23.94	24.10	0
				1	104	23.84	24.06	23.92	0
				50	0	22.78	22.88	23.05	1
				50	28	23.81	24.01	24.03	0
				50	56	22.83	23.12	22.99	1
				100	0	22.80	22.95	23.04	1
			16QAM	1	1	22.77	22.88	23.13	1
			64QAM	1	1	21.34	21.24	21.45	2.5
			256QAM	1	1	19.13	19.23	19.50	4.5
		CP	QPSK	1	1	22.24	22.31	22.51	1.5

NR Band n66_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						344500 Ch. 1722.5 MHz	349000 Ch. 1745 MHz	353500 Ch. 1767.5 MHz	
25 MHz	15	DFT-s	pi/2 BPSK	1	1	23.59	23.77	24.01	0
				1	66	23.85	24.01	24.14	0
				1	131	23.67	24.03	23.93	0
				64	0	23.14	23.32	23.57	0.5
				64	35	23.69	23.94	24.04	0
				64	69	23.27	23.61	23.45	0.5
				128	0	23.23	23.41	23.53	0.5
			QPSK	1	1	23.74	23.86	24.08	0
				1	66	23.87	24.09	24.09	0
				1	131	23.75	24.12	23.99	0
				64	0	22.71	22.87	23.08	1
				64	35	23.78	23.96	24.04	0
				64	69	22.77	23.13	23.01	1
				128	0	22.74	22.96	23.07	1
			16QAM	1	1	22.82	22.81	23.06	1
			64QAM	1	1	21.32	21.25	21.64	2.5
			256QAM	1	1	19.13	19.30	19.51	4.5
		CP	QPSK	1	1	22.23	22.23	22.57	1.5

NR Band n66_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							349000 Ch. 1745 MHz		
30 MHz	15	DFT-s	pi/2 BPSK	1	1		23.74		0
				1	80		23.98		0
				1	158		24.00		0
				80	0		23.30		0.5
				80	40		23.91		0
				80	80		23.61		0.5
				160	0		23.44		0.5
			QPSK	1	1		23.77		0
				1	80		23.97		0
				1	158		24.00		0
				80	0		22.85		1
				80	40		24.00		0
				80	80		23.16		1
				160	0		22.94		1
			16QAM	1	1		22.82		1
			64QAM	1	1		21.39		2.5
			256QAM	1	1		19.20		4.5
		CP	QPSK	1	1		22.36		1.5

NR Band n66_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							349000 Ch. 1745 MHz	
40 MHz	15	DFT-s	pi/2 BPSK	1	1		23.68	0
				1	108		24.02	0
				1	214		23.91	0
				108	0		23.28	0.5
				108	54		23.93	0
				108	108		23.59	0.5
				216	0		23.42	0.5
			QPSK	1	1		23.71	0
				1	108		23.98	0
				1	214		23.92	0
				108	0		22.85	1
				108	54		23.98	0
				108	108		23.13	1
				216	0		22.94	1
			16QAM	1	1		22.83	1
			64QAM	1	1		21.31	2.5
			256QAM	1	1		19.23	4.5
		CP	QPSK	1	1		22.25	1.5

NR FDD Band n66 Conducted Power_ Measured P_{max} _ SUB2 [Ant F]

NR Band n66_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						342500 Ch. 1712.5 MHz	349000 Ch. 1745 MHz	355500 Ch. 1777.5 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1	24.10	24.05	23.97	0
				1	13	23.89	24.01	23.94	0
				1	23	23.96	24.12	24.14	0
				12	0	23.52	23.63	23.51	0.5
				12	7	24.03	24.12	24.01	0
				12	13	23.49	23.66	23.58	0.5
				25	0	23.55	23.63	23.59	0.5
			QPSK	1	1	24.08	24.15	23.99	0
				1	13	23.94	24.06	23.94	0
				1	23	23.98	24.15	24.10	0
				12	0	23.08	23.16	23.06	1
				12	7	24.02	24.14	24.09	0
				12	13	23.03	23.17	23.09	1
				25	0	23.07	23.16	23.12	1
			16QAM	1	1	23.14	23.15	22.84	1
			64QAM	1	1	21.60	21.68	21.69	2.5
			256QAM	1	1	19.43	19.47	19.48	4.5
		CP	QPSK	1	1	22.53	22.63	22.55	1.5

NR Band n66_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						343000 Ch. 1715 MHz	349000 Ch. 1745 MHz	355000 Ch. 1775 MHz	
10 MHz	15	DFT-s	pi/2 BPSK	1	1	24.08	23.83	24.09	0
				1	26	24.22	24.08	24.20	0
				1	50	24.01	24.06	24.16	0
				25	0	23.62	23.44	23.63	0.5
				25	14	24.07	23.97	24.08	0
				25	27	23.56	22.99	23.65	0.5
				50	0	23.61	23.49	23.59	0.5
			QPSK	1	1	24.12	23.57	24.16	0
				1	26	24.19	23.98	24.09	0
				1	50	24.04	24.12	24.21	0
				25	0	23.16	23.04	23.15	1
				25	14	24.07	23.51	24.15	0
				25	27	23.10	23.07	23.14	1
				50	0	23.12	22.98	23.08	1
			16QAM	1	1	23.21	22.97	23.19	1
			64QAM	1	1	21.69	21.36	21.65	2.5
			256QAM	1	1	19.55	19.44	19.73	4.5
		CP	QPSK	1	1	22.55	22.44	22.60	1.5

NR Band n66_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						343500 Ch. 1717.5 MHz	349000 Ch. 1745 MHz	354500 Ch. 1772.5 MHz	
15 MHz	15	DFT-s	pi/2 BPSK	1	1	24.04	23.77	23.87	0
				1	40	23.87	24.10	23.84	0
				1	77	23.89	24.00	23.93	0
				36	0	23.57	23.41	23.48	0.5
				36	22	24.03	23.95	23.95	0
				36	43	23.46	23.02	23.41	0.5
				75	0	23.53	23.53	23.42	0.5
			QPSK	1	1	24.12	23.64	23.98	0
				1	40	23.93	23.99	23.81	0
				1	77	23.96	24.32	23.98	0
				36	0	23.09	23.04	23.04	1
				36	22	24.04	23.52	23.95	0
				36	43	23.00	23.03	22.95	1
				75	0	23.07	23.01	22.99	1
			16QAM	1	1	23.17	22.88	22.98	1
			64QAM	1	1	21.70	21.36	21.66	2.5
			256QAM	1	1	19.57	19.44	19.41	4.5
		CP	QPSK	1	1	22.56	22.43	22.41	1.5

NR Band n66_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						344000 Ch. 1720 MHz	349000 Ch. 1745 MHz	354000 Ch. 1770 MHz	
20 MHz	15	DFT-s	pi/2 BPSK	1	1	23.92	23.88	24.01	0
				1	53	24.04	24.13	24.07	0
				1	104	23.85	24.11	23.99	0
				50	0	23.43	23.48	23.54	0.5
				50	28	23.88	24.04	24.03	0
				50	56	23.33	23.04	23.44	0.5
				100	0	23.42	23.59	23.56	0.5
			QPSK	1	1	23.99	23.64	24.06	0
				1	53	23.99	24.04	24.05	0
				1	104	23.82	24.12	24.05	0
				50	0	22.94	23.05	23.07	1
				50	28	23.92	23.54	24.08	0
				50	56	22.86	23.13	22.98	1
				100	0	22.93	23.10	23.08	1
			16QAM	1	1	22.99	22.98	23.03	1
			64QAM	1	1	21.53	21.43	21.43	2.5
			256QAM	1	1	19.41	19.48	19.57	4.5
		CP	QPSK	1	1	22.48	22.48	22.54	1.5

NR Band n66_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						344500 Ch. 1722.5 MHz	349000 Ch. 1745 MHz	353500 Ch. 1767.5 MHz	
25 MHz	15	DFT-s	pi/2 BPSK	1	1	23.83	23.78	24.09	0
				1	66	23.93	24.19	24.22	0
				1	131	23.72	24.06	24.02	0
				64	0	23.38	23.15	23.15	0.5
				64	35	23.80	24.08	24.07	0
				64	69	23.27	23.63	23.49	0.5
				128	0	23.27	23.57	23.55	0.5
			QPSK	1	1	23.89	23.84	24.13	0
				1	66	23.92	24.15	24.16	0
				1	131	23.71	24.03	24.05	0
				64	0	22.90	22.99	23.19	1
				64	35	23.82	24.10	24.12	0
				64	69	22.82	23.23	23.08	1
				128	0	22.85	23.14	23.12	1
			16QAM	1	1	22.93	22.84	23.05	1
			64QAM	1	1	21.39	21.47	21.56	2.5
			256QAM	1	1	19.53	19.21	19.69	4.5
		CP	QPSK	1	1	22.42	22.34	22.59	1.5

NR Band n66_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
						349000 Ch. 1745 MHz		
30 MHz	15	DFT-s	pi/2 BPSK	1	1	23.80		0
				1	80	24.17		0
				1	158	24.07		0
				80	0	23.49		0.5
				80	40	24.13		0
				80	80	23.69		0.5
				160	0	23.62		0.5
			QPSK	1	1	23.85		0
				1	80	24.22		0
				1	158	24.12		0
				80	0	23.03		1
				80	40	24.15		0
				80	80	23.21		1
				160	0	23.15		1
			16QAM	1	1	22.92		1
			64QAM	1	1	21.41		2.5
			256QAM	1	1	19.37		4.5
		CP	QPSK	1	1	22.39		1.5

NR Band n66_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							349000 Ch. 1745 MHz	
40 MHz	15	DFT-s	pi/2 BPSK	1	1		23.70	0
				1	108		24.17	0
				1	214		24.02	0
				108	0		23.43	0.5
				108	54		24.15	0
				108	108		23.68	0.5
				216	0		23.60	0.5
			QPSK	1	1		24.25	0
				1	108		24.18	0
				1	214		24.05	0
				108	0		22.95	1
				108	54		24.18	0
				108	108		23.24	1
				216	0		23.17	1
			16QAM	1	1		22.95	1
			64QAM	1	1		21.36	2.5
			256QAM	1	1		19.24	4.5
		CP	QPSK	1	1		22.30	1.5

NR TDD Band n77 (PC2) Conducted Power_ Measured P_{max} _ SUB3[Ant G]

NR Band n77_10 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						64700 0 Ch. 3705 MHz	65060 0 Ch. 3759 MHz	65420 0 Ch. 3813 MHz	65780 0 Ch. 3867 MHz	66140 0 Ch. 3921 MHz	66500 0 Ch. 3975 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	25.85	26.59	26.54	26.51	26.69	26.41	0
				1	12	26.14	26.44	26.85	26.75	26.85	26.47	0
				1	22	25.81	26.66	26.83	26.72	26.77	26.37	0
				12	0	25.74	26.01	26.38	26.03	26.11	25.93	0.5
				12	6	26.05	26.72	26.90	26.79	26.62	25.98	0
				12	12	25.73	26.25	26.44	26.10	26.37	25.51	0.5
			QPSK	24	0	25.69	26.24	25.99	26.32	26.36	25.97	0.5
				1	1	25.73	26.71	26.86	26.50	26.77	26.41	0
				1	12	25.81	26.43	26.88	26.74	26.78	26.46	0
				1	22	25.75	26.74	26.85	26.35	26.79	26.21	0
				12	0	25.14	25.80	25.98	25.84	25.91	25.52	1
				12	6	25.88	26.79	26.99	26.85	26.89	26.29	0
				12	12	24.96	25.81	25.99	25.89	25.93	25.31	1
				24	0	25.17	25.81	25.99	25.63	25.91	25.53	1
			16QAM	1	1	25.03	25.77	26.01	25.83	25.96	25.57	1
			64QAM	1	1	23.74	24.11	24.49	24.38	24.17	23.96	2.5
			256QAM	1	1	21.71	22.25	22.39	22.25	22.25	21.98	4.5
		CP	QPSK	1	1	24.68	25.16	25.32	25.24	25.24	24.89	1.5

NR Band n77_15 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						647168 Ch. 3707.5 2 MHz	65070 0 Ch. 3760.5 MHz	654232 Ch. 3813.4 9 MHz	65776 6 Ch. 3866.5 MHz	66130 0 Ch. 3919.5 MHz	664832 Ch. 3972.4 8 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	26.16	26.64	26.58	26.32	26.68	26.47	0
				1	18	26.02	26.63	26.58	26.15	26.67	26.47	0
				1	36	26.14	26.70	26.88	26.73	26.78	26.50	0
				18	0	25.85	26.28	26.23	26.28	26.33	26.14	0.5
				18	9	26.19	26.76	26.74	26.79	26.84	26.40	0
				18	18	25.86	26.07	26.25	26.11	26.36	26.11	0.5
			QPSK	36	0	25.60	26.30	26.26	26.34	26.37	26.14	0.5
				1	1	25.80	26.50	26.92	26.51	26.75	26.56	0
				1	18	26.01	26.67	26.64	26.71	26.75	26.32	0
				1	36	25.66	26.72	26.90	26.80	26.59	26.38	0
				18	0	25.26	25.85	26.01	25.86	25.68	25.68	1
				18	9	25.80	26.83	26.55	26.63	26.67	26.44	0
				18	18	25.33	25.85	25.80	25.89	25.91	25.43	1
				36	0	25.30	25.84	25.80	25.88	25.91	25.67	1
			16QAM	1	1	25.06	25.86	25.73	25.76	25.96	25.35	1
			64QAM	1	1	23.91	24.05	24.53	24.14	24.23	24.10	2.5
			256QAM	1	1	21.84	22.27	22.36	22.28	22.40	22.15	4.5
		CP	QPSK	1	1	24.79	25.21	25.37	25.21	25.28	25.03	1.5

NR Band n77_20 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						647334 Ch. 3710.01 MHz	650800 Ch. 3762 MHz	654266 Ch. 3813.99 MHz	657734 Ch. 3866.01 MHz	661200 Ch. 3918 MHz	664666 Ch. 3969.99 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	26.02	26.66	26.80	26.64	26.58	26.44	0
				1	26	26.11	26.67	26.86	26.69	26.72	26.49	0
				1	49	26.33	26.71	26.88	26.54	26.76	26.27	0
				25	0	25.72	26.32	26.47	26.27	26.32	26.09	0.5
				25	13	26.21	26.57	26.98	26.81	26.84	26.61	0
				25	26	25.73	26.11	26.50	26.35	26.34	26.12	0.5
			QPSK	50	0	25.69	26.36	26.49	26.12	26.35	26.13	0.5
				1	1	25.83	26.80	26.90	26.48	26.73	26.52	0
				1	26	25.99	26.56	26.93	26.74	26.76	26.54	0
				1	49	26.08	26.77	26.95	26.79	26.82	26.53	0
				25	0	25.37	25.90	26.05	25.62	25.88	25.65	1
				25	13	25.85	26.64	27.03	26.86	26.89	26.67	0
				25	26	25.20	25.89	25.81	25.90	25.90	25.65	1
				50	0	25.40	25.67	26.05	25.87	25.89	25.44	1
			16QAM	1	1	25.34	25.87	26.00	25.61	25.85	25.57	1
			64QAM	1	1	23.72	24.40	24.28	24.03	24.38	24.11	2.5
			256QAM	1	1	21.90	22.13	22.41	22.23	22.13	21.79	4.5
		CP	QPSK	1	1	24.82	25.24	25.33	25.17	25.19	25.00	1.5

NR Band n77_25 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						647500 Ch. 3712.5 MHz	650900 Ch. 3763.5 MHz	654300 Ch. 3814.5 MHz	657700 Ch. 3865.5 MHz	661100 Ch. 3916.5 MHz	664500 Ch. 3967.5 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	26.52	26.54	26.88	26.56	26.63	26.09	0
				1	32	26.68	26.63	26.94	26.74	26.76	26.47	0
				1	63	26.68	26.60	26.92	26.74	26.75	26.51	0
				32	0	26.21	25.75	26.51	26.26	26.28	25.70	0.5
				32	17	26.69	26.73	27.01	26.81	26.82	26.31	0
				32	33	26.30	26.25	26.51	26.36	26.36	25.85	0.5
			QPSK	64	0	26.01	25.80	26.52	26.10	26.11	25.86	0.5
				1	1	26.37	26.71	26.95	26.49	26.74	26.22	0
				1	32	26.82	26.78	26.95	26.84	26.73	26.35	0
				1	63	26.72	26.69	26.72	26.80	26.80	26.34	0
				32	0	25.50	25.81	25.84	25.62	25.86	25.42	1
				32	17	26.63	26.80	27.07	26.64	26.65	26.46	0
				32	33	25.84	25.85	26.05	25.90	25.89	25.47	1
				64	0	25.78	25.83	26.07	25.88	25.88	25.48	1
			16QAM	1	1	25.44	25.75	25.93	25.53	25.78	25.06	1
			64QAM	1	1	24.17	24.02	24.41	24.28	24.26	23.84	2.5
			256QAM	1	1	22.01	22.31	22.43	22.05	21.99	21.82	4.5
		CP	QPSK	1	1	25.06	25.21	25.37	25.18	25.17	24.79	1.5

NR Band n77_30 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						647668 Ch. 3715.02 MHz	651000 Ch. 3765 MHz	654334 Ch. 3815.01 MHz	657666 Ch. 3864.99 MHz	661000 Ch. 3915 MHz	664332 Ch. 3964.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	25.79	26.45	26.29	26.32	26.21	26.37	0
				1	39	26.10	26.63	26.80	26.29	26.21	26.39	0
				1	76	26.23	26.40	26.55	26.11	26.59	26.17	0
				36	0	25.78	26.11	26.22	25.95	26.11	26.04	0.5
				36	21	25.95	26.20	26.79	26.54	26.43	26.58	0
				36	42	26.01	25.99	26.34	26.04	26.19	26.06	0.5
				75	0	25.93	25.96	26.08	25.98	26.17	26.08	0.5
			QPSK	1	1	26.08	26.55	26.39	26.11	26.35	26.18	0
				1	39	26.13	26.60	26.56	26.47	26.43	26.49	0
				1	76	26.45	26.68	26.61	25.80	26.42	25.90	0
				36	0	25.39	25.70	25.80	25.62	25.70	25.62	1
				36	21	26.27	26.72	26.83	26.35	26.73	26.40	0
				36	42	25.36	25.77	25.90	25.28	25.54	25.37	1
				75	0	25.49	25.72	25.85	25.56	25.71	25.61	1
			16QAM	1	1	25.08	25.63	25.12	25.43	25.58	25.43	1
			64QAM	1	1	23.75	24.23	23.96	23.95	24.16	23.97	2.5
			256QAM	1	1	21.69	22.16	21.91	21.77	22.14	21.81	4.5
		CP	QPSK	1	1	24.63	25.03	25.04	24.85	25.01	24.94	1.5

NR Band n77_40 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						64800 Ch. 3720 MHz	65120 Ch. 3768 MHz	65440 Ch. 3816 MHz	65760 Ch. 3864 MHz	66080 Ch. 3912 MHz	66400 Ch. 3960 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	26.34	26.37	26.71	26.82	26.03	26.52	0
				1	53	26.29	26.61	26.95	26.91	26.92	26.56	0
				1	104	26.08	26.62	26.98	26.77	26.79	26.51	0
				50	0	25.94	26.15	26.39	26.46	26.45	26.05	0.5
				50	28	26.51	25.73	26.97	25.72	26.95	26.64	0
				50	56	26.00	25.27	26.53	26.43	26.44	26.16	0.5
				100	0	26.05	26.22	26.47	26.46	26.46	26.12	0.5
			QPSK	1	1	26.13	26.50	25.79	26.91	26.75	26.59	0
				1	53	26.47	26.71	26.93	25.93	26.86	26.55	0
				1	104	25.79	26.70	27.00	26.82	25.79	26.53	0
				50	0	25.61	25.73	24.97	26.04	25.99	25.62	1
				50	28	26.40	26.77	27.00	26.05	26.41	26.69	0
				50	56	25.27	25.80	26.07	25.99	25.98	25.71	1
				100	0	25.57	25.77	25.99	26.00	26.00	25.67	1
			16QAM	1	1	25.33	25.72	25.73	25.88	24.95	24.94	1
			64QAM	1	1	23.89	24.14	24.28	24.47	24.35	24.22	2.5
			256QAM	1	1	21.71	22.16	22.21	22.30	22.32	22.08	4.5
		CP	QPSK	1	1	24.93	24.99	25.12	25.45	25.28	25.06	1.5

NR Band n77_50 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						648334 Ch.	652166 Ch.	656000 Ch.		659834 Ch.	663666 Ch.	
						3725.01 MHz	3782.49 MHz	3840 MHz		3897.51 MHz	3954.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	26.16	26.67	26.01		25.65	26.74	0
				1	67	26.41	26.78	26.86		26.43	26.56	0
				1	131	26.29	26.80	26.81		26.12	26.32	0
				64	0	25.92	26.38	26.45		26.30	26.26	0.5
				64	35	26.33	26.90	26.99		26.39	26.65	0
				64	69	26.00	26.41	26.47		25.98	25.46	0.5
				128	0	25.87	26.42	26.51		26.09	26.17	0.5
			QPSK	1	1	26.02	26.66	26.87		26.45	26.60	0
				1	67	26.11	26.78	26.87		25.47	26.36	0
				1	131	25.82	26.73	25.94		25.92	25.31	0
				64	0	25.35	25.95	26.02		25.71	25.83	1
				64	35	26.17	26.89	26.93		26.26	26.50	0
				64	69	25.48	25.98	26.04		25.45	25.65	1
				128	0	25.38	25.96	26.03		25.58	25.71	1
			16QAM	1	1	25.20	25.89	25.72		25.64	25.87	1
			64QAM	1	1	23.85	24.36	24.38		24.31	24.46	2.5
			256QAM	1	1	21.84	22.32	22.19		22.27	22.32	4.5
		CP	QPSK	1	1	24.75	25.25	25.28		25.14	25.26	1.5

NR Band n77_60 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						648668 Ch.	653556 Ch.			658444 Ch.	663332 Ch.	
						3730.02 MHz	3803.34 MHz			3876.66 MHz	3949.98 MHz	
60 MHz	30	DFT-s	pi/2 BPSK	1	1	26.25	26.64			26.60	26.58	0
				1	81	26.48	26.86			26.89	26.54	0
				1	160	26.55	26.81			26.76	26.41	0
				81	0	26.00	26.37			26.27	26.23	0.5
				81	41	26.40	26.95			26.86	26.57	0
				81	81	26.06	26.45			26.41	26.10	0.5
				162	0	25.99	26.44			26.34	26.06	0.5
			QPSK	1	1	26.04	26.78			26.70	26.65	0
				1	81	26.14	26.92			26.84	26.47	0
				1	160	26.24	26.85			26.57	26.18	0
				81	0	25.44	25.95			25.84	25.80	1
				81	41	26.26	27.02			26.91	26.54	0
				81	81	25.53	26.00			25.97	25.65	1
				162	0	25.49	25.99			25.89	25.61	1
			16QAM	1	1	25.27	25.85			25.77	25.69	1
			64QAM	1	1	24.10	24.47			24.39	24.25	2.5
			256QAM	1	1	21.88	22.23			22.41	22.23	4.5
		CP	QPSK	1	1	24.80	25.22			25.08	25.19	1.5

NR Band n77_70 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						649000 Ch. 3735 MHz	653666 Ch. 3804.99 MHz			658334 Ch. 3875.01 MHz	663000 Ch. 3945 MHz	
70 MHz	30	DFT-s	pi/2 BPSK	1	1	26.08	26.71			26.33	26.49	0
				1	95	26.42	26.87			26.73	26.32	0
				1	187	26.66	26.74			26.78	26.42	0
				90	0	25.88	26.39			26.21	26.11	0.5
				90	50	26.35	26.97			26.83	26.50	0
				90	99	26.10	26.43			26.41	26.04	0.5
				180	0	25.94	26.46			26.31	26.04	0.5
			QPSK	1	1	25.92	26.71			26.62	26.51	0
				1	95	26.12	26.89			26.72	26.43	0
				1	187	26.38	26.69			26.53	26.45	0
				90	0	25.33	25.96			25.78	25.73	1
				90	50	26.22	27.03			26.88	26.59	0
				90	99	25.60	25.99			25.96	25.62	1
				180	0	25.46	26.01			25.86	25.61	1
			16QAM	1	1	25.15	25.99			25.86	25.68	1
			64QAM	1	1	23.69	24.34			24.20	24.21	2.5
			256QAM	1	1	21.73	22.34			22.21	22.21	4.5
		CP	QPSK	1	1	24.66	25.27			25.11	25.07	1.5

NR Band n77_80 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						649334 Ch. 3740.01 MHz		656000 Ch. 3840 MHz		662666 Ch. 3939.99 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1	26.19		26.62		26.69		0
				1	109	26.60		26.88		26.69		0
				1	215	26.70		26.77		26.53		0
				108	0	26.11		26.37		26.38		0.5
				108	55	26.54		26.96		26.78		0
				108	109	26.31		26.42		26.18		0.5
				216	0	26.23		26.43		26.26		0.5
			QPSK	1	1	26.18		26.66		26.81		0
				1	109	26.33		26.89		26.68		0
				1	215	26.52		26.48		26.34		0
				108	0	25.66		25.95		25.93		1
				108	55	26.41		27.02		26.77		0
				108	109	25.82		25.93		25.72		1
				216	0	25.73		25.98		25.82		1
			16QAM	1	1	25.31		25.86		25.85		1
			64QAM	1	1	23.85		24.33		24.30		2.5
			256QAM	1	1	21.77		22.30		22.29		4.5
		CP	QPSK	1	1	24.76		25.17		25.25		1.5

NR Band n77_90 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						649668 Ch. 3745.02 MHz		656000 Ch. 3840 MHz		662332 Ch. 3934.98 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1	26.17		26.62		26.74		0
				1	123	26.70		26.89		26.80		0
				1	243	26.88		26.73		26.39		0
				120	0	26.06		26.39		26.46		0.5
				120	63	26.67		26.97		26.90		0
				120	125	26.37		26.42		26.10		0.5
				243	0	26.34		26.44		26.35		0.5
			QPSK	1	1	26.20		26.68		26.77		0
				1	123	26.39		26.90		26.80		0
				1	243	26.77		26.47		26.36		0
				120	0	25.61		25.94		26.03		1
				120	63	26.54		27.02		26.96		0
				120	125	25.91		25.97		25.65		1
				243	0	25.88		25.98		25.90		1
			16QAM	1	1	25.38		25.64		25.96		1
			64QAM	1	1	23.84		24.25		24.28		2.5
			256QAM	1	1	21.73		22.28		22.40		4.5
		CP	QPSK	1	1	24.75		24.94		25.27		1.5

NR Band n77_100 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]	
						650000 Ch. 3750 MHz				662000 Ch. 3930 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1	26.29				26.59		0
				1	137	26.78				26.78		0
				1	271	26.83				26.46		0
				135	0	26.21				26.29		0.5
				135	69	26.71				26.86		0
				135	138	26.37				26.09		0.5
			270	0	26.40				26.35		0.5	
			QPSK	1	1	26.27				26.72		0
				1	137	26.49				26.84		0
				1	271	26.66				26.49		0
				135	0	25.77				25.88		1
				135	69	26.59				26.93		0
				135	138	25.92				25.65		1
			270	0	25.93				25.88		1	
			16QAM	1	1	25.51				25.73		1
			64QAM	1	1	23.99				24.35		2.5
			256QAM	1	1	21.91				22.22		4.5
		CP	QPSK	1	1	24.84				25.16		1.5

NR TDD Band n77 DoD(PC2) Conducted Power_Measured P_{max_SUB3} [Ant G]

NR Band n77 DoD_10 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630334 Ch. 3445.01 MHz	633334 Ch. 3500.01 MHz	636332 Ch. 3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	26.08	26.14	26.78	0
				1	12	26.19	26.30	26.54	0
				1	22	26.06	26.22	26.77	0
				12	0	25.77	25.59	26.31	0.5
				12	6	26.16	26.26	26.61	0
				12	12	25.70	25.91	26.38	0.5
				24	0	25.75	25.87	26.38	0.5
			QPSK	1	1	25.79	26.00	26.56	0
				1	12	26.00	26.09	26.85	0
				1	22	25.81	26.06	26.80	0
				12	0	25.31	25.14	25.91	1
				12	6	26.07	26.17	26.69	0
				12	12	25.23	25.42	25.71	1
				24	0	25.05	25.18	25.92	1
			16QAM	1	1	25.05	25.23	26.00	1
			64QAM	1	1	23.81	23.79	24.37	2.5
			256QAM	1	1	21.79	21.78	22.37	4.5
		CP	QPSK	1	1	24.73	24.71	25.29	1.5

NR Band n77 DoD_15 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630500 Ch. 3457.5 MHz	633334 Ch. 3500.01 MHz	636166 Ch. 3542.49 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	26.12	26.07	26.28	0
				1	18	26.01	26.18	26.53	0
				1	36	25.53	26.30	26.62	0
				18	0	25.29	25.80	25.92	0.5
				18	9	26.18	26.34	26.66	0
				18	18	25.62	25.86	26.18	0.5
				36	0	25.69	25.86	26.19	0.5
			QPSK	1	1	25.61	26.10	26.59	0
				1	18	25.88	26.22	26.58	0
				1	36	25.82	26.19	26.62	0
				18	0	25.32	25.32	25.72	1
				18	9	25.73	26.35	26.72	0
				18	18	25.18	25.44	25.51	1
				36	0	25.22	25.39	25.74	1
			16QAM	1	1	25.11	24.98	25.72	1
			64QAM	1	1	23.79	23.44	24.10	2.5
			256QAM	1	1	21.65	21.75	22.12	4.5
		CP	QPSK	1	1	24.79	24.70	25.07	1.5

NR Band n77 DoD_20 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630668 Ch. 3460.02 MHz	633334 Ch. 3500.01 MHz	636000 Ch. 3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	26.02	25.94	26.41	0
				1	26	25.88	26.09	26.51	0
				1	49	25.78	26.16	26.34	0
				25	0	25.61	25.39	26.08	0.5
				25	13	26.02	26.20	26.39	0
				25	26	25.46	25.52	26.15	0.5
				50	0	25.56	25.71	26.15	0.5
			QPSK	1	1	26.18	26.01	26.47	0
				1	26	25.99	26.16	26.56	0
				1	49	25.84	26.21	26.61	0
				25	0	25.22	25.18	25.41	1
				25	13	26.09	26.23	26.66	0
				25	26	24.81	25.28	25.47	1
				50	0	24.88	25.25	25.68	1
			16QAM	1	1	25.21	24.99	25.53	1
			64QAM	1	1	23.82	23.36	23.92	2.5
			256QAM	1	1	21.67	21.35	22.06	4.5
		CP	QPSK	1	1	24.69	24.49	24.97	1.5

NR Band n77 DoD_25 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630866 Ch. 3462.99 MHz	633334 Ch. 3500.01 MHz	635800 Ch. 3537 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	26.18	26.76	25.96	0
				1	32	26.18	26.47	26.43	0
				1	63	25.89	26.69	26.41	0
				32	0	25.69	26.20	25.87	0.5
				32	17	26.11	26.59	26.44	0
				32	33	25.51	26.32	26.01	0.5
				64	0	25.61	26.30	25.97	0.5
			QPSK	1	1	26.20	26.46	26.24	0
				1	32	25.93	26.74	26.44	0
				1	63	25.86	26.77	26.25	0
				32	0	25.26	25.85	25.45	1
				32	17	26.14	26.59	26.50	0
				32	33	25.05	25.63	25.56	1
				64	0	25.15	25.92	25.51	1
			16QAM	1	1	25.31	25.91	25.26	1
			64QAM	1	1	23.83	24.34	23.78	2.5
			256QAM	1	1	21.60	22.36	21.75	4.5
		CP	QPSK	1	1	24.72	25.27	24.74	1.5

NR Band n77 DoD_30 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						631000 Ch. 3465 MHz	633334 Ch. 3500.01 MHz	635666 Ch. 3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	26.76	25.87	26.13	0
				1	39	26.50	25.95	26.63	0
				1	76	26.68	26.21	26.62	0
				36	0	26.26	25.57	26.08	0.5
				36	21	26.57	25.75	26.46	0
				36	42	26.26	25.75	26.24	0.5
				75	0	26.33	25.48	26.19	0.5
			QPSK	1	1	26.52	25.68	26.45	0
				1	39	26.77	26.11	26.61	0
				1	76	26.75	26.22	26.44	0
				36	0	25.88	25.13	25.66	1
				36	21	26.62	26.03	26.73	0
				36	42	25.66	25.29	25.79	1
				75	0	25.90	25.23	25.73	1
			16QAM	1	1	25.90	24.71	25.40	1
			64QAM	1	1	24.27	23.48	24.01	2.5
			256QAM	1	1	22.34	21.29	22.03	4.5
		CP	QPSK	1	1	25.25	24.41	24.95	1.5

NR Band n77 DoD_40 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]	
						631334 Ch. 3470.01 MHz	635332 Ch. 3529.98 MHz		
40 MHz	30	DFT-s	pi/2 BPSK	1	1	26.13		26.16	0
				1	53	25.97		26.62	0
				1	104	25.97		26.55	0
				50	0	25.60		25.17	0.5
				50	28	25.96		26.52	0
				50	56	25.48		26.13	0.5
				100	0	25.47		26.02	0.5
			QPSK	1	1	26.11		26.21	0
				1	53	25.86		26.53	0
				1	104	25.94		26.58	0
				50	0	25.15		25.43	1
				50	28	26.00		26.58	0
				50	56	25.02		25.67	1
				100	0	25.00		25.56	1
			16QAM	1	1	25.29		25.24	1
			64QAM	1	1	23.70		23.81	2.5
			256QAM	1	1	21.68		21.82	4.5
		CP	QPSK	1	1	24.72		24.62	1.5

NR Band n77 DoD_50 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
						631668 Ch. 3475.02 MHz	635000 Ch. 3525 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	25.99	25.96	0
				1	67	25.73	26.24	0
				1	131	26.02	26.46	0
				64	0	25.44	25.68	0.5
				64	35	25.85	26.36	0
				64	69	25.46	26.01	0.5
				128	0	25.35	25.87	0.5
			QPSK	1	1	26.02	26.05	0
				1	67	25.79	26.29	0
				1	131	26.04	26.48	0
				64	0	24.99	25.24	1
				64	35	25.90	26.40	0
				64	69	25.01	25.56	1
				128	0	24.90	25.41	1
			16QAM	1	1	25.12	25.06	1
			64QAM	1	1	22.92	23.02	2.5
			256QAM	1	1	21.60	21.65	4.5
		CP	QPSK	1	1	24.52	24.50	1.5

NR Band n77 DoD_60 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
						633334 Ch. 3500.01 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1	26.54		0
				1	81	26.17		0
				1	160	26.34		0
				81	0	25.48		0.5
				81	41	26.22		0
				81	81	25.83		0.5
				162	0	25.72		0.5
			QPSK	1	1	25.75		0
				1	81	26.12		0
				1	160	26.28		0
				81	0	25.06		1
				81	41	26.28		0
				81	81	25.36		1
				162	0	25.25		1
			16QAM	1	1	24.95		1
			64QAM	1	1	23.32		2.5
			256QAM	1	1	21.33		4.5
		CP	QPSK	1	1	24.25		1.5

NR Band n77 DoD_70 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
70 MHz	30	DFT-s	pi/2 BPSK	1	1		25.76	0
				1	95		26.08	0
				1	187		26.36	0
				90	0		25.37	0.5
				90	50		26.16	0
				90	99		25.80	0.5
				180	0		25.64	0.5
			QPSK	1	1		25.75	0
				1	95		26.12	0
				1	187		26.36	0
				90	0		24.96	1
				90	50		26.23	0
				90	99		25.35	1
				180	0		25.19	1
			16QAM	1	1		25.01	1
			64QAM	1	1		23.36	2.5
			256QAM	1	1		21.32	4.5
		CP	QPSK	1	1		24.29	1.5

NR Band n77 DoD_80 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
80 MHz	30	DFT-s	pi/2 BPSK	1	1		25.81	0
				1	109		26.12	0
				1	215		26.44	0
				108	0		25.39	0.5
				108	55		26.20	0
				108	109		25.84	0.5
				216	0		25.68	0.5
			QPSK	1	1		25.86	0
				1	109		26.14	0
				1	215		26.33	0
				108	0		24.93	1
				108	55		26.25	0
				108	109		25.38	1
				216	0		25.21	1
			16QAM	1	1		24.98	1
			64QAM	1	1		23.48	2.5
			256QAM	1	1		21.45	4.5
		CP	QPSK	1	1		24.38	1.5

NR Band n77 DoD_90 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
90 MHz	30	DFT-s	pi/2 BPSK	1	1		25.92	0
				1	123		25.87	0
				1	243		26.38	0
				120	0		25.29	0.5
				120	63		26.13	0
				120	125		25.81	0.5
				243	0		25.62	0.5
			QPSK	1	1		25.90	0
				1	123		26.10	0
				1	243		26.42	0
				120	0		24.91	1
				120	63		26.20	0
				120	125		25.40	1
				243	0		25.18	1
			16QAM	1	1		25.04	1
			64QAM	1	1		23.49	2.5
			256QAM	1	1		21.59	4.5
		CP	QPSK	1	1		24.46	1.5

NR Band n77 DoD_100 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
100 MHz	30	DFT-s	pi/2 BPSK	1	1		26.54	0
				1	137		26.08	0
				1	271		26.50	0
				135	0		25.33	0.5
				135	69		26.18	0
				135	138		25.92	0.5
				270	0		25.65	0.5
			QPSK	1	1		26.04	0
				1	137		26.14	0
				1	271		26.40	0
				135	0		24.92	1
				135	69		26.23	0
				135	138		25.45	1
				270	0		25.20	1
			16QAM	1	1		25.28	1
			64QAM	1	1		23.64	2.5
			256QAM	1	1		21.71	4.5
		CP	QPSK	1	1		24.63	1.5

NR TDD Band n78 (PC2) Conducted Power_ Measured P_{max_SUB3} [Ant G]

NR Band n78_10 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						647000 Ch. 3705 MHz	650000 Ch. 3750 MHz	653000 Ch. 3795 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	25.82	26.51	26.40	0
				1	12	26.13	26.65	26.56	0
				1	22	26.18	26.64	26.55	0
				12	0	25.63	26.18	26.09	0.5
				12	6	26.18	26.71	26.61	0
				12	12	25.76	26.24	26.15	0.5
				24	0	25.73	26.23	26.14	0.5
			QPSK	1	1	26.09	26.68	26.54	0
				1	12	26.23	26.65	26.64	0
				1	22	26.04	26.71	26.63	0
				12	0	25.25	25.79	25.69	1
				12	6	26.28	26.55	26.68	0
				12	12	25.34	25.80	25.49	1
				24	0	25.08	25.80	25.70	1
			16QAM	1	1	25.20	25.70	25.33	1
			64QAM	1	1	23.71	23.95	24.21	2.5
			256QAM	1	1	21.71	22.18	22.03	4.5
		CP	QPSK	1	1	24.59	25.12	25.03	1.5

NR Band n78_15 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						647166 Ch. 3707.5 MHz	650000 Ch. 3750 MHz	652832 Ch. 3792.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	26.69	26.27	26.58	0
				1	18	26.50	26.52	26.59	0
				1	36	26.66	26.61	26.68	0
				18	0	26.27	26.16	26.02	0.5
				18	10	26.57	26.68	26.75	0
				18	20	26.35	26.21	26.27	0.5
				36	0	26.38	26.22	25.81	0.5
			QPSK	1	1	26.56	26.41	26.46	0
				1	18	26.82	26.58	26.64	0
				1	36	26.71	26.47	26.69	0
				18	0	25.81	25.75	25.83	1
				18	10	26.63	26.76	26.59	0
				18	20	25.63	25.78	25.37	1
				36	0	25.82	25.78	25.61	1
			16QAM	1	1	25.91	25.47	25.85	1
			64QAM	1	1	24.30	24.17	24.23	2.5
			256QAM	1	1	22.34	22.01	22.29	4.5
		CP	QPSK	1	1	25.25	25.09	25.17	1.5

NR Band n78_20 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						647334 Ch. 3710.01 MHz	650000 Ch. 3750 MHz	652666 Ch. 3789.99 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	26.73	26.20	26.49	0
				1	26	26.49	26.49	26.34	0
				1	49	26.75	26.56	26.63	0
				25	0	26.20	26.10	26.16	0.5
				25	13	26.52	26.41	26.46	0
				25	26	26.29	26.15	25.99	0.5
				50	0	26.28	26.16	25.98	0.5
			QPSK	1	1	26.54	26.54	26.59	0
				1	26	26.75	26.37	26.62	0
				1	49	26.69	26.39	26.67	0
				25	0	25.88	25.71	25.72	1
				25	13	26.63	26.25	26.74	0
				25	26	25.61	25.52	25.79	1
				50	0	25.84	25.75	25.29	1
			16QAM	1	1	25.88	25.52	25.59	1
			64QAM	1	1	24.26	24.17	23.96	2.5
			256QAM	1	1	22.36	21.92	21.90	4.5
		CP	QPSK	1	1	25.27	25.05	25.05	1.5

NR Band n78_25 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						647500 Ch. 3712.5 MHz	650000 Ch. 3750 MHz	652500 Ch. 3787.5 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	26.00	26.50	26.46	0
				1	32	26.43	26.68	26.64	0
				1	63	26.49	26.43	26.63	0
				32	0	25.93	26.21	25.91	0.5
				32	17	26.04	26.75	26.44	0
				32	33	25.59	26.04	26.23	0.5
				64	0	25.79	26.03	26.20	0.5
			QPSK	1	1	26.33	26.42	26.56	0
				1	32	26.45	26.72	26.65	0
				1	63	26.54	26.51	26.49	0
				32	0	25.29	25.55	25.71	1
				32	17	26.51	26.79	26.73	0
				32	33	25.61	25.60	25.81	1
				64	0	25.57	25.82	25.75	1
			16QAM	1	1	25.34	25.41	25.66	1
			64QAM	1	1	23.61	23.98	23.94	2.5
			256QAM	1	1	21.90	21.97	21.82	4.5
		CP	QPSK	1	1	24.74	25.08	25.01	1.5

NR Band n78_30 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						647666 Ch. 3715 MHz	650000 Ch. 3750 MHz	652332 Ch. 3784.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	26.27	26.31	26.57	0
				1	39	26.54	26.51	26.76	0
				1	76	26.28	26.66	26.66	0
				36	0	25.92	26.20	26.29	0.5
				36	21	26.50	26.75	26.82	0
				36	42	25.61	26.05	26.32	0.5
				75	0	25.82	26.26	26.32	0.5
			QPSK	1	1	26.35	26.38	26.67	0
				1	39	26.29	26.69	26.72	0
				1	76	26.53	26.68	26.45	0
				36	0	25.55	25.78	25.86	1
				36	21	26.36	26.80	26.86	0
				36	42	25.64	25.60	25.87	1
				75	0	25.59	25.80	25.86	1
			16QAM	1	1	25.31	25.65	25.89	1
			64QAM	1	1	23.88	24.04	24.32	2.5
			256QAM	1	1	21.87	21.91	21.77	4.5
		CP	QPSK	1	1	24.82	25.08	25.18	1.5

NR Band n78_40 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]	
						647800 Ch. 3720 MHz	652000 Ch. 3780 MHz		
40 MHz	30	DFT-s	pi/2 BPSK	1	1	26.73		26.50	0
				1	53	26.49		26.77	0
				1	104	26.66		26.62	0
				50	0	26.28		26.14	0.5
				50	28	26.52		26.70	0
				50	56	26.33		26.23	0.5
				100	0	26.38		26.21	0.5
			QPSK	1	1	26.49		26.57	0
				1	53	26.75		26.67	0
				1	104	26.80		26.63	0
				50	0	25.86		25.71	1
				50	28	26.62		26.30	0
				50	56	25.68		25.77	1
				100	0	25.85		25.75	1
			16QAM	1	1	25.98		25.69	1
			64QAM	1	1	24.33		24.10	2.5
			256QAM	1	1	22.30		22.16	4.5
		CP	QPSK	1	1	25.21		25.09	1.5

NR Band n78_50 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
						648334 Ch. 3725.01 MHz	651666 Ch. 3774.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	26.07	26.69	0
				1	67	26.43	26.50	0
				1	131	26.65	26.66	0
				64	0	25.89	26.26	0.5
				64	35	26.32	26.57	0
				64	69	26.18	26.26	0.5
				128	0	26.05	26.35	0.5
			QPSK	1	1	25.42	26.53	0
				1	67	26.49	26.77	0
				1	131	26.70	26.73	0
				64	0	25.45	25.84	1
				64	35	26.60	26.69	0
				64	69	25.73	25.59	1
				128	0	25.61	25.90	1
			16QAM	1	1	25.30	25.95	1
			64QAM	1	1	23.73	24.31	2.5
			256QAM	1	1	21.58	22.31	4.5
		CP	QPSK	1	1	24.58	25.23	1.5

NR Band n78_60 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
						650000 Ch. 3750 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1	26.37		0
				1	81	26.77		0
				1	160	26.63		0
				81	0	26.18		0.5
				81	41	26.78		0
				81	81	26.26		0.5
				162	0	26.29		0.5
			QPSK	1	1	26.42		0
				1	81	26.69		0
				1	160	26.63		0
				81	0	25.76		1
				81	41	26.82		0
				81	81	25.84		1
				162	0	25.83		1
			16QAM	1	1	25.61		1
			64QAM	1	1	24.03		2.5
			256QAM	1	1	22.13		4.5
		CP	QPSK	1	1	24.89		1.5

NR Band n78_70 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							650000 Ch. 3750 MHz	
70 MHz	30	DFT-s	pi/2 BPSK	1	1		26.30	0
				1	95		26.67	0
				1	187		26.65	0
				90	0		26.16	0.5
				90	50		26.80	0
				90	99		26.27	0.5
				180	0		26.30	0.5
			QPSK	1	1		26.35	0
				1	95		26.71	0
				1	187		26.64	0
				90	0		25.75	1
				90	50		26.85	0
				90	99		25.82	1
				180	0		25.84	1
			16QAM	1	1		25.52	1
			64QAM	1	1		23.95	2.5
			256QAM	1	1		22.00	4.5
		CP	QPSK	1	1		24.91	1.5

NR Band n78_80 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							650000 Ch. 3750 MHz	
80 MHz	30	DFT-s	pi/2 BPSK	1	1		26.27	0
				1	109		26.69	0
				1	215		26.67	0
				108	0		26.15	0.5
				108	55		26.79	0
				108	109		26.26	0.5
				216	0		26.30	0.5
			QPSK	1	1		26.33	0
				1	109		26.72	0
				1	215		26.64	0
				108	0		25.73	1
				108	55		26.82	0
				108	109		25.80	1
				216	0		25.84	1
			16QAM	1	1		25.54	1
			64QAM	1	1		23.99	2.5
			256QAM	1	1		21.89	4.5
		CP	QPSK	1	1		24.82	1.5

NR Band n78_90 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							650000 Ch. 3750 MHz	
90 MHz	30	DFT-s	pi/2 BPSK	1	1		26.26	0
				1	123		26.70	0
				1	243		26.70	0
				120	0		26.12	0.5
				120	63		26.80	0
				120	125		26.29	0.5
				243	0		26.31	0.5
			QPSK	1	1		26.29	0
				1	123		26.73	0
				1	243		26.68	0
				120	0		25.71	1
				120	63		26.85	0
				120	125		25.83	1
				243	0		25.86	1
			16QAM	1	1		25.57	1
			64QAM	1	1		23.94	2.5
			256QAM	1	1		21.94	4.5
		CP	QPSK	1	1		24.82	1.5

NR Band n78_100 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							650000 Ch. 3750 MHz	
100 MHz	30	DFT-s	pi/2 BPSK	1	1		26.20	0
				1	137		26.72	0
				1	271		26.74	0
				135	0		26.12	0.5
				135	69		26.84	0
				135	138		26.30	0.5
				270	0		26.32	0.5
			QPSK	1	1		26.76	0
				1	137		26.75	0
				1	271		26.75	0
				135	0		25.69	1
				135	69		26.86	0
				135	138		25.84	1
				270	0		25.85	1
			16QAM	1	1		25.50	1
			64QAM	1	1		23.97	2.5
			256QAM	1	1		21.85	4.5
		CP	QPSK	1	1		24.77	1.5

NR TDD Band n78 DoD(PC2) Conducted Power_Measured P_{max_SUB3} [Ant G]

NR Band n78 DoD_10 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630334 Ch. 3455.01 MHz	633334 Ch. 3500.01 MHz	636332 Ch. 3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	26.14	26.13	26.67	0
				1	12	26.15	26.25	26.78	0
				1	22	26.03	26.24	26.74	0
				12	0	25.71	25.53	26.29	0.5
				12	6	26.15	26.28	26.58	0
				12	12	25.63	25.81	26.11	0.5
				24	0	25.68	25.81	26.33	0.5
			QPSK	1	1	26.08	26.21	26.73	0
				1	12	25.92	26.19	26.79	0
				1	22	26.02	26.30	26.75	0
				12	0	25.03	25.07	25.85	1
				12	6	26.20	26.32	26.85	0
				12	12	24.94	25.34	25.87	1
				24	0	25.21	25.34	25.86	1
			16QAM	1	1	24.89	24.97	25.59	1
			64QAM	1	1	23.69	23.76	24.38	2.5
			256QAM	1	1	21.50	21.69	22.26	4.5
		CP	QPSK	1	1	24.69	24.67	25.20	1.5

NR Band n78 DoD_15 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630500 Ch. 3457.5 MHz	633334 Ch. 3500.01 MHz	636116 Ch. 3542.49 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	26.31	26.02	26.15	0
				1	18	25.89	26.09	26.00	0
				1	36	25.87	26.21	26.56	0
				18	0	25.43	25.48	25.87	0.5
				18	10	26.09	26.26	26.62	0
				18	20	25.54	25.78	26.16	0.5
				36	0	25.63	25.55	26.17	0.5
			QPSK	1	1	26.18	25.94	26.56	0
				1	18	26.05	26.24	26.54	0
				1	36	25.97	26.33	26.38	0
				18	0	25.04	25.03	25.68	1
				18	10	25.93	26.07	26.70	0
				18	20	25.11	25.11	25.71	1
				36	0	24.95	25.30	25.71	1
			16QAM	1	1	25.18	25.27	25.63	1
			64QAM	1	1	23.49	23.53	24.15	2.5
			256QAM	1	1	21.77	21.64	22.25	4.5
		CP	QPSK	1	1	24.67	24.60	25.04	1.5

NR Band n78 DoD_20 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630668 Ch. 3460.02 MHz	633334 Ch. 3500.01 MHz	63600 Ch. 3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	26.15	25.94	25.73	0
				1	26	25.98	26.10	25.90	0
				1	49	25.64	26.19	25.99	0
				25	0	25.46	25.63	25.65	0.5
				25	13	26.10	26.21	26.23	0
				25	26	25.53	25.52	25.77	0.5
				50	0	25.62	25.73	25.52	0.5
			QPSK	1	1	26.24	26.02	26.05	0
				1	26	26.04	26.18	26.22	0
				1	49	25.68	26.22	26.25	0
				25	0	25.24	25.19	24.99	1
				25	13	26.13	26.26	26.05	0
				25	26	24.85	25.30	25.31	1
				50	0	25.15	25.26	25.06	1
			16QAM	1	1	25.23	25.00	25.08	1
			64QAM	1	1	23.81	23.62	23.56	2.5
			256QAM	1	1	21.75	21.61	21.61	4.5
		CP	QPSK	1	1	24.69	24.51	24.50	1.5

NR Band n78 DoD_25 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630866 Ch. 3462.99 MHz	633334 Ch. 3500.01 MHz	635800 Ch. 3537 MHz	
25MHz	30	DFT-s	pi/2 BPSK	1	1	25.95	26.54	26.29	0
				1	32	26.15	26.11	26.51	0
				1	63	25.42	26.16	26.28	0
				32	0	25.46	25.36	25.98	0.5
				32	17	25.63	26.19	26.54	0
				32	33	25.50	25.74	26.09	0.5
				64	0	25.61	25.70	26.03	0.5
			QPSK	1	1	26.27	25.98	26.07	0
				1	32	26.01	26.16	26.50	0
				1	63	25.91	26.24	26.27	0
				32	0	25.26	24.94	25.50	1
				32	17	25.68	26.25	26.57	0
				32	33	25.06	25.28	25.39	1
				64	0	25.14	25.25	25.58	1
			16QAM	1	1	25.26	24.95	25.01	1
			64QAM	1	1	23.80	23.33	23.90	2.5
			256QAM	1	1	21.63	21.55	21.93	4.5
		CP	QPSK	1	1	24.73	24.49	24.81	1.5

NR Band n78 DoD_30 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						631000 Ch. 3465 MHz	633334 Ch. 3500.01 MHz	635666 Ch. 3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	25.79	25.88	26.39	0
				1	39	25.88	25.94	26.18	0
				1	76	25.76	25.98	26.42	0
				36	0	25.52	25.58	26.09	0.5
				36	21	25.68	26.20	26.46	0
				36	42	25.12	25.52	26.24	0.5
				75	0	25.43	25.47	26.19	0.5
			QPSK	1	1	26.02	25.92	26.22	0
				1	39	25.79	26.11	26.60	0
				1	76	25.52	26.01	26.44	0
				36	0	25.08	25.12	25.63	1
				36	21	25.73	25.79	26.72	0
				36	42	24.42	24.84	25.79	1
				75	0	24.95	25.26	25.72	1
			16QAM	1	1	24.99	24.43	25.43	1
			64QAM	1	1	23.68	23.23	24.05	2.5
			256QAM	1	1	21.43	21.43	21.98	4.5
		CP	QPSK	1	1	24.56	24.42	24.91	1.5

NR Band n78 DoD_40 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]	
						631334 Ch. 3470.01 MHz	635332 Ch. 3529.98 MHz		
40 MHz	30	DFT-s	pi/2 BPSK	1	1	26.08		26.54	0
				1	53	26.35		26.53	0
				1	104	25.94		26.49	0
				50	0	25.56		25.84	0.5
				50	28	25.91		26.49	0
				50	56	25.44		26.10	0.5
				100	0	25.46		26.01	0.5
			QPSK	1	1	26.10		26.15	0
				1	53	25.85		26.48	0
				1	104	25.91		26.52	0
				50	0	25.13		25.41	1
				50	28	25.96		26.55	0
				50	56	25.00		25.65	1
				100	0	24.98		25.54	1
			16QAM	1	1	25.35		25.26	1
			64QAM	1	1	23.72		23.66	2.5
			256QAM	1	1	21.66		21.47	4.5
		CP	QPSK	1	1	24.67		24.65	1.5

NR Band n78 DoD_50 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
						631668 Ch. 3475.02 MHz	635000 Ch. 3525 MHz	
50MHz	30	DFT-s	pi/2 BPSK	1	1	25.98	25.95	0
				1	67	25.70	26.23	0
				1	131	25.98	25.49	0
				64	0	25.40	25.67	0.5
				64	35	25.82	26.34	0
				64	69	25.43	25.30	0.5
				128	0	25.33	25.84	0.5
			QPSK	1	1	26.01	26.03	0
				1	67	26.54	26.27	0
				1	131	25.95	26.47	0
				64	0	24.96	25.23	1
				64	35	25.86	26.38	0
				64	69	24.97	25.54	1
				128	0	24.87	25.38	1
			16QAM	1	1	25.19	25.02	1
			64QAM	1	1	23.72	23.60	2.5
			256QAM	1	1	21.72	21.53	4.5
		CP	QPSK	1	1	24.52	24.50	1.5

NR Band n78 DoD_60 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
						633334 Ch. 3500.01 MHz		
60MHz	30	DFT-s	pi/2 BPSK	1	1	25.69		0
				1	81	26.17		0
				1	160	26.34		0
				81	0	25.47		0.5
				81	41	26.21		0
				81	81	25.82		0.5
				162	0	25.70		0.5
			QPSK	1	1	25.75		0
				1	81	26.10		0
				1	160	26.33		0
				81	0	25.02		1
				81	41	26.27		0
				81	81	25.35		1
				162	0	25.26		1
			16QAM	1	1	24.69		1
			64QAM	1	1	23.36		2.5
			256QAM	1	1	21.24		4.5
		CP	QPSK	1	1	24.18		1.5

NR Band n78 DoD_70 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
						633334 Ch.	3500.01 MHz	
70 MHz	30	DFT-s	pi/2 BPSK	1	1	26.54		0
				1	95	26.10		0
				1	187	26.39		0
				90	0	25.41		0.5
				90	50	26.20		0
				90	99	25.82		0.5
				180	0	25.67		0.5
			QPSK	1	1	25.78		0
				1	95	26.16		0
				1	187	26.40		0
				90	0	24.97		1
				90	50	26.24		0
				90	99	25.38		1
				180	0	25.20		1
			16QAM	1	1	25.03		1
			64QAM	1	1	23.34		2.5
			256QAM	1	1	21.44		4.5
		CP	QPSK	1	1	24.32		1.5

NR Band n78 DoD_80 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
						633334 Ch.	3500.01 MHz	
80 MHz	30	DFT-s	pi/2 BPSK	1	1	25.81		0
				1	109	26.11		0
				1	215	26.22		0
				108	0	25.37		0.5
				108	55	26.19		0
				108	109	25.86		0.5
				216	0	25.68		0.5
			QPSK	1	1	25.96		0
				1	109	26.26		0
				1	215	26.58		0
				108	0	24.94		1
				108	55	26.23		0
				108	109	25.40		1
				216	0	25.22		1
			16QAM	1	1	25.08		1
			64QAM	1	1	23.44		2.5
			256QAM	1	1	21.41		4.5
		CP	QPSK	1	1	24.31		1.5

NR Band n78 DoD_90 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
90 MHz	30	DFT-s	pi/2 BPSK	1	1		26.45	0
				1	123		26.10	0
				1	243		26.47	0
				120	0		25.37	0.5
				120	63		26.20	0
				120	125		25.89	0.5
				243	0		25.67	0.5
			QPSK	1	1		25.96	0
				1	123		26.15	0
				1	243		26.45	0
				120	0		24.93	1
				120	63		26.25	0
				120	125		25.44	1
				243	0		25.22	1
			16QAM	1	1		25.19	1
			64QAM	1	1		23.39	2.5
			256QAM	1	1		21.55	4.5
		CP	QPSK	1	1		24.51	1.5

NR Band n78 DoD_100 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
100 MHz	30	DFT-s	pi/2 BPSK	1	1		26.10	0
				1	137		26.14	0
				1	271		26.56	0
				135	0		25.37	0.5
				135	69		26.20	0
				135	138		25.92	0.5
				270	0		25.66	0.5
			QPSK	1	1		26.09	0
				1	137		26.15	0
				1	271		26.47	0
				135	0		24.91	1
				135	69		26.24	0
				135	138		25.46	1
				270	0		25.21	1
			16QAM	1	1		25.23	1
			64QAM	1	1		23.70	2.5
			256QAM	1	1		21.66	4.5
		CP	QPSK	1	1		24.64	1.5

[NR TDD Band n48 SRS Conducted Power]

Measured P_{max}

NR TDD Band n48_ 40 MHz Bandwidth Conducted Power_ Antenna: Ant I, SRS2

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]			MPR [dB]
			638000Ch.	641666Ch.	645332Ch.	
			3570 MHz	3624.99 MHz	3679.98 MHz	
40 MHz	30	CW	16.02	16.35	16.24	0

NR TDD Band n48_ 40 MHz Bandwidth Conducted Power_ Antenna: Ant F, SRS2

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]			MPR [dB]
			638000Ch.	641666Ch.	645332Ch.	
			3570 MHz	3624.99 MHz	3679.98 MHz	
40 MHz	30	CW	20.89	21.07	20.55	0

NR TDD Band n48_ 40 MHz Bandwidth Conducted Power_ Antenna: Ant H, SRS2

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]			MPR [dB]
			638000Ch.	641666Ch.	645332Ch.	
			3570 MHz	3624.99 MHz	3679.98 MHz	
40 MHz	30	CW	16.51	16.53	15.81	0

[NR TDD Band n77 (PC2) SRS Conducted Power]

Measured P_{max}

NR TDD Band n77_100 MHz Bandwidth Conducted Power_Antenna: Ant I, SRS2

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]						MPR [dB]
			650000 Ch.				662000 Ch.		
			3750 MHz				3930 MHz		
100 MHz	30	CW	22.31				22.21		0

NR TDD Band n77_100 MHz Bandwidth Conducted Power_Antenna: Ant F, SRS3

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]						MPR [dB]
			650000 Ch.				662000 Ch.		
			3750 MHz				3930 MHz		
100 MHz	30	CW	26.14				25.78		0

NR TDD Band n77_100 MHz Bandwidth Conducted Power_Antenna: Ant H, SRS4

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]						MPR [dB]
			650000 Ch.				662000 Ch.		
			3750 MHz				3930 MHz		
100 MHz	30	CW	21.25				21.18		0

[NR TDD Band n77 (PC2) DoD SRS Conducted Power]

Measured P_{max}

NR TDD Band n77 DoD_ 100 MHz Bandwidth Conducted Power_ Antenna: Ant I, SRS2

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]			MPR [dB]
				633334Ch.		
				3500.01 MHz		
100 MHz	30	CW		20.02		0

NR TDD Band n77 DoD_ 100 MHz Bandwidth Conducted Power_ Antenna: Ant F SRS3

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]			MPR [dB]
				633334Ch.		
				3500.01 MHz		
100 MHz	30	CW		25.52		0

NR TDD Band n77 DoD_ 100 MHz Bandwidth Conducted Power_ Antenna: Ant H, SRS4

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]			MPR [dB]
				633334Ch.		
				3500.01 MHz		
100 MHz	30	CW		21.09		0

[NR TDD Band n78 (PC2) SRS Conducted Power]

Measured P_{max}

NR TDD Band n78_100 MHz Bandwidth Conducted Power_Antenna: Ant I, SRS2

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]	MPR [dB]
			650000Ch.	
			3750 MHz	
100 MHz	30	CW	22.24	0

NR TDD Band n78_100 MHz Bandwidth Conducted Power_Antenna: Ant F, SRS3

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]	MPR [dB]
			650000Ch.	
			3750 MHz	
100 MHz	30	CW	26.18	0

NR TDD Band n78_100 MHz Bandwidth Conducted Power_Antenna: Ant H, SRS4

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]	MPR [dB]
			650000Ch.	
			3750 MHz	
100 MHz	30	CW	21.16	0

[NR TDD Band n78 (PC2) DoD SRS Conducted Power]

Measured P_{max}

NR TDD Band n78_100 MHz Bandwidth Conducted Power_Antenna: Ant I, SRS2

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]	MPR [dB]
			633334Ch.	
			3500.01 MHz	
100 MHz	30	CW	20.01	0

NR TDD Band n78_100 MHz Bandwidth Conducted Power_Antenna: Ant F, SRS3

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]	MPR [dB]
			633334Ch.	
			3500.01 MHz	
100 MHz	30	CW	25.45	0

NR TDD Band n78_100 MHz Bandwidth Conducted Power_Antenna: Ant H, SRS4

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]	MPR [dB]
			633334Ch.	
			3500.01 MHz	
100 MHz	30	CW	21.14	0