



HCT Co., Ltd.

2-6, 73, 74, Seoicheon-ro 578beon-gil, Majang-myeon, Icheon-si, Gyeonggi-do, Republic of Korea
Tel. +82 31 634 6300 Fax. +82 31 645 6401

Appendix A: Test Setup Photo

FCC ID: A3LSMA176U

File No.
HCT-SR-2510-FC003-P

REVISION HISTORY


The revision history for this document is shown in table.

Revision No.	Date of Issue	Description
0	Oct. 24, 2025	Initial Release

File No. HCT-SR-2510-FC003-
P

- DUT Antenna Information


- SAR Test Setup Photo.





Ant	Support Band List	Ant	Support Band List
MAIN1 [Ant A]	TRx GSM TRx : 850/1900 WCDMA TRx : B2/4/5 LTE TRx : B2/4/5/7/12/13/14 /25/26/29(DL Only)/30/38/41/66/71 NR TRx : n2/5/7/25/29/30/41/66/70/71	SUB1 [Ant E]	LB / MB/ HB DRX GSM DRX : 850/1900 WCDMA DRX : B2/4/5 LTE DRX : B2/4/5/7/12/13/14/25/26/ 29/30/38/41/66/71 NR DRX : n2/5/25/29/30/41/66/70/71
MAIN3 [Ant C]	LTE DRX MIMO B2/4/25/66 LTE PRX MIMO 38/41 NR DRX MIMO n2/25/66/70 NR PRX MIMO n41	SUB2 [Ant F]	MB PRX MIMO LTE B2/4/25/66 NR n2/25/66/70 MB upper Tx (for EnDC case) LTE B2/66 NR n2/66 UHB PRX MIMO/SRS LTE B48 NR n48,77,78 Connectivity GPS L1 Bluetooth WiFi 2.4G/5G
		SUB3 [Ant G]	UHB TRx LTE B48 NR n48,77,78
		SUB4 [Ant H]	HB DRX MIMO, UHB DRX MIMO/SRS LTE B38,41 NR n41,48,77,78
		SUB5 [Ant.I]	UHB DRX/SRS NR n48/77/78

1. Head

1.1 Head Left All (SAM Phantom)



1.2 Head Left Cheek / Tilt



1.3 Head Right All (SAM Phantom)




1.4 Head Right Cheek / Tilt




2. Body

2.1 Body All (SAM Phantom)




2.2 Body Rear



Distance of 5 mm from the EUT

2.3 Body Front




Distance of 5 mm from the EUT

2.4 Body Left




Distance of 5 mm from the EUT

2.5 Body Right



Distance of 5 mm from the EUT

2.6 Body Top



Distance of 5 mm from the EUT


2.7 Body Bottom



Distance of 5 mm from the EUT

3. NFC(Phablet SAR)

3.1 NFC All (ELI Phantom)



3.2 NFC Rear



Distance of 0 mm from the EUT

3.3 NFC Front



Distance of 0 mm from the EUT

3.4 NFC Left



Distance of 0 mm from the EUT

3.5 NFC Top



Distance of 0 mm from the EUT

Spacer 5mm