



HCT Co., Ltd.

74, Seoicheon-ro 578beon-gil, Majang-myeon, Icheon-si, Gyeonggi-do, 17383 KOREA
Tel. +82 31 634 6300 Fax. +82 31 645 6401

Appendix A:
Test Setup
Photo

FCC ID: A3LSMA266M

File No.
HCT-SR-2501-FC006-P

REVISION HISTORY

The revision history for this document is shown in table.

Revision No.	Date of Issue	Description
0	Jan. 22, 2025	Initial Release

- DUT Antenna Information


- SAR Test Setup Photo

1. Head


1.1 Head Left All (SAM Phantom)




1.2 Head Left Touch / Tilt



1.3 Head Right All (SAM Phantom)




1.4 Head Right Touch / Tilt



2. Body

2.1 Body All (SAM Phantom)



2.2 Body Rear



Distance of 5 mm from the EUT

2.3 Body Front




Distance of 5 mm from the EUT

2.4 Body Left




Distance of 5 mm from the EUT

2.5 Body Right




Distance of 5 mm from the EUT

2.6 Body Top



Distance of 5 mm from the EUT


2.7 Body Bottom



Distance of 5 mm from the EUT

3. NFC(Phablet SAR)

3.1 NFC All (ELI Phantom)



3.2 NFC Rear



Distance of 0 mm from the EUT

3.3 NFC Front



Distance of 0 mm from the EUT

3.4 NFC Left



Distance of 0 mm from the EUT

3.5 NFC Right



Distance of 0 mm from the EUT

3.6 NFC Top



Distance of 0 mm from the EUT

Spacer 5mm