

**HCT Co., Ltd.**

74, Seoicheon-ro 578beon-gil, Majang-myeon, Icheon-si, Gyeonggi-do, 17383 KOREA
Tel. +82 31 634 6300 Fax. +82 31 645 6401

Appendix A: Test Setup Photo

FCC ID: A3LSMA266U


File No.
HCT-SR-2501-FC005-P

REVISION HISTORY

The revision history for this document is shown in table.

Revision No.	Date of Issue	Description
0	Jan. 15, 2025	Initial Release

- DUT Antenna Information




Ant	Support Band List	Ant	Support Band List
MAIN1 [Ant A]	TX/RX 2G PRX/TT : 850/900 3G PRX/TT : W5/8 LTE PRX/TT : 05/12/13/14/20/26/20/71 NR PRX/TT : N1/2/3/4 LTE PRX : 20 (Tx only) NR PRX : 25 (Tx only)	SUB4 [Ant F]	LTE PRX/MIMO : B2/4/25/66/38/41 NR PRX/MIMO : N2/3/5/66/70/41 VoNR : 40, 81
MAIN2 [Ant B]	TX/RX 2G PRX/TT : 850/900 3G PRX/TT : W5/8 LTE PRX/TT : 01/1/3/4/7/23/50/66/38/39/40/41 NR PRX/TT : N1/2/3/5/66/41 LTE PRX/MIMO : 20, NR PRX/MIMO : N42/77/78 (SRS3)	SUB5 [Ant G]	LTE PRX/MIMO : B2/3/5/66/38/41 NR PRX/MIMO : N2/3/5/66/70/41
SUB1 [Ant C]	2G DRX : 850/900 3G DRX : W5/8 LTE DRX : 05/12/13/14/20/26/20/71 NR DRX : N1/2/3/5/66/41 LTE DRX/MIMO : 20/41 NR DRX/MIMO : N42	SUB6 [Ant H]	LTE DRX : B48 NR DRX : N48/77/78 (SRS2)
SUB2 [Ant D]	TX/RX : 80/66 NR TX : N2/66 LTE DRX : 81/1/3/4/7/23/50/66/38/39/40/41 NR DRX : N2/3/5/66/70/41 GPS	SUB7 [Ant I]	LTE PRX/MIMO : B48 NR PRX/MIMO : N48/77/78 (SRS4)
SUB3 [Ant E]	LTE PRX/TT : B41 NR PRX/TT : N48/77/78 (SRS1) VoNR : 40		



- SAR Test Setup Photo.

1. Head

1.1 Head Left All (SAM Phantom)



1.2 Head Left Touch / Tilt



1.3 Head Right All (SAM Phantom)



1.4 Head Right Touch / Tilt



2. Body

2.1 Body All (SAM Phantom)




2.2 Body Rear



Distance of 5 mm from the EUT

2.3 Body Front



Distance of 5 mm from the EUT

2.4 Body Left




Distance of 5 mm from the EUT

2.5 Body Right



Distance of 5 mm from the EUT

2.6 Body Top



Distance of 5 mm from the EUT

2.7 Body Bottom



Distance of 5 mm from the EUT

3. NFC(Phablet SAR)

3.1 NFC All (ELI Phantom)




3.2 NFC Rear



Distance of 0 mm from the EUT

3.3 NFC Front



Distance of 0 mm from the EUT

3.4 NFC Left



Distance of 0 mm from the EUT

3.5 NFC Right



Distance of 0 mm from the EUT

3.6 NFC Top



Distance of 0 mm from the EUT

3.7 NFC Bottom



Distance of 0 mm from the EUT

Spacer 5mm