Appendix I. –Pmax Conducted Power

The report shall not be (partly) reproduced except in full without approval of the laboratory.

I.1 LTE Pmax Conducted Power
LTE TDD Band 41 Conducted Power_Pmax _ANT.C[MAIN3]

LTE TDD Band 41_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR Allowed Per 3GPP [dB]	MPR [dB]
				39750 Ch. 2506 MHz	40185 Ch. 2549.5 MHz	40620 Ch. 2593 MHz	41055 Ch. 2636.5 MHz	41490 Ch. 2680 MHz		
5 MHz	QPSK	1	0	22.63	22.74	22.69	22.83	22.85	0	0
		1	12	22.63	22.92	22.88	22.76	22.53	0	0
		1	24	22.58	22.79	22.89	22.72	22.55	0	0
		12	0	21.50	21.82	21.74	21.92	21.83	0 - 1	1
		12	6	21.87	21.81	21.54	21.53	21.57	0 - 1	1
		12	11	21.80	21.89	21.91	21.85	21.80	0 - 1	1
		25	0	21.55	21.91	21.97	21.67	21.75	0 - 1	1
	16QAM	1	0	21.72	21.76	21.83	21.75	21.50	0 - 1	1
		1	12	21.69	21.87	21.92	21.72	21.46	0 - 1	1
		1	24	21.58	21.63	21.95	21.52	21.63	0 - 1	1
		12	0	20.54	20.80	20.65	20.71	20.55	0 - 2	2
		12	6	20.70	20.94	20.79	20.62	20.66	0 - 2	2
		12	11	20.55	20.87	20.65	21.06	20.56	0 - 2	2
		25	0	20.70	20.92	20.65	20.51	20.66	0 - 2	2
	64QAM	1	0	20.94	20.87	20.89	20.73	20.76	0 - 2	2
		1	12	21.01	21.00	21.04	20.73	20.71	0 - 2	2
		1	24	20.98	20.81	20.97	20.68	20.70	0 - 2	2
		12	0	19.98	19.78	19.85	19.69	19.80	0 - 3	3
		12	6	19.90	19.82	19.93	19.83	19.66	0 - 3	3
		12	11	19.91	19.83	19.89	19.72	19.75	0 - 3	3
		25	0	19.93	19.79	19.75	19.75	19.62	0 - 3	3
	256QAM	1	0	17.57	17.63	17.82	17.52	17.75	0 - 5	5
		1	12	17.52	17.85	17.91	17.72	17.61	0 - 5	5
		1	24	17.48	17.79	17.75	17.61	17.42	0 - 5	5
		12	0	17.48	17.84	17.79	17.85	17.58	0 - 5	5
		12	6	17.84	17.76	17.67	17.56	17.80	0 - 5	5
		12	11	17.65	17.83	17.78	17.66	17.72	0 - 5	5
		25	0	17.56	17.87	17.73	17.35	17.65	0 - 5	5

The report shall not be (partly) reproduced except in full without approval of the laboratory.

LTE TDD Band 41_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR Allowed Per 3GPP [dB]	MPR [dB]
				39750 Ch. 2506 MHz	40185 Ch. 2549.5 MHz	40620 Ch. 2593 MHz	41055 Ch. 2636.5 MHz	41490 Ch. 2680 MHz		
10 MHz	QPSK	1	0	22.66	22.71	22.70	22.73	22.83	0	0
		1	24	22.65	22.90	22.72	22.69	22.91	0	0
		1	49	22.60	22.87	22.64	22.83	22.78	0	0
		25	0	21.71	21.85	21.69	22.13	21.98	0 - 1	1
		25	12	21.92	21.97	21.79	22.00	22.02	0 - 1	1
		25	24	21.70	21.93	21.66	21.90	21.76	0 - 1	1
		50	0	21.68	21.89	21.71	21.89	21.90	0 - 1	1
	16QAM	1	0	21.55	21.70	21.90	21.88	21.78	0 - 1	1
		1	24	21.67	21.89	21.81	21.60	21.93	0 - 1	1
		1	49	21.77	21.96	21.72	21.93	21.75	0 - 1	1
		25	0	20.76	20.82	20.63	20.86	20.89	0 - 2	2
		25	12	20.75	20.91	21.05	20.85	21.01	0 - 2	2
		25	24	20.52	20.97	20.96	20.90	20.78	0 - 2	2
		50	0	20.66	20.88	20.79	21.03	20.93	0 - 2	2
	64QAM	1	0	20.77	20.83	20.95	20.80	21.10	0 - 2	2
		1	24	20.72	20.99	21.00	20.91	20.87	0 - 2	2
		1	49	20.62	21.08	20.77	20.88	20.90	0 - 2	2
		25	0	19.67	19.81	19.63	19.98	19.88	0 - 3	3
		25	12	19.49	19.93	20.21	19.90	20.05	0 - 3	3
		25	24	19.49	19.89	19.73	19.79	19.70	0 - 3	3
		50	0	19.66	19.96	19.83	20.15	19.96	0 - 3	3
	256QAM	1	0	17.39	17.67	17.91	17.89	17.76	0 - 5	5
		1	24	17.60	17.90	18.03	17.86	17.84	0 - 5	5
		1	49	17.48	17.89	17.80	17.72	17.80	0 - 5	5
		25	0	17.64	17.79	17.76	17.86	17.79	0 - 5	5
		25	12	17.62	17.96	17.89	17.94	17.79	0 - 5	5
		25	24	17.64	17.92	17.86	17.83	17.72	0 - 5	5
		50	0	17.17	17.95	17.68	17.86	17.82	0 - 5	5

The report shall not be (partly) reproduced except in full without approval of the laboratory.

LTE TDD Band 41_15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR Allowed Per 3GPP [dB]	MPR [dB]
				39750 Ch. 2506 MHz	40185 Ch. 2549.5 MHz	40620 Ch. 2593 MHz	41055 Ch. 2636.5 MHz	41490 Ch. 2680 MHz		
15 MHz	QPSK	1	0	22.78	22.60	22.73	22.65	22.64	0	0
		1	36	22.62	22.67	22.98	22.70	22.47	0	0
		1	74	22.77	22.78	22.84	22.75	22.59	0	0
		36	0	21.61	21.68	21.87	21.78	21.62	0 - 1	1
		36	18	21.77	21.75	21.81	21.81	21.59	0 - 1	1
		36	39	21.76	21.82	22.00	21.74	21.38	0 - 1	1
		75	0	21.57	21.85	21.76	21.97	21.59	0 - 1	1
	16QAM	1	0	21.72	21.59	21.91	21.85	21.54	0 - 1	1
		1	36	21.72	21.75	21.98	21.89	21.50	0 - 1	1
		1	74	21.47	21.85	22.07	21.85	21.40	0 - 1	1
		36	0	20.53	20.67	20.95	20.81	20.61	0 - 2	2
		36	18	20.84	20.77	21.04	21.07	20.43	0 - 2	2
		36	39	20.61	20.88	20.72	20.82	20.29	0 - 2	2
		75	0	20.64	20.78	20.96	20.76	20.43	0 - 2	2
	64QAM	1	0	20.73	20.76	20.89	20.77	20.53	0 - 2	2
		1	36	20.76	20.74	21.02	21.15	20.65	0 - 2	2
		1	74	20.71	20.90	21.16	21.04	20.66	0 - 2	2
		36	0	19.67	19.72	20.11	20.05	19.83	0 - 3	3
		36	18	19.86	19.79	19.76	19.80	19.63	0 - 3	3
		36	39	19.82	19.87	19.87	19.83	19.52	0 - 3	3
		75	0	19.71	19.84	19.87	19.99	19.58	0 - 3	3
	256QAM	1	0	17.76	17.59	17.81	17.76	17.53	0 - 5	5
		1	36	17.65	17.70	18.05	17.72	17.20	0 - 5	5
		1	74	17.63	17.80	17.81	17.61	17.47	0 - 5	5
		36	0	17.74	17.66	17.85	17.63	17.71	0 - 5	5
		36	18	17.70	17.85	17.85	17.90	17.51	0 - 5	5
		36	39	17.74	17.81	18.02	17.70	17.51	0 - 5	5
		75	0	17.55	17.77	17.99	17.90	18.17	0 - 5	5

The report shall not be (partly) reproduced except in full without approval of the laboratory.

LTE TDD Band 41_20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR Allowed Per 3GPP [dB]	MPR [dB]
				39750 Ch. 2506 MHz	40185 Ch. 2549.5 MHz	40620 Ch. 2593 MHz	41055 Ch. 2636.5 MHz	41490 Ch. 2680 MHz		
20 MHz	QPSK	1	0	22.51	22.58	22.67	22.68	22.77	0	0
		1	49	22.97	22.71	22.71	22.90	22.79	0	0
		1	99	22.94	22.77	22.66	22.48	22.55	0	0
		50	0	22.04	21.77	21.58	21.94	21.62	0 - 1	1
		50	25	21.65	21.85	21.60	21.76	21.79	0 - 1	1
		50	49	21.58	21.87	21.44	21.85	21.60	0 - 1	1
		100	0	22.07	21.86	21.77	21.67	21.58	0 - 1	1
	16QAM	1	0	21.94	21.85	21.51	21.84	21.79	0 - 1	1
		1	49	21.96	22.06	21.53	21.72	21.59	0 - 1	1
		1	99	21.94	21.86	21.55	21.61	21.63	0 - 1	1
		50	0	21.07	20.80	20.75	20.35	20.77	0 - 2	2
		50	25	21.09	20.92	20.69	20.61	20.53	0 - 2	2
		50	49	20.88	20.92	20.72	20.52	20.42	0 - 2	2
		100	0	21.22	20.91	20.65	20.46	20.72	0 - 2	2
	64QAM	1	0	20.99	20.79	20.83	20.74	20.77	0 - 2	2
		1	49	21.13	20.88	20.88	20.80	20.52	0 - 2	2
		1	99	20.78	21.01	20.77	20.99	20.49	0 - 2	2
		50	0	19.95	19.75	19.66	19.86	19.62	0 - 3	3
		50	25	20.00	19.97	19.52	19.97	19.64	0 - 3	3
		50	49	20.46	19.94	19.70	19.76	19.52	0 - 3	3
		100	0	20.02	19.87	19.61	19.81	19.76	0 - 3	3
	256QAM	1	0	18.04	17.62	17.65	17.67	17.77	0 - 5	5
		1	49	18.04	17.88	17.73	17.97	17.58	0 - 5	5
		1	99	17.90	17.97	17.56	17.75	17.60	0 - 5	5
		50	0	17.95	17.81	17.70	17.75	17.61	0 - 5	5
		50	25	17.90	17.92	17.74	17.68	17.56	0 - 5	5
		50	49	17.90	17.96	17.82	17.58	17.39	0 - 5	5
		100	0	18.16	17.88	17.77	17.73	17.59	0 - 5	5

The report shall not be (partly) reproduced except in full without approval of the laboratory.

LTE FDD Band 4 Conducted Power_Pmax _ANT.F[SUB2-2]

LTE FDD Band 4_1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				19957 Ch. 1710.7 MHz	20175 Ch. 1732.5 MHz	20393 Ch. 1754.3 MHz		
1.4 MHz	QPSK	1	0	23.01	23.18	23.03	0	0
		1	3	22.96	23.20	23.13	0	0
		1	5	22.96	23.03	23.07	0	0
		3	0	22.87	23.15	23.14	0 - 1	0
		3	1	22.96	23.26	23.14	0 - 1	0
		3	3	22.87	23.11	23.16	0 - 1	0
		6	0	21.96	22.12	22.11	0 - 1	1
	16QAM	1	0	22.12	22.16	22.34	0 - 1	1
		1	3	22.27	22.30	22.33	0 - 1	1
		1	5	22.10	22.31	22.29	0 - 1	1
		3	0	22.06	22.31	22.13	0 - 2	1
		3	1	21.98	22.38	22.21	0 - 2	1
		3	3	22.10	22.32	22.26	0 - 2	1
		6	0	20.94	21.06	21.18	0 - 2	2
	64QAM	1	0	21.91	21.16	21.25	0 - 2	2
		1	3	22.01	21.29	21.20	0 - 2	2
		1	5	21.86	21.25	21.26	0 - 2	2
		3	0	21.94	21.25	21.18	0 - 3	2
		3	1	21.95	21.16	21.13	0 - 3	2
		3	3	21.98	21.15	21.18	0 - 3	2
		6	0	20.90	20.17	20.10	0 - 3	3
	256QAM	1	0	18.12	18.09	18.03	0 - 5	5
		1	3	18.06	18.18	18.08	0 - 5	5
		1	5	17.97	18.28	18.25	0 - 5	5
		3	0	18.01	18.04	18.12	0 - 5	5
		3	1	18.05	18.04	18.10	0 - 5	5
		3	3	17.96	18.14	18.14	0 - 5	5
		6	0	17.96	18.15	18.09	0 - 5	5

The report shall not be (partly) reproduced except in full without approval of the laboratory.

LTE FDD Band 4_3 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				19965 Ch. 1711.5 ㎒	20175 Ch. 1732.5 ㎒	20385 Ch. 1753.5 ㎒		
3 ㎒	QPSK	1	0	22.77	22.96	23.02	0	0
		1	7	22.99	23.04	23.12	0	0
		1	14	22.91	22.98	23.07	0	0
		8	0	21.94	22.04	21.99	0 - 1	1
		8	3	22.00	22.10	22.06	0 - 1	1
		8	7	22.04	22.16	22.09	0 - 1	1
		15	0	22.00	22.06	21.94	0 - 1	1
	16QAM	1	0	22.16	22.22	22.29	0 - 1	1
		1	7	22.11	22.40	22.32	0 - 1	1
		1	14	22.20	22.34	22.26	0 - 1	1
		8	0	21.05	21.05	21.05	0 - 2	2
		8	3	20.99	21.10	21.06	0 - 2	2
		8	7	21.01	21.21	21.20	0 - 2	2
		15	0	20.96	21.12	21.05	0 - 2	2
	64QAM	1	0	20.99	21.21	21.15	0 - 2	2
		1	7	21.13	21.52	21.19	0 - 2	2
		1	14	21.06	21.19	21.37	0 - 2	2
		8	0	19.97	20.07	20.07	0 - 3	3
		8	3	20.03	20.07	20.11	0 - 3	3
		8	7	19.96	20.18	20.14	0 - 3	3
		15	0	19.99	20.02	20.01	0 - 3	3
	256QAM	1	0	17.91	18.01	18.05	0 - 5	5
		1	7	18.08	18.21	18.20	0 - 5	5
		1	14	17.99	18.22	18.21	0 - 5	5
		8	0	18.01	18.05	18.07	0 - 5	5
		8	3	18.03	18.06	18.10	0 - 5	5
		8	7	17.97	18.22	18.12	0 - 5	5
		15	0	17.92	18.06	18.11	0 - 5	5

The report shall not be (partly) reproduced except in full without approval of the laboratory.

LTE FDD Band 4_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				19975 Ch. 1712.5 MHz	20175 Ch. 1732.5 MHz	20375 Ch. 1752.5 MHz		
5 MHz	QPSK	1	0	22.92	22.98	23.03	0	0
		1	12	23.04	23.16	23.11	0	0
		1	24	23.02	23.13	23.22	0	0
		12	0	21.90	22.03	21.99	0 - 1	1
		12	6	22.02	22.09	22.10	0 - 1	1
		12	11	22.01	22.13	22.11	0 - 1	1
		25	0	21.97	22.04	22.10	0 - 1	1
	16QAM	1	0	22.13	22.23	22.17	0 - 1	1
		1	12	22.18	22.41	22.31	0 - 1	1
		1	24	22.33	22.39	22.30	0 - 1	1
		12	0	20.92	21.11	21.02	0 - 2	2
		12	6	21.03	21.15	21.18	0 - 2	2
		12	11	21.00	21.19	21.11	0 - 2	2
		25	0	21.00	20.99	21.10	0 - 2	2
	64QAM	1	0	21.08	21.28	21.18	0 - 2	2
		1	12	21.12	21.42	21.29	0 - 2	2
		1	24	21.13	21.19	21.05	0 - 2	2
		12	0	19.84	19.96	20.10	0 - 3	3
		12	6	20.23	20.08	20.15	0 - 3	3
		12	11	19.97	20.22	20.15	0 - 3	3
		25	0	19.96	19.99	20.13	0 - 3	3
	256QAM	1	0	18.00	18.02	18.21	0 - 5	5
		1	12	18.02	18.23	18.19	0 - 5	5
		1	24	18.11	18.21	18.12	0 - 5	5
		12	0	17.91	18.02	18.06	0 - 5	5
		12	6	18.04	18.12	18.20	0 - 5	5
		12	11	18.07	18.17	18.21	0 - 5	5
		25	0	18.06	18.05	18.10	0 - 5	5

The report shall not be (partly) reproduced except in full without approval of the laboratory.

LTE FDD Band 4_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20000 Ch. 1715 MHz	20175 Ch. 1732.5 MHz	20350 Ch. 1750 MHz		
10 MHz	QPSK	1	0	22.85	23.00	23.10	0	0
		1	24	22.97	23.23	23.15	0	0
		1	49	23.01	23.04	23.18	0	0
		25	0	21.92	22.03	22.06	0 - 1	1
		25	12	22.06	22.12	22.03	0 - 1	1
		25	24	22.03	22.14	22.10	0 - 1	1
		50	0	22.06	22.07	22.03	0 - 1	1
	16QAM	1	0	21.98	22.24	22.25	0 - 1	1
		1	24	22.42	22.43	22.29	0 - 1	1
		1	49	22.24	22.24	22.39	0 - 1	1
		25	0	20.94	21.05	21.02	0 - 2	2
		25	12	20.98	21.12	21.12	0 - 2	2
		25	24	21.02	21.15	21.13	0 - 2	2
		50	0	21.04	21.03	21.04	0 - 2	2
	64QAM	1	0	21.03	21.29	21.10	0 - 2	2
		1	24	21.11	21.46	21.35	0 - 2	2
		1	49	21.16	21.28	21.20	0 - 2	2
		25	0	19.87	20.05	20.02	0 - 3	3
		25	12	20.08	20.09	20.07	0 - 3	3
		25	24	20.04	20.18	20.16	0 - 3	3
		50	0	20.01	20.09	20.06	0 - 3	3
	256QAM	1	0	17.78	17.97	18.07	0 - 5	5
		1	24	18.12	18.22	18.27	0 - 5	5
		1	49	18.09	18.38	18.15	0 - 5	5
		25	0	17.87	18.03	18.01	0 - 5	5
		25	12	18.08	18.05	18.12	0 - 5	5
		25	24	18.05	18.15	18.12	0 - 5	5
		50	0	18.03	18.01	18.01	0 - 5	5

The report shall not be (partly) reproduced except in full without approval of the laboratory.

LTE FDD Band 4_15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20025 Ch. 1717.5 MHz	20175 Ch. 1732.5 MHz	20325 Ch. 1747.5 MHz		
15 MHz	QPSK	1	0	22.63	22.93	22.93	0	0
		1	36	22.91	23.03	23.04	0	0
		1	74	22.95	23.11	23.08	0	0
		36	0	21.82	21.88	21.93	0 - 1	1
		36	18	21.88	21.89	21.94	0 - 1	1
		36	39	21.92	22.04	22.02	0 - 1	1
		75	0	21.96	21.89	22.02	0 - 1	1
	16QAM	1	0	22.00	21.95	22.23	0 - 1	1
		1	36	21.89	22.05	22.14	0 - 1	1
		1	74	22.17	22.19	22.35	0 - 1	1
		36	0	20.76	20.77	20.91	0 - 2	2
		36	18	20.93	20.88	21.02	0 - 2	2
		36	39	20.90	21.05	21.03	0 - 2	2
		75	0	20.85	20.95	21.02	0 - 2	2
	64QAM	1	0	21.01	20.97	20.82	0 - 2	2
		1	36	20.71	21.21	21.16	0 - 2	2
		1	74	20.87	21.09	21.18	0 - 2	2
		36	0	19.83	19.92	19.92	0 - 3	3
		36	18	19.85	19.87	19.96	0 - 3	3
		36	39	19.92	19.99	19.95	0 - 3	3
		75	0	19.89	19.81	19.97	0 - 3	3
	256QAM	1	0	17.87	18.07	18.09	0 - 5	5
		1	36	17.98	18.04	17.88	0 - 5	5
		1	74	18.18	17.96	18.20	0 - 5	5
		36	0	17.82	17.86	17.86	0 - 5	5
		36	18	17.88	17.88	17.96	0 - 5	5
		36	39	17.92	18.03	18.00	0 - 5	5
		75	0	17.89	17.94	17.95	0 - 5	5

The report shall not be (partly) reproduced except in full without approval of the laboratory.

LTE FDD Band 4_20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20050 Ch. 1720 MHz	20175 Ch. 1732.5 MHz	20300 Ch. 1745 MHz		
20 MHz	QPSK	1	0	22.83	22.85	23.18	0	0
		1	49	22.92	23.10	22.94	0	0
		1	99	22.89	23.05	23.05	0	0
		50	0	21.67	21.91	21.93	0 - 1	1
		50	25	21.91	21.92	22.00	0 - 1	1
		50	49	21.95	22.04	21.99	0 - 1	1
		100	0	21.91	21.89	22.00	0 - 1	1
	16QAM	1	0	21.83	21.99	22.11	0 - 1	1
		1	49	21.99	22.15	22.31	0 - 1	1
		1	99	22.22	22.09	22.20	0 - 1	1
		50	0	20.74	20.90	20.89	0 - 2	2
		50	25	20.91	20.90	21.02	0 - 2	2
		50	49	20.97	21.01	20.99	0 - 2	2
		100	0	20.92	20.93	20.94	0 - 2	2
	64QAM	1	0	20.92	20.90	21.23	0 - 2	2
		1	49	20.92	21.02	21.22	0 - 2	2
		1	99	21.04	21.07	21.14	0 - 2	2
		50	0	19.81	19.87	19.82	0 - 3	3
		50	25	19.93	19.93	19.96	0 - 3	3
		50	49	19.88	20.06	19.90	0 - 3	3
		100	0	19.87	19.93	19.94	0 - 3	3
	256QAM	1	0	17.86	17.99	17.98	0 - 5	5
		1	49	18.05	18.03	17.95	0 - 5	5
		1	99	18.08	18.17	18.07	0 - 5	5
		50	0	17.82	17.85	17.88	0 - 5	5
		50	25	17.95	17.91	18.00	0 - 5	5
		50	49	17.98	17.99	17.98	0 - 5	5
		100	0	17.90	17.90	17.98	0 - 5	5

The report shall not be (partly) reproduced except in full without approval of the laboratory.

LTE FDD Band 66 Conducted Power_Pmax _ANT.F[SUB2-2]

LTE FDD Band 66_1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				131979 Ch. 1710.7 MHz	132322 Ch. 1745 MHz	132665 Ch. 1779.3 MHz		
1.4 MHz	QPSK	1	0	23.40	23.42	23.24	0	0
		1	3	23.43	23.43	23.10	0	0
		1	5	23.27	23.38	23.08	0	0
		3	0	23.36	23.42	23.11	0 - 1	0
		3	1	23.44	23.40	23.17	0 - 1	0
		3	3	23.37	23.47	23.19	0 - 1	0
		6	0	22.37	22.45	22.12	0 - 1	1
	16QAM	1	0	22.66	22.49	22.29	0 - 1	1
		1	3	22.55	22.72	22.55	0 - 1	1
		1	5	22.59	22.57	22.45	0 - 1	1
		3	0	22.55	22.57	22.23	0 - 2	1
		3	1	22.52	22.51	22.22	0 - 2	1
		3	3	22.64	22.62	22.27	0 - 2	1
		6	0	21.39	21.50	21.23	0 - 2	2
	64QAM	1	0	21.45	21.46	21.31	0 - 2	2
		1	3	21.77	21.58	21.41	0 - 2	2
		1	5	21.58	21.58	21.14	0 - 2	2
		3	0	21.49	21.49	21.18	0 - 3	2
		3	1	21.39	21.47	21.21	0 - 3	2
		3	3	21.52	21.60	21.25	0 - 3	2
		6	0	20.38	20.48	20.12	0 - 3	3
	256QAM	1	0	18.41	18.34	18.25	0 - 5	5
		1	3	18.36	18.58	18.18	0 - 5	5
		1	5	18.51	18.55	18.17	0 - 5	5
		3	0	18.32	18.43	18.25	0 - 5	5
		3	1	18.29	18.36	18.16	0 - 5	5
		3	3	18.31	18.44	18.19	0 - 5	5
		6	0	18.29	18.43	18.19	0 - 5	5

The report shall not be (partly) reproduced except in full without approval of the laboratory.

LTE FDD Band 66_3 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				131987 Ch. 1711.5 MHz	132322 Ch. 1745 MHz	132657 Ch. 1778.5 MHz		
3 MHz	QPSK	1	0	23.31	23.27	23.23	0	0
		1	7	23.35	23.48	23.16	0	0
		1	14	23.30	23.27	23.11	0	0
		8	0	22.43	22.33	22.22	0 - 1	1
		8	3	22.43	22.51	22.27	0 - 1	1
		8	7	22.33	22.37	22.22	0 - 1	1
		15	0	22.41	22.39	22.18	0 - 1	1
	16QAM	1	0	22.48	22.46	22.55	0 - 1	1
		1	7	22.64	22.76	22.48	0 - 1	1
		1	14	22.49	22.47	22.39	0 - 1	1
		8	0	21.49	21.33	21.33	0 - 2	2
		8	3	21.51	21.51	21.30	0 - 2	2
		8	7	21.38	21.43	21.30	0 - 2	2
		15	0	21.40	21.39	21.21	0 - 2	2
	64QAM	1	0	21.41	21.48	21.24	0 - 2	2
		1	7	21.67	21.59	21.49	0 - 2	2
		1	14	21.44	21.59	21.26	0 - 2	2
		8	0	20.44	20.32	20.29	0 - 3	3
		8	3	20.49	20.43	20.33	0 - 3	3
		8	7	20.43	20.43	20.24	0 - 3	3
		15	0	20.45	20.37	20.24	0 - 3	3
	256QAM	1	0	18.24	18.31	18.12	0 - 5	5
		1	7	18.56	18.46	18.41	0 - 5	5
		1	14	18.27	18.34	18.29	0 - 5	5
		8	0	18.29	18.30	18.22	0 - 5	5
		8	3	18.47	18.41	18.27	0 - 5	5
		8	7	18.44	18.38	18.22	0 - 5	5
		15	0	18.36	18.27	18.22	0 - 5	5

The report shall not be (partly) reproduced except in full without approval of the laboratory.

LTE FDD Band 66_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				131997 Ch. 1712.5 MHz	132322 Ch. 1745 MHz	132647 Ch. 1777.5 MHz		
5 MHz	QPSK	1	0	23.42	23.29	23.14	0	0
		1	12	23.36	23.49	23.27	0	0
		1	24	23.30	23.28	23.11	0	0
		12	0	22.39	22.33	22.14	0 - 1	1
		12	6	22.40	22.41	22.26	0 - 1	1
		12	11	22.42	22.30	22.21	0 - 1	1
		25	0	22.36	22.25	22.17	0 - 1	1
	16QAM	1	0	22.65	22.42	22.47	0 - 1	1
		1	12	22.61	22.72	22.52	0 - 1	1
		1	24	22.52	22.43	22.23	0 - 1	1
		12	0	21.42	21.34	21.27	0 - 2	2
		12	6	21.42	21.36	21.33	0 - 2	2
		12	11	21.44	21.42	21.31	0 - 2	2
		25	0	21.36	21.33	21.22	0 - 2	2
	64QAM	1	0	21.48	21.46	21.29	0 - 2	2
		1	12	21.50	21.63	21.39	0 - 2	2
		1	24	21.65	21.42	21.26	0 - 2	2
		12	0	20.41	20.34	20.16	0 - 3	3
		12	6	20.42	20.37	20.25	0 - 3	3
		12	11	20.39	20.44	20.25	0 - 3	3
		25	0	20.37	20.31	20.22	0 - 3	3
	256QAM	1	0	18.31	18.49	18.11	0 - 5	5
		1	12	18.46	18.45	18.26	0 - 5	5
		1	24	18.44	18.38	18.25	0 - 5	5
		12	0	18.40	18.25	18.20	0 - 5	5
		12	6	18.43	18.34	18.29	0 - 5	5
		12	11	18.41	18.34	18.23	0 - 5	5
		25	0	18.37	18.33	18.12	0 - 5	5

The report shall not be (partly) reproduced except in full without approval of the laboratory.

LTE FDD Band 66_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				132022 Ch. 1715 MHz	132322 Ch. 1745 MHz	132622 Ch. 1775 MHz		
10 MHz	QPSK	1	0	23.17	23.35	23.17	0	0
		1	24	23.37	23.44	23.17	0	0
		1	49	23.32	23.40	23.24	0	0
		25	0	22.36	22.31	22.16	0 - 1	1
		25	12	22.42	22.36	22.26	0 - 1	1
		25	24	22.40	22.32	22.16	0 - 1	1
		50	0	22.37	22.35	22.21	0 - 1	1
	16QAM	1	0	22.77	22.58	22.43	0 - 1	1
		1	24	22.75	22.50	22.39	0 - 1	1
		1	49	22.56	22.52	22.40	0 - 1	1
		25	0	21.39	21.34	21.18	0 - 2	2
		25	12	21.36	21.37	21.23	0 - 2	2
		25	24	21.42	21.36	21.19	0 - 2	2
		50	0	21.44	21.38	21.25	0 - 2	2
	64QAM	1	0	21.33	21.53	21.27	0 - 2	2
		1	24	21.71	21.63	21.35	0 - 2	2
		1	49	21.32	21.52	21.24	0 - 2	2
		25	0	20.39	20.32	20.17	0 - 3	3
		25	12	20.33	20.31	20.22	0 - 3	3
		25	24	20.43	20.40	20.16	0 - 3	3
		50	0	20.38	20.34	20.23	0 - 3	3
	256QAM	1	0	18.34	18.28	18.21	0 - 5	5
		1	24	18.55	18.58	18.26	0 - 5	5
		1	49	18.50	18.49	18.29	0 - 5	5
		25	0	18.34	18.34	18.17	0 - 5	5
		25	12	18.38	18.37	18.22	0 - 5	5
		25	24	18.43	18.35	18.23	0 - 5	5
		50	0	18.36	18.37	18.21	0 - 5	5

The report shall not be (partly) reproduced except in full without approval of the laboratory.

LTE FDD Band 66_15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				132047 Ch. 1717.5 MHz	132322 Ch. 1745 MHz	132597 Ch. 1772.5 MHz		
15 MHz	QPSK	1	0	23.14	23.16	23.02	0	0
		1	36	23.25	23.20	23.06	0	0
		1	74	23.37	23.33	23.04	0	0
		36	0	22.13	22.13	22.02	0 - 1	1
		36	18	22.23	22.17	22.08	0 - 1	1
		36	39	22.28	22.26	22.02	0 - 1	1
		75	0	22.29	22.22	22.08	0 - 1	1
	16QAM	1	0	22.23	22.27	22.04	0 - 1	1
		1	36	22.54	22.47	22.33	0 - 1	1
		1	74	22.63	22.31	22.01	0 - 1	1
		36	0	21.17	21.14	21.04	0 - 2	2
		36	18	21.31	21.21	21.06	0 - 2	2
		36	39	21.26	21.24	21.02	0 - 2	2
		75	0	21.25	21.19	21.04	0 - 2	2
	64QAM	1	0	21.21	21.39	21.22	0 - 2	2
		1	36	21.43	21.36	21.18	0 - 2	2
		1	74	21.42	21.10	21.09	0 - 2	2
		36	0	20.18	20.20	20.02	0 - 3	3
		36	18	20.24	20.21	20.02	0 - 3	3
		36	39	20.32	20.20	20.08	0 - 3	3
		75	0	20.26	20.15	20.08	0 - 3	3
	256QAM	1	0	18.07	18.16	18.14	0 - 5	5
		1	36	18.41	18.29	18.08	0 - 5	5
		1	74	18.33	18.11	18.17	0 - 5	5
		36	0	18.04	18.15	18.09	0 - 5	5
		36	18	18.31	18.25	18.06	0 - 5	5
		36	39	18.24	18.20	18.10	0 - 5	5
		75	0	18.29	18.16	18.18	0 - 5	5

The report shall not be (partly) reproduced except in full without approval of the laboratory.

LTE FDD Band 66_20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				132072 Ch. 1720 MHz	132322 Ch. 1745 MHz	132572 Ch. 1770 MHz		
20 MHz	QPSK	1	0	23.17	23.36	23.29	0	0
		1	49	23.29	23.24	23.09	0	0
		1	99	23.21	23.30	23.03	0	0
		50	0	22.12	22.18	22.04	0 - 1	1
		50	25	22.26	22.25	22.09	0 - 1	1
		50	49	22.32	22.22	22.05	0 - 1	1
		100	0	22.27	22.22	22.05	0 - 1	1
	16QAM	1	0	22.31	22.34	22.40	0 - 1	1
		1	49	22.45	22.55	22.20	0 - 1	1
		1	99	22.20	22.29	22.21	0 - 1	1
		50	0	21.14	21.16	21.05	0 - 2	2
		50	25	21.28	21.19	21.01	0 - 2	2
		50	49	21.34	21.19	21.11	0 - 2	2
		100	0	21.30	21.26	21.06	0 - 2	2
	64QAM	1	0	21.24	21.39	21.25	0 - 2	2
		1	49	21.34	21.32	21.12	0 - 2	2
		1	99	21.43	21.32	21.36	0 - 2	2
		50	0	20.11	20.10	20.05	0 - 3	3
		50	25	20.25	20.14	20.13	0 - 3	3
		50	49	20.20	20.21	20.19	0 - 3	3
		100	0	20.27	20.21	20.08	0 - 3	3
	256QAM	1	0	18.20	18.23	18.24	0 - 5	5
		1	49	18.40	18.19	18.09	0 - 5	5
		1	99	18.49	18.14	18.08	0 - 5	5
		50	0	18.13	18.24	18.02	0 - 5	5
		50	25	18.24	18.19	18.09	0 - 5	5
		50	49	18.30	18.19	18.26	0 - 5	5
		100	0	18.25	18.16	18.09	0 - 5	5

The report shall not be (partly) reproduced except in full without approval of the laboratory.

I.2 NR Pmax Conducted Power
NR FDD Band n66 Conducted Power_Pmax _ANT.F[SUB2-2]

NR FDD Band n66_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						342500 Ch. 1712.5 MHz	349000 Ch. 1745 MHz	355500 Ch. 1777.5 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1	23.18	24.06	24.59	0
				1	13	23.33	24.21	24.78	0
				1	23	23.44	24.18	24.74	0
				12	0	22.86	23.66	24.14	0.5
				12	7	23.33	24.20	24.74	0
				12	13	22.96	23.70	24.21	0.5
				25	0	22.87	23.66	24.27	0.5
			QPSK	1	1	23.34	24.04	24.58	0
				1	13	23.33	24.24	24.81	0
				1	23	23.40	24.19	24.73	0
				12	0	22.41	23.17	23.59	1
				12	7	23.40	24.21	24.69	0
				12	13	22.47	23.22	23.77	1
				25	0	22.43	23.18	23.62	1
			16QAM	1	1	22.39	23.08	23.63	1
			64QAM	1	1	20.94	21.77	22.27	2.5
			256QAM	1	1	18.58	19.16	19.63	4.5
		CP	QPSK	1	1	21.82	22.66	23.29	1.5

NR FDD Band n66_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						343000 Ch. 1715 MHz	349000 Ch. 1745 MHz	355000 Ch. 1775 MHz	
10 MHz	15	DFT-s	pi/2 BPSK	1	1	23.29	24.00	24.63	0
				1	26	23.42	24.20	24.66	0
				1	50	23.52	24.23	24.61	0
				25	0	22.93	23.63	24.22	0.5
				25	14	23.49	24.18	24.74	0
				25	27	23.05	23.67	24.22	0.5
				50	0	22.97	23.69	24.19	0.5
			QPSK	1	1	23.41	24.11	24.54	0
				1	26	23.40	24.24	24.78	0
				1	50	23.62	24.25	24.73	0
				25	0	22.44	23.16	23.60	1
				25	14	23.48	24.15	24.64	0
				25	27	22.52	23.24	23.73	1
				50	0	22.49	23.18	23.60	1
			16QAM	1	1	22.42	23.03	23.59	1
			64QAM	1	1	21.01	21.63	22.31	2.5
			256QAM	1	1	18.56	18.97	19.63	4.5
		CP	QPSK	1	1	21.82	22.58	23.20	1.5

The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR FDD Band n66_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						343500 Ch. 1717.5 MHz	349000 Ch. 1745 MHz	354500 Ch. 1772.5 MHz	
15 MHz	15	DFT-s	pi/2 BPSK	1	1	23.48	24.18	24.49	0
				1	40	23.52	24.23	24.61	0
				1	77	23.76	24.47	24.73	0
				36	0	22.98	23.72	24.05	0.5
				36	22	23.59	24.27	24.58	0
				36	43	23.18	23.89	24.24	0.5
				75	0	23.15	23.81	24.07	0.5
			QPSK	1	1	23.47	24.10	24.50	0
				1	40	23.53	24.26	24.58	0
				1	77	23.79	24.43	24.76	0
				36	0	22.50	23.28	23.58	1
				36	22	23.62	24.32	24.59	0
				36	43	22.75	23.42	23.67	1
				75	0	22.59	23.30	23.65	1
			16QAM	1	1	22.48	23.19	23.56	1
			64QAM	1	1	21.07	21.83	22.19	2.5
			256QAM	1	1	18.58	19.12	19.44	4.5
		CP	QPSK	1	1	21.89	22.85	23.29	1.5

NR FDD Band n66_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						344000 Ch. 1720 MHz	349000 Ch. 1745 MHz	354000 Ch. 1770 MHz	
20 MHz	15	DFT-s	pi/2 BPSK	1	1	23.28	24.02	24.42	0
				1	53	23.67	24.22	24.55	0
				1	104	23.91	24.40	24.67	0
				50	0	22.97	23.66	24.09	0.5
				50	28	23.69	24.24	24.58	0
				50	56	23.30	23.95	24.12	0.5
				100	0	23.06	23.72	24.05	0.5
			QPSK	1	1	23.45	24.00	24.43	0
				1	53	23.63	24.27	24.52	0
				1	104	23.95	24.41	24.77	0
				50	0	22.44	23.18	23.54	1
				50	28	23.58	24.26	24.61	0
				50	56	22.85	23.45	23.66	1
				100	0	22.56	23.25	23.61	1
			16QAM	1	1	22.45	23.00	23.55	1
			64QAM	1	1	21.02	21.66	22.19	2.5
			256QAM	1	1	18.56	19.10	19.48	4.5
		CP	QPSK	1	1	21.93	22.76	23.15	1.5

The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR FDD Band n66_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						344500 Ch. 1722.5 MHz	349000 Ch. 1745 MHz	353500 Ch. 1767.5 MHz	
25 MHz	15	DFT-s	pi/2 BPSK	1	1	23.23	24.02	24.55	0
				1	66	23.59	24.22	24.67	0
				1	131	24.07	24.62	24.84	0
				64	0	22.95	23.67	24.05	0.5
				64	35	23.73	24.25	24.65	0
				64	69	23.39	23.95	24.32	0.5
				128	0	23.16	23.76	24.17	0.5
			QPSK	1	1	23.44	24.03	24.51	0
				1	66	23.61	24.30	24.66	0
				1	131	24.12	24.63	24.98	0
				64	0	22.49	23.10	23.59	1
				64	35	23.67	24.26	24.67	0
				64	69	22.91	23.47	23.82	1
				128	0	22.65	23.22	23.63	1
			16QAM	1	1	22.40	22.98	23.51	1
			64QAM	1	1	21.04	21.60	22.16	2.5
			256QAM	1	1	18.54	18.91	19.48	4.5
		CP	QPSK	1	1	21.96	22.61	23.06	1.5

NR FDD Band n66_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							349000 Ch. 1745 MHz		
30 MHz	15	DFT-s	pi/2 BPSK	1	1		24.49		0
				1	80		24.30		0
				1	158		24.44		0
				80	0		23.57		0.5
				80	40		24.31		0
				80	80		23.93		0.5
				160	0		23.82		0.5
			QPSK	1	1		23.90		0
				1	80		24.24		0
				1	158		24.41		0
				80	0		23.09		1
				80	40		24.21		0
				80	80		23.46		1
				160	0		23.22		1
			16QAM	1	1		22.97		1
			64QAM	1	1		21.56		2.5
			256QAM	1	1		18.94		4.5
		CP	QPSK	1	1		22.58		1.5

The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR FDD Band n66_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							349000 Ch. 1745 MHz		
40 MHz	15	DFT-s	pi/2 BPSK	1	1		23.71		0
				1	108		24.36		0
				1	214		24.58		0
				108	0		23.57		0.5
				108	54		24.23		0
				108	108		23.97		0.5
				216	0		23.67		0.5
			QPSK	1	1		23.76		0
				1	108		24.26		0
				1	214		24.63		0
				108	0		23.02		1
				108	54		24.26		0
				108	108		23.49		1
				216	0		23.21		1
			16QAM	1	1		22.69		1
			64QAM	1	1		21.32		2.5
			256QAM	1	1		18.74		4.5
		CP	QPSK	1	1		22.25		1.5

The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR TDD Band n77 Conducted Power (Power Class 3)_Pmax_ANT.G[SUB3]

NR TDD Band n77_10 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						647000 Ch. 3705 MHz	650600 Ch. 3759 MHz	654200 Ch. 3813 MHz	657800 Ch. 3867 MHz	661400 Ch. 3921 MHz	665000 Ch. 3975 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	22.89	22.67	22.72	22.65	22.75	22.85	0
				1	12	22.97	22.72	22.78	22.71	22.85	22.89	0
				1	22	22.89	22.76	22.75	22.70	22.80	22.97	0
				12	0	22.43	22.27	22.29	22.23	22.32	22.49	0.5
				12	6	22.93	22.78	22.78	22.72	22.86	22.99	0
				12	12	22.47	22.27	22.37	22.23	22.34	22.49	0.5
				24	0	22.43	22.25	22.40	22.22	22.33	22.49	0.5
			QPSK	1	1	22.84	22.66	22.71	22.65	22.78	22.86	0
				1	12	22.91	22.73	22.76	22.73	22.81	22.90	0
				1	22	22.88	22.76	22.79	22.66	22.76	22.95	0
				12	0	21.90	21.81	21.79	21.73	21.84	21.98	1
				12	6	22.95	22.77	22.79	22.74	22.85	22.98	0
				12	12	21.95	21.78	21.88	21.73	21.82	21.99	1
				24	0	21.96	21.78	21.89	21.73	21.82	22.02	1
			16QAM	1	1	21.89	21.54	21.50	21.41	21.84	21.70	1
			64QAM	1	1	20.41	20.31	20.27	20.14	20.36	20.39	2.5
			256QAM	1	1	17.85	17.76	17.81	17.69	17.81	17.90	4.5
		CP	QPSK	1	1	21.48	21.35	21.40	21.29	21.43	21.52	1.5

NR TDD Band n77_15 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						647168 Ch. 3707.52 MHz	650700 Ch. 3760.5 MHz	654232 Ch. 3813.49 MHz	657766 Ch. 3866.5 MHz	661300 Ch. 3919.5 MHz	664832 Ch. 3972.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	23.03	22.96	23.03	22.82	22.85	23.17	0
				1	18	23.03	22.99	23.04	22.83	22.89	23.02	0
				1	36	23.10	22.97	23.02	22.87	23.00	23.11	0
				18	0	22.63	22.53	22.54	22.38	22.43	22.60	0.5
				18	9	23.10	23.05	23.04	22.87	22.98	23.10	0
				18	18	22.63	22.54	22.54	22.38	22.46	22.59	0.5
				36	0	22.62	22.56	22.53	22.37	22.44	22.58	0.5
			QPSK	1	1	23.06	23.00	23.00	22.82	22.91	23.15	0
				1	18	23.04	22.98	22.95	22.83	22.93	23.03	0
				1	36	23.08	23.02	23.02	22.86	22.97	23.10	0
				18	0	22.13	22.03	22.07	21.83	21.97	22.09	1
				18	9	23.14	23.06	23.04	22.84	22.97	23.12	0
				18	18	22.14	22.06	22.06	21.87	22.01	22.11	1
				36	0	22.13	22.07	22.07	21.86	21.98	22.09	1
			16QAM	1	1	21.81	21.76	21.81	21.84	21.66	22.19	1
			64QAM	1	1	20.62	20.53	20.61	20.43	20.41	20.80	2.5
			256QAM	1	1	18.14	18.06	18.09	17.85	17.92	18.18	4.5
		CP	QPSK	1	1	21.72	21.63	21.64	21.46	21.53	21.82	1.5

The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR TDD Band n77_20 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						647334 Ch. 3710.01 MHz	650800 Ch. 3762 MHz	654266 Ch. 3813.99 MHz	657734 Ch. 3866.01 MHz	661200 Ch. 3918 MHz	664666 Ch. 3969.99 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	23.14	22.99	22.98	22.81	22.81	23.11	0
				1	26	23.11	23.05	23.02	22.86	22.90	23.09	0
				1	49	23.16	23.04	23.00	22.83	22.94	23.15	0
				25	0	22.65	22.57	22.57	22.34	22.43	22.66	0.5
				25	13	23.16	23.08	23.04	22.85	22.95	23.07	0
				25	26	22.67	22.57	22.56	22.37	22.47	22.60	0.5
				50	0	22.66	22.58	22.58	22.33	22.44	22.56	0.5
			QPSK	1	1	23.12	23.00	23.03	22.77	22.86	23.12	0
				1	26	23.13	23.05	22.99	22.82	22.91	23.07	0
				1	49	23.15	23.01	22.96	22.80	22.94	23.07	0
				25	0	22.16	22.11	22.10	21.85	21.96	22.16	1
				25	13	23.14	23.07	23.05	22.87	22.95	23.08	0
				25	26	22.18	22.07	22.08	21.88	22.01	22.12	1
				50	0	22.16	22.10	22.06	21.85	21.98	22.09	1
			16QAM	1	1	22.16	21.76	21.79	21.55	21.66	21.87	1
			64QAM	1	1	20.73	20.54	20.53	20.27	20.39	20.62	2.5
			256QAM	1	1	18.15	18.10	18.09	17.84	17.88	18.10	4.5
		CP	QPSK	1	1	21.77	21.69	21.65	21.44	21.49	21.75	1.5

NR TDD Band n77_30 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						647668 Ch. 3715.02 MHz	651000 Ch. 3765 MHz	654334 Ch. 3815.01 MHz	657666 Ch. 3864.99 MHz	661000 Ch. 3915 MHz	664332 Ch. 3964.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	23.12	22.89	22.89	23.09	22.92	23.35	0
				1	39	23.08	22.88	22.86	23.06	22.95	23.30	0
				1	76	23.24	22.98	22.93	23.05	23.05	23.20	0
				36	0	22.61	22.46	22.39	22.61	22.52	22.83	0.5
				36	21	23.13	22.95	22.88	23.08	23.01	23.24	0
				36	42	22.69	22.52	22.45	22.55	22.55	22.78	0.5
				75	0	22.66	22.46	22.45	22.59	22.54	22.74	0.5
			QPSK	1	1	23.09	22.91	22.85	23.07	22.92	23.33	0
				1	39	23.10	22.91	22.83	23.04	22.99	23.33	0
				1	76	23.21	23.00	22.90	22.99	23.05	23.21	0
				36	0	22.09	22.03	21.93	22.14	22.02	22.31	1
				36	21	23.13	22.90	22.92	23.08	23.01	23.21	0
				36	42	22.19	21.99	21.94	22.08	22.07	22.26	1
				75	0	22.17	21.96	21.94	22.09	22.05	22.24	1
			16QAM	1	1	21.84	21.62	21.61	21.83	21.65	22.09	1
			64QAM	1	1	20.60	20.43	20.39	20.62	20.45	20.86	2.5
			256QAM	1	1	18.13	17.96	17.94	18.14	17.93	18.37	4.5
		CP	QPSK	1	1	21.74	21.53	21.51	21.70	21.52	21.98	1.5

The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR TDD Band n77_40 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						648000 Ch. 3720 MHz	651200 Ch. 3768 MHz	654400 Ch. 3816 MHz	657600 Ch. 3864 MHz	660800 Ch. 3912 MHz	664000 Ch. 3960 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	23.36	23.05	23.05	23.17	23.17	23.21	0
				1	53	23.25	22.95	22.92	23.05	23.06	23.23	0
				1	104	23.35	23.01	23.00	23.03	23.15	23.26	0
				50	0	22.77	22.53	22.50	22.67	22.65	22.76	0.5
				50	28	23.27	23.02	22.97	23.09	23.14	23.29	0
				50	56	22.81	22.53	22.46	22.57	22.63	22.77	0.5
				100	0	22.78	22.54	22.48	22.64	22.63	22.82	0.5
			QPSK	1	1	23.39	23.07	23.00	23.19	23.18	23.28	0
				1	53	23.21	22.96	22.88	23.03	23.07	23.28	0
				1	104	23.31	23.05	23.02	23.03	23.13	23.30	0
				50	0	22.27	22.06	22.00	22.14	22.13	22.27	1
				50	28	23.30	23.05	22.94	23.11	23.13	23.29	0
				50	56	22.31	22.05	21.97	22.11	22.13	22.25	1
				100	0	22.29	22.04	22.01	22.12	22.16	22.30	1
			16QAM	1	1	22.39	21.87	21.93	21.94	21.92	22.04	1
			64QAM	1	1	21.01	20.59	20.63	20.71	20.70	20.79	2.5
			256QAM	1	1	18.42	18.13	18.05	18.24	18.17	18.28	4.5
		CP	QPSK	1	1	21.98	21.71	21.66	21.82	21.76	21.89	1.5

NR TDD Band n77_50 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						648334 Ch. 3725.01 MHz	652166 Ch. 3782.49 MHz	656000 Ch. 3840 MHz		659834 Ch. 3897.51 MHz	663666 Ch. 3954.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	22.94	22.82	22.87		22.78	22.99	0
				1	67	23.03	22.82	22.85		22.82	22.93	0
				1	131	23.02	22.81	22.98		22.95	23.00	0
				64	0	22.50	22.39	22.45		22.34	22.55	0.5
				64	35	23.03	22.92	22.92		22.87	23.05	0
				64	69	22.57	22.36	22.41		22.38	22.53	0.5
				128	0	22.53	22.38	22.43		22.35	22.52	0.5
			QPSK	1	1	22.98	22.85	22.86		22.79	23.07	0
				1	67	23.05	22.83	22.91		22.83	22.98	0
				1	131	23.01	22.81	22.91		22.97	23.00	0
				64	0	22.00	21.89	21.93		22.12	22.03	1
				64	35	23.06	22.93	22.93		22.81	23.06	0
				64	69	22.08	21.86	21.91		21.84	22.03	1
				128	0	22.05	21.90	21.92		21.83	22.03	1
			16QAM	1	1	21.99	21.61	21.65		21.49	21.82	1
			64QAM	1	1	20.59	20.35	20.41		20.29	20.57	2.5
			256QAM	1	1	18.01	17.89	17.92		17.79	18.14	4.5
		CP	QPSK	1	1	21.55	21.46	21.45		21.33	21.67	1.5

The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR TDD Band n77_60 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						648668 Ch. 3730.02 MHz	653556 Ch. 3803.34 MHz			658444 Ch. 3876.66 MHz	663332 Ch. 3949.98 MHz	
60 MHz	30	DFT-s	pi/2 BPSK	1	1	23.06	22.82			22.68	22.86	0
				1	81	23.01	22.84			22.78	23.01	0
				1	160	23.04	22.88			22.85	23.06	0
				81	0	22.61	22.41			22.28	22.48	0.5
				81	41	23.09	22.91			22.84	23.05	0
				81	81	22.61	22.52			22.40	22.62	0.5
				162	0	22.61	22.42			22.35	22.55	0.5
			QPSK	1	1	23.07	22.87			22.72	22.86	0
				1	81	23.01	22.88			22.85	23.01	0
				1	160	23.02	22.88			22.94	23.10	0
				81	0	22.11	21.91			21.82	21.98	1
				81	41	23.07	22.90			22.84	23.08	0
				81	81	22.11	22.02			21.88	22.13	1
				162	0	22.11	21.94			21.86	22.07	1
			16QAM	1	1	21.81	21.64			21.67	21.64	1
			64QAM	1	1	20.60	20.37			20.34	20.40	2.5
			256QAM	1	1	18.10	17.92			17.79	17.86	4.5
		CP	QPSK	1	1	21.66	21.47			21.32	21.48	1.5

NR TDD Band n77_70 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						649000 Ch. 3735 MHz	653666 Ch. 3804.99 MHz			658334 Ch. 3875.01 MHz	663000 Ch. 3945 MHz	
70 MHz	30	DFT-s	pi/2 BPSK	1	1	22.79	22.74			22.60	22.65	0
				1	95	22.83	22.72			22.62	22.93	0
				1	187	22.90	22.62			22.73	23.07	0
				90	0	22.35	22.33			22.13	22.25	0.5
				90	50	22.88	22.91			22.68	22.94	0
				90	99	22.44	22.30			22.23	22.55	0.5
				180	0	22.42	22.40			22.20	22.44	0.5
			QPSK	1	1	22.85	22.78			22.56	22.63	0
				1	95	22.84	22.78			22.62	22.92	0
				1	187	22.90	22.62			22.70	23.06	0
				90	0	21.90	21.81			21.62	21.75	1
				90	50	22.89	22.90			22.65	22.94	0
				90	99	21.92	21.81			21.72	22.02	1
				180	0	21.92	21.90			21.65	21.92	1
			16QAM	1	1	21.61	21.52			21.37	21.38	1
			64QAM	1	1	20.41	20.35			20.13	20.19	2.5
			256QAM	1	1	17.91	17.80			17.64	17.67	4.5
		CP	QPSK	1	1	21.48	21.42			21.19	21.26	1.5

The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR TDD Band n77_80 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						649334 Ch. 3740.01 MHz		656000 Ch. 3840 MHz		662666 Ch. 3939.99 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1	22.88		22.61		22.60		0
				1	109	22.98		22.73		22.94		0
				1	215	22.90		22.70		23.06		0
				108	0	22.42		22.28		22.29		0.5
				108	55	22.97		22.79		22.99		0
				108	109	22.42		22.27		22.53		0.5
				216	0	22.45		22.29		22.36		0.5
			QPSK	1	1	22.90		22.61		22.65		0
				1	109	22.91		22.81		22.95		0
				1	215	22.86		22.68		22.98		0
				108	0	21.95		21.79		21.83		1
				108	55	22.97		22.76		22.97		0
				108	109	21.97		21.76		22.01		1
				216	0	21.96		21.77		21.87		1
			16QAM	1	1	21.62		21.66		21.38		1
			64QAM	1	1	20.46		20.23		20.19		2.5
			256QAM	1	1	17.94		17.71		17.68		4.5
		CP	QPSK	1	1	21.54		21.26		21.25		1.5

NR TDD Band n77_90 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						649668 Ch. 3745.02 MHz		656000 Ch. 3840 MHz		662332 Ch. 3934.98 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1	22.86		22.63		22.59		0
				1	123	22.92		22.77		22.99		0
				1	243	23.02		22.73		22.92		0
				120	0	22.37		22.30		22.33		0.5
				120	63	22.90		22.81		22.88		0
				120	125	22.45		22.29		22.45		0.5
				243	0	22.40		22.29		22.33		0.5
			QPSK	1	1	22.83		22.64		22.56		0
				1	123	22.84		22.78		22.92		0
				1	243	23.02		22.78		22.93		0
				120	0	21.87		21.82		21.84		1
				120	63	22.89		22.81		22.90		0
				120	125	21.96		21.79		21.95		1
				243	0	21.90		21.76		21.83		1
			16QAM	1	1	21.58		21.69		21.44		1
			64QAM	1	1	20.39		20.25		20.27		2.5
			256QAM	1	1	17.86		17.70		17.66		4.5
		CP	QPSK	1	1	21.45		21.32		21.28		1.5

The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR TDD Band n77_100 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						650000 Ch. 3750 MHz				662000 Ch. 3930 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1	22.85				22.55		0
				1	137	23.02				22.80		0
				1	271	22.95				23.05		0
				135	0	22.44				22.22		0.5
				135	69	22.96				22.86		0
				135	138	22.45				22.50		0.5
				270	0	22.47				22.31		0.5
			QPSK	1	1	22.85				22.60		0
				1	137	22.96				22.83		0
				1	271	23.01				22.96		0
				135	0	21.94				21.75		1
				135	69	22.95				22.84		0
				135	138	21.96				22.00		1
				270	0	21.95				21.85		1
			16QAM	1	1	21.61				21.35		1
			64QAM	1	1	20.39				20.13		2.5
			256QAM	1	1	17.89				17.90		4.5
		CP	QPSK	1	1	21.50				21.23		1.5

The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR TDD Band n77 DoD Conducted Power (Power Class 3)_Pmax_ANT.G[SUB3]

NR TDD Band n77 DoD_10 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630334 Ch. 3445.01 MHz	633334 Ch. 3500.01 MHz	636332 Ch. 3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	22.76	23.31	23.34	0
				1	12	22.79	23.30	23.43	0
				1	22	22.96	23.35	23.45	0
				12	0	22.33	22.84	22.94	0.5
				12	6	22.88	23.34	23.51	0
				12	12	22.43	22.88	23.01	0.5
				24	0	22.40	22.86	23.03	0.5
			QPSK	1	1	22.77	23.20	23.36	0
				1	12	22.88	23.24	23.46	0
				1	22	22.90	23.27	23.45	0
				12	0	21.86	22.34	22.45	1
				12	6	22.91	23.35	23.51	0
				12	12	21.95	22.34	22.50	1
				24	0	21.94	22.38	22.53	1
			16QAM	1	1	21.56	22.10	22.22	1
			64QAM	1	1	20.31	20.87	20.98	2.5
			256QAM	1	1	17.92	18.38	18.59	4.5
		CP	QPSK	1	1	21.47	21.92	22.03	1.5

NR TDD Band n77 DoD_15 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630500 Ch. 3457.5 MHz	633334 Ch. 3500.01 MHz	636166 Ch. 3542.49 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	22.86	23.40	23.50	0
				1	18	22.99	23.38	23.48	0
				1	36	23.12	23.43	23.50	0
				18	0	22.48	22.97	23.03	0.5
				18	9	22.69	23.48	23.53	0
				18	18	22.61	23.00	22.98	0.5
				36	0	22.59	22.99	23.04	0.5
			QPSK	1	1	22.90	23.44	23.54	0
				1	18	23.03	23.40	23.40	0
				1	36	23.13	23.45	23.48	0
				18	0	21.98	22.50	22.56	1
				18	9	23.09	23.49	23.54	0
				18	18	22.14	22.51	22.49	1
				36	0	22.08	22.49	22.55	1
			16QAM	1	1	21.65	22.19	22.26	1
			64QAM	1	1	20.45	20.93	21.03	2.5
			256QAM	1	1	18.07	18.59	18.68	4.5
		CP	QPSK	1	1	21.49	22.12	22.17	1.5

The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR TDD Band n77 DoD_20 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630668 Ch. 3460.02 MHz	633334 Ch. 3500.01 MHz	636000 Ch. 3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	22.97	23.41	23.48	0
				1	26	23.08	23.40	23.39	0
				1	49	23.29	23.52	23.40	0
				25	0	22.66	23.01	23.02	0.5
				25	13	23.16	23.47	23.46	0
				25	26	22.75	23.00	22.97	0.5
				50	0	22.69	23.01	23.01	0.5
			QPSK	1	1	22.99	23.43	23.50	0
				1	26	23.11	23.42	23.41	0
				1	49	23.20	23.51	23.42	0
				25	0	22.18	22.51	22.51	1
				25	13	23.18	23.48	23.49	0
				25	26	22.28	22.50	22.49	1
				50	0	22.19	22.50	22.51	1
			16QAM	1	1	21.74	22.21	22.25	1
			64QAM	1	1	20.51	21.05	21.04	2.5
			256QAM	1	1	18.22	18.56	18.67	4.5
		CP	QPSK	1	1	21.65	22.06	22.16	1.5

NR TDD Band n77 DoD_30 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						631000 Ch. 3465 MHz	633334 Ch. 3500.01 MHz	635666 Ch. 3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	23.02	23.44	23.81	0
				1	39	23.19	23.50	23.63	0
				1	76	23.36	23.61	23.68	0
				36	0	22.61	23.12	23.31	0.5
				36	21	23.22	23.61	23.74	0
				36	42	22.83	23.15	23.23	0.5
				75	0	22.77	23.12	23.24	0.5
			QPSK	1	1	23.06	23.49	23.81	0
				1	39	23.14	23.52	23.63	0
				1	76	23.34	23.64	23.63	0
				36	0	22.11	22.60	22.81	1
				36	21	23.23	23.57	23.73	0
				36	42	22.35	22.65	22.73	1
				75	0	22.28	22.62	22.80	1
			16QAM	1	1	21.83	22.37	22.53	1
			64QAM	1	1	20.57	21.08	21.34	2.5
			256QAM	1	1	18.20	18.70	18.93	4.5
		CP	QPSK	1	1	21.67	22.11	22.45	1.5

The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR TDD Band n77 DoD_40 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						631334 Ch. 3470.01 MHz		635332 Ch. 3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	23.17		23.66	0
				1	53	23.29		23.64	0
				1	104	23.67		23.71	0
				50	0	22.86		23.12	0.5
				50	28	23.39		23.66	0
				50	56	23.02		23.18	0.5
				100	0	22.93		23.17	0.5
			QPSK	1	1	23.21		23.65	0
				1	53	23.31		23.58	0
				1	104	23.70		23.62	0
				50	0	22.40		22.65	1
				50	28	23.41		23.64	0
				50	56	22.52		22.67	1
				100	0	22.46		22.70	1
			16QAM	1	1	21.93		22.37	1
			64QAM	1	1	20.73		21.18	2.5
			256QAM	1	1	18.35		18.78	4.5
		CP	QPSK	1	1	21.81		22.28	1.5

NR TDD Band n77 DoD_50 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						631668 Ch. 3475.02 MHz		635000 Ch. 3525 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	22.83		23.21	0
				1	67	22.93		23.27	0
				1	131	23.17		23.24	0
				64	0	22.49		22.87	0.5
				64	35	23.03		23.28	0
				64	69	22.66		22.75	0.5
				128	0	22.54		22.80	0.5
			QPSK	1	1	22.88		23.22	0
				1	67	22.97		23.19	0
				1	131	23.17		23.15	0
				64	0	21.69		22.36	1
				64	35	23.02		23.27	0
				64	69	22.19		22.24	1
				128	0	22.04		22.32	1
			16QAM	1	1	21.67		22.04	1
			64QAM	1	1	20.49		20.85	2.5
			256QAM	1	1	18.04		18.35	4.5
		CP	QPSK	1	1	21.51		21.88	1.5

The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR TDD Band n77 DoD_60 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							633334 Ch. 3500.01 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		23.01		0
				1	81		23.37		0
				1	160		23.37		0
				81	0		22.83		0.5
				81	41		23.37		0
				81	81		22.97		0.5
				162	0		22.86		0.5
			QPSK	1	1		23.02		0
				1	81		23.40		0
				1	160		23.39		0
				81	0		22.32		1
				81	41		23.39		0
				81	81		22.47		1
				162	0		22.39		1
			16QAM	1	1		21.98		1
			64QAM	1	1		20.68		2.5
			256QAM	1	1		18.17		4.5
		CP	QPSK	1	1		21.61		1.5

NR TDD Band n77 DoD_70 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							633334 Ch. 3500.01 MHz		
70 MHz	30	DFT-s	pi/2 BPSK	1	1		22.95		0
				1	95		22.70		0
				1	187		22.63		0
				90	0		22.56		0.5
				90	50		22.84		0
				90	99		22.31		0.5
				180	0		21.96		0.5
			QPSK	1	1		22.63		0
				1	95		22.80		0
				1	187		22.76		0
				90	0		22.01		1
				90	50		22.87		0
				90	99		22.34		1
				180	0		21.64		1
			16QAM	1	1		21.71		1
			64QAM	1	1		20.44		2.5
			256QAM	1	1		18.09		4.5
		CP	QPSK	1	1		21.64		1.5

The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR TDD Band n77 DoD_80 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							633334 Ch. 3500.01 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1		22.89		0
				1	109		23.22		0
				1	215		23.30		0
				108	0		22.73		0.5
				108	55		23.29		0
				108	109		22.92		0.5
				216	0		21.95		0.5
			QPSK	1	1		22.55		0
				1	109		23.22		0
				1	215		23.24		0
				108	0		22.22		1
				108	55		23.31		0
				108	109		22.43		1
				216	0		22.28		1
			16QAM	1	1		21.66		1
			64QAM	1	1		20.45		2.5
			256QAM	1	1		18.02		4.5
		CP	QPSK	1	1		21.51		1.5

NR TDD Band n77 DoD_90 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							633334 Ch. 3500.01 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		22.84		0
				1	123		23.25		0
				1	243		23.45		0
				120	0		22.70		0.5
				120	63		23.33		0
				120	125		22.88		0.5
				243	0		22.74		0.5
			QPSK	1	1		22.85		0
				1	123		23.32		0
				1	243		23.42		0
				120	0		22.19		1
				120	63		23.29		0
				120	125		22.39		1
				243	0		22.23		1
			16QAM	1	1		21.62		1
			64QAM	1	1		20.38		2.5
			256QAM	1	1		17.99		4.5
		CP	QPSK	1	1		21.49		1.5

The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR TDD Band n77 DoD_100 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							633334 Ch. 3500.01 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1		22.81		0
				1	137		23.31		0
				1	271		23.48		0
				135	0		22.57		0.5
				135	69		23.29		0
				135	138		22.88		0.5
				270	0		22.72		0.5
			QPSK	1	1		22.84		0
				1	137		23.28		0
				1	271		23.45		0
				135	0		22.08		1
				135	69		23.31		0
				135	138		22.41		1
				270	0		22.23		1
			16QAM	1	1		21.58		1
			64QAM	1	1		20.39		2.5
			256QAM	1	1		18.05		4.5
		CP	QPSK	1	1		21.45		1.5

The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR TDD Band n77 Conducted Power (Power Class 2)_Pmax_ANT.G[SUB3]

NR TDD Band n77_10 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						647000 Ch. 3705 MHz	650600 Ch. 3759 MHz	654200 Ch. 3813 MHz	657800 Ch. 3867 MHz	661400 Ch. 3921 MHz	665000 Ch. 3975 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	25.67	25.62	25.63	25.49	25.61	25.77	0
				1	12	25.78	25.66	25.70	25.51	25.68	25.78	0
				1	22	25.81	25.59	25.74	25.52	25.63	25.85	0
				12	0	25.29	25.14	25.14	25.07	25.20	25.32	0.5
				12	6	25.81	25.64	25.64	25.60	25.72	25.81	0
				12	12	25.31	25.12	25.25	25.07	25.21	25.38	0.5
				24	0	25.31	25.11	25.21	25.05	25.19	25.34	0.5
			QPSK	1	1	25.75	25.56	25.56	25.50	25.61	25.75	0
				1	12	25.83	25.60	25.63	25.62	25.70	25.78	0
				1	22	25.78	25.59	25.65	25.58	25.64	25.87	0
				12	0	24.81	24.64	24.64	24.57	24.71	24.80	1
				12	6	25.82	25.61	25.65	25.61	25.68	25.82	0
				12	12	24.82	24.64	24.75	24.56	24.67	24.84	1
				24	0	24.80	24.62	24.73	24.57	24.72	24.84	1
			16QAM	1	1	24.72	24.53	24.60	24.42	24.36	24.73	1
			64QAM	1	1	23.35	23.24	23.24	23.16	23.08	23.38	2.5
			256QAM	1	1	20.91	20.92	20.81	20.94	20.85	20.95	4.5
		CP	QPSK	1	1	24.26	24.14	24.17	24.08	24.23	24.29	1.5

NR TDD Band n77_15 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						647168 Ch. 3707.52 MHz	650700 Ch. 3760.5 MHz	654232 Ch. 3813.49 MHz	657766 Ch. 3866.5 MHz	661300 Ch. 3919.5 MHz	664832 Ch. 3972.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	25.89	25.86	25.80	25.61	25.70	25.97	0
				1	18	25.88	25.89	25.82	25.62	25.73	25.84	0
				1	36	25.94	25.88	25.90	25.66	25.77	25.88	0
				18	0	25.45	25.39	25.36	25.20	25.31	25.44	0.5
				18	9	25.98	25.88	25.88	25.70	25.61	25.94	0
				18	18	25.45	25.37	25.35	25.18	25.28	25.44	0.5
				36	0	25.44	25.36	25.35	25.18	25.27	25.44	0.5
			QPSK	1	1	25.89	25.82	25.84	25.68	25.74	26.00	0
				1	18	25.86	25.82	25.85	25.63	25.82	25.84	0
				1	36	25.94	25.83	25.78	25.63	25.83	25.93	0
				18	0	24.96	24.87	24.87	24.70	24.81	24.93	1
				18	9	25.96	25.85	25.84	25.70	25.80	25.92	0
				18	18	24.97	24.86	24.86	24.72	24.82	24.93	1
				36	0	24.95	24.89	24.88	24.69	24.81	24.95	1
			16QAM	1	1	24.69	24.56	24.58	24.41	24.56	24.76	1
			64QAM	1	1	23.42	23.37	23.33	23.16	23.46	23.49	2.5
			256QAM	1	1	20.93	20.89	20.85	20.97	20.75	21.01	4.5
		CP	QPSK	1	1	24.53	24.44	24.43	24.25	24.35	24.60	1.5

The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR TDD Band n77_20 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						647334 Ch. 3710.01 MHz	650800 Ch. 3762 MHz	654266 Ch. 3813.99 MHz	657734 Ch. 3866.01 MHz	661200 Ch. 3918 MHz	664666 Ch. 3969.99 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	25.94	25.83	25.82	25.65	25.65	25.89	0
				1	26	25.91	25.84	25.81	25.70	25.69	25.91	0
				1	49	25.95	25.86	25.79	25.72	25.73	25.86	0
				25	0	25.48	25.40	25.36	25.16	25.27	25.47	0.5
				25	13	26.01	25.90	25.85	25.68	25.77	25.91	0
				25	26	25.51	25.41	25.36	25.20	25.33	25.41	0.5
				50	0	25.49	25.41	25.36	25.18	25.30	25.39	0.5
			QPSK	1	1	25.95	25.85	25.83	25.61	25.71	25.92	0
				1	26	25.94	25.85	25.82	25.68	25.78	25.90	0
				1	49	25.96	25.86	25.80	25.69	25.79	25.88	0
				25	0	24.99	24.90	24.90	24.66	24.80	24.99	1
				25	13	26.00	25.90	25.89	25.67	25.79	25.88	0
				25	26	25.00	24.90	24.89	24.70	24.82	24.90	1
				50	0	25.00	24.91	24.89	24.68	24.80	24.89	1
			16QAM	1	1	24.93	24.63	24.60	24.58	24.67	24.71	1
			64QAM	1	1	23.62	23.39	23.34	23.27	23.40	23.47	2.5
			256QAM	1	1	20.99	20.89	20.89	20.89	20.91	20.96	4.5
		CP	QPSK	1	1	24.59	24.47	24.45	24.20	24.29	24.53	1.5

NR TDD Band n77_30 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						647668 Ch. 3715.02 MHz	651000 Ch. 3765 MHz	654334 Ch. 3815.01 MHz	657666 Ch. 3864.99 MHz	661000 Ch. 3915 MHz	664332 Ch. 3964.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	25.93	25.74	25.72	25.97	25.77	26.25	0
				1	39	25.97	25.77	25.73	25.93	25.83	26.23	0
				1	76	26.11	25.83	25.80	25.93	25.91	26.13	0
				36	0	25.51	25.30	25.29	25.49	25.35	25.67	0.5
				36	21	26.02	25.82	25.79	25.96	25.87	26.09	0
				36	42	25.59	25.36	25.31	25.44	25.43	25.62	0.5
				75	0	25.54	25.33	25.30	25.46	25.40	25.61	0.5
			QPSK	1	1	25.95	25.77	25.71	25.95	25.78	26.22	0
				1	39	25.98	25.78	25.69	25.92	25.84	26.17	0
				1	76	26.07	25.86	25.77	25.88	25.95	26.08	0
				36	0	25.02	24.69	24.80	25.01	24.86	25.22	1
				36	21	26.04	25.78	25.77	25.96	25.86	26.10	0
				36	42	25.12	24.83	24.81	24.94	24.95	25.12	1
				75	0	25.08	24.82	24.80	24.97	24.90	25.13	1
			16QAM	1	1	24.92	24.49	24.50	24.91	24.53	24.97	1
			64QAM	1	1	23.57	23.27	23.22	23.55	23.28	23.75	2.5
			256QAM	1	1	21.00	20.82	20.78	20.99	20.80	21.20	4.5
		CP	QPSK	1	1	24.55	24.41	24.35	24.57	24.41	24.83	1.5

The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR TDD Band n77_40 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						648000 Ch. 3720 MHz	651200 Ch. 3768 MHz	654400 Ch. 3816 MHz	657600 Ch. 3864 MHz	660800 Ch. 3912 MHz	664000 Ch. 3960 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	26.21	25.90	25.86	26.01	26.01	26.12	0
				1	53	26.05	25.77	25.77	25.87	25.97	26.11	0
				1	104	26.18	25.87	25.87	25.90	26.01	26.10	0
				50	0	25.64	25.38	25.33	25.49	25.52	25.64	0.5
				50	28	26.11	25.87	25.78	25.97	26.01	26.15	0
				50	56	25.67	25.39	25.33	25.44	25.52	25.62	0.5
				100	0	25.64	25.39	25.34	25.49	25.47	25.66	0.5
			QPSK	1	1	26.21	25.92	25.87	26.04	26.02	26.13	0
				1	53	26.05	25.79	25.74	25.89	25.92	26.13	0
				1	104	26.15	25.87	25.82	25.86	25.97	26.16	0
				50	0	25.14	24.88	24.87	24.99	25.01	25.13	1
				50	28	26.13	25.88	25.79	25.96	25.97	26.14	0
				50	56	25.17	24.90	24.84	24.94	24.98	25.12	1
				100	0	25.14	24.91	24.83	24.97	25.03	25.21	1
			16QAM	1	1	24.98	24.71	24.82	24.77	24.77	24.90	1
			64QAM	1	1	23.71	23.44	23.48	23.55	23.52	23.61	2.5
			256QAM	1	1	21.28	21.00	20.92	21.09	21.07	21.14	4.5
		CP	QPSK	1	1	24.82	24.55	24.49	24.66	24.64	24.73	1.5

The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR TDD Band n77_50 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						648334 Ch. 3725.01 MHz	652166 Ch. 3782.49 MHz	656000 Ch. 3840 MHz		659834 Ch. 3897.51 MHz	663666 Ch. 3954.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	25.81	25.64	25.68		25.57	25.90	0
				1	67	25.87	25.67	25.74		25.64	25.86	0
				1	131	25.85	25.64	25.79		25.75	25.87	0
				64	0	25.36	25.26	25.25		25.18	25.41	0.5
				64	35	25.87	25.75	25.77		25.73	25.90	0
				64	69	25.40	25.17	25.24		25.21	25.40	0.5
				128	0	25.36	25.22	25.25		25.21	25.43	0.5
			QPSK	1	1	25.80	25.69	25.71		25.62	25.87	0
				1	67	25.86	25.66	25.70		25.63	25.81	0
				1	131	25.81	25.66	25.78		25.77	25.82	0
				64	0	24.86	24.75	24.75		24.68	24.89	1
				64	35	25.87	25.76	25.79		25.70	25.89	0
				64	69	24.91	24.67	24.73		24.72	24.87	1
				128	0	24.86	24.69	24.75		24.69	24.88	1
			16QAM	1	1	24.56	24.46	24.70		24.39	24.73	1
			64QAM	1	1	23.33	23.20	23.39		23.13	23.51	2.5
			256QAM	1	1	20.96	20.91	20.85		20.92	20.92	4.5
		CP	QPSK	1	1	24.37	24.19	24.29		24.21	24.52	1.5

NR TDD Band n77_60 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						648668 Ch. 3730.02 MHz	653556 Ch. 3803.34 MHz			658444 Ch. 3876.66 MHz	663332 Ch. 3949.98 MHz	
60 MHz	30	DFT-s	pi/2 BPSK	1	1	25.89	25.67			25.55	25.71	0
				1	81	25.84	25.75			25.63	25.87	0
				1	160	25.84	25.75			25.71	25.89	0
				81	0	25.47	25.25			25.13	25.36	0.5
				81	41	25.91	25.74			25.67	25.90	0
				81	81	25.43	25.34			25.28	25.46	0.5
				162	0	25.47	25.26			25.20	25.42	0.5
			QPSK	1	1	25.89	25.70			25.58	25.69	0
				1	81	25.84	25.68			25.63	25.84	0
				1	160	25.85	25.71			25.75	26.01	0
				81	0	24.97	24.77			24.66	24.87	1
				81	41	25.91	25.76			25.69	25.91	0
				81	81	24.92	24.83			24.74	24.97	1
				162	0	24.95	24.77			24.72	24.94	1
			16QAM	1	1	24.65	24.48			24.35	24.48	1
			64QAM	1	1	23.41	23.22			23.08	23.24	2.5
			256QAM	1	1	20.95	20.83			20.92	20.73	4.5
		CP	QPSK	1	1	24.48	24.31			24.17	24.34	1.5

The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR TDD Band n77_70 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						649000 Ch. 3735 MHz	653666 Ch. 3804.99 MHz			658334 Ch. 3875.01 MHz	663000 Ch. 3945 MHz	
70 MHz	30	DFT-s	pi/2 BPSK	1	1	25.67	25.56			25.42	25.45	0
				1	95	25.69	25.57			25.47	25.71	0
				1	187	25.72	25.51			25.57	25.85	0
				90	0	25.24	25.17			24.98	25.09	0.5
				90	50	25.74	25.76			25.53	25.75	0
				90	99	25.29	25.13			25.06	25.35	0.5
				180	0	25.27	25.24			25.02	25.26	0.5
			QPSK	1	1	25.69	25.62			25.45	25.49	0
				1	95	25.72	25.64			25.49	25.73	0
				1	187	25.75	25.44			25.54	25.83	0
				90	0	24.74	24.67			24.48	24.60	1
				90	50	25.73	25.74			25.53	25.79	0
				90	99	24.79	24.65			24.55	24.84	1
				180	0	24.75	24.72			24.51	24.76	1
			16QAM	1	1	24.48	24.38			24.46	24.56	1
			64QAM	1	1	23.23	23.13			22.97	23.03	2.5
			256QAM	1	1	20.72	20.96			20.98	20.96	4.5
		CP	QPSK	1	1	24.32	24.22			24.08	24.08	1.5

NR TDD Band n77_80 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						649334 Ch. 3740.01 MHz		656000 Ch. 3840 MHz		662666 Ch. 3939.99 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1	25.79		25.41		25.51		0
				1	109	25.84		25.64		25.82		0
				1	215	25.72		25.57		25.85		0
				108	0	25.31		25.12		25.12		0.5
				108	55	25.79		25.61		25.78		0
				108	109	25.29		25.11		25.35		0.5
				216	0	25.31		25.11		25.15		0.5
			QPSK	1	1	25.72		25.47		25.44		0
				1	109	25.77		25.66		25.68		0
				1	215	25.66		25.48		25.62		0
				108	0	24.80		24.57		24.60		1
				108	55	25.79		25.58		25.54		0
				108	109	24.76		24.55		24.53		1
				216	0	24.81		24.60		24.72		1
			16QAM	1	1	24.70		24.44		24.56		1
			64QAM	1	1	23.38		23.07		23.07		2.5
			256QAM	1	1	21.07		21.06		21.05		4.5
		CP	QPSK	1	1	24.31		24.04		24.08		1.5

The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR TDD Band n77_90 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						649668 Ch. 3745.02 MHz		656000 Ch. 3840 MHz		662332 Ch. 3934.98 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1	25.70		25.45		25.47		0
				1	123	25.71		25.57		25.79		0
				1	243	25.88		25.60		25.76		0
				120	0	25.22		25.12		25.16		0.5
				120	63	25.71		25.63		25.75		0
				120	125	25.26		25.10		25.33		0.5
				243	0	25.23		25.13		25.18		0.5
			QPSK	1	1	25.63		25.47		25.48		0
				1	123	25.66		25.56		25.80		0
				1	243	25.82		25.55		25.77		0
				120	0	24.73		24.59		24.66		1
				120	63	25.71		25.61		25.74		0
				120	125	24.77		24.60		24.77		1
				243	0	24.73		24.62		24.67		1
			16QAM	1	1	24.63		24.49		24.43		1
			64QAM	1	1	23.30		22.96		23.00		2.5
			256QAM	1	1	21.05		20.92		20.92		4.5
		CP	QPSK	1	1	24.27		24.03		24.10		1.5

NR TDD Band n77_100 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						650000 Ch. 3750 MHz				662000 Ch. 3930 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1	25.72				25.55		0
				1	137	25.77				25.67		0
				1	271	25.76				25.94		0
				135	0	25.26				25.07		0.5
				135	69	25.76				25.66		0
				135	138	25.25				25.32		0.5
				270	0	25.25				25.16		0.5
			QPSK	1	1	25.70				25.53		0
				1	137	25.76				25.64		0
				1	271	25.72				25.86		0
				135	0	24.76				24.58		1
				135	69	25.77				25.67		0
				135	138	24.77				24.82		1
				270	0	24.78				24.65		1
			16QAM	1	1	24.65				24.51		1
			64QAM	1	1	23.32				23.05		2.5
			256QAM	1	1	21.01				20.96		4.5
		CP	QPSK	1	1	24.29				24.02		1.5

The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR TDD Band n77 DoD Conducted Power (Power Class 2)_Pmax_ANT.G[SUB3]

NR TDD Band n77 DoD_10 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630334 Ch. 3445.01 MHz	633334 Ch. 3500.01 MHz	636332 Ch. 3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	25.87	26.31	26.40	0
				1	12	25.91	26.33	26.52	0
				1	22	26.02	26.36	26.52	0
				12	0	25.43	25.91	25.99	0.5
				12	6	25.95	26.42	26.57	0
				12	12	25.47	25.90	26.08	0.5
				24	0	25.42	25.89	26.08	0.5
			QPSK	1	1	25.83	26.28	26.40	0
				1	12	25.86	26.32	26.48	0
				1	22	25.92	26.38	26.51	0
				12	0	24.91	25.39	25.47	1
				12	6	25.94	26.41	26.59	0
				12	12	24.99	25.40	25.58	1
				24	0	24.96	25.40	25.57	1
			16QAM	1	1	24.59	25.06	25.17	1
			64QAM	1	1	23.36	23.84	23.91	2.5
			256QAM	1	1	21.10	21.34	21.46	4.5
		CP	QPSK	1	1	24.46	24.89	25.00	1.5

NR TDD Band n77 DoD_15 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630500 Ch. 3457.5 MHz	633334 Ch. 3500.01 MHz	636166 Ch. 3542.49 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	25.89	26.44	26.55	0
				1	18	26.03	26.43	26.52	0
				1	36	26.15	26.47	26.55	0
				18	0	25.51	25.99	26.07	0.5
				18	9	26.14	26.51	26.55	0
				18	18	25.67	26.04	26.03	0.5
				36	0	25.62	26.00	26.07	0.5
			QPSK	1	1	25.95	26.44	26.52	0
				1	18	25.99	26.43	26.46	0
				1	36	26.13	26.51	26.49	0
				18	0	24.97	25.46	25.54	1
				18	9	26.12	26.49	26.55	0
				18	18	25.13	25.50	25.49	1
				36	0	25.11	25.49	25.51	1
			16QAM	1	1	24.70	25.19	25.30	1
			64QAM	1	1	23.47	23.96	24.25	2.5
			256QAM	1	1	21.19	21.53	21.62	4.5
		CP	QPSK	1	1	24.54	25.08	25.15	1.5

The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR TDD Band n77 DoD_20 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630668 Ch. 3460.02 MHz	633334 Ch. 3500.01 MHz	636000 Ch. 3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	25.97	26.43	26.51	0
				1	26	26.12	26.46	26.49	0
				1	49	26.29	26.55	26.50	0
				25	0	25.68	25.99	26.05	0.5
				25	13	26.20	26.50	26.49	0
				25	26	25.76	26.04	25.99	0.5
				50	0	25.69	26.02	26.02	0.5
			QPSK	1	1	25.97	26.42	26.55	0
				1	26	26.14	26.41	26.47	0
				1	49	26.21	26.45	26.46	0
				25	0	25.17	25.46	25.54	1
				25	13	26.19	26.49	26.50	0
				25	26	25.25	25.51	25.47	1
				50	0	25.18	25.48	25.48	1
			16QAM	1	1	24.75	25.20	25.47	1
			64QAM	1	1	23.52	24.10	24.12	2.5
			256QAM	1	1	21.05	21.52	21.58	4.5
		CP	QPSK	1	1	24.67	25.05	25.15	1.5

NR TDD Band n77 DoD_30 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						631000 Ch. 3465 MHz	633334 Ch. 3500.01 MHz	635666 Ch. 3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	26.20	26.49	26.87	0
				1	39	26.15	26.61	26.73	0
				1	76	26.33	26.73	26.72	0
				36	0	26.39	26.14	25.11	0.5
				36	21	26.22	26.63	26.77	0
				36	42	25.83	26.20	26.27	0.5
				75	0	25.77	26.17	26.30	0.5
			QPSK	1	1	26.04	26.52	26.84	0
				1	39	26.10	26.55	26.69	0
				1	76	26.38	26.66	26.72	0
				36	0	25.15	25.63	25.81	1
				36	21	26.23	26.65	26.75	0
				36	42	25.37	25.68	25.78	1
				75	0	25.30	25.65	25.80	1
			16QAM	1	1	24.85	25.52	25.82	1
			64QAM	1	1	23.60	24.15	24.46	2.5
			256QAM	1	1	21.16	21.59	21.89	4.5
		CP	QPSK	1	1	24.72	25.16	25.47	1.5

The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR TDD Band n77 DoD_40 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						631334 Ch. 3470.01 MHz		635332 Ch. 3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	26.18		26.66	0
				1	53	26.34		26.61	0
				1	104	26.73		26.68	0
				50	0	25.88		26.16	0.5
				50	28	26.42		26.70	0
				50	56	26.05		26.19	0.5
				100	0	25.98		26.24	0.5
			QPSK	1	1	26.24		26.63	0
				1	53	26.35		26.59	0
				1	104	26.75		26.68	0
				50	0	25.40		25.65	1
				50	28	26.42		26.68	0
				50	56	25.53		25.69	1
				100	0	25.46		25.71	1
			16QAM	1	1	25.00		25.44	1
			64QAM	1	1	23.75		24.18	2.5
			256QAM	1	1	21.28		21.75	4.5
		CP	QPSK	1	1	24.84		25.31	1.5

NR TDD Band n77 DoD_50 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						631668 Ch. 3475.02 MHz		635000 Ch. 3525 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	25.88		26.27	0
				1	67	25.98		26.30	0
				1	131	26.19		26.33	0
				64	0	25.50		25.90	0.5
				64	35	26.03		26.34	0
				64	69	25.68		25.76	0.5
				128	0	25.55		25.83	0.5
			QPSK	1	1	25.92		26.29	0
				1	67	25.99		26.29	0
				1	131	26.19		26.24	0
				64	0	24.98		25.38	1
				64	35	26.05		26.32	0
				64	69	25.23		25.26	1
				128	0	25.05		25.32	1
			16QAM	1	1	24.69		25.04	1
			64QAM	1	1	23.42		23.80	2.5
			256QAM	1	1	21.16		21.34	4.5
		CP	QPSK	1	1	24.54		24.86	1.5

The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR TDD Band n77 DoD_60 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							633334 Ch. 3500.01 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		26.04		0
				1	81		26.37		0
				1	160		26.39		0
				81	0		25.82		0.5
				81	41		26.39		0
				81	81		25.99		0.5
				162	0		25.85		0.5
			QPSK	1	1		26.05		0
				1	81		26.34		0
				1	160		26.40		0
				81	0		25.33		1
				81	41		26.39		0
				81	81		25.47		1
				162	0		25.37		1
			16QAM	1	1		24.85		1
			64QAM	1	1		23.59		2.5
			256QAM	1	1		21.10		4.5
		CP	QPSK	1	1		24.70		1.5

NR TDD Band n77 DoD_70 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							633334 Ch. 3500.01 MHz		
70 MHz	30	DFT-s	pi/2 BPSK	1	1		26.02		0
				1	95		26.29		0
				1	187		26.29		0
				90	0		25.75		0.5
				90	50		26.31		0
				90	99		25.93		0.5
				180	0		25.81		0.5
			QPSK	1	1		26.01		0
				1	95		26.29		0
				1	187		26.26		0
				90	0		25.22		1
				90	50		26.35		0
				90	99		25.44		1
				180	0		25.27		1
			16QAM	1	1		24.76		1
			64QAM	1	1		23.54		2.5
			256QAM	1	1		21.06		4.5
		CP	QPSK	1	1		24.60		1.5

The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR TDD Band n77 DoD_80 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							633334 Ch. 3500.01 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1		25.86		0
				1	109		26.23		0
				1	215		26.26		0
				108	0		25.71		0.5
				108	55		26.12		0
				108	109		25.88		0.5
				216	0		25.73		0.5
			QPSK	1	1		25.93		0
				1	109		26.28		0
				1	215		26.26		0
				108	0		25.17		1
				108	55		26.29		0
				108	109		25.36		1
				216	0		25.25		1
			16QAM	1	1		24.65		1
			64QAM	1	1		23.43		2.5
			256QAM	1	1		21.01		4.5
		CP	QPSK	1	1		24.43		1.5

NR TDD Band n77 DoD_90 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							633334 Ch. 3500.01 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		25.85		0
				1	123		26.28		0
				1	243		26.44		0
				120	0		25.69		0.5
				120	63		26.30		0
				120	125		25.88		0.5
				243	0		25.75		0.5
			QPSK	1	1		25.87		0
				1	123		26.27		0
				1	243		26.42		0
				120	0		25.23		1
				120	63		26.31		0
				120	125		25.39		1
				243	0		25.22		1
			16QAM	1	1		24.83		1
			64QAM	1	1		23.48		2.5
			256QAM	1	1		21.12		4.5
		CP	QPSK	1	1		24.48		1.5

The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR TDD Band n77 DoD_100 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							633334 Ch. 3500.01 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1		25.78		0
				1	137		26.22		0
				1	271		26.39		0
				135	0		25.56		0.5
				135	69		26.31		0
				135	138		25.90		0.5
				270	0		25.72		0.5
			QPSK	1	1		25.82		0
				1	137		26.24		0
				1	271		26.41		0
				135	0		25.06		1
				135	69		26.33		0
				135	138		25.41		1
				270	0		25.21		1
			16QAM	1	1		24.57		1
			64QAM	1	1		23.34		2.5
			256QAM	1	1		21.03		4.5
		CP	QPSK	1	1		24.45		1.5

The report shall not be (partly) reproduced except in full without approval of the laboratory.