

Appendix K. – NR Band Plimit Conducted Power

K.1 NR Plimit Conducted Power

NR FDD Band n5 Conducted Power_Free(DSI=0) _ANT.A[MAIN1]

NR FDD Band n5_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						165300 Ch. 826.5 MHz	167300 Ch. 836.5 MHz	169300 Ch. 846.5 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1	24.33	24.31	24.27	0
				1	13	24.27	24.21	24.18	0
				1	23	24.30	24.24	24.20	0
				12	0	24.24	24.32	24.20	0
				12	7	24.21	24.26	24.12	0
				12	13	24.32	24.25	24.23	0
				25	0	24.19	24.24	24.22	0
			QPSK	1	1	24.28	24.36	24.37	0
				1	13	24.19	24.19	24.27	0
				1	23	24.37	24.27	24.23	0
				12	0	23.79	23.78	23.78	0.5
				12	7	24.17	24.20	24.21	0
				12	13	23.83	23.71	23.63	0.5
				25	0	23.72	23.71	23.67	0.5
			16QAM	1	1	23.72	23.82	23.80	0.5
			64QAM	1	1	22.46	22.47	22.48	2
			256QAM	1	1	19.80	19.68	19.73	4
		CP	QPSK	1	1	23.39	23.35	23.29	1

NR FDD Band n5_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							167300 Ch. 836.5 MHz		
10 MHz	15	DFT-s	pi/2 BPSK	1	1		24.25		0
				1	26		24.27		0
				1	50		24.22		0
				25	0		24.21		0
				25	14		24.27		0
				25	27		24.30		0
				50	0		24.28		0
			QPSK	1	1		24.18		0
				1	26		24.27		0
				1	50		24.32		0
				25	0		23.81		0.5
				25	14		24.25		0
				25	27		23.68		0.5
				50	0		23.76		0.5
			16QAM	1	1		23.71		0.5
			64QAM	1	1		22.36		2
			256QAM	1	1		19.72		4
		CP	QPSK	1	1		23.30		1

NR FDD Band n5_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							167300 Ch. 836.5 MHz		
15 MHz	15	DFT-s	pi/2 BPSK	1	1		24.38		0
				1	40		24.52		0
				1	77		24.39		0
				36	0		24.44		0
				36	22		24.38		0
				36	43		24.38		0
				75	0		24.50		0
			QPSK	1	1		24.43		0
				1	40		24.49		0
				1	77		24.56		0
				36	0		23.85		0.5
				36	22		24.44		0
				36	43		23.88		0.5
				75	0		23.94		0.5
			16QAM	1	1		23.87		0.5
			64QAM	1	1		22.59		2
			256QAM	1	1		19.94		4
		CP	QPSK	1	1		23.59		1

NR FDD Band n5_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							167300 Ch. 836.5 MHz		
20 MHz	15	DFT-s	pi/2 BPSK	1	1		24.37		0
				1	53		24.36		0
				1	104		24.32		0
				50	0		24.31		0
				50	28		24.43		0
				50	56		24.38		0
				100	0		24.44		0
			QPSK	1	1		24.36		0
				1	53		24.45		0
				1	104		24.31		0
				50	0		23.90		0.5
				50	28		24.54		0
				50	56		23.93		0.5
				100	0		23.85		0.5
			16QAM	1	1		23.87		0.5
			64QAM	1	1		22.55		2
			256QAM	1	1		19.84		4
		CP	QPSK	1	1		23.52		1

NR FDD Band n5 Conducted Power_Pmax, RCV(DSI=1) _ANT.A[MAIN1]

NR FDD Band n5_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						165300 Ch. 826.5 MHz	167300 Ch. 836.5 MHz	169300 Ch. 846.5 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1	24.35	24.42	24.39	0
				1	13	24.31	24.31	24.30	0
				1	23	24.36	24.44	24.36	0
				12	0	23.86	23.90	23.83	0.5
				12	7	24.34	24.35	24.29	0
				12	13	23.90	23.89	23.81	0.5
				25	0	23.91	23.89	23.84	0.5
			QPSK	1	1	24.45	24.42	24.46	0
				1	13	24.35	24.38	24.33	0
				1	23	24.39	24.52	24.41	0
				12	0	23.45	23.41	23.38	1
				12	7	24.38	24.37	24.33	0
				12	13	23.42	23.34	23.30	1
				25	0	23.37	23.33	23.38	1
			16QAM	1	1	23.49	23.46	23.43	1
			64QAM	1	1	22.12	22.07	22.08	2.5
			256QAM	1	1	19.42	19.47	19.48	4.5
		CP	QPSK	1	1	23.04	23.03	23.05	1.5

NR FDD Band n5_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							167300 Ch. 836.5 MHz		
10 MHz	15	DFT-s	pi/2 BPSK	1	1		24.42		0
				1	26		24.39		0
				1	50		24.48		0
				25	0		23.97		0.5
				25	14		24.47		0
				25	27		23.95		0.5
				50	0		23.99		0.5
			QPSK	1	1		24.40		0
				1	26		24.43		0
				1	50		24.41		0
				25	0		23.42		1
				25	14		24.52		0
				25	27		23.42		1
				50	0		23.40		1
			16QAM	1	1		23.41		1
			64QAM	1	1		22.02		2.5
			256QAM	1	1		19.31		4.5
		CP	QPSK	1	1		22.96		1.5

NR FDD Band n5_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							167300 Ch. 836.5 MHz	
15 MHz	15	DFT-s	pi/2 BPSK	1	1		24.54	0
				1	40		24.66	0
				1	77		24.57	0
				36	0		24.08	0.5
				36	22		24.64	0
				36	43		24.15	0.5
				75	0		24.06	0.5
			QPSK	1	1		24.60	0
				1	40		24.66	0
				1	77		24.61	0
				36	0		23.60	1
				36	22		24.59	0
				36	43		23.68	1
				75	0		23.55	1
			16QAM	1	1		23.60	1
			64QAM	1	1		22.18	2.5
			256QAM	1	1		19.63	4.5
		CP	QPSK	1	1		23.23	1.5

NR FDD Band n5_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							167300 Ch. 836.5 MHz	
20 MHz	15	DFT-s	pi/2 BPSK	1	1		24.52	0
				1	53		24.65	0
				1	104		24.53	0
				50	0		24.07	0.5
				50	28		24.74	0
				50	56		24.14	0.5
				100	0		24.10	0.5
			QPSK	1	1		24.66	0
				1	53		24.60	0
				1	104		24.59	0
				50	0		23.56	1
				50	28		24.62	0
				50	56		23.67	1
				100	0		23.67	1
			16QAM	1	1		23.54	1
			64QAM	1	1		22.18	2.5
			256QAM	1	1		19.56	4.5
		CP	QPSK	1	1		23.21	1.5

NR TDD Band n41 Conducted Power_Free(DSI=0) _ANT.A[MAIN1]

NR TDD Band n41_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						500202 2501.01 MHz	509400 2547 MHz	518598 2592.99 MHz	527802 2639.01 MHz	537000 2685 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	17.62	17.52	17.16	16.52	16.31	0
				1	12	17.60	17.55	17.18	16.50	16.38	0
				1	22	17.60	17.54	17.07	16.47	16.40	0
				12	0	17.58	17.52	17.20	16.53	16.43	0
				12	6	17.64	17.52	17.16	16.51	16.44	0
				12	12	17.65	17.69	17.14	16.57	16.43	0
				24	0	17.59	17.49	17.16	16.52	16.45	0
			QPSK	1	1	17.48	17.49	17.14	16.52	16.23	0
				1	12	17.50	17.51	17.09	16.47	16.37	0
				1	22	17.54	17.53	17.03	16.46	16.36	0
				12	0	17.61	17.54	17.22	16.54	16.44	0
				12	6	17.58	17.54	17.19	16.53	16.43	0
				12	12	17.64	17.61	17.15	16.55	16.43	0
				24	0	17.62	17.54	17.17	16.57	16.47	0
			16QAM	1	1	17.36	17.22	16.94	16.37	16.46	0
			64QAM	1	1	17.47	17.35	17.09	16.45	16.14	0
			256QAM	1	1	17.21	16.98	16.78	16.14	16.30	0
		CP	QPSK	1	1	17.61	17.63	17.24	16.56	16.42	0

NR TDD Band n41_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						500700 2503.5 MHz	509652 2548.26 MHz	518598 2592.99 MHz	527550 2637.75 MHz	536502 2682.51 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	17.81	16.51	17.35	16.72	16.65	0
				1	18	17.68	17.54	17.20	16.53	16.50	0
				1	36	17.77	17.64	17.17	16.56	16.68	0
				18	0	17.75	17.68	17.34	16.66	16.70	0
				18	9	17.71	17.62	17.27	16.63	16.60	0
				18	18	17.85	17.60	17.22	16.65	16.57	0
				36	0	17.83	17.61	17.27	16.62	16.65	0
			QPSK	1	1	17.74	17.64	17.32	16.64	16.59	0
				1	18	17.63	17.51	17.17	16.53	16.47	0
				1	36	17.78	17.65	17.18	16.54	16.63	0
				18	0	17.78	17.66	17.31	16.68	16.65	0
				18	9	17.69	17.59	17.26	16.61	16.60	0
				18	18	17.88	17.65	17.24	16.60	16.63	0
				36	0	17.87	17.59	17.31	16.61	16.64	0
			16QAM	1	1	17.43	17.38	17.00	16.58	16.34	0
			64QAM	1	1	17.75	17.51	17.20	16.60	16.53	0
			256QAM	1	1	17.44	17.38	17.32	16.26	16.46	0
		CP	QPSK	1	1	17.83	16.57	16.30	16.74	16.37	0

NR TDD Band n41_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						501204 2506.02 MHz	509898 2549.49 MHz	518598 2592.99 MHz	527298 2636.49 MHz	535998 2679.99 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	17.61	17.68	17.37	16.70	16.57	0
				1	26	17.57	17.65	17.16	16.50	16.51	0
				1	49	17.56	17.61	17.10	16.48	16.65	0
				25	0	17.72	17.66	17.35	16.65	16.69	0
				25	13	17.64	17.63	17.28	16.60	16.59	0
				25	26	17.64	17.68	17.21	16.56	16.59	0
				50	0	17.65	17.67	17.28	16.60	16.61	0
			QPSK	1	1	17.55	17.69	17.34	16.69	16.54	0
				1	26	17.57	17.65	17.15	16.47	16.48	0
				1	49	17.57	17.59	17.10	16.45	16.63	0
				25	0	17.69	17.68	17.31	16.68	16.63	0
				25	13	17.67	17.63	17.24	16.62	16.59	0
				25	26	17.65	17.69	17.18	16.58	16.57	0
				50	0	17.70	17.66	17.29	16.62	16.59	0
			16QAM	1	1	17.24	17.59	17.04	17.04	16.47	0
			64QAM	1	1	17.45	17.60	17.34	16.79	16.47	0
			256QAM	1	1	17.12	17.26	16.89	16.29	16.13	0
		CP	QPSK	1	1	17.64	17.73	17.51	16.72	16.59	0

NR TDD Band n41_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						502200 2511 MHz	510402 2552.01 MHz	518598 2592.99 MHz	526800 2634 MHz	534996 2674.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	17.65	17.76	17.52	17.01	16.73	0
				1	39	17.67	17.81	17.29	16.80	16.72	0
				1	76	17.83	17.70	17.25	16.83	16.91	0
				36	0	17.76	17.81	17.43	16.96	16.80	0
				36	21	17.77	17.75	17.38	16.86	16.75	0
				36	42	17.88	17.83	17.31	16.83	16.83	0
				75	0	17.76	17.80	17.37	16.88	16.81	0
			QPSK	1	1	17.68	17.74	17.47	16.98	16.69	0
				1	39	17.66	17.77	17.25	16.81	16.63	0
				1	76	17.83	17.72	17.22	16.80	16.89	0
				36	0	17.76	17.80	17.44	16.97	16.78	0
				36	21	17.77	17.76	17.39	16.87	16.73	0
				36	42	17.85	17.87	17.32	16.83	16.83	0
				75	0	17.78	17.80	17.42	16.91	16.80	0
			16QAM	1	1	17.34	17.65	17.13	16.88	16.51	0
			64QAM	1	1	17.78	17.67	17.54	17.07	16.83	0
			256QAM	1	1	17.22	17.32	17.00	16.59	16.35	0
		CP	QPSK	1	1	17.78	17.81	17.64	17.09	16.77	0

NR TDD Band n41_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						503202 2516.01 MHz	513468 2567.34 MHz		523734 2618.67 MHz	534000 2670 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	17.64	17.76		17.26	16.71	0
				1	53	17.56	17.49		16.92	16.58	0
				1	104	17.78	17.45		16.84	16.81	0
				50	0	17.71	17.59		17.11	16.68	0
				50	28	17.63	17.54		16.98	16.72	0
				50	56	17.71	17.50		16.89	16.75	0
				100	0	17.62	17.56		17.06	16.76	0
			QPSK	1	1	17.65	17.69		17.18	16.64	0
				1	53	17.52	17.40		16.92	16.58	0
				1	104	17.76	17.36		16.85	16.79	0
				50	0	17.68	17.64		17.14	16.66	0
				50	28	17.60	17.56		16.98	16.67	0
				50	56	17.74	17.49		16.92	16.74	0
				100	0	17.67	17.58		17.01	16.75	0
			16QAM	1	1	17.30	17.80		16.90	16.54	0
			64QAM	1	1	17.52	17.79		17.12	16.63	0
			256QAM	1	1	17.74	17.29		16.73	16.26	0
		CP	QPSK	1	1	17.76	17.90		17.32	16.75	0

NR TDD Band n41_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						504204 2521.02 MHz		518598 2592.99 MHz		532998 2664.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	17.72		17.49		16.74	0
				1	67	17.66		17.26		16.63	0
				1	131	17.78		17.01		16.68	0
				64	0	17.71		17.41		16.67	0
				64	35	17.74		17.32		16.69	0
				64	69	17.74		17.16		16.66	0
				128	0	17.71		17.34		16.66	0
			QPSK	1	1	17.64		17.42		16.67	0
				1	67	17.63		17.22		16.58	0
				1	131	17.77		16.96		16.62	0
				64	0	17.69		17.43		16.67	0
				64	35	17.69		17.32		16.70	0
				64	69	17.77		17.18		16.66	0
				128	0	17.71		17.35		16.67	0
			16QAM	1	1	17.78		17.29		16.51	0
			64QAM	1	1	17.69		17.53		16.62	0
			256QAM	1	1	17.22		17.10		16.31	0
		CP	QPSK	1	1	17.82		17.55		16.80	0

NR TDD Band n41_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						505200 2526 MHz		518598 2592.99 MHz		531996 2659.98 MHz	
60 MHz	30	DFT-s	pi/2 BPSK	1	1	17.61		17.50		16.71	0
				1	81	17.68		17.28		16.47	0
				1	160	17.55		16.87		16.54	0
				81	0	17.58		17.48		16.60	0
				81	41	17.70		17.32		16.50	0
				81	81	17.72		17.12		16.60	0
				162	0	17.69		17.31		16.54	0
			QPSK	1	1	17.55		17.46		16.64	0
				1	81	17.61		17.25		16.39	0
				1	160	17.52		16.84		16.50	0
				81	0	17.60		17.42		16.58	0
				81	41	17.69		17.32		16.47	0
				81	81	17.68		17.15		16.64	0
				162	0	17.74		17.37		16.56	0
			16QAM	1	1	17.29		17.37		16.62	0
			64QAM	1	1	17.41		17.42		16.37	0
			256QAM	1	1	17.11		17.07		16.27	0
		CP	QPSK	1	1	17.76		17.38		16.78	0

NR TDD Band n41_70 MHz Bandwidth Conducted Power

NR TDD Bandwidth 70 MHz Bandwidth, conducted power							Max.Average Power [dBm]				MPR [dB]
Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	506202 2531.01 MHz				531000 2655 MHz	
70 MHz	30	DFT-s	pi/2 BPSK	1	1	17.49				16.60	0
				1	95	17.52				16.30	0
				1	187	17.39				16.40	0
				90	0	17.57				16.42	0
				90	50	17.58				16.31	0
				90	99	17.48				16.39	0
				180	0	17.55				16.33	0
			QPSK	1	1	17.46				16.56	0
				1	95	17.47				16.23	0
				1	187	17.38				16.32	0
				90	0	17.59				16.48	0
				90	50	17.57				16.32	0
				90	99	17.51				16.31	0
				180	0	17.43				16.07	0
			16QAM	1	1	17.36				16.38	0
			64QAM	1	1	17.21				16.55	0
			256QAM	1	1	17.07				16.16	0
		CP	QPSK	1	1	17.53				16.71	0

NR TDD Band n41_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR [dB]	
						507204 2536.02 MHz					529998 2649.99 MHz
80 MHz	30	DFT-s	pi/2 BPSK	1	1	17.33				16.72	0
				1	109	17.48				16.37	0
				1	215	17.33				16.41	0
				108	0	17.53				16.61	0
				108	55	17.52				16.44	0
				108	109	17.48				16.47	0
				216	0	17.04				16.56	0
			QPSK	1	1	17.40				16.66	0
				1	109	17.43				16.33	0
				1	215	17.31				16.48	0
				108	0	17.50				16.57	0
				108	55	17.54				16.48	0
				108	109	17.47				16.44	0
				216	0	17.47				16.52	0
			16QAM	1	1	17.30				16.40	0
			64QAM	1	1	17.36				16.58	0
			256QAM	1	1	17.00				16.23	0
		CP	QPSK	1	1	17.53				16.87	0

NR TDD Band n41_90 MHz Bandwidth Conducted Power

NR TDD Bandwidth 90 MHz Bandwidth, conducted, F-SSB											
Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR [dB]	
						508200 2541 MHz					528996 2644.98 MHz
90 MHz	30	DFT-s	pi/2 BPSK	1	1	17.48				16.90	0
				1	123	17.54				16.49	0
				1	243	17.20				16.47	0
				120	0	17.60				16.78	0
				120	63	17.59				16.58	0
				120	125	17.50				16.55	0
				243	0	17.45				16.32	0
			QPSK	1	1	17.46				16.82	0
				1	123	17.52				16.42	0
				1	243	17.19				16.45	0
				120	0	17.55				16.75	0
				120	63	17.43				16.53	0
				120	125	17.51				16.57	0
				243	0	17.43				16.50	0
			16QAM	1	1	17.27				16.74	0
			64QAM	1	1	17.60				16.85	0
			256QAM	1	1	17.05				16.42	0
		CP	QPSK	1	1	17.57				16.91	0

NR TDD Band n41_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR [dB]
								518598 2592.99 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1			17.46		0
				1	137			17.05		0
				1	271			16.43		0
				135	0			17.45		0
				135	69			17.17		0
				135	138			16.76		0
				270	0			17.13		0
			QPSK	1	1			17.40		0
				1	137			17.04		0
				1	271			16.39		0
				135	0			17.45		0
				135	69			17.13		0
				135	138			16.74		0
				270	0			17.15		0
			16QAM	1	1			17.22		0
			64QAM	1	1			17.16		0
			256QAM	1	1			17.36		0
		CP	QPSK	1	1			17.45		0

NR TDD Band n41 Conducted Power_ Pmax, RCV(DSI=1) _ANT.A[MAIN1]

NR TDD Band n41_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						500202 2501.01 MHz	509400 2547 MHz	518598 2592.99 MHz	527802 2639.01 MHz	537000 2685 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	23.83	23.85	23.69	23.05	22.70	0
				1	12	23.81	23.95	23.67	23.05	22.78	0
				1	22	23.85	23.90	23.64	22.97	22.79	0
				12	0	23.34	23.44	23.28	22.64	22.36	0.5
				12	6	23.85	23.88	23.72	23.10	22.79	0
				12	12	23.35	23.28	23.25	22.62	22.30	0.5
				24	0	23.32	23.37	23.21	22.62	22.32	0.5
			QPSK	1	1	23.82	23.80	23.72	23.10	22.66	0
				1	12	23.81	23.96	23.64	23.06	22.76	0
				1	22	23.84	23.95	23.62	22.96	22.70	0
				12	0	22.84	22.88	22.74	22.08	21.82	1
				12	6	23.86	23.90	23.69	23.11	22.80	0
				12	12	22.93	22.56	22.72	22.11	21.80	1
				24	0	22.83	22.91	22.75	22.09	21.81	1
			16QAM	1	1	22.69	22.77	22.57	21.97	21.60	1
			64QAM	1	1	21.30	21.54	21.09	20.62	20.21	2.5
			256QAM	1	1	18.89	18.87	18.76	18.14	18.10	4.5
		CP	QPSK	1	1	22.44	22.47	22.35	21.67	21.27	1.5

NR TDD Band n41_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						500700 2503.5 MHz	509652 2548.26 MHz	518598 2592.99 MHz	527550 2637.75 MHz	536502 2682.51 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	23.97	24.06	23.69	23.28	23.08	0
				1	18	23.84	23.92	23.71	23.07	22.93	0
				1	36	24.04	24.05	23.71	22.98	23.00	0
				18	0	23.51	23.56	23.35	22.73	22.59	0.5
				18	9	23.96	23.95	23.77	23.16	23.01	0
				18	18	23.55	23.57	23.29	22.63	22.47	0.5
				36	0	23.58	23.54	23.33	22.64	22.50	0.5
			QPSK	1	1	23.91	24.02	23.79	23.18	23.05	0
				1	18	23.83	23.89	23.67	23.11	22.86	0
				1	36	24.01	24.02	23.66	23.02	22.99	0
				18	0	23.00	23.02	22.88	22.25	22.07	1
				18	9	23.95	24.01	23.76	23.13	22.94	0
				18	18	22.96	23.07	22.76	22.14	21.92	1
				36	0	23.06	22.99	22.79	22.16	22.02	1
			16QAM	1	1	22.79	22.82	22.67	22.11	21.87	1
			64QAM	1	1	21.52	21.57	21.39	20.85	20.20	2.5
			256QAM	1	1	19.08	19.07	18.82	18.22	18.10	4.5
		CP	QPSK	1	1	21.52	22.57	22.51	21.73	21.36	1.5

NR TDD Band n41_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						501204 2506.02 MHz	509898 2549.49 MHz	518598 2592.99 MHz	527298 2636.49 MHz	535998 2679.99 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	23.78	23.83	23.55	22.83	22.74	0
				1	26	23.74	23.82	23.34	22.61	22.63	0
				1	49	23.75	23.82	23.30	22.74	22.77	0
				25	0	23.36	23.35	23.06	22.23	22.30	0.5
				25	13	23.86	23.78	23.43	22.76	22.78	0
				25	26	23.34	23.39	22.90	22.21	22.24	0.5
				50	0	23.37	23.35	23.00	22.30	22.28	0.5
			QPSK	1	1	23.75	23.82	23.51	22.84	22.75	0
				1	26	23.72	23.79	23.33	22.60	22.68	0
				1	49	23.75	23.78	23.26	22.70	22.79	0
				25	0	22.89	22.87	22.53	21.88	21.83	1
				25	13	23.86	23.82	23.42	22.80	22.75	0
				25	26	22.86	22.89	22.37	21.75	21.76	1
				50	0	22.89	22.83	22.46	21.80	21.79	1
			16QAM	1	1	22.57	22.95	22.20	21.75	21.64	1
			64QAM	1	1	21.31	21.40	21.06	20.51	20.30	2.5
			256QAM	1	1	18.87	18.87	18.56	18.26	18.02	4.5
		CP	QPSK	1	1	22.35	22.44	22.33	21.41	21.26	1.5

NR TDD Band n41_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						502200 2511 MHz	510402 2552.01 MHz	518598 2592.99 MHz	526800 2634 MHz	534996 2674.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	23.86	23.93	23.72	23.10	22.88	0
				1	39	23.88	23.97	23.50	23.03	22.84	0
				1	76	24.04	23.91	23.40	23.05	23.06	0
				36	0	23.47	23.46	23.13	22.66	22.45	0.5
				36	21	23.93	23.94	23.56	23.09	22.87	0
				36	42	23.59	23.50	23.04	22.54	22.52	0.5
				75	0	23.42	23.45	23.10	22.59	22.46	0.5
			QPSK	1	1	23.81	23.91	23.70	23.12	22.87	0
				1	39	23.85	23.99	23.47	23.04	22.79	0
				1	76	23.98	23.86	23.37	23.06	22.93	0
				36	0	22.98	23.00	22.66	22.13	21.93	1
				36	21	23.91	23.93	23.56	23.04	22.87	0
				36	42	23.06	23.06	22.51	22.03	22.00	1
				75	0	22.96	22.94	22.59	22.04	21.93	1
			16QAM	1	1	22.69	22.80	22.50	22.04	21.83	1
			64QAM	1	1	21.39	21.57	21.12	20.82	20.48	2.5
			256QAM	1	1	18.92	18.94	18.71	18.17	18.08	4.5
		CP	QPSK	1	1	22.45	22.50	22.25	21.78	21.47	1.5

NR TDD Band n41_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						503202 2516.01 MHz	513468 2567.34 MHz		523734 2618.67 MHz	534000 2670 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	23.86	23.92		23.38	22.87	0
				1	53	23.75	23.69		23.11	22.69	0
				1	104	23.97	23.64		22.99	22.95	0
				50	0	23.39	23.34		22.76	22.36	0.5
				50	28	23.83	23.73		23.17	22.87	0
				50	56	23.40	23.20		22.60	22.43	0.5
				100	0	23.35	23.25		22.73	22.42	0.5
			QPSK	1	1	23.77	23.90		23.33	22.89	0
				1	53	23.64	23.59		23.10	22.71	0
				1	104	23.84	23.58		22.95	22.93	0
				50	0	22.88	22.84		22.29	21.83	1
				50	28	23.81	23.73		23.17	22.85	0
				50	56	22.92	22.69		22.10	21.95	1
				100	0	22.82	22.79		22.21	21.94	1
			16QAM	1	1	22.62	22.69		22.21	21.74	1
			64QAM	1	1	21.38	21.46		20.96	20.42	2.5
			256QAM	1	1	18.88	18.98		18.44	18.07	4.5
		CP	QPSK	1	1	22.44	22.47		22.00	21.43	1.5

NR TDD Band n41_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR [dB]	
						504204 2521.02 MHz		518598 2592.99 MHz			532998 2664.99 MHz
50 MHz	30	DFT-s	pi/2 BPSK	1	1	23.88		23.68		22.91	0
				1	67	23.87		23.45		22.79	0
				1	131	23.93		23.15		22.82	0
				64	0	23.37		23.10		22.34	0.5
				64	35	23.86		23.49		22.86	0
				64	69	23.45		22.85		22.32	0.5
				128	0	23.38		23.00		22.31	0.5
			QPSK	1	1	23.84		23.65		22.91	0
				1	67	23.79		23.45		22.81	0
				1	131	23.91		23.19		22.90	0
				64	0	22.85		22.59		21.82	1
				64	35	23.88		23.47		22.86	0
				64	69	22.93		22.36		21.82	1
				128	0	22.92		22.49		21.86	1
			16QAM	1	1	22.66		22.57		21.82	1
			64QAM	1	1	21.15		21.05		20.07	2.5
			256QAM	1	1	18.90		18.70		18.06	4.5
		CP	QPSK	1	1	22.42		22.25		21.51	1.5

NR TDD Band n41_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						505200 2526 MHz		518598 2592.99 MHz		531996 2659.98 MHz	
60 MHz	30	DFT-s	pi/2 BPSK	1	1	23.71		23.66		22.88	0
				1	81	23.81		23.45		22.60	0
				1	160	23.75		23.06		22.67	0
				81	0	23.23		23.11		22.27	0.5
				81	41	23.82		23.47		22.70	0
				81	81	23.37		22.81		22.28	0.5
				162	0	23.40		22.98		22.24	0.5
			QPSK	1	1	23.69		23.69		22.85	0
				1	81	23.71		23.45		22.66	0
				1	160	23.71		23.04		22.70	0
				81	0	22.75		22.65		21.75	1
				81	41	23.87		23.51		22.65	0
				81	81	22.87		22.32		21.76	1
				162	0	22.84		22.49		21.75	1
			16QAM	1	1	22.60		22.56		21.77	1
			64QAM	1	1	21.30		21.31		20.50	2.5
			256QAM	1	1	18.78		18.73		18.25	4.5
		CP	QPSK	1	1	22.42		22.27		21.46	1.5

NR TDD Band n41_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR [dB]	
						506202 2531.01 MHz					531000 2655 MHz
70 MHz	30	DFT-s	pi/2 BPSK	1	1	23.69				22.75	0
				1	95	23.62				22.59	0
				1	187	23.55				22.54	0
				90	0	23.26				22.12	0.5
				90	50	23.69				22.52	0
				90	99	23.16				22.08	0.5
				180	0	22.96				22.08	0.5
			QPSK	1	1	23.60				22.70	0
				1	95	23.59				22.56	0
				1	187	23.57				22.55	0
				90	0	22.76				21.63	1
				90	50	23.70				22.52	0
				90	99	22.69				21.58	1
				180	0	22.36				21.60	1
			16QAM	1	1	22.53				21.88	1
			64QAM	1	1	21.23				20.30	2.5
			256QAM	1	1	18.64				18.01	4.5
		CP	QPSK	1	1	22.23				21.34	1.5

NR TDD Band n41_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR [dB]	
						507204 2536.02 MHz					529998 2649.99 MHz
80 MHz	30	DFT-s	pi/2 BPSK	1	1	23.42				22.87	0
				1	109	23.63				22.54	0
				1	215	23.54				22.58	0
				108	0	23.12				22.20	0.5
				108	55	23.53				22.68	0
				108	109	23.14				22.15	0.5
				216	0	23.13				22.09	0.5
			QPSK	1	1	23.55				22.79	0
				1	109	23.54				22.52	0
				1	215	23.51				22.52	0
				108	0	22.68				21.79	1
				108	55	23.67				22.68	0
				108	109	22.66				21.63	1
				216	0	22.63				21.69	1
			16QAM	1	1	22.50				21.66	1
			64QAM	1	1	21.08				20.30	2.5
			256QAM	1	1	18.57				18.02	4.5
		CP	QPSK	1	1	22.14				21.45	1.5

NR TDD Band n41_90 MHz Bandwidth Conducted Power

NR TDD Bandwidth 90 MHz Bandwidth, conducted power							Max.Average Power [dBm]				MPR [dB]
Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	508200 2541 MHz				528996 2644.98 MHz	
90 MHz	30	DFT-s	pi/2 BPSK	1	1	23.64				23.01	0
				1	123	23.68				22.75	0
				1	243	23.34				22.66	0
				120	0	23.19				22.40	0.5
				120	63	23.73				22.73	0
				120	125	23.19				22.21	0.5
			243	0	23.13				22.35	0.5	
			QPSK	1	1	23.65				22.99	0
				1	123	23.68				22.61	0
				1	243	23.26				22.62	0
				120	0	22.71				21.92	1
				120	63	23.75				22.70	0
				120	125	22.59				21.70	1
			243	0	22.44				21.81	1	
			16QAM	1	1	22.53				21.87	1
			64QAM	1	1	21.13				20.65	2.5
			256QAM	1	1	18.60				18.09	4.5
		CP	QPSK	1	1	22.28				21.64	1.5

NR TDD Band n41_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR [dB]
								518598 2592.99 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1			23.56		0
				1	137			23.20		0
				1	271			22.60		0
				135	0			23.12		0.5
				135	69			23.29		0
				135	138			22.44		0.5
				270	0			22.78		0.5
			QPSK	1	1			23.56		0
				1	137			23.19		0
				1	271			22.55		0
				135	0			22.64		1
				135	69			23.32		0
				135	138			21.95		1
				270	0			22.33		1
			16QAM	1	1			22.46		1
			64QAM	1	1			21.01		2.5
			256QAM	1	1			18.67		4.5
		CP	QPSK	1	1			22.21		1.5

NR FDD Band n66 Conducted Power_Free(DSI=0) _ANT.A[MAIN1]

NR FDD Band n66_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						342500 Ch. 1712.5 MHz	349000 Ch. 1745 MHz	355500 Ch. 1777.5 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1	20.20	20.33	20.40	0
				1	13	20.24	20.42	20.37	0
				1	23	20.20	20.43	20.32	0
				12	0	20.21	20.42	20.37	0
				12	7	20.22	20.44	20.35	0
				12	13	20.27	20.39	20.37	0
				25	0	20.24	20.43	20.40	0
			QPSK	1	1	20.21	20.38	20.33	0
				1	13	20.27	20.44	20.38	0
				1	23	20.24	20.38	20.31	0
				12	0	20.29	20.39	20.37	0
				12	7	20.24	20.44	20.39	0
				12	13	20.31	20.38	20.36	0
				25	0	20.26	20.43	20.40	0
			16QAM	1	1	20.30	20.35	20.36	0
			64QAM	1	1	20.38	20.50	20.54	0
			256QAM	1	1	18.79	18.96	18.95	0.5
		CP	QPSK	1	1	20.37	20.45	20.43	0

NR FDD Band n66_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						343000 Ch. 1715 MHz	349000 Ch. 1745 MHz	355000 Ch. 1775 MHz	
10 MHz	15	DFT-s	pi/2 BPSK	1	1	20.27	20.41	20.41	0
				1	26	20.30	20.39	20.41	0
				1	50	20.37	20.43	20.37	0
				25	0	20.37	20.40	20.45	0
				25	14	20.36	20.42	20.45	0
				25	27	20.36	20.42	20.38	0
				50	0	20.37	20.41	20.48	0
			QPSK	1	1	20.33	20.39	20.43	0
				1	26	20.34	20.41	20.37	0
				1	50	20.34	20.42	20.34	0
				25	0	20.30	20.36	20.39	0
				25	14	20.33	20.39	20.40	0
				25	27	20.33	20.39	20.41	0
				50	0	20.34	20.37	20.39	0
			16QAM	1	1	20.35	20.24	20.39	0
			64QAM	1	1	20.37	20.48	20.58	0
			256QAM	1	1	18.85	18.96	18.99	0.5
		CP	QPSK	1	1	20.43	20.44	20.46	0

NR FDD Band n66_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						343500 Ch. 1717.5 MHz	349000 Ch. 1745 MHz	354500 Ch. 1772.5 MHz	
15 MHz	15	DFT-s	pi/2 BPSK	1	1	20.41	20.48	20.41	0
				1	40	20.36	20.47	20.40	0
				1	77	20.52	20.60	20.44	0
				36	0	20.49	20.54	20.49	0
				36	22	20.42	20.47	20.48	0
				36	43	20.52	20.55	20.45	0
				75	0	20.52	20.49	20.52	0
			QPSK	1	1	20.33	20.46	20.49	0
				1	40	20.40	20.42	20.40	0
				1	77	20.53	20.62	20.45	0
				36	0	20.41	20.52	20.48	0
				36	22	20.36	20.51	20.42	0
				36	43	20.45	20.53	20.45	0
				75	0	20.44	20.51	20.46	0
			16QAM	1	1	20.40	20.40	20.38	0
			64QAM	1	1	20.53	20.61	20.58	0
			256QAM	1	1	18.91	19.08	19.03	0.5
		CP	QPSK	1	1	20.50	20.55	20.52	0

NR FDD Band n66_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						344000 Ch. 1720 MHz	349000 Ch. 1745 MHz	354000 Ch. 1770 MHz	
20 MHz	15	DFT-s	pi/2 BPSK	1	1	20.35	20.47	20.49	0
				1	53	20.33	20.48	20.41	0
				1	104	20.46	20.50	20.44	0
				50	0	20.48	20.54	20.45	0
				50	28	20.47	20.53	20.50	0
				50	56	20.43	20.57	20.52	0
				100	0	20.49	20.54	20.49	0
			QPSK	1	1	20.36	20.49	20.47	0
				1	53	20.30	20.39	20.43	0
				1	104	20.50	20.57	20.45	0
				50	0	20.34	20.46	20.46	0
				50	28	20.49	20.53	20.46	0
				50	56	20.52	20.54	20.46	0
				100	0	20.45	20.50	20.52	0
			16QAM	1	1	20.37	20.40	20.45	0
			64QAM	1	1	20.47	20.63	20.61	0
			256QAM	1	1	18.85	19.07	19.02	0.5
		CP	QPSK	1	1	20.48	20.53	20.66	0

NR FDD Band n66_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						344500 Ch. 1722.5 MHz	349000 Ch. 1745 MHz	353500 Ch. 1767.5 MHz	
25 MHz	15	DFT-s	pi/2 BPSK	1	1	20.28	20.48	20.57	0
				1	66	20.35	20.45	20.51	0
				1	131	20.55	20.72	20.67	0
				64	0	20.35	20.45	20.59	0
				64	35	20.41	20.55	20.49	0
				64	69	20.50	20.58	20.54	0
				128	0	20.42	20.53	20.50	0
			QPSK	1	1	20.40	20.51	20.57	0
				1	66	20.30	20.45	20.56	0
				1	131	20.54	20.70	20.74	0
				64	0	20.36	20.48	20.55	0
				64	35	20.34	20.49	20.55	0
				64	69	20.51	20.51	20.48	0
				128	0	20.33	20.56	20.53	0
			16QAM	1	1	20.43	20.40	20.59	0
			64QAM	1	1	20.44	20.59	20.59	0
			256QAM	1	1	18.85	19.09	19.08	0.5
		CP	QPSK	1	1	20.50	20.57	20.69	0

NR FDD Band n66_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							349000 Ch. 1745 MHz		
30 MHz	15	DFT-s	pi/2 BPSK	1	1		20.43		0
				1	80		20.42		0
				1	158		20.47		0
				80	0		20.46		0
				80	40		20.50		0
				80	80		20.53		0
				160	0		20.57		0
			QPSK	1	1		20.45		0
				1	80		20.50		0
				1	158		20.54		0
				80	0		20.50		0
				80	40		20.50		0
				80	80		20.50		0
				160	0		20.53		0
			16QAM	1	1		20.36		0
			64QAM	1	1		20.54		0
			256QAM	1	1		19.07		0.5
		CP	QPSK	1	1		20.59		0

NR FDD Band n66_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							349000 Ch. 1745 MHz	
40 MHz	15	DFT-s	pi/2 BPSK	1	1		20.36	0
				1	108		20.46	0
				1	214		20.43	0
				108	0		20.50	0
				108	54		20.48	0
				108	108		20.63	0
				216	0		20.51	0
			QPSK	1	1		20.37	0
				1	108		20.51	0
				1	214		20.45	0
				108	0		20.53	0
				108	54		20.60	0
				108	108		20.58	0
				216	0		20.52	0
			16QAM	1	1		20.34	0
			64QAM	1	1		20.56	0
			256QAM	1	1		18.90	0.5
		CP	QPSK	1	1		20.48	0

NR FDD Band n66 Conducted Power_ Pmax , RCV(DSI=1) _ANT.A[MAIN1]

NR FDD Band n66_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						342500 Ch. 1712.5 MHz	349000 Ch. 1745 MHz	355500 Ch. 1777.5 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1	23.71	23.89	23.94	0
				1	13	23.79	24.02	23.96	0
				1	23	23.76	23.98	23.92	0
				12	0	23.34	23.51	23.45	0.5
				12	7	23.87	23.86	23.91	0
				12	13	23.37	23.48	23.46	0.5
				25	0	23.31	23.51	23.49	0.5
			QPSK	1	1	23.84	23.97	23.94	0
				1	13	23.87	23.96	23.97	0
				1	23	23.81	23.98	23.96	0
				12	0	22.83	22.96	22.98	1
				12	7	23.84	23.88	23.95	0
				12	13	22.85	22.95	22.91	1
				25	0	22.81	22.98	22.94	1
			16QAM	1	1	22.84	22.94	22.92	1
			64QAM	1	1	21.45	21.61	21.61	2.5
			256QAM	1	1	18.80	18.94	18.92	4.5
		CP	QPSK	1	1	22.41	22.54	22.50	1.5

NR FDD Band n66_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						343000 Ch. 1715 MHz	349000 Ch. 1745 MHz	355000 Ch. 1775 MHz	
10 MHz	15	DFT-s	pi/2 BPSK	1	1	23.83	23.98	23.88	0
				1	26	23.87	23.99	23.98	0
				1	50	23.87	23.99	23.92	0
				25	0	23.40	23.40	23.53	0.5
				25	14	23.90	23.99	24.04	0
				25	27	23.42	23.38	23.50	0.5
				50	0	23.40	23.43	23.53	0.5
			QPSK	1	1	23.84	23.90	24.00	0
				1	26	23.89	23.92	23.97	0
				1	50	23.89	24.02	23.96	0
				25	0	22.78	22.88	22.97	1
				25	14	23.89	23.94	24.03	0
				25	27	22.90	22.90	23.00	1
				50	0	22.86	22.91	22.95	1
			16QAM	1	1	22.83	22.88	22.95	1
			64QAM	1	1	21.44	21.53	21.64	2.5
			256QAM	1	1	18.82	18.94	18.94	4.5
		CP	QPSK	1	1	22.48	22.55	22.48	1.5

NR FDD Band n66_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						343500 Ch. 1717.5 MHz	349000 Ch. 1745 MHz	354500 Ch. 1772.5 MHz	
15 MHz	15	DFT-s	pi/2 BPSK	1	1	23.95	24.08	24.01	0
				1	40	23.93	24.05	23.91	0
				1	77	24.08	24.13	23.97	0
				36	0	23.48	23.63	23.52	0.5
				36	22	23.94	24.10	24.03	0
				36	43	23.55	23.64	23.53	0.5
				75	0	23.46	23.58	23.55	0.5
			QPSK	1	1	23.93	24.10	24.03	0
				1	40	23.90	24.06	23.94	0
				1	77	23.99	24.17	24.06	0
				36	0	22.99	23.09	23.06	1
				36	22	24.02	24.13	24.02	0
				36	43	22.98	23.08	23.04	1
				75	0	22.95	23.12	23.04	1
			16QAM	1	1	22.96	23.00	22.98	1
			64QAM	1	1	21.63	21.69	21.65	2.5
			256QAM	1	1	18.92	19.00	19.00	4.5
		CP	QPSK	1	1	22.58	22.57	22.57	1.5

NR FDD Band n66_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						344000 Ch. 1720 MHz	349000 Ch. 1745 MHz	354000 Ch. 1770 MHz	
20 MHz	15	DFT-s	pi/2 BPSK	1	1	23.95	24.04	24.07	0
				1	53	23.91	24.03	24.00	0
				1	104	24.04	24.04	24.08	0
				50	0	23.41	23.59	23.58	0.5
				50	28	24.03	24.09	24.12	0
				50	56	23.52	23.59	23.61	0.5
				100	0	23.48	23.64	23.60	0.5
			QPSK	1	1	23.97	24.06	24.03	0
				1	53	23.91	24.03	24.01	0
				1	104	24.09	24.10	24.05	0
				50	0	22.89	23.11	23.11	1
				50	28	23.92	24.10	24.11	0
				50	56	22.98	23.12	23.06	1
				100	0	22.95	23.09	23.06	1
			16QAM	1	1	22.93	22.90	23.07	1
			64QAM	1	1	21.60	21.75	21.70	2.5
			256QAM	1	1	18.85	19.01	19.03	4.5
		CP	QPSK	1	1	22.52	22.55	22.64	1.5

NR FDD Band n66_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						344500 Ch. 1722.5 MHz	349000 Ch. 1745 MHz	353500 Ch. 1767.5 MHz	
25 MHz	15	DFT-s	pi/2 BPSK	1	1	23.87	24.02	24.07	0
				1	66	23.97	24.11	24.07	0
				1	131	24.13	24.19	24.18	0
				64	0	23.39	23.52	23.53	0.5
				64	35	23.92	24.06	24.12	0
				64	69	23.49	23.66	23.68	0.5
				128	0	23.40	23.46	23.60	0.5
			QPSK	1	1	24.02	24.06	24.13	0
				1	66	24.08	24.14	24.09	0
				1	131	24.19	24.21	24.26	0
				64	0	22.95	22.99	23.08	1
				64	35	23.97	24.12	24.13	0
				64	69	23.01	23.16	23.15	1
				128	0	22.99	22.98	23.12	1
			16QAM	1	1	23.01	22.96	23.09	1
			64QAM	1	1	21.66	21.70	21.79	2.5
			256QAM	1	1	18.84	19.02	19.14	4.5
		CP	QPSK	1	1	22.54	22.53	22.82	1.5

NR FDD Band n66_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							349000 Ch. 1745 MHz		
30 MHz	15	DFT-s	pi/2 BPSK	1	1		24.00		0
				1	80		24.05		0
				1	158		24.13		0
				80	0		23.63		0.5
				80	40		24.08		0
				80	80		23.67		0.5
				160	0		23.62		0.5
			QPSK	1	1		24.00		0
				1	80		24.11		0
				1	158		24.08		0
				80	0		23.03		1
				80	40		24.14		0
				80	80		23.16		1
				160	0		23.09		1
			16QAM	1	1		22.86		1
			64QAM	1	1		21.58		2.5
			256QAM	1	1		19.03		4.5
		CP	QPSK	1	1		22.45		1.5

NR FDD Band n66_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							349000 Ch. 1745 MHz	
40 MHz	15	DFT-s	pi/2 BPSK	1	1		23.94	0
				1	108		24.04	0
				1	214		24.06	0
				108	0		23.54	0.5
				108	54		24.12	0
				108	108		23.64	0.5
				216	0		23.60	0.5
			QPSK	1	1		23.93	0
				1	108		24.14	0
				1	214		24.02	0
				108	0		23.02	1
				108	54		24.13	0
				108	108		23.11	1
				216	0		23.12	1
			16QAM	1	1		22.93	1
			64QAM	1	1		21.69	2.5
			256QAM	1	1		18.92	4.5
		CP	QPSK	1	1		22.52	1.5

NR FDD Band n66 Conducted Power_Free(DSI=0) _ANT.F[SUB2-2]

NR FDD Band n66_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						342500 Ch. 1712.5 MHz	349000 Ch. 1745 MHz	355500 Ch. 1777.5 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1	19.04	20.00	20.50	0
				1	13	19.29	20.03	20.51	0
				1	23	19.19	20.08	20.59	0
				12	0	19.15	19.96	20.57	0
				12	7	19.22	20.00	20.52	0
				12	13	19.18	20.02	20.56	0
				25	0	19.16	19.97	20.57	0
			QPSK	1	1	19.05	19.97	20.51	0
				1	13	19.21	20.04	20.53	0
				1	23	19.16	20.07	20.53	0
				12	0	19.16	19.95	20.53	0
				12	7	19.25	20.01	20.58	0
				12	13	19.22	20.10	20.58	0
				25	0	19.14	19.97	20.53	0
			16QAM	1	1	19.09	20.03	20.52	0
			64QAM	1	1	19.17	20.11	20.63	0
			256QAM	1	1	18.51	19.13	19.53	0.5
		CP	QPSK	1	1	19.21	20.16	20.57	0

NR FDD Band n66_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						343000 Ch. 1715 MHz	349000 Ch. 1745 MHz	355000 Ch. 1775 MHz	
10 MHz	15	DFT-s	pi/2 BPSK	1	1	19.19	19.80	20.42	0
				1	26	19.34	20.04	20.55	0
				1	50	19.38	20.16	20.58	0
				25	0	19.20	19.97	20.48	0
				25	14	19.24	19.98	20.57	0
				25	27	19.32	20.10	20.56	0
				50	0	19.26	19.91	20.51	0
			QPSK	1	1	19.09	19.77	20.45	0
				1	26	19.32	20.04	20.57	0
				1	50	19.33	20.10	20.56	0
				25	0	19.21	19.89	20.52	0
				25	14	19.27	19.96	20.54	0
				25	27	19.38	20.12	20.56	0
				50	0	19.29	19.96	20.49	0
			16QAM	1	1	19.17	19.91	20.38	0
			64QAM	1	1	19.19	19.98	20.51	0
			256QAM	1	1	18.53	18.97	19.53	0.5
		CP	QPSK	1	1	19.28	20.04	20.61	0

NR FDD Band n66_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						343500 Ch. 1717.5 MHz	349000 Ch. 1745 MHz	354500 Ch. 1772.5 MHz	
15 MHz	15	DFT-s	pi/2 BPSK	1	1	19.26	19.91	19.31	0
				1	40	19.33	20.12	20.40	0
				1	77	19.64	20.30	20.60	0
				36	0	19.37	20.03	20.41	0
				36	22	19.44	20.09	20.47	0
				36	43	19.55	20.25	20.53	0
				75	0	19.42	20.14	20.54	0
			QPSK	1	1	19.13	19.94	20.39	0
				1	40	19.39	20.01	20.43	0
				1	77	19.62	20.28	20.60	0
				36	0	19.21	20.02	20.35	0
				36	22	19.40	20.06	20.38	0
				36	43	19.54	20.26	20.53	0
				75	0	19.41	20.09	20.43	0
			16QAM	1	1	19.14	20.05	20.40	0
			64QAM	1	1	19.17	20.10	20.50	0
			256QAM	1	1	18.51	18.99	19.35	0.5
		CP	QPSK	1	1	19.34	20.13	20.57	0

NR FDD Band n66_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						344000 Ch. 1720 MHz	349000 Ch. 1745 MHz	354000 Ch. 1770 MHz	
20 MHz	15	DFT-s	pi/2 BPSK	1	1	19.20	19.96	20.36	0
				1	53	19.34	20.11	20.33	0
				1	104	19.86	20.39	20.60	0
				50	0	19.30	19.97	20.42	0
				50	28	19.41	20.09	20.42	0
				50	56	19.64	20.32	20.58	0
				100	0	19.49	20.04	20.42	0
			QPSK	1	1	19.10	20.00	20.32	0
				1	53	19.35	20.02	20.37	0
				1	104	19.72	20.41	20.66	0
				50	0	19.36	19.98	20.35	0
				50	28	19.49	20.06	20.41	0
				50	56	19.64	20.30	20.57	0
				100	0	19.48	20.08	20.45	0
			16QAM	1	1	19.16	20.02	20.34	0
			64QAM	1	1	19.18	20.13	20.47	0
			256QAM	1	1	18.49	19.06	19.39	0.5
		CP	QPSK	1	1	19.27	20.60	20.48	0

NR FDD Band n66_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						344500 Ch. 1722.5 MHz	349000 Ch. 1745 MHz	353500 Ch. 1767.5 MHz	
25 MHz	15	DFT-s	pi/2 BPSK	1	1	19.09	19.86	20.33	0
				1	66	19.56	20.05	20.56	0
				1	131	19.97	20.46	20.80	0
				64	0	19.36	19.95	20.42	0
				64	35	19.54	20.03	20.49	0
				64	69	19.71	20.29	20.59	0
				128	0	19.52	20.03	20.42	0
			QPSK	1	1	19.09	19.75	20.26	0
				1	66	19.49	19.97	20.41	0
				1	131	19.99	20.43	20.74	0
				64	0	19.27	19.91	20.44	0
				64	35	19.51	20.05	20.43	0
				64	69	19.71	20.28	20.55	0
				128	0	19.54	20.03	20.48	0
			16QAM	1	1	19.14	19.76	20.28	0
			64QAM	1	1	19.19	19.87	20.41	0
			256QAM	1	1	18.45	18.80	19.33	0.5
		CP	QPSK	1	1	19.22	20.02	20.44	0

NR FDD Band n66_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							349000 Ch. 1745 MHz		
30 MHz	15	DFT-s	pi/2 BPSK	1	1		19.75		0
				1	80		20.01		0
				1	158		20.45		0
				80	0		19.93		0
				80	40		20.09		0
				80	80		20.31		0
				160	0		20.06		0
			QPSK	1	1		19.73		0
				1	80		20.03		0
				1	158		20.32		0
				80	0		19.96		0
				80	40		20.07		0
				80	80		20.35		0
				160	0		20.11		0
			16QAM	1	1		19.76		0
			64QAM	1	1		19.86		0
			256QAM	1	1		18.81		0.5
		CP	QPSK	1	1		19.94		0

NR FDD Band n66_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							349000 Ch. 1745 MHz	
40 MHz	15	DFT-s	pi/2 BPSK	1	1		19.58	0
				1	108		20.00	0
				1	214		20.35	0
				108	0		19.89	0
				108	54		20.09	0
				108	108		20.33	0
				216	0		20.05	0
			QPSK	1	1		19.55	0
				1	108		20.10	0
				1	214		20.32	0
				108	0		19.83	0
				108	54		20.10	0
				108	108		20.35	0
				216	0		20.09	0
			16QAM	1	1		19.62	0
			64QAM	1	1		19.71	0
			256QAM	1	1		18.64	0.5
		CP	QPSK	1	1		19.71	0

NR FDD Band n66 Conducted Power_RCV(DSI=1) _ANT.F[SUB2-2]

NR FDD Band n66_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						342500 Ch. 1712.5 MHz	349000 Ch. 1745 MHz	355500 Ch. 1777.5 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1	17.50	17.52	17.67	0
				1	13	17.52	17.58	17.80	0
				1	23	17.50	17.53	17.80	0
				12	0	17.48	17.61	17.71	0
				12	7	17.55	17.52	17.81	0
				12	13	17.52	17.54	17.79	0
				25	0	17.47	17.53	17.67	0
			QPSK	1	1	17.45	17.57	17.68	0
				1	13	17.52	17.60	17.79	0
				1	23	17.44	17.53	17.72	0
				12	0	17.49	17.57	17.67	0
				12	7	17.56	17.54	17.84	0
				12	13	17.58	17.53	17.87	0
				25	0	17.50	17.51	17.70	0
			16QAM	1	1	17.58	17.60	17.76	0
			64QAM	1	1	17.63	17.64	17.85	0
			256QAM	1	1	17.01	17.08	17.27	0
		CP	QPSK	1	1	17.74	17.62	17.87	0

NR FDD Band n66_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						343000 Ch. 1715 MHz	349000 Ch. 1745 MHz	355000 Ch. 1775 MHz	
10 MHz	15	DFT-s	pi/2 BPSK	1	1	17.57	17.59	17.70	0
				1	26	17.56	17.60	17.87	0
				1	50	17.56	17.63	17.84	0
				25	0	17.52	17.58	17.71	0
				25	14	17.59	17.55	17.76	0
				25	27	17.55	17.51	17.84	0
				50	0	17.55	17.56	17.74	0
			QPSK	1	1	17.57	17.60	17.73	0
				1	26	17.58	17.67	17.86	0
				1	50	17.60	17.57	17.89	0
				25	0	17.56	17.61	17.70	0
				25	14	17.57	17.59	17.75	0
				25	27	17.61	17.55	17.87	0
				50	0	17.56	17.55	17.73	0
			16QAM	1	1	17.63	17.67	17.76	0
			64QAM	1	1	17.72	17.77	17.81	0
			256QAM	1	1	17.01	17.08	17.19	0
		CP	QPSK	1	1	17.76	17.80	17.84	0

NR FDD Band n66_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						343500 Ch. 1717.5 MHz	349000 Ch. 1745 MHz	354500 Ch. 1772.5 MHz	
15 MHz	15	DFT-s	pi/2 BPSK	1	1	17.68	17.77	17.73	0
				1	40	17.78	18.09	17.97	0
				1	77	17.86	17.90	17.99	0
				36	0	17.77	18.08	17.90	0
				36	22	17.81	18.05	18.02	0
				36	43	17.85	17.99	18.02	0
				75	0	17.81	18.02	17.94	0
			QPSK	1	1	17.76	17.83	17.66	0
				1	40	17.75	18.08	18.01	0
				1	77	17.89	17.89	18.03	0
				36	0	17.80	18.07	17.90	0
				36	22	17.76	18.06	17.97	0
				36	43	17.82	17.96	17.99	0
				75	0	17.86	18.02	17.93	0
			16QAM	1	1	17.67	17.80	17.68	0
			64QAM	1	1	17.81	17.84	17.72	0
			256QAM	1	1	17.47	17.26	17.12	0
		CP	QPSK	1	1	18.11	17.88	17.92	0

NR FDD Band n66_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						344000 Ch. 1720 MHz	349000 Ch. 1745 MHz	354000 Ch. 1770 MHz	
20 MHz	15	DFT-s	pi/2 BPSK	1	1	17.80	17.73	17.68	0
				1	53	17.75	17.76	17.84	0
				1	104	17.87	17.84	18.03	0
				50	0	17.81	17.77	17.77	0
				50	28	17.85	17.79	17.90	0
				50	56	17.86	17.91	17.94	0
				100	0	17.83	17.80	17.87	0
			QPSK	1	1	17.82	17.79	17.77	0
				1	53	17.72	17.76	17.88	0
				1	104	17.85	17.86	17.91	0
				50	0	17.85	17.77	17.71	0
				50	28	17.88	17.87	17.86	0
				50	56	17.90	17.85	17.93	0
				100	0	17.88	17.81	17.87	0
			16QAM	1	1	17.79	17.80	17.76	0
			64QAM	1	1	17.85	17.89	17.86	0
			256QAM	1	1	17.11	17.18	17.18	0
		CP	QPSK	1	1	18.05	17.95	17.90	0

NR FDD Band n66_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						344500 Ch. 1722.5 MHz	349000 Ch. 1745 MHz	353500 Ch. 1767.5 MHz	
25 MHz	15	DFT-s	pi/2 BPSK	1	1	17.94	17.94	17.88	0
				1	66	17.88	17.93	17.93	0
				1	131	18.00	18.07	18.20	0
				64	0	17.81	17.79	17.91	0
				64	35	17.90	17.93	17.96	0
				64	69	17.92	17.93	18.16	0
				128	0	17.89	17.93	18.00	0
			QPSK	1	1	17.78	17.96	17.91	0
				1	66	17.92	17.83	17.97	0
				1	131	18.01	17.98	18.22	0
				64	0	17.85	17.83	17.92	0
				64	35	17.91	17.85	17.94	0
				64	69	17.94	17.98	18.11	0
				128	0	17.87	17.85	17.96	0
			16QAM	1	1	17.87	17.97	17.87	0
			64QAM	1	1	17.93	18.06	17.98	0
			256QAM	1	1	17.31	17.37	17.35	0
		CP	QPSK	1	1	18.13	18.17	18.23	0

NR FDD Band n66_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							349000 Ch. 1745 MHz		
30 MHz	15	DFT-s	pi/2 BPSK	1	1		17.80		0
				1	80		17.92		0
				1	158		17.99		0
				80	0		17.81		0
				80	40		17.91		0
				80	80		17.92		0
				160	0		17.93		0
			QPSK	1	1		17.87		0
				1	80		17.88		0
				1	158		17.93		0
				80	0		17.81		0
				80	40		17.80		0
				80	80		18.00		0
				160	0		17.84		0
			16QAM	1	1		17.88		0
			64QAM	1	1		18.00		0
			256QAM	1	1		17.32		0
		CP	QPSK	1	1		18.01		0

NR FDD Band n66_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							349000 Ch. 1745 MHz	
40 MHz	15	DFT-s	pi/2 BPSK	1	1		17.86	0
				1	108		17.98	0
				1	214		18.00	0
				108	0		17.91	0
				108	54		18.00	0
				108	108		18.05	0
				216	0		18.02	0
			QPSK	1	1		17.94	0
				1	108		17.90	0
				1	214		18.10	0
				108	0		17.94	0
				108	54		17.96	0
				108	108		18.04	0
				216	0		17.97	0
			16QAM	1	1		17.97	0
			64QAM	1	1		18.04	0
			256QAM	1	1		17.43	0
		CP	QPSK	1	1		18.20	0

NR TDD Band n77 Conducted Power (Power Class 3, Power Class 2)_Free(DSI=0)_ANT.G[SUB3]

NR TDD Band n77_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						647000 Ch. 3705 MHz	650600 Ch. 3759 MHz	654200 Ch. 3813 MHz	657800 Ch. 3867 MHz	661400 Ch. 3921 MHz	665000 Ch. 3975 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	14.10	14.00	14.03	13.93	14.04	13.98	0
				1	12	14.16	14.07	14.05	14.04	14.09	13.97	0
				1	22	14.14	14.00	13.95	13.93	13.98	14.04	0
				12	0	14.08	14.00	14.03	13.99	14.05	14.03	0
				12	6	14.12	14.06	14.01	13.97	14.04	14.00	0
				12	12	14.09	14.02	14.03	13.99	14.07	14.02	0
				24	0	14.15	14.06	14.06	13.93	14.10	13.96	0
			QPSK	1	1	13.99	13.98	14.03	13.84	14.06	13.88	0
				1	12	14.08	14.02	14.02	13.93	14.06	13.87	0
				1	22	14.05	13.96	13.97	13.86	14.01	13.88	0
				12	0	14.09	14.06	14.04	13.99	14.01	14.04	0
				12	6	14.11	14.03	14.03	13.99	14.05	14.03	0
				12	12	14.17	14.04	14.05	14.00	14.02	14.04	0
				24	0	14.11	14.04	14.06	13.94	14.05	13.98	0
			16QAM	1	1	13.83	14.09	13.81	13.83	13.78	13.88	0
			64QAM	1	1	13.92	13.94	13.94	13.87	13.91	13.95	0
			256QAM	1	1	13.60	13.55	13.53	13.43	13.60	13.53	0
		CP	QPSK	1	1	14.25	14.18	14.16	13.94	14.22	14.10	0

NR TDD Band n77_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						647168 Ch. 3707.52 MHz	650700 Ch. 3760.5 MHz	654232 Ch. 3813.49 MHz	657766 Ch. 3866.5 MHz	661300 Ch. 3919.5 MHz	664832 Ch. 3972.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	14.25	14.22	14.19	14.01	14.10	14.23	0
				1	18	14.25	14.23	14.22	14.06	14.11	14.03	0
				1	36	14.34	14.26	14.22	14.06	14.15	14.14	0
				18	0	13.69	14.27	14.25	14.06	14.16	14.10	0
				18	9	14.28	14.26	14.22	14.08	14.15	14.08	0
				18	18	14.30	14.29	14.22	14.13	14.13	14.08	0
				36	0	14.30	14.14	14.25	14.11	14.17	14.08	0
			QPSK	1	1	14.17	14.24	14.20	14.04	14.09	14.15	0
				1	18	14.18	14.24	14.20	14.03	14.10	14.00	0
				1	36	14.30	14.22	14.20	14.07	14.15	14.07	0
				18	0	14.24	14.28	14.25	14.05	14.12	14.12	0
				18	9	14.28	14.23	14.23	14.08	14.14	14.12	0
				18	18	14.31	14.28	14.21	14.07	14.16	14.14	0
				36	0	14.31	14.27	14.27	14.07	14.11	14.09	0
			16QAM	1	1	14.02	14.03	14.03	13.85	13.95	14.10	0
			64QAM	1	1	14.10	14.11	14.16	13.96	14.02	14.13	0
			256QAM	1	1	13.89	13.99	14.09	13.62	13.83	14.05	0
		CP	QPSK	1	1	14.29	14.41	14.25	14.37	14.18	14.08	0

NR TDD Band n77_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						647334 Ch. 3710.01 MHz	650800 Ch. 3762 MHz	654266 Ch. 3813.99 MHz	657734 Ch. 3866.01 MHz	661200 Ch. 3918 MHz	664666 Ch. 3969.99 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	14.25	14.24	14.21	13.99	14.07	14.14	0
				1	26	14.26	14.25	14.22	14.04	14.09	14.03	0
				1	49	14.28	14.20	14.15	14.06	14.13	14.09	0
				25	0	14.33	14.29	14.26	14.04	14.08	14.06	0
				25	13	14.35	14.26	14.26	14.06	14.11	14.09	0
				25	26	14.31	14.26	14.25	14.11	14.11	14.08	0
				50	0	14.32	14.27	14.27	14.11	14.09	14.08	0
			QPSK	1	1	14.22	14.25	14.20	13.98	13.99	14.12	0
				1	26	14.23	14.24	14.21	14.05	14.09	13.98	0
				1	49	14.28	14.21	14.14	14.06	14.06	14.01	0
				25	0	14.31	14.31	14.29	14.05	14.13	14.08	0
				25	13	14.28	14.31	14.21	14.06	14.11	14.07	0
				25	26	14.33	14.26	14.25	14.10	14.15	14.07	0
				50	0	14.34	14.28	14.28	14.04	14.13	14.08	0
			16QAM	1	1	14.05	14.06	14.05	13.76	13.99	14.04	0
			64QAM	1	1	14.15	14.14	14.16	13.87	14.03	14.10	0
			256QAM	1	1	13.86	13.85	13.82	13.62	13.66	13.70	0
		CP	QPSK	1	1	14.47	14.19	14.26	13.99	14.14	14.27	0

NR TDD Band n77_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						647668 Ch. 3715.02 MHz	651000 Ch. 3765 MHz	654334 Ch. 3815.01 MHz	657666 Ch. 3864.99 MHz	661000 Ch. 3915 MHz	664332 Ch. 3964.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	14.27	14.02	14.04	14.29	14.12	14.36	0
				1	39	14.24	14.12	14.05	14.24	14.12	14.20	0
				1	76	14.35	14.19	14.10	14.18	14.18	14.15	0
				36	0	14.26	14.13	14.10	14.31	14.19	14.37	0
				36	21	14.28	14.15	14.09	14.25	14.17	14.20	0
				36	42	14.40	14.18	14.11	14.28	14.18	14.22	0
				75	0	14.33	14.17	14.11	14.29	14.20	14.22	0
			QPSK	1	1	14.23	14.00	14.03	14.28	14.12	14.35	0
				1	39	14.23	14.06	13.99	14.20	14.07	14.19	0
				1	76	14.37	14.16	14.07	14.19	14.18	14.13	0
				36	0	14.26	14.15	14.11	14.32	14.15	14.38	0
				36	21	14.36	14.11	14.11	14.27	14.18	14.21	0
				36	42	14.35	14.19	14.11	14.27	14.22	14.24	0
				75	0	14.34	14.16	14.12	14.27	14.21	14.24	0
			16QAM	1	1	14.20	13.80	13.88	14.07	13.88	14.14	0
			64QAM	1	1	14.12	13.72	13.98	14.17	14.05	14.28	0
			256QAM	1	1	13.86	13.59	13.65	13.89	13.69	13.95	0
		CP	QPSK	1	1	14.39	14.05	14.24	14.45	14.27	14.56	0

NR TDD Band n77_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						648000 Ch. 3720 MHz	651200 Ch. 3768 MHz	654400 Ch. 3816 MHz	657600 Ch. 3864 MHz	660800 Ch. 3912 MHz	664000 Ch. 3960 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	14.53	14.23	14.18	14.28	14.32	14.31	0
				1	53	14.39	14.20	14.02	14.18	14.19	14.25	0
				1	104	14.49	14.26	14.12	14.16	14.18	14.23	0
				50	0	14.42	14.21	14.11	14.22	14.31	14.27	0
				50	28	14.45	14.19	14.11	14.27	14.27	14.20	0
				50	56	14.46	14.22	14.16	14.29	14.27	14.23	0
				100	0	14.42	14.25	14.10	14.29	14.27	14.29	0
			QPSK	1	1	14.45	14.13	14.18	14.30	14.32	14.29	0
				1	53	14.35	14.12	14.02	14.21	14.19	14.23	0
				1	104	14.45	14.16	14.12	14.18	14.24	14.23	0
				50	0	14.40	14.21	14.12	14.21	14.26	14.28	0
				50	28	14.41	14.17	14.13	14.26	14.28	14.21	0
				50	56	14.47	14.21	14.13	14.24	14.30	14.27	0
				100	0	14.43	14.24	14.11	14.28	14.31	14.30	0
			16QAM	1	1	14.27	13.94	14.00	14.10	14.16	14.12	0
			64QAM	1	1	14.40	14.05	14.09	14.17	14.25	14.20	0
			256QAM	1	1	14.14	13.81	13.78	13.92	13.95	13.94	0
		CP	QPSK	1	1	14.58	14.23	14.37	14.48	14.52	14.49	0

NR TDD Band n77_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						648334 Ch. 3725.01 MHz	652166 Ch. 3782.49 MHz	656000 Ch. 3840 MHz		659834 Ch. 3897.51 MHz	663666 Ch. 3954.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	14.08	14.07	13.93		13.95	14.00	0
				1	67	14.19	14.04	14.06		13.96	14.04	0
				1	131	14.11	13.95	14.03		14.03	13.92	0
				64	0	14.09	14.03	14.03		13.97	14.05	0
				64	35	14.15	14.07	14.06		13.99	14.02	0
				64	69	14.17	13.95	14.02		13.96	13.95	0
				128	0	14.13	13.97	14.06		13.98	13.99	0
			QPSK	1	1	14.07	14.02	13.83		13.89	13.93	0
				1	67	14.13	13.94	13.96		13.95	13.93	0
				1	131	14.14	13.90	13.97		14.03	13.84	0
				64	0	14.10	14.04	14.03		13.95	14.04	0
				64	35	14.14	14.07	14.05		13.98	14.01	0
				64	69	14.17	13.95	14.03		14.00	13.95	0
				128	0	14.14	13.98	14.05		13.97	14.03	0
			16QAM	1	1	13.89	13.81	13.80		13.69	13.89	0
			64QAM	1	1	13.96	13.79	13.94		13.85	13.95	0
			256QAM	1	1	13.66	13.63	13.50		13.51	13.58	0
		CP	QPSK	1	1	14.19	14.10	13.93		13.97	14.12	0

NR TDD Band n77_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						648668 Ch. 3730.02 MHz	653556 Ch. 3803.34 MHz			658444 Ch. 3876.66 MHz	663332 Ch. 3949.98 MHz	
60 MHz	30	DFT-s	pi/2 BPSK	1	1	14.14	14.01			13.87	14.00	0
				1	81	14.16	14.04			13.89	14.01	0
				1	160	14.16	13.97			13.97	14.04	0
				81	0	14.20	14.08			13.92	14.06	0
				81	41	14.20	14.03			13.95	14.12	0
				81	81	14.17	14.14			14.03	14.16	0
				162	0	14.18	14.08			13.94	14.11	0
			QPSK	1	1	14.09	14.02			13.88	14.01	0
				1	81	14.09	14.00			13.91	14.07	0
				1	160	14.11	13.97			13.95	14.06	0
				81	0	14.21	14.02			13.91	14.08	0
				81	41	14.19	14.02			13.94	14.09	0
				81	81	14.17	14.10			14.00	14.12	0
				162	0	14.19	14.01			13.96	14.07	0
			16QAM	1	1	13.87	13.81			13.71	13.82	0
			64QAM	1	1	14.02	13.88			13.79	13.90	0
			256QAM	1	1	13.78	13.60			13.52	13.60	0
		CP	QPSK	1	1	14.20	14.22			14.06	14.16	0

NR TDD Band n77_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						649000 Ch. 3735 MHz	653666 Ch. 3804.99 MHz			658334 Ch. 3875.01 MHz	663000 Ch. 3945 MHz	
70 MHz	30	DFT-s	pi/2 BPSK	1	1	13.97	13.98			13.77	13.79	0
				1	95	14.00	13.90			13.78	13.90	0
				1	187	14.03	13.76			13.81	13.93	0
				90	0	13.99	13.92			13.73	13.80	0
				90	50	14.02	13.62			13.79	13.82	0
				90	99	14.06	13.92			13.80	13.87	0
				180	0	14.00	13.89			13.76	13.65	0
			QPSK	1	1	13.91	13.88			13.68	13.72	0
				1	95	13.92	13.88			13.69	13.80	0
				1	187	13.99	13.69			13.76	13.83	0
				90	0	13.98	13.93			13.72	13.81	0
				90	50	14.03	13.98			13.79	13.83	0
				90	99	13.97	13.92			13.79	13.90	0
				180	0	13.64	13.93			13.76	13.68	0
			16QAM	1	1	13.73	13.86			13.50	13.63	0
			64QAM	1	1	13.90	13.92			13.66	13.74	0
			256QAM	1	1	13.54	13.51			13.37	13.33	0
		CP	QPSK	1	1	13.97	14.12			13.76	13.88	0

NR TDD Band n77_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						649334 Ch. 3740.01 MHz		656000 Ch. 3840 MHz		662666 Ch. 3939.99 MHz	
80 MHz	30	DFT-s	pi/2 BPSK	1	1	14.02		13.80		13.84	0
				1	109	14.12		13.92		13.89	0
				1	215	14.01		13.79		13.86	0
				108	0	14.03		13.91		13.87	0
				108	55	14.04		13.86		13.70	0
				108	109	14.06		13.86		13.85	0
			QPSK	216	0	14.07		13.88		13.83	0
				1	1	13.97		13.67		13.82	0
				1	109	14.06		13.88		13.85	0
				1	215	13.97		13.72		13.77	0
				108	0	14.08		13.85		13.83	0
				108	55	14.04		13.50		13.87	0
				108	109	14.07		13.81		13.90	0
				216	0	14.07		13.89		13.87	0
			16QAM	1	1	13.88		13.50		13.66	0
			64QAM	1	1	14.00		13.72		13.74	0
			256QAM	1	1	13.54		13.36		13.36	0
		CP	QPSK	1	1	14.08		13.80		13.88	0

NR TDD Band n77_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						649668 Ch. 3745.02 MHz		656000 Ch. 3840 MHz		662332 Ch. 3934.98 MHz	
90 MHz	30	DFT-s	pi/2 BPSK	1	1	13.91		13.83		13.82	0
				1	123	14.02		13.90		13.94	0
				1	243	14.10		13.81		13.78	0
				120	0	13.91		13.91		13.88	0
				120	63	13.98		13.84		13.94	0
				120	125	14.02		13.82		13.82	0
			QPSK	243	0	13.92		13.65		13.88	0
				1	1	13.88		13.75		13.75	0
				1	123	13.91		13.81		13.86	0
				1	243	13.98		13.73		13.68	0
				120	0	13.92		13.83		13.93	0
				120	63	13.99		13.83		13.93	0
				120	125	14.02		13.82		13.86	0
				243	0	13.94		13.83		13.89	0
			16QAM	1	1	13.81		13.60		13.69	0
			64QAM	1	1	13.88		13.54		13.77	0
			256QAM	1	1	13.51		13.34		13.35	0
		CP	QPSK	1	1	14.00		13.83		13.88	0

NR TDD Band n77_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						650000 Ch. 3750 MHz				662000 Ch. 3930 MHz	
100 MHz	30	DFT-s	pi/2 BPSK	1	1	13.98				13.74	0
				1	137	14.11				13.87	0
				1	271	14.02				13.93	0
				135	0	14.01				13.81	0
				135	69	14.04				13.90	0
				135	138	13.98				13.89	0
				270	0	14.03				13.83	0
			QPSK	1	1	13.97				13.68	0
				1	137	14.11				13.98	0
				1	271	13.91				13.86	0
				135	0	14.00				13.82	0
				135	69	14.05				13.90	0
				135	138	13.98				13.89	0
				270	0	14.04				13.87	0
			16QAM	1	1	14.05				13.62	0
			64QAM	1	1	13.94				13.74	0
			256QAM	1	1	13.52				13.28	0
		CP	QPSK	1	1	14.06				13.83	0

NR TDD Band n77 DoD Conducted Power (Power Class 3, Power Class 2)_Free(DSI=0) _ANT.G[SUB3]

NR TDD Band n77 DoD_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630334 Ch. 3445.01 MHz	633334 Ch. 3500.01 MHz	636332 Ch. 3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	14.72	14.73	14.53	0
				1	12	14.74	14.71	14.51	0
				1	22	14.79	14.74	14.50	0
				12	0	14.77	14.77	14.55	0
				12	6	14.79	14.79	14.56	0
				12	12	14.77	14.57	14.54	0
				24	0	14.76	14.75	14.52	0
			QPSK	1	1	14.68	14.75	14.49	0
				1	12	14.64	14.64	14.47	0
				1	22	14.72	14.68	14.43	0
				12	0	14.78	14.78	14.58	0
				12	6	14.76	14.78	14.58	0
				12	12	14.76	14.73	14.53	0
				24	0	14.75	14.78	14.51	0
			16QAM	1	1	14.48	14.53	14.32	0
			64QAM	1	1	14.62	14.63	14.40	0
			256QAM	1	1	14.27	14.26	14.09	0
		CP	QPSK	1	1	14.87	14.78	14.56	0

NR TDD Band n77 DoD_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630500 Ch. 3457.5 MHz	633334 Ch. 3500.01 MHz	636166 Ch. 3542.49 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	14.77	14.87	14.62	0
				1	18	14.89	14.81	14.45	0
				1	36	14.89	14.77	14.54	0
				18	0	14.92	14.85	14.52	0
				18	9	14.88	14.88	14.51	0
				18	18	14.89	14.84	14.60	0
				36	0	14.86	14.82	14.52	0
			QPSK	1	1	14.73	14.83	14.50	0
				1	18	14.79	14.75	14.39	0
				1	36	14.84	14.77	14.48	0
				18	0	14.91	14.87	14.58	0
				18	9	14.89	14.84	14.51	0
				18	18	14.59	14.61	14.66	0
				36	0	14.86	14.85	14.51	0
			16QAM	1	1	14.90	14.65	14.71	0
			64QAM	1	1	14.70	14.75	14.44	0
			256QAM	1	1	14.48	14.49	14.30	0
		CP	QPSK	1	1	14.85	14.97	14.65	0

NR TDD Band n77 DoD_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630668 Ch. 3460.02 MHz	633334 Ch. 3500.01 MHz	636000 Ch. 3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	14.55	14.93	14.32	0
				1	26	14.84	14.79	14.43	0
				1	49	14.92	14.79	14.51	0
				25	0	14.59	14.64	14.54	0
				25	13	14.94	14.87	14.51	0
				25	26	14.97	14.83	14.45	0
				50	0	14.92	14.56	14.48	0
			QPSK	1	1	14.94	14.86	14.58	0
				1	26	14.87	14.68	14.40	0
				1	49	14.89	14.71	14.44	0
				25	0	14.95	14.87	14.60	0
				25	13	14.94	14.84	14.49	0
				25	26	14.97	14.83	14.48	0
				50	0	14.97	14.86	14.53	0
			16QAM	1	1	14.73	14.70	14.33	0
			64QAM	1	1	14.80	14.76	14.45	0
			256QAM	1	1	14.57	14.46	14.17	0
		CP	QPSK	1	1	14.90	14.93	14.78	0

NR TDD Band n77 DoD_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						631000 Ch. 3465 MHz	633334 Ch. 3500.01 MHz	635666 Ch. 3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	14.90	14.93	14.96	0
				1	39	14.87	14.87	14.67	0
				1	76	14.89	14.81	14.69	0
				36	0	14.95	14.83	14.87	0
				36	21	14.89	14.89	14.68	0
				36	42	14.89	14.88	14.63	0
				75	0	14.93	14.96	14.76	0
			QPSK	1	1	14.83	14.92	14.90	0
				1	39	14.85	14.81	14.65	0
				1	76	14.89	14.84	14.66	0
				36	0	14.98	14.99	14.86	0
				36	21	14.89	14.87	14.67	0
				36	42	14.81	14.90	14.67	0
				75	0	14.99	14.97	14.79	0
			16QAM	1	1	14.63	14.94	14.66	0
			64QAM	1	1	14.85	14.85	14.87	0
			256QAM	1	1	14.51	14.67	14.51	0
		CP	QPSK	1	1	14.96	14.79	14.99	0

NR TDD Band n77 DoD_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						631334 Ch. 3470.01 MHz		635332 Ch. 3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	14.93		14.89	0
				1	53	14.86		14.65	0
				1	104	14.92		14.70	0
				50	0	14.99		14.85	0
				50	28	14.95		14.66	0
				50	56	14.96		14.61	0
				100	0	14.93		14.74	0
			QPSK	1	1	14.88		14.83	0
				1	53	14.82		14.58	0
				1	104	14.97		14.64	0
				50	0	14.90		14.87	0
				50	28	14.91		14.69	0
				50	56	14.94		14.62	0
				100	0	14.94		14.73	0
			16QAM	1	1	14.68		14.59	0
			64QAM	1	1	14.79		14.72	0
			256QAM	1	1	14.55		14.48	0
		CP	QPSK	1	1	14.56		14.91	0

NR TDD Band n77 DoD_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]	
						631668 Ch. 3475.02 MHz	635000 Ch. 3525 MHz		
50 MHz	30	DFT-s	pi/2 BPSK	1	1	14.70		14.53	0
				1	67	14.65		14.33	0
				1	131	14.48		14.14	0
				64	0	14.64		14.53	0
				64	35	14.63		14.29	0
				64	69	14.58		14.28	0
				128	0	14.56		14.37	0
			QPSK	1	1	14.64		14.51	0
				1	67	14.58		14.26	0
				1	131	14.41		14.08	0
				64	0	14.66		14.49	0
				64	35	14.65		14.30	0
				64	69	14.59		14.22	0
				128	0	14.54		14.32	0
			16QAM	1	1	14.48		14.28	0
			64QAM	1	1	14.56		14.19	0
			256QAM	1	1	14.30		14.09	0
		CP	QPSK	1	1	14.54		14.64	0

NR TDD Band n77 DoD_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
60 MHz	30	DFT-s	pi/2 BPSK	1	1		14.66	0
				1	81		14.68	0
				1	160		14.40	0
				81	0		14.73	0
				81	41		14.67	0
				81	81		14.58	0
				162	0		14.60	0
			QPSK	1	1		14.62	0
				1	81		14.60	0
				1	160		14.37	0
				81	0		14.75	0
				81	41		14.65	0
				81	81		14.60	0
				162	0		14.58	0
			16QAM	1	1		14.56	0
			64QAM	1	1		14.40	0
			256QAM	1	1		14.25	0
		CP	QPSK	1	1		13.08	0

NR TDD Band n77 DoD_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
70 MHz	30	DFT-s	pi/2 BPSK	1	1		14.60	0
				1	95		14.54	0
				1	187		14.27	0
				90	0		14.65	0
				90	50		14.52	0
				90	99		14.50	0
				180	0		14.56	0
			QPSK	1	1		14.61	0
				1	95		14.47	0
				1	187		14.16	0
				90	0		14.66	0
				90	50		14.55	0
				90	99		14.49	0
				180	0		14.55	0
			16QAM	1	1		14.50	0
			64QAM	1	1		14.58	0
			256QAM	1	1		14.22	0
		CP	QPSK	1	1		14.69	0

NR TDD Band n77 DoD_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
80 MHz	30	DFT-s	pi/2 BPSK	1	1		14.64	0
				1	109		14.54	0
				1	215		14.30	0
				108	0		14.64	0
				108	55		14.54	0
				108	109		14.43	0
				216	0		14.49	0
			QPSK	1	1		14.62	0
				1	109		14.50	0
				1	215		14.32	0
				108	0		14.64	0
				108	55		14.56	0
				108	109		14.43	0
				216	0		14.50	0
			16QAM	1	1		14.50	0
			64QAM	1	1		14.56	0
			256QAM	1	1		14.16	0
		CP	QPSK	1	1		14.72	0

NR TDD Band n77 DoD_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
90 MHz	30	DFT-s	pi/2 BPSK	1	1		14.62	0
				1	123		14.49	0
				1	243		14.33	0
				120	0		14.69	0
				120	63		14.52	0
				120	125		14.38	0
				243	0		14.32	0
			QPSK	1	1		14.57	0
				1	123		14.42	0
				1	243		14.23	0
				120	0		14.63	0
				120	63		14.17	0
				120	125		14.39	0
				243	0		14.46	0
			16QAM	1	1		14.45	0
			64QAM	1	1		14.55	0
			256QAM	1	1		14.18	0
		CP	QPSK	1	1		14.68	0

NR TDD Band n77 DoD_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
100 MHz	30	DFT-s	pi/2 BPSK	1	1		14.60	0
				1	137		14.52	0
				1	271		14.33	0
				135	0		14.66	0
				135	69		14.50	0
				135	138		14.40	0
				270	0		14.46	0
			QPSK	1	1		14.66	0
				1	137		14.43	0
				1	271		14.27	0
				135	0		14.52	0
				135	69		14.56	0
				135	138		14.43	0
				270	0		14.48	0
			16QAM	1	1		14.48	0
			64QAM	1	1		14.44	0
			256QAM	1	1		14.16	0
		CP	QPSK	1	1		14.46	0

NR TDD Band n77 Conducted Power (Power Class 3, Power Class 2)_RCV(DSI=1)_ANT.G[SUB3]

NR TDD Band n77_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						647000 Ch. 3705 MHz	650600 Ch. 3759 MHz	654200 Ch. 3813 MHz	657800 Ch. 3867 MHz	661400 Ch. 3921 MHz	665000 Ch. 3975 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	16.65	16.42	16.39	16.45	16.31	16.38	0
				1	12	16.68	16.50	16.48	16.51	16.37	16.37	0
				1	22	16.70	16.44	16.41	16.44	16.36	16.42	0
				12	0	16.72	16.47	16.37	16.43	16.34	16.36	0
				12	6	16.76	16.45	16.46	16.50	16.33	16.43	0
				12	12	16.71	16.48	16.43	16.47	16.36	16.44	0
				24	0	16.71	16.50	16.43	16.47	16.31	16.43	0
			QPSK	1	1	16.64	16.45	16.39	16.48	16.30	16.41	0
				1	12	16.69	16.49	16.46	16.53	16.40	16.41	0
				1	22	16.67	16.45	16.43	16.49	16.36	16.49	0
				12	0	16.69	16.44	16.41	16.43	16.31	16.38	0
				12	6	16.74	16.46	16.43	16.46	16.34	16.43	0
				12	12	16.76	16.48	16.43	16.49	16.34	16.45	0
				24	0	16.74	16.47	16.41	16.46	16.34	16.39	0
			16QAM	1	1	16.59	16.54	16.49	16.56	16.37	16.50	0
			64QAM	1	1	16.61	16.40	16.32	16.38	16.20	16.30	0
			256QAM	1	1	16.31	16.01	15.93	16.03	15.80	15.90	0
		CP	QPSK	1	1	16.70	16.53	16.49	16.57	16.34	16.47	0

NR TDD Band n77_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						647168 Ch. 3707.52 MHz	650700 Ch. 3760.5 MHz	654232 Ch. 3813.49 MHz	657766 Ch. 3866.5 MHz	661300 Ch. 3919.5 MHz	664832 Ch. 3972.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	16.79	16.70	16.62	16.58	16.44	16.47	0
				1	18	16.76	16.70	16.66	16.61	16.51	16.32	0
				1	36	16.84	16.73	16.71	16.66	16.57	16.46	0
				18	0	16.84	16.69	16.60	16.58	16.49	16.36	0
				18	9	16.82	16.67	16.68	16.62	16.53	16.38	0
				18	18	16.85	16.73	16.69	16.61	16.53	16.37	0
				36	0	16.84	16.71	16.65	16.64	16.50	16.35	0
			QPSK	1	1	16.75	16.64	16.57	16.51	16.37	16.42	0
				1	18	16.73	16.65	16.60	16.57	16.47	16.29	0
				1	36	16.79	16.66	16.67	16.64	16.54	16.41	0
				18	0	16.81	16.66	16.60	16.59	16.47	16.36	0
				18	9	16.83	16.67	16.65	16.60	16.48	16.39	0
				18	18	16.83	16.71	16.68	16.64	16.51	16.38	0
				36	0	16.81	16.69	16.61	16.62	16.50	16.36	0
			16QAM	1	1	16.77	16.70	16.59	16.60	16.45	16.49	0
			64QAM	1	1	16.56	16.35	16.31	16.23	16.08	16.13	0
			256QAM	1	1	16.33	16.27	16.19	16.11	15.97	15.99	0
		CP	QPSK	1	1	16.92	16.75	16.62	16.63	16.51	16.44	0

NR TDD Band n77_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						647334 Ch. 3710.01 MHz	650800 Ch. 3762 MHz	654266 Ch. 3813.99 MHz	657734 Ch. 3866.01 MHz	661200 Ch. 3918 MHz	664666 Ch. 3969.99 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	16.84	16.65	16.56	16.55	16.44	16.44	0
				1	26	16.77	16.69	16.66	16.66	16.53	16.35	0
				1	49	16.87	16.72	16.75	16.69	16.56	16.45	0
				25	0	16.85	16.70	16.61	16.61	16.47	16.37	0
				25	13	16.81	16.71	16.67	16.66	16.49	16.41	0
				25	26	16.88	16.71	16.69	16.70	16.59	16.41	0
				50	0	16.86	16.70	16.65	16.65	16.51	16.42	0
			QPSK	1	1	16.82	16.56	16.60	16.57	16.40	16.44	0
				1	26	16.77	16.63	16.68	16.61	16.55	16.32	0
				1	49	16.83	16.70	16.68	16.66	16.59	16.45	0
				25	0	16.82	16.69	16.60	16.60	16.49	16.36	0
				25	13	16.80	16.71	16.64	16.61	16.55	16.40	0
				25	26	16.83	16.72	16.67	16.65	16.54	16.42	0
				50	0	16.81	16.69	16.64	16.62	16.49	16.42	0
			16QAM	1	1	16.90	16.66	16.65	16.72	16.55	16.56	0
			64QAM	1	1	16.74	16.31	16.49	16.49	16.36	16.40	0
			256QAM	1	1	16.36	16.19	16.14	16.13	16.09	16.02	0
		CP	QPSK	1	1	16.87	16.72	16.62	16.72	16.56	16.60	0

NR TDD Band n77_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						647668 Ch. 3715.02 MHz	651000 Ch. 3765 MHz	654334 Ch. 3815.01 MHz	657666 Ch. 3864.99 MHz	661000 Ch. 3915 MHz	664332 Ch. 3964.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	16.86	16.60	16.65	16.59	16.51	16.54	0
				1	39	16.89	16.70	16.71	16.62	16.62	16.47	0
				1	76	16.91	16.81	16.80	16.74	16.75	16.53	0
				36	0	16.89	16.75	16.69	16.60	16.60	16.51	0
				36	21	16.91	16.71	16.71	16.66	16.60	16.44	0
				36	42	16.91	16.79	16.77	16.68	16.69	16.53	0
				75	0	16.89	16.72	16.72	16.62	16.66	16.45	0
			QPSK	1	1	16.82	16.57	16.59	16.51	16.55	16.49	0
				1	39	16.86	16.69	16.64	16.54	16.63	16.42	0
				1	76	16.87	16.77	16.79	16.64	16.75	16.49	0
				36	0	16.88	16.73	16.67	16.62	16.59	16.48	0
				36	21	16.91	16.70	16.70	16.61	16.63	16.45	0
				36	42	16.96	16.77	16.77	16.68	16.73	16.53	0
				75	0	16.94	16.73	16.70	16.65	16.66	16.45	0
			16QAM	1	1	16.97	16.64	16.64	16.56	16.41	16.56	0
			64QAM	1	1	16.90	16.49	16.55	16.49	16.53	16.51	0
			256QAM	1	1	16.40	16.05	16.19	16.14	16.11	16.10	0
		CP	QPSK	1	1	16.98	16.70	16.71	16.64	16.69	16.62	0

NR TDD Band n77_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						648000 Ch. 3720 MHz	651200 Ch. 3768 MHz	654400 Ch. 3816 MHz	657600 Ch. 3864 MHz	660800 Ch. 3912 MHz	664000 Ch. 3960 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	16.96	16.58	16.72	16.57	16.52	16.55	0
				1	53	16.84	16.65	16.70	16.62	16.55	16.57	0
				1	104	16.89	16.83	16.80	16.75	16.72	16.65	0
				50	0	16.91	16.68	16.64	16.53	16.50	16.54	0
				50	28	16.88	16.68	16.68	16.65	16.56	16.44	0
				50	56	16.85	16.76	16.75	16.71	16.63	16.54	0
			QPSK	100	0	16.88	16.74	16.72	16.62	16.58	16.59	0
				1	1	16.95	16.60	16.66	16.47	16.52	16.54	0
				1	53	16.84	16.65	16.64	16.58	16.55	16.54	0
				1	104	16.92	16.80	16.82	16.72	16.71	16.64	0
				50	0	16.87	16.67	16.64	16.50	16.51	16.55	0
				50	28	16.84	16.69	16.71	16.61	16.55	16.43	0
				50	56	16.90	16.74	16.76	16.72	16.62	16.55	0
				100	0	16.87	16.74	16.73	16.62	16.55	16.61	0
			16QAM	1	1	16.96	16.88	16.81	16.58	16.64	16.66	0
			64QAM	1	1	16.90	16.61	16.66	16.28	16.47	16.46	0
			256QAM	1	1	16.49	16.13	16.28	16.12	16.08	16.09	0
		CP	QPSK	1	1	16.91	16.72	16.76	16.61	16.57	16.60	0

NR TDD Band n77_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						648334 Ch. 3725.01 MHz	652166 Ch. 3782.49 MHz	656000 Ch. 3840 MHz		659834 Ch. 3897.51 MHz	663666 Ch. 3954.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	16.71	16.38	16.25		16.25	16.11	0
				1	67	16.74	16.48	16.55		16.42	16.15	0
				1	131	16.61	16.62	16.69		16.63	16.32	0
				64	0	16.71	16.39	16.46		16.34	16.13	0
				64	35	16.72	16.48	16.51		16.39	16.19	0
				64	69	16.65	16.53	16.56		16.44	16.26	0
			QPSK	128	0	16.67	16.46	16.47		16.40	16.19	0
				1	1	16.68	16.34	16.24		16.22	16.06	0
				1	67	16.68	16.44	16.46		16.37	16.13	0
				1	131	16.56	16.61	16.66		16.56	16.30	0
				64	0	16.71	16.42	16.47		16.29	16.15	0
				64	35	16.68	16.45	16.53		16.39	16.17	0
				64	69	16.65	16.52	16.56		16.46	16.24	0
				128	0	16.67	16.42	16.48		16.38	16.13	0
			16QAM	1	1	16.78	16.43	16.38		16.36	16.14	0
			64QAM	1	1	16.62	16.30	16.23		16.17	16.00	0
			256QAM	1	1	16.26	15.89	15.78		15.76	15.65	0
		CP	QPSK	1	1	16.70	16.39	16.31		16.29	16.14	0

NR TDD Band n77_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						648668 Ch. 3730.02 MHz	653556 Ch. 3803.34 MHz			658444 Ch. 3876.66 MHz	663332 Ch. 3949.98 MHz	
60 MHz	30	DFT-s	pi/2 BPSK	1	1	16.61	16.24			16.22	16.11	0
				1	81	16.57	16.44			16.41	16.34	0
				1	160	16.61	16.69			16.60	16.46	0
				81	0	16.65	16.36			16.32	16.26	0
				81	41	16.60	16.43			16.43	16.32	0
				81	81	16.61	16.66			16.54	16.46	0
				162	0	16.62	16.43			16.46	16.33	0
			QPSK	1	1	16.60	16.22			16.23	16.14	0
				1	81	16.54	16.37			16.41	16.32	0
				1	160	16.58	16.68			16.60	16.46	0
				81	0	16.65	16.37			16.35	16.25	0
				81	41	16.61	16.39			16.42	16.34	0
				81	81	16.58	16.65			16.56	16.42	0
				162	0	16.63	16.42			16.41	16.37	0
			16QAM	1	1	16.86	16.37			16.33	16.20	0
			64QAM	1	1	16.65	16.21			16.17	16.08	0
			256QAM	1	1	16.15	15.80			15.79	15.62	0
		CP	QPSK	1	1	16.74	16.36			16.31	16.24	0

NR TDD Band n77_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						649000 Ch. 3735 MHz	653666 Ch. 3804.99 MHz			658334 Ch. 3875.01 MHz	663000 Ch. 3945 MHz	
70 MHz	30	DFT-s	pi/2 BPSK	1	1	16.52	16.09			16.08	15.99	0
				1	95	16.53	16.30			16.31	16.21	0
				1	187	16.52	16.50			16.44	16.32	0
				90	0	16.53	16.19			16.20	16.15	0
				90	50	16.55	16.37			16.35	16.24	0
				90	99	16.50	16.49			16.41	16.35	0
				180	0	16.50	16.26			16.30	16.22	0
			QPSK	1	1	16.49	16.08			16.08	16.02	0
				1	95	16.54	16.26			16.32	16.27	0
				1	187	16.52	16.51			16.39	16.34	0
				90	0	16.54	16.19			16.19	16.11	0
				90	50	16.55	16.37			16.29	16.22	0
				90	99	16.53	16.46			16.41	16.35	0
				180	0	16.54	16.30			16.29	16.25	0
			16QAM	1	1	16.67	16.26			16.31	16.19	0
			64QAM	1	1	16.45	16.06			16.15	15.96	0
			256QAM	1	1	16.07	15.63			15.58	15.58	0
		CP	QPSK	1	1	16.60	16.22			16.20	16.12	0

NR TDD Band n77_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]	
						649334 Ch. 3740.01 MHz		656000 Ch. 3840 MHz		662666 Ch. 3939.99 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1	16.43		15.99		15.84		0
				1	109	16.47		16.37		16.20		0
				1	215	16.51		16.52		16.29		0
				108	0	16.50		16.24		16.02		0
				108	55	16.48		16.36		16.18		0
				108	109	16.47		16.43		16.27		0
				216	0	16.47		16.34		16.13		0
			QPSK	1	1	16.40		15.93		15.81		0
				1	109	16.41		16.27		16.15		0
				1	215	16.45		16.42		16.24		0
				108	0	16.51		16.27		16.06		0
				108	55	16.50		16.37		16.18		0
				108	109	16.51		16.40		16.29		0
				216	0	16.48		16.35		16.16		0
			16QAM	1	1	16.41		15.97		15.86		0
			64QAM	1	1	16.37		15.95		15.80		0
			256QAM	1	1	16.01		15.54		15.43		0
		CP	QPSK	1	1	16.60		16.11		15.97		0

NR TDD Band n77_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR [dB]		
						649668 Ch. 3745.02 MHz		656000 Ch. 3840 MHz			662332 Ch. 3934.98 MHz	
90 MHz	30	DFT-s	pi/2 BPSK	1	1	16.47		15.90		15.80		0
				1	123	16.52		16.35		16.09		0
				1	243	16.72		16.56		16.40		0
				120	0	16.49		16.23		15.95		0
				120	63	16.53		16.38		16.09		0
				120	125	16.59		16.47		16.24		0
				243	0	16.54		16.30		16.05		0
			QPSK	1	1	16.48		15.90		15.77		0
				1	123	16.53		16.35		16.14		0
				1	243	16.73		16.58		16.37		0
				120	0	16.50		16.22		15.99		0
				120	63	16.54		16.33		16.13		0
				120	125	16.58		16.45		16.24		0
				243	0	16.54		16.30		16.08		0
			16QAM	1	1	16.61		16.10		15.94		0
			64QAM	1	1	16.43		15.83		15.69		0
			256QAM	1	1	15.97		15.45		15.31		0
		CP	QPSK	1	1	16.56		16.06		15.85		0

NR TDD Band n77_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						650000 Ch. 3750 MHz				662000 Ch. 3930 MHz	
100 MHz	30	DFT-s	pi/2 BPSK	1	1	16.40				15.76	0
				1	137	16.48				16.19	0
				1	271	16.73				16.43	0
				135	0	16.50				15.96	0
				135	69	16.51				16.15	0
				135	138	16.56				16.32	0
				270	0	16.53				16.11	0
			QPSK	1	1	16.77				15.71	0
				1	137	16.49				16.15	0
				1	271	16.73				16.45	0
				135	0	16.76				15.96	0
				135	69	16.55				16.15	0
				135	138	16.62				16.31	0
				270	0	16.52				16.16	0
			16QAM	1	1	16.56				15.90	0
			64QAM	1	1	16.35				15.67	0
			256QAM	1	1	15.99				15.27	0
		CP	QPSK	1	1	16.75				15.83	0

NR TDD Band n77 DoD Conducted Power (Power Class 3, Power Class 2)_RCV(DSI=1) _ANT.G[SUB3]

NR TDD Band n77 DoD_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630334 Ch. 3445.01 MHz	633334 Ch. 3500.01 MHz	636332 Ch. 3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	16.55	16.50	16.59	0
				1	12	16.50	16.47	16.60	0
				1	22	16.52	16.42	16.59	0
				12	0	16.53	16.50	16.63	0
				12	6	16.56	16.51	16.62	0
				12	12	16.53	16.47	16.59	0
				24	0	16.52	16.47	16.63	0
			QPSK	1	1	16.54	16.56	16.59	0
				1	12	16.50	16.45	16.54	0
				1	22	16.53	16.49	16.52	0
				12	0	16.56	16.48	16.62	0
				12	6	16.55	16.50	16.63	0
				12	12	16.56	16.49	16.60	0
				24	0	16.53	16.47	16.60	0
			16QAM	1	1	16.64	16.62	16.58	0
			64QAM	1	1	16.51	16.42	16.62	0
			256QAM	1	1	16.09	16.07	16.16	0
		CP	QPSK	1	1	16.65	16.59	16.71	0

NR TDD Band n77 DoD_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630500 Ch. 3457.5 MHz	633334 Ch. 3500.01 MHz	636166 Ch. 3542.49 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	16.64	16.70	16.71	0
				1	18	16.61	16.54	16.60	0
				1	36	16.63	16.60	16.71	0
				18	0	16.71	16.65	16.67	0
				18	9	16.65	16.63	16.60	0
				18	18	16.60	16.58	16.69	0
				36	0	16.68	16.57	16.64	0
			QPSK	1	1	16.60	16.66	16.66	0
				1	18	16.55	16.53	16.53	0
				1	36	16.58	16.51	16.65	0
				18	0	16.69	16.62	16.68	0
				18	9	16.66	16.59	16.62	0
				18	18	16.60	16.61	16.68	0
				36	0	16.67	16.58	16.66	0
			16QAM	1	1	16.67	16.73	16.73	0
			64QAM	1	1	16.34	16.49	16.40	0
			256QAM	1	1	16.19	16.23	16.29	0
		CP	QPSK	1	1	16.74	16.79	16.80	0

NR TDD Band n77 DoD_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630668 Ch. 3460.02 MHz	633334 Ch. 3500.01 MHz	636000 Ch. 3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	16.78	16.56	16.59	0
				1	26	16.65	16.60	16.56	0
				1	49	16.63	16.54	16.65	0
				25	0	16.77	16.70	16.64	0
				25	13	16.67	16.63	16.65	0
				25	26	16.64	16.61	16.63	0
				50	0	16.69	16.61	16.64	0
			QPSK	1	1	16.80	16.69	16.74	0
				1	26	16.67	16.59	16.57	0
				1	49	16.65	16.52	16.65	0
				25	0	16.73	16.72	16.67	0
				25	13	16.69	16.64	16.62	0
				25	26	16.65	16.62	16.57	0
				50	0	16.68	16.61	16.65	0
			16QAM	1	1	16.95	16.82	16.86	0
			64QAM	1	1	16.69	16.66	16.63	0
			256QAM	1	1	16.34	16.30	16.27	0
		CP	QPSK	1	1	16.87	16.85	16.83	0

NR TDD Band n77 DoD_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						631000 Ch. 3465 MHz	633334 Ch. 3500.01 MHz	635666 Ch. 3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	16.83	16.56	16.93	0
				1	39	16.69	16.69	16.72	0
				1	76	16.66	16.63	16.77	0
				36	0	16.84	16.81	16.83	0
				36	21	16.73	16.71	16.74	0
				36	42	16.69	16.72	16.72	0
				75	0	16.79	16.78	16.77	0
			QPSK	1	1	16.84	16.91	16.90	0
				1	39	16.67	16.61	16.70	0
				1	76	16.64	16.59	16.72	0
				36	0	16.83	16.82	16.85	0
				36	21	16.73	16.72	16.75	0
				36	42	16.70	16.66	16.70	0
				75	0	16.79	16.74	16.76	0
			16QAM	1	1	16.96	16.89	16.83	0
			64QAM	1	1	16.77	16.82	16.85	0
			256QAM	1	1	16.41	16.49	16.51	0
		CP	QPSK	1	1	16.89	16.99	16.98	0

NR TDD Band n77 DoD_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]	
						631334 Ch. 3470.01 MHz	635332 Ch. 3529.98 MHz		
40 MHz	30	DFT-s	pi/2 BPSK	1	1	16.92		16.85	0
				1	53	16.67		16.67	0
				1	104	16.84		16.77	0
				50	0	16.86		16.80	0
				50	28	16.75		16.69	0
				50	56	16.71		16.67	0
				100	0	16.82		16.74	0
			QPSK	1	1	16.87		16.85	0
				1	53	16.68		16.63	0
				1	104	16.82		16.76	0
				50	0	16.86		16.85	0
				50	28	16.73		16.70	0
				50	56	16.74		16.64	0
				100	0	16.78		16.73	0
			16QAM	1	1	16.94		16.90	0
			64QAM	1	1	16.87		16.79	0
			256QAM	1	1	16.48		16.40	0
		CP	QPSK	1	1	16.90		16.95	0

NR TDD Band n77 DoD_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]	
						631668 Ch. 3475.02 MHz	635000 Ch. 3525 MHz		
50 MHz	30	DFT-s	pi/2 BPSK	1	1	16.62		16.57	0
				1	67	16.39		16.35	0
				1	131	16.23		16.27	0
				64	0	16.50		16.55	0
				64	35	16.47		16.40	0
				64	69	16.32		16.35	0
				128	0	16.35		16.37	0
			QPSK	1	1	16.58		16.52	0
				1	67	16.37		16.30	0
				1	131	16.19		16.25	0
				64	0	16.53		16.52	0
				64	35	16.45		16.38	0
				64	69	16.32		16.39	0
				128	0	16.38		16.41	0
			16QAM	1	1	16.74		16.67	0
			64QAM	1	1	16.57		16.51	0
			256QAM	1	1	16.18		16.10	0
		CP	QPSK	1	1	16.68		16.60	0

NR TDD Band n77 DoD_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
60 MHz	30	DFT-s	pi/2 BPSK	1	1		16.49	0
				1	81		16.42	0
				1	160		16.21	0
				81	0		16.56	0
				81	41		16.42	0
				81	81		16.34	0
				162	0		16.39	0
			QPSK	1	1		16.47	0
				1	81		16.41	0
				1	160		16.17	0
				81	0		16.57	0
				81	41		16.42	0
				81	81		16.36	0
				162	0		16.43	0
			16QAM	1	1		16.62	0
			64QAM	1	1		16.47	0
			256QAM	1	1		16.03	0
		CP	QPSK	1	1		16.60	0

NR TDD Band n77 DoD_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
70 MHz	30	DFT-s	pi/2 BPSK	1	1		16.43	0
				1	95		16.25	0
				1	187		16.03	0
				90	0		16.46	0
				90	50		16.30	0
				90	99		16.25	0
				180	0		16.31	0
			QPSK	1	1		16.44	0
				1	95		16.25	0
				1	187		16.05	0
				90	0		16.49	0
				90	50		16.31	0
				90	99		16.29	0
				180	0		16.34	0
			16QAM	1	1		16.60	0
			64QAM	1	1		16.55	0
			256QAM	1	1		15.98	0
		CP	QPSK	1	1		16.60	0

NR TDD Band n77 DoD_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
80 MHz	30	DFT-s	pi/2 BPSK	1	1		16.49	0
				1	109		16.27	0
				1	215		16.16	0
				108	0		16.53	0
				108	55		16.30	0
				108	109		16.24	0
				216	0		16.29	0
			QPSK	1	1		16.44	0
				1	109		16.21	0
				1	215		16.11	0
				108	0		16.48	0
				108	55		16.30	0
				108	109		16.27	0
				216	0		16.32	0
			16QAM	1	1		16.50	0
			64QAM	1	1		16.46	0
			256QAM	1	1		16.10	0
		CP	QPSK	1	1		16.64	0

NR TDD Band n77 DoD_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
90 MHz	30	DFT-s	pi/2 BPSK	1	1		16.56	0
				1	123		16.27	0
				1	243		16.19	0
				120	0		16.50	0
				120	63		16.36	0
				120	125		16.20	0
				243	0		16.34	0
			QPSK	1	1		16.55	0
				1	123		16.28	0
				1	243		16.18	0
				120	0		16.54	0
				120	63		16.34	0
				120	125		16.24	0
				243	0		16.29	0
			16QAM	1	1		16.74	0
			64QAM	1	1		16.54	0
			256QAM	1	1		16.13	0
		CP	QPSK	1	1		16.64	0

NR TDD Band n77 DoD_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
100 MHz	30	DFT-s	pi/2 BPSK	1	1		16.56	0
				1	137		16.26	0
				1	271		16.21	0
				135	0		16.50	0
				135	69		16.30	0
				135	138		16.22	0
				270	0		16.33	0
			QPSK	1	1		16.68	0
				1	137		16.26	0
				1	271		16.18	0
				135	0		16.53	0
				135	69		16.30	0
				135	138		16.20	0
				270	0		16.29	0
			16QAM	1	1		16.76	0
			64QAM	1	1		16.52	0
			256QAM	1	1		16.17	0
		CP	QPSK	1	1		16.71	0