

Appendix I. – Pmax Conducted Power

I.1 LTE Pmax Conducted Power

LTE FDD Band 2 Conducted Power_Pmax _ANT.F[SUB2-2]

LTE FDD Band 2_1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18607 Ch. 1850.7 MHz	18900 Ch. 1880 MHz	19193 Ch. 1909.3 MHz		
1.4 MHz	QPSK	1	0	24.04	24.07	24.06	0	0
		1	3	24.20	24.24	24.19	0	0
		1	5	23.99	24.12	24.07	0	0
		3	0	24.09	24.17	24.15	0 - 1	0
		3	1	24.25	24.20	24.21	0 - 1	0
		3	3	24.11	24.14	24.10	0 - 1	0
		6	0	23.03	23.07	23.03	0 - 1	1
	16QAM	1	0	23.38	23.43	23.42	0 - 1	1
		1	3	23.68	23.70	23.72	0 - 1	1
		1	5	23.73	23.71	23.67	0 - 1	1
		3	0	23.18	23.26	23.24	0 - 2	1
		3	1	23.21	23.23	23.23	0 - 2	1
		3	3	23.24	23.31	23.30	0 - 2	1
		6	0	22.11	22.15	22.09	0 - 2	2
	64QAM	1	0	22.47	22.48	22.40	0 - 2	2
		1	3	22.28	22.33	22.28	0 - 2	2
		1	5	22.18	22.22	22.24	0 - 2	2
		3	0	22.21	22.21	22.19	0 - 3	2
		3	1	22.23	22.26	22.25	0 - 3	2
		3	3	22.24	22.19	22.16	0 - 3	2
		6	0	21.05	21.09	21.03	0 - 3	3
	256QAM	1	0	19.07	19.13	19.14	0 - 5	5
		1	3	19.17	19.24	19.23	0 - 5	5
		1	5	19.04	19.05	19.07	0 - 5	5
		3	0	19.07	19.10	19.10	0 - 5	5
		3	1	19.18	19.25	19.20	0 - 5	5
		3	3	19.11	19.16	19.14	0 - 5	5
		6	0	19.10	19.09	19.06	0 - 5	5

LTE FDD Band 2_3 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18615 Ch. 1851.5 MHz	18900 Ch. 1880 MHz	19185 Ch. 1908.5 MHz		
3 MHz	QPSK	1	0	23.93	24.06	24.02	0	0
		1	7	24.20	24.16	24.13	0	0
		1	14	23.86	23.96	23.89	0	0
		8	0	23.05	23.07	23.11	0 - 1	1
		8	3	23.07	23.10	22.95	0 - 1	1
		8	7	22.97	23.01	22.93	0 - 1	1
		15	0	22.94	23.09	23.00	0 - 1	1
	16QAM	1	0	23.56	23.53	23.49	0 - 1	1
		1	7	23.47	23.43	23.37	0 - 1	1
		1	14	23.50	23.53	23.54	0 - 1	1
		8	0	22.03	22.08	21.93	0 - 2	2
		8	3	22.06	22.13	21.97	0 - 2	2
		8	7	22.00	22.10	22.06	0 - 2	2
		15	0	21.96	22.05	22.02	0 - 2	2
	64QAM	1	0	22.36	22.38	22.37	0 - 2	2
		1	7	22.44	22.41	22.40	0 - 2	2
		1	14	22.36	22.37	22.29	0 - 2	2
		8	0	20.98	21.07	21.04	0 - 3	3
		8	3	21.05	21.14	21.10	0 - 3	3
		8	7	20.94	21.03	20.97	0 - 3	3
		15	0	21.05	21.08	21.01	0 - 3	3
	256QAM	1	0	19.15	19.22	19.17	0 - 5	5
		1	7	19.06	19.13	19.07	0 - 5	5
		1	14	19.04	19.03	19.08	0 - 5	5
		8	0	19.13	19.13	19.00	0 - 5	5
		8	3	19.04	19.11	19.03	0 - 5	5
		8	7	19.05	19.11	19.02	0 - 5	5
		15	0	19.11	19.05	18.96	0 - 5	5

LTE FDD Band 2_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18625 Ch. 1852.5 MHz	18900 Ch. 1880 MHz	19175 Ch. 1907.5 MHz		
5 MHz	QPSK	1	0	23.93	24.08	23.99	0	0
		1	12	24.19	24.18	24.08	0	0
		1	24	23.87	23.96	23.90	0	0
		12	0	23.08	23.05	23.10	0 - 1	1
		12	6	23.03	23.07	22.96	0 - 1	1
		12	11	22.97	22.98	22.93	0 - 1	1
		25	0	22.96	23.06	23.03	0 - 1	1
	16QAM	1	0	23.52	23.51	23.46	0 - 1	1
		1	12	23.47	23.39	23.42	0 - 1	1
		1	24	23.53	23.47	23.48	0 - 1	1
		12	0	22.02	22.06	21.95	0 - 2	2
		12	6	22.07	22.15	22.03	0 - 2	2
		12	11	22.05	22.10	22.04	0 - 2	2
		25	0	21.96	22.05	21.95	0 - 2	2
	64QAM	1	0	22.37	22.35	22.38	0 - 2	2
		1	12	22.38	22.40	22.34	0 - 2	2
		1	24	22.33	22.37	22.33	0 - 2	2
		12	0	21.01	21.08	21.06	0 - 3	3
		12	6	21.07	21.16	21.10	0 - 3	3
		12	11	20.92	21.05	20.95	0 - 3	3
		25	0	21.04	21.03	21.01	0 - 3	3
	256QAM	1	0	19.13	19.27	19.16	0 - 5	5
		1	12	19.07	19.13	19.08	0 - 5	5
		1	24	19.04	19.01	19.06	0 - 5	5
		12	0	19.09	19.05	19.03	0 - 5	5
		12	6	18.99	19.05	18.99	0 - 5	5
		12	11	19.04	19.07	19.00	0 - 5	5
		25	0	19.08	19.05	19.00	0 - 5	5

LTE FDD Band 2_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18650 Ch. 1855 MHz	18900 Ch. 1880 MHz	19150 Ch. 1905 MHz		
10 MHz	QPSK	1	0	23.94	24.10	24.01	0	0
		1	24	24.18	24.15	24.08	0	0
		1	49	23.82	23.96	23.93	0	0
		25	0	23.05	23.10	23.10	0 - 1	1
		25	12	23.03	23.09	23.01	0 - 1	1
		25	24	23.01	23.01	22.98	0 - 1	1
		50	0	22.94	23.07	23.03	0 - 1	1
	16QAM	1	0	23.55	23.49	23.50	0 - 1	1
		1	24	23.45	23.40	23.44	0 - 1	1
		1	49	23.50	23.53	23.49	0 - 1	1
		25	0	21.99	22.02	21.88	0 - 2	2
		25	12	22.12	22.18	22.03	0 - 2	2
		25	24	22.05	22.06	22.01	0 - 2	2
		50	0	21.97	22.05	21.99	0 - 2	2
	64QAM	1	0	22.37	22.40	22.35	0 - 2	2
		1	24	22.43	22.43	22.36	0 - 2	2
		1	49	22.30	22.37	22.32	0 - 2	2
		25	0	20.99	21.10	21.01	0 - 3	3
		25	12	21.05	21.13	21.12	0 - 3	3
		25	24	20.92	21.05	20.98	0 - 3	3
		50	0	21.00	21.04	21.03	0 - 3	3
	256QAM	1	0	19.12	19.22	19.15	0 - 5	5
		1	24	19.11	19.18	19.02	0 - 5	5
		1	49	18.97	19.01	19.05	0 - 5	5
		25	0	19.13	19.10	19.01	0 - 5	5
		25	12	19.03	19.12	18.96	0 - 5	5
		25	24	19.05	19.12	19.00	0 - 5	5
		50	0	19.09	19.06	18.96	0 - 5	5

LTE FDD Band 2_15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18675 Ch. 1857.5 MHz	18900 Ch. 1880 MHz	19125 Ch. 1902.5 MHz		
15 MHz	QPSK	1	0	23.91	24.04	24.00	0	0
		1	36	24.20	24.13	24.06	0	0
		1	74	23.88	23.99	23.91	0	0
		36	0	23.03	23.07	23.07	0 - 1	1
		36	18	23.03	23.10	22.99	0 - 1	1
		36	39	22.96	23.03	22.98	0 - 1	1
		75	0	22.96	23.03	23.01	0 - 1	1
	16QAM	1	0	23.54	23.49	23.50	0 - 1	1
		1	36	23.48	23.43	23.41	0 - 1	1
		1	74	23.48	23.55	23.49	0 - 1	1
		36	0	21.98	22.08	21.88	0 - 2	2
		36	18	22.09	22.16	22.01	0 - 2	2
		36	39	22.03	22.07	22.07	0 - 2	2
		75	0	21.99	22.00	22.00	0 - 2	2
	64QAM	1	0	22.35	22.40	22.36	0 - 2	2
		1	36	22.39	22.42	22.38	0 - 2	2
		1	74	22.30	22.35	22.31	0 - 2	2
		36	0	21.00	21.09	21.07	0 - 3	3
		36	18	21.11	21.12	21.10	0 - 3	3
		36	39	20.98	21.10	20.99	0 - 3	3
		75	0	21.04	21.08	21.02	0 - 3	3
	256QAM	1	0	19.16	19.26	19.19	0 - 5	5
		1	36	19.05	19.13	19.02	0 - 5	5
		1	74	18.98	19.04	19.10	0 - 5	5
		36	0	19.13	19.09	19.01	0 - 5	5
		36	18	19.01	19.07	19.04	0 - 5	5
		36	39	18.99	19.08	18.98	0 - 5	5
		75	0	19.11	19.05	18.98	0 - 5	5

LTE FDD Band 2_20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18700 Ch. 1860 MHz	18900 Ch. 1880 MHz	19100 Ch. 1900 MHz		
20 MHz	QPSK	1	0	23.90	24.08	23.99	0	0
		1	49	24.18	24.15	24.14	0	0
		1	99	23.88	23.99	23.91	0	0
		50	0	23.05	23.06	23.09	0 - 1	1
		50	25	23.08	23.08	22.95	0 - 1	1
		50	49	23.00	22.98	22.95	0 - 1	1
		100	0	23.00	23.03	23.02	0 - 1	1
	16QAM	1	0	23.51	23.50	23.44	0 - 1	1
		1	49	23.43	23.46	23.38	0 - 1	1
		1	99	23.48	23.52	23.47	0 - 1	1
		50	0	22.03	22.05	21.92	0 - 2	2
		50	25	22.06	22.16	21.97	0 - 2	2
		50	49	22.00	22.12	21.99	0 - 2	2
		100	0	21.97	22.03	21.98	0 - 2	2
	64QAM	1	0	22.34	22.35	22.37	0 - 2	2
		1	49	22.44	22.42	22.37	0 - 2	2
		1	99	22.29	22.36	22.29	0 - 2	2
		50	0	21.03	21.08	21.07	0 - 3	3
		50	25	21.09	21.16	21.07	0 - 3	3
		50	49	20.97	21.08	20.95	0 - 3	3
		100	0	21.06	21.08	20.98	0 - 3	3
	256QAM	1	0	19.16	19.19	19.18	0 - 5	5
		1	49	19.11	19.16	19.08	0 - 5	5
		1	99	19.04	19.03	19.06	0 - 5	5
		50	0	19.13	19.08	19.02	0 - 5	5
		50	25	19.01	19.12	19.04	0 - 5	5
		50	49	19.00	19.12	19.02	0 - 5	5
		100	0	19.10	19.08	18.94	0 - 5	5

LTE FDD Band 4 Conducted Power_Pmax _ANT.F[SUB2-2]

LTE FDD Band 4_1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				19957 Ch. 1710.7 MHz	20175 Ch. 1732.5 MHz	20393 Ch. 1754.3 MHz		
1.4 MHz	QPSK	1	0	23.87	23.93	23.93	0	0
		1	3	23.99	24.00	23.91	0	0
		1	5	23.91	23.99	23.94	0	0
		3	0	23.95	24.00	23.93	0 - 1	0
		3	1	23.96	23.97	23.91	0 - 1	0
		3	3	23.88	23.95	23.87	0 - 1	0
	16QAM	6	0	23.19	23.20	23.22	0 - 1	1
		1	0	23.59	23.60	23.60	0 - 1	1
		1	3	23.48	23.50	23.42	0 - 1	1
		1	5	23.42	23.46	23.48	0 - 1	1
		3	0	23.31	23.33	23.34	0 - 2	1
		3	1	23.32	23.36	23.27	0 - 2	1
	64QAM	3	3	23.30	23.33	23.30	0 - 2	1
		6	0	22.28	22.35	22.38	0 - 2	2
		1	0	22.48	22.47	22.44	0 - 2	2
		1	3	22.61	22.63	22.57	0 - 2	2
		1	5	22.49	22.54	22.50	0 - 2	2
		3	0	22.29	22.35	22.34	0 - 3	2
	256QAM	3	1	22.32	22.36	22.34	0 - 3	2
		3	3	22.40	22.40	22.40	0 - 3	2
		6	0	21.35	21.41	21.37	0 - 3	3
		1	0	19.42	19.44	19.45	0 - 5	5
		1	3	19.34	19.39	19.36	0 - 5	5
		1	5	19.27	19.27	19.28	0 - 5	5
		3	0	19.31	19.39	19.33	0 - 5	5
		3	1	19.27	19.32	19.28	0 - 5	5
		3	3	19.26	19.36	19.23	0 - 5	5
		6	0	19.28	19.29	19.30	0 - 5	5

LTE FDD Band 4_3 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				19965 Ch. 1711.5 MHz	20175 Ch. 1732.5 MHz	20385 Ch. 1753.5 MHz		
3 MHz	QPSK	1	0	24.16	24.26	24.09	0	0
		1	7	24.26	24.30	24.23	0	0
		1	14	24.03	24.06	23.96	0	0
		8	0	23.08	23.07	23.00	0 - 1	1
		8	3	23.15	23.21	23.15	0 - 1	1
		8	7	22.98	23.07	23.04	0 - 1	1
		15	0	23.22	23.16	23.13	0 - 1	1
	16QAM	1	0	23.10	23.13	23.13	0 - 1	1
		1	7	23.65	23.74	23.76	0 - 1	1
		1	14	23.28	23.31	23.21	0 - 1	1
		8	0	22.10	22.09	22.11	0 - 2	2
		8	3	22.26	22.26	22.25	0 - 2	2
		8	7	22.19	22.17	22.12	0 - 2	2
		15	0	22.07	22.14	22.08	0 - 2	2
	64QAM	1	0	22.05	22.15	22.13	0 - 2	2
		1	7	21.99	21.99	21.95	0 - 2	2
		1	14	22.24	22.28	22.32	0 - 2	2
		8	0	21.03	21.20	21.13	0 - 3	3
		8	3	21.08	21.17	21.14	0 - 3	3
		8	7	21.06	21.10	21.11	0 - 3	3
		15	0	21.11	21.16	21.10	0 - 3	3
	256QAM	1	0	19.19	19.27	19.21	0 - 5	5
		1	7	19.24	19.28	19.20	0 - 5	5
		1	14	19.17	19.27	19.09	0 - 5	5
		8	0	19.06	19.11	19.03	0 - 5	5
		8	3	19.07	19.16	19.18	0 - 5	5
		8	7	19.18	19.12	19.14	0 - 5	5
		15	0	19.09	19.17	19.04	0 - 5	5

LTE FDD Band 4_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				19975 Ch. 1712.5 MHz	20175 Ch. 1732.5 MHz	20375 Ch. 1752.5 MHz		
5 MHz	QPSK	1	0	24.13	24.27	24.09	0	0
		1	12	24.27	24.30	24.22	0	0
		1	24	24.03	24.03	23.90	0	0
		12	0	23.08	23.07	23.01	0 - 1	1
		12	6	23.18	23.22	23.16	0 - 1	1
		12	11	23.02	23.11	23.03	0 - 1	1
		25	0	23.23	23.17	23.11	0 - 1	1
	16QAM	1	0	23.08	23.15	23.07	0 - 1	1
		1	12	23.63	23.77	23.77	0 - 1	1
		1	24	23.32	23.35	23.24	0 - 1	1
		12	0	22.10	22.08	22.12	0 - 2	2
		12	6	22.27	22.20	22.30	0 - 2	2
		12	11	22.20	22.21	22.10	0 - 2	2
		25	0	22.12	22.15	22.03	0 - 2	2
	64QAM	1	0	22.03	22.15	22.15	0 - 2	2
		1	12	22.01	21.96	21.99	0 - 2	2
		1	24	22.21	22.31	22.27	0 - 2	2
		12	0	21.02	21.21	21.09	0 - 3	3
		12	6	21.06	21.20	21.12	0 - 3	3
		12	11	21.05	21.11	21.07	0 - 3	3
		25	0	21.05	21.13	21.13	0 - 3	3
	256QAM	1	0	19.20	19.29	19.17	0 - 5	5
		1	12	19.27	19.28	19.18	0 - 5	5
		1	24	19.17	19.24	19.10	0 - 5	5
		12	0	19.02	19.07	19.00	0 - 5	5
		12	6	19.12	19.17	19.17	0 - 5	5
		12	11	19.20	19.14	19.15	0 - 5	5
		25	0	19.12	19.20	19.06	0 - 5	5

LTE FDD Band 4_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20000 Ch. 1715 MHz	20175 Ch. 1732.5 MHz	20350 Ch. 1750 MHz		
10 MHz	QPSK	1	0	24.17	24.25	24.12	0	0
		1	24	24.29	24.36	24.27	0	0
		1	49	24.06	24.03	23.94	0	0
		25	0	23.07	23.04	23.04	0 - 1	1
		25	12	23.13	23.26	23.22	0 - 1	1
		25	24	23.01	23.11	23.05	0 - 1	1
	16QAM	50	0	23.18	23.14	23.09	0 - 1	1
		1	0	23.08	23.12	23.12	0 - 1	1
		1	24	23.69	23.77	23.74	0 - 1	1
		1	49	23.27	23.35	23.26	0 - 1	1
		25	0	22.07	22.11	22.09	0 - 2	2
		25	12	22.25	22.19	22.28	0 - 2	2
	64QAM	25	24	22.14	22.20	22.14	0 - 2	2
		50	0	22.08	22.15	22.02	0 - 2	2
		1	0	22.04	22.13	22.13	0 - 2	2
		1	24	22.04	22.01	21.97	0 - 2	2
		1	49	22.21	22.25	22.31	0 - 2	2
		25	0	20.99	21.15	21.11	0 - 3	3
	256QAM	25	12	21.09	21.21	21.18	0 - 3	3
		25	24	21.00	21.07	21.08	0 - 3	3
		50	0	21.08	21.14	21.08	0 - 3	3
		1	0	19.21	19.26	19.17	0 - 5	5
		1	24	19.28	19.26	19.20	0 - 5	5
		1	49	19.17	19.21	19.13	0 - 5	5
		25	0	19.05	19.09	19.03	0 - 5	5
		25	12	19.06	19.12	19.18	0 - 5	5
		25	24	19.17	19.16	19.17	0 - 5	5
		50	0	19.17	19.19	19.08	0 - 5	5

LTE FDD Band 4_15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20025 Ch. 1717.5 MHz	20175 Ch. 1732.5 MHz	20325 Ch. 1747.5 MHz		
15 MHz	QPSK	1	0	24.15	24.24	24.14	0	0
		1	36	24.25	24.34	24.28	0	0
		1	74	24.05	24.04	23.91	0	0
		36	0	23.10	23.02	23.05	0 - 1	1
		36	18	23.20	23.27	23.15	0 - 1	1
		36	39	23.03	23.09	23.07	0 - 1	1
		75	0	23.22	23.19	23.10	0 - 1	1
	16QAM	1	0	23.10	23.08	23.07	0 - 1	1
		1	36	23.67	23.76	23.75	0 - 1	1
		1	74	23.28	23.31	23.26	0 - 1	1
		36	0	22.07	22.12	22.09	0 - 2	2
		36	18	22.28	22.20	22.22	0 - 2	2
		36	39	22.16	22.17	22.07	0 - 2	2
		75	0	22.08	22.17	22.07	0 - 2	2
	64QAM	1	0	22.07	22.14	22.12	0 - 2	2
		1	36	22.05	21.97	22.01	0 - 2	2
		1	74	22.26	22.25	22.26	0 - 2	2
		36	0	21.02	21.17	21.09	0 - 3	3
		36	18	21.12	21.17	21.13	0 - 3	3
		36	39	21.05	21.10	21.04	0 - 3	3
		75	0	21.05	21.15	21.13	0 - 3	3
	256QAM	1	0	19.19	19.30	19.22	0 - 5	5
		1	36	19.23	19.22	19.21	0 - 5	5
		1	74	19.19	19.24	19.08	0 - 5	5
		36	0	19.01	19.09	19.05	0 - 5	5
		36	18	19.08	19.13	19.16	0 - 5	5
		36	39	19.14	19.15	19.19	0 - 5	5
		75	0	19.14	19.18	19.03	0 - 5	5

LTE FDD Band 4_20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR Allowed Per 3GPP [dB]	MPR [dB]
					20175 Ch. 1732.5 MHz		
20 MHz	QPSK	1	0		24.22		0
		1	49		24.31		0
		1	99		24.01		0
		50	0		23.06		0 - 1
		50	25		23.27		0 - 1
		50	49		23.11		0 - 1
		100	0		23.16		0 - 1
	16QAM	1	0		23.08		0 - 1
		1	49		23.79		0 - 1
		1	99		23.37		0 - 1
		50	0		22.10		0 - 2
		50	25		22.22		0 - 2
		50	49		22.16		0 - 2
		100	0		22.21		0 - 2
	64QAM	1	0		22.16		0 - 2
		1	49		22.00		0 - 2
		1	99		22.28		0 - 2
		50	0		21.21		0 - 3
		50	25		21.20		0 - 3
		50	49		21.07		0 - 3
		100	0		21.12		0 - 3
	256QAM	1	0		19.27		0 - 5
		1	49		19.27		0 - 5
		1	99		19.22		0 - 5
		50	0		19.10		0 - 5
		50	25		19.16		0 - 5
		50	49		19.16		0 - 5
		100	0		19.18		0 - 5

LTE FDD Band 5 Conducted Power_Pmax_ANT.A[MAIN1]

LTE FDD Band 5_1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20407 Ch. 824.7 MHz	20525 Ch. 836.5 MHz	20643 Ch. 848.3 MHz		
1.4 MHz	QPSK	1	0	25.12	24.93	24.60	0	0
		1	3	24.97	24.93	24.68	0	0
		1	5	24.91	24.89	24.47	0	0
		3	0	25.01	24.97	24.68	0 - 1	0
		3	1	25.00	24.87	24.61	0 - 1	0
		3	3	24.91	24.95	24.53	0 - 1	0
		6	0	23.95	23.82	23.64	0 - 1	1
	16QAM	1	0	24.46	24.06	23.79	0 - 1	1
		1	3	24.18	24.17	23.88	0 - 1	1
		1	5	24.40	24.12	23.73	0 - 1	1
		3	0	24.17	24.03	23.72	0 - 2	1
		3	1	24.04	24.12	23.72	0 - 2	1
		3	3	24.00	24.04	23.83	0 - 2	1
		6	0	23.14	22.90	22.64	0 - 2	2
	64QAM	1	0	23.11	23.06	22.72	0 - 2	2
		1	3	23.14	23.13	22.93	0 - 2	2
		1	5	23.16	23.03	22.73	0 - 2	2
		3	0	23.18	22.97	22.78	0 - 3	2
		3	1	23.11	23.03	22.84	0 - 3	2
		3	3	23.10	23.04	22.81	0 - 3	2
		6	0	22.01	21.84	21.63	0 - 3	3
	256QAM	1	0	20.07	19.87	19.68	0 - 5	5
		1	3	20.13	20.09	19.82	0 - 5	5
		1	5	20.04	20.03	19.74	0 - 5	5
		3	0	20.01	19.91	19.65	0 - 5	5
		3	1	20.10	19.94	19.73	0 - 5	5
		3	3	20.11	20.01	19.64	0 - 5	5
		6	0	20.03	19.90	19.64	0 - 5	5

LTE FDD Band 5_3 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20415 Ch. 825.5 MHz	20525 Ch. 836.5 MHz	20635 Ch. 847.5 MHz		
3 MHz	QPSK	1	0	25.01	24.85	24.62	0	0
		1	7	25.06	24.93	24.79	0	0
		1	14	24.94	24.92	24.48	0	0
		8	0	23.99	23.87	23.65	0 - 1	1
		8	3	24.07	23.89	23.69	0 - 1	1
		8	7	24.04	23.90	23.64	0 - 1	1
		15	0	23.95	23.87	23.64	0 - 1	1
	16QAM	1	0	24.11	24.18	23.90	0 - 1	1
		1	7	24.18	24.22	23.93	0 - 1	1
		1	14	24.05	23.97	23.84	0 - 1	1
		8	0	23.02	22.96	22.71	0 - 2	2
		8	3	23.14	22.87	22.68	0 - 2	2
		8	7	22.98	22.88	22.69	0 - 2	2
		15	0	23.00	22.84	22.70	0 - 2	2
	64QAM	1	0	23.16	23.07	22.84	0 - 2	2
		1	7	23.29	23.11	22.89	0 - 2	2
		1	14	23.15	22.99	22.67	0 - 2	2
		8	0	21.98	21.82	21.68	0 - 3	3
		8	3	21.98	21.92	21.73	0 - 3	3
		8	7	21.96	21.87	21.66	0 - 3	3
		15	0	21.99	21.87	21.72	0 - 3	3
	256QAM	1	0	19.86	19.93	19.72	0 - 5	5
		1	7	20.18	20.06	19.68	0 - 5	5
		1	14	20.06	19.89	19.59	0 - 5	5
		8	0	19.97	19.85	19.70	0 - 5	5
		8	3	20.02	19.90	19.65	0 - 5	5
		8	7	19.96	19.90	19.72	0 - 5	5
		15	0	20.02	19.84	19.61	0 - 5	5

LTE FDD Band 5_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20425 Ch. 826.5 MHz	20525 Ch. 836.5 MHz	20625 Ch. 846.5 MHz		
5 MHz	QPSK	1	0	24.96	24.88	24.81	0	0
		1	12	25.02	25.04	24.71	0	0
		1	24	24.99	24.95	24.58	0	0
		12	0	23.94	23.88	23.72	0 - 1	1
		12	6	24.00	23.90	23.68	0 - 1	1
		12	11	24.04	23.91	23.71	0 - 1	1
		25	0	23.97	23.83	23.70	0 - 1	1
	16QAM	1	0	24.39	23.95	24.02	0 - 1	1
		1	12	24.36	24.29	23.97	0 - 1	1
		1	24	24.18	24.20	23.80	0 - 1	1
		12	0	23.01	22.94	22.72	0 - 2	2
		12	6	23.02	22.90	22.83	0 - 2	2
		12	11	22.98	22.88	22.73	0 - 2	2
		25	0	22.96	22.87	22.65	0 - 2	2
	64QAM	1	0	23.11	22.94	22.94	0 - 2	2
		1	12	23.16	23.05	22.87	0 - 2	2
		1	24	23.10	23.08	22.71	0 - 2	2
		12	0	21.94	21.93	21.75	0 - 3	3
		12	6	22.04	21.91	21.75	0 - 3	3
		12	11	21.97	21.89	21.67	0 - 3	3
		25	0	21.94	21.86	21.73	0 - 3	3
	256QAM	1	0	19.83	19.84	19.70	0 - 5	5
		1	12	20.02	20.05	19.74	0 - 5	5
		1	24	19.99	19.82	19.56	0 - 5	5
		12	0	19.90	19.90	19.75	0 - 5	5
		12	6	19.98	19.87	19.65	0 - 5	5
		12	11	19.98	19.87	19.74	0 - 5	5
		25	0	19.99	19.85	19.70	0 - 5	5

LTE FDD Band 5_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR Allowed Per 3GPP [dB]	MPR [dB]
					20525 Ch. 836.5 MHz		
10 MHz	QPSK	1	0		24.93		0
		1	24		25.02		0
		1	49		24.81		0
		25	0		23.91		0 - 1
		25	12		23.84		0 - 1
		25	24		23.93		0 - 1
		50	0		23.85		0 - 1
	16QAM	1	0		24.23		0 - 1
		1	24		24.28		0 - 1
		1	49		23.95		0 - 1
		25	0		22.88		0 - 2
		25	12		22.89		0 - 2
		25	24		22.88		0 - 2
		50	0		22.83		0 - 2
	64QAM	1	0		23.07		0 - 2
		1	24		23.13		0 - 2
		1	49		22.88		0 - 2
		25	0		21.89		0 - 3
		25	12		21.92		0 - 3
		25	24		21.83		0 - 3
		50	0		21.93		0 - 3
	256QAM	1	0		20.05		0 - 5
		1	24		20.02		0 - 5
		1	49		19.88		0 - 5
		25	0		19.87		0 - 5
		25	12		19.90		0 - 5
		25	24		19.82		0 - 5
		50	0		19.86		0 - 5

LTE FDD Band 25 Conducted Power_Pmax_ANT.F[SUB2-2]

LTE FDD Band 25_1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26047 Ch. 1850.7 MHz	26365 Ch. 1882.5 MHz	26683 Ch. 1914.3 MHz		
1.4 MHz	QPSK	1	0	24.08	24.13	24.11	0	0
		1	3	24.24	24.27	24.21	0	0
		1	5	24.05	24.13	24.13	0	0
		3	0	24.12	24.19	24.18	0 - 1	0
		3	1	24.27	24.27	24.27	0 - 1	0
		3	3	24.16	24.19	24.14	0 - 1	0
		6	0	23.08	23.13	23.08	0 - 1	1
	16QAM	1	0	23.44	23.50	23.47	0 - 1	1
		1	3	23.75	23.77	23.72	0 - 1	1
		1	5	23.74	23.75	23.72	0 - 1	1
		3	0	23.25	23.28	23.26	0 - 2	1
		3	1	23.28	23.31	23.29	0 - 2	1
		3	3	23.31	23.37	23.36	0 - 2	1
		6	0	22.13	22.16	22.09	0 - 2	2
	64QAM	1	0	22.48	22.51	22.46	0 - 2	2
		1	3	22.35	22.39	22.33	0 - 2	2
		1	5	22.21	22.27	22.25	0 - 2	2
		3	0	22.25	22.27	22.26	0 - 3	2
		3	1	22.24	22.28	22.28	0 - 3	2
		3	3	22.26	22.26	22.23	0 - 3	2
		6	0	21.09	21.15	21.08	0 - 3	3
	256QAM	1	0	19.14	19.17	19.17	0 - 5	5
		1	3	19.21	19.29	19.26	0 - 5	5
		1	5	19.06	19.09	19.09	0 - 5	5
		3	0	19.12	19.14	19.11	0 - 5	5
		3	1	19.22	19.28	19.21	0 - 5	5
		3	3	19.16	19.22	19.19	0 - 5	5
		6	0	19.13	19.15	19.07	0 - 5	5

LTE FDD Band 25_3 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26055 Ch. 1851.5 MHz	26365 Ch. 1882.5 MHz	26675 Ch. 1913.5 MHz		
3 MHz	QPSK	1	0	24.02	24.07	24.01	0	0
		1	7	24.23	24.24	24.14	0	0
		1	14	23.93	23.98	23.95	0	0
		8	0	23.05	23.12	23.09	0 - 1	1
		8	3	23.14	23.09	23.03	0 - 1	1
		8	7	23.06	23.05	22.97	0 - 1	1
		15	0	23.06	23.05	23.01	0 - 1	1
	16QAM	1	0	23.60	23.57	23.50	0 - 1	1
		1	7	23.49	23.50	23.50	0 - 1	1
		1	14	23.54	23.58	23.56	0 - 1	1
		8	0	22.07	22.07	21.96	0 - 2	2
		8	3	22.07	22.17	22.11	0 - 2	2
		8	7	22.10	22.07	22.06	0 - 2	2
		15	0	22.04	22.09	21.98	0 - 2	2
	64QAM	1	0	22.38	22.47	22.44	0 - 2	2
		1	7	22.39	22.40	22.38	0 - 2	2
		1	14	22.40	22.37	22.37	0 - 2	2
		8	0	21.08	21.08	21.04	0 - 3	3
		8	3	21.13	21.17	21.16	0 - 3	3
		8	7	20.99	21.10	20.99	0 - 3	3
		15	0	21.05	21.09	21.03	0 - 3	3
	256QAM	1	0	19.23	19.25	19.17	0 - 5	5
		1	7	19.12	19.20	19.15	0 - 5	5
		1	14	19.07	19.08	19.08	0 - 5	5
		8	0	19.14	19.15	19.05	0 - 5	5
		8	3	19.11	19.10	19.09	0 - 5	5
		8	7	19.02	19.09	19.07	0 - 5	5
		15	0	19.12	19.08	19.02	0 - 5	5

LTE FDD Band 25_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26065 Ch. 1852.5 MHz	26365 Ch. 1882.5 MHz	26665 Ch. 1912.5 MHz		
5 MHz	QPSK	1	0	23.97	24.10	24.06	0	0
		1	12	24.23	24.20	24.14	0	0
		1	24	23.88	23.99	23.94	0	0
		12	0	23.11	23.11	23.11	0 - 1	1
		12	6	23.08	23.14	23.03	0 - 1	1
		12	11	23.02	23.06	22.99	0 - 1	1
		25	0	23.01	23.10	23.05	0 - 1	1
	16QAM	1	0	23.56	23.54	23.51	0 - 1	1
		1	12	23.49	23.46	23.44	0 - 1	1
		1	24	23.54	23.55	23.54	0 - 1	1
		12	0	22.03	22.09	21.96	0 - 2	2
		12	6	22.14	22.19	22.04	0 - 2	2
		12	11	22.05	22.12	22.07	0 - 2	2
		25	0	22.02	22.06	22.03	0 - 2	2
	64QAM	1	0	22.39	22.42	22.41	0 - 2	2
		1	12	22.44	22.47	22.42	0 - 2	2
		1	24	22.37	22.41	22.37	0 - 2	2
		12	0	21.04	21.12	21.08	0 - 3	3
		12	6	21.12	21.16	21.15	0 - 3	3
		12	11	20.98	21.11	21.03	0 - 3	3
		25	0	21.08	21.09	21.04	0 - 3	3
	256QAM	1	0	19.19	19.27	19.20	0 - 5	5
		1	12	19.13	19.19	19.10	0 - 5	5
		1	24	19.05	19.08	19.10	0 - 5	5
		12	0	19.14	19.13	19.07	0 - 5	5
		12	6	19.06	19.12	19.04	0 - 5	5
		12	11	19.06	19.14	19.05	0 - 5	5
		25	0	19.12	19.10	19.01	0 - 5	5

LTE FDD Band 25_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26090 Ch. 1855 MHz	26365 Ch. 1882.5 MHz	26640 Ch. 1910 MHz		
10 MHz	QPSK	1	0	24.03	24.11	24.07	0	0
		1	24	24.25	24.25	24.18	0	0
		1	49	23.95	24.02	23.97	0	0
		25	0	23.11	23.17	23.11	0 - 1	1
		25	12	23.15	23.16	23.08	0 - 1	1
		25	24	23.06	23.12	23.04	0 - 1	1
	16QAM	50	0	23.09	23.11	23.05	0 - 1	1
		1	0	23.60	23.61	23.57	0 - 1	1
		1	24	23.52	23.54	23.52	0 - 1	1
		1	49	23.57	23.60	23.58	0 - 1	1
		25	0	22.09	22.11	22.03	0 - 2	2
		25	12	22.15	22.19	22.12	0 - 2	2
	64QAM	25	24	22.10	22.14	22.09	0 - 2	2
		50	0	22.05	22.10	22.03	0 - 2	2
		1	0	22.40	22.47	22.46	0 - 2	2
		1	24	22.45	22.47	22.43	0 - 2	2
		1	49	22.42	22.43	22.39	0 - 2	2
		25	0	21.09	21.14	21.08	0 - 3	3
	256QAM	25	12	21.14	21.21	21.20	0 - 3	3
		25	24	21.05	21.11	21.05	0 - 3	3
		50	0	21.10	21.12	21.11	0 - 3	3
		1	0	19.24	19.29	19.24	0 - 5	5
		1	24	19.20	19.23	19.17	0 - 5	5
		1	49	19.12	19.14	19.12	0 - 5	5
		25	0	19.14	19.18	19.13	0 - 5	5
		25	12	19.14	19.15	19.11	0 - 5	5
		25	24	19.10	19.16	19.10	0 - 5	5
		50	0	19.13	19.13	19.09	0 - 5	5

LTE FDD Band 25_15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26115 Ch. 1857.5 MHz	26365 Ch. 1882.5 MHz	26615 Ch. 1907.5 MHz		
15 MHz	QPSK	1	0	24.00	24.04	24.04	0	0
		1	36	24.23	24.19	24.13	0	0
		1	74	23.90	23.96	23.96	0	0
		36	0	23.10	23.10	23.04	0 - 1	1
		36	18	23.15	23.12	23.06	0 - 1	1
		36	39	22.99	23.10	22.97	0 - 1	1
		75	0	23.02	23.06	22.98	0 - 1	1
	16QAM	1	0	23.59	23.60	23.57	0 - 1	1
		1	36	23.51	23.53	23.50	0 - 1	1
		1	74	23.54	23.58	23.50	0 - 1	1
		36	0	22.03	22.11	21.95	0 - 2	2
		36	18	22.10	22.15	22.09	0 - 2	2
		36	39	22.05	22.14	22.06	0 - 2	2
		75	0	21.98	22.05	22.02	0 - 2	2
	64QAM	1	0	22.39	22.43	22.42	0 - 2	2
		1	36	22.41	22.42	22.40	0 - 2	2
		1	74	22.41	22.38	22.39	0 - 2	2
		36	0	21.03	21.07	21.06	0 - 3	3
		36	18	21.09	21.19	21.15	0 - 3	3
		36	39	20.98	21.11	21.01	0 - 3	3
		75	0	21.08	21.07	21.09	0 - 3	3
	256QAM	1	0	19.24	19.27	19.22	0 - 5	5
		1	36	19.18	19.21	19.15	0 - 5	5
		1	74	19.05	19.12	19.11	0 - 5	5
		36	0	19.11	19.18	19.13	0 - 5	5
		36	18	19.09	19.14	19.07	0 - 5	5
		36	39	19.08	19.15	19.05	0 - 5	5
		75	0	19.12	19.13	19.02	0 - 5	5

LTE FDD Band 25_20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26140 Ch. 1860 MHz	26365 Ch. 1882.5 MHz	26590 Ch. 1905 MHz		
20 MHz	QPSK	1	0	23.83	23.86	23.85	0	0
		1	49	24.02	24.05	24.05	0	0
		1	99	23.89	23.95	23.89	0	0
		50	0	22.97	23.02	22.96	0 - 1	1
		50	25	22.95	23.02	22.96	0 - 1	1
		50	49	22.86	22.91	22.85	0 - 1	1
		100	0	23.01	23.04	22.98	0 - 1	1
	16QAM	1	0	22.89	22.96	22.95	0 - 1	1
		1	49	23.44	23.45	23.38	0 - 1	1
		1	99	23.04	23.05	22.99	0 - 1	1
		50	0	22.06	22.09	22.02	0 - 2	2
		50	25	22.04	22.04	22.01	0 - 2	2
		50	49	22.00	22.00	21.95	0 - 2	2
		100	0	21.97	21.99	21.96	0 - 2	2
	64QAM	1	0	22.13	22.14	22.11	0 - 2	2
		1	49	22.75	22.79	22.77	0 - 2	2
		1	99	22.01	22.05	22.05	0 - 2	2
		50	0	21.07	21.08	21.02	0 - 3	3
		50	25	20.97	21.02	20.97	0 - 3	3
		50	49	20.88	20.93	20.91	0 - 3	3
		100	0	20.94	20.98	20.94	0 - 3	3
	256QAM	1	0	18.95	19.01	18.94	0 - 5	5
		1	49	18.96	19.02	19.02	0 - 5	5
		1	99	19.08	19.08	19.02	0 - 5	5
		50	0	18.90	18.95	18.92	0 - 5	5
		50	25	19.01	19.02	19.00	0 - 5	5
		50	49	18.94	18.96	18.95	0 - 5	5
		100	0	18.96	19.03	18.98	0 - 5	5

LTE FDD Band 26 Conducted Power_Pmax ANT.A[MAIN1]

LTE FDD Band 26_1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26697 Ch. 814.7 MHz	26865 Ch. 831.5 MHz	27033 Ch. 848.3 MHz		
1.4 MHz	QPSK	1	0	24.93	24.82	24.33	0	0
		1	3	24.95	24.96	23.99	0	0
		1	5	24.91	24.95	23.68	0	0
		3	0	24.89	24.82	24.14	0 - 1	0
		3	1	24.92	24.92	24.01	0 - 1	0
		3	3	24.92	24.98	23.74	0 - 1	0
		6	0	23.32	23.37	23.05	0 - 1	1
	16QAM	1	0	24.06	24.13	23.55	0 - 1	1
		1	3	24.17	24.26	23.22	0 - 1	1
		1	5	24.11	24.12	22.95	0 - 1	1
		3	0	24.06	23.96	23.29	0 - 2	1
		3	1	23.93	23.99	23.22	0 - 2	1
		3	3	24.05	24.03	22.95	0 - 2	1
		6	0	22.88	22.95	22.21	0 - 2	2
	64QAM	1	0	23.04	23.09	22.46	0 - 2	2
		1	3	22.98	23.07	22.24	0 - 2	2
		1	5	22.87	23.02	22.10	0 - 2	2
		3	0	22.91	23.00	22.40	0 - 3	2
		3	1	22.98	23.01	22.30	0 - 3	2
		3	3	23.00	23.03	22.14	0 - 3	2
		6	0	21.83	21.88	21.25	0 - 3	3
	256QAM	1	0	19.78	19.96	19.56	0 - 5	5
		1	3	19.96	20.08	19.49	0 - 5	5
		1	5	19.73	20.02	19.23	0 - 5	5
		3	0	19.85	19.86	19.54	0 - 5	5
		3	1	20.02	19.92	19.45	0 - 5	5
		3	3	19.90	19.99	19.30	0 - 5	5
		6	0	19.76	19.97	19.39	0 - 5	5

LTE FDD Band 26_3 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26705 Ch. 815.5 MHz	26865 Ch. 831.5 MHz	27025 Ch. 847.5 MHz		
3 MHz	QPSK	1	0	24.90	24.95	24.68	0	0
		1	7	24.89	25.01	24.68	0	0
		1	14	24.76	25.00	24.42	0	0
		8	0	23.82	23.95	23.71	0 - 1	1
		8	3	23.84	23.89	23.75	0 - 1	1
		8	7	23.91	23.98	23.70	0 - 1	1
		15	0	23.89	23.87	23.67	0 - 1	1
	16QAM	1	0	24.05	24.14	23.99	0 - 1	1
		1	7	24.10	24.27	23.99	0 - 1	1
		1	14	24.06	24.17	23.72	0 - 1	1
		8	0	22.98	22.95	22.69	0 - 2	2
		8	3	22.90	22.94	22.73	0 - 2	2
		8	7	22.88	22.95	22.67	0 - 2	2
		15	0	22.88	22.89	22.71	0 - 2	2
	64QAM	1	0	22.95	23.12	22.88	0 - 2	2
		1	7	23.04	23.15	22.88	0 - 2	2
		1	14	22.90	22.98	22.84	0 - 2	2
		8	0	21.88	21.88	21.67	0 - 3	3
		8	3	21.92	21.97	21.75	0 - 3	3
		8	7	21.92	22.01	21.66	0 - 3	3
		15	0	21.89	21.89	21.67	0 - 3	3
	256QAM	1	0	19.82	19.87	19.70	0 - 5	5
		1	7	20.06	20.15	19.99	0 - 5	5
		1	14	19.88	20.07	19.63	0 - 5	5
		8	0	19.91	19.93	19.67	0 - 5	5
		8	3	19.93	19.95	19.75	0 - 5	5
		8	7	19.86	19.96	19.64	0 - 5	5
		15	0	19.89	19.96	19.69	0 - 5	5

LTE FDD Band 26_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26715 Ch. 816.5 MHz	26865 Ch. 831.5 MHz	27015 Ch. 846.5 MHz		
5 MHz	QPSK	1	0	24.77	25.06	24.81	0	0
		1	12	24.91	25.07	24.72	0	0
		1	24	24.77	24.94	24.58	0	0
		12	0	23.79	23.85	23.72	0 - 1	1
		12	6	23.92	23.97	23.75	0 - 1	1
		12	11	23.89	23.98	23.77	0 - 1	1
		25	0	23.90	23.87	23.72	0 - 1	1
	16QAM	1	0	24.03	24.17	24.01	0 - 1	1
		1	12	24.32	24.21	23.83	0 - 1	1
		1	24	23.91	24.15	23.96	0 - 1	1
		12	0	22.80	22.91	22.77	0 - 2	2
		12	6	22.96	22.96	22.79	0 - 2	2
		12	11	22.84	22.98	22.68	0 - 2	2
		25	0	22.87	22.90	22.75	0 - 2	2
	64QAM	1	0	23.10	23.15	22.82	0 - 2	2
		1	12	23.00	23.16	22.82	0 - 2	2
		1	24	23.02	23.06	23.06	0 - 2	2
		12	0	21.84	21.88	21.71	0 - 3	3
		12	6	21.89	21.95	21.82	0 - 3	3
		12	11	21.89	22.01	21.73	0 - 3	3
		25	0	21.85	21.89	21.71	0 - 3	3
	256QAM	1	0	19.85	19.90	19.87	0 - 5	5
		1	12	20.02	20.33	19.81	0 - 5	5
		1	24	19.81	19.91	19.63	0 - 5	5
		12	0	19.81	19.93	19.70	0 - 5	5
		12	6	19.87	19.88	19.73	0 - 5	5
		12	11	19.85	19.98	19.70	0 - 5	5
		25	0	19.86	19.97	19.70	0 - 5	5

LTE FDD Band 26_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26750 Ch. 820 MHz	26865 Ch. 831.5 MHz	26990 Ch. 844 MHz		
10 MHz	QPSK	1	0	24.94	24.88	24.89	0	0
		1	24	24.87	25.01	24.81	0	0
		1	49	24.88	24.83	24.71	0	0
		25	0	23.84	23.90	23.82	0 - 1	1
		25	12	23.99	23.95	23.82	0 - 1	1
		25	24	23.93	23.97	23.76	0 - 1	1
		50	0	23.95	23.93	23.80	0 - 1	1
	16QAM	1	0	24.25	24.22	24.23	0 - 1	1
		1	24	24.22	24.27	24.24	0 - 1	1
		1	49	23.99	24.31	24.07	0 - 1	1
		25	0	22.85	22.94	22.86	0 - 2	2
		25	12	22.91	22.93	22.82	0 - 2	2
		25	24	22.86	22.89	22.76	0 - 2	2
		50	0	22.90	22.93	22.77	0 - 2	2
	64QAM	1	0	23.00	23.11	22.96	0 - 2	2
		1	24	23.14	23.18	23.17	0 - 2	2
		1	49	22.96	23.08	22.73	0 - 2	2
		25	0	21.90	21.90	21.82	0 - 3	3
		25	12	21.94	21.95	21.82	0 - 3	3
		25	24	21.97	21.87	21.84	0 - 3	3
		50	0	21.93	21.94	21.76	0 - 3	3
	256QAM	1	0	19.89	19.80	19.84	0 - 5	5
		1	24	19.95	20.16	19.86	0 - 5	5
		1	49	19.99	19.93	19.78	0 - 5	5
		25	0	19.84	19.96	19.78	0 - 5	5
		25	12	19.94	19.95	19.79	0 - 5	5
		25	24	19.94	19.93	19.77	0 - 5	5
		50	0	19.90	19.99	19.83	0 - 5	5

LTE FDD Band 26_15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR Allowed Per 3GPP [dB]	MPR [dB]
					26865 Ch. 831.5 MHz		
15 MHz	QPSK	1	0		24.90		0
		1	36		24.89		0
		1	74		24.83		0
		36	0		23.85		0 - 1
		36	18		23.83		0 - 1
		36	39		23.73		0 - 1
		75	0		23.85		0 - 1
	16QAM	1	0		23.84		0 - 1
		1	36		23.41		0 - 1
		1	74		23.83		0 - 1
		36	0		22.77		0 - 2
		36	18		22.77		0 - 2
		36	39		22.69		0 - 2
		75	0		22.83		0 - 2
	64QAM	1	0		23.01		0 - 2
		1	36		22.98		0 - 2
		1	74		22.71		0 - 2
		36	0		21.79		0 - 3
		36	18		21.70		0 - 3
		36	39		21.72		0 - 3
		75	0		21.78		0 - 3
	256QAM	1	0		19.80		0 - 5
		1	36		20.18		0 - 5
		1	74		19.82		0 - 5
		36	0		19.77		0 - 5
		36	18		19.78		0 - 5
		36	39		19.72		0 - 5
		75	0		19.78		0 - 5

LTE TDD Band 48 Conducted Power_Pmax_ANT.G[SUB3]

LTE TDD Band 48_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR Allowed Per 3GPP [dB]	MPR [dB]
				55265 Ch. 3552.5 MHz	55748 Ch. 3600.8 MHz	56232 Ch. 3649.2 MHz	56715 Ch. 3697.5 MHz		
5 MHz	QPSK	1	0	21.68	21.61	21.00	21.21	0	0
		1	12	21.78	21.72	21.16	21.30	0	0
		1	24	21.56	21.55	21.01	21.32	0	0
		12	0	20.71	20.65	20.10	20.25	0 - 1	1
		12	6	20.77	20.72	20.10	20.32	0 - 1	1
		12	11	20.63	20.57	20.14	20.39	0 - 1	1
	16QAM	25	0	20.62	20.59	20.09	20.28	0 - 1	1
		1	0	20.70	20.70	20.10	20.22	0 - 1	1
		1	12	20.78	20.74	20.11	20.42	0 - 1	1
		1	24	20.62	20.56	20.10	20.36	0 - 1	1
		12	0	19.68	19.68	19.00	19.28	0 - 2	2
		12	6	19.72	19.61	19.15	19.32	0 - 2	2
	64QAM	12	11	19.61	19.53	19.13	19.33	0 - 2	2
		25	0	19.64	19.56	19.09	19.33	0 - 2	2
		1	0	20.62	20.57	19.14	19.31	0 - 2	2
		1	12	20.64	20.64	19.12	19.42	0 - 2	2
		1	24	20.54	20.51	19.14	19.29	0 - 2	2
		12	0	19.64	19.64	17.99	18.22	0 - 3	3
	256QAM	12	6	19.72	19.70	18.17	18.27	0 - 3	3
		12	11	19.63	19.57	18.06	18.33	0 - 3	3
		25	0	19.57	19.56	18.11	18.24	0 - 3	3
		1	0	16.61	16.54	15.99	16.21	0 - 5	5
		1	12	16.65	16.62	16.12	16.30	0 - 5	5
		1	24	16.46	16.39	16.08	16.25	0 - 5	5
		12	0	16.69	16.71	16.04	16.24	0 - 5	5
		12	6	16.71	16.65	16.18	16.33	0 - 5	5
		12	11	16.63	16.53	16.14	16.36	0 - 5	5
		25	0	16.58	16.50	16.14	16.23	0 - 5	5

LTE TDD Band 48_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR Allowed Per 3GPP [dB]	MPR [dB]
				55290 Ch. 3555 MHz	55757 Ch. 3601.7 MHz	56223 Ch. 3648.3 MHz	56690 Ch. 3695 MHz		
10 MHz	QPSK	1	0	21.72	21.57	21.07	21.19	0	0
		1	24	21.73	21.78	21.17	21.40	0	0
		1	49	21.68	21.54	21.07	21.35	0	0
		25	0	20.71	20.65	20.06	20.25	0 - 1	1
		25	12	20.64	20.64	20.18	20.35	0 - 1	1
		25	24	20.57	20.63	20.15	20.35	0 - 1	1
		50	0	20.56	20.55	20.17	20.31	0 - 1	1
	16QAM	1	0	20.53	20.73	20.14	20.27	0 - 1	1
		1	24	20.74	20.79	20.02	20.38	0 - 1	1
		1	49	20.54	20.56	20.13	20.21	0 - 1	1
		25	0	19.68	19.66	19.02	19.22	0 - 2	2
		25	12	19.66	19.63	19.12	19.36	0 - 2	2
		25	24	19.59	19.58	19.18	19.38	0 - 2	2
		50	0	19.59	19.54	19.11	19.34	0 - 2	2
	64QAM	1	0	19.67	20.54	19.13	19.31	0 - 2	2
		1	24	19.70	20.58	19.25	19.39	0 - 2	2
		1	49	19.64	20.54	19.28	19.40	0 - 2	2
		25	0	18.67	19.58	18.08	18.22	0 - 3	3
		25	12	18.65	19.69	18.14	18.39	0 - 3	3
		25	24	18.59	19.63	18.11	18.34	0 - 3	3
		50	0	18.62	19.60	18.15	18.36	0 - 3	3
	256QAM	1	0	16.55	16.59	15.89	16.10	0 - 5	5
		1	24	16.67	16.69	16.16	16.24	0 - 5	5
		1	49	16.45	16.43	16.00	16.24	0 - 5	5
		25	0	16.70	16.65	16.02	16.19	0 - 5	5
		25	12	16.67	16.68	16.14	16.39	0 - 5	5
		25	24	16.58	16.53	16.11	16.33	0 - 5	5
		50	0	16.56	16.53	16.09	16.28	0 - 5	5

LTE TDD Band 48_15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR Allowed Per 3GPP [dB]	MPR [dB]
				55315 Ch. 3557.5 MHz	55765 Ch. 3602.5 MHz	56215 Ch. 3647.5 MHz	56665 Ch. 3692.5 MHz		
15 MHz	QPSK	1	0	21.41	21.62	20.75	20.99	0	0
		1	36	21.45	21.69	20.84	21.16	0	0
		1	74	21.33	21.55	20.79	21.13	0	0
		36	0	20.51	20.64	19.88	20.14	0 - 1	1
		36	18	20.53	20.72	19.88	20.16	0 - 1	1
		36	39	20.42	20.61	20.02	20.21	0 - 1	1
		75	0	20.51	20.55	19.94	20.20	0 - 1	1
	16QAM	1	0	20.50	20.73	19.86	20.03	0 - 1	1
		1	36	20.46	20.73	19.89	20.15	0 - 1	1
		1	74	20.39	20.59	19.80	20.10	0 - 1	1
		36	0	19.52	19.63	18.86	19.06	0 - 2	2
		36	18	19.47	19.63	18.87	19.14	0 - 2	2
		36	39	19.44	19.56	18.98	19.19	0 - 2	2
		75	0	19.52	19.59	18.90	19.21	0 - 2	2
	64QAM	1	0	19.45	20.61	18.84	19.06	0 - 2	2
		1	36	19.37	20.58	19.03	19.24	0 - 2	2
		1	74	19.33	20.53	19.03	19.17	0 - 2	2
		36	0	18.55	19.63	17.87	18.11	0 - 3	3
		36	18	18.50	19.64	17.88	18.14	0 - 3	3
		36	39	18.43	19.56	18.03	18.21	0 - 3	3
		75	0	18.49	19.56	17.90	18.18	0 - 3	3
	256QAM	1	0	16.32	16.62	15.87	15.93	0 - 5	5
		1	36	16.35	16.59	16.04	16.05	0 - 5	5
		1	74	16.30	16.36	15.91	16.09	0 - 5	5
		36	0	16.52	16.69	15.91	16.13	0 - 5	5
		36	18	16.52	16.71	15.98	16.21	0 - 5	5
		36	39	16.41	16.53	16.01	16.17	0 - 5	5
		75	0	16.54	16.49	15.91	16.18	0 - 5	5

LTE TDD Band 48_20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR Allowed Per 3GPP [dB]	MPR [dB]
				55340 Ch. 3560 MHz	55773 Ch. 3603.3 MHz	56207 Ch. 3646.7 MHz	56640 Ch. 3690 MHz		
20 MHz	QPSK	1	0	21.37	21.75	20.81	20.99	0	0
		1	49	21.39	21.74	20.90	21.14	0	0
		1	99	21.34	21.60	20.85	21.15	0	0
		50	0	20.51	20.65	20.02	20.08	0 - 1	1
		50	25	20.44	20.62	19.98	20.17	0 - 1	1
		50	49	20.40	20.62	20.06	20.15	0 - 1	1
		100	0	20.46	20.63	19.98	20.18	0 - 1	1
	16QAM	1	0	20.40	20.66	19.89	19.99	0 - 1	1
		1	49	20.49	20.73	20.07	20.21	0 - 1	1
		1	99	20.39	20.55	19.99	20.03	0 - 1	1
		50	0	19.53	19.66	18.89	19.11	0 - 2	2
		50	25	19.43	19.63	19.00	19.21	0 - 2	2
		50	49	19.45	19.62	18.98	19.25	0 - 2	2
		100	0	19.40	19.57	18.98	19.14	0 - 2	2
	64QAM	1	0	19.45	20.55	18.90	19.04	0 - 2	2
		1	49	19.53	20.59	18.90	19.14	0 - 2	2
		1	99	19.35	20.58	18.94	19.21	0 - 2	2
		50	0	18.47	19.60	17.86	18.08	0 - 3	3
		50	25	18.38	19.75	18.00	18.16	0 - 3	3
		50	49	18.45	19.61	18.01	18.20	0 - 3	3
		100	0	18.38	19.59	17.98	18.16	0 - 3	3
	256QAM	1	0	16.49	16.56	15.86	15.98	0 - 5	5
		1	49	16.45	16.62	15.95	16.15	0 - 5	5
		1	99	16.33	16.44	16.03	16.08	0 - 5	5
		50	0	16.47	16.67	15.90	16.06	0 - 5	5
		50	25	16.38	16.72	16.07	16.23	0 - 5	5
		50	49	16.36	16.62	16.03	16.21	0 - 5	5
		100	0	16.42	16.58	16.00	16.14	0 - 5	5

LTE FDD Band 66 Conducted Power_Pmax_ANT.F[SUB2-2]

LTE FDD Band 66_1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				131979 Ch. 1710.7 MHz	132322 Ch. 1745 MHz	132665 Ch. 1779.3 MHz		
1.4 MHz	QPSK	1	0	23.94	23.98	23.95	0	0
		1	3	24.03	24.03	23.96	0	0
		1	5	23.97	24.02	23.97	0	0
		3	0	23.98	24.00	23.97	0 - 1	0
		3	1	23.99	24.00	23.98	0 - 1	0
		3	3	23.93	23.98	23.91	0 - 1	0
		6	0	23.26	23.26	23.24	0 - 1	1
	16QAM	1	0	23.63	23.64	23.61	0 - 1	1
		1	3	23.53	23.53	23.47	0 - 1	1
		1	5	23.48	23.53	23.51	0 - 1	1
		3	0	23.36	23.39	23.35	0 - 2	1
		3	1	23.37	23.41	23.34	0 - 2	1
		3	3	23.35	23.40	23.35	0 - 2	1
		6	0	22.33	22.40	22.40	0 - 2	2
	64QAM	1	0	22.49	22.51	22.48	0 - 2	2
		1	3	22.65	22.67	22.64	0 - 2	2
		1	5	22.52	22.59	22.57	0 - 2	2
		3	0	22.34	22.42	22.41	0 - 3	2
		3	1	22.33	22.41	22.36	0 - 3	2
		3	3	22.44	22.45	22.41	0 - 3	2
		6	0	21.42	21.43	21.41	0 - 3	3
	256QAM	1	0	19.47	19.52	19.46	0 - 5	5
		1	3	19.38	19.43	19.40	0 - 5	5
		1	5	19.30	19.32	19.29	0 - 5	5
		3	0	19.35	19.41	19.34	0 - 5	5
		3	1	19.32	19.39	19.32	0 - 5	5
		3	3	19.31	19.37	19.29	0 - 5	5
		6	0	19.34	19.37	19.37	0 - 5	5

LTE FDD Band 66_3 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				131987 Ch. 1711.5 MHz	132322 Ch. 1745 MHz	132657 Ch. 1778.5 MHz		
3 MHz	QPSK	1	0	24.20	24.26	24.16	0	0
		1	7	24.35	24.38	24.28	0	0
		1	14	24.05	24.04	23.98	0	0
		8	0	23.08	23.11	23.03	0 - 1	1
		8	3	23.17	23.23	23.24	0 - 1	1
		8	7	23.06	23.10	23.10	0 - 1	1
		15	0	23.24	23.22	23.17	0 - 1	1
	16QAM	1	0	23.16	23.21	23.15	0 - 1	1
		1	7	23.68	23.80	23.76	0 - 1	1
		1	14	23.32	23.39	23.25	0 - 1	1
		8	0	22.09	22.17	22.12	0 - 2	2
		8	3	22.25	22.26	22.29	0 - 2	2
		8	7	22.20	22.17	22.13	0 - 2	2
		15	0	22.19	22.21	22.13	0 - 2	2
	64QAM	1	0	22.11	22.19	22.13	0 - 2	2
		1	7	22.05	22.05	22.01	0 - 2	2
		1	14	22.28	22.34	22.28	0 - 2	2
		8	0	21.14	21.21	21.09	0 - 3	3
		8	3	21.19	21.25	21.17	0 - 3	3
		8	7	21.07	21.16	21.17	0 - 3	3
		15	0	21.13	21.16	21.09	0 - 3	3
	256QAM	1	0	19.22	19.25	19.17	0 - 5	5
		1	7	19.27	19.27	19.24	0 - 5	5
		1	14	19.22	19.29	19.19	0 - 5	5
		8	0	19.12	19.14	19.10	0 - 5	5
		8	3	19.19	19.17	19.14	0 - 5	5
		8	7	19.19	19.20	19.17	0 - 5	5
		15	0	19.19	19.17	19.12	0 - 5	5

LTE FDD Band 66_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				131997 Ch. 1712.5 MHz	132322 Ch. 1745 MHz	132647 Ch. 1777.5 MHz		
5 MHz	QPSK	1	0	24.22	24.30	24.21	0	0
		1	12	24.32	24.33	24.27	0	0
		1	24	24.05	24.07	24.01	0	0
		12	0	23.07	23.09	23.04	0 - 1	1
		12	6	23.21	23.20	23.20	0 - 1	1
		12	11	23.08	23.10	23.08	0 - 1	1
	16QAM	25	0	23.22	23.22	23.21	0 - 1	1
		1	0	23.16	23.20	23.16	0 - 1	1
		1	12	23.73	23.79	23.80	0 - 1	1
		1	24	23.35	23.37	23.28	0 - 1	1
		12	0	22.09	22.17	22.16	0 - 2	2
		12	6	22.26	22.26	22.24	0 - 2	2
	64QAM	12	11	22.17	22.22	22.12	0 - 2	2
		25	0	22.17	22.21	22.13	0 - 2	2
		1	0	22.17	22.20	22.18	0 - 2	2
		1	12	22.00	22.05	22.05	0 - 2	2
		1	24	22.26	22.29	22.30	0 - 2	2
		12	0	21.08	21.22	21.11	0 - 3	3
	256QAM	12	6	21.19	21.21	21.16	0 - 3	3
		12	11	21.11	21.17	21.15	0 - 3	3
		25	0	21.15	21.18	21.13	0 - 3	3
		1	0	19.21	19.28	19.24	0 - 5	5
		1	12	19.25	19.31	19.26	0 - 5	5
		1	24	19.22	19.28	19.20	0 - 5	5
		12	0	19.11	19.12	19.07	0 - 5	5
		12	6	19.17	19.23	19.16	0 - 5	5
		12	11	19.21	19.20	19.17	0 - 5	5
		25	0	19.17	19.18	19.16	0 - 5	5

LTE FDD Band 66_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				132022 Ch. 1715 MHz	132322 Ch. 1745 MHz	132622 Ch. 1775 MHz		
10 MHz	QPSK	1	0	24.23	24.25	24.30	0	0
		1	24	24.37	24.28	24.37	0	0
		1	49	24.08	24.36	24.10	0	0
		25	0	23.07	23.31	23.11	0 - 1	1
		25	12	23.24	23.42	23.26	0 - 1	1
		25	24	23.17	23.41	23.13	0 - 1	1
	16QAM	50	0	23.24	23.39	23.24	0 - 1	1
		1	0	23.19	23.63	23.21	0 - 1	1
		1	24	23.75	23.73	23.75	0 - 1	1
		1	49	23.32	23.78	23.38	0 - 1	1
		25	0	22.12	22.27	22.12	0 - 2	2
		25	12	22.28	22.37	22.26	0 - 2	2
	64QAM	25	24	22.17	22.37	22.23	0 - 2	2
		50	0	22.20	22.45	22.18	0 - 2	2
		1	0	22.20	22.46	22.19	0 - 2	2
		1	24	22.06	22.54	22.08	0 - 2	2
		1	49	22.35	22.53	22.35	0 - 2	2
		25	0	21.20	21.30	21.15	0 - 3	3
	256QAM	25	12	21.23	21.44	21.27	0 - 3	3
		25	24	21.19	21.43	21.19	0 - 3	3
		50	0	21.17	21.40	21.17	0 - 3	3
		1	0	19.23	19.33	19.24	0 - 5	5
		1	24	19.24	19.38	19.32	0 - 5	5
		1	49	19.28	19.40	19.25	0 - 5	5
		25	0	19.09	19.38	19.09	0 - 5	5
		25	12	19.23	19.43	19.23	0 - 5	5
		25	24	19.24	19.36	19.24	0 - 5	5
		50	0	19.20	19.33	19.16	0 - 5	5

LTE FDD Band 66_15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				132047 Ch. 1717.5 MHz	132322 Ch. 1745 MHz	132597 Ch. 1772.5 MHz		
15 MHz	QPSK	1	0	24.17	24.29	24.17	0	0
		1	36	24.32	24.37	24.29	0	0
		1	74	24.07	24.07	23.98	0	0
		36	0	23.11	23.08	23.06	0 - 1	1
		36	18	23.20	23.27	23.22	0 - 1	1
		36	39	23.05	23.13	23.08	0 - 1	1
		75	0	23.25	23.20	23.15	0 - 1	1
	16QAM	1	0	23.11	23.15	23.15	0 - 1	1
		1	36	23.69	23.79	23.77	0 - 1	1
		1	74	23.34	23.39	23.28	0 - 1	1
		36	0	22.14	22.13	22.15	0 - 2	2
		36	18	22.29	22.26	22.30	0 - 2	2
		36	39	22.21	22.21	22.14	0 - 2	2
		75	0	22.12	22.21	22.09	0 - 2	2
	64QAM	1	0	22.10	22.18	22.15	0 - 2	2
		1	36	22.05	22.04	22.03	0 - 2	2
		1	74	22.26	22.31	22.34	0 - 2	2
		36	0	21.06	21.21	21.15	0 - 3	3
		36	18	21.12	21.24	21.19	0 - 3	3
		36	39	21.08	21.14	21.12	0 - 3	3
		75	0	21.12	21.18	21.14	0 - 3	3
	256QAM	1	0	19.22	19.31	19.22	0 - 5	5
		1	36	19.31	19.29	19.24	0 - 5	5
		1	74	19.21	19.29	19.15	0 - 5	5
		36	0	19.06	19.11	19.08	0 - 5	5
		36	18	19.13	19.17	19.21	0 - 5	5
		36	39	19.21	19.18	19.21	0 - 5	5
		75	0	19.17	19.21	19.11	0 - 5	5

LTE FDD Band 66_20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				132072 Ch. 1720 MHz	132322 Ch. 1745 MHz	132572 Ch. 1770 MHz		
20 MHz	QPSK	1	0	24.25	24.31	24.24	0	0
		1	49	24.36	24.38	24.32	0	0
		1	99	24.09	24.11	24.04	0	0
		50	0	23.12	23.14	23.10	0 - 1	1
		50	25	23.23	23.28	23.26	0 - 1	1
		50	49	23.13	23.17	23.12	0 - 1	1
	16QAM	100	0	23.25	23.25	23.23	0 - 1	1
		1	0	23.16	23.22	23.19	0 - 1	1
		1	49	23.76	23.81	23.81	0 - 1	1
		1	99	23.36	23.39	23.32	0 - 1	1
		50	0	22.16	22.18	22.17	0 - 2	2
		50	25	22.32	22.33	22.30	0 - 2	2
	64QAM	50	49	22.22	22.24	22.16	0 - 2	2
		100	0	22.20	22.23	22.16	0 - 2	2
		1	0	22.18	22.23	22.19	0 - 2	2
		1	49	22.08	22.10	22.05	0 - 2	2
		1	99	22.32	22.37	22.34	0 - 2	2
		50	0	21.14	21.22	21.17	0 - 3	3
	256QAM	50	25	21.20	21.27	21.23	0 - 3	3
		50	49	21.14	21.20	21.19	0 - 3	3
		100	0	21.18	21.19	21.14	0 - 3	3
		1	0	19.28	19.31	19.25	0 - 5	5
		1	49	19.32	19.32	19.31	0 - 5	5
		1	99	19.24	19.30	19.23	0 - 5	5
		50	0	19.14	19.15	19.12	0 - 5	5
		50	25	19.20	19.24	19.21	0 - 5	5
		50	49	19.25	19.25	19.23	0 - 5	5
		100	0	19.23	19.24	19.16	0 - 5	5

I.2 NR Pmax Conducted Power

NR TDD Band n41 Conducted Power (Power Class 3)_Pmax _ANT.A[MAIN1]

NR TDD Band n41_10 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						500202 Ch. 2501.01 MHz	509400 Ch. 2547 MHz	518598 Ch. 2592.99 MHz	527802 Ch. 2639.01 MHz	537000 Ch. 2685 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	24.14	23.26	23.47	23.03	22.76	0
				1	12	24.11	23.26	23.45	23.02	22.84	0
				1	22	24.14	23.28	23.52	23.07	22.79	0
				12	0	23.69	22.88	23.02	22.56	22.30	0.5
				12	6	24.13	23.32	23.55	23.05	22.76	0
				12	12	23.62	22.83	23.05	22.57	22.26	0.5
				24	0	23.63	22.90	22.96	22.61	22.25	0.5
			QPSK	1	1	24.09	23.30	23.53	22.98	22.79	0
				1	12	24.00	23.22	23.46	22.98	22.84	0
				1	22	24.09	23.32	23.50	23.08	22.90	0
				12	0	23.11	22.37	22.50	22.06	21.76	1
				12	6	24.06	23.30	23.50	23.02	22.78	0
				12	12	23.14	22.37	22.50	22.14	21.80	1
				24	0	23.14	22.34	22.56	22.07	21.83	1
			16QAM	1	1	23.06	22.37	22.62	22.12	21.91	1
			64QAM	1	1	21.60	20.78	21.02	20.53	20.50	2.5
			256QAM	1	1	19.18	18.26	18.61	18.27	18.35	4.5
		CP	QPSK	1	1	22.65	21.91	22.10	21.70	21.33	1.5

NR TDD Band n41_15 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						500700 Ch. 2503.5 MHz	509652 Ch. 2548.26 MHz	518598 Ch. 2592.99 MHz	527550 Ch. 2637.75 MHz	536502 Ch. 2682.51 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	23.98	23.53	23.61	23.15	22.98	0
				1	18	23.81	23.38	23.39	23.00	22.84	0
				1	36	23.90	23.34	23.46	23.10	22.96	0
				18	0	23.44	23.07	23.08	22.67	22.42	0.5
				18	9	23.90	23.42	23.57	23.07	22.90	0
				18	18	23.43	22.92	23.00	22.55	22.43	0.5
				36	0	23.37	23.01	23.10	22.62	22.49	0.5
			QPSK	1	1	24.07	23.63	23.62	23.02	23.00	0
				1	18	23.90	23.29	23.50	22.87	22.81	0
				1	36	23.81	23.37	23.41	23.01	22.98	0
				18	0	22.99	22.65	22.65	22.18	21.92	1
				18	9	23.85	23.40	23.51	23.00	22.90	0
				18	18	22.92	22.45	22.55	22.04	21.92	1
				36	0	22.90	22.56	22.55	22.04	21.88	1
			16QAM	1	1	23.15	22.69	22.61	22.20	21.86	1
			64QAM	1	1	21.70	21.14	21.06	20.34	20.49	2.5
			256QAM	1	1	19.03	18.61	18.69	18.28	18.36	4.5
		CP	QPSK	1	1	22.59	22.08	22.15	21.65	21.51	1.5

NR TDD Band n41_20 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						501204 Ch. 2506.02 MHz	509898 Ch. 2549.49 MHz	518598 Ch. 2592.99 MHz	527298 Ch. 2636.49 MHz	535998 Ch. 2679.99 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	24.10	23.56	23.67	23.19	22.97	0
				1	26	23.84	23.38	23.48	23.03	22.86	0
				1	49	23.87	23.40	23.45	23.10	22.94	0
				25	0	23.51	23.06	23.11	22.70	22.48	0.5
				25	13	23.91	23.39	23.58	23.09	22.97	0
				25	26	23.37	22.95	23.06	22.56	22.49	0.5
				50	0	23.43	23.11	23.13	22.58	22.47	0.5
			QPSK	1	1	24.10	23.64	23.61	23.05	22.98	0
				1	26	23.87	23.38	23.53	22.94	22.81	0
				1	49	23.85	23.46	23.45	22.99	22.93	0
				25	0	23.04	22.59	22.67	22.20	22.00	1
				25	13	23.91	23.48	23.58	23.10	22.91	0
				25	26	22.95	22.49	22.55	22.12	21.98	1
				50	0	22.93	22.65	22.61	22.09	21.94	1
			16QAM	1	1	23.21	22.72	22.63	22.22	21.96	1
			64QAM	1	1	21.71	21.10	21.04	20.41	20.53	2.5
			256QAM	1	1	19.07	18.74	18.71	18.31	18.39	4.5
		CP	QPSK	1	1	22.66	22.17	22.21	21.70	21.53	1.5

NR TDD Band n41_30 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						502200 Ch. 2511 MHz	510402 Ch. 2552.01 MHz	518598 Ch. 2592.99 MHz	526800 Ch. 2634 MHz	534996 Ch. 2674.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	24.07	23.47	23.57	23.13	22.94	0
				1	39	23.78	23.27	23.46	22.97	22.83	0
				1	76	23.79	23.37	23.41	23.06	22.96	0
				36	0	23.50	22.98	23.00	22.67	22.42	0.5
				36	21	23.85	23.38	23.50	23.08	22.89	0
				36	42	23.39	22.91	22.96	22.49	22.41	0.5
				75	0	23.42	23.08	23.13	22.56	22.43	0.5
			QPSK	1	1	24.07	23.61	23.63	23.03	22.91	0
				1	39	23.86	23.32	23.52	22.92	22.84	0
				1	76	23.78	23.39	23.46	22.96	22.99	0
				36	0	23.02	22.59	22.56	22.15	22.04	1
				36	21	23.88	23.38	23.51	23.06	22.90	0
				36	42	22.94	22.49	22.54	22.08	21.94	1
				75	0	22.95	22.54	22.53	22.07	21.95	1
			16QAM	1	1	23.21	22.67	22.59	22.15	21.86	1
			64QAM	1	1	21.63	21.10	21.00	20.31	20.48	2.5
			256QAM	1	1	19.01	18.72	18.66	18.30	18.32	4.5
		CP	QPSK	1	1	22.55	22.19	22.14	21.68	21.58	1.5

NR TDD Band n41_40 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						503202 Ch. 2516.01 MHz	513468 Ch. 2567.34 MHz		523734 Ch. 2618.67 MHz	534000 Ch. 2670 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	24.13	23.49		23.49	23.05	0
				1	53	23.80	23.39		23.19	22.99	0
				1	104	23.72	23.65		23.18	23.13	0
				50	0	23.56	22.84		22.84	22.56	0.5
				50	28	23.85	23.44		23.26	23.08	0
				50	56	23.36	23.13		22.72	22.59	0.5
				100	0	23.46	23.05		22.84	22.64	0.5
			QPSK	1	1	24.04	23.39		23.47	23.06	0
				1	53	23.72	23.34		23.22	23.06	0
				1	104	23.69	23.58		23.14	23.14	0
				50	0	23.05	22.42		22.31	22.13	1
				50	28	23.84	23.45		23.27	23.14	0
				50	56	22.80	22.63		22.27	22.04	1
				100	0	22.93	22.50		22.44	22.12	1
			16QAM	1	1	23.30	22.38		22.56	22.26	1
			64QAM	1	1	21.38	20.75		20.86	20.65	2.5
			256QAM	1	1	19.21	18.54		18.54	18.41	4.5
		CP	QPSK	1	1	22.74	21.98		22.00	21.75	1.5

NR TDD Band n41_50 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						504204 Ch. 2521.02 MHz		518598 Ch. 2592.99 MHz		532998 Ch. 2664.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	24.16		23.49		23.18	0
				1	67	23.88		23.62		23.10	0
				1	131	23.61		23.35		22.97	0
				64	0	23.53		23.09		22.71	0.5
				64	35	23.89		23.50		23.17	0
				64	69	23.24		23.04		22.64	0.5
				128	0	23.42		23.04		22.62	0.5
			QPSK	1	1	24.12		23.44		23.16	0
				1	67	23.80		23.55		23.05	0
				1	131	23.49		23.31		22.99	0
				64	0	22.97		22.65		22.19	1
				64	35	23.91		23.53		23.13	0
				64	69	22.75		22.51		22.15	1
				128	0	22.91		22.51		22.15	1
			16QAM	1	1	23.12		22.56		22.41	1
			64QAM	1	1	21.96		20.99		20.37	2.5
			256QAM	1	1	19.29		18.52		18.29	4.5
		CP	QPSK	1	1	22.72		22.03		21.81	1.5

NR TDD Band n41_60 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR [dB]	
						505200 Ch. 2526 MHz		518598 Ch. 2592.99 MHz			531996 Ch. 2659.98 MHz
60 MHz	30	DFT-s	pi/2 BPSK	1	1	24.05		23.63		22.92	0
				1	81	23.71		23.50		22.80	0
				1	160	23.41		23.42		22.93	0
				81	0	23.38		23.03		22.43	0.5
				81	41	23.76		23.55		22.88	0
				81	81	23.18		23.03		22.43	0.5
				162	0	23.28		23.08		22.47	0.5
			QPSK	1	1	24.05		23.64		22.98	0
				1	81	23.67		23.55		22.80	0
				1	160	23.40		23.44		22.92	0
				81	0	22.87		22.60		21.97	1
				81	41	23.70		23.51		22.87	0
				81	81	22.69		22.45		21.92	1
				162	0	22.85		22.61		21.94	1
			16QAM	1	1	23.15		22.65		21.89	1
			64QAM	1	1	21.87		21.03		20.47	2.5
			256QAM	1	1	19.09		18.68		18.32	4.5
		CP	QPSK	1	1	22.63		22.14		21.51	1.5

NR TDD Band n41_70 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR [dB]	
						506202 Ch. 2531.01 MHz					531000 Ch. 2655 MHz
70 MHz	30	DFT-s	pi/2 BPSK	1	1	24.00				22.90	0
				1	95	23.81				22.79	0
				1	187	23.85				22.90	0
				90	0	23.41				22.49	0.5
				90	50	23.89				22.93	0
				90	99	23.40				22.44	0.5
				180	0	23.39				22.45	0.5
			QPSK	1	1	24.04				22.93	0
				1	95	23.87				22.77	0
				1	187	23.84				22.96	0
				90	0	23.03				21.98	1
				90	50	23.92				22.92	0
				90	99	22.90				21.96	1
				180	0	22.93				21.89	1
			16QAM	1	1	23.20				21.93	1
			64QAM	1	1	21.60				20.43	2.5
			256QAM	1	1	18.98				18.31	4.5
		CP	QPSK	1	1	22.64				21.54	1.5

NR TDD Band n41_80 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					
						507204 Ch. 2536.02 MHz				529998 Ch. 2649.99 MHz	MPR [dB]
80 MHz	30	DFT-s	pi/2 BPSK	1	1	24.03				23.19	0
				1	109	23.79				22.84	0
				1	215	23.86				22.85	0
				108	0	23.45				22.54	0.5
				108	55	23.87				22.90	0
				108	109	23.33				22.40	0.5
				216	0	23.36				22.48	0.5
			QPSK	1	1	24.13				23.19	0
				1	109	23.85				22.82	0
				1	215	23.82				22.84	0
				108	0	22.95				22.05	1
				108	55	23.84				22.91	0
				108	109	22.97				21.87	1
				216	0	22.91				21.98	1
			16QAM	1	1	23.10				22.18	1
			64QAM	1	1	21.63				20.62	2.5
			256QAM	1	1	19.00				18.31	4.5
		CP	QPSK	1	1	22.61				21.80	1.5

NR TDD Band n41_90 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					
						508200 Ch. 2541 MHz				528996 Ch. 2644.98 MHz	MPR [dB]
90 MHz	30	DFT-s	pi/2 BPSK	1	1	24.00				23.28	0
				1	123	23.43				22.95	0
				1	243	23.31				22.86	0
				120	0	23.36				22.77	0.5
				120	63	23.46				23.01	0
				120	125	22.82				22.40	0.5
				243	0	23.09				22.66	0.5
			QPSK	1	1	23.87				23.29	0
				1	123	23.32				22.94	0
				1	243	23.32				22.84	0
				120	0	22.88				22.27	1
				120	63	23.54				23.02	0
				120	125	22.27				21.89	1
				243	0	22.59				22.11	1
			16QAM	1	1	22.96				22.24	1
			64QAM	1	1	21.84				20.54	2.5
			256QAM	1	1	19.06				18.38	4.5
		CP	QPSK	1	1	22.47				21.80	1.5

NR TDD Band n41_100 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR [dB]
								518598 Ch. 2592.99 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1			23.26		0
				1	137			23.42		0
				1	271			22.93		0
				135	0			22.97		0.5
				135	69			23.39		0
				135	138			22.62		0.5
				270	0			22.10		0.5
			QPSK	1	1			23.26		0
				1	137			23.88		0
				1	271			22.85		0
				135	0			22.46		1
				135	69			23.87		0
				135	138			22.12		1
				270	0			22.27		1
			16QAM	1	1			22.35		1
			64QAM	1	1			20.83		2.5
			256QAM	1	1			18.42		4.5
		CP	QPSK	1	1			22.30		1.5

NR TDD Band n41Conducted Power (Power Class 2)_Pmax _ANT.A[MAIN1]

NR TDD Band n41_10 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						500202 Ch. 2501.01 MHz	509400 Ch. 2547 MHz	518598 Ch. 2592.99 MHz	527802 Ch. 2639.01 MHz	537000 Ch. 2685 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	25.54	25.15	25.21	25.00	24.83	0
				1	12	25.67	25.04	25.12	24.86	24.65	0
				1	22	25.51	25.18	25.21	24.88	24.76	0
				12	0	25.21	24.72	24.76	24.40	24.30	0.5
				12	6	25.74	25.02	25.13	24.89	24.71	0
				12	12	25.07	24.64	24.75	24.41	24.24	0.5
				24	0	25.20	24.75	24.70	24.51	24.27	0.5
			QPSK	1	1	25.54	24.86	25.10	24.94	24.69	0
				1	12	25.53	24.52	25.07	24.77	24.62	0
				1	22	25.47	25.07	25.20	24.85	24.69	0
				12	0	24.06	23.66	24.24	23.60	23.78	1
				12	6	25.65	24.59	25.22	24.61	24.70	0
				12	12	24.60	23.76	24.22	23.76	23.78	1
				24	0	24.55	23.64	24.22	23.75	23.77	1
			16QAM	1	1	24.46	23.85	24.10	24.26	23.70	1
			64QAM	1	1	23.01	22.25	22.69	22.65	22.20	2.5
			256QAM	1	1	20.99	20.31	20.55	20.39	20.47	4.5
		CP	QPSK	1	1	23.86	23.41	23.38	23.49	23.40	1.5

NR TDD Band n41_15 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						500700 Ch. 2503.5 MHz	509652 Ch. 2548.26 MHz	518598 Ch. 2592.99 MHz	527550 Ch. 2637.75 MHz	536502 Ch. 2682.51 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	25.56	25.17	25.24	24.98	24.79	0
				1	18	25.68	25.03	25.13	24.92	24.61	0
				1	36	25.58	25.21	25.22	24.95	24.77	0
				18	0	25.24	24.78	24.75	24.40	24.31	0.5
				18	9	25.67	25.03	25.20	24.85	24.67	0
				18	18	25.10	24.64	24.72	24.43	24.24	0.5
				36	0	25.19	24.75	24.73	24.49	24.23	0.5
			QPSK	1	1	25.48	24.80	25.10	24.96	24.66	0
				1	18	25.51	24.56	25.10	24.78	24.66	0
				1	36	25.45	25.09	25.14	24.84	24.71	0
				18	0	24.05	23.64	24.20	23.65	23.80	1
				18	9	25.70	24.61	25.19	24.64	24.68	0
				18	18	24.56	23.79	24.23	23.70	23.76	1
				36	0	24.59	23.70	24.29	23.73	23.72	1
			16QAM	1	1	24.49	23.89	24.09	24.22	23.71	1
			64QAM	1	1	23.03	22.30	22.69	22.63	22.23	2.5
			256QAM	1	1	20.97	20.30	20.57	20.34	20.47	4.5
		CP	QPSK	1	1	23.85	23.42	23.36	23.49	23.39	1.5

NR TDD Band n41_20 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						501204 Ch. 2506.02 MHz	509898 Ch. 2549.49 MHz	518598 Ch. 2592.99 MHz	527298 Ch. 2636.49 MHz	535998 Ch. 2679.99 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	25.56	25.22	25.18	25.00	24.78	0
				1	26	25.65	25.07	25.14	24.92	24.64	0
				1	49	25.58	25.23	25.23	24.95	24.77	0
				25	0	25.21	24.77	24.73	24.42	24.31	0.5
				25	13	25.70	25.03	25.21	24.91	24.66	0
				25	26	25.08	24.67	24.76	24.39	24.21	0.5
				50	0	25.18	24.74	24.73	24.50	24.25	0.5
			QPSK	1	1	25.51	24.87	25.09	24.96	24.66	0
				1	26	25.56	24.66	25.06	24.73	24.66	0
				1	49	25.47	25.08	25.15	24.90	24.72	0
				25	0	24.09	23.68	24.24	23.61	23.75	1
				25	13	25.68	24.58	25.20	24.59	24.67	0
				25	26	24.59	23.75	24.23	23.75	23.72	1
				50	0	24.57	23.66	24.27	23.80	23.74	1
			16QAM	1	1	24.43	23.90	24.09	24.25	23.73	1
			64QAM	1	1	22.99	22.22	22.72	22.61	22.21	2.5
			256QAM	1	1	21.01	20.30	20.52	20.38	20.42	4.5
		CP	QPSK	1	1	23.84	23.42	23.35	23.49	23.37	1.5

NR TDD Band n41_30 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						502200 Ch. 2511 MHz	510402 Ch. 2552.01 MHz	518598 Ch. 2592.99 MHz	526800 Ch. 2634 MHz	534996 Ch. 2674.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	25.57	25.23	25.24	25.02	24.85	0
				1	39	25.68	25.10	25.18	24.93	24.68	0
				1	76	25.59	25.26	25.24	24.95	24.80	0
				36	0	25.28	24.78	24.80	24.46	24.33	0.5
				36	21	25.74	25.08	25.21	24.93	24.73	0
				36	42	25.14	24.68	24.76	24.45	24.28	0.5
				75	0	25.26	24.78	24.77	24.52	24.29	0.5
			QPSK	1	1	25.54	24.88	25.15	25.01	24.72	0
				1	39	25.56	24.53	25.14	24.78	24.67	0
				1	76	25.49	25.13	25.21	24.91	24.76	0
				36	0	24.13	23.68	24.26	23.67	23.81	1
				36	21	25.72	24.62	25.23	24.66	24.71	0
				36	42	24.63	23.80	24.27	23.77	23.78	1
				75	0	24.60	23.70	24.29	23.81	23.79	1
			16QAM	1	1	24.51	23.90	24.15	24.27	23.78	1
			64QAM	1	1	23.03	22.30	22.75	22.68	22.28	2.5
			256QAM	1	1	21.01	20.34	20.57	20.41	20.48	4.5
		CP	QPSK	1	1	23.91	23.44	23.41	23.54	23.44	1.5

NR TDD Band n41_40 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						503202 Ch. 2516.01 MHz	513468 Ch. 2567.34 MHz		523734 Ch. 2618.67 MHz	534000 Ch. 2670 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	25.56	25.23		25.01	24.78	0
				1	53	25.60	25.03		24.86	24.67	0
				1	104	25.58	25.19		24.93	24.75	0
				50	0	25.22	24.77		24.43	24.27	0.5
				50	28	25.72	25.02		24.91	24.65	0
				50	56	25.11	24.60		24.39	24.23	0.5
				100	0	25.24	24.75		24.46	24.24	0.5
			QPSK	1	1	25.47	24.87		24.99	24.70	0
				1	53	25.54	24.61		24.78	24.59	0
				1	104	25.48	25.09		24.84	24.76	0
				50	0	24.06	23.66		23.62	23.81	1
				50	28	25.67	24.57		24.65	24.69	0
				50	56	24.57	23.74		23.74	23.77	1
				100	0	24.60	23.68		23.77	23.72	1
			16QAM	1	1	24.48	23.89		24.21	23.71	1
			64QAM	1	1	22.99	22.26		22.62	22.27	2.5
			256QAM	1	1	20.97	20.30		20.37	20.42	4.5
		CP	QPSK	1	1	23.91	23.39		23.53	23.38	1.5

NR TDD Band n41_50 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR [dB]	
						504204 Ch. 2521.02 MHz		518598 Ch. 2592.99 MHz			532998 Ch. 2664.99 MHz
50 MHz	30	DFT-s	pi/2 BPSK	1	1	25.57		25.22		24.81	0
				1	67	25.62		25.16		24.66	0
				1	131	25.55		25.20		24.74	0
				64	0	25.20		24.76		24.26	0.5
				64	35	25.70		25.17		24.72	0
				64	69	25.06		24.76		24.23	0.5
				128	0	25.24		24.72		24.26	0.5
			QPSK	1	1	25.51		25.09		24.71	0
				1	67	25.53		25.09		24.61	0
				1	131	25.41		25.14		24.73	0
				64	0	24.07		24.25		23.78	1
				64	35	25.67		25.19		24.67	0
				64	69	24.55		24.26		23.72	1
				128	0	24.52		24.23		23.74	1
			16QAM	1	1	24.46		24.12		23.73	1
			64QAM	1	1	22.96		22.70		22.27	2.5
			256QAM	1	1	20.98		20.52		20.42	4.5
		CP	QPSK	1	1	23.85		23.37		23.36	1.5

NR TDD Band n41_60 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR [dB]	
						505200 Ch. 2526 MHz		518598 Ch. 2592.99 MHz			531996 Ch. 2659.98 MHz
60 MHz	30	DFT-s	pi/2 BPSK	1	1	25.55		25.20		24.80	0
				1	81	25.61		25.14		24.67	0
				1	160	25.57		25.20		24.75	0
				81	0	25.24		24.74		24.26	0.5
				81	41	25.72		25.14		24.69	0
				81	81	25.14		24.76		24.23	0.5
				162	0	25.20		24.70		24.23	0.5
			QPSK	1	1	25.48		25.11		24.68	0
				1	81	25.56		25.11		24.61	0
				1	160	25.47		25.18		24.68	0
				81	0	24.11		24.24		23.74	1
				81	41	25.70		25.20		24.66	0
				81	81	24.55		24.27		23.74	1
				162	0	24.53		24.22		23.79	1
			16QAM	1	1	24.46		24.10		23.75	1
			64QAM	1	1	22.96		22.73		22.25	2.5
			256QAM	1	1	21.00		20.57		20.41	4.5
		CP	QPSK	1	1	23.86		23.36		23.43	1.5

NR TDD Band n41_70 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR [dB]	
						506202 Ch. 2531.01 MHz					531000 Ch. 2655 MHz
70 MHz	30	DFT-s	pi/2 BPSK	1	1	25.55				24.85	0
				1	95	25.62				24.60	0
				1	187	25.59				24.74	0
				90	0	25.23				24.27	0.5
				90	50	25.73				24.66	0
				90	99	25.12				24.24	0.5
				180	0	25.21				24.23	0.5
			QPSK	1	1	25.47				24.67	0
				1	95	25.55				24.60	0
				1	187	25.44				24.71	0
				90	0	24.11				23.80	1
				90	50	25.72				24.68	0
				90	99	24.61				23.75	1
				180	0	24.55				23.72	1
			16QAM	1	1	24.47				23.77	1
			64QAM	1	1	22.95				22.21	2.5
			256QAM	1	1	20.93				20.43	4.5
		CP	OPSK	1	1	23.83				23.38	1.5

NR TDD Band n41_80 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPF [dB]	
						507204 Ch. 2536.02 MHz					529998 Ch. 2649.99 MHz
80 MHz	30	DFT-s	pi/2 BPSK	1	1	25.53				24.83	0
				1	109	25.62				24.67	0
				1	215	25.53				24.72	0
				108	0	25.26				24.29	0.5
				108	55	25.67				24.72	0
				108	109	25.13				24.25	0.5
				216	0	25.23				24.28	0.5
			QPSK	1	1	25.48				24.71	0
				1	109	25.52				24.64	0
				1	215	25.44				24.72	0
				108	0	24.09				23.78	1
				108	55	25.69				24.70	0
				108	109	24.61				23.73	1
				216	0	24.56				23.71	1
			16QAM	1	1	24.43				23.76	1
			64QAM	1	1	23.00				22.25	2.5
			256QAM	1	1	20.95				20.48	4.5
		CP	QPSK	1	1	23.89				23.40	1.5

NR TDD Band n41_90 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR [dB]	
						508200 Ch. 2541 MHz					528996 Ch. 2644.98 MHz
90 MHz	30	DFT-s	pi/2 BPSK	1	1	25.50				24.79	0
				1	123	25.61				24.62	0
				1	243	25.53				24.74	0
				120	0	25.22				24.30	0.5
				120	63	25.73				24.73	0
				120	125	25.09				24.21	0.5
				243	0	25.20				24.23	0.5
			QPSK	1	1	25.47				24.66	0
				1	123	25.50				24.66	0
				1	243	25.49				24.75	0
				120	0	24.12				23.74	1
				120	63	25.70				24.63	0
				120	125	24.63				23.71	1
				243	0	24.59				23.78	1
			16QAM	1	1	24.49				23.72	1
			64QAM	1	1	22.96				22.28	2.5
			256QAM	1	1	20.97				20.44	4.5
		CP	QPSK	1	1	23.90				23.43	1.5

NR TDD Band n41_100 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR [dB]
								518598 Ch. 2592.99 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1			25.00		0
				1	137			25.10		0
				1	271			24.66		0
				135	0			24.67		0.5
				135	69			25.05		0
				135	138			24.40		0.5
				270	0			24.47		0.5
			QPSK	1	1			24.53		0
				1	137			25.05		0
				1	271			24.59		0
				135	0			24.15		1
				135	69			25.05		0
				135	138			23.85		1
				270	0			23.97		1
			16QAM	1	1			23.51		1
			64QAM	1	1			22.17		2.5
			256QAM	1	1			20.08		4.5
		CP	QPSK	1	1			23.61		1.5

NR FDD Band n2 Conducted Power_Pmax_ANT.F[SUB2-2]

NR FDD Band n2_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						370500 Ch. 1852.5 MHz	376000 Ch. 1880 MHz	381500 Ch. 1907.5 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1	24.12	24.10	23.95	0
				1	13	23.91	24.01	23.89	0
				1	23	23.92	23.94	23.76	0
				12	0	23.53	23.45	23.38	0.5
				12	7	24.00	23.89	23.84	0
				12	13	23.37	23.36	23.29	0.5
				25	0	23.41	23.47	23.38	0.5
			QPSK	1	1	24.09	24.20	24.00	0
				1	13	23.95	24.13	23.86	0
				1	23	23.98	23.99	23.80	0
				12	0	23.03	23.02	22.93	1
				12	7	23.98	23.90	23.85	0
				12	13	22.93	22.94	22.86	1
				25	0	22.97	22.99	22.91	1
			16QAM	1	1	23.01	23.00	22.92	1
			64QAM	1	1	21.74	21.64	21.53	2.5
			256QAM	1	1	19.01	18.98	18.85	4.5
		CP	QPSK	1	1	22.60	22.51	22.53	1.5

NR FDD Band n2_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						371000 Ch. 1855 MHz	376000 Ch. 1880 MHz	381000 Ch. 1905 MHz	
10 MHz	15	DFT-s	pi/2 BPSK	1	1	24.08	24.04	23.89	0
				1	26	23.92	23.99	23.89	0
				1	50	23.92	23.93	23.78	0
				25	0	23.48	23.50	23.43	0.5
				25	14	23.96	23.90	23.83	0
				25	27	23.37	23.32	23.29	0.5
				50	0	23.43	23.44	23.33	0.5
			QPSK	1	1	24.03	24.14	23.96	0
				1	26	23.95	24.19	23.83	0
				1	50	24.04	24.04	23.76	0
				25	0	23.02	23.00	22.92	1
				25	14	23.96	23.91	23.90	0
				25	27	22.95	22.90	22.80	1
				50	0	22.98	22.96	22.87	1
			16QAM	1	1	22.98	23.03	22.95	1
			64QAM	1	1	21.70	21.70	21.55	2.5
			256QAM	1	1	18.95	18.92	18.86	4.5
		CP	QPSK	1	1	22.53	22.49	22.46	1.5

NR FDD Band n2_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						371500 Ch. 1857.5 MHz	376000 Ch. 1880 MHz	380500 Ch. 1902.5 MHz	
15 MHz	15	DFT-s	pi/2 BPSK	1	1	24.11	24.06	23.93	0
				1	40	23.94	23.98	23.83	0
				1	77	23.89	23.92	23.78	0
				36	0	23.54	23.49	23.42	0.5
				36	22	24.00	23.91	23.83	0
				36	43	23.38	23.32	23.32	0.5
				75	0	23.47	23.48	23.36	0.5
			QPSK	1	1	24.07	24.17	23.98	0
				1	40	24.00	24.16	23.82	0
				1	77	24.03	23.97	23.79	0
				36	0	23.03	22.96	22.94	1
				36	22	23.97	23.94	23.90	0
				36	43	22.89	22.97	22.82	1
				75	0	22.99	22.95	22.90	1
			16QAM	1	1	23.04	23.04	22.91	1
			64QAM	1	1	21.74	21.71	21.56	2.5
			256QAM	1	1	18.96	18.94	18.90	4.5
		CP	QPSK	1	1	22.60	22.49	22.46	1.5

NR FDD Band n2_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						372000 Ch. 1860 MHz	376000 Ch. 1880 MHz	380000 Ch. 1900 MHz	
20 MHz	15	DFT-s	pi/2 BPSK	1	1	24.14	24.05	23.95	0
				1	53	23.93	24.02	23.90	0
				1	104	23.94	23.97	23.78	0
				50	0	23.47	23.48	23.37	0.5
				50	28	24.00	23.86	23.85	0
				50	56	23.41	23.38	23.29	0.5
				100	0	23.45	23.46	23.38	0.5
			QPSK	1	1	24.05	24.14	24.00	0
				1	53	23.97	24.18	23.85	0
				1	104	24.02	24.00	23.76	0
				50	0	23.02	23.01	22.94	1
				50	28	23.95	23.88	23.92	0
				50	56	22.94	22.95	22.86	1
				100	0	22.96	22.99	22.87	1
			16QAM	1	1	23.02	23.02	22.95	1
			64QAM	1	1	21.75	21.68	21.56	2.5
			256QAM	1	1	19.01	18.99	18.92	4.5
		CP	QPSK	1	1	22.59	22.51	22.53	1.5

NR FDD Band n25 Conducted Power_Pmax_ANT.F[SUB2-2]

NR FDD Band n25_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						370500 Ch. 1852.5 MHz	376500 Ch. 1882.5 MHz	382500 Ch. 1912.5 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1	24.05	23.99	23.77	0
				1	13	23.99	23.84	23.70	0
				1	23	24.04	23.97	23.74	0
				12	0	23.53	23.30	23.21	0.5
				12	7	23.99	23.87	23.64	0
				12	13	23.51	23.33	23.17	0.5
				25	0	23.43	23.40	23.23	0.5
			QPSK	1	1	24.10	23.89	23.88	0
				1	13	24.10	23.89	23.94	0
				1	23	24.10	23.86	23.90	0
				12	0	22.94	22.79	22.70	1
				12	7	23.90	23.84	23.67	0
				12	13	22.89	22.88	22.73	1
				25	0	22.87	22.86	22.67	1
			16QAM	1	1	22.92	22.89	22.63	1
			64QAM	1	1	21.60	21.54	21.38	2.5
			256QAM	1	1	19.06	18.84	18.74	4.5
		CP	QPSK	1	1	22.55	22.42	22.22	1.5

NR FDD Band n25_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						371000 Ch. 1855 MHz	376500 Ch. 1882.5 MHz	382000 Ch. 1910 MHz	
10 MHz	15	DFT-s	pi/2 BPSK	1	1	23.99	24.02	23.75	0
				1	26	23.99	23.82	23.70	0
				1	50	23.98	23.96	23.71	0
				25	0	23.53	23.31	23.20	0.5
				25	14	24.01	23.84	23.67	0
				25	27	23.52	23.34	23.19	0.5
				50	0	23.45	23.38	23.25	0.5
			QPSK	1	1	24.12	23.86	23.87	0
				1	26	24.07	23.85	23.93	0
				1	50	24.08	23.84	23.93	0
				25	0	22.96	22.80	22.67	1
				25	14	23.90	23.78	23.69	0
				25	27	22.95	22.85	22.70	1
				50	0	22.88	22.86	22.69	1
			16QAM	1	1	22.93	22.93	22.64	1
			64QAM	1	1	21.66	21.59	21.34	2.5
			256QAM	1	1	19.09	18.86	18.69	4.5
		CP	QPSK	1	1	22.59	22.43	22.20	1.5

NR FDD Band n25_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						371500 Ch. 1857.5 MHz	376500 Ch. 1882.5 MHz	381500 Ch. 1907.5 MHz	
15 MHz	15	DFT-s	pi/2 BPSK	1	1	24.00	24.03	23.78	0
				1	40	23.97	23.81	23.73	0
				1	77	24.00	24.00	23.74	0
				36	0	23.50	23.36	23.20	0.5
				36	22	23.99	23.83	23.65	0
				36	43	23.53	23.32	23.18	0.5
				75	0	23.43	23.33	23.20	0.5
			QPSK	1	1	24.10	23.90	23.85	0
				1	40	24.10	23.85	23.96	0
				1	77	24.13	23.87	23.86	0
				36	0	22.92	22.87	22.67	1
				36	22	23.89	23.79	23.66	0
				36	43	22.96	22.83	22.78	1
				75	0	22.90	22.86	22.69	1
			16QAM	1	1	22.97	22.91	22.59	1
			64QAM	1	1	21.60	21.55	21.34	2.5
			256QAM	1	1	19.06	18.87	18.70	4.5
		CP	QPSK	1	1	22.59	22.42	22.25	1.5

NR FDD Band n25_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						372000 Ch. 1860 MHz	376500 Ch. 1882.5 MHz	381000 Ch. 1905 MHz	
20 MHz	15	DFT-s	pi/2 BPSK	1	1	24.05	24.01	23.81	0
				1	53	23.96	23.86	23.72	0
				1	104	24.04	24.00	23.75	0
				50	0	23.48	23.33	23.19	0.5
				50	28	23.98	23.81	23.68	0
				50	56	23.49	23.31	23.18	0.5
				100	0	23.42	23.35	23.26	0.5
			QPSK	1	1	24.13	23.89	23.83	0
				1	53	24.06	23.82	23.94	0
				1	104	24.07	23.88	23.85	0
				50	0	22.90	22.79	22.63	1
				50	28	23.86	23.82	23.69	0
				50	56	22.90	22.82	22.72	1
				100	0	22.91	22.83	22.69	1
			16QAM	1	1	22.96	22.86	22.61	1
			64QAM	1	1	21.66	21.57	21.40	2.5
			256QAM	1	1	19.04	18.88	18.70	4.5
		CP	QPSK	1	1	22.55	22.41	22.20	1.5

NR FDD Band n25_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]	
						372500 Ch. 1862.5 MHz	380500 Ch. 1902.5 MHz		
25 MHz	15	DFT-s	pi/2 BPSK	1	1	24.00		23.77	0
				1	66	23.97		23.69	0
				1	131	24.01		23.72	0
				64	0	23.50		23.25	0.5
				64	35	23.99		23.66	0
				64	69	23.53		23.13	0.5
				128	0	23.46		23.21	0.5
			QPSK	1	1	24.06		23.83	0
				1	66	24.09		23.93	0
				1	131	24.10		23.86	0
				64	0	22.91		22.70	1
				64	35	23.93		23.67	0
				64	69	22.96		22.76	1
				128	0	22.87		22.70	1
			16QAM	1	1	22.93		22.65	1
			64QAM	1	1	21.64		21.41	2.5
			256QAM	1	1	19.02		18.67	4.5
		CP	QPSK	1	1	22.58		22.18	1.5

NR FDD Band n25_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]	
						373000 Ch. 1865 MHz	380000 Ch. 1900 MHz		
30 MHz	15	DFT-s	pi/2 BPSK	1	1	24.05		23.79	0
				1	80	23.95		23.74	0
				1	158	24.04		23.69	0
				80	0	23.49		23.22	0.5
				80	40	23.94		23.69	0
				80	80	23.51		23.11	0.5
				160	0	23.44		23.20	0.5
			QPSK	1	1	24.07		23.89	0
				1	80	24.06		23.95	0
				1	158	24.10		23.88	0
				80	0	22.88		22.70	1
				80	40	23.85		23.68	0
				80	80	22.96		22.73	1
				160	0	22.92		22.72	1
			16QAM	1	1	22.97		22.60	1
			64QAM	1	1	21.65		21.38	2.5
			256QAM	1	1	19.08		18.70	4.5
		CP	QPSK	1	1	22.55		22.21	1.5

NR FDD Band n25_35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							376500 Ch. 1882.5 MHz	
35 MHz	15	DFT-s	pi/2 BPSK	1	1		24.01	0
				1	98		23.83	0
				1	186		23.99	0
				90	0		23.35	0.5
				90	45		23.86	0
				90	90		23.34	0.5
				180	0		23.35	0.5
			QPSK	1	1		23.85	0
				1	98		23.83	0
				1	186		23.88	0
				90	0		22.85	1
				90	45		23.78	0
				90	90		22.89	1
				180	0		22.84	1
			16QAM	1	1		22.88	1
			64QAM	1	1		21.59	2.5
			256QAM	1	1		18.86	4.5
		CP	QPSK	1	1		22.45	1.5

NR FDD Band n25_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							376500 Ch. 1882.5 MHz	
40 MHz	15	DFT-s	pi/2 BPSK	1	1		24.03	0
				1	108		23.80	0
				1	214		24.00	0
				108	0		23.37	0.5
				108	54		23.81	0
				108	108		23.34	0.5
				216	0		23.34	0.5
			QPSK	1	1		23.85	0
				1	108		23.87	0
				1	214		23.89	0
				108	0		22.82	1
				108	54		23.84	0
				108	108		22.86	1
				216	0		22.84	1
			16QAM	1	1		22.87	1
			64QAM	1	1		21.55	2.5
			256QAM	1	1		18.88	4.5
		CP	QPSK	1	1		22.47	1.5

NR FDD Band n66 Conducted Power_Pmax_ANT.F[SUB2-2]

NR FDD Band n66_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						342500 Ch. 1712.5 MHz	349000 Ch. 1745 MHz	355500 Ch. 1777.5 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1	23.71	23.72	23.59	0
				1	13	23.67	23.75	23.61	0
				1	23	23.70	23.78	23.65	0
				12	0	23.18	23.29	23.16	0.5
				12	7	23.67	23.80	23.58	0
				12	13	23.20	23.24	23.12	0.5
				25	0	23.25	23.22	23.18	0.5
			QPSK	1	1	23.76	23.77	23.61	0
				1	13	23.81	23.74	23.79	0
				1	23	23.67	23.70	23.72	0
				12	0	22.74	22.72	22.66	1
				12	7	23.67	23.74	23.65	0
				12	13	22.64	22.80	22.61	1
				25	0	22.75	22.74	22.62	1
			16QAM	1	1	22.71	22.75	22.59	1
			64QAM	1	1	21.42	21.50	21.30	2.5
			256QAM	1	1	18.61	18.74	18.58	4.5
		CP	QPSK	1	1	22.18	22.31	22.15	1.5

NR FDD Band n66_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						343000 Ch. 1715 MHz	349000 Ch. 1745 MHz	355000 Ch. 1775 MHz	
10 MHz	15	DFT-s	pi/2 BPSK	1	1	23.69	23.74	23.56	0
				1	26	23.68	23.77	23.61	0
				1	50	23.73	23.80	23.58	0
				25	0	23.20	23.26	23.12	0.5
				25	14	23.73	23.81	23.61	0
				25	27	23.18	23.26	23.05	0.5
				50	0	23.19	23.26	23.17	0.5
			QPSK	1	1	23.76	23.72	23.60	0
				1	26	23.79	23.76	23.82	0
				1	50	23.69	23.71	23.73	0
				25	0	22.71	22.75	22.64	1
				25	14	23.64	23.75	23.58	0
				25	27	22.57	22.79	22.69	1
				50	0	22.76	22.78	22.63	1
			16QAM	1	1	22.75	22.73	22.61	1
			64QAM	1	1	21.44	21.47	21.31	2.5
			256QAM	1	1	18.64	18.76	18.57	4.5
		CP	QPSK	1	1	22.21	22.25	22.16	1.5

NR FDD Band n66_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						343500 Ch. 1717.5 MHz	349000 Ch. 1745 MHz	354500 Ch. 1772.5 MHz	
15 MHz	15	DFT-s	pi/2 BPSK	1	1	23.69	23.76	23.59	0
				1	40	23.70	23.77	23.66	0
				1	77	23.67	23.76	23.63	0
				36	0	23.17	23.27	23.16	0.5
				36	22	23.71	23.81	23.61	0
				36	43	23.21	23.20	23.12	0.5
				75	0	23.24	23.27	23.21	0.5
			QPSK	1	1	23.80	23.78	23.64	0
				1	40	23.78	23.77	23.80	0
				1	77	23.67	23.75	23.72	0
				36	0	22.69	22.71	22.62	1
				36	22	23.70	23.73	23.61	0
				36	43	22.62	22.81	22.63	1
				75	0	22.76	22.79	22.64	1
			16QAM	1	1	22.73	22.76	22.62	1
			64QAM	1	1	21.42	21.45	21.28	2.5
			256QAM	1	1	18.62	18.70	18.60	4.5
		CP	QPSK	1	1	22.17	22.30	22.15	1.5

NR FDD Band n66_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						344000 Ch. 1720 MHz	349000 Ch. 1745 MHz	354000 Ch. 1770 MHz	
20 MHz	15	DFT-s	pi/2 BPSK	1	1	23.70	23.72	23.59	0
				1	53	23.66	23.75	23.61	0
				1	104	23.68	23.77	23.63	0
				50	0	23.20	23.27	23.18	0.5
				50	28	23.72	23.80	23.62	0
				50	56	23.23	23.21	23.12	0.5
				100	0	23.24	23.26	23.19	0.5
			QPSK	1	1	23.76	23.74	23.61	0
				1	53	23.84	23.79	23.81	0
				1	104	23.69	23.71	23.70	0
				50	0	22.69	22.72	22.61	1
				50	28	23.66	23.72	23.59	0
				50	56	22.61	22.79	22.64	1
				100	0	22.71	22.76	22.68	1
			16QAM	1	1	22.71	22.72	22.65	1
			64QAM	1	1	21.44	21.47	21.34	2.5
			256QAM	1	1	18.61	18.75	18.58	4.5
		CP	QPSK	1	1	22.17	22.25	22.12	1.5

NR FDD Band n66_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						344500 Ch. 1722.5 MHz	349000 Ch. 1745 MHz	353500 Ch. 1767.5 MHz	
25 MHz	15	DFT-s	pi/2 BPSK	1	1	23.64	23.78	23.63	0
				1	66	23.69	23.78	23.62	0
				1	131	23.72	23.74	23.63	0
				64	0	23.20	23.26	23.14	0.5
				64	35	23.67	23.79	23.64	0
				64	69	23.21	23.26	23.08	0.5
				128	0	23.19	23.25	23.20	0.5
			QPSK	1	1	23.78	23.70	23.63	0
				1	66	23.77	23.77	23.79	0
				1	131	23.68	23.74	23.73	0
				64	0	22.70	22.75	22.60	1
				64	35	23.65	23.74	23.59	0
				64	69	22.62	22.83	22.61	1
				128	0	22.73	22.79	22.66	1
			16QAM	1	1	22.72	22.73	22.61	1
			64QAM	1	1	21.41	21.45	21.31	2.5
			256QAM	1	1	18.61	18.73	18.58	4.5
		CP	QPSK	1	1	22.21	22.31	22.09	1.5

NR FDD Band n66_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							349000 Ch. 1745 MHz	
30 MHz	15	DFT-s	pi/2 BPSK	1	1		23.79	0
				1	80		23.79	0
				1	158		23.77	0
				80	0		23.31	0.5
				80	40		23.78	0
				80	80		23.27	0.5
				160	0		23.28	0.5
			QPSK	1	1		23.72	0
				1	80		23.76	0
				1	158		23.73	0
				80	0		22.72	1
				80	40		23.72	0
				80	80		22.78	1
				160	0		22.75	1
			16QAM	1	1		22.76	1
			64QAM	1	1		21.49	2.5
			256QAM	1	1		18.75	4.5
		CP	QPSK	1	1		22.25	1.5

NR FDD Band n66_35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							349000 Ch. 1745 MHz		
35 MHz	15	DFT-s	pi/2 BPSK	1	1		23.76		0
				1	98		23.75		0
				1	186		23.78		0
				90	0		23.26		0.5
				90	45		23.75		0
				90	90		23.21		0.5
				180	0		23.24		0.5
			QPSK	1	1		23.72		0
				1	98		23.80		0
				1	186		23.76		0
				90	0		22.70		1
				90	45		23.72		0
				90	90		22.76		1
				180	0		22.78		1
			16QAM	1	1		22.76		1
			64QAM	1	1		21.45		2.5
			256QAM	1	1		18.76		4.5
		CP	QPSK	1	1		22.31		1.5

NR FDD Band n66_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							349000 Ch. 1745 MHz		
40 MHz	15	DFT-s	pi/2 BPSK	1	1		23.71		0
				1	108		23.79		0
				1	214		23.79		0
				108	0		23.26		0.5
				108	54		23.81		0
				108	108		23.25		0.5
				216	0		23.23		0.5
			QPSK	1	1		23.76		0
				1	108		23.78		0
				1	214		23.72		0
				108	0		22.74		1
				108	54		23.75		0
				108	108		22.76		1
				216	0		22.71		1
			16QAM	1	1		22.79		1
			64QAM	1	1		21.43		2.5
			256QAM	1	1		18.75		4.5
		CP	QPSK	1	1		22.29		1.5

NR FDD Band n70 Conducted Power_Pmax_ANT.F[SUB2-2]

NR FDD Band n70_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						339500 Ch. 1697.5 MHz	340500 Ch. 1702.5 MHz	341500 Ch. 1707.5 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1	24.31	24.31	24.30	0
				1	13	24.34	24.21	24.10	0
				1	23	24.18	24.32	24.23	0
				12	0	23.65	23.87	23.72	0.5
				12	7	24.28	24.15	23.91	0
				12	13	23.74	23.71	23.60	0.5
				25	0	23.75	23.80	23.58	0.5
			QPSK	1	1	24.11	23.85	23.37	0
				1	13	23.91	23.19	23.06	0
				1	23	23.76	23.28	23.31	0
				12	0	23.09	22.71	22.39	1
				12	7	23.79	23.20	23.06	0
				12	13	22.93	22.39	22.34	1
				25	0	22.98	22.52	22.34	1
			16QAM	1	1	23.19	22.93	22.51	1
			64QAM	1	1	21.98	21.70	21.37	2.5
			256QAM	1	1	19.29	19.33	19.56	4.5
		CP	QPSK	1	1	22.83	22.78	22.73	1.5

NR FDD Band n70_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						340000 Ch. 1700 MHz	340500 Ch. 1702.5 MHz	341000 Ch. 1705 MHz	
10 MHz	15	DFT-s	pi/2 BPSK	1	1	24.26	24.28	24.23	0
				1	26	24.27	24.19	24.02	0
				1	50	24.11	24.26	24.20	0
				25	0	23.64	23.85	23.72	0.5
				25	14	24.24	24.07	23.87	0
				25	27	23.68	23.70	23.56	0.5
				50	0	23.70	23.73	23.56	0.5
			QPSK	1	1	24.11	23.81	23.36	0
				1	26	23.86	23.12	23.01	0
				1	50	23.70	23.24	23.27	0
				25	0	23.08	22.65	22.37	1
				25	14	23.73	23.16	23.00	0
				25	27	22.92	22.32	22.28	1
				50	0	22.91	22.49	22.34	1
			16QAM	1	1	23.17	22.89	22.43	1
			64QAM	1	1	21.97	21.66	21.31	2.5
			256QAM	1	1	19.25	19.30	19.48	4.5
		CP	QPSK	1	1	22.79	22.78	22.68	1.5

NR FDD Band n70_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							340500 Ch. 1702.5 MHz	
15 MHz	15	DFT-s	pi/2 BPSK	1	1		24.23	0
				1	40		24.17	0
				1	77		24.27	0
				36	0		23.80	0.5
				36	22		24.14	0
				36	43		23.71	0.5
				75	0		23.77	0.5
			QPSK	1	1		23.81	0
				1	40		23.15	0
				1	77		23.20	0
				36	0		22.66	1
				36	22		23.17	0
				36	43		22.32	1
				75	0		22.50	1
			16QAM	1	1		22.86	1
			64QAM	1	1		21.68	2.5
			256QAM	1	1		19.31	4.5
		CP	QPSK	1	1		22.70	1.5

NR TDD Band n48 Conducted Power_Pmax_ANT.G[SUB3]

NR TDD Band n48_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR [dB]
						637000 Ch. 3555 MHz	640134 Ch. 3602.01 MHz	643200 Ch. 3648 MHz	646334 Ch. 3695.01 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	21.74	21.58	21.57	21.51	0
				1	12	21.74	21.55	21.42	21.53	0
				1	22	21.63	21.54	21.45	21.54	0
				12	0	21.31	21.16	20.97	21.05	0.5
				12	6	21.79	21.51	21.55	21.52	0
				12	12	21.21	20.99	21.00	21.04	0.5
				24	0	21.23	21.04	21.00	21.03	0.5
			QPSK	1	1	21.68	21.58	21.46	21.47	0
				1	12	21.65	21.50	21.45	21.51	0
				1	22	21.67	21.47	21.48	21.49	0
				12	0	20.69	20.52	20.49	20.43	1
				12	6	21.66	21.54	21.42	21.43	0
				12	12	20.71	20.50	20.41	20.54	1
				24	0	20.69	20.55	20.44	20.41	1
			16QAM	1	1	20.68	20.36	20.26	20.17	1
			64QAM	1	1	19.19	19.02	18.91	18.88	2.5
			256QAM	1	1	16.82	16.73	16.62	16.61	4.5
		CP	QPSK	1	1	20.42	20.25	20.16	20.18	1.5

NR TDD Band n48_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR [dB]
						637334 Ch. 3560.01 MHz	640222 Ch. 3603.33 MHz	643110 Ch. 3646.65 MHz	646000 Ch. 3690 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	21.94	21.74	21.63	21.62	0
				1	26	21.66	21.63	21.54	21.52	0
				1	49	21.73	21.53	21.60	21.54	0
				25	0	21.41	21.29	21.12	21.07	0.5
				25	13	21.85	21.73	21.74	21.52	0
				25	26	21.33	21.22	21.24	21.11	0.5
				50	0	21.36	21.23	21.11	21.08	0.5
			QPSK	1	1	21.96	21.77	21.66	21.61	0
				1	26	21.85	21.63	21.54	21.52	0
				1	49	21.87	21.69	21.70	21.64	0
				25	0	20.93	20.78	20.70	20.61	1
				25	13	21.91	21.78	21.61	21.54	0
				25	26	20.87	20.77	20.67	20.59	1
				50	0	20.94	20.75	20.62	20.56	1
			16QAM	1	1	20.85	20.60	20.61	20.47	1
			64QAM	1	1	19.55	19.45	19.24	19.20	2.5
			256QAM	1	1	17.01	16.95	16.72	16.61	4.5
		CP	QPSK	1	1	20.50	20.50	20.35	20.17	1.5

NR TDD Band n48_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR [dB]
						637668 Ch. 3565.02 MHz	640334 Ch. 3605.01 MHz	643000 Ch. 3645 MHz	645666 Ch. 3684.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	22.02	21.90	21.75	21.70	0
				1	32	21.96	21.69	21.69	21.68	0
				1	63	21.70	21.60	21.60	21.65	0
				32	0	21.46	21.38	21.23	21.27	0.5
				32	17	21.93	21.74	21.69	21.67	0
				32	33	21.34	21.20	21.15	21.13	0.5
				64	0	21.40	21.31	21.18	21.14	0.5
			QPSK	1	1	22.02	21.92	21.74	21.75	0
				1	32	21.93	21.75	21.69	21.61	0
				1	63	21.67	21.60	21.60	21.68	0
				32	0	21.00	20.85	20.76	20.73	1
				32	17	21.85	21.78	21.77	21.60	0
				32	33	20.77	20.64	20.62	20.59	1
				64	0	20.91	20.71	20.74	20.63	1
			16QAM	1	1	21.04	20.92	20.66	20.57	1
			64QAM	1	1	19.66	19.52	19.30	19.20	2.5
			256QAM	1	1	17.12	17.06	16.91	16.80	4.5
		CP	QPSK	1	1	20.71	20.62	20.54	20.28	1.5

NR TDD Band n48_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR [dB]
						638000 Ch. 3570 MHz	641666 Ch. 3624.99 MHz		645332 Ch. 3679.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	22.05	21.84		21.66	0
				1	53	21.86	21.62		21.72	0
				1	104	21.71	21.72		21.74	0
				50	0	21.53	21.32		21.22	0.5
				50	28	21.87	21.75		21.77	0
				50	56	21.24	21.22		21.19	0.5
				100	0	21.37	21.25		21.19	0.5
			QPSK	1	1	22.05	21.87		21.68	0
				1	53	21.84	21.66		21.60	0
				1	104	21.79	21.64		21.71	0
				50	0	20.93	20.72		20.76	1
				50	28	21.86	21.62		21.71	0
				50	56	20.80	20.68		20.59	1
				100	0	20.86	20.71		20.70	1
			16QAM	1	1	21.01	20.84		20.60	1
			64QAM	1	1	19.67	19.44		19.26	2.5
			256QAM	1	1	17.13	16.92		16.80	4.5
		CP	QPSK	1	1	20.63	20.51		20.31	1.5

NR TDD Band n77 Conducted Power (Power Class 3)_Pmax_ANT.G[SUB3]

NR TDD Band n77_10 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						647000 Ch. 3705 MHz	650600 Ch. 3759 MHz	654200 Ch. 3813 MHz	657800 Ch. 3867 MHz	661400 Ch. 3921 MHz	665000 Ch. 3975 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	22.73	23.28	23.10	23.03	23.01	22.94	0
				1	12	22.90	23.30	23.06	23.08	23.05	22.93	0
				1	22	22.82	23.17	23.14	22.99	23.07	22.89	0
				12	0	22.36	22.81	22.64	22.48	22.48	22.54	0.5
				12	6	22.86	23.26	23.14	22.96	23.10	22.99	0
				12	12	22.38	22.80	22.70	22.60	22.59	22.51	0.5
				24	0	22.40	22.78	22.61	22.47	22.65	22.50	0.5
			QPSK	1	1	22.71	23.21	23.15	23.02	22.97	22.95	0
				1	12	22.88	23.25	23.13	23.14	23.12	22.92	0
				1	22	22.80	23.22	23.17	23.08	23.01	22.96	0
				12	0	21.88	22.27	22.17	22.04	22.05	21.99	1
				12	6	22.91	23.33	23.12	22.99	23.15	23.00	0
				12	12	21.87	22.31	22.22	22.09	22.06	22.01	1
				24	0	21.84	22.27	22.11	22.02	22.17	22.03	1
			16QAM	1	1	21.69	22.22	22.21	21.98	21.93	21.95	1
			64QAM	1	1	20.51	21.01	20.89	20.46	20.51	20.46	2.5
			256QAM	1	1	18.06	18.25	18.17	18.05	18.01	18.02	4.5
		CP	QPSK	1	1	21.22	21.81	21.64	21.59	21.54	21.54	1.5

NR TDD Band n77_15 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						647168 Ch. 3707.52 MHz	650700 Ch. 3760.5 MHz	654232 Ch. 3813.49 MHz	657766 Ch. 3866.5 MHz	661300 Ch. 3919.5 MHz	664832 Ch. 3972.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	22.87	22.87	23.39	23.15	23.13	23.25	0
				1	18	22.94	23.38	23.27	23.03	23.11	23.19	0
				1	36	23.01	23.42	23.30	23.21	23.22	23.26	0
				18	0	22.42	22.94	22.81	22.63	22.63	22.73	0.5
				18	9	23.00	23.32	23.29	23.05	23.03	23.13	0
				18	18	22.48	22.80	22.78	22.59	22.55	22.61	0.5
				36	0	22.48	22.87	22.77	22.65	22.59	22.67	0.5
			QPSK	1	1	22.85	23.36	23.36	23.10	23.14	23.16	0
				1	18	22.87	23.29	23.25	23.04	23.03	23.07	0
				1	36	22.99	23.32	23.27	23.16	23.15	23.15	0
				18	0	21.83	22.45	22.35	22.10	22.13	22.20	1
				18	9	22.96	23.35	23.28	23.12	23.01	23.17	0
				18	18	21.96	22.32	22.28	22.09	22.09	22.11	1
				36	0	21.99	22.39	22.33	22.07	22.09	22.12	1
			16QAM	1	1	21.92	22.43	22.42	22.21	22.17	22.24	1
			64QAM	1	1	20.05	20.58	20.52	20.31	20.34	20.38	2.5
			256QAM	1	1	18.28	18.41	18.39	18.17	18.20	18.25	4.5
		CP	QPSK	1	1	21.42	22.00	21.95	21.71	21.71	21.79	1.5

NR TDD Band n77_20 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						647334 Ch. 3710.01 MHz	650800 Ch. 3762 MHz	654266 Ch. 3813.99 MHz	657734 Ch. 3866.01 MHz	661200 Ch. 3918 MHz	664666 Ch. 3969.99 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	22.89	23.45	23.37	23.09	23.12	23.18	0
				1	26	22.94	23.27	23.31	23.05	23.04	23.12	0
				1	49	23.03	23.39	23.32	23.18	23.19	23.15	0
				25	0	22.48	22.94	22.88	22.63	22.62	22.70	0.5
				25	13	23.03	23.31	23.37	23.07	23.09	23.13	0
				25	26	22.51	22.84	22.78	22.54	22.61	22.69	0.5
				50	0	22.51	22.90	22.82	22.55	22.61	22.66	0.5
			QPSK	1	1	22.89	23.37	23.35	23.05	23.05	23.11	0
				1	26	22.89	23.25	23.19	22.99	22.98	23.11	0
				1	49	23.00	23.25	23.30	23.15	23.12	23.08	0
				25	0	21.96	22.44	22.33	22.08	22.16	22.20	1
				25	13	22.95	23.35	23.28	23.05	23.07	23.18	0
				25	26	21.94	22.40	22.27	22.16	22.10	22.11	1
				50	0	21.93	22.40	22.32	22.11	22.02	22.17	1
			16QAM	1	1	21.88	22.37	22.43	22.19	22.18	22.14	1
			64QAM	1	1	20.35	21.13	20.58	20.46	20.26	20.96	2.5
			256QAM	1	1	18.01	18.51	18.38	18.07	18.12	18.26	4.5
		CP	QPSK	1	1	21.49	22.00	21.90	21.64	21.67	21.75	1.5

NR TDD Band n77_25 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						647500 Ch. 3712.5 MHz	650900 Ch. 3763.5 MHz	654300 Ch. 3814.5 MHz	657700 Ch. 3865.5 MHz	661100 Ch. 3916.5 MHz	664500 Ch. 3967.5 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	23.33	24.17	24.03	23.77	23.73	23.56	0
				1	32	22.93	23.26	23.28	22.98	23.04	23.05	0
				1	63	23.45	23.98	23.91	23.83	23.79	23.41	0
				32	0	22.52	23.02	22.88	22.64	22.72	22.72	0.5
				32	17	22.93	23.31	23.27	23.04	23.10	23.14	0
				32	33	22.56	23.02	22.80	22.70	22.65	22.63	0.5
				64	0	22.52	22.93	22.82	22.69	22.61	22.66	0.5
			QPSK	1	1	23.24	24.02	24.04	23.75	23.70	23.52	0
				1	32	22.87	23.21	23.18	23.01	22.92	23.05	0
				1	63	23.44	23.87	23.88	23.77	23.72	23.37	0
				32	0	22.02	22.50	22.44	22.19	22.19	22.26	1
				32	17	22.93	23.37	23.27	23.11	23.07	23.09	0
				32	33	21.98	22.53	22.34	22.18	22.13	22.16	1
				64	0	21.94	22.45	22.39	22.16	22.12	22.19	1
			16QAM	1	1	22.22	23.12	23.13	22.82	22.72	22.47	1
			64QAM	1	1	21.05	21.69	21.48	21.20	21.21	21.33	2.5
			256QAM	1	1	18.33	19.18	19.07	18.84	18.88	18.56	4.5
		CP	QPSK	1	1	21.81	22.66	22.58	22.31	22.27	22.15	1.5

NR TDD Band n77_30 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						647668 Ch. 3715.02 MHz	651000 Ch. 3765 MHz	654334 Ch. 3815.01 MHz	657666 Ch. 3864.99 MHz	661000 Ch. 3915 MHz	664332 Ch. 3964.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	22.89	23.32	23.25	23.26	23.10	23.30	0
				1	39	22.90	23.19	23.13	23.12	23.10	23.19	0
				1	76	23.03	23.33	23.31	23.16	23.23	23.04	0
				36	0	22.44	22.82	22.79	22.77	22.66	22.68	0.5
				36	21	22.99	23.22	23.17	23.14	23.17	23.17	0
				36	42	22.61	22.87	22.81	22.64	22.60	22.57	0.5
				75	0	22.43	22.78	22.75	22.76	22.69	22.74	0.5
			QPSK	1	1	22.86	23.25	23.17	23.27	23.09	23.34	0
				1	39	22.88	23.16	23.10	23.09	23.10	23.13	0
				1	76	23.02	23.24	23.23	23.12	23.10	22.99	0
				36	0	21.89	22.26	22.21	22.36	22.20	22.27	1
				36	21	22.95	23.22	23.13	23.15	23.11	23.17	0
				36	42	22.03	22.41	22.30	22.20	22.08	22.07	1
				75	0	22.00	22.28	22.15	22.18	22.13	22.18	1
			16QAM	1	1	21.88	22.23	22.22	22.30	22.17	22.31	1
			64QAM	1	1	20.34	21.05	20.75	20.87	20.65	20.85	2.5
			256QAM	1	1	18.10	18.29	18.25	18.27	18.19	18.29	4.5
		CP	QPSK	1	1	21.46	21.88	21.78	21.87	21.77	21.92	1.5

NR TDD Band n77_40 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						648000 Ch. 3720 MHz	651200 Ch. 3768 MHz	654400 Ch. 3816 MHz	657600 Ch. 3864 MHz	660800 Ch. 3912 MHz	664000 Ch. 3960 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	23.10	23.47	23.36	23.21	23.33	23.27	0
				1	53	23.07	23.26	23.12	23.13	23.17	23.20	0
				1	104	23.12	23.36	23.26	23.24	23.21	23.24	0
				50	0	22.56	22.87	22.75	22.88	22.80	22.74	0.5
				50	28	23.12	23.38	23.19	23.26	23.23	23.19	0
				50	56	22.55	22.82	22.79	22.62	22.63	22.70	0.5
				100	0	22.52	22.80	22.76	22.74	22.70	22.69	0.5
			QPSK	1	1	23.08	23.41	23.37	23.23	23.28	23.25	0
				1	53	23.01	23.16	23.11	23.11	23.14	23.13	0
				1	104	23.11	23.27	23.22	23.10	23.16	23.18	0
				50	0	22.06	22.36	22.26	22.30	22.28	22.33	1
				50	28	23.14	23.36	23.14	23.14	23.20	23.14	0
				50	56	22.03	22.34	22.29	22.11	22.14	22.16	1
				100	0	22.03	22.32	22.21	22.26	22.21	22.24	1
			16QAM	1	1	22.07	22.46	22.31	22.29	22.28	22.24	1
			64QAM	1	1	20.83	21.15	21.08	21.07	21.04	21.00	2.5
			256QAM	1	1	18.21	18.50	18.39	18.32	18.38	18.28	4.5
		CP	QPSK	1	1	21.62	22.05	21.97	21.90	21.85	21.79	1.5

NR TDD Band n77_50 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						648334 Ch. 3725.01 MHz	652166 Ch. 3782.49 MHz	656000 Ch. 3840 MHz		659834 Ch. 3897.51 MHz	663666 Ch. 3954.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	22.68	22.50	23.05		22.92	23.10	0
				1	67	22.73	23.12	22.95		22.86	23.00	0
				1	131	22.83	23.03	23.03		23.02	22.87	0
				64	0	22.11	22.75	22.64		22.40	22.62	0.5
				64	35	22.76	23.16	23.06		22.98	23.04	0
				64	69	22.39	22.58	22.54		22.38	22.38	0.5
				128	0	22.25	22.61	22.52		22.45	22.52	0.5
			QPSK	1	1	22.64	23.18	23.08		22.93	23.08	0
				1	67	22.74	23.02	23.04		22.87	22.92	0
				1	131	22.73	23.01	22.96		22.99	22.81	0
				64	0	21.68	22.25	22.08		21.92	22.13	1
				64	35	22.73	23.16	23.02		22.96	23.02	0
				64	69	21.83	22.13	22.04		21.91	21.90	1
				128	0	21.74	22.09	22.00		21.96	22.05	1
			16QAM	1	1	21.64	22.12	22.00		21.90	22.12	1
			64QAM	1	1	20.37	20.91	20.38		20.38	20.90	2.5
			256QAM	1	1	18.14	18.16	18.23		18.02	18.15	4.5
		CP	QPSK	1	1	21.26	21.82	21.67		21.53	21.66	1.5

NR TDD Band n77_60 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						648668 Ch. 3730.02 MHz	653556 Ch. 3803.34 MHz			658444 Ch. 3876.66 MHz	663332 Ch. 3949.98 MHz	
60 MHz	30	DFT-s	pi/2 BPSK	1	1	22.72	23.16			22.85	22.88	0
				1	81	22.73	23.08			22.95	22.83	0
				1	160	22.79	22.96			22.92	22.77	0
				81	0	22.35	22.73			22.49	22.37	0.5
				81	41	22.82	23.14			22.89	22.85	0
				81	81	22.32	22.62			22.41	22.34	0.5
				162	0	22.38	22.57			22.46	22.38	0.5
			QPSK	1	1	22.73	23.14			22.87	22.83	0
				1	81	22.66	22.98			22.89	22.79	0
				1	160	22.81	22.95			22.92	22.74	0
				81	0	21.84	22.26			21.92	21.88	1
				81	41	22.87	23.12			22.94	22.84	0
				81	81	21.88	22.13			21.99	21.83	1
				162	0	21.87	22.08			21.98	21.89	1
			16QAM	1	1	21.77	22.17			21.91	21.84	1
			64QAM	1	1	20.55	20.93			20.73	20.66	2.5
			256QAM	1	1	18.09	18.22			18.05	18.02	4.5
		CP	QPSK	1	1	21.30	21.78			21.55	21.46	1.5

NR TDD Band n77_70 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						649000 Ch. 3735 MHz	653666 Ch. 3804.99 MHz			658334 Ch. 3875.01 MHz	663000 Ch. 3945 MHz	
70 MHz	30	DFT-s	pi/2 BPSK	1	1	22.64	22.53			22.80	22.77	0
				1	95	22.67	23.01			22.85	22.89	0
				1	187	22.72	22.67			22.86	22.84	0
				90	0	22.17	22.67			22.27	22.31	0.5
				90	50	22.70	22.96			22.89	22.80	0
				90	99	22.24	22.30			22.44	22.34	0.5
				180	0	22.13	22.47			22.38	22.32	0.5
			QPSK	1	1	22.57	23.12			22.79	22.72	0
				1	95	22.62	22.90			22.89	22.89	0
				1	187	22.72	22.70			22.86	22.79	0
				90	0	21.60	22.10			21.76	21.85	1
				90	50	22.63	22.95			22.88	22.84	0
				90	99	21.67	21.87			21.90	21.72	1
				180	0	21.66	21.98			21.88	21.87	1
			16QAM	1	1	21.67	22.20			21.95	21.87	1
			64QAM	1	1	20.13	20.68			20.35	20.28	2.5
			256QAM	1	1	18.00	18.05			18.01	18.08	4.5
		CP	QPSK	1	1	21.18	21.65			21.32	21.27	1.5

NR TDD Band n77_80 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						649334 Ch. 3740.01 MHz	656000 Ch. 3840 MHz			662666 Ch. 3939.99 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1	22.75	22.89			22.90		0
				1	109	22.70	23.01			22.80		0
				1	215	22.59	22.82			22.66		0
				108	0	22.27	22.43			22.40		0.5
				108	55	22.65	22.95			22.80		0
				108	109	22.21	22.32			22.26		0.5
				216	0	22.13	22.47			22.30		0.5
			QPSK	1	1	22.64	22.96			22.87		0
				1	109	22.65	22.88			22.75		0
				1	215	22.61	22.82			22.71		0
				108	0	21.75	21.95			21.94		1
				108	55	22.64	22.98			22.83		0
				108	109	21.70	21.91			21.74		1
				216	0	21.59	21.92			21.77		1
			16QAM	1	1	21.67	21.97			21.87		1
			64QAM	1	1	20.20	20.43			20.34		2.5
			256QAM	1	1	18.02	18.00			18.06		4.5
		CP	QPSK	1	1	21.26	21.41			21.39		1.5

NR TDD Band n77_90 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						649668 Ch. 3745.02 MHz		656000 Ch. 3840 MHz		662332 Ch. 3934.98 MHz	
90 MHz	30	DFT-s	pi/2 BPSK	1	1	22.61		22.51		22.90	0
				1	123	22.66		22.94		22.87	0
				1	243	22.88		22.85		22.62	0
				120	0	22.15		22.42		22.40	0.5
				120	63	22.65		22.97		22.78	0
				120	125	22.23		22.31		22.16	0.5
				243	0	22.23		22.39		22.25	0.5
			QPSK	1	1	22.57		22.91		22.93	0
				1	123	22.75		22.87		22.80	0
				1	243	22.87		22.85		22.64	0
				120	0	21.58		22.01		21.93	1
				120	63	22.71		22.87		22.83	0
				120	125	21.65		21.81		21.64	1
				243	0	21.64		21.96		21.74	1
			16QAM	1	1	21.63		22.08		22.06	1
			64QAM	1	1	20.04		20.02		20.44	2.5
			256QAM	1	1	18.10		18.04		18.01	4.5
		CP	QPSK	1	1	21.15		21.43		21.51	1.5

NR TDD Band n77_100 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						650000 Ch. 3750 MHz				662000 Ch. 3930 MHz	
100 MHz	30	DFT-s	pi/2 BPSK	1	1	22.66				22.79	0
				1	137	22.69				22.85	0
				1	271	22.86				22.71	0
				135	0	22.27				22.36	0.5
				135	69	22.71				22.86	0
				135	138	22.29				22.26	0.5
				270	0	22.21				22.33	0.5
			QPSK	1	1	22.66				22.76	0
				1	137	22.64				22.71	0
				1	271	22.85				22.65	0
				135	0	21.73				21.88	1
				135	69	22.71				22.81	0
				135	138	21.74				21.74	1
				270	0	21.70				21.83	1
			16QAM	1	1	21.76				21.79	1
			64QAM	1	1	20.01				20.05	2.5
			256QAM	1	1	18.05				18.05	4.5
		CP	QPSK	1	1	21.23				21.39	1.5

NR TDD Band n77 DoD Conducted Power (Power Class 3)_Pmax _ANT.G[SUB3]

NR TDD Band n77 DoD_10 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630334 Ch. 3445.01 MHz	633334 Ch. 3500.01 MHz	636332 Ch. 3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	23.31	23.65	23.51	0
				1	12	23.77	23.66	23.53	0
				1	22	23.83	23.63	23.47	0
				12	0	23.34	23.23	23.06	0.5
				12	6	23.85	23.66	23.53	0
				12	12	23.32	23.16	23.06	0.5
				24	0	23.30	23.19	22.99	0.5
			QPSK	1	1	23.76	23.65	23.52	0
				1	12	23.74	23.57	23.48	0
				1	22	23.76	23.62	23.50	0
				12	0	22.89	22.69	22.51	1
				12	6	23.81	23.68	23.49	0
				12	12	22.83	22.70	22.54	1
				24	0	22.84	22.70	22.53	1
			16QAM	1	1	22.74	22.73	22.47	1
			64QAM	1	1	21.55	21.18	21.24	2.5
			256QAM	1	1	18.86	18.68	18.51	4.5
		CP	QPSK	1	1	22.26	22.05	21.99	1.5

NR TDD Band n77 DoD_15 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630500 Ch. 3457.5 MHz	633334 Ch. 3500.01 MHz	636166 Ch. 3542.49 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	24.01	23.84	23.68	0
				1	18	23.92	23.75	23.54	0
				1	36	23.95	23.87	23.60	0
				18	0	23.40	23.25	23.05	0.5
				18	9	23.94	23.74	23.63	0
				18	18	23.47	23.24	23.14	0.5
				36	0	23.46	23.28	23.11	0.5
			QPSK	1	1	23.96	23.79	23.53	0
				1	18	24.00	23.74	23.48	0
				1	36	23.95	23.74	23.60	0
				18	0	22.96	22.76	22.66	1
				18	9	23.92	23.77	23.54	0
				18	18	22.95	22.75	22.58	1
				36	0	22.95	22.78	22.55	1
			16QAM	1	1	23.00	22.85	22.64	1
			64QAM	1	1	21.51	21.13	20.78	2.5
			256QAM	1	1	18.94	18.76	18.62	4.5
		CP	QPSK	1	1	22.47	22.28	22.12	1.5

NR TDD Band n77 DoD_20 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630668 Ch. 3460.02 MHz	633334 Ch. 3500.01 MHz	636000 Ch. 3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	24.09	23.88	23.65	0
				1	26	23.95	23.76	23.56	0
				1	49	23.94	23.69	23.51	0
				25	0	23.49	23.32	23.10	0.5
				25	13	24.00	23.77	23.52	0
				25	26	23.55	23.26	23.04	0.5
				50	0	23.52	23.28	23.08	0.5
			QPSK	1	1	24.06	23.80	23.59	0
				1	26	23.91	23.70	23.45	0
				1	49	23.94	23.64	23.48	0
				25	0	22.99	22.84	22.60	1
				25	13	23.99	23.81	23.56	0
				25	26	23.01	22.78	22.60	1
				50	0	23.02	22.81	22.60	1
			16QAM	1	1	23.05	22.84	22.61	1
			64QAM	1	1	21.78	21.58	21.44	2.5
			256QAM	1	1	19.06	18.87	18.72	4.5
		CP	QPSK	1	1	22.63	22.38	22.21	1.5

NR TDD Band n77 DoD_25 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630866 Ch. 3462.99 MHz	633334 Ch. 3500.01 MHz	635800 Ch. 3537 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	24.44	24.11	23.89	0
				1	32	24.02	23.76	23.50	0
				1	63	24.39	24.14	23.87	0
				32	0	23.63	23.37	23.10	0.5
				32	17	24.03	23.78	23.51	0
				32	33	23.55	23.34	23.01	0.5
				64	0	23.57	23.27	23.10	0.5
			QPSK	1	1	24.41	24.09	23.82	0
				1	32	23.97	23.66	23.41	0
				1	63	24.28	24.09	23.84	0
				32	0	23.16	22.84	22.58	1
				32	17	24.05	23.73	23.44	0
				32	33	23.12	22.80	22.52	1
				64	0	23.05	22.76	22.53	1
			16QAM	1	1	23.35	23.16	22.94	1
			64QAM	1	1	22.21	21.91	21.36	2.5
			256QAM	1	1	19.47	19.24	18.99	4.5
		CP	QPSK	1	1	22.94	22.68	22.37	1.5

NR TDD Band n77 DoD_30 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						631000 Ch. 3465 MHz	633334 Ch. 3500.01 MHz	635666 Ch. 3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	24.08	23.92	23.92	0
				1	39	23.90	23.79	23.69	0
				1	76	23.92	23.79	23.74	0
				36	0	23.58	23.45	23.32	0.5
				36	21	23.92	23.86	23.70	0
				36	42	23.47	23.40	23.18	0.5
				75	0	23.46	23.41	23.23	0.5
			QPSK	1	1	24.09	23.93	23.86	0
				1	39	23.81	23.77	23.60	0
				1	76	23.90	23.76	23.61	0
				36	0	22.98	22.88	22.80	1
				36	21	23.91	23.85	23.78	0
				36	42	22.94	22.82	22.78	1
				75	0	22.94	22.89	22.82	1
			16QAM	1	1	23.00	23.01	22.90	1
			64QAM	1	1	21.52	21.55	21.39	2.5
			256QAM	1	1	19.07	18.96	18.90	4.5
		CP	QPSK	1	1	22.63	22.50	22.30	1.5

NR TDD Band n77 DoD_40 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
						631334 Ch. 3470.01 MHz	635332 Ch. 3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	24.21	23.84	0
				1	53	23.97	23.60	0
				1	104	24.06	23.70	0
				50	0	23.62	23.27	0.5
				50	28	24.00	23.63	0
				50	56	23.52	23.12	0.5
				100	0	23.54	23.22	0.5
			QPSK	1	1	24.15	23.81	0
				1	53	23.91	23.52	0
				1	104	23.98	23.60	0
				50	0	23.13	22.77	1
				50	28	24.05	23.65	0
				50	56	23.02	22.68	1
				100	0	23.06	22.72	1
			16QAM	1	1	23.27	22.75	1
			64QAM	1	1	21.27	21.56	2.5
			256QAM	1	1	19.15	18.86	4.5
		CP	QPSK	1	1	22.73	22.38	1.5

NR TDD Band n77 DoD_50 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						631668 Ch. 3475.02 MHz		635000 Ch. 3525 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	23.86		23.59	0
				1	67	23.66		23.30	0
				1	131	23.61		23.23	0
				64	0	23.31		23.00	0.5
				64	35	23.72		23.36	0
				64	69	23.16		22.82	0.5
				128	0	23.18		22.90	0.5
			QPSK	1	1	23.92		23.53	0
				1	67	23.64		23.29	0
				1	131	23.66		23.19	0
				64	0	22.82		22.54	1
				64	35	23.67		23.43	0
				64	69	22.66		22.34	1
				128	0	22.72		22.39	1
			16QAM	1	1	22.96		22.60	1
			64QAM	1	1	21.19		21.26	2.5
			256QAM	1	1	18.89		18.57	4.5
		CP	QPSK	1	1	22.39		22.08	1.5

NR TDD Band n77 DoD_60 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							633334 Ch. 3500.01 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		23.83		0
				1	81		23.74		0
				1	160		23.49		0
				81	0		23.25		0.5
				81	41		23.72		0
				81	81		23.06		0.5
				162	0		23.20		0.5
			QPSK	1	1		23.82		0
				1	81		23.71		0
				1	160		23.47		0
				81	0		22.82		1
				81	41		23.68		0
				81	81		22.58		1
				162	0		22.69		1
			16QAM	1	1		22.94		1
			64QAM	1	1		21.34		2.5
			256QAM	1	1		18.78		4.5
		CP	QPSK	1	1		22.30		1.5

NR TDD Band n77 DoD_70 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
70 MHz	30	DFT-s	pi/2 BPSK	1	1		23.67	0
				1	95		23.46	0
				1	187		23.23	0
				90	0		23.13	0.5
				90	50		23.48	0
				90	99		22.83	0.5
				180	0		23.03	0.5
			QPSK	1	1		23.68	0
				1	95		23.49	0
				1	187		23.20	0
				90	0		22.59	1
				90	50		23.50	0
				90	99		22.36	1
				180	0		22.49	1
			16QAM	1	1		22.71	1
			64QAM	1	1		21.15	2.5
			256QAM	1	1		18.73	4.5
		CP	QPSK	1	1		22.13	1.5

NR TDD Band n77 DoD_80 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
80 MHz	30	DFT-s	pi/2 BPSK	1	1		23.60	0
				1	109		23.43	0
				1	215		23.19	0
				108	0		23.14	0.5
				108	55		23.44	0
				108	109		22.88	0.5
				216	0		22.97	0.5
			QPSK	1	1		23.62	0
				1	109		23.47	0
				1	215		23.19	0
				108	0		22.60	1
				108	55		23.50	0
				108	109		22.35	1
				216	0		22.50	1
			16QAM	1	1		22.64	1
			64QAM	1	1		21.38	2.5
			256QAM	1	1		18.72	4.5
		CP	QPSK	1	1		22.14	1.5

NR TDD Band n77 DoD_90 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
90 MHz	30	DFT-s	pi/2 BPSK	1	1		23.67	0
				1	123		23.42	0
				1	243		23.28	0
				120	0		23.13	0.5
				120	63		23.54	0
				120	125		22.79	0.5
				243	0		23.02	0.5
			QPSK	1	1		23.63	0
				1	123		23.44	0
				1	243		23.19	0
				120	0		22.60	1
				120	63		23.50	0
				120	125		22.37	1
				243	0		22.44	1
			16QAM	1	1		22.71	1
			64QAM	1	1		20.99	2.5
			256QAM	1	1		18.62	4.5
		CP	QPSK	1	1		22.14	1.5

NR TDD Band n77 DoD_100 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
100 MHz	30	DFT-s	pi/2 BPSK	1	1		23.64	0
				1	137		23.48	0
				1	271		23.30	0
				135	0		23.14	0.5
				135	69		23.47	0
				135	138		22.81	0.5
				270	0		22.97	0.5
			QPSK	1	1		23.62	0
				1	137		23.38	0
				1	271		23.19	0
				135	0		22.62	1
				135	69		23.46	0
				135	138		22.37	1
				270	0		22.50	1
			16QAM	1	1		22.69	1
			64QAM	1	1		20.94	2.5
			256QAM	1	1		18.62	4.5
		CP	QPSK	1	1		22.15	1.5

NR TDD Band n77 Conducted Power (Power Class 2)_Pmax_ANT.G[SUB3]

NR TDD Band n77_10 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						647000 Ch. 3705 MHz	650600 Ch. 3759 MHz	654200 Ch. 3813 MHz	657800 Ch. 3867 MHz	661400 Ch. 3921 MHz	665000 Ch. 3975 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	25.16	25.76	25.69	25.46	25.47	25.48	0
				1	12	25.34	25.77	25.33	25.59	25.58	25.45	0
				1	22	25.29	25.70	25.57	25.54	25.43	25.46	0
				12	0	24.83	25.26	25.28	24.97	24.95	24.99	0.5
				12	6	25.36	25.75	25.62	25.47	25.58	25.46	0
				12	12	24.89	25.23	25.20	25.12	25.09	25.02	0.5
				24	0	24.88	25.23	25.17	25.03	25.08	24.99	0.5
			QPSK	1	1	25.14	25.78	25.75	25.48	25.43	25.47	0
				1	12	25.30	25.72	25.70	25.62	25.54	25.46	0
				1	22	25.28	25.70	25.72	25.52	25.44	25.44	0
				12	0	24.35	24.79	24.60	24.53	24.45	24.52	1
				12	6	25.29	25.78	25.76	25.46	25.57	25.46	0
				12	12	24.40	24.71	24.60	24.64	24.54	24.54	1
				24	0	24.38	24.80	24.59	24.53	24.56	24.45	1
			16QAM	1	1	24.16	24.73	24.56	24.48	24.41	24.42	1
			64QAM	1	1	22.81	23.22	23.18	22.91	23.03	22.92	2.5
			256QAM	1	1	20.28	20.79	20.68	20.52	20.58	20.48	4.5
		CP	QPSK	1	1	23.75	24.29	24.11	24.22	24.05	24.21	1.5

NR TDD Band n77_15 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						647168 Ch. 3707.52 MHz	650700 Ch. 3760.5 MHz	654232 Ch. 3813.49 MHz	657766 Ch. 3866.5 MHz	661300 Ch. 3919.5 MHz	664832 Ch. 3972.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	25.37	25.91	25.82	25.65	25.57	25.66	0
				1	18	25.43	25.74	25.78	25.54	25.50	25.57	0
				1	36	25.35	25.84	25.80	25.75	25.70	25.61	0
				18	0	24.83	25.40	25.35	25.06	25.13	25.14	0.5
				18	9	25.43	25.77	25.77	25.52	25.56	25.58	0
				18	18	24.98	25.36	25.29	25.09	25.13	25.07	0.5
				36	0	24.97	25.35	25.33	25.03	25.09	25.10	0.5
			QPSK	1	1	25.33	25.84	25.90	25.58	25.56	25.58	0
				1	18	25.35	25.72	25.75	25.47	25.43	25.53	0
				1	36	25.36	25.77	25.83	25.74	25.69	25.64	0
				18	0	24.35	24.90	24.86	24.66	24.57	24.67	1
				18	9	25.37	25.79	25.79	25.52	25.54	25.55	0
				18	18	24.42	24.83	24.83	24.67	24.62	24.59	1
				36	0	24.41	24.85	24.77	24.67	24.56	24.60	1
			16QAM	1	1	24.33	24.89	24.84	24.58	24.60	24.61	1
			64QAM	1	1	22.88	23.54	23.41	23.18	23.19	23.26	2.5
			256QAM	1	1	20.49	21.08	20.98	20.68	20.76	20.78	4.5
		CP	QPSK	1	1	23.97	24.39	24.35	24.23	24.25	24.21	1.5

NR TDD Band n77_20 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						647334 Ch. 3710.01 MHz	650800 Ch. 3762 MHz	654266 Ch. 3813.99 MHz	657734 Ch. 3866.01 MHz	661200 Ch. 3918 MHz	664666 Ch. 3969.99 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	25.40	25.86	25.83	25.63	25.58	25.62	0
				1	26	25.41	25.77	25.77	25.50	25.56	25.63	0
				1	49	25.58	25.93	25.85	25.71	25.69	25.59	0
				25	0	24.97	25.38	25.34	25.08	25.08	25.20	0.5
				25	13	25.50	25.86	25.84	25.59	25.53	25.61	0
				25	26	24.95	25.38	25.28	25.07	25.13	25.17	0.5
				50	0	25.01	25.37	25.34	25.11	25.15	25.11	0.5
			QPSK	1	1	25.35	25.90	25.85	25.59	25.65	25.63	0
				1	26	25.41	25.76	25.70	25.54	25.50	25.59	0
				1	49	25.51	25.81	25.79	25.71	25.65	25.54	0
				25	0	24.48	24.90	24.86	24.55	24.57	24.66	1
				25	13	25.46	25.81	25.79	25.55	25.52	25.67	0
				25	26	24.52	24.78	24.76	24.60	24.57	24.59	1
				50	0	24.51	24.85	24.77	24.60	24.58	24.63	1
			16QAM	1	1	24.35	24.87	24.86	24.57	24.58	24.63	1
			64QAM	1	1	22.85	23.38	23.35	23.08	23.12	23.30	2.5
			256QAM	1	1	20.47	21.01	20.96	20.66	20.68	20.84	4.5
		CP	QPSK	1	1	23.93	24.35	24.56	24.35	24.41	24.33	1.5

NR TDD Band n77_25 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						647500 Ch. 3712.5 MHz	650900 Ch. 3763.5 MHz	654300 Ch. 3814.5 MHz	657700 Ch. 3865.5 MHz	661100 Ch. 3916.5 MHz	664500 Ch. 3967.5 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	25.81	26.62	26.59	26.27	26.30	26.08	0
				1	32	25.39	25.79	25.77	25.52	25.49	25.56	0
				1	63	25.92	26.47	26.40	26.29	26.31	25.92	0
				32	0	25.10	25.45	25.41	25.18	25.21	25.18	0.5
				32	17	25.48	25.85	25.79	25.56	25.61	25.63	0
				32	33	24.98	25.49	25.34	25.16	25.19	25.17	0.5
				64	0	25.01	25.45	25.38	25.14	25.11	25.22	0.5
			QPSK	1	1	25.83	26.35	26.37	26.22	26.20	25.99	0
				1	32	25.41	25.72	25.71	25.50	25.50	25.59	0
				1	63	25.95	26.15	26.32	26.31	26.26	25.88	0
				32	0	24.57	24.94	24.91	24.69	24.69	24.70	1
				32	17	25.50	25.88	25.76	25.54	25.53	25.66	0
				32	33	24.56	24.99	24.84	24.74	24.69	24.65	1
				64	0	24.51	24.91	24.88	24.70	24.62	24.70	1
			16QAM	1	1	24.84	25.35	25.38	25.24	25.26	25.04	1
			64QAM	1	1	23.39	23.99	23.93	23.77	23.77	23.69	2.5
			256QAM	1	1	20.91	21.73	21.64	21.39	21.43	21.23	4.5
		CP	QPSK	1	1	24.43	24.99	25.06	24.97	24.95	24.63	1.5

NR TDD Band n77_30 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						647668 Ch. 3715.02 MHz	651000 Ch. 3765 MHz	654334 Ch. 3815.01 MHz	657666 Ch. 3864.99 MHz	661000 Ch. 3915 MHz	664332 Ch. 3964.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	25.33	25.75	25.76	25.82	25.63	25.81	0
				1	39	25.45	25.71	25.71	25.66	25.61	25.64	0
				1	76	25.58	25.87	25.82	25.65	25.73	25.53	0
				36	0	25.02	25.26	25.28	25.34	25.20	25.26	0.5
				36	21	25.48	25.73	25.73	25.70	25.63	25.68	0
				36	42	25.12	25.35	25.32	25.19	25.17	25.11	0.5
				75	0	24.97	25.28	25.24	25.24	25.20	25.22	0.5
			QPSK	1	1	25.37	25.74	25.70	25.74	25.61	25.75	0
				1	39	25.43	25.66	25.58	25.67	25.54	25.62	0
				1	76	25.56	25.78	25.73	25.62	25.68	25.47	0
				36	0	24.48	24.82	24.79	24.80	24.68	24.77	1
				36	21	25.52	25.71	25.65	25.69	25.67	25.66	0
				36	42	24.60	24.82	24.77	24.67	24.70	24.63	1
				75	0	24.54	24.82	24.75	24.75	24.69	24.65	1
			16QAM	1	1	24.38	24.76	24.76	24.86	24.69	24.91	1
			64QAM	1	1	22.96	23.33	23.23	23.30	23.22	23.34	2.5
			256QAM	1	1	20.50	20.96	20.84	20.90	20.79	20.93	4.5
		CP	QPSK	1	1	23.99	24.45	24.31	24.42	24.24	24.42	1.5

NR TDD Band n77_40 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						648000 Ch. 3720 MHz	651200 Ch. 3768 MHz	654400 Ch. 3816 MHz	657600 Ch. 3864 MHz	660800 Ch. 3912 MHz	664000 Ch. 3960 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	25.63	26.00	25.85	25.84	25.87	25.74	0
				1	53	25.57	25.77	25.65	25.63	25.71	25.67	0
				1	104	25.69	25.78	25.77	25.69	25.68	25.70	0
				50	0	25.09	25.41	25.23	25.28	25.34	25.24	0.5
				50	28	25.57	25.82	25.76	25.77	25.76	25.69	0
				50	56	25.11	25.38	25.27	25.19	25.13	25.20	0.5
				100	0	25.05	25.28	25.28	25.28	25.25	25.30	0.5
			QPSK	1	1	25.57	25.92	25.87	25.83	25.87	25.71	0
				1	53	25.50	25.68	25.59	25.69	25.63	25.68	0
				1	104	25.61	25.77	25.82	25.65	25.69	25.68	0
				50	0	24.65	24.91	24.73	24.82	24.82	24.77	1
				50	28	25.58	25.85	25.70	25.71	25.75	25.66	0
				50	56	24.62	24.82	24.82	24.64	24.67	24.70	1
				100	0	24.55	24.84	24.73	24.74	24.76	24.75	1
			16QAM	1	1	24.87	24.93	24.70	25.03	25.01	24.74	1
			64QAM	1	1	22.90	23.15	23.35	22.98	23.12	23.03	2.5
			256QAM	1	1	20.73	21.06	21.03	21.01	20.98	20.85	4.5
		CP	QPSK	1	1	24.23	24.48	24.38	24.40	24.43	24.30	1.5

NR TDD Band n77_50 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						648334 Ch. 3725.01 MHz	652166 Ch. 3782.49 MHz	656000 Ch. 3840 MHz		659834 Ch. 3897.51 MHz	663666 Ch. 3954.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	25.65	25.71	25.64		25.41	25.60	0
				1	67	25.32	25.61	25.53		25.45	25.52	0
				1	131	25.36	25.56	25.54		25.50	25.47	0
				64	0	24.73	25.23	25.13		24.96	25.15	0.5
				64	35	25.31	25.64	25.57		25.54	25.55	0
				64	69	24.84	25.10	25.05		24.92	24.94	0.5
				128	0	24.78	25.15	25.01		25.01	25.06	0.5
			QPSK	1	1	25.20	25.73	25.63		25.41	25.66	0
				1	67	25.26	25.60	25.48		25.51	25.46	0
				1	131	25.30	25.56	25.58		25.57	25.36	0
				64	0	24.19	24.79	24.57		24.47	24.70	1
				64	35	25.30	25.63	25.52		25.49	25.53	0
				64	69	24.41	24.61	24.52		24.39	24.45	1
				128	0	24.30	24.63	24.51		24.47	24.52	1
			16QAM	1	1	24.23	24.72	24.66		24.41	24.62	1
			64QAM	1	1	22.83	23.19	23.13		22.91	23.17	2.5
			256QAM	1	1	20.30	20.85	20.72		20.48	20.77	4.5
		CP	QPSK	1	1	23.80	24.43	24.37		24.12	24.35	1.5

NR TDD Band n77_60 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						648668 Ch. 3730.02 MHz	653556 Ch. 3803.34 MHz			658444 Ch. 3876.66 MHz	663332 Ch. 3949.98 MHz	
60 MHz	30	DFT-s	pi/2 BPSK	1	1	25.27	25.65			25.49	25.36	0
				1	81	25.26	25.57			25.40	25.32	0
				1	160	25.33	25.45			25.41	25.25	0
				81	0	24.85	25.22			24.95	24.85	0.5
				81	41	25.35	25.66			25.49	25.38	0
				81	81	24.85	25.18			24.95	24.84	0.5
				162	0	24.85	25.18			24.96	24.93	0.5
			QPSK	1	1	25.23	25.68			25.47	25.33	0
				1	81	25.27	25.56			25.39	25.31	0
				1	160	25.32	25.44			25.47	25.30	0
				81	0	24.35	24.73			24.51	24.37	1
				81	41	25.35	25.65			25.40	25.35	0
				81	81	24.34	24.63			24.47	24.33	1
				162	0	24.39	24.63			24.51	24.44	1
			16QAM	1	1	24.24	24.64			24.44	24.40	1
			64QAM	1	1	22.82	23.29			23.06	22.94	2.5
			256QAM	1	1	20.33	20.83			20.62	20.56	4.5
		CP	QPSK	1	1	23.79	24.29			24.07	23.98	1.5

NR TDD Band n77_70 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						649000 Ch. 3735 MHz	653666 Ch. 3804.99 MHz			658334 Ch. 3875.01 MHz	663000 Ch. 3945 MHz	
70 MHz	30	DFT-s	pi/2 BPSK	1	1	25.11	11.59			25.33	25.25	0
				1	95	25.15	25.43			25.40	25.40	0
				1	187	25.14	25.14			25.44	25.32	0
				90	0	24.66	25.13			24.85	24.80	0.5
				90	50	25.12	25.46			25.39	25.41	0
				90	99	24.73	24.90			24.93	24.80	0.5
				180	0	24.72	24.99			24.90	24.88	0.5
			QPSK	1	1	25.15	25.59			25.27	25.24	0
				1	95	25.12	25.47			25.28	25.33	0
				1	187	25.19	25.16			25.31	25.24	0
				90	0	24.22	24.66			24.32	24.32	1
				90	50	25.18	25.53			25.38	25.41	0
				90	99	24.18	24.36			24.47	24.29	1
				180	0	24.19	24.48			24.38	24.33	1
			16QAM	1	1	24.09	24.58			24.39	24.28	1
			64QAM	1	1	22.79	23.35			23.08	23.01	2.5
			256QAM	1	1	20.17	20.71			20.38	20.24	4.5
		CP	QPSK	1	1	23.66	24.16			23.84	23.72	1.5

NR TDD Band n77_80 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						649334 Ch. 3740.01 MHz		656000 Ch. 3840 MHz		662666 Ch. 3939.99 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1	25.20		25.41		25.34		0
				1	109	25.14		25.40		25.32		0
				1	215	25.16		25.38		25.20		0
				108	0	24.76		25.00		24.97		0.5
				108	55	25.20		25.50		25.37		0
				108	109	24.68		24.87		24.79		0.5
				216	0	24.67		24.98		24.77		0.5
			QPSK	1	1	25.24		25.41		25.29		0
				1	109	25.13		25.37		25.23		0
				1	215	25.15		25.28		25.07		0
				108	0	24.26		24.46		24.43		1
				108	55	25.13		25.45		25.33		0
				108	109	24.25		24.40		24.28		1
				216	0	24.20		24.47		24.30		1
			16QAM	1	1	24.21		24.34		24.39		1
			64QAM	1	1	22.91		22.73		23.07		2.5
			256QAM	1	1	20.26		20.47		20.40		4.5
		CP	QPSK	1	1	23.79		23.83		23.89		1.5

NR TDD Band n77_90 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						649668 Ch. 3745.02 MHz		656000 Ch. 3840 MHz		662332 Ch. 3934.98 MHz	
90 MHz	30	DFT-s	pi/2 BPSK	1	1	25.14		25.42		25.42	0
				1	123	25.26		25.51		25.37	0
				1	243	25.40		25.35		25.16	0
				120	0	24.67		25.02		24.93	0.5
				120	63	25.24		25.43		25.37	0
				120	125	24.73		24.85		24.75	0.5
				243	0	24.69		24.95		24.82	0.5
			QPSK	1	1	25.09		25.42		25.43	0
				1	123	25.20		25.38		25.32	0
				1	243	25.37		25.32		25.03	0
				120	0	24.21		24.50		24.46	1
				120	63	25.17		25.46		25.33	0
				120	125	24.28		24.40		24.22	1
				243	0	24.20		24.49		24.27	1
			16QAM	1	1	24.24		24.43		24.27	1
			64QAM	1	1	22.58		22.81		22.64	2.5
			256QAM	1	1	20.19		20.46		20.55	4.5
		CP	QPSK	1	1	23.68		23.99		24.00	1.5

NR TDD Band n77_100 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						650000 Ch. 3750 MHz				662000 Ch. 3930 MHz	
100 MHz	30	DFT-s	pi/2 BPSK	1	1	25.17				25.40	0
				1	137	25.24				25.42	0
				1	271	25.37				25.36	0
				135	0	24.74				24.91	0.5
				135	69	25.28				25.44	0
				135	138	24.76				24.87	0.5
				270	0	24.69				24.86	0.5
			QPSK	1	1	25.21				25.24	0
				1	137	25.13				25.33	0
				1	271	25.31				25.25	0
				135	0	24.28				24.37	1
				135	69	25.23				25.39	0
				135	138	24.23				24.31	1
				270	0	24.21				24.39	1
			16QAM	1	1	24.18				24.32	1
			64QAM	1	1	22.50				22.59	2.5
			256QAM	1	1	20.27				20.36	4.5
		CP	QPSK	1	1	23.76				23.88	1.5

NR TDD Band n77 DoD Conducted Power (Power Class 2)_Pmax _ANT.G[SUB3]

NR TDD Band n77 DoD_10 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630334 Ch. 3445.01 MHz	633334 Ch. 3500.01 MHz	636332 Ch. 3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	26.29	26.14	26.02	0
				1	12	26.31	26.13	26.02	0
				1	22	26.27	26.11	25.99	0
				12	0	25.86	25.68	25.59	0.5
				12	6	26.29	26.22	26.03	0
				12	12	25.83	25.68	25.52	0.5
				24	0	25.83	25.72	25.55	0.5
			QPSK	1	1	26.25	26.13	25.98	0
				1	12	26.27	26.07	25.93	0
				1	22	26.31	26.15	25.99	0
				12	0	25.39	25.27	25.06	1
				12	6	26.29	26.20	26.05	0
				12	12	25.36	25.24	25.06	1
				24	0	25.32	25.23	25.05	1
			16QAM	1	1	25.25	25.17	24.98	1
			64QAM	1	1	24.05	23.74	23.62	2.5
			256QAM	1	1	21.35	21.28	21.13	4.5
		CP	QPSK	1	1	24.81	24.59	24.53	1.5

NR TDD Band n77 DoD_15 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630500 Ch. 3457.5 MHz	633334 Ch. 3500.01 MHz	636166 Ch. 3542.49 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	26.41	26.22	26.10	0
				1	18	26.44	26.21	26.08	0
				1	36	26.49	26.23	26.10	0
				18	0	25.94	25.84	25.65	0.5
				18	9	26.41	26.31	26.07	0
				18	18	26.00	25.74	25.58	0.5
				36	0	25.95	25.80	25.57	0.5
			QPSK	1	1	26.37	26.24	26.03	0
				1	18	26.37	26.22	26.04	0
				1	36	26.41	26.23	26.03	0
				18	0	25.48	25.30	25.11	1
				18	9	26.45	26.23	26.04	0
				18	18	25.43	25.29	25.13	1
				36	0	25.50	25.28	25.10	1
			16QAM	1	1	25.49	25.18	25.09	1
			64QAM	1	1	23.89	23.87	23.69	2.5
			256QAM	1	1	21.53	21.46	21.21	4.5
		CP	QPSK	1	1	25.00	24.75	24.54	1.5

NR TDD Band n77 DoD_20 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630668 Ch. 3460.02 MHz	633334 Ch. 3500.01 MHz	636000 Ch. 3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	26.58	26.33	26.18	0
				1	26	26.45	26.18	26.03	0
				1	49	26.42	26.22	25.99	0
				25	0	26.04	25.76	25.57	0.5
				25	13	26.45	26.27	26.05	0
				25	26	26.05	25.74	25.60	0.5
				50	0	25.96	25.77	25.58	0.5
			QPSK	1	1	26.53	26.26	26.08	0
				1	26	26.44	26.14	25.95	0
				1	49	26.45	26.12	26.02	0
				25	0	25.52	25.33	25.12	1
				25	13	26.48	26.22	26.03	0
				25	26	25.49	25.26	25.11	1
				50	0	25.52	25.26	25.10	1
			16QAM	1	1	25.50	25.32	25.12	1
			64QAM	1	1	24.17	23.92	23.69	2.5
			256QAM	1	1	21.73	21.47	21.28	4.5
		CP	QPSK	1	1	25.10	24.86	24.73	1.5

NR TDD Band n77 DoD_25 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630866 Ch. 3462.99 MHz	633334 Ch. 3500.01 MHz	635800 Ch. 3537 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	26.90	26.70	26.41	0
				1	32	26.53	26.26	26.00	0
				1	63	26.87	26.61	26.41	0
				32	0	26.12	25.86	25.62	0.5
				32	17	26.54	26.26	26.03	0
				32	33	26.04	25.78	25.58	0.5
				64	0	26.09	25.87	25.62	0.5
			QPSK	1	1	26.89	26.60	26.31	0
				1	32	26.51	26.21	25.97	0
				1	63	26.84	26.58	26.34	0
				32	0	25.63	25.36	25.11	1
				32	17	26.54	26.20	25.96	0
				32	33	25.58	25.35	25.07	1
				64	0	25.58	25.28	25.07	1
			16QAM	1	1	25.86	25.66	25.41	1
			64QAM	1	1	24.28	24.32	23.93	2.5
			256QAM	1	1	22.14	21.85	21.57	4.5
		CP	QPSK	1	1	25.34	25.25	24.92	1.5

NR TDD Band n77 DoD_30 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						631000 Ch. 3465 MHz	633334 Ch. 3500.01 MHz	635666 Ch. 3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	26.58	26.46	26.37	0
				1	39	26.36	26.33	26.13	0
				1	76	26.47	26.31	26.16	0
				36	0	26.02	25.92	25.81	0.5
				36	21	26.45	26.32	26.26	0
				36	42	25.95	25.83	25.77	0.5
				75	0	26.01	25.87	25.83	0.5
			QPSK	1	1	26.52	26.36	26.33	0
				1	39	26.31	26.23	26.14	0
				1	76	26.30	26.29	26.16	0
				36	0	25.51	25.44	25.35	1
				36	21	26.45	26.34	26.20	0
				36	42	25.45	25.41	25.22	1
				75	0	25.47	25.37	25.30	1
			16QAM	1	1	25.48	25.32	25.34	1
			64QAM	1	1	24.20	23.95	23.92	2.5
			256QAM	1	1	21.68	21.49	21.48	4.5
		CP	QPSK	1	1	24.98	24.89	24.86	1.5

NR TDD Band n77 DoD_40 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						631334 Ch. 3470.01 MHz		635332 Ch. 3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	26.67		26.34	0
				1	53	26.45		26.09	0
				1	104	26.57		26.29	0
				50	0	26.16		25.80	0.5
				50	28	26.51		26.17	0
				50	56	26.05		25.69	0.5
				100	0	26.12		25.75	0.5
			QPSK	1	1	26.63		26.35	0
				1	53	26.39		26.07	0
				1	104	26.50		26.18	0
				50	0	25.62		25.26	1
				50	28	26.49		26.21	0
				50	56	25.55		25.20	1
				100	0	25.59		25.25	1
			16QAM	1	1	25.55		25.37	1
			64QAM	1	1	23.94		23.79	2.5
			256QAM	1	1	21.80		21.52	4.5
		CP	QPSK	1	1	25.19		24.78	1.5

NR TDD Band n77 DoD_50 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]	
						631668 Ch. 3475.02 MHz	635000 Ch. 3525 MHz		
50 MHz	30	DFT-s	pi/2 BPSK	1	1	26.34		26.11	0
				1	67	26.18		25.90	0
				1	131	26.14		25.79	0
				64	0	25.78		25.52	0.5
				64	35	26.18		25.90	0
				64	69	25.70		25.38	0.5
				128	0	25.72		25.40	0.5
			QPSK	1	1	26.33		26.09	0
				1	67	26.12		25.83	0
				1	131	26.12		25.76	0
				64	0	25.34		25.06	1
				64	35	26.25		25.94	0
				64	69	25.21		24.81	1
				128	0	25.20		24.97	1
			16QAM	1	1	25.34		25.11	1
			64QAM	1	1	24.11		23.71	2.5
			256QAM	1	1	21.42		21.25	4.5
		CP	QPSK	1	1	24.87		24.61	1.5

NR TDD Band n77 DoD_60 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
						633334 Ch. 3500.01 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1	26.28		0
				1	81	26.21		0
				1	160	25.95		0
				81	0	25.78		0.5
				81	41	26.21		0
				81	81	25.67		0.5
				162	0	25.73		0.5
			QPSK	1	1	26.31		0
				1	81	26.20		0
				1	160	25.95		0
				81	0	25.34		1
				81	41	26.18		0
				81	81	25.15		1
				162	0	25.23		1
			16QAM	1	1	25.33		1
			64QAM	1	1	24.10		2.5
			256QAM	1	1	21.40		4.5
		CP	QPSK	1	1	24.80		1.5

NR TDD Band n77 DoD_70 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
70 MHz	30	DFT-s	pi/2 BPSK	1	1		26.15	0
				1	95		25.93	0
				1	187		25.75	0
				90	0		25.62	0.5
				90	50		25.96	0
				90	99		25.43	0.5
				180	0		25.49	0.5
			QPSK	1	1		26.13	0
				1	95		25.97	0
				1	187		25.75	0
				90	0		25.11	1
				90	50		26.03	0
				90	99		24.89	1
				180	0		25.04	1
			16QAM	1	1		25.14	1
			64QAM	1	1		23.81	2.5
			256QAM	1	1		21.21	4.5
		CP	QPSK	1	1		24.58	1.5

NR TDD Band n77 DoD_80 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
80 MHz	30	DFT-s	pi/2 BPSK	1	1		25.89	0
				1	109		25.89	0
				1	215		25.73	0
				108	0		25.66	0.5
				108	55		25.94	0
				108	109		25.38	0.5
				216	0		25.49	0.5
			QPSK	1	1		26.12	0
				1	109		25.91	0
				1	215		25.65	0
				108	0		25.13	1
				108	55		25.98	0
				108	109		24.89	1
				216	0		24.99	1
			16QAM	1	1		25.16	1
			64QAM	1	1		23.93	2.5
			256QAM	1	1		21.21	4.5
		CP	QPSK	1	1		24.60	1.5

NR TDD Band n77 DoD_90 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
90 MHz	30	DFT-s	pi/2 BPSK	1	1		26.17	0
				1	123		25.99	0
				1	243		25.83	0
				120	0		25.65	0.5
				120	63		26.05	0
				120	125		25.40	0.5
				243	0		25.56	0.5
			QPSK	1	1		26.14	0
				1	123		25.94	0
				1	243		25.77	0
				120	0		25.18	1
				120	63		26.05	0
				120	125		24.89	1
				243	0		25.06	1
			16QAM	1	1		25.18	1
			64QAM	1	1		23.53	2.5
			256QAM	1	1		21.25	4.5
		CP	QPSK	1	1		24.66	1.5

NR TDD Band n77 DoD_100 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
100 MHz	30	DFT-s	pi/2 BPSK	1	1		26.18	0
				1	137		26.00	0
				1	271		25.81	0
				135	0		25.64	0.5
				135	69		26.00	0
				135	138		25.40	0.5
				270	0		25.47	0.5
			QPSK	1	1		26.14	0
				1	137		25.91	0
				1	271		25.80	0
				135	0		25.15	1
				135	69		25.98	0
				135	138		24.87	1
				270	0		25.03	1
			16QAM	1	1		25.13	1
			64QAM	1	1		23.47	2.5
			256QAM	1	1		21.33	4.5
		CP	QPSK	1	1		24.88	1.5

NR TDD Band n78 Conducted Power (Power Class 3)_Pmax_ANT.G[SUB3]

NR TDD Band n78_10 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						647000 Ch. 3705 MHz	650000 Ch. 3750 MHz	653000 Ch. 3795 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	22.89	22.98	23.13	0
				1	12	22.82	23.10	23.11	0
				1	22	22.88	23.06	23.08	0
				12	0	22.44	22.44	22.60	0.5
				12	6	22.93	23.09	23.11	0
				12	12	22.35	22.63	22.61	0.5
				24	0	22.45	22.65	22.57	0.5
			QPSK	1	1	22.83	23.07	23.11	0
				1	12	22.88	23.05	23.11	0
				1	22	22.92	23.18	23.23	0
				12	0	21.89	21.98	22.04	1
				12	6	22.87	23.20	23.06	0
				12	12	21.86	22.09	22.17	1
				24	0	21.87	22.19	22.11	1
			16QAM	1	1	21.78	22.05	22.10	1
			64QAM	1	1	20.30	20.49	20.55	2.5
			256QAM	1	1	18.31	18.30	18.32	4.5
		CP	QPSK	1	1	21.44	21.54	21.56	1.5

NR TDD Band n78_15 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						647166 Ch. 3707.5 MHz	650000 Ch. 3750 MHz	652832 Ch. 3792.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	22.80	22.95	23.13	0
				1	18	22.90	23.01	23.07	0
				1	36	22.86	23.02	23.12	0
				18	0	22.44	22.49	22.57	0.5
				18	10	22.91	23.11	23.14	0
				18	20	22.44	22.62	22.56	0.5
				36	0	22.41	22.60	22.57	0.5
			QPSK	1	1	22.85	23.05	23.16	0
				1	18	22.82	23.11	23.09	0
				1	36	22.88	23.22	23.15	0
				18	0	21.84	21.99	22.05	1
				18	10	22.82	23.20	23.10	0
				18	20	21.89	22.09	22.13	1
				36	0	21.82	22.14	22.12	1
			16QAM	1	1	21.79	22.04	22.06	1
			64QAM	1	1	20.30	20.55	20.60	2.5
			256QAM	1	1	18.31	18.27	18.30	4.5
		CP	QPSK	1	1	21.34	21.51	21.65	1.5

NR TDD Band n78_20 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						647334 Ch. 3710.01 MHz	650000 Ch. 3750 MHz	652666 Ch. 3789.99 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	22.82	22.97	23.03	0
				1	26	22.85	23.09	23.11	0
				1	49	22.88	23.03	23.06	0
				25	0	22.32	22.49	22.62	0.5
				25	13	22.91	23.16	23.15	0
				25	26	22.37	22.61	22.54	0.5
				50	0	22.36	22.65	22.54	0.5
			QPSK	1	1	22.86	23.05	23.09	0
				1	26	22.87	23.09	23.12	0
				1	49	23.00	23.12	23.14	0
				25	0	21.83	22.03	22.05	1
				25	13	22.84	23.15	23.11	0
				25	26	21.91	22.15	22.20	1
				50	0	21.79	22.14	22.05	1
			16QAM	1	1	21.75	22.07	22.11	1
			64QAM	1	1	20.28	20.47	20.57	2.5
			256QAM	1	1	18.34	18.32	18.27	4.5
		CP	QPSK	1	1	21.38	21.58	21.62	1.5

NR TDD Band n78_25 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						647500 Ch. 3712.5 MHz	650000 Ch. 3750 MHz	652500 Ch. 3787.5 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	22.78	22.91	23.11	0
				1	32	22.84	23.05	23.11	0
				1	63	22.92	23.00	23.08	0
				32	0	22.39	22.53	22.61	0.5
				32	17	22.99	23.11	23.14	0
				32	33	22.37	22.66	22.55	0.5
				64	0	22.32	22.60	22.59	0.5
			QPSK	1	1	22.85	23.08	23.12	0
				1	32	22.87	23.15	23.15	0
				1	63	22.97	23.16	23.17	0
				32	0	21.87	21.99	22.09	1
				32	17	22.82	23.19	23.06	0
				32	33	21.86	22.15	22.09	1
				64	0	21.82	22.13	22.08	1
			16QAM	1	1	21.82	22.04	22.07	1
			64QAM	1	1	20.25	20.49	20.60	2.5
			256QAM	1	1	18.33	18.26	18.33	4.5
		CP	QPSK	1	1	21.38	21.49	21.66	1.5

NR TDD Band n78_30 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						647666 Ch. 3715 MHz	650000 Ch. 3750 MHz	652332 Ch. 3784.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	22.83	22.89	23.12	0
				1	39	22.90	23.04	23.15	0
				1	76	22.87	23.10	23.09	0
				36	0	22.33	22.47	22.57	0.5
				36	21	22.90	23.12	23.17	0
				36	42	22.41	22.59	22.53	0.5
				75	0	22.35	22.66	22.60	0.5
			QPSK	1	1	22.86	23.07	23.16	0
				1	39	22.88	23.13	23.10	0
				1	76	22.97	23.16	23.22	0
				36	0	21.90	22.05	22.13	1
				36	21	22.82	23.19	23.06	0
				36	42	21.89	22.17	22.12	1
				75	0	21.78	22.16	22.07	1
			16QAM	1	1	21.78	22.04	22.07	1
			64QAM	1	1	20.23	20.51	20.54	2.5
			256QAM	1	1	18.36	18.30	18.25	4.5
		CP	QPSK	1	1	21.42	21.55	21.57	1.5

NR TDD Band n78_40 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						647800 Ch. 3720 MHz		652000 Ch. 3780 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	22.81		23.12	0
				1	53	22.89		23.04	0
				1	104	22.94		23.11	0
				50	0	22.41		22.58	0.5
				50	28	22.89		23.11	0
				50	56	22.38		22.60	0.5
				100	0	22.44		22.58	0.5
			QPSK	1	1	22.88		23.13	0
				1	53	22.82		23.13	0
				1	104	22.96		23.22	0
				50	0	21.90		22.10	1
				50	28	22.77		23.07	0
				50	56	21.90		22.11	1
				100	0	21.80		22.13	1
			16QAM	1	1	21.84		22.08	1
			64QAM	1	1	20.34		20.53	2.5
			256QAM	1	1	18.34		18.25	4.5
		CP	QPSK	1	1	21.45		21.67	1.5

NR TDD Band n78_50 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]	
						648334 Ch. 3725.01 MHz	651666 Ch. 3774.99 MHz		
50 MHz	30	DFT-s	pi/2 BPSK	1	1	22.82		23.08	0
				1	67	22.93		23.10	0
				1	131	22.91		23.06	0
				64	0	22.37		22.53	0.5
				64	35	22.88		23.10	0
				64	69	22.44		22.55	0.5
				128	0	22.40		22.58	0.5
			QPSK	1	1	22.85		23.13	0
				1	67	22.87		23.16	0
				1	131	22.93		23.16	0
				64	0	21.88		22.08	1
				64	35	22.77		23.05	0
				64	69	21.87		22.12	1
				128	0	21.80		22.11	1
			16QAM	1	1	21.83		22.04	1
			64QAM	1	1	20.34		20.58	2.5
			256QAM	1	1	18.39		18.28	4.5
		CP	QPSK	1	1	21.35		21.64	1.5

NR TDD Band n78_60 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
						650000 Ch. 3750 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1	22.79		0
				1	81	22.82		0
				1	160	22.83		0
				81	0	22.22		0.5
				81	41	22.78		0
				81	81	22.35		0.5
				162	0	22.28		0.5
			QPSK	1	1	22.51		0
				1	81	22.76		0
				1	160	22.81		0
				81	0	21.73		1
				81	41	22.80		0
				81	81	21.78		1
				162	0	21.70		1
			16QAM	1	1	21.53		1
			64QAM	1	1	20.04		2.5
			256QAM	1	1	18.13		4.5
		CP	QPSK	1	1	21.10		1.5

NR TDD Band n78_70 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							650000 Ch. 3750 MHz	
70 MHz	30	DFT-s	pi/2 BPSK	1	1		22.54	0
				1	95		22.60	0
				1	187		22.50	0
				90	0		22.07	0.5
				90	50		22.63	0
				90	99		22.08	0.5
				180	0		22.11	0.5
			QPSK	1	1		22.63	0
				1	95		22.56	0
				1	187		22.53	0
				90	0		21.56	1
				90	50		22.66	0
				90	99		21.62	1
				180	0		21.63	1
			16QAM	1	1		21.70	1
			64QAM	1	1		20.17	2.5
			256QAM	1	1		18.13	4.5
		CP	QPSK	1	1		21.15	1.5

NR TDD Band n78_80 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							650000 Ch. 3750 MHz	
80 MHz	30	DFT-s	pi/2 BPSK	1	1		22.67	0
				1	109		22.60	0
				1	215		22.60	0
				108	0		22.09	0.5
				108	55		22.65	0
				108	109		22.10	0.5
				216	0		22.14	0.5
			QPSK	1	1		22.56	0
				1	109		22.58	0
				1	215		22.58	0
				108	0		21.58	1
				108	55		22.59	0
				108	109		21.55	1
				216	0		21.59	1
			16QAM	1	1		21.54	1
			64QAM	1	1		20.11	2.5
			256QAM	1	1		18.05	4.5
		CP	QPSK	1	1		21.11	1.5

NR TDD Band n78_90 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							650000 Ch. 3750 MHz	
90 MHz	30	DFT-s	pi/2 BPSK	1	1		22.66	0
				1	123		22.67	0
				1	243		22.68	0
				120	0		22.06	0.5
				120	63		22.60	0
				120	125		22.08	0.5
				243	0		22.08	0.5
			QPSK	1	1		22.53	0
				1	123		22.70	0
				1	243		22.74	0
				120	0		21.61	1
				120	63		22.62	0
				120	125		21.51	1
				243	0		21.56	1
			16QAM	1	1		21.53	1
			64QAM	1	1		20.06	2.5
			256QAM	1	1		18.03	4.5
		CP	QPSK	1	1		21.05	1.5

NR TDD Band n78_100 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							650000 Ch. 3750 MHz	
100 MHz	30	DFT-s	pi/2 BPSK	1	1		22.51	0
				1	137		22.64	0
				1	271		22.66	0
				135	0		22.13	0.5
				135	69		22.65	0
				135	138		22.08	0.5
				270	0		22.07	0.5
			QPSK	1	1		22.51	0
				1	137		22.58	0
				1	271		22.65	0
				135	0		21.60	1
				135	69		22.66	0
				135	138		21.66	1
				270	0		21.56	1
			16QAM	1	1		21.51	1
			64QAM	1	1		20.16	2.5
			256QAM	1	1		18.17	4.5
		CP	QPSK	1	1		21.03	1.5

NR TDD Band n78 DoD Conducted Power (Power Class 3)_Pmax _ANT.G[SUB3]

NR TDD Band n78 DoD_10 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630334 Ch. 3455.01 MHz	633334 Ch. 3500.01 MHz	636332 Ch. 3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	23.39	23.28	23.07	0
				1	12	23.36	23.18	23.09	0
				1	22	23.37	23.18	23.09	0
				12	0	22.90	22.77	22.64	0.5
				12	6	23.37	23.23	23.06	0
				12	12	22.86	22.73	22.63	0.5
				24	0	22.86	22.77	22.56	0.5
			QPSK	1	1	23.45	23.28	23.17	0
				1	12	23.34	23.20	23.10	0
				1	22	23.37	23.25	23.10	0
				12	0	22.37	22.25	22.14	1
				12	6	23.38	23.23	23.06	0
				12	12	22.36	22.24	22.04	1
				24	0	22.36	22.19	22.12	1
			16QAM	1	1	22.44	22.34	22.08	1
			64QAM	1	1	20.93	20.77	20.57	2.5
			256QAM	1	1	18.43	18.28	18.10	4.5
		CP	QPSK	1	1	21.82	21.78	21.69	1.5

NR TDD Band n78 DoD_15 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630500 Ch. 3457.5 MHz	633334 Ch. 3500.01 MHz	636116 Ch. 3542.49 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	23.57	23.40	23.23	0
				1	18	23.50	23.37	23.16	0
				1	36	23.50	23.34	23.19	0
				18	0	23.07	22.91	22.71	0.5
				18	10	23.51	23.32	23.15	0
				18	20	23.04	22.84	22.69	0.5
				36	0	23.06	22.88	22.71	0.5
			QPSK	1	1	23.57	23.35	23.21	0
				1	18	23.52	23.34	23.15	0
				1	36	23.51	23.29	23.14	0
				18	0	22.55	22.37	22.16	1
				18	10	23.49	23.34	23.11	0
				18	20	22.50	22.34	22.15	1
				36	0	22.51	22.34	22.17	1
			16QAM	1	1	22.68	22.28	22.18	1
			64QAM	1	1	21.09	20.58	20.70	2.5
			256QAM	1	1	18.57	18.41	18.25	4.5
		CP	QPSK	1	1	22.08	21.95	21.73	1.5

NR TDD Band n78 DoD_20 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630668 Ch. 3460.02 MHz	633334 Ch. 3500.01 MHz	63600 Ch. 3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	23.54	23.33	23.20	0
				1	26	23.49	23.35	23.14	0
				1	49	23.44	23.33	23.12	0
				25	0	23.05	22.85	22.63	0.5
				25	13	23.48	23.32	23.12	0
				25	26	23.01	22.78	22.66	0.5
				50	0	23.06	22.85	22.66	0.5
			QPSK	1	1	23.53	23.30	23.15	0
				1	26	23.48	23.30	23.07	0
				1	49	23.45	23.22	23.11	0
				25	0	22.48	22.30	22.15	1
				25	13	23.48	23.27	23.03	0
				25	26	22.49	22.28	22.08	1
				50	0	22.47	22.34	22.13	1
			16QAM	1	1	22.66	22.25	22.10	1
			64QAM	1	1	21.09	20.57	20.62	2.5
			256QAM	1	1	18.55	18.40	18.18	4.5
		CP	QPSK	1	1	22.04	21.88	21.70	1.5

NR TDD Band n78 DoD_25 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630866 Ch. 3462.99 MHz	633334 Ch. 3500.01 MHz	635800 Ch. 3537 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	24.11	23.77	23.50	0
				1	32	23.54	23.36	23.08	0
				1	63	23.88	23.62	23.40	0
				32	0	23.24	22.94	22.64	0.5
				32	17	23.53	23.36	23.06	0
				32	33	23.10	22.87	22.62	0.5
				64	0	23.15	22.84	22.67	0.5
			QPSK	1	1	24.03	23.77	23.48	0
				1	32	23.55	23.32	23.02	0
				1	63	23.88	23.64	23.36	0
				32	0	22.61	22.39	22.14	1
				32	17	23.53	23.33	23.00	0
				32	33	22.56	22.29	22.08	1
				64	0	22.64	22.37	22.15	1
			16QAM	1	1	22.93	22.68	22.44	1
			64QAM	1	1	21.77	21.38	21.01	2.5
			256QAM	1	1	19.13	18.84	18.53	4.5
		CP	QPSK	1	1	22.57	22.25	22.04	1.5

NR TDD Band n78 DoD_30 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						631000 Ch. 3465 MHz	633334 Ch. 3500.01 MHz	635666 Ch. 3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	23.56	23.46	23.48	0
				1	39	23.49	23.43	23.31	0
				1	76	23.54	23.39	23.28	0
				36	0	23.13	22.94	22.85	0.5
				36	21	23.50	23.37	23.40	0
				36	42	22.99	22.86	22.74	0.5
				75	0	23.07	22.92	22.87	0.5
			QPSK	1	1	23.48	23.48	23.41	0
				1	39	23.52	23.35	23.36	0
				1	76	23.51	23.33	23.29	0
				36	0	22.50	22.46	22.39	1
				36	21	23.49	23.38	23.31	0
				36	42	22.43	22.40	22.32	1
				75	0	22.52	22.47	22.35	1
			16QAM	1	1	22.45	22.36	22.40	1
			64QAM	1	1	21.14	21.12	21.14	2.5
			256QAM	1	1	18.54	18.52	18.44	4.5
		CP	QPSK	1	1	22.13	22.10	22.00	1.5

NR TDD Band n78 DoD_40 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]	
						631334 Ch. 3470.01 MHz	635332 Ch. 3529.98 MHz		
40 MHz	30	DFT-s	pi/2 BPSK	1	1	23.79		23.47	0
				1	53	23.64		23.24	0
				1	104	23.66		23.24	0
				50	0	23.19		22.81	0.5
				50	28	23.60		23.28	0
				50	56	23.07		22.78	0.5
				100	0	23.17		22.82	0.5
			QPSK	1	1	23.76		23.43	0
				1	53	23.55		23.24	0
				1	104	23.55		23.23	0
				50	0	22.64		22.30	1
				50	28	23.67		23.20	0
				50	56	22.63		22.22	1
				100	0	22.64		22.27	1
			16QAM	1	1	23.01		22.28	1
			64QAM	1	1	21.36		20.83	2.5
			256QAM	1	1	18.76		18.39	4.5
		CP	QPSK	1	1	22.32		21.94	1.5

NR TDD Band n78 DoD_50 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]	
						631668 Ch. 3475.02 MHz	635000 Ch. 3525 MHz		
50 MHz	30	DFT-s	pi/2 BPSK	1	1	23.39		23.05	0
				1	67	23.24		22.95	0
				1	131	23.24		22.92	0
				64	0	22.83		22.56	0.5
				64	35	23.33		23.03	0
				64	69	22.85		22.47	0.5
				128	0	22.79		22.52	0.5
			QPSK	1	1	23.40		23.07	0
				1	67	23.27		22.89	0
				1	131	23.22		22.80	0
				64	0	22.31		21.96	1
				64	35	23.31		23.00	0
				64	69	22.29		21.95	1
				128	0	22.26		21.99	1
			16QAM	1	1	22.48		22.04	1
			64QAM	1	1	20.88		20.61	2.5
			256QAM	1	1	18.30		18.07	4.5
		CP	QPSK	1	1	21.89		21.51	1.5

NR TDD Band n78 DoD_60 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
						633334 Ch. 3500.01 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1	23.32		0
				1	81	23.16		0
				1	160	23.01		0
				81	0	22.87		0.5
				81	41	23.24		0
				81	81	22.66		0.5
				162	0	22.79		0.5
			QPSK	1	1	23.39		0
				1	81	23.22		0
				1	160	23.04		0
				81	0	22.37		1
				81	41	23.25		0
				81	81	22.15		1
				162	0	22.27		1
			16QAM	1	1	22.46		1
			64QAM	1	1	20.87		2.5
			256QAM	1	1	18.36		4.5
		CP	QPSK	1	1	21.88		1.5

NR TDD Band n78 DoD_70 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
70 MHz	30	DFT-s	pi/2 BPSK	1	1		23.17	0
				1	95		23.01	0
				1	187		22.84	0
				90	0		22.65	0.5
				90	50		23.08	0
				90	99		22.46	0.5
				180	0		22.61	0.5
			QPSK	1	1		23.31	0
				1	95		23.06	0
				1	187		22.92	0
				90	0		22.19	1
				90	50		23.06	0
				90	99		21.95	1
				180	0		22.10	1
			16QAM	1	1		22.35	1
			64QAM	1	1		20.80	2.5
			256QAM	1	1		18.26	4.5
		CP	QPSK	1	1		21.76	1.5

NR TDD Band n78 DoD_80 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
80 MHz	30	DFT-s	pi/2 BPSK	1	1		23.19	0
				1	109		23.04	0
				1	215		22.85	0
				108	0		22.70	0.5
				108	55		23.09	0
				108	109		22.45	0.5
				216	0		22.56	0.5
			QPSK	1	1		23.20	0
				1	109		22.99	0
				1	215		22.79	0
				108	0		22.21	1
				108	55		23.00	0
				108	109		21.91	1
				216	0		22.02	1
			16QAM	1	1		22.17	1
			64QAM	1	1		20.77	2.5
			256QAM	1	1		18.19	4.5
		CP	QPSK	1	1		21.73	1.5

NR TDD Band n78 DoD_90 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
90 MHz	30	DFT-s	pi/2 BPSK	1	1		23.14	0
				1	123		23.02	0
				1	243		22.80	0
				120	0		22.20	0.5
				120	63		23.09	0
				120	125		22.03	0.5
				243	0		22.00	0.5
			QPSK	1	1		23.21	0
				1	123		22.94	0
				1	243		22.73	0
				120	0		22.19	1
				120	63		23.04	0
				120	125		21.90	1
				243	0		22.03	1
			16QAM	1	1		22.12	1
			64QAM	1	1		20.36	2.5
			256QAM	1	1		18.28	4.5
		CP	QPSK	1	1		21.69	1.5

NR TDD Band n78 DoD_100 MHz Bandwidth Conducted Power-Power Class 3

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
100 MHz	30	DFT-s	pi/2 BPSK	1	1		23.21	0
				1	137		23.06	0
				1	271		22.82	0
				135	0		22.71	0.5
				135	69		23.06	0
				135	138		22.40	0.5
				270	0		22.55	0.5
			QPSK	1	1		23.13	0
				1	137		22.93	0
				1	271		22.74	0
				135	0		22.21	1
				135	69		22.97	0
				135	138		21.87	1
				270	0		22.01	1
			16QAM	1	1		22.22	1
			64QAM	1	1		20.49	2.5
			256QAM	1	1		18.23	4.5
		CP	QPSK	1	1		21.68	1.5

NR TDD Band n78 Conducted Power (Power Class 2)_Pmax_ANT.G[SUB3]

NR TDD Band n78_10 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						647000 Ch. 3705 MHz	650000 Ch. 3750 MHz	653000 Ch. 3795 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	25.28	25.12	25.22	0
				1	12	25.27	25.50	25.48	0
				1	22	25.26	25.49	25.53	0
				12	0	24.82	24.98	25.02	0.5
				12	6	25.33	25.58	25.54	0
				12	12	24.82	25.09	25.05	0.5
				24	0	24.84	25.06	25.02	0.5
			QPSK	1	1	25.29	25.34	25.54	0
				1	12	25.18	25.48	25.49	0
				1	22	25.27	25.45	25.52	0
				12	0	24.31	24.48	24.52	1
				12	6	25.34	25.61	25.48	0
				12	12	24.33	24.55	24.56	1
				24	0	24.35	24.56	24.60	1
			16QAM	1	1	24.24	24.37	24.47	1
			64QAM	1	1	22.87	23.01	22.96	2.5
			256QAM	1	1	20.41	20.45	20.49	4.5
		CP	QPSK	1	1	23.80	23.96	24.00	1.5

NR TDD Band n78_15 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						647166 Ch. 3707.5 MHz	650000 Ch. 3750 MHz	652832 Ch. 3792.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	25.37	25.49	25.57	0
				1	18	25.38	25.52	25.57	0
				1	36	25.51	25.56	25.65	0
				18	0	24.89	25.08	25.13	0.5
				18	10	25.40	25.53	25.59	0
				18	20	24.86	25.05	25.12	0.5
				36	0	24.93	25.09	25.11	0.5
			QPSK	1	1	25.33	25.51	25.52	0
				1	18	25.31	25.48	25.58	0
				1	36	25.42	25.52	25.50	0
				18	0	24.40	24.53	24.56	1
				18	10	25.32	25.46	25.61	0
				18	20	24.42	24.54	24.64	1
				36	0	24.42	24.53	24.66	1
			16QAM	1	1	24.41	24.50	24.58	1
			64QAM	1	1	23.04	23.12	23.15	2.5
			256QAM	1	1	20.51	20.69	20.77	4.5
		CP	QPSK	1	1	23.89	24.05	24.21	1.5

NR TDD Band n78_20 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						647334 Ch. 3710.01 MHz	650000 Ch. 3750 MHz	652666 Ch. 3789.99 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	25.53	25.40	25.51	0
				1	26	25.41	25.49	25.51	0
				1	49	25.50	25.54	25.61	0
				25	0	25.00	25.07	25.15	0.5
				25	13	25.38	25.49	25.56	0
				25	26	24.99	25.09	25.17	0.5
				50	0	24.86	25.03	25.08	0.5
			QPSK	1	1	25.55	25.65	25.66	0
				1	26	25.42	25.51	25.47	0
				1	49	25.41	25.49	25.55	0
				25	0	24.46	24.56	24.56	1
				25	13	25.40	25.52	25.53	0
				25	26	24.47	24.54	24.64	1
				50	0	24.42	24.51	24.59	1
			16QAM	1	1	24.47	24.64	24.65	1
			64QAM	1	1	23.02	23.19	23.23	2.5
			256QAM	1	1	20.67	20.73	20.75	4.5
		CP	QPSK	1	1	24.24	24.20	24.28	1.5

NR TDD Band n78_25 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						647500 Ch. 3712.5 MHz	650000 Ch. 3750 MHz	652500 Ch. 3787.5 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	25.86	25.89	25.93	0
				1	32	25.43	25.49	25.51	0
				1	63	25.78	25.90	26.00	0
				32	0	25.00	25.11	25.22	0.5
				32	17	25.41	25.54	25.52	0
				32	33	24.98	25.12	25.21	0.5
				64	0	24.96	25.06	25.17	0.5
			QPSK	1	1	25.77	25.90	25.79	0
				1	32	25.43	25.43	25.50	0
				1	63	25.74	25.85	25.96	0
				32	0	24.50	24.61	24.66	1
				32	17	25.43	25.51	25.52	0
				32	33	24.48	24.59	24.67	1
				64	0	24.44	24.56	24.62	1
			16QAM	1	1	24.86	24.94	24.88	1
			64QAM	1	1	23.45	23.54	23.45	2.5
			256QAM	1	1	20.97	21.09	21.01	4.5
		CP	QPSK	1	1	24.42	24.59	24.49	1.5

NR TDD Band n78_30 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						647666 Ch. 3715 MHz	650000 Ch. 3750 MHz	652332 Ch. 3784.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	25.65	25.60	25.71	0
				1	39	25.58	25.52	25.63	0
				1	76	25.56	25.63	25.62	0
				36	0	25.08	25.15	25.23	0.5
				36	21	25.51	25.55	25.68	0
				36	42	25.02	25.16	25.16	0.5
				75	0	24.98	25.09	25.23	0.5
			QPSK	1	1	25.58	25.59	25.73	0
				1	39	25.46	25.51	25.64	0
				1	76	25.49	25.56	25.62	0
				36	0	24.56	24.69	24.72	1
				36	21	25.59	25.61	25.71	0
				36	42	24.51	24.68	24.59	1
				75	0	24.57	24.64	24.68	1
			16QAM	1	1	24.55	24.61	24.86	1
			64QAM	1	1	23.15	23.16	23.29	2.5
			256QAM	1	1	20.73	20.76	20.87	4.5
		CP	QPSK	1	1	24.19	24.24	24.30	1.5

NR TDD Band n78_40 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]	
						647800 Ch. 3720 MHz	652000 Ch. 3780 MHz		
40 MHz	30	DFT-s	pi/2 BPSK	1	1	25.54		25.65	0
				1	53	25.51		25.72	0
				1	104	25.67		25.87	0
				50	0	25.04		25.22	0.5
				50	28	25.51		25.70	0
				50	56	25.02		25.20	0.5
				100	0	25.12		25.17	0.5
			QPSK	1	1	25.53		25.70	0
				1	53	25.46		25.59	0
				1	104	25.60		25.71	0
				50	0	24.51		24.67	1
				50	28	25.52		25.66	0
				50	56	24.55		24.66	1
				100	0	24.59		24.62	1
			16QAM	1	1	24.51		24.74	1
			64QAM	1	1	22.93		22.81	2.5
			256QAM	1	1	20.62		20.86	4.5
		CP	QPSK	1	1	24.00		24.27	1.5

NR TDD Band n78_50 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]	
						648334 Ch. 3725.01 MHz	651666 Ch. 3774.99 MHz		
50 MHz	30	DFT-s	pi/2 BPSK	1	1	25.14		25.09	0
				1	67	25.25		25.42	0
				1	131	25.25		25.23	0
				64	0	24.76		25.08	0.5
				64	35	25.31		25.48	0
				64	69	24.89		24.78	0.5
				128	0	24.80		24.89	0.5
			QPSK	1	1	25.03		25.42	0
				1	67	25.26		25.44	0
				1	131	25.18		25.23	0
				64	0	24.25		24.52	1
				64	35	25.31		25.45	0
				64	69	24.37		24.32	1
				128	0	24.24		24.37	1
			16QAM	1	1	24.13		24.45	1
			64QAM	1	1	22.69		23.05	2.5
			256QAM	1	1	20.24		20.63	4.5
		CP	QPSK	1	1	23.71		24.11	1.5

NR TDD Band n78_60 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
						650000 Ch. 3750 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1	25.32		0
				1	81	25.38		0
				1	160	25.43		0
				81	0	24.89		0.5
				81	41	25.45		0
				81	81	24.90		0.5
				162	0	24.90		0.5
			QPSK	1	1	25.15		0
				1	81	25.38		0
				1	160	25.37		0
				81	0	24.46		1
				81	41	25.41		0
				81	81	24.50		1
				162	0	24.49		1
			16QAM	1	1	24.12		1
			64QAM	1	1	22.73		2.5
			256QAM	1	1	20.33		4.5
		CP	QPSK	1	1	23.78		1.5

NR TDD Band n78_70 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							650000 Ch. 3750 MHz	
70 MHz	30	DFT-s	pi/2 BPSK	1	1		25.30	0
				1	95		25.29	0
				1	187		25.20	0
				90	0		24.77	0.5
				90	50		25.28	0
				90	99		24.68	0.5
				180	0		24.75	0.5
			QPSK	1	1		25.16	0
				1	95		25.21	0
				1	187		25.17	0
				90	0		24.27	1
				90	50		25.26	0
				90	99		24.25	1
				180	0		24.27	1
			16QAM	1	1		24.18	1
			64QAM	1	1		23.00	2.5
			256QAM	1	1		20.26	4.5
		CP	QPSK	1	1		23.74	1.5

NR TDD Band n78_80 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							650000 Ch. 3750 MHz	
80 MHz	30	DFT-s	pi/2 BPSK	1	1		25.22	0
				1	109		25.24	0
				1	215		25.23	0
				108	0		24.79	0.5
				108	55		25.32	0
				108	109		24.73	0.5
				216	0		24.76	0.5
			QPSK	1	1		25.17	0
				1	109		25.23	0
				1	215		25.13	0
				108	0		24.28	1
				108	55		25.24	0
				108	109		24.23	1
				216	0		24.26	1
			16QAM	1	1		24.10	1
			64QAM	1	1		22.80	2.5
			256QAM	1	1		20.28	4.5
		CP	QPSK	1	1		23.71	1.5

NR TDD Band n78_90 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							650000 Ch. 3750 MHz	
90 MHz	30	DFT-s	pi/2 BPSK	1	1		25.23	0
				1	123		25.30	0
				1	243		25.30	0
				120	0		24.82	0.5
				120	63		25.27	0
				120	125		24.74	0.5
				243	0		24.77	0.5
			QPSK	1	1		25.09	0
				1	123		25.21	0
				1	243		25.20	0
				120	0		24.30	1
				120	63		25.24	0
				120	125		24.25	1
				243	0		24.25	1
			16QAM	1	1		24.07	1
			64QAM	1	1		22.44	2.5
			256QAM	1	1		20.16	4.5
		CP	QPSK	1	1		23.62	1.5

NR TDD Band n78_100 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							650000 Ch. 3750 MHz	
100 MHz	30	DFT-s	pi/2 BPSK	1	1		25.17	0
				1	137		25.29	0
				1	271		25.31	0
				135	0		24.77	0.5
				135	69		25.33	0
				135	138		24.84	0.5
				270	0		24.72	0.5
			QPSK	1	1		25.13	0
				1	137		25.22	0
				1	271		25.27	0
				135	0		24.29	1
				135	69		25.31	0
				135	138		24.30	1
				270	0		24.23	1
			16QAM	1	1		24.12	1
			64QAM	1	1		22.38	2.5
			256QAM	1	1		20.20	4.5
		CP	QPSK	1	1		23.89	1.5

NR TDD Band n78 DoD Conducted Power (Power Class 2)_Pmax _ANT.G[SUB3]

NR TDD Band n78 DoD_10 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630334 Ch. 3455.01 MHz	633334 Ch. 3500.01 MHz	636332 Ch. 3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	26.40	26.16	26.07	0
				1	12	26.40	26.26	26.08	0
				1	22	26.37	26.26	26.08	0
				12	0	25.94	25.85	25.66	0.5
				12	6	26.40	26.21	26.10	0
				12	12	25.88	25.84	25.62	0.5
				24	0	25.88	25.86	25.64	0.5
			QPSK	1	1	26.36	26.15	26.06	0
				1	12	26.39	26.20	26.06	0
				1	22	26.37	26.09	26.09	0
				12	0	25.39	25.39	25.12	1
				12	6	26.38	26.31	26.09	0
				12	12	25.46	25.29	25.16	1
				24	0	25.41	25.27	25.18	1
			16QAM	1	1	25.42	25.25	25.12	1
			64QAM	1	1	24.19	24.03	23.70	2.5
			256QAM	1	1	21.48	21.32	21.30	4.5
		CP	QPSK	1	1	24.87	24.67	24.62	1.5

NR TDD Band n78 DoD_15 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630500 Ch. 3457.5 MHz	633334 Ch. 3500.01 MHz	636116 Ch. 3542.49 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	26.49	26.38	26.15	0
				1	18	26.55	26.29	26.13	0
				1	36	26.48	26.36	26.13	0
				18	0	26.09	25.89	25.72	0.5
				18	10	26.47	26.34	26.09	0
				18	20	25.97	25.79	25.68	0.5
				36	0	25.97	25.84	25.61	0.5
			QPSK	1	1	26.47	26.33	26.13	0
				1	18	26.47	26.19	26.10	0
				1	36	26.44	26.31	26.06	0
				18	0	25.50	25.31	25.19	1
				18	10	26.44	26.25	26.11	0
				18	20	25.55	25.31	25.22	1
				36	0	25.56	25.34	25.16	1
			16QAM	1	1	25.56	25.37	25.15	1
			64QAM	1	1	23.91	23.65	23.47	2.5
			256QAM	1	1	21.64	21.44	21.19	4.5
		CP	QPSK	1	1	25.03	24.86	24.66	1.5

NR TDD Band n78 DoD_20 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630668 Ch. 3460.02 MHz	633334 Ch. 3500.01 MHz	63600 Ch. 3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	26.57	26.43	26.44	0
				1	26	26.52	26.27	26.31	0
				1	49	26.52	26.30	26.33	0
				25	0	26.10	25.90	25.90	0.5
				25	13	26.50	26.28	26.38	0
				25	26	26.11	25.85	25.85	0.5
				50	0	26.07	25.82	25.89	0.5
			QPSK	1	1	26.55	26.36	26.39	0
				1	26	26.46	26.23	26.21	0
				1	49	26.48	26.22	26.31	0
				25	0	25.60	25.37	25.40	1
				25	13	26.49	26.24	26.24	0
				25	26	25.57	25.37	25.38	1
				50	0	25.56	25.32	25.38	1
			16QAM	1	1	25.58	25.41	25.36	1
			64QAM	1	1	24.35	24.18	24.12	2.5
			256QAM	1	1	21.63	21.47	21.47	4.5
		CP	QPSK	1	1	25.11	24.95	24.88	1.5

NR TDD Band n78 DoD_25 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630866 Ch. 3462.99 MHz	633334 Ch. 3500.01 MHz	635800 Ch. 3537 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	26.97	26.67	26.51	0
				1	32	26.61	26.28	26.07	0
				1	63	26.90	26.63	26.42	0
				32	0	26.14	25.90	25.63	0.5
				32	17	26.59	26.34	26.10	0
				32	33	26.15	25.84	25.64	0.5
				64	0	26.13	25.87	25.60	0.5
			QPSK	1	1	26.94	26.71	26.43	0
				1	32	26.43	26.25	25.96	0
				1	63	26.88	26.56	26.37	0
				32	0	25.69	25.42	25.18	1
				32	17	26.59	26.28	26.04	0
				32	33	25.66	25.35	25.12	1
				64	0	25.67	25.37	25.20	1
			16QAM	1	1	25.87	25.73	25.52	1
			64QAM	1	1	24.42	24.35	24.03	2.5
			256QAM	1	1	22.17	21.90	21.66	4.5
		CP	QPSK	1	1	25.30	25.28	25.00	1.5

NR TDD Band n78 DoD_30 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						631000 Ch. 3465 MHz	633334 Ch. 3500.01 MHz	635666 Ch. 3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	26.57	26.41	26.37	0
				1	39	26.49	26.47	26.30	0
				1	76	26.47	26.42	26.26	0
				36	0	26.11	25.94	25.95	0.5
				36	21	26.53	26.37	26.31	0
				36	42	26.01	25.94	25.80	0.5
				75	0	26.02	25.99	25.86	0.5
			QPSK	1	1	26.49	26.46	26.46	0
				1	39	26.39	26.37	26.17	0
				1	76	26.46	26.33	26.24	0
				36	0	25.59	25.52	25.41	1
				36	21	26.53	26.40	26.28	0
				36	42	25.51	25.42	25.26	1
				75	0	25.56	25.45	25.34	1
			16QAM	1	1	25.56	25.42	25.35	1
			64QAM	1	1	24.13	24.03	23.99	2.5
			256QAM	1	1	21.72	21.59	21.54	4.5
		CP	QPSK	1	1	25.07	24.99	24.93	1.5

NR TDD Band n78 DoD_40 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
						631334 Ch. 3470.01 MHz	635332 Ch. 3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	26.76	26.36	0
				1	53	26.59	26.28	0
				1	104	26.66	26.19	0
				50	0	26.24	25.87	0.5
				50	28	26.58	26.32	0
				50	56	26.08	25.77	0.5
				100	0	26.18	25.86	0.5
			QPSK	1	1	26.71	26.33	0
				1	53	26.58	26.14	0
				1	104	26.47	26.16	0
				50	0	25.73	25.36	1
				50	28	26.61	26.22	0
				50	56	25.54	25.24	1
				100	0	25.65	25.30	1
			16QAM	1	1	25.78	25.50	1
			64QAM	1	1	23.97	24.01	2.5
			256QAM	1	1	21.87	21.47	4.5
		CP	QPSK	1	1	25.25	25.02	1.5

NR TDD Band n78 DoD_50 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						631668 Ch. 3475.02 MHz		635000 Ch. 3525 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	26.41		26.13	0
				1	67	26.25		25.99	0
				1	131	26.22		25.99	0
				64	0	25.86		25.57	0.5
				64	35	26.31		26.05	0
				64	69	25.79		25.52	0.5
				128	0	25.81		25.54	0.5
			QPSK	1	1	26.30		26.05	0
				1	67	26.26		25.92	0
				1	131	26.23		25.84	0
				64	0	25.36		25.02	1
				64	35	26.33		26.00	0
				64	69	25.33		25.04	1
				128	0	25.37		25.03	1
			16QAM	1	1	25.35		25.17	1
			64QAM	1	1	24.08		23.75	2.5
			256QAM	1	1	21.42		21.24	4.5
		CP	QPSK	1	1	24.85		24.58	1.5

NR TDD Band n78 DoD_60 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
						633334 Ch. 3500.01 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		26.39	0
				1	81		26.22	0
				1	160		25.97	0
				81	0		25.79	0.5
				81	41		26.26	0
				81	81		25.71	0.5
				162	0		25.70	0.5
			QPSK	1	1		26.35	0
				1	81		26.21	0
				1	160		26.07	0
				81	0		25.36	1
				81	41		26.26	0
				81	81		25.23	1
				162	0		25.32	1
			16QAM	1	1		25.30	1
			64QAM	1	1		24.15	2.5
			256QAM	1	1		21.41	4.5
		CP	QPSK	1	1		24.82	1.5

NR TDD Band n78 DoD_70 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
70 MHz	30	DFT-s	pi/2 BPSK	1	1		26.26	0
				1	95		26.06	0
				1	187		25.88	0
				90	0		25.64	0.5
				90	50		26.08	0
				90	99		25.49	0.5
				180	0		25.59	0.5
			QPSK	1	1		26.25	0
				1	95		26.04	0
				1	187		25.79	0
				90	0		25.19	1
				90	50		26.13	0
				90	99		25.00	1
				180	0		25.08	1
			16QAM	1	1		25.20	1
			64QAM	1	1		23.91	2.5
			256QAM	1	1		21.31	4.5
		CP	QPSK	1	1		24.75	1.5

NR TDD Band n78 DoD_80 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
80 MHz	30	DFT-s	pi/2 BPSK	1	1		26.19	0
				1	109		26.15	0
				1	215		25.81	0
				108	0		25.76	0.5
				108	55		26.06	0
				108	109		25.53	0.5
				216	0		25.55	0.5
			QPSK	1	1		26.24	0
				1	109		26.03	0
				1	215		25.80	0
				108	0		25.18	1
				108	55		26.10	0
				108	109		25.00	1
				216	0		25.09	1
			16QAM	1	1		25.27	1
			64QAM	1	1		23.99	2.5
			256QAM	1	1		21.29	4.5
		CP	QPSK	1	1		24.67	1.5

NR TDD Band n78 DoD_90 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
90 MHz	30	DFT-s	pi/2 BPSK	1	1		26.18	0
				1	123		25.99	0
				1	243		25.81	0
				120	0		25.75	0.5
				120	63		26.10	0
				120	125		25.44	0.5
				243	0		25.57	0.5
			QPSK	1	1		26.17	0
				1	123		26.01	0
				1	243		25.76	0
				120	0		25.20	1
				120	63		26.08	0
				120	125		24.93	1
				243	0		25.05	1
			16QAM	1	1		25.14	1
			64QAM	1	1		23.51	2.5
			256QAM	1	1		21.37	4.5
		CP	QPSK	1	1		24.73	1.5

NR TDD Band n78 DoD_100 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
100 MHz	30	DFT-s	pi/2 BPSK	1	1		26.19	0
				1	137		26.04	0
				1	271		25.81	0
				135	0		25.70	0.5
				135	69		26.11	0
				135	138		25.45	0.5
				270	0		25.56	0.5
			QPSK	1	1		26.12	0
				1	137		26.00	0
				1	271		25.79	0
				135	0		25.24	1
				135	69		26.06	0
				135	138		24.97	1
				270	0		25.02	1
			16QAM	1	1		25.16	1
			64QAM	1	1		23.43	2.5
			256QAM	1	1		21.30	4.5
		CP	QPSK	1	1		24.84	1.5