

Appendix J. – LTE Band Plimit Conducted Power

J.1 LTE Plimit Conducted Power

LTE FDD Band 2 Conducted Power_Free(DSI=0) _ANT.A[MAIN1]

LTE FDD Band 2_1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18607 Ch. 1850.7 MHz	18900 Ch. 1880 MHz	19193 Ch. 1909.3 MHz		
1.4 MHz	QPSK	1	0	18.26	18.22	18.23	0	0
		1	3	18.26	18.19	18.22	0	0
		1	5	18.27	18.19	18.26	0	0
		3	0	18.17	18.22	18.22	0 - 1	0
		3	1	18.25	18.27	18.22	0 - 1	0
		3	3	18.22	18.18	18.21	0 - 1	0
		6	0	18.22	18.27	18.17	0 - 1	0
	16QAM	1	0	18.55	18.31	18.40	0 - 1	0
		1	3	18.43	18.40	18.58	0 - 1	0
		1	5	18.34	18.36	18.44	0 - 1	0
		3	0	18.40	18.41	18.29	0 - 2	0
		3	1	18.43	18.38	18.23	0 - 2	0
		3	3	18.43	18.44	18.25	0 - 2	0
		6	0	18.29	18.20	18.26	0 - 2	0
	64QAM	1	0	18.26	18.32	18.35	0 - 2	0
		1	3	18.42	18.49	18.35	0 - 2	0
		1	5	18.38	18.16	18.35	0 - 2	0
		3	0	18.33	18.30	18.30	0 - 3	0
		3	1	18.31	18.21	18.49	0 - 3	0
		3	3	18.24	18.20	18.36	0 - 3	0
		6	0	18.26	18.27	18.28	0 - 3	0
	256QAM	1	0	18.29	18.28	18.21	0 - 5	0
		1	3	18.36	18.18	18.47	0 - 5	0
		1	5	18.25	18.13	18.34	0 - 5	0
		3	0	18.25	18.21	18.17	0 - 5	0
		3	1	18.28	18.30	18.20	0 - 5	0
		3	3	18.23	18.30	18.21	0 - 5	0
		6	0	18.27	18.23	18.21	0 - 5	0

LTE FDD Band 2_3 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18615 Ch. 1851.5 MHz	18900 Ch. 1880 MHz	19185 Ch. 1908.5 MHz		
3 MHz	QPSK	1	0	18.21	18.20	18.16	0	0
		1	7	18.31	18.29	18.27	0	0
		1	14	18.14	18.21	18.18	0	0
		8	0	18.31	18.16	18.18	0 - 1	0
		8	3	18.30	18.33	18.20	0 - 1	0
		8	7	18.27	18.22	18.23	0 - 1	0
		15	0	18.25	18.25	18.18	0 - 1	0
	16QAM	1	0	18.48	18.31	18.39	0 - 1	0
		1	7	18.47	18.53	18.43	0 - 1	0
		1	14	18.43	18.34	18.40	0 - 1	0
		8	0	18.35	18.24	18.24	0 - 2	0
		8	3	18.30	18.36	18.25	0 - 2	0
		8	7	18.34	18.24	18.28	0 - 2	0
		15	0	18.23	18.26	18.22	0 - 2	0
	64QAM	1	0	18.29	18.31	18.25	0 - 2	0
		1	7	18.35	18.46	18.44	0 - 2	0
		1	14	18.51	18.37	18.33	0 - 2	0
		8	0	18.33	18.25	18.22	0 - 3	0
		8	3	18.28	18.36	18.21	0 - 3	0
		8	7	18.28	18.21	18.29	0 - 3	0
		15	0	18.28	18.22	18.21	0 - 3	0
	256QAM	1	0	18.31	18.20	18.08	0 - 5	0
		1	7	18.24	18.45	18.36	0 - 5	0
		1	14	18.30	18.18	18.25	0 - 5	0
		8	0	18.29	18.15	18.16	0 - 5	0
		8	3	18.28	18.30	18.19	0 - 5	0
		8	7	18.32	18.26	18.24	0 - 5	0
		15	0	18.23	18.34	18.17	0 - 5	0

LTE FDD Band 2_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18625 Ch. 1852.5 MHz	18900 Ch. 1880 MHz	19175 Ch. 1907.5 MHz		
5 MHz	QPSK	1	0	18.30	18.41	18.21	0	0
		1	12	18.37	18.32	18.32	0	0
		1	24	18.28	18.32	18.15	0	0
		12	0	18.32	18.26	18.15	0 - 1	0
		12	6	18.36	18.33	18.28	0 - 1	0
		12	11	18.29	18.28	18.28	0 - 1	0
		25	0	18.27	18.30	18.16	0 - 1	0
	16QAM	1	0	18.46	18.49	18.42	0 - 1	0
		1	12	18.51	18.84	18.58	0 - 1	0
		1	24	18.34	18.35	18.47	0 - 1	0
		12	0	18.30	18.24	18.22	0 - 2	0
		12	6	18.33	18.38	18.22	0 - 2	0
		12	11	18.35	18.33	18.31	0 - 2	0
		25	0	18.28	18.28	18.19	0 - 2	0
	64QAM	1	0	18.42	18.26	18.41	0 - 2	0
		1	12	18.43	18.56	18.42	0 - 2	0
		1	24	18.52	18.37	18.31	0 - 2	0
		12	0	18.23	18.23	18.24	0 - 3	0
		12	6	18.28	18.38	18.28	0 - 3	0
		12	11	18.29	18.34	18.27	0 - 3	0
		25	0	18.24	18.30	18.26	0 - 3	0
	256QAM	1	0	18.38	18.16	18.09	0 - 5	0
		1	12	18.36	18.34	18.48	0 - 5	0
		1	24	18.31	18.27	18.37	0 - 5	0
		12	0	18.26	18.13	18.11	0 - 5	0
		12	6	18.29	18.33	18.18	0 - 5	0
		12	11	18.23	18.32	18.23	0 - 5	0
		25	0	18.27	18.20	18.15	0 - 5	0

LTE FDD Band 2_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18650 Ch. 1855 MHz	18900 Ch. 1880 MHz	19150 Ch. 1905 MHz		
10 MHz	QPSK	1	0	18.32	18.27	18.26	0	0
		1	24	18.34	18.28	18.27	0	0
		1	49	18.30	18.17	18.23	0	0
		25	0	18.32	18.20	18.17	0 - 1	0
		25	12	18.31	18.31	18.24	0 - 1	0
		25	24	18.35	18.31	18.30	0 - 1	0
		50	0	18.31	18.28	18.20	0 - 1	0
	16QAM	1	0	18.50	18.37	18.39	0 - 1	0
		1	24	18.40	18.43	18.50	0 - 1	0
		1	49	18.46	18.42	18.33	0 - 1	0
		25	0	18.31	18.25	18.23	0 - 2	0
		25	12	18.33	18.32	18.24	0 - 2	0
		25	24	18.27	18.25	18.33	0 - 2	0
		50	0	18.33	18.34	18.31	0 - 2	0
	64QAM	1	0	18.35	18.21	18.28	0 - 2	0
		1	24	18.45	18.49	18.32	0 - 2	0
		1	49	18.36	18.33	18.43	0 - 2	0
		25	0	18.28	18.31	18.12	0 - 3	0
		25	12	18.36	18.31	18.19	0 - 3	0
		25	24	18.32	18.28	18.29	0 - 3	0
		50	0	18.29	18.24	18.24	0 - 3	0
	256QAM	1	0	18.35	18.25	18.11	0 - 5	0
		1	24	18.21	18.39	18.34	0 - 5	0
		1	49	18.23	18.28	18.28	0 - 5	0
		25	0	18.28	18.17	18.17	0 - 5	0
		25	12	18.27	18.28	18.15	0 - 5	0
		25	24	18.26	18.30	18.26	0 - 5	0
		50	0	18.25	18.25	18.10	0 - 5	0

LTE FDD Band 2_15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18675 Ch. 1857.5 MHz	18900 Ch. 1880 MHz	19125 Ch. 1902.5 MHz		
15 MHz	QPSK	1	0	18.20	18.18	18.29	0	0
		1	36	18.02	18.24	18.11	0	0
		1	74	18.09	18.03	18.05	0	0
		36	0	18.18	18.03	18.01	0 - 1	0
		36	18	18.08	18.03	18.06	0 - 1	0
		36	39	18.18	18.15	18.10	0 - 1	0
		75	0	18.18	18.14	18.00	0 - 1	0
	16QAM	1	0	18.16	18.22	18.26	0 - 1	0
		1	36	18.40	18.20	18.13	0 - 1	0
		1	74	18.47	18.19	18.11	0 - 1	0
		36	0	18.18	17.95	18.05	0 - 2	0
		36	18	18.10	18.09	18.08	0 - 2	0
		36	39	18.10	18.16	18.11	0 - 2	0
		75	0	18.10	18.17	18.06	0 - 2	0
	64QAM	1	0	18.26	18.09	18.30	0 - 2	0
		1	36	18.19	18.16	18.10	0 - 2	0
		1	74	18.08	18.15	18.31	0 - 2	0
		36	0	18.13	18.00	17.99	0 - 3	0
		36	18	18.03	18.12	18.00	0 - 3	0
		36	39	18.14	18.12	18.08	0 - 3	0
		75	0	18.13	18.14	18.16	0 - 3	0
	256QAM	1	0	18.19	18.14	17.98	0 - 5	0
		1	36	18.30	18.13	18.19	0 - 5	0
		1	74	18.23	18.18	18.20	0 - 5	0
		36	0	18.04	18.05	18.08	0 - 5	0
		36	18	18.20	18.03	18.01	0 - 5	0
		36	39	18.05	18.14	18.12	0 - 5	0
		75	0	18.11	18.19	18.05	0 - 5	0

LTE FDD Band 2_20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18700 Ch. 1860 MHz	18900 Ch. 1880 MHz	19100 Ch. 1900 MHz		
20 MHz	QPSK	1	0	17.98	18.13	18.15	0	0
		1	49	18.05	17.97	18.07	0	0
		1	99	18.11	17.82	18.14	0	0
		50	0	18.04	17.96	18.00	0 - 1	0
		50	25	18.23	18.18	18.07	0 - 1	0
		50	49	18.14	18.15	18.04	0 - 1	0
		100	0	18.11	18.07	18.08	0 - 1	0
	16QAM	1	0	18.26	18.50	18.29	0 - 1	0
		1	49	18.20	18.21	18.20	0 - 1	0
		1	99	18.20	18.16	18.21	0 - 1	0
		50	0	18.07	18.07	18.11	0 - 2	0
		50	25	18.12	18.15	18.05	0 - 2	0
		50	49	18.22	18.11	18.15	0 - 2	0
		100	0	18.10	18.14	18.08	0 - 2	0
	64QAM	1	0	18.32	18.17	18.21	0 - 2	0
		1	49	18.13	18.22	18.18	0 - 2	0
		1	99	18.12	18.11	18.17	0 - 2	0
		50	0	18.08	18.05	18.07	0 - 3	0
		50	25	18.09	18.11	18.07	0 - 3	0
		50	49	18.10	18.09	18.14	0 - 3	0
		100	0	18.17	18.12	18.07	0 - 3	0
	256QAM	1	0	18.10	17.98	17.96	0 - 5	0
		1	49	17.94	18.24	18.27	0 - 5	0
		1	99	18.16	18.01	18.19	0 - 5	0
		50	0	18.08	18.11	18.09	0 - 5	0
		50	25	18.16	18.12	18.13	0 - 5	0
		50	49	18.10	18.09	18.21	0 - 5	0
		100	0	18.15	18.15	18.03	0 - 5	0

LTE FDD Band 2 Conducted Power_Pmax, RCV(DSI=1) _ANT.A[MAIN1]

LTE FDD Band 2_1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18607 Ch. 1850.7 MHz	18900 Ch. 1880 MHz	19193 Ch. 1909.3 MHz		
1.4 MHz	QPSK	1	0	24.03	24.16	24.19	0	0
		1	3	24.28	24.11	24.09	0	0
		1	5	24.12	24.13	24.13	0	0
		3	0	24.14	24.13	24.06	0 - 1	0
		3	1	24.18	24.06	24.19	0 - 1	0
		3	3	24.11	24.14	24.08	0 - 1	0
		6	0	23.15	23.04	23.10	0 - 1	1
	16QAM	1	0	23.53	23.21	23.32	0 - 1	1
		1	3	23.38	23.38	23.39	0 - 1	1
		1	5	23.48	23.48	23.22	0 - 1	1
		3	0	23.28	23.17	23.22	0 - 2	1
		3	1	23.47	23.23	23.42	0 - 2	1
		3	3	23.24	23.19	23.30	0 - 2	1
		6	0	22.17	22.16	22.24	0 - 2	2
	64QAM	1	0	22.19	22.29	22.27	0 - 2	2
		1	3	22.19	22.27	22.36	0 - 2	2
		1	5	22.42	22.25	22.38	0 - 2	2
		3	0	22.19	22.39	22.24	0 - 3	2
		3	1	22.14	22.30	22.27	0 - 3	2
		3	3	22.14	22.22	22.16	0 - 3	2
		6	0	21.20	21.15	21.09	0 - 3	3
	256QAM	1	0	19.13	19.15	19.23	0 - 5	5
		1	3	19.21	19.21	19.16	0 - 5	5
		1	5	19.20	19.12	19.24	0 - 5	5
		3	0	19.10	19.06	19.23	0 - 5	5
		3	1	19.23	19.17	19.20	0 - 5	5
		3	3	19.05	19.19	19.12	0 - 5	5
		6	0	19.15	19.07	19.08	0 - 5	5

LTE FDD Band 2_3 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18615 Ch. 1851.5 MHz	18900 Ch. 1880 MHz	19185 Ch. 1908.5 MHz		
3 MHz	QPSK	1	0	24.05	24.06	24.03	0	0
		1	7	24.16	24.16	24.16	0	0
		1	14	24.12	24.02	24.07	0	0
		8	0	23.12	23.04	23.11	0 - 1	1
		8	3	23.21	23.11	23.09	0 - 1	1
		8	7	23.14	23.18	23.14	0 - 1	1
		15	0	23.19	23.11	23.06	0 - 1	1
	16QAM	1	0	23.27	23.27	23.30	0 - 1	1
		1	7	23.54	23.30	23.44	0 - 1	1
		1	14	23.37	23.33	23.52	0 - 1	1
		8	0	22.16	22.09	22.09	0 - 2	2
		8	3	22.21	22.18	22.16	0 - 2	2
		8	7	22.20	22.20	22.16	0 - 2	2
		15	0	22.18	22.18	22.09	0 - 2	2
	64QAM	1	0	22.23	22.55	22.52	0 - 2	2
		1	7	22.24	22.34	22.25	0 - 2	2
		1	14	22.42	22.18	22.25	0 - 2	2
		8	0	21.18	21.08	21.04	0 - 3	3
		8	3	21.20	21.13	21.09	0 - 3	3
		8	7	21.17	21.20	21.16	0 - 3	3
		15	0	21.17	21.11	21.14	0 - 3	3
	256QAM	1	0	19.36	19.05	19.04	0 - 5	5
		1	7	19.22	19.21	19.22	0 - 5	5
		1	14	19.13	19.12	19.10	0 - 5	5
		8	0	19.17	19.02	19.06	0 - 5	5
		8	3	19.19	19.19	19.10	0 - 5	5
		8	7	19.13	19.13	19.17	0 - 5	5
		15	0	19.20	19.15	19.07	0 - 5	5

LTE FDD Band 2_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18625 Ch. 1852.5 MHz	18900 Ch. 1880 MHz	19175 Ch. 1907.5 MHz		
5 MHz	QPSK	1	0	24.22	24.01	24.08	0	0
		1	12	24.14	24.13	24.08	0	0
		1	24	24.07	24.10	24.12	0	0
		12	0	23.14	23.02	23.09	0 - 1	1
		12	6	23.21	23.23	23.10	0 - 1	1
		12	11	23.16	23.16	23.15	0 - 1	1
		25	0	23.17	23.08	23.09	0 - 1	1
	16QAM	1	0	23.31	23.29	23.39	0 - 1	1
		1	12	23.43	23.29	23.57	0 - 1	1
		1	24	23.37	23.32	23.51	0 - 1	1
		12	0	22.19	22.05	22.07	0 - 2	2
		12	6	22.19	22.16	22.08	0 - 2	2
		12	11	22.17	22.12	22.20	0 - 2	2
		25	0	22.16	22.11	22.11	0 - 2	2
	64QAM	1	0	22.21	22.17	22.27	0 - 2	2
		1	12	22.26	22.40	22.30	0 - 2	2
		1	24	22.33	22.32	22.36	0 - 2	2
		12	0	21.20	21.07	21.12	0 - 3	3
		12	6	21.14	21.19	21.07	0 - 3	3
		12	11	21.20	21.14	21.14	0 - 3	3
		25	0	21.12	21.14	20.98	0 - 3	3
	256QAM	1	0	19.19	19.12	19.12	0 - 5	5
		1	12	19.27	19.22	19.22	0 - 5	5
		1	24	19.23	19.16	19.11	0 - 5	5
		12	0	19.14	19.09	19.08	0 - 5	5
		12	6	19.23	19.12	19.05	0 - 5	5
		12	11	19.18	19.09	19.11	0 - 5	5
		25	0	19.14	19.14	19.04	0 - 5	5

LTE FDD Band 2_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18650 Ch. 1855 MHz	18900 Ch. 1880 MHz	19150 Ch. 1905 MHz		
10 MHz	QPSK	1	0	24.13	24.05	24.16	0	0
		1	24	24.15	24.08	24.16	0	0
		1	49	24.08	24.12	24.11	0	0
		25	0	23.19	23.02	23.08	0 - 1	1
		25	12	23.19	23.17	23.09	0 - 1	1
		25	24	23.20	23.10	23.16	0 - 1	1
		50	0	23.19	23.16	23.08	0 - 1	1
	16QAM	1	0	23.31	23.60	23.31	0 - 1	1
		1	24	23.47	23.39	23.44	0 - 1	1
		1	49	23.13	23.38	23.42	0 - 1	1
		25	0	22.13	22.08	22.02	0 - 2	2
		25	12	22.16	22.20	22.18	0 - 2	2
		25	24	22.12	22.19	22.21	0 - 2	2
		50	0	22.17	22.16	22.07	0 - 2	2
	64QAM	1	0	22.30	22.31	22.33	0 - 2	2
		1	24	22.45	22.29	22.24	0 - 2	2
		1	49	22.48	22.28	22.29	0 - 2	2
		25	0	21.08	20.99	21.07	0 - 3	3
		25	12	21.24	21.23	21.06	0 - 3	3
		25	24	21.06	21.14	21.22	0 - 3	3
		50	0	21.15	21.16	21.06	0 - 3	3
	256QAM	1	0	19.15	19.13	19.14	0 - 5	5
		1	24	19.17	19.28	19.37	0 - 5	5
		1	49	19.18	19.25	19.14	0 - 5	5
		25	0	19.15	19.12	19.01	0 - 5	5
		25	12	19.17	19.18	19.12	0 - 5	5
		25	24	19.14	19.19	19.13	0 - 5	5
		50	0	19.08	19.12	19.10	0 - 5	5

LTE FDD Band 2_15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18675 Ch. 1857.5 MHz	18900 Ch. 1880 MHz	19125 Ch. 1902.5 MHz		
15 MHz	QPSK	1	0	23.88	23.90	23.97	0	0
		1	36	24.00	23.98	23.96	0	0
		1	74	24.02	24.00	23.90	0	0
		36	0	23.04	22.93	22.90	0 - 1	1
		36	18	23.02	22.91	22.85	0 - 1	1
		36	39	22.99	23.01	23.00	0 - 1	1
		75	0	23.02	23.01	23.00	0 - 1	1
	16QAM	1	0	23.31	23.02	23.12	0 - 1	1
		1	36	23.14	23.10	23.09	0 - 1	1
		1	74	23.19	23.17	23.26	0 - 1	1
		36	0	21.99	21.97	21.94	0 - 2	2
		36	18	22.04	21.92	21.92	0 - 2	2
		36	39	21.98	22.02	22.06	0 - 2	2
		75	0	21.96	22.01	21.94	0 - 2	2
	64QAM	1	0	22.20	22.19	21.93	0 - 2	2
		1	36	22.09	22.02	22.05	0 - 2	2
		1	74	21.99	22.11	22.13	0 - 2	2
		36	0	21.00	20.96	20.87	0 - 3	3
		36	18	21.00	20.94	20.93	0 - 3	3
		36	39	21.02	21.07	20.96	0 - 3	3
		75	0	21.02	21.05	20.97	0 - 3	3
	256QAM	1	0	19.00	18.97	19.05	0 - 5	5
		1	36	18.96	19.15	19.00	0 - 5	5
		1	74	19.13	19.06	19.21	0 - 5	5
		36	0	19.04	18.87	18.96	0 - 5	5
		36	18	19.04	18.83	18.91	0 - 5	5
		36	39	19.04	18.98	19.00	0 - 5	5
		75	0	19.08	19.01	18.93	0 - 5	5

LTE FDD Band 2_20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18700 Ch. 1860 MHz	18900 Ch. 1880 MHz	19100 Ch. 1900 MHz		
20 MHz	QPSK	1	0	24.09	24.05	24.36	0	0
		1	49	23.97	24.08	23.91	0	0
		1	99	24.05	23.75	24.12	0	0
		50	0	22.90	22.97	22.91	0 - 1	1
		50	25	23.02	23.07	22.90	0 - 1	1
		50	49	22.97	23.06	23.05	0 - 1	1
		100	0	23.04	23.05	23.00	0 - 1	1
	16QAM	1	0	23.13	23.13	23.35	0 - 1	1
		1	49	23.26	23.12	23.20	0 - 1	1
		1	99	23.27	22.99	23.07	0 - 1	1
		50	0	21.94	21.95	21.93	0 - 2	2
		50	25	22.01	21.94	21.96	0 - 2	2
		50	49	21.99	22.05	22.12	0 - 2	2
		100	0	22.03	22.00	21.98	0 - 2	2
	64QAM	1	0	22.08	21.97	22.01	0 - 2	2
		1	49	22.03	22.15	22.22	0 - 2	2
		1	99	22.14	22.25	22.07	0 - 2	2
		50	0	20.98	20.93	21.00	0 - 3	3
		50	25	21.01	21.04	20.95	0 - 3	3
		50	49	21.00	20.98	21.03	0 - 3	3
		100	0	21.05	20.99	21.05	0 - 3	3
	256QAM	1	0	18.99	18.80	18.90	0 - 5	5
		1	49	19.00	19.10	18.80	0 - 5	5
		1	99	18.91	19.20	19.14	0 - 5	5
		50	0	18.94	18.91	18.95	0 - 5	5
		50	25	19.09	18.99	19.00	0 - 5	5
		50	49	19.05	19.02	19.11	0 - 5	5
		100	0	18.98	19.01	18.98	0 - 5	5

LTE FDD Band 2 Conducted Power_Free(DSI=0), RCV(DSI=1) _ANT.F[SUB2-2]

LTE FDD Band 2_1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18607 Ch. 1850.7 MHz	18900 Ch. 1880 MHz	19193 Ch. 1909.3 MHz		
1.4 MHz	QPSK	1	0	17.68	17.71	17.67	0	0
		1	3	17.70	17.82	17.74	0	0
		1	5	17.50	17.53	17.42	0	0
		3	0	17.81	17.82	17.82	0 - 1	0
		3	1	17.72	17.76	17.75	0 - 1	0
		3	3	17.73	17.79	17.72	0 - 1	0
		6	0	17.66	17.73	17.73	0 - 1	0
	16QAM	1	0	17.97	18.03	18.01	0 - 1	0
		1	3	18.30	18.39	18.36	0 - 1	0
		1	5	17.88	17.98	17.91	0 - 1	0
		3	0	17.74	17.85	17.83	0 - 2	0
		3	1	17.66	17.70	17.74	0 - 2	0
		3	3	17.74	17.79	17.78	0 - 2	0
		6	0	17.84	17.85	17.77	0 - 2	0
	64QAM	1	0	17.73	17.78	17.79	0 - 2	0
		1	3	17.94	18.01	17.94	0 - 2	0
		1	5	17.51	17.61	17.54	0 - 2	0
		3	0	17.80	17.81	17.81	0 - 3	0
		3	1	17.75	17.87	17.79	0 - 3	0
		3	3	17.74	17.76	17.65	0 - 3	0
		6	0	17.73	17.76	17.68	0 - 3	0
	256QAM	1	0	17.99	17.98	17.94	0 - 5	0
		1	3	17.80	17.89	17.78	0 - 5	0
		1	5	17.63	17.73	17.69	0 - 5	0
		3	0	17.80	17.79	17.74	0 - 5	0
		3	1	17.65	17.73	17.71	0 - 5	0
		3	3	17.68	17.75	17.67	0 - 5	0
		6	0	17.83	17.83	17.80	0 - 5	0

LTE FDD Band 2_3 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18615 Ch. 1851.5 MHz	18900 Ch. 1880 MHz	19185 Ch. 1908.5 MHz		
3 MHz	QPSK	1	0	17.64	17.69	17.61	0	0
		1	7	17.77	17.80	17.70	0	0
		1	14	17.48	17.49	17.43	0	0
		8	0	17.85	17.81	17.81	0 - 1	0
		8	3	17.74	17.76	17.71	0 - 1	0
		8	7	17.76	17.75	17.67	0 - 1	0
		15	0	17.66	17.71	17.76	0 - 1	0
	16QAM	1	0	17.97	18.08	18.01	0 - 1	0
		1	7	18.31	18.33	18.41	0 - 1	0
		1	14	17.92	18.00	17.89	0 - 1	0
		8	0	17.82	17.89	17.84	0 - 2	0
		8	3	17.65	17.77	17.73	0 - 2	0
		8	7	17.73	17.77	17.80	0 - 2	0
		15	0	17.84	17.88	17.84	0 - 2	0
	64QAM	1	0	17.80	17.79	17.78	0 - 2	0
		1	7	17.90	18.03	17.94	0 - 2	0
		1	14	17.51	17.55	17.56	0 - 2	0
		8	0	17.78	17.87	17.80	0 - 3	0
		8	3	17.75	17.85	17.73	0 - 3	0
		8	7	17.71	17.73	17.68	0 - 3	0
		15	0	17.74	17.75	17.74	0 - 3	0
	256QAM	1	0	17.92	17.92	17.87	0 - 5	0
		1	7	17.85	17.84	17.78	0 - 5	0
		1	14	17.64	17.74	17.70	0 - 5	0
		8	0	17.79	17.83	17.82	0 - 5	0
		8	3	17.64	17.73	17.70	0 - 5	0
		8	7	17.65	17.75	17.69	0 - 5	0
		15	0	17.83	17.80	17.81	0 - 5	0

LTE FDD Band 2_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18625 Ch. 1852.5 MHz	18900 Ch. 1880 MHz	19175 Ch. 1907.5 MHz		
5 MHz	QPSK	1	0	17.64	17.71	17.66	0	0
		1	12	17.76	17.77	17.75	0	0
		1	24	17.46	17.53	17.40	0	0
		12	0	17.82	17.85	17.83	0 - 1	0
		12	6	17.74	17.73	17.72	0 - 1	0
		12	11	17.71	17.77	17.73	0 - 1	0
		25	0	17.69	17.76	17.74	0 - 1	0
	16QAM	1	0	17.99	18.07	18.08	0 - 1	0
		1	12	18.33	18.35	18.38	0 - 1	0
		1	24	17.86	18.00	17.91	0 - 1	0
		12	0	17.79	17.87	17.84	0 - 2	0
		12	6	17.68	17.73	17.70	0 - 2	0
		12	11	17.76	17.85	17.73	0 - 2	0
		25	0	17.80	17.82	17.82	0 - 2	0
	64QAM	1	0	17.80	17.80	17.73	0 - 2	0
		1	12	17.97	18.03	17.97	0 - 2	0
		1	24	17.54	17.60	17.60	0 - 2	0
		12	0	17.79	17.80	17.78	0 - 3	0
		12	6	17.79	17.86	17.75	0 - 3	0
		12	11	17.72	17.77	17.67	0 - 3	0
		25	0	17.66	17.73	17.70	0 - 3	0
	256QAM	1	0	17.96	17.92	17.90	0 - 5	0
		1	12	17.81	17.85	17.76	0 - 5	0
		1	24	17.63	17.74	17.70	0 - 5	0
		12	0	17.79	17.76	17.78	0 - 5	0
		12	6	17.64	17.76	17.68	0 - 5	0
		12	11	17.67	17.74	17.72	0 - 5	0
		25	0	17.78	17.85	17.82	0 - 5	0

LTE FDD Band 2_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18650 Ch. 1855 MHz	18900 Ch. 1880 MHz	19150 Ch. 1905 MHz		
10 MHz	QPSK	1	0	17.67	17.71	17.64	0	0
		1	24	17.77	17.82	17.73	0	0
		1	49	17.50	17.52	17.46	0	0
		25	0	17.81	17.81	17.84	0 - 1	0
		25	12	17.70	17.76	17.74	0 - 1	0
		25	24	17.72	17.81	17.71	0 - 1	0
	16QAM	50	0	17.67	17.79	17.77	0 - 1	0
		1	0	18.01	18.06	18.07	0 - 1	0
		1	24	18.35	18.36	18.38	0 - 1	0
		1	49	17.87	17.99	17.90	0 - 1	0
		25	0	17.79	17.89	17.84	0 - 2	0
		25	12	17.66	17.73	17.70	0 - 2	0
	64QAM	25	24	17.75	17.79	17.79	0 - 2	0
		50	0	17.80	17.80	17.84	0 - 2	0
		1	0	17.80	17.83	17.78	0 - 2	0
		1	24	17.95	18.02	17.99	0 - 2	0
		1	49	17.51	17.54	17.56	0 - 2	0
		25	0	17.83	17.80	17.85	0 - 3	0
	256QAM	25	12	17.73	17.84	17.73	0 - 3	0
		25	24	17.74	17.74	17.68	0 - 3	0
		50	0	17.67	17.77	17.69	0 - 3	0
		1	0	17.94	17.92	17.87	0 - 5	0
		1	24	17.85	17.84	17.78	0 - 5	0
		1	49	17.62	17.77	17.76	0 - 5	0
		25	0	17.80	17.83	17.77	0 - 5	0
		25	12	17.61	17.72	17.71	0 - 5	0
		25	24	17.71	17.77	17.67	0 - 5	0
		50	0	17.81	17.84	17.83	0 - 5	0

LTE FDD Band 2_15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18675 Ch. 1857.5 MHz	18900 Ch. 1880 MHz	19125 Ch. 1902.5 MHz		
15 MHz	QPSK	1	0	17.67	17.71	17.66	0	0
		1	36	17.70	17.80	17.70	0	0
		1	74	17.48	17.49	17.41	0	0
		36	0	17.83	17.86	17.83	0 - 1	0
		36	18	17.77	17.79	17.77	0 - 1	0
		36	39	17.73	17.79	17.73	0 - 1	0
		75	0	17.66	17.76	17.71	0 - 1	0
	16QAM	1	0	18.01	18.08	18.03	0 - 1	0
		1	36	18.28	18.36	18.33	0 - 1	0
		1	74	17.90	17.96	17.92	0 - 1	0
		36	0	17.80	17.84	17.88	0 - 2	0
		36	18	17.69	17.75	17.72	0 - 2	0
		36	39	17.76	17.79	17.79	0 - 2	0
		75	0	17.80	17.88	17.82	0 - 2	0
	64QAM	1	0	17.76	17.82	17.75	0 - 2	0
		1	36	17.93	17.98	17.92	0 - 2	0
		1	74	17.50	17.59	17.60	0 - 2	0
		36	0	17.83	17.86	17.78	0 - 3	0
		36	18	17.76	17.82	17.76	0 - 3	0
		36	39	17.76	17.78	17.69	0 - 3	0
		75	0	17.70	17.70	17.71	0 - 3	0
	256QAM	1	0	17.93	17.94	17.94	0 - 5	0
		1	36	17.84	17.89	17.79	0 - 5	0
		1	74	17.64	17.74	17.69	0 - 5	0
		36	0	17.80	17.79	17.78	0 - 5	0
		36	18	17.67	17.74	17.71	0 - 5	0
		36	39	17.66	17.75	17.70	0 - 5	0
		75	0	17.79	17.80	17.75	0 - 5	0

LTE FDD Band 2_20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18700 Ch. 1860 MHz	18900 Ch. 1880 MHz	19100 Ch. 1900 MHz		
20 MHz	QPSK	1	0	17.69	17.68	17.66	0	0
		1	49	17.75	17.80	17.70	0	0
		1	99	17.52	17.49	17.43	0	0
		50	0	17.82	17.87	17.77	0 - 1	0
		50	25	17.71	17.76	17.74	0 - 1	0
		50	49	17.77	17.80	17.67	0 - 1	0
		100	0	17.66	17.74	17.76	0 - 1	0
	16QAM	1	0	17.96	18.08	18.05	0 - 1	0
		1	49	18.31	18.39	18.36	0 - 1	0
		1	99	17.86	17.97	17.92	0 - 1	0
		50	0	17.81	17.84	17.84	0 - 2	0
		50	25	17.65	17.73	17.68	0 - 2	0
		50	49	17.79	17.83	17.76	0 - 2	0
		100	0	17.86	17.85	17.85	0 - 2	0
	64QAM	1	0	17.76	17.77	17.75	0 - 2	0
		1	49	17.97	17.97	17.98	0 - 2	0
		1	99	17.53	17.57	17.60	0 - 2	0
		50	0	17.77	17.79	17.77	0 - 3	0
		50	25	17.77	17.86	17.77	0 - 3	0
		50	49	17.75	17.76	17.67	0 - 3	0
		100	0	17.69	17.74	17.72	0 - 3	0
	256QAM	1	0	17.99	17.96	17.87	0 - 5	0
		1	49	17.81	17.85	17.79	0 - 5	0
		1	99	17.67	17.72	17.72	0 - 5	0
		50	0	17.75	17.78	17.78	0 - 5	0
		50	25	17.68	17.69	17.71	0 - 5	0
		50	49	17.71	17.76	17.72	0 - 5	0
		100	0	17.82	17.78	17.78	0 - 5	0

LTE FDD Band 4 Conducted Power_Free(DSI=0) _ANT.A[MAIN1]

LTE FDD Band 4_1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				19957 Ch. 1710.7 MHz	20175 Ch. 1732.5 MHz	20393 Ch. 1754.3 MHz		
1.4 MHz	QPSK	1	0	17.85	17.63	17.55	0	0
		1	3	17.72	17.69	17.50	0	0
		1	5	17.67	17.63	17.50	0	0
		3	0	17.66	17.65	17.51	0 - 1	0
		3	1	17.71	17.62	17.48	0 - 1	0
		3	3	17.69	17.68	17.50	0 - 1	0
		6	0	17.67	17.58	17.44	0 - 1	0
	16QAM	1	0	17.74	17.91	17.61	0 - 1	0
		1	3	18.00	17.87	17.44	0 - 1	0
		1	5	17.86	17.81	17.50	0 - 1	0
		3	0	17.76	17.64	17.68	0 - 2	0
		3	1	17.78	17.72	17.60	0 - 2	0
		3	3	17.78	17.81	17.58	0 - 2	0
		6	0	17.69	17.59	17.57	0 - 2	0
	64QAM	1	0	17.87	17.63	17.59	0 - 2	0
		1	3	17.70	17.79	17.65	0 - 2	0
		1	5	17.62	17.77	17.49	0 - 2	0
		3	0	17.62	17.65	17.54	0 - 3	0
		3	1	17.72	17.70	17.47	0 - 3	0
		3	3	17.67	17.71	17.55	0 - 3	0
		6	0	17.64	17.59	17.48	0 - 3	0
	256QAM	1	0	17.63	17.63	17.41	0 - 5	0
		1	3	17.74	17.59	17.60	0 - 5	0
		1	5	17.69	17.97	17.70	0 - 5	0
		3	0	17.74	17.78	17.47	0 - 5	0
		3	1	17.88	17.78	17.56	0 - 5	0
		3	3	17.68	17.57	17.44	0 - 5	0
		6	0	17.77	17.60	17.44	0 - 5	0

LTE FDD Band 4_3 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				19965 Ch. 1711.5 MHz	20175 Ch. 1732.5 MHz	20385 Ch. 1753.5 MHz		
3 MHz	QPSK	1	0	17.55	17.64	17.52	0	0
		1	7	17.71	17.70	17.58	0	0
		1	14	17.57	17.59	17.46	0	0
		8	0	17.75	17.54	17.58	0 - 1	0
		8	3	17.75	17.60	17.55	0 - 1	0
		8	7	17.67	17.72	17.55	0 - 1	0
		15	0	17.78	17.62	17.54	0 - 1	0
	16QAM	1	0	17.74	17.85	17.81	0 - 1	0
		1	7	18.25	17.85	17.76	0 - 1	0
		1	14	17.86	17.80	17.75	0 - 1	0
		8	0	17.73	17.63	17.59	0 - 2	0
		8	3	17.73	17.73	17.74	0 - 2	0
		8	7	17.75	17.70	17.48	0 - 2	0
		15	0	17.77	17.65	17.55	0 - 2	0
	64QAM	1	0	17.75	17.73	17.63	0 - 2	0
		1	7	17.72	17.83	17.80	0 - 2	0
		1	14	17.89	17.88	17.58	0 - 2	0
		8	0	17.72	17.60	17.63	0 - 3	0
		8	3	17.75	17.66	17.58	0 - 3	0
		8	7	17.74	17.65	17.61	0 - 3	0
		15	0	17.70	17.59	17.50	0 - 3	0
	256QAM	1	0	17.51	17.68	17.61	0 - 5	0
		1	7	17.84	17.66	17.62	0 - 5	0
		1	14	17.84	17.78	17.78	0 - 5	0
		8	0	17.68	17.68	17.62	0 - 5	0
		8	3	17.79	17.67	17.62	0 - 5	0
		8	7	17.73	17.73	17.49	0 - 5	0
		15	0	17.69	17.51	17.56	0 - 5	0

LTE FDD Band 4_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				19975 Ch. 1712.5 MHz	20175 Ch. 1732.5 MHz	20375 Ch. 1752.5 MHz		
5 MHz	QPSK	1	0	17.44	17.73	17.50	0	0
		1	12	17.73	17.76	17.56	0	0
		1	24	17.63	17.71	17.55	0	0
		12	0	17.65	17.70	17.47	0 - 1	0
		12	6	17.69	17.65	17.51	0 - 1	0
		12	11	17.71	17.69	17.57	0 - 1	0
		25	0	17.67	17.60	17.44	0 - 1	0
	16QAM	1	0	17.77	17.75	17.69	0 - 1	0
		1	12	17.80	17.99	17.73	0 - 1	0
		1	24	17.77	17.75	17.62	0 - 1	0
		12	0	17.69	17.70	17.49	0 - 2	0
		12	6	17.73	17.73	17.56	0 - 2	0
		12	11	17.78	17.74	17.60	0 - 2	0
		25	0	17.72	17.61	17.50	0 - 2	0
	64QAM	1	0	17.73	17.79	17.62	0 - 2	0
		1	12	17.95	17.94	17.55	0 - 2	0
		1	24	17.91	17.75	17.51	0 - 2	0
		12	0	17.64	17.66	17.54	0 - 3	0
		12	6	17.73	17.69	17.52	0 - 3	0
		12	11	17.64	17.75	17.56	0 - 3	0
		25	0	17.69	17.63	17.49	0 - 3	0
	256QAM	1	0	17.54	17.80	17.49	0 - 5	0
		1	12	17.69	17.76	17.71	0 - 5	0
		1	24	17.56	17.73	17.53	0 - 5	0
		12	0	17.58	17.65	17.50	0 - 5	0
		12	6	17.74	17.68	17.49	0 - 5	0
		12	11	17.79	17.71	17.50	0 - 5	0
		25	0	17.69	17.59	17.39	0 - 5	0

LTE FDD Band 4_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20000 Ch. 1715 MHz	20175 Ch. 1732.5 MHz	20350 Ch. 1750 MHz		
10 MHz	QPSK	1	0	17.68	17.70	17.49	0	0
		1	24	17.68	17.78	17.58	0	0
		1	49	17.75	17.70	17.52	0	0
		25	0	17.59	17.60	17.47	0 - 1	0
		25	12	17.73	17.72	17.58	0 - 1	0
		25	24	17.80	17.73	17.58	0 - 1	0
		50	0	17.75	17.67	17.50	0 - 1	0
	16QAM	1	0	17.88	17.96	17.78	0 - 1	0
		1	24	17.86	18.06	17.67	0 - 1	0
		1	49	18.05	17.97	17.64	0 - 1	0
		25	0	17.77	17.72	17.57	0 - 2	0
		25	12	17.72	17.66	17.60	0 - 2	0
		25	24	17.73	17.80	17.71	0 - 2	0
		50	0	17.71	17.65	17.53	0 - 2	0
	64QAM	1	0	17.76	17.75	17.61	0 - 2	0
		1	24	17.76	17.96	17.95	0 - 2	0
		1	49	17.89	17.75	17.62	0 - 2	0
		25	0	17.65	17.70	17.56	0 - 3	0
		25	12	17.85	17.66	17.51	0 - 3	0
		25	24	17.81	17.72	17.56	0 - 3	0
		50	0	17.75	17.68	17.49	0 - 3	0
	256QAM	1	0	17.58	17.79	17.59	0 - 5	0
		1	24	17.77	17.89	17.74	0 - 5	0
		1	49	17.83	17.76	17.59	0 - 5	0
		25	0	17.65	17.68	17.50	0 - 5	0
		25	12	17.75	17.74	17.51	0 - 5	0
		25	24	17.67	17.76	17.49	0 - 5	0
		50	0	17.70	17.62	17.54	0 - 5	0

LTE FDD Band 4_15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20025 Ch. 1717.5 MHz	20175 Ch. 1732.5 MHz	20325 Ch. 1747.5 MHz		
15 MHz	QPSK	1	0	17.63	17.31	17.49	0	0
		1	36	17.44	17.52	17.52	0	0
		1	74	17.48	17.66	17.50	0	0
		36	0	17.58	17.55	17.41	0 - 1	0
		36	18	17.62	17.56	17.43	0 - 1	0
		36	39	17.58	17.57	17.46	0 - 1	0
		75	0	17.60	17.53	17.46	0 - 1	0
	16QAM	1	0	17.33	17.53	17.54	0 - 1	0
		1	36	17.78	17.85	17.78	0 - 1	0
		1	74	17.89	17.90	17.87	0 - 1	0
		36	0	17.48	17.49	17.45	0 - 2	0
		36	18	17.62	17.56	17.51	0 - 2	0
		36	39	17.71	17.57	17.45	0 - 2	0
		75	0	17.60	17.56	17.50	0 - 2	0
	64QAM	1	0	17.40	17.78	17.37	0 - 2	0
		1	36	17.58	18.04	17.52	0 - 2	0
		1	74	17.73	17.61	17.44	0 - 2	0
		36	0	17.47	17.49	17.43	0 - 3	0
		36	18	17.64	17.57	17.49	0 - 3	0
		36	39	17.58	17.56	17.45	0 - 3	0
		75	0	17.53	17.44	17.50	0 - 3	0
	256QAM	1	0	17.62	17.41	17.52	0 - 5	0
		1	36	17.63	17.70	17.43	0 - 5	0
		1	74	17.42	17.75	17.26	0 - 5	0
		36	0	17.52	17.60	17.39	0 - 5	0
		36	18	17.57	17.56	17.43	0 - 5	0
		36	39	17.58	17.51	17.49	0 - 5	0
		75	0	17.51	17.38	17.44	0 - 5	0

LTE FDD Band 4_20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR Allowed Per 3GPP [dB]	MPR [dB]
					20175 Ch. 1732.5 MHz		
20 MHz	QPSK	1	0		17.46		0
		1	49		17.51		0
		1	99		17.63		0
		50	0		17.43		0 - 1
		50	25		17.55		0 - 1
		50	49		17.66		0 - 1
		100	0		17.53		0 - 1
	16QAM	1	0		17.71		0 - 1
		1	49		17.54		0 - 1
		1	99		17.71		0 - 1
		50	0		17.52		0 - 2
		50	25		17.51		0 - 2
		50	49		17.58		0 - 2
		100	0		17.55		0 - 2
	64QAM	1	0		17.48		0 - 2
		1	49		17.46		0 - 2
		1	99		17.75		0 - 2
		50	0		17.51		0 - 3
		50	25		17.49		0 - 3
		50	49		17.59		0 - 3
		100	0		17.60		0 - 3
	256QAM	1	0		17.63		0 - 5
		1	49		17.75		0 - 5
		1	99		17.87		0 - 5
		50	0		17.51		0 - 5
		50	25		17.58		0 - 5
		50	49		17.56		0 - 5
		100	0		17.57		0 - 5

LTE FDD Band 4 Conducted Power_Pmax, RCV(DSI=1) _ANT.A[MAIN1]

LTE FDD Band 4_1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				19957 Ch. 1710.7 MHz	20175 Ch. 1732.5 MHz	20393 Ch. 1754.3 MHz		
1.4 MHz	QPSK	1	0	24.21	24.14	24.06	0	0
		1	3	24.19	24.05	24.17	0	0
		1	5	24.12	24.23	24.08	0	0
		3	0	24.21	24.08	24.08	0 - 1	0
		3	1	24.15	24.07	24.06	0 - 1	0
		3	3	24.13	24.07	24.14	0 - 1	0
		6	0	23.11	23.07	23.07	0 - 1	1
	16QAM	1	0	23.18	23.26	23.33	0 - 1	1
		1	3	23.54	23.35	23.47	0 - 1	1
		1	5	23.27	23.38	23.45	0 - 1	1
		3	0	23.27	23.13	23.24	0 - 2	1
		3	1	23.23	23.22	23.23	0 - 2	1
		3	3	23.19	23.22	23.15	0 - 2	1
		6	0	22.17	22.05	22.18	0 - 2	2
	64QAM	1	0	22.30	22.25	22.31	0 - 2	2
		1	3	22.29	22.40	22.42	0 - 2	2
		1	5	22.19	22.26	22.04	0 - 2	2
		3	0	22.26	22.23	22.18	0 - 3	2
		3	1	22.12	22.24	22.12	0 - 3	2
		3	3	22.12	22.18	22.20	0 - 3	2
		6	0	21.09	21.10	21.06	0 - 3	3
	256QAM	1	0	19.31	19.10	19.19	0 - 5	5
		1	3	19.25	19.21	19.31	0 - 5	5
		1	5	19.25	19.23	19.18	0 - 5	5
		3	0	19.08	19.22	19.11	0 - 5	5
		3	1	19.10	19.19	19.22	0 - 5	5
		3	3	19.17	19.24	19.15	0 - 5	5
		6	0	19.20	19.01	19.03	0 - 5	5

LTE FDD Band 4_3 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				19965 Ch. 1711.5 MHz	20175 Ch. 1732.5 MHz	20385 Ch. 1753.5 MHz		
3 MHz	QPSK	1	0	24.04	24.12	24.14	0	0
		1	7	24.22	24.09	24.17	0	0
		1	14	24.14	24.25	24.04	0	0
		8	0	23.10	23.15	23.15	0 - 1	1
		8	3	23.21	23.12	23.20	0 - 1	1
		8	7	23.19	23.20	23.10	0 - 1	1
		15	0	23.15	23.22	23.15	0 - 1	1
	16QAM	1	0	23.22	23.23	23.21	0 - 1	1
		1	7	23.57	23.36	23.31	0 - 1	1
		1	14	23.34	23.31	23.27	0 - 1	1
		8	0	22.21	22.15	22.21	0 - 2	2
		8	3	22.20	22.25	22.18	0 - 2	2
		8	7	22.20	22.25	22.17	0 - 2	2
		15	0	22.13	22.13	22.13	0 - 2	2
	64QAM	1	0	21.99	22.33	22.32	0 - 2	2
		1	7	22.11	22.35	22.35	0 - 2	2
		1	14	22.28	22.36	22.31	0 - 2	2
		8	0	21.18	21.10	21.23	0 - 3	3
		8	3	21.16	21.16	21.21	0 - 3	3
		8	7	21.27	21.29	21.06	0 - 3	3
		15	0	21.17	21.25	21.17	0 - 3	3
	256QAM	1	0	19.18	19.04	19.28	0 - 5	5
		1	7	19.21	19.29	19.38	0 - 5	5
		1	14	19.13	19.31	19.18	0 - 5	5
		8	0	19.28	19.08	19.22	0 - 5	5
		8	3	19.15	19.10	19.13	0 - 5	5
		8	7	19.10	19.34	19.12	0 - 5	5
		15	0	19.15	19.10	19.20	0 - 5	5

LTE FDD Band 4_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				19975 Ch. 1712.5 MHz	20175 Ch. 1732.5 MHz	20375 Ch. 1752.5 MHz		
5 MHz	QPSK	1	0	24.02	24.17	24.06	0	0
		1	12	24.16	24.23	24.27	0	0
		1	24	24.04	24.24	24.17	0	0
		12	0	23.10	23.14	23.06	0 - 1	1
		12	6	23.17	23.15	23.16	0 - 1	1
		12	11	23.14	23.19	23.19	0 - 1	1
		25	0	23.14	23.11	23.05	0 - 1	1
	16QAM	1	0	23.25	23.05	23.22	0 - 1	1
		1	12	23.15	23.39	23.38	0 - 1	1
		1	24	23.18	23.47	23.30	0 - 1	1
		12	0	22.08	22.07	22.14	0 - 2	2
		12	6	22.16	22.21	22.09	0 - 2	2
		12	11	22.20	22.24	22.16	0 - 2	2
		25	0	22.16	22.15	22.13	0 - 2	2
	64QAM	1	0	22.11	22.16	22.19	0 - 2	2
		1	12	22.40	22.53	22.37	0 - 2	2
		1	24	22.26	22.27	22.36	0 - 2	2
		12	0	21.13	21.06	21.09	0 - 3	3
		12	6	21.11	21.16	21.16	0 - 3	3
		12	11	21.13	21.21	21.15	0 - 3	3
		25	0	21.08	21.10	21.08	0 - 3	3
	256QAM	1	0	19.03	19.06	19.07	0 - 5	5
		1	12	19.09	19.23	19.38	0 - 5	5
		1	24	19.02	19.36	19.25	0 - 5	5
		12	0	19.18	19.07	19.09	0 - 5	5
		12	6	19.01	19.06	19.17	0 - 5	5
		12	11	18.92	19.20	19.25	0 - 5	5
		25	0	19.05	19.17	19.17	0 - 5	5

LTE FDD Band 4_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20000 Ch. 1715 MHz	20175 Ch. 1732.5 MHz	20350 Ch. 1750 MHz		
10 MHz	QPSK	1	0	24.08	24.03	24.05	0	0
		1	24	24.20	24.25	24.16	0	0
		1	49	23.98	24.23	24.19	0	0
		25	0	23.06	23.09	23.07	0 - 1	1
		25	12	23.14	23.12	23.13	0 - 1	1
		25	24	22.96	23.17	23.24	0 - 1	1
		50	0	23.16	23.17	23.11	0 - 1	1
	16QAM	1	0	23.12	22.98	23.38	0 - 1	1
		1	24	23.17	23.39	23.34	0 - 1	1
		1	49	23.05	23.27	23.45	0 - 1	1
		25	0	22.07	22.02	22.06	0 - 2	2
		25	12	22.01	22.17	22.16	0 - 2	2
		25	24	21.88	22.18	22.26	0 - 2	2
		50	0	22.09	22.15	22.20	0 - 2	2
	64QAM	1	0	22.25	22.04	22.23	0 - 2	2
		1	24	22.10	22.39	22.40	0 - 2	2
		1	49	22.01	22.38	22.10	0 - 2	2
		25	0	21.05	21.02	21.10	0 - 3	3
		25	12	20.93	21.19	21.14	0 - 3	3
		25	24	20.82	21.28	21.17	0 - 3	3
		50	0	21.02	21.12	21.14	0 - 3	3
	256QAM	1	0	19.11	18.94	19.11	0 - 5	5
		1	24	18.83	19.43	19.20	0 - 5	5
		1	49	18.77	19.22	19.14	0 - 5	5
		25	0	19.04	18.98	19.08	0 - 5	5
		25	12	18.76	19.21	19.19	0 - 5	5
		25	24	18.66	19.34	19.25	0 - 5	5
		50	0	18.86	19.22	19.14	0 - 5	5

LTE FDD Band 4_15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20025 Ch. 1717.5 MHz	20175 Ch. 1732.5 MHz	20325 Ch. 1747.5 MHz		
15 MHz	QPSK	1	0	24.15	23.70	23.95	0	0
		1	36	23.89	24.07	24.07	0	0
		1	74	23.72	24.08	24.18	0	0
		36	0	23.01	22.86	22.92	0 - 1	1
		36	18	22.76	23.04	23.04	0 - 1	1
		36	39	22.56	23.04	23.02	0 - 1	1
		75	0	22.80	22.99	23.07	0 - 1	1
	16QAM	1	0	23.14	22.81	23.38	0 - 1	1
		1	36	22.87	23.23	23.22	0 - 1	1
		1	74	22.79	23.08	23.33	0 - 1	1
		36	0	21.91	21.77	21.93	0 - 2	2
		36	18	21.64	22.09	22.01	0 - 2	2
		36	39	21.47	22.12	22.14	0 - 2	2
		75	0	21.73	22.10	22.06	0 - 2	2
	64QAM	1	0	22.27	21.61	22.16	0 - 2	2
		1	36	21.81	22.41	22.07	0 - 2	2
		1	74	21.75	22.26	22.15	0 - 2	2
		36	0	20.91	20.79	20.98	0 - 3	3
		36	18	20.56	20.98	21.10	0 - 3	3
		36	39	20.45	21.12	21.06	0 - 3	3
		75	0	20.68	20.98	21.09	0 - 3	3
	256QAM	1	0	18.80	18.48	19.40	0 - 5	5
		1	36	18.46	18.82	19.28	0 - 5	5
		1	74	18.55	19.34	19.01	0 - 5	5
		36	0	18.77	18.71	19.03	0 - 5	5
		36	18	18.42	18.94	19.06	0 - 5	5
		36	39	18.32	19.09	19.08	0 - 5	5
		75	0	18.55	19.06	19.12	0 - 5	5

LTE FDD Band 4_20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR Allowed Per 3GPP [dB]	MPR [dB]
					20175 Ch. 1732.5 MHz		
20 MHz	QPSK	1	0		23.50		0
		1	49		24.07		0
		1	99		24.14		0
		50	0		22.76		0 - 1
		50	25		23.01		0 - 1
		50	49		23.10		0 - 1
		100	0		23.15		0 - 1
	16QAM	1	0		22.67		0 - 1
		1	49		23.27		0 - 1
		1	99		23.31		0 - 1
		50	0		21.75		0 - 2
		50	25		22.11		0 - 2
		50	49		22.12		0 - 2
		100	0		22.00		0 - 2
	64QAM	1	0		21.48		0 - 2
		1	49		22.11		0 - 2
		1	99		22.19		0 - 2
		50	0		20.71		0 - 3
		50	25		20.92		0 - 3
		50	49		21.12		0 - 3
		100	0		21.00		0 - 3
	256QAM	1	0		18.37		0 - 5
		1	49		19.08		0 - 5
		1	99		19.10		0 - 5
		50	0		18.65		0 - 5
		50	25		19.02		0 - 5
		50	49		19.10		0 - 5
		100	0		19.10		0 - 5

LTE FDD Band 4 Conducted Power_Free(DSI=0), RCV(DSI=1) _ANT.F[SUB2-2]

LTE FDD Band 4_1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				19957 Ch. 1710.7 MHz	20175 Ch. 1732.5 MHz	20393 Ch. 1754.3 MHz		
1.4 MHz	QPSK	1	0	18.10	18.13	18.12	0	0
		1	3	18.15	18.23	18.15	0	0
		1	5	17.95	18.09	17.92	0	0
		3	0	18.02	18.01	18.06	0 - 1	0
		3	1	18.10	18.18	18.20	0 - 1	0
		3	3	18.08	18.06	18.01	0 - 1	0
		6	0	18.13	18.18	18.11	0 - 1	0
	16QAM	1	0	18.36	18.50	18.43	0 - 1	0
		1	3	18.54	18.48	18.41	0 - 1	0
		1	5	18.47	18.54	18.55	0 - 1	0
		3	0	18.01	18.06	18.04	0 - 2	0
		3	1	18.21	18.25	18.21	0 - 2	0
		3	3	18.12	18.16	18.19	0 - 2	0
		6	0	18.18	18.23	18.24	0 - 2	0
	64QAM	1	0	18.29	18.35	18.27	0 - 2	0
		1	3	18.39	18.48	18.47	0 - 2	0
		1	5	18.29	18.25	18.16	0 - 2	0
		3	0	18.11	18.06	18.01	0 - 3	0
		3	1	18.16	18.15	18.10	0 - 3	0
		3	3	18.14	18.23	18.15	0 - 3	0
		6	0	18.17	18.17	18.10	0 - 3	0
	256QAM	1	0	18.12	18.22	18.11	0 - 5	0
		1	3	18.30	18.31	18.27	0 - 5	0
		1	5	18.19	18.27	18.28	0 - 5	0
		3	0	18.14	18.14	18.08	0 - 5	0
		3	1	18.19	18.14	18.25	0 - 5	0
		3	3	18.24	18.17	18.17	0 - 5	0
		6	0	18.10	18.14	18.21	0 - 5	0

LTE FDD Band 4_3 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				19965 Ch. 1711.5 MHz	20175 Ch. 1732.5 MHz	20385 Ch. 1753.5 MHz		
3 MHz	QPSK	1	0	18.08	18.12	18.14	0	0
		1	7	18.16	18.18	18.13	0	0
		1	14	17.94	18.11	17.97	0	0
		8	0	17.99	18.03	18.03	0 - 1	0
		8	3	18.10	18.19	18.22	0 - 1	0
		8	7	18.06	18.09	18.03	0 - 1	0
		15	0	18.14	18.18	18.17	0 - 1	0
	16QAM	1	0	18.33	18.48	18.40	0 - 1	0
		1	7	18.47	18.48	18.45	0 - 1	0
		1	14	18.50	18.56	18.48	0 - 1	0
		8	0	18.05	18.07	18.05	0 - 2	0
		8	3	18.17	18.19	18.29	0 - 2	0
		8	7	18.18	18.14	18.27	0 - 2	0
		15	0	18.15	18.27	18.18	0 - 2	0
	64QAM	1	0	18.23	18.32	18.34	0 - 2	0
		1	7	18.43	18.42	18.48	0 - 2	0
		1	14	18.28	18.22	18.15	0 - 2	0
		8	0	18.07	18.01	18.05	0 - 3	0
		8	3	18.15	18.16	18.12	0 - 3	0
		8	7	18.20	18.22	18.22	0 - 3	0
		15	0	18.14	18.16	18.11	0 - 3	0
	256QAM	1	0	18.17	18.21	18.15	0 - 5	0
		1	7	18.23	18.30	18.21	0 - 5	0
		1	14	18.15	18.28	18.30	0 - 5	0
		8	0	18.14	18.14	18.06	0 - 5	0
		8	3	18.23	18.18	18.21	0 - 5	0
		8	7	18.21	18.20	18.16	0 - 5	0
		15	0	18.07	18.14	18.24	0 - 5	0

LTE FDD Band 4_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				19975 Ch. 1712.5 MHz	20175 Ch. 1732.5 MHz	20375 Ch. 1752.5 MHz		
5 MHz	QPSK	1	0	18.12	18.14	18.12	0	0
		1	12	18.17	18.19	18.17	0	0
		1	24	17.93	18.11	17.94	0	0
		12	0	18.03	18.04	18.04	0 - 1	0
		12	6	18.17	18.22	18.17	0 - 1	0
		12	11	18.07	18.06	18.00	0 - 1	0
		25	0	18.12	18.21	18.13	0 - 1	0
	16QAM	1	0	18.35	18.51	18.42	0 - 1	0
		1	12	18.50	18.50	18.45	0 - 1	0
		1	24	18.45	18.58	18.51	0 - 1	0
		12	0	18.00	18.07	18.06	0 - 2	0
		12	6	18.22	18.18	18.28	0 - 2	0
		12	11	18.12	18.22	18.26	0 - 2	0
		25	0	18.19	18.29	18.25	0 - 2	0
	64QAM	1	0	18.29	18.29	18.33	0 - 2	0
		1	12	18.39	18.42	18.44	0 - 2	0
		1	24	18.32	18.21	18.16	0 - 2	0
		12	0	18.07	18.07	18.04	0 - 3	0
		12	6	18.15	18.18	18.07	0 - 3	0
		12	11	18.22	18.21	18.18	0 - 3	0
		25	0	18.18	18.20	18.13	0 - 3	0
	256QAM	1	0	18.17	18.17	18.12	0 - 5	0
		1	12	18.29	18.28	18.25	0 - 5	0
		1	24	18.19	18.26	18.29	0 - 5	0
		12	0	18.10	18.16	18.12	0 - 5	0
		12	6	18.17	18.20	18.21	0 - 5	0
		12	11	18.20	18.16	18.19	0 - 5	0
		25	0	18.12	18.15	18.22	0 - 5	0

LTE FDD Band 4_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20000 Ch. 1715 MHz	20175 Ch. 1732.5 MHz	20350 Ch. 1750 MHz		
10 MHz	QPSK	1	0	18.09	18.19	18.14	0	0
		1	24	18.12	18.23	18.17	0	0
		1	49	17.92	18.07	17.98	0	0
		25	0	17.97	18.07	18.02	0 - 1	0
		25	12	18.17	18.20	18.16	0 - 1	0
		25	24	18.01	18.13	18.03	0 - 1	0
		50	0	18.14	18.22	18.17	0 - 1	0
	16QAM	1	0	18.36	18.51	18.42	0 - 1	0
		1	24	18.48	18.45	18.43	0 - 1	0
		1	49	18.46	18.55	18.49	0 - 1	0
		25	0	17.98	18.08	17.99	0 - 2	0
		25	12	18.18	18.20	18.24	0 - 2	0
		25	24	18.13	18.21	18.23	0 - 2	0
		50	0	18.17	18.29	18.25	0 - 2	0
	64QAM	1	0	18.24	18.36	18.34	0 - 2	0
		1	24	18.39	18.43	18.46	0 - 2	0
		1	49	18.28	18.20	18.17	0 - 2	0
		25	0	18.05	18.04	18.07	0 - 3	0
		25	12	18.14	18.18	18.08	0 - 3	0
		25	24	18.15	18.22	18.16	0 - 3	0
		50	0	18.12	18.18	18.14	0 - 3	0
	256QAM	1	0	18.13	18.17	18.14	0 - 5	0
		1	24	18.31	18.30	18.19	0 - 5	0
		1	49	18.19	18.33	18.28	0 - 5	0
		25	0	18.13	18.16	18.06	0 - 5	0
		25	12	18.22	18.18	18.19	0 - 5	0
		25	24	18.21	18.22	18.15	0 - 5	0
		50	0	18.06	18.15	18.19	0 - 5	0

LTE FDD Band 4_15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20025 Ch. 1717.5 MHz	20175 Ch. 1732.5 MHz	20325 Ch. 1747.5 MHz		
15 MHz	QPSK	1	0	18.08	18.18	18.09	0	0
		1	36	18.13	18.20	18.18	0	0
		1	74	17.94	18.09	17.95	0	0
		36	0	18.03	18.02	18.01	0 - 1	0
		36	18	18.15	18.23	18.22	0 - 1	0
		36	39	18.01	18.08	18.03	0 - 1	0
		75	0	18.13	18.23	18.17	0 - 1	0
	16QAM	1	0	18.39	18.48	18.38	0 - 1	0
		1	36	18.54	18.48	18.47	0 - 1	0
		1	74	18.42	18.57	18.55	0 - 1	0
		36	0	18.00	18.09	18.01	0 - 2	0
		36	18	18.24	18.20	18.24	0 - 2	0
		36	39	18.16	18.19	18.24	0 - 2	0
		75	0	18.20	18.29	18.25	0 - 2	0
	64QAM	1	0	18.25	18.29	18.28	0 - 2	0
		1	36	18.42	18.44	18.42	0 - 2	0
		1	74	18.32	18.19	18.20	0 - 2	0
		36	0	18.13	18.01	18.00	0 - 3	0
		36	18	18.13	18.15	18.11	0 - 3	0
		36	39	18.17	18.22	18.20	0 - 3	0
		75	0	18.17	18.19	18.10	0 - 3	0
	256QAM	1	0	18.17	18.19	18.15	0 - 5	0
		1	36	18.25	18.34	18.24	0 - 5	0
		1	74	18.16	18.28	18.29	0 - 5	0
		36	0	18.15	18.11	18.13	0 - 5	0
		36	18	18.22	18.16	18.25	0 - 5	0
		36	39	18.24	18.18	18.20	0 - 5	0
		75	0	18.11	18.21	18.20	0 - 5	0

LTE FDD Band 4_20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR Allowed Per 3GPP [dB]	MPR [dB]
					20175 Ch. 1732.5 MHz		
20 MHz	QPSK	1	0		18.12		0
		1	49		18.21		0
		1	99		18.11		0
		50	0		18.02		0 - 1
		50	25		18.22		0 - 1
		50	49		18.06		0 - 1
		100	0		18.16		0 - 1
	16QAM	1	0		18.49		0 - 1
		1	49		18.48		0 - 1
		1	99		18.55		0 - 1
		50	0		18.11		0 - 2
		50	25		18.25		0 - 2
		50	49		18.14		0 - 2
		100	0		18.22		0 - 2
	64QAM	1	0		18.31		0 - 2
		1	49		18.47		0 - 2
		1	99		18.21		0 - 2
		50	0		18.02		0 - 3
		50	25		18.17		0 - 3
		50	49		18.19		0 - 3
		100	0		18.21		0 - 3
	256QAM	1	0		18.19		0 - 5
		1	49		18.32		0 - 5
		1	99		18.31		0 - 5
		50	0		18.15		0 - 5
		50	25		18.16		0 - 5
		50	49		18.18		0 - 5
		100	0		18.16		0 - 5

LTE FDD Band 5 Conducted Power_Free(DSI=0) _ANT.A[MAIN1]

LTE FDD Band 5_1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20407 Ch. 824.7 MHz	20525 Ch. 836.5 MHz	20643 Ch. 848.3 MHz		
1.4 MHz	QPSK	1	0	22.51	22.47	22.24	0	0
		1	3	22.53	22.53	22.14	0	0
		1	5	22.48	22.46	22.18	0	0
		3	0	22.56	22.47	22.18	0 - 1	0
		3	1	22.56	22.58	22.17	0 - 1	0
		3	3	22.47	22.49	22.23	0 - 1	0
	16QAM	6	0	22.54	22.41	22.19	0 - 1	0
		1	0	22.77	22.70	22.74	0 - 1	0
		1	3	22.78	22.65	22.45	0 - 1	0
		1	5	22.80	22.79	22.33	0 - 1	0
		3	0	22.61	22.63	22.55	0 - 2	0
		3	1	22.75	22.65	22.29	0 - 2	0
	64QAM	3	3	22.71	22.66	22.40	0 - 2	0
		6	0	22.60	22.41	22.29	0 - 2	0
		1	0	22.62	22.71	22.33	0 - 2	0
		1	3	22.74	22.71	22.25	0 - 2	0
		1	5	22.52	22.65	22.28	0 - 2	0
		3	0	22.63	22.58	22.24	0 - 3	0
	256QAM	3	1	22.61	22.46	22.22	0 - 3	0
		3	3	22.57	22.53	22.25	0 - 3	0
		6	0	22.44	21.96	21.70	0 - 3	0.5
		1	0	20.05	19.97	19.76	0 - 5	2.5
		1	3	20.10	20.02	19.78	0 - 5	2.5
		1	5	20.18	20.09	19.69	0 - 5	2.5
		3	0	20.09	19.95	19.81	0 - 5	2.5
		3	1	20.05	20.02	19.78	0 - 5	2.5
		3	3	20.06	19.99	19.73	0 - 5	2.5
		6	0	20.07	19.90	19.76	0 - 5	2.5

LTE FDD Band 5_3 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20415 Ch. 825.5 MHz	20525 Ch. 836.5 MHz	20635 Ch. 847.5 MHz		
3 MHz	QPSK	1	0	22.52	22.38	22.22	0	0
		1	7	22.58	22.53	22.22	0	0
		1	14	22.46	22.45	22.20	0	0
		8	0	22.60	22.42	22.28	0 - 1	0
		8	3	22.58	22.55	22.25	0 - 1	0
		8	7	22.58	22.45	22.21	0 - 1	0
		15	0	22.53	22.43	22.32	0 - 1	0
	16QAM	1	0	22.79	22.56	22.44	0 - 1	0
		1	7	22.72	22.76	22.58	0 - 1	0
		1	14	22.65	22.63	22.29	0 - 1	0
		8	0	22.59	22.48	22.28	0 - 2	0
		8	3	22.62	22.51	22.28	0 - 2	0
		8	7	22.60	22.40	22.28	0 - 2	0
		15	0	22.59	22.41	22.29	0 - 2	0
	64QAM	1	0	22.59	22.57	22.32	0 - 2	0
		1	7	22.73	22.78	22.43	0 - 2	0
		1	14	22.58	22.63	22.32	0 - 2	0
		8	0	22.08	21.94	21.73	0 - 3	0
		8	3	22.10	21.98	21.85	0 - 3	0
		8	7	22.09	21.94	21.77	0 - 3	0
		15	0	22.07	21.95	21.79	0 - 3	0.5
	256QAM	1	0	20.10	20.02	19.84	0 - 5	2.5
		1	7	20.26	20.09	19.75	0 - 5	2.5
		1	14	20.05	19.94	19.77	0 - 5	2.5
		8	0	20.11	19.99	19.73	0 - 5	2.5
		8	3	20.13	20.02	19.80	0 - 5	2.5
		8	7	20.11	20.04	19.76	0 - 5	2.5
		15	0	20.09	19.99	19.76	0 - 5	2.5

LTE FDD Band 5_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20425 Ch. 826.5 MHz	20525 Ch. 836.5 MHz	20625 Ch. 846.5 MHz		
5 MHz	QPSK	1	0	22.47	22.40	22.31	0	0
		1	12	22.55	22.51	22.26	0	0
		1	24	22.59	22.45	22.15	0	0
		12	0	22.44	22.45	22.27	0 - 1	0
		12	6	22.61	22.46	22.29	0 - 1	0
		12	11	22.57	22.43	22.24	0 - 1	0
		25	0	22.57	22.44	22.29	0 - 1	0
	16QAM	1	0	22.58	22.76	22.55	0 - 1	0
		1	12	22.68	22.71	22.58	0 - 1	0
		1	24	22.72	22.73	22.28	0 - 1	0
		12	0	22.48	22.47	22.32	0 - 2	0
		12	6	22.63	22.53	22.37	0 - 2	0
		12	11	22.64	22.40	22.29	0 - 2	0
		25	0	22.58	22.42	22.26	0 - 2	0
	64QAM	1	0	22.61	22.58	22.44	0 - 2	0
		1	12	22.61	22.62	22.45	0 - 2	0
		1	24	22.71	22.55	22.32	0 - 2	0
		12	0	22.01	21.92	21.83	0 - 3	0
		12	6	22.14	21.96	21.78	0 - 3	0
		12	11	22.10	21.96	21.81	0 - 3	0
		25	0	22.09	21.92	21.77	0 - 3	0.5
	256QAM	1	0	20.08	19.93	19.80	0 - 5	2.5
		1	12	20.07	20.21	19.84	0 - 5	2.5
		1	24	20.22	20.06	19.75	0 - 5	2.5
		12	0	19.97	19.94	19.77	0 - 5	2.5
		12	6	20.12	19.93	19.83	0 - 5	2.5
		12	11	20.08	19.95	19.77	0 - 5	2.5
		25	0	20.03	19.98	19.73	0 - 5	2.5

LTE FDD Band 5_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR Allowed Per 3GPP [dB]	MPR [dB]
					20525 Ch. 836.5 MHz		
10 MHz	QPSK	1	0		22.61		0
		1	24		22.57		0
		1	49		22.30		0
		25	0		22.52		0 - 1
		25	12		22.45		0 - 1
		25	24		22.47		0 - 1
		50	0		22.48		0 - 1
	16QAM	1	0		22.66		0 - 1
		1	24		22.74		0 - 1
		1	49		22.66		0 - 1
		25	0		22.51		0 - 2
		25	12		22.50		0 - 2
		25	24		22.43		0 - 2
		50	0		22.50		0 - 2
	64QAM	1	0		22.72		0 - 2
		1	24		22.61		0 - 2
		1	49		22.63		0 - 2
		25	0		21.95		0 - 3
		25	12		21.97		0 - 3
		25	24		21.95		0 - 3
		50	0		21.98		0 - 3
	256QAM	1	0		20.08		0 - 5
		1	24		20.23		0 - 5
		1	49		19.96		0 - 5
		25	0		19.97		0 - 5
		25	12		20.00		0 - 5
		25	24		19.90		0 - 5
		50	0		20.03		0 - 5

LTE FDD Band 5 Conducted Power_RCV(DSI=1) _Ant.A[Ant.MAIN1]

LTE FDD Band 5_1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20407 Ch. 824.7 MHz	20525 Ch. 836.5 MHz	20643 Ch. 848.3 MHz		
1.4 MHz	QPSK	1	0	23.14	23.23	23.20	0	0
		1	3	23.06	23.11	23.09	0	0
		1	5	23.09	23.07	23.08	0	0
		3	0	23.02	23.04	23.02	0 - 1	0
		3	1	23.00	23.01	22.95	0 - 1	0
		3	3	23.02	23.00	22.93	0 - 1	0
		6	0	22.82	22.90	22.89	0 - 1	0
	16QAM	1	0	23.52	23.54	23.49	0 - 1	0
		1	3	23.34	23.35	23.29	0 - 1	0
		1	5	23.55	23.56	23.52	0 - 1	0
		3	0	22.56	22.57	22.56	0 - 2	0.5
		3	1	22.63	22.60	22.60	0 - 2	0.5
		3	3	22.52	22.58	22.58	0 - 2	0.5
		6	0	22.51	22.50	22.47	0 - 2	0.5
	64QAM	1	0	23.04	23.13	23.14	0 - 2	0.5
		1	3	22.91	22.99	22.97	0 - 2	0.5
		1	5	22.82	22.84	22.86	0 - 2	0.5
		3	0	21.80	21.87	21.81	0 - 3	1.5
		3	1	21.82	21.87	21.83	0 - 3	1.5
		3	3	21.71	21.76	21.76	0 - 3	1.5
		6	0	21.78	21.81	21.75	0 - 3	1.5
	256QAM	1	0	20.11	20.09	20.03	0 - 5	3.5
		1	3	20.11	20.12	20.13	0 - 5	3.5
		1	5	19.98	20.01	20.00	0 - 5	3.5
		3	0	19.81	19.84	19.81	0 - 5	3.5
		3	1	19.74	19.88	19.74	0 - 5	3.5
		3	3	19.89	19.84	19.81	0 - 5	3.5
		6	0	19.85	19.85	19.83	0 - 5	3.5

LTE FDD Band 5_3 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20415 Ch. 825.5 MHz	20525 Ch. 836.5 MHz	20635 Ch. 847.5 MHz		
3 MHz	QPSK	1	0	23.14	23.18	23.18	0	0
		1	7	23.06	23.13	23.13	0	0
		1	14	23.08	23.14	23.08	0	0
		8	0	22.99	23.09	22.98	0 - 1	0
		8	3	23.06	23.04	22.95	0 - 1	0
		8	7	23.01	22.99	22.98	0 - 1	0
		15	0	22.88	22.91	22.90	0 - 1	0
	16QAM	1	0	23.48	23.56	23.53	0 - 1	0
		1	7	23.34	23.39	23.32	0 - 1	0
		1	14	23.50	23.56	23.48	0 - 1	0
		8	0	22.57	22.60	22.57	0 - 2	0.5
		8	3	22.58	22.63	22.59	0 - 2	0.5
		8	7	22.54	22.56	22.61	0 - 2	0.5
		15	0	22.50	22.51	22.53	0 - 2	0.5
	64QAM	1	0	23.04	23.08	23.08	0 - 2	0.5
		1	7	22.96	23.05	22.98	0 - 2	0.5
		1	14	22.83	22.88	22.83	0 - 2	0.5
		8	0	21.82	21.84	21.83	0 - 3	1.5
		8	3	21.82	21.88	21.84	0 - 3	1.5
		8	7	21.72	21.80	21.76	0 - 3	1.5
		15	0	21.81	21.86	21.77	0 - 3	1.5
	256QAM	1	0	20.04	20.10	20.07	0 - 5	3.5
		1	7	20.13	20.15	20.13	0 - 5	3.5
		1	14	19.99	19.99	19.95	0 - 5	3.5
		8	0	19.87	19.89	19.85	0 - 5	3.5
		8	3	19.78	19.85	19.79	0 - 5	3.5
		8	7	19.91	19.90	19.77	0 - 5	3.5
		15	0	19.84	19.90	19.81	0 - 5	3.5

LTE FDD Band 5_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20425 Ch. 826.5 MHz	20525 Ch. 836.5 MHz	20625 Ch. 846.5 MHz		
5 MHz	QPSK	1	0	23.11	23.20	23.22	0	0
		1	12	23.04	23.11	23.10	0	0
		1	24	23.08	23.06	23.09	0	0
		12	0	22.98	23.04	22.97	0 - 1	0
		12	6	23.03	23.06	22.99	0 - 1	0
		12	11	22.96	23.01	22.98	0 - 1	0
		25	0	22.84	22.93	22.82	0 - 1	0
	16QAM	1	0	23.45	23.56	23.53	0 - 1	0
		1	12	23.30	23.39	23.30	0 - 1	0
		1	24	23.50	23.53	23.54	0 - 1	0
		12	0	22.52	22.57	22.52	0 - 2	0.5
		12	6	22.59	22.62	22.63	0 - 2	0.5
		12	11	22.51	22.54	22.61	0 - 2	0.5
		25	0	22.45	22.47	22.53	0 - 2	0.5
	64QAM	1	0	23.08	23.12	23.15	0 - 2	0.5
		1	12	22.91	23.00	23.00	0 - 2	0.5
		1	24	22.82	22.86	22.82	0 - 2	0.5
		12	0	21.83	21.90	21.80	0 - 3	1.5
		12	6	21.83	21.85	21.80	0 - 3	1.5
		12	11	21.75	21.79	21.78	0 - 3	1.5
		25	0	21.76	21.86	21.79	0 - 3	1.5
	256QAM	1	0	20.05	20.13	20.08	0 - 5	3.5
		1	12	20.10	20.10	20.13	0 - 5	3.5
		1	24	19.95	20.00	19.97	0 - 5	3.5
		12	0	19.86	19.88	19.87	0 - 5	3.5
		12	6	19.81	19.86	19.75	0 - 5	3.5
		12	11	19.83	19.89	19.77	0 - 5	3.5
		25	0	19.85	19.82	19.79	0 - 5	3.5

LTE FDD Band 5_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR Allowed Per 3GPP [dB]	MPR [dB]
					20525 Ch. 836.5 MHz		
10 MHz	QPSK	1	0		23.25		0
		1	24		23.15		0
		1	49		23.14		0
		25	0		23.11		0 - 1
		25	12		23.07		0 - 1
		25	24		23.03		0 - 1
		50	0		22.97		0 - 1
	16QAM	1	0		23.60		0 - 1
		1	24		23.42		0 - 1
		1	49		23.58		0 - 1
		25	0		22.61		0 - 2
		25	12		22.67		0 - 2
		25	24		22.62		0 - 2
		50	0		22.55		0 - 2
	64QAM	1	0		23.16		0 - 2
		1	24		23.05		0 - 2
		1	49		22.92		0 - 2
		25	0		21.92		0 - 3
		25	12		21.90		0 - 3
		25	24		21.83		0 - 3
		50	0		21.87		0 - 3
	256QAM	1	0		20.14		0 - 5
		1	24		20.18		0 - 5
		1	49		20.04		0 - 5
		25	0		19.90		0 - 5
		25	12		19.89		0 - 5
		25	24		19.91		0 - 5
		50	0		19.90		0 - 5

LTE FDD Band 7 Conducted Power_Free(DSI=0) _ANT.A[MAIN1]

LTE FDD Band 7_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20775 Ch. 2502.5 MHz	21100 Ch. 2535 MHz	21425 Ch. 2567.5 MHz		
5 MHz	QPSK	1	0	17.47	17.41	17.45	0	0
		1	12	17.53	17.38	17.41	0	0
		1	24	17.42	17.36	17.36	0	0
		12	0	17.53	17.43	17.42	0 - 1	0
		12	6	17.45	17.43	17.48	0 - 1	0
		12	11	17.47	17.35	17.49	0 - 1	0
		25	0	17.41	17.44	17.45	0 - 1	0
	16QAM	1	0	17.65	17.68	17.58	0 - 1	0
		1	12	17.77	17.89	17.78	0 - 1	0
		1	24	17.66	17.53	17.50	0 - 1	0
		12	0	17.58	17.47	17.45	0 - 2	0
		12	6	17.49	17.52	17.48	0 - 2	0
		12	11	17.50	17.39	17.51	0 - 2	0
		25	0	17.45	17.39	17.40	0 - 2	0
	64QAM	1	0	17.66	17.61	17.46	0 - 2	0
		1	12	17.62	17.49	17.62	0 - 2	0
		1	24	17.69	17.53	17.36	0 - 2	0
		12	0	17.49	17.44	17.46	0 - 3	0
		12	6	17.40	17.49	17.43	0 - 3	0
		12	11	17.41	17.36	17.40	0 - 3	0
		25	0	17.40	17.41	17.38	0 - 3	0
	256QAM	1	0	17.51	17.37	17.49	0 - 5	0
		1	12	17.69	17.48	17.57	0 - 5	0
		1	24	17.51	17.41	17.41	0 - 5	0
		12	0	17.48	17.36	17.32	0 - 5	0
		12	6	17.39	17.39	17.47	0 - 5	0
		12	11	17.39	17.32	17.38	0 - 5	0
		25	0	17.37	17.46	17.33	0 - 5	0

LTE FDD Band 7_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20800 Ch. 2505 MHz	21100 Ch. 2535 MHz	21400 Ch. 2565 MHz		
10 MHz	QPSK	1	0	17.53	17.33	17.44	0	0
		1	24	17.49	17.47	17.37	0	0
		1	49	17.50	17.38	17.40	0	0
		25	0	17.53	17.41	17.53	0 - 1	0
		25	12	17.55	17.43	17.43	0 - 1	0
		25	24	17.39	17.35	17.41	0 - 1	0
		50	0	17.49	17.43	17.45	0 - 1	0
	16QAM	1	0	17.73	17.60	17.63	0 - 1	0
		1	24	17.79	17.57	17.61	0 - 1	0
		1	49	17.66	17.50	17.60	0 - 1	0
		25	0	17.57	17.48	17.52	0 - 2	0
		25	12	17.49	17.45	17.50	0 - 2	0
		25	24	17.43	17.42	17.48	0 - 2	0
		50	0	17.49	17.47	17.51	0 - 2	0
	64QAM	1	0	17.65	17.49	17.59	0 - 2	0
		1	24	17.58	17.52	17.67	0 - 2	0
		1	49	17.53	17.48	17.51	0 - 2	0
		25	0	17.51	17.44	17.45	0 - 3	0
		25	12	17.48	17.45	17.45	0 - 3	0
		25	24	17.39	17.36	17.37	0 - 3	0
		50	0	17.48	17.41	17.45	0 - 3	0
	256QAM	1	0	17.44	17.36	17.51	0 - 5	0
		1	24	17.54	17.51	17.47	0 - 5	0
		1	49	17.38	17.31	17.29	0 - 5	0
		25	0	17.42	17.37	17.43	0 - 5	0
		25	12	17.45	17.41	17.51	0 - 5	0
		25	24	17.36	17.37	17.30	0 - 5	0
		50	0	17.40	17.43	17.43	0 - 5	0

LTE FDD Band 7_15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20825 Ch. 2507.5 MHz	21100 Ch. 2535 MHz	21375 Ch. 2562.5 MHz		
15 MHz	QPSK	1	0	17.31	17.21	17.24	0	0
		1	36	17.35	17.19	17.25	0	0
		1	74	17.02	17.09	17.06	0	0
		36	0	17.34	17.23	17.31	0 - 1	0
		36	18	17.35	17.35	17.30	0 - 1	0
		36	39	17.30	17.25	17.22	0 - 1	0
		75	0	17.36	17.31	17.30	0 - 1	0
	16QAM	1	0	17.43	17.53	17.62	0 - 1	0
		1	36	17.46	17.43	17.35	0 - 1	0
		1	74	17.22	17.41	17.12	0 - 1	0
		36	0	17.33	17.26	17.31	0 - 2	0
		36	18	17.28	17.28	17.26	0 - 2	0
		36	39	17.30	17.20	17.20	0 - 2	0
		75	0	17.35	17.32	17.31	0 - 2	0
	64QAM	1	0	17.48	17.33	17.41	0 - 2	0
		1	36	17.38	17.32	17.30	0 - 2	0
		1	74	17.26	17.21	17.23	0 - 2	0
		36	0	17.28	17.33	17.28	0 - 3	0
		36	18	17.31	17.34	17.25	0 - 3	0
		36	39	17.19	17.24	17.23	0 - 3	0
		75	0	17.29	17.27	17.21	0 - 3	0
	256QAM	1	0	17.40	17.23	17.07	0 - 5	0
		1	36	17.24	17.38	17.38	0 - 5	0
		1	74	17.23	17.46	17.13	0 - 5	0
		36	0	17.28	17.22	17.18	0 - 5	0
		36	18	17.31	17.28	17.30	0 - 5	0
		36	39	17.26	17.13	17.10	0 - 5	0
		75	0	17.29	17.25	17.36	0 - 5	0

LTE FDD Band 7_20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20850 Ch. 2510 MHz	21100 Ch. 2535 MHz	21350 Ch. 2560 MHz		
20 MHz	QPSK	1	0	17.47	17.50	17.37	0	0
		1	49	17.24	17.26	17.33	0	0
		1	99	17.11	17.35	17.12	0	0
		50	0	17.46	17.48	17.30	0 - 1	0
		50	25	17.40	17.29	17.32	0 - 1	0
		50	49	17.30	17.23	17.21	0 - 1	0
		100	0	17.39	17.31	17.29	0 - 1	0
	16QAM	1	0	17.49	17.29	17.45	0 - 1	0
		1	49	17.42	17.47	17.42	0 - 1	0
		1	99	17.20	17.27	17.20	0 - 1	0
		50	0	17.35	17.27	17.28	0 - 2	0
		50	25	17.37	17.25	17.31	0 - 2	0
		50	49	17.30	17.18	17.18	0 - 2	0
		100	0	17.29	17.26	17.30	0 - 2	0
	64QAM	1	0	17.41	17.59	17.37	0 - 2	0
		1	49	17.67	17.30	17.40	0 - 2	0
		1	99	17.27	17.27	17.34	0 - 2	0
		50	0	17.35	17.33	17.35	0 - 3	0
		50	25	17.40	17.31	17.27	0 - 3	0
		50	49	17.24	17.24	17.21	0 - 3	0
		100	0	17.31	17.21	17.31	0 - 3	0
	256QAM	1	0	17.38	17.39	17.33	0 - 5	0
		1	49	17.33	17.32	17.49	0 - 5	0
		1	99	17.41	17.46	17.26	0 - 5	0
		50	0	17.28	17.22	17.23	0 - 5	0
		50	25	17.33	17.26	17.23	0 - 5	0
		50	49	17.28	17.21	17.23	0 - 5	0
		100	0	17.29	17.21	17.28	0 - 5	0

LTE FDD Band 7 Conducted Power_Pmax, RCV(DSI=1) _ANT.A[MAIN1]

LTE FDD Band 7_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20775 Ch. 2502.5 MHz	21100 Ch. 2535 MHz	21425 Ch. 2567.5 MHz		
5 MHz	QPSK	1	0	23.81	23.61	23.64	0	0
		1	12	23.66	23.62	23.63	0	0
		1	24	23.65	23.66	23.49	0	0
		12	0	22.78	22.62	22.62	0 - 1	1
		12	6	22.74	22.65	22.67	0 - 1	1
		12	11	22.56	22.53	22.68	0 - 1	1
		25	0	22.64	22.65	22.60	0 - 1	1
	16QAM	1	0	23.06	22.78	22.81	0 - 1	1
		1	12	22.97	22.86	22.91	0 - 1	1
		1	24	22.83	22.70	23.00	0 - 1	1
		12	0	21.74	21.68	21.71	0 - 2	2
		12	6	21.72	21.70	21.72	0 - 2	2
		12	11	21.67	21.46	21.67	0 - 2	2
		25	0	21.72	21.64	21.62	0 - 2	2
	64QAM	1	0	21.94	21.58	21.93	0 - 2	2
		1	12	21.85	21.89	21.81	0 - 2	2
		1	24	21.80	21.72	21.58	0 - 2	2
		12	0	20.74	20.63	20.72	0 - 3	3
		12	6	20.70	20.67	20.74	0 - 3	3
		12	11	20.72	20.59	20.64	0 - 3	3
		25	0	20.67	20.70	20.63	0 - 3	3
	256QAM	1	0	18.86	18.85	18.67	0 - 5	5
		1	12	18.95	18.72	18.63	0 - 5	5
		1	24	18.62	18.72	18.68	0 - 5	5
		12	0	18.67	18.64	18.72	0 - 5	5
		12	6	18.73	18.66	18.70	0 - 5	5
		12	11	18.71	18.63	18.71	0 - 5	5
		25	0	18.66	18.59	18.68	0 - 5	5

LTE FDD Band 7_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20800 Ch. 2505 MHz	21100 Ch. 2535 MHz	21400 Ch. 2565 MHz		
10 MHz	QPSK	1	0	23.71	23.58	23.75	0	0
		1	24	23.72	23.63	23.72	0	0
		1	49	23.69	23.57	23.65	0	0
		25	0	22.81	22.63	22.66	0 - 1	1
		25	12	22.77	22.68	22.71	0 - 1	1
		25	24	22.62	22.63	22.66	0 - 1	1
		50	0	22.65	22.57	22.73	0 - 1	1
	16QAM	1	0	23.14	22.88	22.81	0 - 1	1
		1	24	22.86	22.68	22.92	0 - 1	1
		1	49	22.68	22.81	22.86	0 - 1	1
		25	0	21.68	21.72	21.77	0 - 2	2
		25	12	21.74	21.68	21.70	0 - 2	2
		25	24	21.61	21.63	21.61	0 - 2	2
		50	0	21.72	21.66	21.61	0 - 2	2
	64QAM	1	0	21.89	21.70	21.87	0 - 2	2
		1	24	21.82	21.77	21.89	0 - 2	2
		1	49	21.54	21.70	21.74	0 - 2	2
		25	0	20.75	20.68	20.75	0 - 3	3
		25	12	20.66	20.69	20.72	0 - 3	3
		25	24	20.63	20.57	20.55	0 - 3	3
		50	0	20.68	20.61	20.75	0 - 3	3
	256QAM	1	0	18.94	18.73	18.78	0 - 5	5
		1	24	18.89	18.64	18.84	0 - 5	5
		1	49	18.71	18.75	18.82	0 - 5	5
		25	0	18.67	18.59	18.65	0 - 5	5
		25	12	18.72	18.68	18.73	0 - 5	5
		25	24	18.63	18.63	18.52	0 - 5	5
		50	0	18.71	18.68	18.69	0 - 5	5

LTE FDD Band 7_15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20825 Ch. 2507.5 MHz	21100 Ch. 2535 MHz	21375 Ch. 2562.5 MHz		
15 MHz	QPSK	1	0	23.42	23.64	23.41	0	0
		1	36	23.72	23.40	23.58	0	0
		1	74	23.49	23.43	23.52	0	0
		36	0	22.60	22.51	22.52	0 - 1	1
		36	18	22.54	22.52	22.50	0 - 1	1
		36	39	22.47	22.41	22.39	0 - 1	1
		75	0	22.51	22.50	22.60	0 - 1	1
	16QAM	1	0	22.58	22.55	22.54	0 - 1	1
		1	36	22.68	22.66	22.49	0 - 1	1
		1	74	22.62	22.46	22.56	0 - 1	1
		36	0	21.53	21.43	21.61	0 - 2	2
		36	18	21.55	21.51	21.46	0 - 2	2
		36	39	21.46	21.38	21.50	0 - 2	2
		75	0	21.53	21.48	21.55	0 - 2	2
	64QAM	1	0	21.65	21.23	21.43	0 - 2	2
		1	36	21.83	21.43	21.66	0 - 2	2
		1	74	21.66	21.52	21.68	0 - 2	2
		36	0	20.51	20.46	20.50	0 - 3	3
		36	18	20.53	20.52	20.49	0 - 3	3
		36	39	20.50	20.46	20.39	0 - 3	3
		75	0	20.56	20.56	20.53	0 - 3	3
	256QAM	1	0	18.73	18.47	18.45	0 - 5	5
		1	36	18.60	18.54	18.55	0 - 5	5
		1	74	18.63	18.72	18.58	0 - 5	5
		36	0	18.51	18.43	18.56	0 - 5	5
		36	18	18.47	18.47	18.53	0 - 5	5
		36	39	18.48	18.53	18.43	0 - 5	5
		75	0	18.61	18.52	18.65	0 - 5	5

LTE FDD Band 7_20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20850 Ch. 2510 MHz	21100 Ch. 2535 MHz	21350 Ch. 2560 MHz		
20 MHz	QPSK	1	0	23.34	23.59	23.54	0	0
		1	49	23.42	23.58	23.49	0	0
		1	99	23.06	23.40	23.37	0	0
		50	0	22.60	22.61	22.49	0 - 1	1
		50	25	22.49	22.60	22.54	0 - 1	1
		50	49	22.44	22.43	22.53	0 - 1	1
		100	0	22.57	22.48	22.63	0 - 1	1
	16QAM	1	0	22.78	22.54	22.63	0 - 1	1
		1	49	22.75	22.56	22.91	0 - 1	1
		1	99	22.21	22.57	22.45	0 - 1	1
		50	0	21.58	21.50	21.46	0 - 2	2
		50	25	21.62	21.54	21.64	0 - 2	2
		50	49	21.43	21.47	21.45	0 - 2	2
		100	0	21.62	21.58	21.56	0 - 2	2
	64QAM	1	0	21.49	21.28	21.58	0 - 2	2
		1	49	21.96	21.72	21.65	0 - 2	2
		1	99	21.12	21.59	21.49	0 - 2	2
		50	0	20.67	20.55	20.47	0 - 3	3
		50	25	20.63	20.63	20.51	0 - 3	3
		50	49	20.43	20.58	20.52	0 - 3	3
		100	0	20.61	20.53	20.58	0 - 3	3
	256QAM	1	0	18.62	18.51	18.43	0 - 5	5
		1	49	18.54	18.53	18.52	0 - 5	5
		1	99	18.28	18.59	18.40	0 - 5	5
		50	0	18.55	18.44	18.44	0 - 5	5
		50	25	18.56	18.58	18.60	0 - 5	5
		50	49	18.37	18.53	18.53	0 - 5	5
		100	0	18.57	18.53	18.58	0 - 5	5

LTE FDD Band 12 Conducted Power_Pmax, Free(DSI=0), RCV(DSI=1) _ANT.A[MAIN1]

LTE FDD Band 12_1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				23017 Ch. 699.7 MHz	23095 Ch. 707.5 MHz	23173 Ch. 715.3 MHz		
1.4 MHz	QPSK	1	0	24.81	24.71	24.57	0	0
		1	3	24.89	24.67	24.57	0	0
		1	5	24.82	24.63	24.58	0	0
		3	0	24.98	24.65	24.50	0 - 1	0
		3	1	24.90	24.72	24.53	0 - 1	0
		3	3	24.86	24.70	24.61	0 - 1	0
		6	0	23.91	23.61	23.58	0 - 1	1
	16QAM	1	0	24.04	23.80	23.74	0 - 1	1
		1	3	24.06	24.04	23.90	0 - 1	1
		1	5	24.09	23.90	23.75	0 - 1	1
		3	0	24.01	23.95	23.69	0 - 2	1
		3	1	24.06	23.84	23.63	0 - 2	1
		3	3	23.96	23.81	23.60	0 - 2	1
		6	0	22.99	22.67	22.70	0 - 2	2
	64QAM	1	0	23.08	22.91	22.77	0 - 2	2
		1	3	23.01	22.79	22.79	0 - 2	2
		1	5	22.93	22.79	22.68	0 - 2	2
		3	0	22.99	22.81	22.67	0 - 3	2
		3	1	22.93	22.71	22.73	0 - 3	2
		3	3	22.90	22.89	22.70	0 - 3	2
		6	0	21.89	21.74	21.59	0 - 3	3
	256QAM	1	0	20.01	19.80	19.67	0 - 5	5
		1	3	19.90	19.94	19.61	0 - 5	5
		1	5	19.94	19.77	19.63	0 - 5	5
		3	0	19.87	19.76	19.68	0 - 5	5
		3	1	19.94	19.70	19.68	0 - 5	5
		3	3	19.87	19.75	19.69	0 - 5	5
		6	0	19.91	19.68	19.64	0 - 5	5

LTE FDD Band 12_3 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				23025 Ch. 700.5 MHz	23095 Ch. 707.5 MHz	23165 Ch. 714.5 MHz		
3 MHz	QPSK	1	0	24.83	24.65	24.56	0	0
		1	7	24.95	24.71	24.69	0	0
		1	14	24.67	24.53	24.49	0	0
		8	0	23.94	23.71	23.64	0 - 1	1
		8	3	23.82	23.71	23.68	0 - 1	1
		8	7	23.81	23.70	23.65	0 - 1	1
		15	0	23.85	23.70	23.63	0 - 1	1
	16QAM	1	0	24.11	23.92	23.81	0 - 1	1
		1	7	24.09	23.93	23.86	0 - 1	1
		1	14	24.02	23.73	23.70	0 - 1	1
		8	0	22.96	22.77	22.75	0 - 2	2
		8	3	22.88	22.75	22.66	0 - 2	2
		8	7	22.88	22.80	22.66	0 - 2	2
		15	0	22.86	22.79	22.64	0 - 2	2
	64QAM	1	0	22.89	22.86	22.79	0 - 2	2
		1	7	23.18	22.98	22.93	0 - 2	2
		1	14	22.90	22.74	22.65	0 - 2	2
		8	0	21.96	21.78	21.71	0 - 3	3
		8	3	21.86	21.77	21.72	0 - 3	3
		8	7	21.78	21.71	21.64	0 - 3	3
		15	0	21.86	21.80	21.62	0 - 3	3
	256QAM	1	0	19.96	19.79	19.65	0 - 5	5
		1	7	20.03	19.81	19.67	0 - 5	5
		1	14	19.86	19.78	19.48	0 - 5	5
		8	0	19.89	19.76	19.60	0 - 5	5
		8	3	19.88	19.78	19.62	0 - 5	5
		8	7	19.78	19.77	19.63	0 - 5	5
		15	0	19.85	19.78	19.65	0 - 5	5

LTE FDD Band 12_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				23035 Ch. 701.5 MHz	23095 Ch. 707.5 MHz	23155 Ch. 713.5 MHz		
5 MHz	QPSK	1	0	24.80	24.72	24.66	0	0
		1	12	24.88	24.79	24.79	0	0
		1	24	24.74	24.63	24.60	0	0
		12	0	23.97	23.76	23.69	0 - 1	1
		12	6	23.92	23.75	23.74	0 - 1	1
		12	11	23.84	23.76	23.71	0 - 1	1
		25	0	23.89	23.75	23.60	0 - 1	1
	16QAM	1	0	24.14	23.92	23.84	0 - 1	1
		1	12	24.12	24.01	23.85	0 - 1	1
		1	24	23.98	23.88	23.79	0 - 1	1
		12	0	22.97	22.80	22.76	0 - 2	2
		12	6	22.96	22.83	22.75	0 - 2	2
		12	11	22.82	22.73	22.62	0 - 2	2
		25	0	22.86	22.79	22.71	0 - 2	2
	64QAM	1	0	23.08	22.92	22.71	0 - 2	2
		1	12	23.12	22.89	22.88	0 - 2	2
		1	24	22.87	22.86	22.61	0 - 2	2
		12	0	21.89	21.79	21.71	0 - 3	3
		12	6	21.94	21.81	21.69	0 - 3	3
		12	11	21.72	21.76	21.71	0 - 3	3
		25	0	21.90	21.72	21.66	0 - 3	3
	256QAM	1	0	19.94	19.89	19.78	0 - 5	5
		1	12	20.07	19.90	19.77	0 - 5	5
		1	24	19.90	19.72	19.62	0 - 5	5
		12	0	19.94	19.81	19.73	0 - 5	5
		12	6	19.93	19.77	19.73	0 - 5	5
		12	11	19.83	19.72	19.63	0 - 5	5
		25	0	19.86	19.70	19.59	0 - 5	5

LTE FDD Band 12_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR Allowed Per 3GPP [dB]	MPR [dB]
					23095 Ch. 707.5 MHz		
10 MHz	QPSK	1	0		24.79		0
		1	24		24.69		0
		1	49		24.63		0
		25	0		23.84		0 - 1
		25	12		23.78		0 - 1
		25	24		23.71		0 - 1
		50	0		23.74		0 - 1
	16QAM	1	0		23.93		0 - 1
		1	24		24.05		0 - 1
		1	49		23.85		0 - 1
		25	0		22.83		0 - 2
		25	12		22.80		0 - 2
		25	24		22.76		0 - 2
		50	0		22.79		0 - 2
	64QAM	1	0		22.95		0 - 2
		1	24		22.85		0 - 2
		1	49		22.67		0 - 2
		25	0		21.80		0 - 3
		25	12		21.81		0 - 3
		25	24		21.71		0 - 3
		50	0		21.72		0 - 3
	256QAM	1	0		19.93		0 - 5
		1	24		19.90		0 - 5
		1	49		19.74		0 - 5
		25	0		19.78		0 - 5
		25	12		19.82		0 - 5
		25	24		19.66		0 - 5
		50	0		19.78		0 - 5

LTE FDD Band 13 Conducted Power_Pmax, Free(DSI=0), RCV(DSI=1) _ANT.A[MAIN1]

LTE FDD Band 13_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				23205 Ch. 779.5 MHz	23230 Ch. 782 MHz	23255 Ch. 784.5 MHz		
5 MHz	QPSK	1	0	24.43	24.45	24.33	0	0
		1	12	24.57	24.45	24.51	0	0
		1	24	24.44	24.30	24.44	0	0
		12	0	23.54	23.39	23.40	0 - 1	1
		12	6	23.51	23.53	23.50	0 - 1	1
		12	11	23.44	23.49	23.45	0 - 1	1
		25	0	23.43	23.45	23.43	0 - 1	1
	16QAM	1	0	23.76	23.68	23.72	0 - 1	1
		1	12	23.62	23.61	23.63	0 - 1	1
		1	24	23.61	23.65	23.58	0 - 1	1
		12	0	22.56	22.48	22.45	0 - 2	2
		12	6	22.55	22.50	22.45	0 - 2	2
		12	11	22.50	22.48	22.53	0 - 2	2
		25	0	22.51	22.53	22.44	0 - 2	2
	64QAM	1	0	22.70	22.57	22.66	0 - 2	2
		1	12	22.59	22.76	22.74	0 - 2	2
		1	24	22.51	22.57	22.56	0 - 2	2
		12	0	21.52	21.46	21.46	0 - 3	3
		12	6	21.51	21.48	21.49	0 - 3	3
		12	11	21.49	21.53	21.46	0 - 3	3
		25	0	21.51	21.49	21.41	0 - 3	3
	256QAM	1	0	19.58	19.54	19.39	0 - 5	5
		1	12	19.71	19.42	19.61	0 - 5	5
		1	24	19.45	19.41	19.42	0 - 5	5
		12	0	19.48	19.32	19.37	0 - 5	5
		12	6	19.48	19.53	19.46	0 - 5	5
		12	11	19.52	19.40	19.45	0 - 5	5
		25	0	19.47	19.42	19.39	0 - 5	5

LTE FDD Band 13_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR Allowed Per 3GPP [dB]	MPR [dB]
					23230 Ch. 782 MHz		
10 MHz	QPSK	1	0		24.50		0
		1	24		24.42		0
		1	49		24.36		0
		25	0		23.52		0 - 1
		25	12		23.51		0 - 1
		25	24		23.43		0 - 1
		50	0		23.58		0 - 1
	16QAM	1	0		23.83		0 - 1
		1	24		23.61		0 - 1
		1	49		23.63		0 - 1
		25	0		22.58		0 - 2
		25	12		22.54		0 - 2
		25	24		22.42		0 - 2
		50	0		22.49		0 - 2
	64QAM	1	0		22.89		0 - 2
		1	24		22.69		0 - 2
		1	49		22.52		0 - 2
		25	0		21.51		0 - 3
		25	12		21.50		0 - 3
		25	24		21.46		0 - 3
		50	0		21.52		0 - 3
	256QAM	1	0		19.50		0 - 5
		1	24		19.54		0 - 5
		1	49		19.47		0 - 5
		25	0		19.44		0 - 5
		25	12		19.41		0 - 5
		25	24		19.43		0 - 5
		50	0		19.50		0 - 5

LTE FDD Band 14 Conducted Power_Pmax, Free(DSI=0)_ANT.A[MAIN1]

LTE FDD Band 14_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				23305 Ch. 790.5 MHz	23330 Ch. 793 MHz	23355 Ch. 795.5 MHz		
5 MHz	QPSK	1	0	24.41	24.55	24.47	0	0
		1	12	24.50	24.60	24.47	0	0
		1	24	24.41	24.39	24.40	0	0
		12	0	23.50	23.39	23.39	0 - 1	1
		12	6	23.51	23.49	23.43	0 - 1	1
		12	11	23.48	23.39	23.36	0 - 1	1
		25	0	23.49	23.35	23.39	0 - 1	1
	16QAM	1	0	23.68	23.70	23.58	0 - 1	1
		1	12	23.64	23.65	23.80	0 - 1	1
		1	24	23.78	23.59	23.64	0 - 1	1
		12	0	22.53	22.45	22.51	0 - 2	2
		12	6	22.51	22.44	22.51	0 - 2	2
		12	11	22.51	22.39	22.45	0 - 2	2
		25	0	22.52	22.34	22.40	0 - 2	2
	64QAM	1	0	22.71	22.63	22.48	0 - 2	2
		1	12	22.67	22.65	22.57	0 - 2	2
		1	24	22.52	22.50	22.52	0 - 2	2
		12	0	21.45	21.37	21.44	0 - 3	3
		12	6	21.55	21.42	21.42	0 - 3	3
		12	11	21.51	21.37	21.44	0 - 3	3
		25	0	21.45	21.36	21.40	0 - 3	3
	256QAM	1	0	19.47	19.53	19.41	0 - 5	5
		1	12	19.57	19.58	19.50	0 - 5	5
		1	24	19.53	19.45	19.55	0 - 5	5
		12	0	19.54	19.32	19.45	0 - 5	5
		12	6	19.52	19.42	19.44	0 - 5	5
		12	11	19.45	19.44	19.35	0 - 5	5
		25	0	19.47	19.28	19.38	0 - 5	5

LTE FDD Band 14_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR Allowed Per 3GPP [dB]	MPR [dB]
					23330 Ch. 793 MHz		
10 MHz	QPSK	1	0		24.52		0
		1	24		24.46		0
		1	49		24.27		0
		25	0		23.40		0 - 1
		25	12		23.38		0 - 1
		25	24		23.35		0 - 1
		50	0		23.36		0 - 1
	16QAM	1	0		23.75		0 - 1
		1	24		23.74		0 - 1
		1	49		23.41		0 - 1
		25	0		22.36		0 - 2
		25	12		22.42		0 - 2
		25	24		22.34		0 - 2
		50	0		22.34		0 - 2
	64QAM	1	0		22.70		0 - 2
		1	24		22.60		0 - 2
		1	49		22.60		0 - 2
		25	0		21.33		0 - 3
		25	12		21.37		0 - 3
		25	24		21.35		0 - 3
		50	0		21.35		0 - 3
	256QAM	1	0		19.46		0 - 5
		1	24		19.63		0 - 5
		1	49		19.37		0 - 5
		25	0		19.40		0 - 5
		25	12		19.34		0 - 5
		25	24		19.33		0 - 5
		50	0		19.35		0 - 5

LTE FDD Band 14 Conducted Power_RCV(DSI=1) _Ant.A[Ant.MAIN1]

LTE FDD Band 14_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				23305 Ch. 790.5 MHz	23330 Ch. 793 MHz	23355 Ch. 795.5 MHz		
5 MHz	QPSK	1	0	23.30	23.33	23.35	0	0
		1	12	23.31	23.30	23.30	0	0
		1	24	23.25	23.25	23.24	0	0
		12	0	23.16	23.20	23.15	0 - 1	0
		12	6	23.26	23.18	23.26	0 - 1	0
		12	11	23.21	23.21	23.18	0 - 1	0
		25	0	23.10	23.13	23.12	0 - 1	0
	16QAM	1	0	23.68	23.66	23.69	0 - 1	0
		1	12	23.72	23.74	23.75	0 - 1	0
		1	24	23.70	23.66	23.65	0 - 1	0
		12	0	22.32	22.25	22.27	0 - 2	1
		12	6	22.32	22.31	22.29	0 - 2	1
		12	11	22.34	22.33	22.29	0 - 2	1
		25	0	22.31	22.30	22.29	0 - 2	1
	64QAM	1	0	22.55	22.57	22.56	0 - 2	1
		1	12	22.47	22.52	22.48	0 - 2	1
		1	24	22.38	22.42	22.42	0 - 2	1
		12	0	21.45	21.43	21.45	0 - 3	2
		12	6	21.44	21.47	21.50	0 - 3	2
		12	11	21.48	21.52	21.48	0 - 3	2
		25	0	21.40	21.41	21.46	0 - 3	2
	256QAM	1	0	19.57	19.54	19.56	0 - 5	4
		1	12	19.59	19.61	19.62	0 - 5	4
		1	24	19.46	19.49	19.47	0 - 5	4
		12	0	19.45	19.47	19.48	0 - 5	4
		12	6	19.51	19.52	19.53	0 - 5	4
		12	11	19.52	19.51	19.49	0 - 5	4
		25	0	19.41	19.45	19.44	0 - 5	4

LTE FDD Band 14_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR Allowed Per 3GPP [dB]	MPR [dB]
					23330 Ch. 793 MHz		
10 MHz	QPSK	1	0		23.35		0
		1	24		23.33		0
		1	49		23.29		0
		25	0		23.27		0 - 1
		25	12		23.26		0 - 1
		25	24		23.25		0 - 1
		50	0		23.16		0 - 1
	16QAM	1	0		23.71		0 - 1
		1	24		23.75		0 - 1
		1	49		23.72		0 - 1
		25	0		22.33		0 - 2
		25	12		22.34		0 - 2
		25	24		22.36		0 - 2
		50	0		22.35		0 - 2
	64QAM	1	0		22.59		0 - 2
		1	24		22.54		0 - 2
		1	49		22.45		0 - 2
		25	0		21.50		0 - 3
		25	12		21.52		0 - 3
		25	24		21.55		0 - 3
		50	0		21.46		0 - 3
	256QAM	1	0		19.60		0 - 5
		1	24		19.64		0 - 5
		1	49		19.52		0 - 5
		25	0		19.49		0 - 5
		25	12		19.53		0 - 5
		25	24		19.54		0 - 5
		50	0		19.48		0 - 5

LTE FDD Band 25 Conducted Power_Free(DSI=0) _ANT.A[MAIN1]

LTE FDD Band 25_1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26047 Ch. 1850.7 MHz	26365 Ch. 1882.5 MHz	26683 Ch. 1914.3 MHz		
1.4 MHz	QPSK	1	0	18.18	18.18	18.19	0	0
		1	3	18.30	18.24	18.23	0	0
		1	5	18.34	18.17	18.21	0	0
		3	0	18.31	18.19	18.25	0 - 1	0
		3	1	18.27	18.29	18.31	0 - 1	0
		3	3	18.16	18.19	18.22	0 - 1	0
	16QAM	6	0	18.25	18.21	18.23	0 - 1	0
		1	0	18.48	18.48	18.38	0 - 1	0
		1	3	18.60	18.45	18.53	0 - 1	0
		1	5	18.53	18.39	18.44	0 - 1	0
		3	0	18.41	18.38	18.27	0 - 2	0
		3	1	18.32	18.31	18.26	0 - 2	0
	64QAM	3	3	18.33	18.38	18.34	0 - 2	0
		6	0	18.27	18.26	18.26	0 - 2	0
		1	0	18.38	18.29	18.22	0 - 2	0
		1	3	18.33	18.35	18.34	0 - 2	0
		1	5	18.36	18.25	18.19	0 - 2	0
		3	0	18.41	18.27	18.29	0 - 3	0
	256QAM	3	1	18.31	18.32	18.35	0 - 3	0
		3	3	18.36	18.32	18.35	0 - 3	0
		6	0	18.27	18.28	18.24	0 - 3	0
		1	0	18.19	18.27	18.23	0 - 5	0
		1	3	18.27	18.44	18.40	0 - 5	0
		1	5	18.16	18.24	18.26	0 - 5	0
		3	0	18.18	18.16	18.24	0 - 5	0
		3	1	18.30	18.22	18.27	0 - 5	0
		3	3	18.24	18.19	18.26	0 - 5	0
		6	0	18.19	18.21	18.24	0 - 5	0

LTE FDD Band 25_3 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26055 Ch. 1851.5 MHz	26365 Ch. 1882.5 MHz	26675 Ch. 1913.5 MHz		
3 MHz	QPSK	1	0	18.27	18.11	18.21	0	0
		1	7	18.30	18.25	18.28	0	0
		1	14	18.21	18.22	18.16	0	0
		8	0	18.29	18.12	18.16	0 - 1	0
		8	3	18.29	18.27	18.28	0 - 1	0
		8	7	18.24	18.27	18.31	0 - 1	0
		15	0	18.35	18.27	18.18	0 - 1	0
	16QAM	1	0	18.44	18.27	18.47	0 - 1	0
		1	7	18.36	18.39	18.49	0 - 1	0
		1	14	18.34	18.39	18.53	0 - 1	0
		8	0	18.31	18.15	18.19	0 - 2	0
		8	3	18.33	18.33	18.26	0 - 2	0
		8	7	18.32	18.27	18.37	0 - 2	0
		15	0	18.32	18.22	18.16	0 - 2	0
	64QAM	1	0	18.41	18.32	18.25	0 - 2	0
		1	7	18.45	18.43	18.56	0 - 2	0
		1	14	18.41	18.46	18.25	0 - 2	0
		8	0	18.30	18.19	18.17	0 - 3	0
		8	3	18.31	18.28	18.25	0 - 3	0
		8	7	18.32	18.21	18.26	0 - 3	0
		15	0	18.26	18.28	18.23	0 - 3	0
	256QAM	1	0	18.26	18.37	18.11	0 - 5	0
		1	7	18.42	18.39	18.44	0 - 5	0
		1	14	18.35	18.30	18.28	0 - 5	0
		8	0	18.25	18.21	18.20	0 - 5	0
		8	3	18.31	18.20	18.22	0 - 5	0
		8	7	18.26	18.24	18.31	0 - 5	0
		15	0	18.29	18.27	18.19	0 - 5	0

LTE FDD Band 25_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26065 Ch. 1852.5 MHz	26365 Ch. 1882.5 MHz	26665 Ch. 1912.5 MHz		
5 MHz	QPSK	1	0	18.22	18.23	18.26	0	0
		1	12	18.38	18.28	18.31	0	0
		1	24	18.26	18.19	18.35	0	0
		12	0	18.29	18.18	18.20	0 - 1	0
		12	6	18.30	18.27	18.18	0 - 1	0
		12	11	18.25	18.29	18.32	0 - 1	0
		25	0	18.30	18.27	18.23	0 - 1	0
	16QAM	1	0	18.44	18.32	18.50	0 - 1	0
		1	12	18.51	18.55	18.49	0 - 1	0
		1	24	18.49	18.61	18.51	0 - 1	0
		12	0	18.24	18.17	18.12	0 - 2	0
		12	6	18.33	18.28	18.25	0 - 2	0
		12	11	18.31	18.27	18.31	0 - 2	0
		25	0	18.30	18.24	18.18	0 - 2	0
	64QAM	1	0	18.49	18.38	18.25	0 - 2	0
		1	12	18.45	18.36	18.51	0 - 2	0
		1	24	18.31	18.35	18.47	0 - 2	0
		12	0	18.27	18.17	18.23	0 - 3	0
		12	6	18.35	18.33	18.23	0 - 3	0
		12	11	18.23	18.30	18.31	0 - 3	0
		25	0	18.27	18.27	18.20	0 - 3	0
	256QAM	1	0	18.34	18.22	18.14	0 - 5	0
		1	12	18.45	18.39	18.49	0 - 5	0
		1	24	18.22	18.27	18.30	0 - 5	0
		12	0	18.31	18.16	18.17	0 - 5	0
		12	6	18.25	18.24	18.21	0 - 5	0
		12	11	18.19	18.23	18.26	0 - 5	0
		25	0	18.23	18.19	18.17	0 - 5	0

LTE FDD Band 25_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26090 Ch. 1855 MHz	26365 Ch. 1882.5 MHz	26640 Ch. 1910 MHz		
10 MHz	QPSK	1	0	18.32	18.20	18.26	0	0
		1	24	18.29	18.28	18.26	0	0
		1	49	18.28	18.27	18.25	0	0
		25	0	18.33	18.20	18.21	0 - 1	0
		25	12	18.30	18.29	18.25	0 - 1	0
		25	24	18.25	18.24	18.23	0 - 1	0
		50	0	18.31	18.30	18.21	0 - 1	0
	16QAM	1	0	18.45	18.48	18.27	0 - 1	0
		1	24	18.54	18.51	18.41	0 - 1	0
		1	49	18.60	18.31	18.42	0 - 1	0
		25	0	18.25	18.13	18.17	0 - 2	0
		25	12	18.33	18.31	18.23	0 - 2	0
		25	24	18.27	18.29	18.27	0 - 2	0
		50	0	18.29	18.26	18.19	0 - 2	0
	64QAM	1	0	18.38	18.38	18.43	0 - 2	0
		1	24	18.40	18.47	18.40	0 - 2	0
		1	49	18.36	18.34	18.45	0 - 2	0
		25	0	18.28	18.27	18.16	0 - 3	0
		25	12	18.29	18.25	18.16	0 - 3	0
		25	24	18.24	18.27	18.27	0 - 3	0
		50	0	18.27	18.29	18.22	0 - 3	0
	256QAM	1	0	18.23	18.17	18.27	0 - 5	0
		1	24	18.41	18.34	18.39	0 - 5	0
		1	49	18.35	18.19	18.21	0 - 5	0
		25	0	18.29	18.13	18.13	0 - 5	0
		25	12	18.26	18.25	18.16	0 - 5	0
		25	24	18.26	18.24	18.27	0 - 5	0
		50	0	18.29	18.24	18.14	0 - 5	0

LTE FDD Band 25_15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26115 Ch. 1857.5 MHz	26365 Ch. 1882.5 MHz	26615 Ch. 1907.5 MHz		
15 MHz	QPSK	1	0	17.96	18.16	18.08	0	0
		1	36	18.12	17.90	18.15	0	0
		1	74	18.07	17.93	18.15	0	0
		36	0	18.23	18.11	18.07	0 - 1	0
		36	18	18.12	18.03	17.99	0 - 1	0
		36	39	18.07	18.15	18.07	0 - 1	0
		75	0	18.13	18.12	18.16	0 - 1	0
	16QAM	1	0	18.24	18.38	18.30	0 - 1	0
		1	36	18.27	18.11	18.26	0 - 1	0
		1	74	18.32	18.05	18.13	0 - 1	0
		36	0	18.15	18.08	18.04	0 - 2	0
		36	18	18.14	18.01	18.02	0 - 2	0
		36	39	18.17	18.20	18.17	0 - 2	0
		75	0	18.04	18.13	18.17	0 - 2	0
	64QAM	1	0	18.31	18.14	18.23	0 - 2	0
		1	36	18.22	18.32	18.21	0 - 2	0
		1	74	18.12	18.19	18.23	0 - 2	0
		36	0	18.19	18.06	18.05	0 - 3	0
		36	18	18.13	18.05	18.02	0 - 3	0
		36	39	18.12	18.09	18.13	0 - 3	0
		75	0	18.11	18.21	18.14	0 - 3	0
	256QAM	1	0	17.96	18.03	18.08	0 - 5	0
		1	36	18.05	18.20	18.25	0 - 5	0
		1	74	18.12	18.06	18.26	0 - 5	0
		36	0	18.05	18.00	18.03	0 - 5	0
		36	18	18.05	18.04	18.13	0 - 5	0
		36	39	18.08	18.10	18.12	0 - 5	0
		75	0	18.12	18.11	18.10	0 - 5	0

LTE FDD Band 25_20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26140 Ch. 1860 MHz	26365 Ch. 1882.5 MHz	26590 Ch. 1905 MHz		
20 MHz	QPSK	1	0	18.20	18.22	18.03	0	0
		1	49	18.19	17.94	18.01	0	0
		1	99	18.05	18.08	17.85	0	0
		50	0	18.13	18.23	18.20	0 - 1	0
		50	25	18.12	18.18	18.05	0 - 1	0
		50	49	18.11	18.16	18.11	0 - 1	0
		100	0	18.11	18.16	18.07	0 - 1	0
	16QAM	1	0	18.26	18.22	18.20	0 - 1	0
		1	49	18.24	18.21	18.12	0 - 1	0
		1	99	18.23	18.55	18.21	0 - 1	0
		50	0	18.11	18.07	18.07	0 - 2	0
		50	25	18.17	18.14	17.98	0 - 2	0
		50	49	18.21	18.14	18.14	0 - 2	0
		100	0	18.13	18.17	18.08	0 - 2	0
	64QAM	1	0	18.15	18.29	18.38	0 - 2	0
		1	49	18.20	18.39	18.32	0 - 2	0
		1	99	18.14	18.28	18.21	0 - 2	0
		50	0	18.07	18.17	18.14	0 - 3	0
		50	25	18.22	18.16	18.12	0 - 3	0
		50	49	18.18	18.14	18.12	0 - 3	0
		100	0	18.19	18.14	18.03	0 - 3	0
	256QAM	1	0	18.14	18.17	18.32	0 - 5	0
		1	49	18.28	18.10	17.86	0 - 5	0
		1	99	18.02	18.27	18.17	0 - 5	0
		50	0	18.03	18.00	18.01	0 - 5	0
		50	25	18.13	18.12	18.13	0 - 5	0
		50	49	18.08	18.15	18.13	0 - 5	0
		100	0	18.13	18.14	18.05	0 - 5	0

LTE FDD Band 25 Conducted Power_Pmax, RCV(DSI=1) _ANT.A[MAIN1]

LTE FDD Band 25_1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26047 Ch. 1850.7 MHz	26365 Ch. 1882.5 MHz	26683 Ch. 1914.3 MHz		
1.4 MHz	QPSK	1	0	24.17	24.03	24.26	0	0
		1	3	24.23	24.14	24.23	0	0
		1	5	24.14	24.08	24.12	0	0
		3	0	24.12	24.08	24.01	0 - 1	0
		3	1	24.11	24.10	24.05	0 - 1	0
		3	3	24.08	24.18	24.17	0 - 1	0
		6	0	23.16	23.08	23.22	0 - 1	1
	16QAM	1	0	23.34	23.38	23.37	0 - 1	1
		1	3	23.39	23.39	23.34	0 - 1	1
		1	5	23.44	23.28	23.45	0 - 1	1
		3	0	23.24	23.25	23.25	0 - 2	1
		3	1	23.29	23.25	23.19	0 - 2	1
		3	3	23.26	23.17	23.29	0 - 2	1
		6	0	22.21	22.12	22.25	0 - 2	2
	64QAM	1	0	22.33	22.23	22.32	0 - 2	2
		1	3	22.22	22.25	22.42	0 - 2	2
		1	5	22.30	22.29	22.20	0 - 2	2
		3	0	22.31	22.15	22.17	0 - 3	2
		3	1	22.23	22.15	22.27	0 - 3	2
		3	3	22.20	22.17	22.29	0 - 3	2
		6	0	21.09	21.12	21.22	0 - 3	3
	256QAM	1	0	19.12	19.25	19.23	0 - 5	5
		1	3	19.23	18.98	19.19	0 - 5	5
		1	5	19.18	19.08	19.20	0 - 5	5
		3	0	19.16	19.19	19.25	0 - 5	5
		3	1	19.15	19.10	19.23	0 - 5	5
		3	3	19.08	19.19	19.20	0 - 5	5
		6	0	19.10	19.15	19.15	0 - 5	5

LTE FDD Band 25_3 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26055 Ch. 1851.5 MHz	26365 Ch. 1882.5 MHz	26675 Ch. 1913.5 MHz		
3 MHz	QPSK	1	0	24.10	24.00	24.13	0	0
		1	7	24.13	24.22	24.17	0	0
		1	14	24.04	24.05	24.15	0	0
		8	0	23.18	23.08	23.04	0 - 1	1
		8	3	23.19	23.11	23.12	0 - 1	1
		8	7	23.16	23.14	23.19	0 - 1	1
		15	0	23.14	23.12	23.13	0 - 1	1
	16QAM	1	0	23.34	23.15	23.37	0 - 1	1
		1	7	23.35	23.44	23.53	0 - 1	1
		1	14	23.25	23.18	23.42	0 - 1	1
		8	0	22.15	22.02	22.11	0 - 2	2
		8	3	22.30	22.21	22.21	0 - 2	2
		8	7	22.13	22.15	22.20	0 - 2	2
		15	0	22.15	22.19	22.12	0 - 2	2
	64QAM	1	0	22.24	22.34	22.30	0 - 2	2
		1	7	22.40	22.44	22.34	0 - 2	2
		1	14	22.27	22.33	22.28	0 - 2	2
		8	0	21.13	21.07	21.09	0 - 3	3
		8	3	21.21	21.21	21.17	0 - 3	3
		8	7	21.15	21.23	21.22	0 - 3	3
		15	0	21.24	21.11	21.04	0 - 3	3
	256QAM	1	0	19.14	19.08	19.08	0 - 5	5
		1	7	19.21	19.23	19.26	0 - 5	5
		1	14	19.24	19.06	19.15	0 - 5	5
		8	0	19.10	19.00	19.09	0 - 5	5
		8	3	19.15	19.15	19.19	0 - 5	5
		8	7	19.15	19.17	19.13	0 - 5	5
		15	0	19.13	19.14	19.15	0 - 5	5

LTE FDD Band 25_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26065 Ch. 1852.5 MHz	26365 Ch. 1882.5 MHz	26665 Ch. 1912.5 MHz		
5 MHz	QPSK	1	0	24.16	24.02	24.15	0	0
		1	12	24.42	24.15	24.26	0	0
		1	24	24.20	24.09	24.12	0	0
		12	0	23.17	23.02	23.07	0 - 1	1
		12	6	23.15	23.16	23.16	0 - 1	1
		12	11	23.20	23.11	23.25	0 - 1	1
		25	0	23.11	23.04	23.15	0 - 1	1
	16QAM	1	0	23.47	23.36	23.45	0 - 1	1
		1	12	23.39	23.36	23.69	0 - 1	1
		1	24	23.38	23.27	23.30	0 - 1	1
		12	0	22.20	22.02	22.15	0 - 2	2
		12	6	22.19	22.11	22.15	0 - 2	2
		12	11	22.18	22.15	22.20	0 - 2	2
		25	0	22.18	22.09	22.17	0 - 2	2
	64QAM	1	0	22.31	22.16	22.22	0 - 2	2
		1	12	22.25	22.28	22.55	0 - 2	2
		1	24	22.31	22.22	22.39	0 - 2	2
		12	0	21.12	21.04	21.09	0 - 3	3
		12	6	21.22	21.14	21.11	0 - 3	3
		12	11	21.16	21.10	21.20	0 - 3	3
		25	0	21.15	21.10	21.15	0 - 3	3
	256QAM	1	0	19.10	19.12	19.30	0 - 5	5
		1	12	19.22	19.23	19.32	0 - 5	5
		1	24	19.14	19.21	19.26	0 - 5	5
		12	0	19.20	19.06	19.08	0 - 5	5
		12	6	19.17	19.13	19.14	0 - 5	5
		12	11	19.13	19.10	19.20	0 - 5	5
		25	0	19.14	19.09	19.20	0 - 5	5

LTE FDD Band 25_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26090 Ch. 1855 MHz	26365 Ch. 1882.5 MHz	26640 Ch. 1910 MHz		
10 MHz	QPSK	1	0	24.18	23.98	24.09	0	0
		1	24	24.10	24.09	24.19	0	0
		1	49	24.16	23.97	24.09	0	0
		25	0	23.13	23.00	23.07	0 - 1	1
		25	12	23.19	23.05	23.07	0 - 1	1
		25	24	23.14	23.07	23.19	0 - 1	1
		50	0	23.13	23.07	23.02	0 - 1	1
	16QAM	1	0	23.39	23.20	23.41	0 - 1	1
		1	24	23.29	23.32	23.34	0 - 1	1
		1	49	23.30	23.51	23.44	0 - 1	1
		25	0	22.11	22.01	22.08	0 - 2	2
		25	12	22.14	22.12	22.07	0 - 2	2
		25	24	22.20	22.08	22.17	0 - 2	2
		50	0	22.15	22.05	22.10	0 - 2	2
	64QAM	1	0	22.27	22.25	22.30	0 - 2	2
		1	24	22.25	22.39	22.13	0 - 2	2
		1	49	22.33	22.26	22.22	0 - 2	2
		25	0	21.09	20.98	21.06	0 - 3	3
		25	12	21.08	21.08	21.09	0 - 3	3
		25	24	21.12	21.10	21.15	0 - 3	3
		50	0	21.11	21.08	21.09	0 - 3	3
	256QAM	1	0	19.24	19.10	19.14	0 - 5	5
		1	24	19.34	19.21	19.28	0 - 5	5
		1	49	19.09	19.25	19.32	0 - 5	5
		25	0	19.13	19.04	19.06	0 - 5	5
		25	12	19.17	19.09	19.06	0 - 5	5
		25	24	19.09	19.09	19.15	0 - 5	5
		50	0	19.12	19.09	19.04	0 - 5	5

LTE FDD Band 25_15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26115 Ch. 1857.5 MHz	26365 Ch. 1882.5 MHz	26615 Ch. 1907.5 MHz		
15 MHz	QPSK	1	0	23.90	24.02	23.87	0	0
		1	36	24.01	24.06	23.84	0	0
		1	74	23.98	23.74	24.03	0	0
		36	0	22.97	22.86	22.94	0 - 1	1
		36	18	22.89	22.86	22.87	0 - 1	1
		36	39	22.90	22.98	23.02	0 - 1	1
		75	0	22.98	22.95	22.93	0 - 1	1
	16QAM	1	0	23.08	23.09	22.97	0 - 1	1
		1	36	23.12	22.94	22.90	0 - 1	1
		1	74	22.98	23.13	23.02	0 - 1	1
		36	0	21.95	21.87	21.90	0 - 2	2
		36	18	21.94	21.86	21.78	0 - 2	2
		36	39	21.94	21.94	21.94	0 - 2	2
		75	0	21.96	21.96	21.96	0 - 2	2
	64QAM	1	0	21.95	21.91	21.96	0 - 2	2
		1	36	22.23	22.10	22.02	0 - 2	2
		1	74	21.99	21.99	22.32	0 - 2	2
		36	0	20.91	20.88	20.89	0 - 3	3
		36	18	20.95	20.87	20.94	0 - 3	3
		36	39	20.87	20.94	20.98	0 - 3	3
		75	0	20.96	21.00	20.90	0 - 3	3
	256QAM	1	0	18.93	18.73	19.02	0 - 5	5
		1	36	18.89	18.90	18.99	0 - 5	5
		1	74	19.18	19.01	19.00	0 - 5	5
		36	0	18.94	18.89	18.80	0 - 5	5
		36	18	18.95	18.90	18.91	0 - 5	5
		36	39	18.97	18.87	18.94	0 - 5	5
		75	0	18.90	18.89	18.96	0 - 5	5

LTE FDD Band 25_20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26140 Ch. 1860 MHz	26365 Ch. 1882.5 MHz	26590 Ch. 1905 MHz		
20 MHz	QPSK	1	0	24.02	24.21	24.05	0	0
		1	49	24.19	23.89	24.05	0	0
		1	99	24.11	23.98	23.61	0	0
		50	0	22.85	22.97	22.88	0 - 1	1
		50	25	22.93	22.92	22.89	0 - 1	1
		50	49	22.94	22.84	22.95	0 - 1	1
		100	0	22.97	22.90	22.90	0 - 1	1
	16QAM	1	0	22.93	23.63	22.99	0 - 1	1
		1	49	22.90	23.44	22.86	0 - 1	1
		1	99	23.06	23.02	23.11	0 - 1	1
		50	0	21.93	21.86	21.88	0 - 2	2
		50	25	21.91	21.94	21.95	0 - 2	2
		50	49	21.93	21.94	22.01	0 - 2	2
		100	0	22.00	21.90	21.91	0 - 2	2
	64QAM	1	0	21.94	22.00	21.93	0 - 2	2
		1	49	22.08	22.04	22.14	0 - 2	2
		1	99	22.17	21.97	22.13	0 - 2	2
		50	0	20.81	20.80	20.86	0 - 3	3
		50	25	20.96	20.97	20.87	0 - 3	3
		50	49	20.85	20.95	21.04	0 - 3	3
		100	0	20.96	20.92	20.86	0 - 3	3
	256QAM	1	0	18.87	18.91	18.73	0 - 5	5
		1	49	18.95	18.94	18.81	0 - 5	5
		1	99	18.85	19.01	19.14	0 - 5	5
		50	0	18.76	18.82	18.84	0 - 5	5
		50	25	18.90	18.98	18.88	0 - 5	5
		50	49	18.99	18.87	18.98	0 - 5	5
		100	0	18.90	18.94	18.98	0 - 5	5

LTE FDD Band 25 Conducted Power_Free(DSI=0), RCV(DSI=1) _ANT.F[SUB2-2]

LTE FDD Band 25_1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26047 Ch. 1850.7 MHz	26365 Ch. 1882.5 MHz	26683 Ch. 1914.3 MHz		
1.4 MHz	QPSK	1	0	17.86	17.94	17.88	0	0
		1	3	17.93	18.04	17.98	0	0
		1	5	17.79	17.78	17.73	0	0
		3	0	18.06	18.11	18.06	0 - 1	0
		3	1	18.03	18.04	18.00	0 - 1	0
		3	3	17.99	17.96	17.94	0 - 1	0
		6	0	17.96	17.95	18.07	0 - 1	0
	16QAM	1	0	18.18	18.30	18.30	0 - 1	0
		1	3	18.63	18.64	18.68	0 - 1	0
		1	5	18.17	18.16	18.11	0 - 1	0
		3	0	18.04	18.15	18.04	0 - 2	0
		3	1	17.87	17.98	17.99	0 - 2	0
		3	3	18.08	18.08	18.03	0 - 2	0
		6	0	18.04	18.09	18.12	0 - 2	0
	64QAM	1	0	18.03	18.12	18.04	0 - 2	0
		1	3	18.19	18.30	18.24	0 - 2	0
		1	5	17.78	17.82	17.81	0 - 2	0
		3	0	18.08	18.06	18.03	0 - 3	0
		3	1	18.07	18.02	18.06	0 - 3	0
		3	3	17.95	18.06	17.96	0 - 3	0
		6	0	17.91	18.00	17.96	0 - 3	0
	256QAM	1	0	18.23	18.17	18.22	0 - 5	0
		1	3	18.12	18.14	18.03	0 - 5	0
		1	5	17.89	18.02	17.98	0 - 5	0
		3	0	18.03	18.07	18.09	0 - 5	0
		3	1	17.86	17.98	18.01	0 - 5	0
		3	3	17.89	18.02	17.99	0 - 5	0
		6	0	18.06	18.06	18.08	0 - 5	0

LTE FDD Band 25_3 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26055 Ch. 1851.5 MHz	26365 Ch. 1882.5 MHz	26675 Ch. 1913.5 MHz		
3 MHz	QPSK	1	0	17.92	17.93	17.96	0	0
		1	7	18.04	18.07	17.97	0	0
		1	14	17.77	17.75	17.65	0	0
		8	0	18.16	18.14	18.05	0 - 1	0
		8	3	17.96	17.99	17.99	0 - 1	0
		8	7	17.97	18.02	17.89	0 - 1	0
		15	0	17.92	18.03	18.04	0 - 1	0
	16QAM	1	0	18.27	18.29	18.32	0 - 1	0
		1	7	18.50	18.63	18.66	0 - 1	0
		1	14	18.12	18.19	18.19	0 - 1	0
		8	0	18.00	18.12	18.07	0 - 2	0
		8	3	17.98	18.00	17.94	0 - 2	0
		8	7	18.02	18.12	18.08	0 - 2	0
		15	0	18.07	18.10	18.08	0 - 2	0
	64QAM	1	0	18.00	18.04	18.01	0 - 2	0
		1	7	18.21	18.28	18.24	0 - 2	0
		1	14	17.78	17.78	17.84	0 - 2	0
		8	0	18.03	18.09	18.10	0 - 3	0
		8	3	17.99	18.11	18.01	0 - 3	0
		8	7	17.95	17.97	17.91	0 - 3	0
		15	0	17.96	18.04	18.03	0 - 3	0
	256QAM	1	0	18.22	18.23	18.17	0 - 5	0
		1	7	18.05	18.18	18.07	0 - 5	0
		1	14	17.95	18.05	17.98	0 - 5	0
		8	0	18.05	18.04	18.06	0 - 5	0
		8	3	17.88	17.99	17.87	0 - 5	0
		8	7	17.95	17.93	17.90	0 - 5	0
		15	0	18.08	18.11	18.06	0 - 5	0

LTE FDD Band 25_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26065 Ch. 1852.5 MHz	26365 Ch. 1882.5 MHz	26665 Ch. 1912.5 MHz		
5 MHz	QPSK	1	0	18.13	18.14	18.14	0	0
		1	12	18.22	18.24	18.26	0	0
		1	24	17.97	18.03	17.92	0	0
		12	0	18.26	18.33	18.27	0 - 1	0
		12	6	18.20	18.23	18.15	0 - 1	0
		12	11	18.19	18.22	18.16	0 - 1	0
		25	0	18.14	18.26	18.19	0 - 1	0
	16QAM	1	0	18.42	18.56	18.50	0 - 1	0
		1	12	18.78	18.87	18.81	0 - 1	0
		1	24	18.38	18.47	18.41	0 - 1	0
		12	0	18.24	18.36	18.27	0 - 2	0
		12	6	18.07	18.22	18.17	0 - 2	0
		12	11	18.24	18.32	18.29	0 - 2	0
		25	0	18.29	18.33	18.32	0 - 2	0
	64QAM	1	0	18.22	18.24	18.20	0 - 2	0
		1	12	18.41	18.48	18.47	0 - 2	0
		1	24	17.92	18.10	18.05	0 - 2	0
		12	0	18.21	18.35	18.21	0 - 3	0
		12	6	18.18	18.32	18.24	0 - 3	0
		12	11	18.21	18.19	18.13	0 - 3	0
		25	0	18.17	18.24	18.20	0 - 3	0
	256QAM	1	0	18.40	18.42	18.32	0 - 5	0
		1	12	18.25	18.36	18.30	0 - 5	0
		1	24	18.09	18.16	18.17	0 - 5	0
		12	0	18.24	18.27	18.17	0 - 5	0
		12	6	18.05	18.17	18.17	0 - 5	0
		12	11	18.10	18.16	18.21	0 - 5	0
		25	0	18.32	18.26	18.28	0 - 5	0

LTE FDD Band 25_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26090 Ch. 1855 MHz	26365 Ch. 1882.5 MHz	26640 Ch. 1910 MHz		
10 MHz	QPSK	1	0	18.32	18.31	18.28	0	0
		1	24	18.33	18.37	18.35	0	0
		1	49	18.13	18.15	18.11	0	0
		25	0	18.28	18.32	18.31	0 - 1	0
		25	12	18.25	18.31	18.27	0 - 1	0
		25	24	18.27	18.32	18.23	0 - 1	0
		50	0	18.13	18.20	18.14	0 - 1	0
	16QAM	1	0	18.58	18.67	18.59	0 - 1	0
		1	24	18.59	18.65	18.55	0 - 1	0
		1	49	18.29	18.37	18.31	0 - 1	0
		25	0	18.20	18.29	18.25	0 - 2	0
		25	12	18.29	18.31	18.33	0 - 2	0
		25	24	18.21	18.26	18.15	0 - 2	0
		50	0	18.21	18.26	18.16	0 - 2	0
	64QAM	1	0	18.26	18.27	18.24	0 - 2	0
		1	24	18.60	18.68	18.56	0 - 2	0
		1	49	18.30	18.41	18.30	0 - 2	0
		25	0	18.29	18.33	18.23	0 - 3	0
		25	12	18.20	18.27	18.13	0 - 3	0
		25	24	18.33	18.29	18.28	0 - 3	0
		50	0	18.24	18.31	18.25	0 - 3	0
	256QAM	1	0	18.27	18.28	18.27	0 - 5	0
		1	24	18.47	18.48	18.48	0 - 5	0
		1	49	18.21	18.25	18.26	0 - 5	0
		25	0	18.16	18.23	18.15	0 - 5	0
		25	12	18.35	18.36	18.25	0 - 5	0
		25	24	18.09	18.17	18.15	0 - 5	0
		50	0	18.25	18.29	18.23	0 - 5	0

LTE FDD Band 25_15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26115 Ch. 1857.5 MHz	26365 Ch. 1882.5 MHz	26615 Ch. 1907.5 MHz		
15 MHz	QPSK	1	0	17.87	17.89	17.93	0	0
		1	36	17.99	18.06	18.05	0	0
		1	74	17.75	17.79	17.62	0	0
		36	0	18.11	18.04	18.13	0 - 1	0
		36	18	18.04	18.08	17.95	0 - 1	0
		36	39	18.01	18.08	17.97	0 - 1	0
		75	0	17.94	17.99	17.98	0 - 1	0
	16QAM	1	0	18.20	18.31	18.35	0 - 1	0
		1	36	18.53	18.65	18.59	0 - 1	0
		1	74	18.10	18.25	18.16	0 - 1	0
		36	0	18.03	18.11	18.13	0 - 2	0
		36	18	17.90	17.98	17.99	0 - 2	0
		36	39	18.03	18.13	18.05	0 - 2	0
		75	0	18.09	18.10	18.06	0 - 2	0
	64QAM	1	0	18.02	18.12	17.97	0 - 2	0
		1	36	18.21	18.25	18.21	0 - 2	0
		1	74	17.74	17.86	17.76	0 - 2	0
		36	0	18.06	18.08	18.12	0 - 3	0
		36	18	18.03	18.07	17.96	0 - 3	0
		36	39	17.95	18.06	17.97	0 - 3	0
		75	0	17.94	17.97	18.01	0 - 3	0
	256QAM	1	0	18.21	18.24	18.16	0 - 5	0
		1	36	18.08	18.13	18.04	0 - 5	0
		1	74	17.91	17.93	17.95	0 - 5	0
		36	0	18.02	18.02	17.98	0 - 5	0
		36	18	17.87	18.05	17.97	0 - 5	0
		36	39	17.92	17.99	17.89	0 - 5	0
		75	0	18.04	18.06	18.02	0 - 5	0

LTE FDD Band 25_20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26140 Ch. 1860 MHz	26365 Ch. 1882.5 MHz	26590 Ch. 1905 MHz		
20 MHz	QPSK	1	0	17.93	18.74	17.94	0	0
		1	49	18.06	18.11	18.03	0	0
		1	99	17.77	17.80	17.76	0	0
		50	0	18.13	18.73	18.07	0 - 1	0
		50	25	18.07	18.02	18.05	0 - 1	0
		50	49	18.04	18.05	17.97	0 - 1	0
		100	0	17.99	18.06	18.08	0 - 1	0
	16QAM	1	0	18.31	18.37	18.31	0 - 1	0
		1	49	18.57	18.69	18.65	0 - 1	0
		1	99	18.23	18.25	18.22	0 - 1	0
		50	0	18.08	18.15	18.18	0 - 2	0
		50	25	17.99	18.03	18.02	0 - 2	0
		50	49	18.10	18.12	18.09	0 - 2	0
		100	0	18.12	18.16	18.13	0 - 2	0
	64QAM	1	0	18.06	18.09	18.09	0 - 2	0
		1	49	18.22	18.32	18.29	0 - 2	0
		1	99	17.81	17.84	17.85	0 - 2	0
		50	0	18.13	18.10	18.14	0 - 3	0
		50	25	18.04	18.14	18.02	0 - 3	0
		50	49	18.02	18.06	17.99	0 - 3	0
		100	0	17.97	18.04	18.04	0 - 3	0
	256QAM	1	0	18.23	18.28	18.19	0 - 5	0
		1	49	18.12	18.15	18.07	0 - 5	0
		1	99	17.97	18.06	18.00	0 - 5	0
		50	0	18.04	18.13	18.10	0 - 5	0
		50	25	17.97	18.00	18.02	0 - 5	0
		50	49	18.00	18.06	17.99	0 - 5	0
		100	0	18.08	18.14	18.10	0 - 5	0

LTE FDD Band 26 Conducted Power_Free(DSI=0) _ANT.A[MAIN1]

LTE FDD Band 26_1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26697 Ch. 814.7 MHz	26865 Ch. 831.5 MHz	27033 Ch. 848.3 MHz		
1.4 MHz	QPSK	1	0	22.40	22.47	22.25	0	0
		1	3	22.45	22.52	22.28	0	0
		1	5	22.35	22.53	22.18	0	0
		3	0	22.45	22.48	22.24	0 - 1	0
		3	1	22.40	22.51	22.24	0 - 1	0
		3	3	22.43	22.52	22.21	0 - 1	0
		6	0	22.35	22.48	22.27	0 - 1	0
	16QAM	1	0	22.64	22.62	22.41	0 - 1	0
		1	3	22.53	22.73	22.45	0 - 1	0
		1	5	22.68	22.76	22.40	0 - 1	0
		3	0	22.52	22.65	22.31	0 - 2	0
		3	1	22.55	22.55	22.36	0 - 2	0
		3	3	22.60	22.61	22.34	0 - 2	0
		6	0	22.49	22.58	22.28	0 - 2	0
	64QAM	1	0	22.51	22.57	22.27	0 - 2	0
		1	3	22.57	22.83	22.49	0 - 2	0
		1	5	22.53	22.60	22.17	0 - 2	0
		3	0	22.44	22.41	22.32	0 - 3	0.5
		3	1	22.40	22.45	22.46	0 - 3	0.5
		3	3	22.41	22.40	22.22	0 - 3	0.5
		6	0	21.98	22.01	21.38	0 - 3	0.5
	256QAM	1	0	20.04	20.11	19.74	0 - 5	2.5
		1	3	19.99	20.19	19.58	0 - 5	2.5
		1	5	19.95	20.14	19.32	0 - 5	2.5
		3	0	19.95	20.02	19.58	0 - 5	2.5
		3	1	19.98	20.04	19.57	0 - 5	2.5
		3	3	19.95	20.11	19.41	0 - 5	2.5
		6	0	19.87	20.03	19.46	0 - 5	2.5

LTE FDD Band 26_3 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26705 Ch. 815.5 MHz	26865 Ch. 831.5 MHz	27025 Ch. 847.5 MHz		
3 MHz	QPSK	1	0	22.35	22.48	22.29	0	0
		1	7	22.48	22.60	22.29	0	0
		1	14	22.35	22.55	22.21	0	0
		8	0	22.47	22.54	22.31	0 - 1	0
		8	3	22.48	22.56	22.36	0 - 1	0
		8	7	22.45	22.58	22.27	0 - 1	0
		15	0	22.49	22.55	22.29	0 - 1	0
	16QAM	1	0	22.74	22.71	22.47	0 - 1	0
		1	7	22.67	22.88	22.58	0 - 1	0
		1	14	22.62	22.83	22.41	0 - 1	0
		8	0	22.49	22.56	22.37	0 - 2	0
		8	3	22.51	22.53	22.39	0 - 2	0
		8	7	22.49	22.58	22.40	0 - 2	0
		15	0	22.49	22.55	22.34	0 - 2	0
	64QAM	1	0	22.56	22.78	22.34	0 - 2	0
		1	7	22.72	22.78	22.56	0 - 2	0
		1	14	22.49	22.74	22.37	0 - 2	0
		8	0	22.02	22.01	21.85	0 - 3	0.5
		8	3	21.98	21.99	21.89	0 - 3	0.5
		8	7	21.97	22.10	21.86	0 - 3	0.5
		15	0	21.95	22.06	21.80	0 - 3	0.5
	256QAM	1	0	19.92	20.16	19.81	0 - 5	2.5
		1	7	20.11	20.15	19.91	0 - 5	2.5
		1	14	20.03	20.23	19.80	0 - 5	2.5
		8	0	19.91	20.07	19.84	0 - 5	2.5
		8	3	20.03	20.10	19.76	0 - 5	2.5
		8	7	20.05	20.11	19.79	0 - 5	2.5
		15	0	19.92	20.02	19.81	0 - 5	2.5

LTE FDD Band 26_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26715 Ch. 816.5 MHz	26865 Ch. 831.5 MHz	27015 Ch. 846.5 MHz		
5 MHz	QPSK	1	0	22.41	22.49	22.33	0	0
		1	12	22.50	22.66	22.34	0	0
		1	24	22.42	22.52	22.34	0	0
		12	0	22.36	22.56	22.40	0 - 1	0
		12	6	22.60	22.58	22.39	0 - 1	0
		12	11	22.47	22.61	22.36	0 - 1	0
		25	0	22.46	22.53	22.32	0 - 1	0
	16QAM	1	0	22.66	22.85	22.56	0 - 1	0
		1	12	22.58	22.85	22.54	0 - 1	0
		1	24	22.60	22.72	22.44	0 - 1	0
		12	0	22.39	22.54	22.40	0 - 2	0
		12	6	22.55	22.61	22.41	0 - 2	0
		12	11	22.57	22.62	22.36	0 - 2	0
		25	0	22.48	22.54	22.39	0 - 2	0
	64QAM	1	0	22.48	22.74	22.69	0 - 2	0
		1	12	22.58	22.70	22.46	0 - 2	0
		1	24	22.54	22.65	22.27	0 - 2	0
		12	0	21.86	22.02	21.82	0 - 3	0.5
		12	6	21.98	22.04	21.89	0 - 3	0.5
		12	11	21.99	22.09	21.80	0 - 3	0.5
		25	0	21.95	22.05	21.80	0 - 3	0.5
	256QAM	1	0	19.97	20.13	20.04	0 - 5	2.5
		1	12	20.10	20.24	20.03	0 - 5	2.5
		1	24	20.01	20.11	19.91	0 - 5	2.5
		12	0	19.94	20.05	19.83	0 - 5	2.5
		12	6	20.02	20.03	19.87	0 - 5	2.5
		12	11	20.00	20.12	19.82	0 - 5	2.5
		25	0	19.99	20.01	19.87	0 - 5	2.5

LTE FDD Band 26_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26750 Ch. 820 MHz	26865 Ch. 831.5 MHz	26990 Ch. 844 MHz		
10 MHz	QPSK	1	0	22.43	22.56	22.46	0	0
		1	24	22.53	22.68	22.39	0	0
		1	49	22.48	22.35	22.26	0	0
		25	0	22.49	22.54	22.40	0 - 1	0
		25	12	22.54	22.58	22.43	0 - 1	0
		25	24	22.51	22.53	22.36	0 - 1	0
		50	0	22.55	22.48	22.32	0 - 1	0
	16QAM	1	0	22.58	22.68	22.64	0 - 1	0
		1	24	22.76	22.82	22.47	0 - 1	0
		1	49	22.62	22.97	22.52	0 - 1	0
		25	0	22.44	22.56	22.46	0 - 2	0
		25	12	22.55	22.53	22.42	0 - 2	0
		25	24	22.47	22.42	22.34	0 - 2	0
		50	0	22.53	22.56	22.39	0 - 2	0
	64QAM	1	0	22.62	22.68	22.72	0 - 2	0
		1	24	22.63	22.73	22.53	0 - 2	0
		1	49	22.64	22.53	22.42	0 - 2	0
		25	0	22.01	22.08	21.95	0 - 3	0.5
		25	12	22.07	22.06	21.90	0 - 3	0.5
		25	24	22.04	22.01	21.82	0 - 3	0.5
		50	0	22.02	21.96	21.92	0 - 3	0.5
	256QAM	1	0	19.88	20.10	20.05	0 - 5	2.5
		1	24	20.12	20.20	19.90	0 - 5	2.5
		1	49	20.16	20.08	19.95	0 - 5	2.5
		25	0	19.96	20.04	19.90	0 - 5	2.5
		25	12	20.07	20.08	19.95	0 - 5	2.5
		25	24	20.05	20.01	19.82	0 - 5	2.5
		50	0	19.99	20.05	19.86	0 - 5	2.5

LTE FDD Band 26_15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR Allowed Per 3GPP [dB]	MPR [dB]
					26865 Ch. 831.5 MHz		
15 MHz	QPSK	1	0		22.58		0
		1	36		22.44		0
		1	74		22.35		0
		36	0		22.43		0 - 1
		36	18		22.38		0 - 1
		36	39		22.39		0 - 1
		75	0		22.40		0 - 1
	16QAM	1	0		22.70		0 - 1
		1	36		22.65		0 - 1
		1	74		22.40		0 - 1
		36	0		22.39		0 - 2
		36	18		22.40		0 - 2
		36	39		22.37		0 - 2
		75	0		22.41		0 - 2
	64QAM	1	0		22.58		0 - 2
		1	36		22.49		0 - 2
		1	74		22.28		0 - 2
		36	0		21.88		0 - 3
		36	18		21.84		0 - 3
		36	39		21.80		0 - 3
		75	0		21.87		0 - 3
	256QAM	1	0		19.92		0 - 5
		1	36		19.79		0 - 5
		1	74		19.84		0 - 5
		36	0		19.92		0 - 5
		36	18		19.84		0 - 5
		36	39		19.82		0 - 5
		75	0		19.84		0 - 5

LTE FDD Band 26 Conducted Power_RCV(DSI=1) _Ant.A[Ant.MAIN1]

LTE FDD Band 26_1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26697 Ch. 814.7 MHz	26865 Ch. 831.5 MHz	27033 Ch. 848.3 MHz		
1.4 MHz	QPSK	1	0	23.24	23.25	23.19	0	0
		1	3	22.98	22.98	22.97	0	0
		1	5	23.01	23.03	23.01	0	0
		3	0	23.04	23.04	23.07	0 - 1	0
		3	1	23.06	23.07	23.03	0 - 1	0
		3	3	23.05	23.08	23.05	0 - 1	0
		6	0	23.02	22.98	22.98	0 - 1	0
	16QAM	1	0	23.31	23.29	23.36	0 - 1	0
		1	3	23.45	23.46	23.45	0 - 1	0
		1	5	23.27	23.31	23.26	0 - 1	0
		3	0	22.56	22.57	22.54	0 - 2	0.5
		3	1	22.53	22.48	22.47	0 - 2	0.5
		3	3	22.48	22.51	22.48	0 - 2	0.5
		6	0	22.49	22.53	22.52	0 - 2	0.5
	64QAM	1	0	22.65	22.59	22.64	0 - 2	0.5
		1	3	22.75	22.79	22.80	0 - 2	0.5
		1	5	22.71	22.77	22.71	0 - 2	0.5
		3	0	21.76	21.70	21.74	0 - 3	1.5
		3	1	21.73	21.73	21.71	0 - 3	1.5
		3	3	21.68	21.63	21.64	0 - 3	1.5
		6	0	21.67	21.60	21.60	0 - 3	1.5
	256QAM	1	0	19.59	19.62	19.62	0 - 5	3.5
		1	3	19.72	19.70	19.72	0 - 5	3.5
		1	5	19.53	19.50	19.56	0 - 5	3.5
		3	0	19.48	19.52	19.51	0 - 5	3.5
		3	1	19.43	19.40	19.44	0 - 5	3.5
		3	3	19.48	19.46	19.43	0 - 5	3.5
		6	0	19.49	19.44	19.44	0 - 5	3.5

LTE FDD Band 26_3 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26705 Ch. 815.5 MHz	26865 Ch. 831.5 MHz	27025 Ch. 847.5 MHz		
3 MHz	QPSK	1	0	23.25	23.25	23.27	0	0
		1	7	22.98	23.01	22.99	0	0
		1	14	22.98	22.99	22.97	0	0
		8	0	23.05	23.07	23.06	0 - 1	0
		8	3	23.05	23.05	23.08	0 - 1	0
		8	7	23.05	23.06	23.08	0 - 1	0
		15	0	23.04	22.97	23.04	0 - 1	0
	16QAM	1	0	23.36	23.35	23.34	0 - 1	0
		1	7	23.47	23.45	23.42	0 - 1	0
		1	14	23.26	23.27	23.32	0 - 1	0
		8	0	22.60	22.56	22.54	0 - 2	0.5
		8	3	22.47	22.48	22.52	0 - 2	0.5
		8	7	22.48	22.52	22.51	0 - 2	0.5
		15	0	22.49	22.50	22.51	0 - 2	0.5
	64QAM	1	0	22.63	22.61	22.60	0 - 2	0.5
		1	7	22.75	22.80	22.79	0 - 2	0.5
		1	14	22.73	22.76	22.79	0 - 2	0.5
		8	0	21.75	21.73	21.70	0 - 3	1.5
		8	3	21.76	21.75	21.73	0 - 3	1.5
		8	7	21.67	21.68	21.63	0 - 3	1.5
		15	0	21.61	21.63	21.65	0 - 3	1.5
	256QAM	1	0	19.58	19.57	19.59	0 - 5	3.5
		1	7	19.75	19.72	19.73	0 - 5	3.5
		1	14	19.54	19.51	19.56	0 - 5	3.5
		8	0	19.54	19.52	19.54	0 - 5	3.5
		8	3	19.39	19.39	19.39	0 - 5	3.5
		8	7	19.41	19.47	19.44	0 - 5	3.5
		15	0	19.46	19.48	19.47	0 - 5	3.5

LTE FDD Band 26_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26715 Ch. 816.5 MHz	26865 Ch. 831.5 MHz	27015 Ch. 846.5 MHz		
5 MHz	QPSK	1	0	23.20	23.19	23.26	0	0
		1	12	23.04	23.02	22.98	0	0
		1	24	22.97	22.96	23.01	0	0
		12	0	23.06	23.05	23.03	0 - 1	0
		12	6	23.06	23.08	23.05	0 - 1	0
		12	11	23.02	23.02	23.06	0 - 1	0
		25	0	23.01	23.03	23.01	0 - 1	0
	16QAM	1	0	23.29	23.31	23.32	0 - 1	0
		1	12	23.43	23.41	23.46	0 - 1	0
		1	24	23.26	23.28	23.33	0 - 1	0
		12	0	22.56	22.60	22.56	0 - 2	0.5
		12	6	22.48	22.53	22.52	0 - 2	0.5
		12	11	22.52	22.48	22.49	0 - 2	0.5
		25	0	22.50	22.47	22.50	0 - 2	0.5
	64QAM	1	0	22.61	22.66	22.60	0 - 2	0.5
		1	12	22.77	22.78	22.74	0 - 2	0.5
		1	24	22.77	22.77	22.73	0 - 2	0.5
		12	0	21.70	21.74	21.75	0 - 3	1.5
		12	6	21.74	21.70	21.73	0 - 3	1.5
		12	11	21.68	21.64	21.65	0 - 3	1.5
		25	0	21.61	21.64	21.68	0 - 3	1.5
	256QAM	1	0	19.58	19.61	19.60	0 - 5	3.5
		1	12	19.73	19.69	19.73	0 - 5	3.5
		1	24	19.54	19.58	19.51	0 - 5	3.5
		12	0	19.47	19.51	19.53	0 - 5	3.5
		12	6	19.38	19.44	19.43	0 - 5	3.5
		12	11	19.46	19.47	19.42	0 - 5	3.5
		25	0	19.46	19.50	19.43	0 - 5	3.5

LTE FDD Band 26_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26750 Ch. 820 MHz	26865 Ch. 831.5 MHz	26990 Ch. 844 MHz		
10 MHz	QPSK	1	0	23.24	23.26	23.26	0	0
		1	24	23.00	22.98	23.04	0	0
		1	49	23.01	22.99	22.96	0	0
		25	0	23.00	23.05	23.07	0 - 1	0
		25	12	23.09	23.07	23.05	0 - 1	0
		25	24	23.02	23.06	23.02	0 - 1	0
		50	0	23.04	22.97	23.03	0 - 1	0
	16QAM	1	0	23.35	23.30	23.33	0 - 1	0
		1	24	23.44	23.43	23.44	0 - 1	0
		1	49	23.31	23.29	23.30	0 - 1	0
		25	0	22.54	22.57	22.55	0 - 2	0.5
		25	12	22.48	22.52	22.47	0 - 2	0.5
		25	24	22.52	22.47	22.53	0 - 2	0.5
		50	0	22.50	22.47	22.47	0 - 2	0.5
	64QAM	1	0	22.65	22.65	22.61	0 - 2	0.5
		1	24	22.76	22.76	22.80	0 - 2	0.5
		1	49	22.73	22.78	22.73	0 - 2	0.5
		25	0	21.75	21.72	21.75	0 - 3	1.5
		25	12	21.77	21.73	21.70	0 - 3	1.5
		25	24	21.66	21.67	21.64	0 - 3	1.5
		50	0	21.65	21.63	21.61	0 - 3	1.5
	256QAM	1	0	19.56	19.61	19.57	0 - 5	3.5
		1	24	19.75	19.75	19.71	0 - 5	3.5
		1	49	19.54	19.57	19.51	0 - 5	3.5
		25	0	19.53	19.50	19.53	0 - 5	3.5
		25	12	19.39	19.40	19.39	0 - 5	3.5
		25	24	19.42	19.47	19.47	0 - 5	3.5
		50	0	19.44	19.45	19.49	0 - 5	3.5

LTE FDD Band 26_15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR Allowed Per 3GPP [dB]	MPR [dB]
					26865 Ch. 831.5 MHz		
15 MHz	QPSK	1	0		23.27	0	0
		1	36		23.05	0	0
		1	74		23.04	0	0
		36	0		23.14	0 - 1	0
		36	18		23.10	0 - 1	0
		36	39		23.09	0 - 1	0
		75	0		23.05	0 - 1	0
	16QAM	1	0		23.36	0 - 1	0
		1	36		23.49	0 - 1	0
		1	74		23.34	0 - 1	0
		36	0		22.61	0 - 2	0.5
		36	18		22.54	0 - 2	0.5
		36	39		22.54	0 - 2	0.5
		75	0		22.54	0 - 2	0.5
	64QAM	1	0		22.66	0 - 2	0.5
		1	36		22.82	0 - 2	0.5
		1	74		22.79	0 - 2	0.5
		36	0		21.77	0 - 3	1.5
		36	18		21.78	0 - 3	1.5
		36	39		21.69	0 - 3	1.5
		75	0		21.68	0 - 3	1.5
	256QAM	1	0		19.64	0 - 5	3.5
		1	36		19.76	0 - 5	3.5
		1	74		19.58	0 - 5	3.5
		36	0		19.54	0 - 5	3.5
		36	18		19.45	0 - 5	3.5
		36	39		19.48	0 - 5	3.5
		75	0		19.50	0 - 5	3.5

LTE FDD Band 30 Conducted Power_Free(DSI=0) _ANT.A[MAIN1]

LTE FDD Band 30_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				27685 Ch. 2307.5 MHz	27710 Ch. 2310 MHz	27735 Ch. 2312.5 MHz		
5 MHz	QPSK	1	0	18.30	18.20	18.22	0	0
		1	12	18.28	18.40	18.30	0	0
		1	24	18.18	18.24	18.29	0	0
		12	0	18.18	18.15	18.32	0 - 1	0
		12	6	18.35	18.27	18.30	0 - 1	0
		12	11	18.29	18.16	18.29	0 - 1	0
	16QAM	25	0	18.29	18.26	18.34	0 - 1	0
		1	0	18.45	18.50	18.45	0 - 1	0
		1	12	18.61	18.45	18.76	0 - 1	0
		1	24	18.54	18.72	18.31	0 - 1	0
		12	0	18.21	18.30	18.38	0 - 2	0
		12	6	18.37	18.34	18.35	0 - 2	0
	64QAM	12	11	18.25	18.19	18.35	0 - 2	0
		25	0	18.30	18.28	18.34	0 - 2	0
		1	0	18.24	18.49	18.40	0 - 2	0
		1	12	18.41	18.42	18.42	0 - 2	0
		1	24	18.30	18.39	18.25	0 - 2	0
		12	0	18.18	18.21	18.37	0 - 3	0
	256QAM	12	6	18.28	18.27	18.34	0 - 3	0
		12	11	18.26	18.26	18.19	0 - 3	0
		25	0	18.29	18.25	18.27	0 - 3	0
		1	0	18.28	18.17	18.42	0 - 5	0
		1	12	18.59	18.51	18.44	0 - 5	0
		1	24	18.25	18.16	18.41	0 - 5	0
		12	0	18.22	18.20	18.37	0 - 5	0
		12	6	18.32	18.29	18.30	0 - 5	0
		12	11	18.23	18.24	18.30	0 - 5	0
		25	0	18.24	18.28	18.21	0 - 5	0

LTE FDD Band 30_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR Allowed Per 3GPP [dB]	MPR [dB]
					27710 Ch. 2310 MHz		
10 MHz	QPSK	1	0		18.34		0
		1	24		18.33		0
		1	49		18.24		0
		25	0		18.27		0 - 1
		25	12		18.22		0 - 1
		25	24		18.26		0 - 1
		50	0		18.21		0 - 1
	16QAM	1	0		18.38		0 - 1
		1	24		18.51		0 - 1
		1	49		18.51		0 - 1
		25	0		18.24		0 - 2
		25	12		18.30		0 - 2
		25	24		18.27		0 - 2
		50	0		18.22		0 - 2
	64QAM	1	0		18.44		0 - 2
		1	24		18.58		0 - 2
		1	49		18.40		0 - 2
		25	0		18.21		0 - 3
		25	12		18.27		0 - 3
		25	24		18.25		0 - 3
		50	0		18.15		0 - 3
	256QAM	1	0		18.05		0 - 5
		1	24		18.33		0 - 5
		1	49		18.41		0 - 5
		25	0		18.22		0 - 5
		25	12		18.21		0 - 5
		25	24		18.25		0 - 5
		50	0		18.19		0 - 5

LTE FDD Band 30 Conducted Power_Pmax, RCV(DSI=1) _ANT.A[MAIN1]

LTE FDD Band 30_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				27685 Ch. 2307.5 MHz	27710 Ch. 2310 MHz	27735 Ch. 2312.5 MHz		
5 MHz	QPSK	1	0	21.88	21.94	21.91	0	0
		1	12	21.91	22.00	21.98	0	0
		1	24	21.90	21.88	21.92	0	0
		12	0	20.81	20.75	20.89	0 - 1	1
		12	6	20.92	20.86	20.96	0 - 1	1
		12	11	20.85	20.81	20.95	0 - 1	1
		25	0	20.82	20.81	20.96	0 - 1	1
	16QAM	1	0	21.18	21.31	21.29	0 - 1	1
		1	12	20.92	21.02	21.16	0 - 1	1
		1	24	21.08	20.91	21.03	0 - 1	1
		12	0	19.77	19.82	19.90	0 - 2	2
		12	6	19.92	19.92	20.05	0 - 2	2
		12	11	19.85	19.91	19.95	0 - 2	2
		25	0	19.81	19.89	19.97	0 - 2	2
	64QAM	1	0	19.99	19.92	19.99	0 - 2	2
		1	12	19.89	20.01	20.07	0 - 2	2
		1	24	20.02	19.94	19.97	0 - 2	2
		12	0	18.79	18.83	18.90	0 - 3	3
		12	6	18.84	18.81	18.96	0 - 3	3
		12	11	18.81	18.86	18.99	0 - 3	3
		25	0	18.89	18.74	18.91	0 - 3	3
	256QAM	1	0	16.68	16.97	16.94	0 - 5	5
		1	12	16.84	17.08	17.00	0 - 5	5
		1	24	16.82	16.91	16.76	0 - 5	5
		12	0	16.62	16.81	16.89	0 - 5	5
		12	6	16.94	16.85	17.03	0 - 5	5
		12	11	16.96	16.79	16.95	0 - 5	5
		25	0	16.84	16.80	16.90	0 - 5	5

LTE FDD Band 30_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR Allowed Per 3GPP [dB]	MPR [dB]
					27710 Ch. 2310 MHz		
10 MHz	QPSK	1	0		22.08		0
		1	24		21.95		0
		1	49		21.78		0
		25	0		21.08		0 - 1
		25	12		20.80		0 - 1
		25	24		20.78		0 - 1
		50	0		20.78		0 - 1
	16QAM	1	0		20.83		0 - 1
		1	24		20.98		0 - 1
		1	49		21.19		0 - 1
		25	0		19.85		0 - 2
		25	12		19.86		0 - 2
		25	24		19.81		0 - 2
		50	0		19.84		0 - 2
	64QAM	1	0		19.81		0 - 2
		1	24		19.86		0 - 2
		1	49		20.05		0 - 2
		25	0		18.90		0 - 3
		25	12		18.89		0 - 3
		25	24		18.90		0 - 3
		50	0		18.84		0 - 3
	256QAM	1	0		16.82		0 - 5
		1	24		17.00		0 - 5
		1	49		16.80		0 - 5
		25	0		16.85		0 - 5
		25	12		16.87		0 - 5
		25	24		16.88		0 - 5
		50	0		16.89		0 - 5

LTE TDD Band 38 Conducted Power_Free(DSI=0) _ANT.A[MAIN1]

LTE TDD Band 38_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				37775 Ch. 2572.5 MHz	38000 Ch. 2595 MHz	38225 Ch. 2617.5 MHz		
5 MHz	QPSK	1	0	18.62	18.84	18.70	0	0
		1	12	18.80	18.96	18.70	0	0
		1	24	18.74	18.80	18.56	0	0
		12	0	18.76	18.81	18.68	0 - 1	0
		12	6	18.77	18.58	18.73	0 - 1	0
		12	11	18.74	18.80	18.69	0 - 1	0
		25	0	18.72	18.79	18.63	0 - 1	0
	16QAM	1	0	18.65	18.79	18.52	0 - 1	0
		1	12	18.67	18.78	18.50	0 - 1	0
		1	24	18.65	18.67	18.56	0 - 1	0
		12	0	18.75	18.79	18.64	0 - 2	0
		12	6	18.78	18.80	18.69	0 - 2	0
		12	11	18.71	18.78	18.63	0 - 2	0
		25	0	18.75	18.78	18.63	0 - 2	0
	64QAM	1	0	18.76	18.86	18.70	0 - 2	0
		1	12	18.79	18.96	18.72	0 - 2	0
		1	24	18.77	18.80	18.63	0 - 2	0
		12	0	18.71	18.79	18.67	0 - 3	0
		12	6	18.78	18.84	18.67	0 - 3	0
		12	11	18.75	18.78	18.65	0 - 3	0
		25	0	18.75	18.79	18.66	0 - 3	0
	256QAM	1	0	17.76	17.95	17.84	0 - 5	1
		1	12	18.04	18.06	17.96	0 - 5	1
		1	24	17.97	18.06	17.82	0 - 5	1
		12	0	18.04	18.11	17.98	0 - 5	1
		12	6	18.06	18.13	17.98	0 - 5	1
		12	11	18.04	18.07	17.96	0 - 5	1
		25	0	18.02	18.13	17.93	0 - 5	1

LTE TDD Band 38_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				37800 Ch. 2575 MHz	38000 Ch. 2595 MHz	38200 Ch. 2615 MHz		
10 MHz	QPSK	1	0	18.70	18.87	18.75	0	0
		1	24	18.82	18.93	18.74	0	0
		1	49	18.75	18.79	18.64	0	0
		25	0	18.71	18.82	18.74	0 - 1	0
		25	12	18.84	18.83	18.72	0 - 1	0
		25	24	18.84	18.80	18.70	0 - 1	0
		50	0	18.80	18.80	18.71	0 - 1	0
	16QAM	1	0	18.68	18.81	18.67	0 - 1	0
		1	24	18.76	18.88	18.66	0 - 1	0
		1	49	18.74	18.65	18.57	0 - 1	0
		25	0	18.72	18.83	18.71	0 - 2	0
		25	12	18.81	18.86	18.73	0 - 2	0
		25	24	18.77	18.82	18.67	0 - 2	0
		50	0	18.75	18.82	18.69	0 - 2	0
	64QAM	1	0	18.82	18.93	18.84	0 - 2	0
		1	24	18.89	18.95	18.70	0 - 2	0
		1	49	18.83	18.75	18.73	0 - 2	0
		25	0	18.71	18.83	18.72	0 - 3	0
		25	12	18.86	18.81	18.70	0 - 3	0
		25	24	18.82	18.84	18.73	0 - 3	0
		50	0	18.77	18.81	18.69	0 - 3	0
	256QAM	1	0	17.94	18.03	17.89	0 - 5	1
		1	24	18.06	18.04	18.04	0 - 5	1
		1	49	18.09	17.96	17.79	0 - 5	1
		25	0	18.01	18.15	18.00	0 - 5	1
		25	12	18.14	18.14	18.04	0 - 5	1
		25	24	18.07	18.10	17.98	0 - 5	1
		50	0	18.08	18.16	18.00	0 - 5	1

LTE TDD Band 38_15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				37825 Ch. 2577.5 MHz	38000 Ch. 2595 MHz	38175 Ch. 2612.5 MHz		
15 MHz	QPSK	1	0	18.59	18.69	18.60	0	0
		1	36	18.68	18.74	18.63	0	0
		1	74	18.62	18.57	18.46	0	0
		36	0	18.59	18.70	18.68	0 - 1	0
		36	18	18.69	18.68	18.62	0 - 1	0
		36	39	18.68	18.66	18.49	0 - 1	0
		75	0	18.70	18.70	18.61	0 - 1	0
	16QAM	1	0	18.61	18.64	18.55	0 - 1	0
		1	36	18.56	18.63	18.41	0 - 1	0
		1	74	18.45	18.40	18.24	0 - 1	0
		36	0	18.61	18.69	18.60	0 - 2	0
		36	18	18.65	18.68	18.59	0 - 2	0
		36	39	18.65	18.62	18.46	0 - 2	0
		75	0	18.64	18.66	18.61	0 - 2	0
	64QAM	1	0	18.61	18.84	18.66	0 - 2	0
		1	36	18.74	18.69	18.66	0 - 2	0
		1	74	18.71	18.62	18.51	0 - 2	0
		36	0	18.54	18.67	18.58	0 - 3	0
		36	18	18.66	18.68	18.56	0 - 3	0
		36	39	18.65	18.62	18.49	0 - 3	0
		75	0	18.65	18.68	18.60	0 - 3	0
	256QAM	1	0	17.88	17.88	17.86	0 - 5	1
		1	36	17.97	17.92	17.76	0 - 5	1
		1	74	17.83	17.92	17.64	0 - 5	1
		36	0	17.90	18.00	17.91	0 - 5	1
		36	18	17.95	17.97	17.86	0 - 5	1
		36	39	17.95	17.93	17.76	0 - 5	1
		75	0	17.93	17.97	17.88	0 - 5	1

LTE TDD Band 38_20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				37850 Ch. 2580 MHz	38000 Ch. 2595 MHz	38150 Ch. 2610 MHz		
20 MHz	QPSK	1	0	18.63	18.71	18.71	0	0
		1	49	18.70	18.70	18.64	0	0
		1	99	18.62	18.62	18.50	0	0
		50	0	18.67	18.71	18.70	0 - 1	0
		50	25	18.76	18.70	18.66	0 - 1	0
		50	49	18.74	18.68	18.55	0 - 1	0
		100	0	18.72	18.69	18.67	0 - 1	0
	16QAM	1	0	18.63	18.60	18.54	0 - 1	0
		1	49	18.74	18.59	18.53	0 - 1	0
		1	99	18.51	18.43	18.30	0 - 1	0
		50	0	18.62	18.66	18.64	0 - 2	0
		50	25	18.69	18.70	18.62	0 - 2	0
		50	49	18.66	18.65	18.52	0 - 2	0
		100	0	18.70	18.66	18.60	0 - 2	0
	64QAM	1	0	18.70	18.75	18.68	0 - 2	0
		1	49	18.73	18.76	18.69	0 - 2	0
		1	99	18.74	18.46	18.53	0 - 2	0
		50	0	18.57	18.66	18.67	0 - 3	0
		50	25	18.71	18.67	18.61	0 - 3	0
		50	49	18.65	18.63	18.50	0 - 3	0
		100	0	18.67	18.65	18.63	0 - 3	0
	256QAM	1	0	17.91	18.00	17.85	0 - 5	1
		1	49	17.93	17.88	17.83	0 - 5	1
		1	99	17.79	17.70	17.67	0 - 5	1
		50	0	17.95	17.98	17.94	0 - 5	1
		50	25	17.99	17.98	17.91	0 - 5	1
		50	49	17.97	17.94	17.81	0 - 5	1
		100	0	17.98	17.96	17.89	0 - 5	1

LTE TDD Band 38 Conducted Power_Pmax, RCV(DSI=1) _ANT.A[MAIN1]

LTE TDD Band 38_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				37775 Ch. 2572.5 MHz	38000 Ch. 2595 MHz	38225 Ch. 2617.5 MHz		
5 MHz	QPSK	1	0	22.66	22.91	22.77	0	0
		1	12	22.82	23.02	22.78	0	0
		1	24	22.73	22.87	22.63	0	0
		12	0	21.78	21.84	21.70	0 - 1	1
		12	6	21.83	21.68	21.74	0 - 1	1
		12	11	21.81	21.87	21.71	0 - 1	1
		25	0	21.79	21.86	21.72	0 - 1	1
	16QAM	1	0	21.68	21.80	21.57	0 - 1	1
		1	12	21.84	21.87	21.68	0 - 1	1
		1	24	21.68	21.73	21.56	0 - 1	1
		12	0	20.80	20.87	20.71	0 - 2	2
		12	6	20.78	20.93	20.74	0 - 2	2
		12	11	20.79	20.88	20.73	0 - 2	2
		25	0	20.75	20.89	20.71	0 - 2	2
	64QAM	1	0	20.76	20.85	20.78	0 - 2	2
		1	12	20.90	21.06	20.68	0 - 2	2
		1	24	20.92	20.92	20.69	0 - 2	2
		12	0	19.76	19.90	19.72	0 - 3	3
		12	6	19.81	19.89	19.75	0 - 3	3
		12	11	19.80	19.85	19.77	0 - 3	3
		25	0	19.77	19.84	19.75	0 - 3	3
	256QAM	1	0	17.68	17.81	17.57	0 - 5	5
		1	12	17.72	18.02	17.55	0 - 5	5
		1	24	17.76	17.82	17.55	0 - 5	5
		12	0	17.80	17.87	17.74	0 - 5	5
		12	6	17.80	17.86	17.74	0 - 5	5
		12	11	17.80	17.91	17.71	0 - 5	5
		25	0	17.80	17.89	17.72	0 - 5	5

LTE TDD Band 38_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				37800 Ch. 2575 MHz	38000 Ch. 2595 MHz	38200 Ch. 2615 MHz		
10 MHz	QPSK	1	0	22.72	22.95	22.80	0	0
		1	24	22.85	23.01	22.80	0	0
		1	49	22.80	22.87	22.73	0	0
		25	0	21.77	21.91	21.80	0 - 1	1
		25	12	21.90	21.92	21.80	0 - 1	1
		25	24	21.85	21.88	21.74	0 - 1	1
		50	0	21.85	21.89	21.76	0 - 1	1
	16QAM	1	0	21.57	21.86	21.72	0 - 1	1
		1	24	21.77	21.95	21.75	0 - 1	1
		1	49	21.76	21.78	21.60	0 - 1	1
		25	0	20.77	20.91	20.80	0 - 2	2
		25	12	20.85	20.92	20.82	0 - 2	2
		25	24	20.86	20.88	20.74	0 - 2	2
		50	0	20.78	20.84	20.78	0 - 2	2
	64QAM	1	0	20.82	21.00	20.78	0 - 2	2
		1	24	20.90	21.00	20.83	0 - 2	2
		1	49	20.80	20.94	20.69	0 - 2	2
		25	0	19.73	19.91	19.79	0 - 3	3
		25	12	19.85	19.97	19.80	0 - 3	3
		25	24	19.83	19.86	19.75	0 - 3	3
		50	0	19.83	19.92	19.74	0 - 3	3
	256QAM	1	0	17.76	17.86	17.64	0 - 5	5
		1	24	17.79	18.00	17.80	0 - 5	5
		1	49	17.72	17.83	17.59	0 - 5	5
		25	0	17.77	17.93	17.81	0 - 5	5
		25	12	17.91	17.94	17.81	0 - 5	5
		25	24	17.89	17.91	17.75	0 - 5	5
		50	0	17.86	17.90	17.78	0 - 5	5

LTE TDD Band 38_15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				37825 Ch. 2577.5 MHz	38000 Ch. 2595 MHz	38175 Ch. 2612.5 MHz		
15 MHz	QPSK	1	0	22.63	22.89	22.80	0	0
		1	36	22.79	22.90	22.76	0	0
		1	74	22.75	22.72	22.60	0	0
		36	0	21.67	21.77	21.68	0 - 1	1
		36	18	21.74	21.77	21.69	0 - 1	1
		36	39	21.73	21.74	21.55	0 - 1	1
		75	0	21.74	21.77	21.66	0 - 1	1
	16QAM	1	0	21.56	21.70	21.74	0 - 1	1
		1	36	21.65	21.76	21.70	0 - 1	1
		1	74	21.52	21.54	21.55	0 - 1	1
		36	0	20.66	20.74	20.69	0 - 2	2
		36	18	20.72	20.73	20.65	0 - 2	2
		36	39	20.70	20.70	20.56	0 - 2	2
		75	0	20.72	20.77	20.65	0 - 2	2
	64QAM	1	0	20.70	20.65	20.80	0 - 2	2
		1	36	20.77	20.87	20.67	0 - 2	2
		1	74	20.57	20.59	20.56	0 - 2	2
		36	0	19.64	19.76	19.64	0 - 3	3
		36	18	19.72	19.74	19.64	0 - 3	3
		36	39	19.73	19.72	19.62	0 - 3	3
		75	0	19.71	19.75	19.66	0 - 3	3
	256QAM	1	0	17.55	17.65	17.56	0 - 5	5
		1	36	17.55	17.77	17.59	0 - 5	5
		1	74	17.61	17.60	17.51	0 - 5	5
		36	0	17.66	17.80	17.68	0 - 5	5
		36	18	17.72	17.74	17.66	0 - 5	5
		36	39	17.73	17.72	17.60	0 - 5	5
		75	0	17.71	17.76	17.66	0 - 5	5

LTE TDD Band 38_20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				37850 Ch. 2580 MHz	38000 Ch. 2595 MHz	38150 Ch. 2610 MHz		
20 MHz	QPSK	1	0	22.69	22.89	22.84	0	0
		1	49	22.74	22.86	22.78	0	0
		1	99	22.70	22.78	22.61	0	0
		50	0	21.71	21.79	21.74	0 - 1	1
		50	25	21.80	21.77	21.71	0 - 1	1
		50	49	21.79	21.73	21.58	0 - 1	1
		100	0	21.76	21.77	21.71	0 - 1	1
	16QAM	1	0	21.55	21.77	21.85	0 - 1	1
		1	49	21.83	21.66	21.52	0 - 1	1
		1	99	21.57	21.53	21.56	0 - 1	1
		50	0	20.65	20.78	20.71	0 - 2	2
		50	25	20.80	20.79	20.70	0 - 2	2
		50	49	20.76	20.73	20.56	0 - 2	2
		100	0	20.77	20.76	20.68	0 - 2	2
	64QAM	1	0	20.96	20.89	20.84	0 - 2	2
		1	49	20.85	20.89	20.81	0 - 2	2
		1	99	20.75	20.81	20.52	0 - 2	2
		50	0	19.68	19.80	19.73	0 - 3	3
		50	25	19.80	19.74	19.72	0 - 3	3
		50	49	19.76	19.75	19.57	0 - 3	3
		100	0	19.75	19.77	19.71	0 - 3	3
	256QAM	1	0	17.67	17.77	17.63	0 - 5	5
		1	49	17.69	17.68	17.60	0 - 5	5
		1	99	17.70	17.59	17.61	0 - 5	5
		50	0	17.69	17.81	17.76	0 - 5	5
		50	25	17.77	17.78	17.71	0 - 5	5
		50	49	17.76	17.74	17.58	0 - 5	5
		100	0	17.77	17.75	17.73	0 - 5	5

LTE TDD Band 41 Conducted Power_Free(DSI=0) _ANT.A[MAIN1]

LTE TDD Band 41_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR Allowed Per 3GPP [dB]	MPR [dB]
				39750 Ch. 2506 MHz	40185 Ch. 2549.5 MHz	40620 Ch. 2593 MHz	41055 Ch. 2636.5 MHz	41490 Ch. 2680 MHz		
5 MHz	QPSK	1	0	18.77	18.61	18.76	18.67	18.72	0	0
		1	12	18.85	18.75	18.85	18.82	18.82	0	0
		1	24	18.71	18.56	18.80	18.71	18.67	0	0
		12	0	18.77	18.65	18.85	18.74	18.77	0 - 1	0
		12	6	18.81	18.71	18.88	18.58	18.80	0 - 1	0
		12	11	18.69	18.67	18.88	18.75	18.77	0 - 1	0
		25	0	18.76	18.71	18.87	18.76	18.79	0 - 1	0
	16QAM	1	0	18.70	18.49	18.73	18.67	18.68	0 - 1	0
		1	12	18.74	18.60	18.81	18.70	18.60	0 - 1	0
		1	24	18.70	18.58	18.80	18.67	18.59	0 - 1	0
		12	0	18.77	18.65	18.86	18.72	18.78	0 - 2	0
		12	6	18.77	18.67	18.89	18.73	18.81	0 - 2	0
		12	11	18.67	18.64	18.82	18.73	18.74	0 - 2	0
		25	0	18.74	18.64	18.86	18.72	18.77	0 - 2	0
	64QAM	1	0	18.73	18.63	18.87	18.77	18.68	0 - 2	0
		1	12	18.77	18.81	19.00	18.80	18.84	0 - 2	0
		1	24	18.71	18.60	18.90	18.64	18.78	0 - 2	0
		12	0	18.76	18.62	18.84	18.71	18.78	0 - 3	0
		12	6	18.78	18.62	18.88	18.74	18.76	0 - 3	0
		12	11	18.62	18.61	18.83	18.69	18.70	0 - 3	0
		25	0	18.73	18.60	18.84	18.70	18.73	0 - 3	0
	256QAM	1	0	18.36	17.00	18.60	17.85	18.39	0 - 5	1
		1	12	18.48	17.02	18.64	17.59	18.34	0 - 5	1
		1	24	18.22	17.33	18.49	17.86	18.34	0 - 5	1
		12	0	18.52	17.01	18.59	17.69	18.45	0 - 5	1
		12	6	18.54	17.09	18.63	17.68	18.39	0 - 5	1
		12	11	18.41	17.16	18.60	17.69	18.35	0 - 5	1
		25	0	18.49	17.11	18.62	17.72	18.40	0 - 5	1

LTE TDD Band 41_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR Allowed Per 3GPP [dB]	MPR [dB]
				39750 Ch. 2506 MHz	40185 Ch. 2549.5 MHz	40620 Ch. 2593 MHz	41055 Ch. 2636.5 MHz	41490 Ch. 2680 MHz		
10 MHz	QPSK	1	0	18.70	18.63	18.79	18.70	18.75	0	0
		1	24	18.82	18.69	18.89	18.81	18.79	0	0
		1	49	18.71	18.66	18.83	18.71	18.73	0	0
		25	0	18.84	18.67	18.82	18.78	18.78	0 - 1	0
		25	12	18.78	18.72	18.89	18.81	18.82	0 - 1	0
		25	24	18.70	18.62	18.80	18.77	18.72	0 - 1	0
	16QAM	50	0	18.72	18.66	18.79	18.77	18.78	0 - 1	0
		1	0	18.77	18.56	18.76	18.73	18.61	0 - 1	0
		1	24	18.72	18.61	18.77	18.73	18.76	0 - 1	0
		1	49	18.57	18.43	18.69	18.65	18.65	0 - 1	0
		25	0	18.75	18.69	18.83	18.75	18.77	0 - 2	0
		25	12	18.81	18.67	18.89	18.78	18.78	0 - 2	0
	64QAM	25	24	18.69	18.61	18.77	18.74	18.67	0 - 2	0
		50	0	18.68	18.63	18.78	18.72	18.78	0 - 2	0
		1	0	18.83	18.67	18.94	18.68	18.81	0 - 2	0
		1	24	18.80	18.74	18.99	18.82	18.74	0 - 2	0
		1	49	18.71	18.67	18.83	18.63	18.94	0 - 2	0
		25	0	18.75	18.64	18.82	18.74	18.79	0 - 3	0
	256QAM	25	12	18.74	18.66	18.95	18.74	18.79	0 - 3	0
		25	24	18.63	18.58	18.80	18.71	18.68	0 - 3	0
		50	0	18.64	18.62	18.82	18.71	18.76	0 - 3	0
		1	0	18.42	16.96	18.40	17.98	18.47	0 - 5	1
		1	24	18.59	16.94	18.55	17.62	18.42	0 - 5	1
		1	49	18.30	17.62	18.40	17.92	18.40	0 - 5	1
		25	0	18.52	17.00	18.57	17.84	18.54	0 - 5	1
		25	12	18.55	17.10	18.69	17.77	18.41	0 - 5	1
		25	24	18.45	17.33	18.54	17.81	18.36	0 - 5	1
		50	0	18.43	17.19	18.56	17.83	18.44	0 - 5	1

LTE TDD Band 41_15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR Allowed Per 3GPP [dB]	MPR [dB]
				39750 Ch. 2506 MHz	40185 Ch. 2549.5 MHz	40620 Ch. 2593 MHz	41055 Ch. 2636.5 MHz	41490 Ch. 2680 MHz		
15 MHz	QPSK	1	0	18.59	18.54	18.67	18.60	18.58	0	0
		1	36	18.63	18.60	18.67	18.64	18.66	0	0
		1	74	18.51	18.59	18.64	18.62	18.63	0	0
		36	0	18.62	18.52	18.69	18.65	18.68	0 - 1	0
		36	18	18.64	18.55	18.65	18.65	18.66	0 - 1	0
		36	39	18.52	18.41	18.65	18.55	18.56	0 - 1	0
	16QAM	75	0	18.57	18.53	18.63	18.63	18.65	0 - 1	0
		1	0	18.50	18.33	18.63	18.54	18.55	0 - 1	0
		1	36	18.46	18.39	18.73	18.51	18.50	0 - 1	0
		1	74	18.38	18.41	18.70	18.43	18.61	0 - 1	0
		36	0	18.59	18.51	18.66	18.65	18.68	0 - 2	0
		36	18	18.61	18.48	18.67	18.60	18.65	0 - 2	0
	64QAM	36	39	18.48	18.41	18.65	18.50	18.59	0 - 2	0
		75	0	18.53	18.50	18.64	18.59	18.67	0 - 2	0
		1	0	18.74	18.50	18.61	18.61	18.60	0 - 2	0
		1	36	18.52	18.50	18.83	18.59	18.58	0 - 2	0
		1	74	18.51	18.62	18.68	18.68	18.88	0 - 2	0
		36	0	18.59	18.46	18.71	18.60	18.64	0 - 3	0
	256QAM	36	18	18.57	18.55	18.69	18.56	18.66	0 - 3	0
		36	39	18.43	18.40	18.64	18.49	18.56	0 - 3	0
		75	0	18.49	18.50	18.67	18.56	18.64	0 - 3	0
		1	0	17.97	16.70	18.43	17.81	18.43	0 - 5	1
		1	36	18.33	16.98	18.51	17.54	18.25	0 - 5	1
		1	74	18.23	17.59	18.43	17.67	18.05	0 - 5	1
		36	0	18.30	16.81	18.43	17.73	18.45	0 - 5	1
		36	18	18.39	17.03	18.42	17.65	18.32	0 - 5	1
		36	39	18.30	17.37	18.39	17.68	18.17	0 - 5	1
		75	0	18.29	17.10	18.41	17.70	18.32	0 - 5	1

LTE TDD Band 41_20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR Allowed Per 3GPP [dB]	MPR [dB]
				39750 Ch. 2506 MHz	40185 Ch. 2549.5 MHz	40620 Ch. 2593 MHz	41055 Ch. 2636.5 MHz	41490 Ch. 2680 MHz		
20 MHz	QPSK	1	0	18.62	18.63	18.73	18.68	18.67	0	0
		1	49	18.61	18.60	18.67	18.67	18.65	0	0
		1	99	18.55	18.52	18.68	18.67	18.66	0	0
		50	0	18.66	18.55	18.72	18.69	18.71	0 - 1	0
		50	25	18.58	18.54	18.66	18.68	18.70	0 - 1	0
		50	49	18.55	18.44	18.68	18.61	18.62	0 - 1	0
		100	0	18.57	18.53	18.68	18.67	18.67	0 - 1	0
	16QAM	1	0	18.50	18.36	18.65	18.62	18.70	0 - 1	0
		1	49	18.46	18.48	18.64	18.53	18.56	0 - 1	0
		1	99	18.34	18.35	18.56	18.56	18.57	0 - 1	0
		50	0	18.57	18.52	18.68	18.63	18.68	0 - 2	0
		50	25	18.56	18.56	18.66	18.65	18.72	0 - 2	0
		50	49	18.51	18.45	18.66	18.55	18.61	0 - 2	0
		100	0	18.54	18.54	18.65	18.63	18.69	0 - 2	0
	64QAM	1	0	18.64	18.66	18.96	18.58	18.80	0 - 2	0
		1	49	18.72	18.62	18.72	18.67	18.84	0 - 2	0
		1	99	18.49	18.42	18.70	18.73	18.71	0 - 2	0
		50	0	18.60	18.47	18.73	18.62	18.66	0 - 3	0
		50	25	18.52	18.54	18.67	18.61	18.65	0 - 3	0
		50	49	18.47	18.38	18.66	18.52	18.56	0 - 3	0
		100	0	18.50	18.48	18.66	18.61	18.64	0 - 3	0
	256QAM	1	0	17.69	16.59	18.33	18.03	18.35	0 - 5	1
		1	49	18.28	17.06	18.29	17.60	18.20	0 - 5	1
		1	99	18.27	17.79	18.36	17.87	17.91	0 - 5	1
		50	0	18.22	16.82	18.46	17.84	18.49	0 - 5	1
		50	25	18.32	17.10	18.44	17.73	18.34	0 - 5	1
		50	49	18.31	17.44	18.37	17.71	18.15	0 - 5	1
		100	0	18.27	17.15	18.42	17.75	18.35	0 - 5	1

LTE TDD Band 41 Conducted Power_Pmax, RCV(DSI=1) _ANT.A[MAIN1]

LTE TDD Band 41_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR Allowed Per 3GPP [dB]	MPR [dB]
				39750 Ch. 2506 MHz	40185 Ch. 2549.5 MHz	40620 Ch. 2593 MHz	41055 Ch. 2636.5 MHz	41490 Ch. 2680 MHz		
5 MHz	QPSK	1	0	23.60	23.05	23.58	23.35	23.46	0	0
		1	12	23.63	23.02	23.59	23.25	23.57	0	0
		1	24	23.54	23.20	23.53	23.24	23.44	0	0
		12	0	22.56	21.92	22.61	22.09	22.52	0 - 1	1
		12	6	22.61	21.97	22.64	22.09	22.54	0 - 1	1
		12	11	22.51	22.01	22.60	22.10	22.55	0 - 1	1
		25	0	22.60	21.96	22.61	22.08	22.53	0 - 1	1
	16QAM	1	0	22.64	21.92	22.51	22.16	22.44	0 - 1	1
		1	12	22.70	21.93	22.60	21.91	22.54	0 - 1	1
		1	24	22.54	22.23	22.39	22.20	22.37	0 - 1	1
		12	0	21.62	20.88	21.60	21.06	21.52	0 - 2	2
		12	6	21.62	20.95	21.60	21.05	21.57	0 - 2	2
		12	11	21.51	21.00	21.59	21.08	21.52	0 - 2	2
		25	0	21.62	21.00	21.61	21.08	21.53	0 - 2	2
	64QAM	1	0	22.54	21.13	21.61	21.24	21.38	0 - 2	2
		1	12	22.59	21.01	21.61	21.10	21.72	0 - 2	2
		1	24	22.50	21.35	21.62	21.23	21.51	0 - 2	2
		12	0	21.66	19.88	20.63	20.03	20.53	0 - 3	3
		12	6	21.61	19.96	20.65	20.00	20.59	0 - 3	3
		12	11	21.52	19.98	20.58	20.07	20.58	0 - 3	3
		25	0	21.59	19.97	20.63	20.10	20.56	0 - 3	3
	256QAM	1	0	18.55	17.78	18.59	18.18	18.53	0 - 5	5
		1	12	18.63	17.86	18.58	17.94	18.60	0 - 5	5
		1	24	18.42	18.04	18.55	18.08	18.40	0 - 5	5
		12	0	18.64	17.85	18.55	18.06	18.58	0 - 5	5
		12	6	18.64	17.91	18.66	17.98	18.60	0 - 5	5
		12	11	18.55	17.95	18.63	18.00	18.58	0 - 5	5
		25	0	18.66	17.90	18.65	18.04	18.60	0 - 5	5

LTE TDD Band 41_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR Allowed Per 3GPP [dB]	MPR [dB]
				39750 Ch. 2506 MHz	40185 Ch. 2549.5 MHz	40620 Ch. 2593 MHz	41055 Ch. 2636.5 MHz	41490 Ch. 2680 MHz		
10 MHz	QPSK	1	0	23.61	23.06	23.63	23.37	23.51	0	0
		1	24	23.69	23.04	23.70	23.26	23.57	0	0
		1	49	23.62	23.46	23.60	23.33	23.43	0	0
		25	0	22.67	21.95	22.57	22.27	22.56	0 - 1	1
		25	12	22.71	22.02	22.66	22.18	22.61	0 - 1	1
		25	24	22.58	22.19	22.54	22.23	22.47	0 - 1	1
	16QAM	50	0	22.57	22.06	22.56	22.23	22.56	0 - 1	1
		1	0	22.55	21.90	22.48	22.26	22.49	0 - 1	1
		1	24	22.67	22.00	22.58	22.05	22.53	0 - 1	1
		1	49	22.57	22.38	22.48	22.21	22.45	0 - 1	1
		25	0	21.67	20.92	21.58	21.21	21.54	0 - 2	2
		25	12	21.67	21.01	21.66	21.15	21.58	0 - 2	2
	64QAM	25	24	21.55	21.19	21.53	21.20	21.45	0 - 2	2
		50	0	21.54	21.07	21.57	21.23	21.57	0 - 2	2
		1	0	21.61	20.98	21.54	21.44	21.61	0 - 2	2
		1	24	21.81	21.09	21.66	21.12	21.74	0 - 2	2
		1	49	21.69	21.57	21.53	21.39	21.53	0 - 2	2
		25	0	20.64	19.90	20.59	20.20	20.53	0 - 3	3
	256QAM	25	12	20.68	20.00	20.65	20.10	20.61	0 - 3	3
		25	24	20.57	20.18	20.52	20.20	20.51	0 - 3	3
		50	0	20.57	20.08	20.57	20.23	20.57	0 - 3	3
		1	0	18.52	17.77	18.43	18.37	18.44	0 - 5	5
		1	24	18.62	17.87	18.58	17.93	18.46	0 - 5	5
		1	49	18.51	18.34	18.42	18.31	18.40	0 - 5	5
		25	0	18.66	17.88	18.62	18.20	18.60	0 - 5	5
		25	12	18.70	17.99	18.68	18.11	18.63	0 - 5	5
		25	24	18.58	18.15	18.51	18.16	18.52	0 - 5	5
		50	0	18.56	18.04	18.53	18.19	18.60	0 - 5	5

LTE TDD Band 41_15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR Allowed Per 3GPP [dB]	MPR [dB]
				39750 Ch. 2506 MHz	40185 Ch. 2549.5 MHz	40620 Ch. 2593 MHz	41055 Ch. 2636.5 MHz	41490 Ch. 2680 MHz		
15 MHz	QPSK	1	0	23.41	22.86	23.46	23.27	23.51	0	0
		1	36	23.58	22.98	23.53	23.22	23.47	0	0
		1	74	23.35	23.44	23.40	23.20	23.43	0	0
		36	0	22.49	21.79	22.43	22.23	22.42	0 - 1	1
		36	18	22.47	21.93	22.39	22.12	22.41	0 - 1	1
		36	39	22.39	22.19	22.37	22.12	22.36	0 - 1	1
	16QAM	75	0	22.44	21.98	22.43	22.13	22.43	0 - 1	1
		1	0	22.25	21.69	22.33	22.23	22.40	0 - 1	1
		1	36	22.49	21.88	22.31	21.90	22.34	0 - 1	1
		1	74	22.41	22.32	22.28	22.12	22.26	0 - 1	1
		36	0	21.45	20.76	21.46	21.15	21.39	0 - 2	2
		36	18	21.51	20.91	21.40	21.07	21.42	0 - 2	2
	64QAM	36	39	21.39	21.19	21.34	21.11	21.33	0 - 2	2
		75	0	21.42	20.99	21.41	21.13	21.40	0 - 2	2
		1	0	21.66	20.81	21.57	21.27	21.45	0 - 2	2
		1	36	21.64	20.94	21.40	21.10	21.45	0 - 2	2
		1	74	21.51	21.49	21.60	21.29	21.50	0 - 2	2
		36	0	20.48	19.73	20.43	20.13	20.40	0 - 3	3
	256QAM	36	18	20.51	19.89	20.37	20.05	20.43	0 - 3	3
		36	39	20.37	20.15	20.37	20.09	20.33	0 - 3	3
		75	0	20.42	19.96	20.40	20.13	20.45	0 - 3	3
		1	0	18.33	17.54	18.44	18.21	18.38	0 - 5	5
		1	36	18.30	17.76	18.34	17.80	18.41	0 - 5	5
		1	74	18.47	18.31	18.37	17.93	18.37	0 - 5	5
		36	0	18.51	17.71	18.44	18.16	18.48	0 - 5	5
		36	18	18.55	17.84	18.45	18.04	18.48	0 - 5	5
		36	39	18.45	18.10	18.35	18.05	18.37	0 - 5	5
		75	0	18.44	17.92	18.43	18.11	18.46	0 - 5	5

LTE TDD Band 41_20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR Allowed Per 3GPP [dB]	MPR [dB]
				39750 Ch. 2506 MHz	40185 Ch. 2549.5 MHz	40620 Ch. 2593 MHz	41055 Ch. 2636.5 MHz	41490 Ch. 2680 MHz		
20 MHz	QPSK	1	0	23.46	22.91	23.63	23.34	23.39	0	0
		1	49	23.50	23.04	23.55	23.24	23.35	0	0
		1	99	23.39	23.30	23.47	23.37	23.31	0	0
		50	0	22.45	21.86	22.55	22.29	22.43	0 - 1	1
		50	25	22.42	22.00	22.40	22.17	22.41	0 - 1	1
		50	49	22.41	22.14	22.35	22.14	22.32	0 - 1	1
	16QAM	100	0	22.43	22.03	22.38	22.17	22.42	0 - 1	1
		1	0	22.28	21.73	22.39	22.20	22.40	0 - 1	1
		1	49	22.45	22.00	22.65	22.06	22.61	0 - 1	1
		1	99	22.39	22.16	22.29	22.25	22.20	0 - 1	1
		50	0	21.50	20.82	21.46	21.21	21.40	0 - 2	2
		50	25	21.41	21.00	21.41	21.12	21.43	0 - 2	2
	64QAM	50	49	21.40	21.14	21.31	21.10	21.29	0 - 2	2
		100	0	21.40	21.02	21.39	21.18	21.42	0 - 2	2
		1	0	21.53	20.88	21.70	21.31	21.53	0 - 2	2
		1	49	21.70	21.03	21.51	21.13	21.54	0 - 2	2
		1	99	21.46	21.34	21.42	21.37	21.50	0 - 2	2
		50	0	20.49	19.81	20.47	20.20	20.41	0 - 3	3
	256QAM	50	25	20.41	19.97	20.43	20.10	20.43	0 - 3	3
		50	49	20.40	20.13	20.33	20.08	20.35	0 - 3	3
		100	0	20.43	20.01	20.44	20.16	20.40	0 - 3	3
		1	0	18.06	17.54	18.45	18.28	18.29	0 - 5	5
		1	49	18.53	17.82	18.35	17.88	18.37	0 - 5	5
		1	99	18.46	18.33	18.24	18.06	18.35	0 - 5	5
		50	0	18.51	17.74	18.46	18.19	18.43	0 - 5	5
		50	25	18.42	17.92	18.44	18.08	18.47	0 - 5	5
		50	49	18.48	18.18	18.38	18.05	18.41	0 - 5	5
		100	0	18.44	17.96	18.41	18.13	18.47	0 - 5	5

LTE TDD Band 48 Conducted Power_Free(DSI=0), RCV(DSI=1) _ANT.G[SUB3]

LTE TDD Band 48_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR Allowed Per 3GPP [dB]	MPR [dB]
				55265 Ch. 3552.5 MHz	55748 Ch. 3600.8 MHz	56232 Ch. 3649.2 MHz	56715 Ch. 3697.5 MHz		
5 MHz	QPSK	1	0	15.86	15.72	15.28	15.43	0	0
		1	12	15.90	15.65	15.48	15.57	0	0
		1	24	15.81	15.54	15.40	15.50	0	0
		12	0	15.98	15.80	15.39	15.55	0 - 1	0
		12	6	15.97	15.72	15.36	15.57	0 - 1	0
		12	11	15.91	15.64	15.47	15.59	0 - 1	0
		25	0	15.87	15.65	15.35	15.55	0 - 1	0
	16QAM	1	0	15.93	15.63	15.34	15.50	0 - 1	0
		1	12	15.97	15.63	15.39	15.63	0 - 1	0
		1	24	15.87	15.49	15.26	15.50	0 - 1	0
		12	0	15.97	15.76	15.27	15.53	0 - 2	0
		12	6	16.00	15.62	15.39	15.54	0 - 2	0
		12	11	15.85	15.61	15.35	15.61	0 - 2	0
		25	0	15.89	15.61	15.35	15.55	0 - 2	0
	64QAM	1	0	15.79	15.78	15.29	15.51	0 - 2	0
		1	12	16.00	15.77	15.38	15.64	0 - 2	0
		1	24	15.86	15.56	15.29	15.55	0 - 2	0
		12	0	15.95	15.73	15.28	15.51	0 - 3	0
		12	6	16.00	15.66	15.38	15.53	0 - 3	0
		12	11	15.81	15.59	15.37	15.61	0 - 3	0
		25	0	15.85	15.58	15.38	15.49	0 - 3	0
	256QAM	1	0	15.92	15.52	15.27	15.43	0 - 5	0
		1	12	15.93	15.65	15.34	15.58	0 - 5	0
		1	24	15.75	15.40	15.31	15.53	0 - 5	0
		12	0	15.93	15.63	15.30	15.47	0 - 5	0
		12	6	15.98	15.59	15.38	15.45	0 - 5	0
		12	11	15.81	15.58	15.35	15.53	0 - 5	0
		25	0	15.81	15.49	15.31	15.47	0 - 5	0

LTE TDD Band 48_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR Allowed Per 3GPP [dB]	MPR [dB]
				55290 Ch. 3555 MHz	55757 Ch. 3601.7 MHz	56223 Ch. 3648.3 MHz	56690 Ch. 3695 MHz		
10 MHz	QPSK	1	0	15.91	15.70	15.35	15.54	0	0
		1	24	15.98	15.64	15.38	15.56	0	0
		1	49	15.83	15.55	15.41	15.58	0	0
		25	0	15.96	15.82	15.39	15.52	0 - 1	0
		25	12	15.91	15.78	15.40	15.60	0 - 1	0
		25	24	15.84	15.62	15.47	15.57	0 - 1	0
		50	0	15.88	15.66	15.42	15.57	0 - 1	0
	16QAM	1	0	15.99	15.58	15.30	15.36	0 - 1	0
		1	24	16.00	15.67	15.35	15.49	0 - 1	0
		1	49	15.85	15.54	15.34	15.47	0 - 1	0
		25	0	15.96	15.73	15.28	15.46	0 - 2	0
		25	12	15.83	15.55	15.44	15.62	0 - 2	0
		25	24	15.80	15.66	15.39	15.63	0 - 2	0
		50	0	15.86	15.67	15.35	15.52	0 - 2	0
	64QAM	1	0	15.97	15.75	15.39	15.54	0 - 2	0
		1	24	16.00	15.86	15.50	15.55	0 - 2	0
		1	49	15.79	15.61	15.40	15.60	0 - 2	0
		25	0	15.91	15.73	15.26	15.46	0 - 3	0
		25	12	15.83	15.63	15.40	15.58	0 - 3	0
		25	24	15.83	15.57	15.37	15.57	0 - 3	0
		50	0	15.81	15.57	15.32	15.59	0 - 3	0
	256QAM	1	0	15.79	15.55	15.23	15.33	0 - 5	0
		1	24	15.91	15.59	15.39	15.52	0 - 5	0
		1	49	15.76	15.37	15.25	15.47	0 - 5	0
		25	0	15.86	15.69	15.29	15.40	0 - 5	0
		25	12	15.83	15.61	15.42	15.53	0 - 5	0
		25	24	15.79	15.52	15.42	15.56	0 - 5	0
		50	0	15.80	15.54	15.37	15.51	0 - 5	0

LTE TDD Band 48_15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR Allowed Per 3GPP [dB]	MPR [dB]
				55315 Ch. 3557.5 MHz	55765 Ch. 3602.5 MHz	56215 Ch. 3647.5 MHz	56665 Ch. 3692.5 MHz		
15 MHz	QPSK	1	0	15.70	15.70	15.12	15.26	0	0
		1	36	15.74	15.63	15.16	15.31	0	0
		1	74	15.59	15.47	15.21	15.37	0	0
		36	0	15.84	15.83	15.22	15.36	0 - 1	0
		36	18	15.76	15.66	15.28	15.47	0 - 1	0
		36	39	15.69	15.65	15.36	15.45	0 - 1	0
		75	0	15.76	15.64	15.35	15.49	0 - 1	0
	16QAM	1	0	15.63	15.62	15.16	15.34	0 - 1	0
		1	36	15.67	15.61	15.17	15.30	0 - 1	0
		1	74	15.49	15.56	15.16	15.40	0 - 1	0
		36	0	15.80	15.71	15.13	15.38	0 - 2	0
		36	18	15.75	15.63	15.21	15.45	0 - 2	0
		36	39	15.70	15.65	15.27	15.49	0 - 2	0
		75	0	15.82	15.62	15.19	15.46	0 - 2	0
	64QAM	1	0	15.62	15.73	15.21	15.29	0 - 2	0
		1	36	15.63	15.79	15.24	15.46	0 - 2	0
		1	74	15.62	15.58	15.17	15.46	0 - 2	0
		36	0	15.80	15.76	15.16	15.32	0 - 3	0
		36	18	15.77	15.62	15.19	15.41	0 - 3	0
		36	39	15.63	15.59	15.28	15.45	0 - 3	0
		75	0	15.78	15.59	15.17	15.38	0 - 3	0
	256QAM	1	0	15.68	15.54	15.11	15.24	0 - 5	0
		1	36	15.63	15.66	15.07	15.35	0 - 5	0
		1	74	15.56	15.43	15.19	15.36	0 - 5	0
		36	0	15.76	15.65	15.12	15.35	0 - 5	0
		36	18	15.70	15.56	15.13	15.36	0 - 5	0
		36	39	15.63	15.58	15.21	15.42	0 - 5	0
		75	0	15.69	15.47	15.11	15.42	0 - 5	0

LTE TDD Band 48_20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR Allowed Per 3GPP [dB]	MPR [dB]
				55340 Ch. 3560 MHz	55773 Ch. 3603.3 MHz	56207 Ch. 3646.7 MHz	56640 Ch. 3690 MHz		
20 MHz	QPSK	1	0	15.75	15.85	15.10	15.19	0	0
		1	49	15.65	15.64	15.21	15.37	0	0
		1	99	15.51	15.46	15.16	15.38	0	0
		50	0	15.86	15.90	15.22	15.33	0 - 1	0
		50	25	15.78	15.65	15.26	15.44	0 - 1	0
		50	49	15.66	15.64	15.33	15.51	0 - 1	0
		100	0	15.74	15.64	15.20	15.41	0 - 1	0
	16QAM	1	0	15.66	15.67	15.07	15.22	0 - 1	0
		1	49	15.61	15.57	15.17	15.41	0 - 1	0
		1	99	15.55	15.43	15.06	15.30	0 - 1	0
		50	0	15.77	15.79	15.12	15.31	0 - 2	0
		50	25	15.62	15.59	15.30	15.43	0 - 2	0
		50	49	15.64	15.62	15.24	15.46	0 - 2	0
		100	0	15.63	15.58	15.25	15.39	0 - 2	0
	64QAM	1	0	15.80	15.79	15.20	15.34	0 - 2	0
		1	49	15.87	15.80	15.09	15.38	0 - 2	0
		1	99	15.64	15.59	15.20	15.40	0 - 2	0
		50	0	15.71	15.72	15.14	15.30	0 - 3	0
		50	25	15.69	15.62	15.23	15.36	0 - 3	0
		50	49	15.64	15.59	15.27	15.41	0 - 3	0
		100	0	15.63	15.63	15.24	15.45	0 - 3	0
	256QAM	1	0	15.61	15.60	15.05	15.28	0 - 5	0
		1	49	15.67	15.65	15.03	15.30	0 - 5	0
		1	99	15.46	15.38	15.03	15.36	0 - 5	0
		50	0	15.75	15.68	15.09	15.31	0 - 5	0
		50	25	15.61	15.62	15.23	15.48	0 - 5	0
		50	49	15.64	15.57	15.23	15.38	0 - 5	0
		100	0	15.53	15.60	15.14	15.41	0 - 5	0

LTE FDD Band 66 Conducted Power_Free(DSI=0) _ANT.A[MAIN1]

LTE FDD Band 66_1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				131979 Ch. 1710.7 MHz	132322 Ch. 1745 MHz	132665 Ch. 1779.3 MHz		
1.4 MHz	QPSK	1	0	17.69	17.66	17.44	0	0
		1	3	17.79	17.72	17.32	0	0
		1	5	17.76	17.69	17.29	0	0
		3	0	17.75	17.73	17.40	0 - 1	0
		3	1	17.82	17.70	17.40	0 - 1	0
		3	3	17.75	17.79	17.38	0 - 1	0
		6	0	17.71	17.73	17.39	0 - 1	0
	16QAM	1	0	17.79	17.96	17.64	0 - 1	0
		1	3	17.90	17.94	17.82	0 - 1	0
		1	5	17.83	17.95	17.68	0 - 1	0
		3	0	17.97	17.90	17.61	0 - 2	0
		3	1	17.82	17.77	17.40	0 - 2	0
		3	3	17.88	17.78	17.44	0 - 2	0
		6	0	17.73	17.77	17.52	0 - 2	0
	64QAM	1	0	17.59	17.73	17.35	0 - 2	0
		1	3	17.76	17.63	17.55	0 - 2	0
		1	5	17.94	17.88	17.46	0 - 2	0
		3	0	17.80	17.79	17.47	0 - 3	0
		3	1	17.80	17.87	17.34	0 - 3	0
		3	3	17.86	17.78	17.40	0 - 3	0
		6	0	17.81	17.73	17.36	0 - 3	0
	256QAM	1	0	17.92	17.69	17.41	0 - 5	0
		1	3	17.84	17.79	17.35	0 - 5	0
		1	5	17.91	17.82	17.39	0 - 5	0
		3	0	17.90	17.74	17.40	0 - 5	0
		3	1	17.81	17.76	17.34	0 - 5	0
		3	3	17.77	17.79	17.32	0 - 5	0
		6	0	17.70	17.76	17.33	0 - 5	0

LTE FDD Band 66_3 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				131987 Ch. 1711.5 MHz	132322 Ch. 1745 MHz	132657 Ch. 1778.5 MHz		
3 MHz	QPSK	1	0	17.68	17.66	17.29	0	0
		1	7	17.82	17.78	17.36	0	0
		1	14	17.71	17.62	17.34	0	0
		8	0	17.79	17.64	17.35	0 - 1	0
		8	3	17.81	17.62	17.39	0 - 1	0
		8	7	17.82	17.73	17.35	0 - 1	0
		15	0	17.76	17.63	17.35	0 - 1	0
	16QAM	1	0	17.96	17.95	17.59	0 - 1	0
		1	7	18.20	17.94	17.68	0 - 1	0
		1	14	17.81	17.82	17.55	0 - 1	0
		8	0	17.83	17.73	17.42	0 - 2	0
		8	3	17.81	17.74	17.49	0 - 2	0
		8	7	17.90	17.80	17.46	0 - 2	0
		15	0	17.82	17.70	17.40	0 - 2	0
	64QAM	1	0	17.80	17.87	17.38	0 - 2	0
		1	7	17.89	17.93	17.55	0 - 2	0
		1	14	17.72	17.73	17.40	0 - 2	0
		8	0	17.80	17.63	17.40	0 - 3	0
		8	3	17.85	17.73	17.34	0 - 3	0
		8	7	17.72	17.73	17.37	0 - 3	0
		15	0	17.73	17.71	17.37	0 - 3	0
	256QAM	1	0	17.86	17.64	17.54	0 - 5	0
		1	7	17.70	17.91	17.47	0 - 5	0
		1	14	17.75	17.89	17.23	0 - 5	0
		8	0	17.87	17.65	17.41	0 - 5	0
		8	3	17.75	17.68	17.36	0 - 5	0
		8	7	17.82	17.72	17.34	0 - 5	0
		15	0	17.78	17.67	17.39	0 - 5	0

LTE FDD Band 66_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				131997 Ch. 1712.5 MHz	132322 Ch. 1745 MHz	132647 Ch. 1777.5 MHz		
5 MHz	QPSK	1	0	17.71	17.70	17.26	0	0
		1	12	17.82	17.78	17.43	0	0
		1	24	17.75	17.67	17.35	0	0
		12	0	17.76	17.74	17.29	0 - 1	0
		12	6	17.84	17.72	17.35	0 - 1	0
		12	11	17.76	17.76	17.37	0 - 1	0
		25	0	17.78	17.75	17.36	0 - 1	0
	16QAM	1	0	17.75	17.99	17.57	0 - 1	0
		1	12	18.02	18.00	17.44	0 - 1	0
		1	24	17.88	17.83	17.60	0 - 1	0
		12	0	17.78	17.70	17.36	0 - 2	0
		12	6	17.79	17.74	17.39	0 - 2	0
		12	11	17.78	17.79	17.32	0 - 2	0
		25	0	17.76	17.71	17.31	0 - 2	0
	64QAM	1	0	17.80	17.73	17.51	0 - 2	0
		1	12	17.52	17.85	17.51	0 - 2	0
		1	24	17.85	17.87	17.40	0 - 2	0
		12	0	17.80	17.69	17.29	0 - 3	0
		12	6	17.85	17.76	17.28	0 - 3	0
		12	11	17.74	17.75	17.42	0 - 3	0
		25	0	17.72	17.69	17.26	0 - 3	0
	256QAM	1	0	17.70	17.73	17.26	0 - 5	0
		1	12	17.83	17.85	17.53	0 - 5	0
		1	24	17.94	17.74	17.48	0 - 5	0
		12	0	17.81	17.70	17.25	0 - 5	0
		12	6	17.83	17.78	17.37	0 - 5	0
		12	11	17.72	17.77	17.38	0 - 5	0
		25	0	17.73	17.65	17.27	0 - 5	0

LTE FDD Band 66_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				132022 Ch. 1715 MHz	132322 Ch. 1745 MHz	132622 Ch. 1775 MHz		
10 MHz	QPSK	1	0	17.58	17.70	17.45	0	0
		1	24	17.82	17.78	17.48	0	0
		1	49	17.74	17.79	17.36	0	0
		25	0	17.74	17.68	17.28	0 - 1	0
		25	12	17.82	17.68	17.49	0 - 1	0
		25	24	17.76	17.77	17.37	0 - 1	0
		50	0	17.88	17.81	17.40	0 - 1	0
	16QAM	1	0	17.78	17.84	17.72	0 - 1	0
		1	24	18.09	17.83	17.68	0 - 1	0
		1	49	17.78	17.93	17.62	0 - 1	0
		25	0	17.74	17.77	17.40	0 - 2	0
		25	12	17.82	17.74	17.46	0 - 2	0
		25	24	17.78	17.81	17.41	0 - 2	0
		50	0	17.84	17.71	17.42	0 - 2	0
	64QAM	1	0	18.00	17.83	17.52	0 - 2	0
		1	24	17.93	17.68	17.70	0 - 2	0
		1	49	17.76	17.93	17.44	0 - 2	0
		25	0	17.68	17.66	17.38	0 - 3	0
		25	12	17.79	17.71	17.51	0 - 3	0
		25	24	17.81	17.73	17.39	0 - 3	0
		50	0	17.77	17.74	17.44	0 - 3	0
	256QAM	1	0	17.77	17.55	17.52	0 - 5	0
		1	24	18.00	17.99	17.55	0 - 5	0
		1	49	17.97	17.84	17.34	0 - 5	0
		25	0	17.76	17.67	17.37	0 - 5	0
		25	12	17.87	17.69	17.45	0 - 5	0
		25	24	17.82	17.76	17.42	0 - 5	0
		50	0	17.83	17.76	17.40	0 - 5	0

LTE FDD Band 66_15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				132047 Ch. 1717.5 MHz	132322 Ch. 1745 MHz	132597 Ch. 1772.5 MHz		
15 MHz	QPSK	1	0	17.56	17.40	17.32	0	0
		1	36	17.76	17.56	17.34	0	0
		1	74	17.63	17.55	17.25	0	0
		36	0	17.53	17.55	17.27	0 - 1	0
		36	18	17.60	17.62	17.29	0 - 1	0
		36	39	17.64	17.66	17.29	0 - 1	0
		75	0	17.69	17.53	17.31	0 - 1	0
	16QAM	1	0	17.85	17.63	17.64	0 - 1	0
		1	36	17.72	17.77	17.45	0 - 1	0
		1	74	17.80	17.79	17.36	0 - 1	0
		36	0	17.61	17.53	17.23	0 - 2	0
		36	18	17.60	17.49	17.31	0 - 2	0
		36	39	17.59	17.68	17.26	0 - 2	0
		75	0	17.68	17.50	17.31	0 - 2	0
	64QAM	1	0	17.72	17.61	17.75	0 - 2	0
		1	36	17.66	17.65	17.52	0 - 2	0
		1	74	17.55	17.59	17.36	0 - 2	0
		36	0	17.56	17.57	17.18	0 - 3	0
		36	18	17.81	17.50	17.29	0 - 3	0
		36	39	17.63	17.54	17.31	0 - 3	0
		75	0	17.65	17.56	17.31	0 - 3	0
	256QAM	1	0	17.74	17.58	17.50	0 - 5	0
		1	36	17.78	17.49	17.56	0 - 5	0
		1	74	17.82	17.74	17.35	0 - 5	0
		36	0	17.62	17.54	17.24	0 - 5	0
		36	18	17.63	17.43	17.30	0 - 5	0
		36	39	17.53	17.59	17.23	0 - 5	0
		75	0	17.64	17.51	17.30	0 - 5	0

LTE FDD Band 66_20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				132072 Ch. 1720 MHz	132322 Ch. 1745 MHz	132572 Ch. 1770 MHz		
20 MHz	QPSK	1	0	17.55	17.77	17.41	0	0
		1	49	17.61	17.55	17.16	0	0
		1	99	17.76	17.60	17.25	0	0
		50	0	17.60	17.70	17.30	0 - 1	0
		50	25	17.69	17.56	17.17	0 - 1	0
		50	49	17.69	17.61	17.30	0 - 1	0
		100	0	17.69	17.53	17.38	0 - 1	0
	16QAM	1	0	17.81	17.76	17.48	0 - 1	0
		1	49	18.07	17.91	17.32	0 - 1	0
		1	99	17.91	17.87	17.35	0 - 1	0
		50	0	17.67	17.55	17.24	0 - 2	0
		50	25	17.67	17.65	17.30	0 - 2	0
		50	49	17.71	17.59	17.38	0 - 2	0
		100	0	17.67	17.52	17.40	0 - 2	0
	64QAM	1	0	17.68	17.59	17.41	0 - 2	0
		1	49	17.90	17.60	17.49	0 - 2	0
		1	99	17.71	17.89	17.59	0 - 2	0
		50	0	17.51	17.51	17.24	0 - 3	0
		50	25	17.66	17.58	17.22	0 - 3	0
		50	49	17.68	17.59	17.28	0 - 3	0
		100	0	17.55	17.54	17.42	0 - 3	0
	256QAM	1	0	17.68	17.61	17.28	0 - 5	0
		1	49	17.36	17.80	17.39	0 - 5	0
		1	99	17.83	17.67	17.29	0 - 5	0
		50	0	17.59	17.49	17.36	0 - 5	0
		50	25	17.70	17.47	17.31	0 - 5	0
		50	49	17.54	17.61	17.33	0 - 5	0
		100	0	17.63	17.52	17.35	0 - 5	0

LTE FDD Band 66 Conducted Power_Pmax, RCV(DSI=1) _ANT.A[MAIN1]

LTE FDD Band 66_1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				131979 Ch. 1710.7 MHz	132322 Ch. 1745 MHz	132665 Ch. 1779.3 MHz		
1.4 MHz	QPSK	1	0	24.01	24.11	23.82	0	0
		1	3	24.20	24.20	24.06	0	0
		1	5	24.13	24.12	24.10	0	0
		3	0	24.08	24.16	23.89	0 - 1	0
		3	1	24.03	24.09	24.02	0 - 1	0
		3	3	24.08	24.10	24.02	0 - 1	0
		6	0	23.05	23.13	22.95	0 - 1	1
	16QAM	1	0	23.24	23.25	23.17	0 - 1	1
		1	3	23.38	23.33	23.25	0 - 1	1
		1	5	23.22	23.29	23.09	0 - 1	1
		3	0	23.15	23.36	23.04	0 - 2	1
		3	1	23.22	23.17	23.13	0 - 2	1
		3	3	23.10	23.23	23.15	0 - 2	1
		6	0	22.26	22.25	22.01	0 - 2	2
	64QAM	1	0	21.97	22.25	22.12	0 - 2	2
		1	3	22.10	22.34	22.13	0 - 2	2
		1	5	22.08	22.24	22.02	0 - 2	2
		3	0	22.00	22.19	22.11	0 - 3	2
		3	1	22.10	22.24	22.09	0 - 3	2
		3	3	22.15	22.23	22.07	0 - 3	2
		6	0	21.09	21.17	21.04	0 - 3	3
	256QAM	1	0	19.13	19.10	18.95	0 - 5	5
		1	3	19.00	19.13	19.15	0 - 5	5
		1	5	19.00	19.20	19.08	0 - 5	5
		3	0	19.10	19.21	19.11	0 - 5	5
		3	1	19.00	19.20	18.94	0 - 5	5
		3	3	18.99	19.12	19.04	0 - 5	5
		6	0	18.91	19.08	19.02	0 - 5	5

LTE FDD Band 66_3 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				131987 Ch. 1711.5 MHz	132322 Ch. 1745 MHz	132657 Ch. 1778.5 MHz		
3 MHz	QPSK	1	0	24.09	24.14	23.96	0	0
		1	7	24.09	24.18	24.14	0	0
		1	14	24.07	24.11	23.92	0	0
		8	0	23.06	23.11	23.06	0 - 1	1
		8	3	23.11	23.07	23.02	0 - 1	1
		8	7	23.08	23.11	23.08	0 - 1	1
		15	0	23.09	23.06	23.05	0 - 1	1
	16QAM	1	0	23.26	23.48	23.31	0 - 1	1
		1	7	23.31	23.45	23.22	0 - 1	1
		1	14	23.16	23.22	23.11	0 - 1	1
		8	0	22.14	22.07	22.05	0 - 2	2
		8	3	22.06	22.10	22.11	0 - 2	2
		8	7	22.12	22.20	22.09	0 - 2	2
		15	0	22.15	22.06	22.08	0 - 2	2
	64QAM	1	0	22.11	22.30	22.11	0 - 2	2
		1	7	22.37	22.42	22.27	0 - 2	2
		1	14	21.93	22.24	22.13	0 - 2	2
		8	0	21.03	21.05	21.00	0 - 3	3
		8	3	21.14	21.17	20.98	0 - 3	3
		8	7	20.99	21.18	21.00	0 - 3	3
		15	0	21.08	21.14	21.02	0 - 3	3
	256QAM	1	0	19.03	19.05	18.88	0 - 5	5
		1	7	18.91	19.27	19.17	0 - 5	5
		1	14	18.85	19.15	19.02	0 - 5	5
		8	0	19.04	19.05	19.11	0 - 5	5
		8	3	18.94	19.16	19.04	0 - 5	5
		8	7	18.86	19.15	19.06	0 - 5	5
		15	0	18.94	19.05	19.05	0 - 5	5

LTE FDD Band 66_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				131997 Ch. 1712.5 MHz	132322 Ch. 1745 MHz	132647 Ch. 1777.5 MHz		
5 MHz	QPSK	1	0	23.95	24.07	23.93	0	0
		1	12	24.14	24.19	24.08	0	0
		1	24	23.99	24.16	24.01	0	0
		12	0	23.09	23.09	22.94	0 - 1	1
		12	6	23.13	23.07	23.01	0 - 1	1
		12	11	22.99	23.20	23.03	0 - 1	1
		25	0	23.08	23.05	22.92	0 - 1	1
	16QAM	1	0	23.03	23.13	23.36	0 - 1	1
		1	12	23.29	23.30	23.29	0 - 1	1
		1	24	23.07	23.32	23.46	0 - 1	1
		12	0	22.16	22.13	22.02	0 - 2	2
		12	6	22.00	22.15	22.06	0 - 2	2
		12	11	21.91	22.16	22.10	0 - 2	2
		25	0	22.00	22.04	21.95	0 - 2	2
	64QAM	1	0	22.18	22.14	21.89	0 - 2	2
		1	12	22.22	22.48	22.10	0 - 2	2
		1	24	21.93	22.27	22.13	0 - 2	2
		12	0	21.08	21.03	20.99	0 - 3	3
		12	6	20.91	21.01	21.01	0 - 3	3
		12	11	20.83	21.25	21.04	0 - 3	3
		25	0	20.92	20.99	20.99	0 - 3	3
	256QAM	1	0	19.05	19.09	19.06	0 - 5	5
		1	12	18.82	19.40	19.14	0 - 5	5
		1	24	18.67	19.21	19.02	0 - 5	5
		12	0	18.92	19.03	18.94	0 - 5	5
		12	6	18.75	19.14	19.06	0 - 5	5
		12	11	18.66	19.16	18.95	0 - 5	5
		25	0	18.78	19.12	18.96	0 - 5	5

LTE FDD Band 66_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				132022 Ch. 1715 MHz	132322 Ch. 1745 MHz	132622 Ch. 1775 MHz		
10 MHz	QPSK	1	0	23.99	24.10	23.90	0	0
		1	24	23.88	24.23	24.05	0	0
		1	49	23.61	24.14	24.01	0	0
		25	0	23.04	23.11	22.94	0 - 1	1
		25	12	22.83	23.09	23.11	0 - 1	1
		25	24	22.61	23.16	22.99	0 - 1	1
		50	0	22.86	23.11	23.04	0 - 1	1
	16QAM	1	0	23.40	23.22	23.20	0 - 1	1
		1	24	22.89	23.39	23.48	0 - 1	1
		1	49	22.73	23.36	23.21	0 - 1	1
		25	0	22.01	22.09	21.99	0 - 2	2
		25	12	21.69	22.04	22.10	0 - 2	2
		25	24	21.53	22.22	22.01	0 - 2	2
		50	0	21.76	22.02	22.06	0 - 2	2
	64QAM	1	0	22.26	22.27	21.96	0 - 2	2
		1	24	21.81	22.25	22.22	0 - 2	2
		1	49	21.60	22.14	22.19	0 - 2	2
		25	0	20.91	21.07	20.95	0 - 3	3
		25	12	20.64	21.11	21.08	0 - 3	3
		25	24	20.43	21.16	21.07	0 - 3	3
		50	0	20.70	21.20	21.04	0 - 3	3
	256QAM	1	0	19.01	19.09	19.02	0 - 5	5
		1	24	18.44	19.26	19.24	0 - 5	5
		1	49	18.43	19.25	19.17	0 - 5	5
		25	0	18.76	19.08	18.93	0 - 5	5
		25	12	18.48	19.09	19.06	0 - 5	5
		25	24	18.30	19.15	19.04	0 - 5	5
		50	0	18.55	19.09	18.99	0 - 5	5

LTE FDD Band 66_15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				132047 Ch. 1717.5 MHz	132322 Ch. 1745 MHz	132597 Ch. 1772.5 MHz		
15 MHz	QPSK	1	0	24.45	24.20	23.81	0	0
		1	36	23.55	24.14	23.93	0	0
		1	74	23.30	24.02	23.89	0	0
		36	0	22.76	22.84	22.81	0 - 1	1
		36	18	22.44	22.95	22.91	0 - 1	1
		36	39	22.20	22.99	22.88	0 - 1	1
		75	0	22.50	22.93	22.91	0 - 1	1
	16QAM	1	0	23.01	23.00	22.92	0 - 1	1
		1	36	22.55	23.14	23.12	0 - 1	1
		1	74	22.35	23.25	22.95	0 - 1	1
		36	0	21.70	21.91	21.89	0 - 2	2
		36	18	21.29	21.93	21.98	0 - 2	2
		36	39	21.10	22.03	21.88	0 - 2	2
		75	0	21.41	22.00	21.97	0 - 2	2
	64QAM	1	0	22.34	22.30	21.97	0 - 2	2
		1	36	21.46	22.15	22.06	0 - 2	2
		1	74	21.33	22.17	22.01	0 - 2	2
		36	0	20.64	20.89	20.80	0 - 3	3
		36	18	20.24	20.92	20.91	0 - 3	3
		36	39	20.04	21.08	20.96	0 - 3	3
		75	0	20.35	20.99	20.94	0 - 3	3
	256QAM	1	0	19.02	19.09	18.82	0 - 5	5
		1	36	18.17	19.15	18.85	0 - 5	5
		1	74	18.15	19.07	18.91	0 - 5	5
		36	0	18.49	18.91	18.87	0 - 5	5
		36	18	18.12	18.91	18.93	0 - 5	5
		36	39	17.93	18.96	18.92	0 - 5	5
		75	0	18.22	18.95	18.97	0 - 5	5

LTE FDD Band 66_20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				132072 Ch. 1720 MHz	132322 Ch. 1745 MHz	132572 Ch. 1770 MHz		
20 MHz	QPSK	1	0	23.80	24.17	23.74	0	0
		1	49	23.39	24.10	23.73	0	0
		1	99	23.63	24.05	23.97	0	0
		50	0	22.71	23.12	22.75	0 - 1	1
		50	25	22.30	22.90	22.81	0 - 1	1
		50	49	22.21	23.11	22.91	0 - 1	1
		100	0	22.39	22.95	22.83	0 - 1	1
	16QAM	1	0	23.03	23.26	22.89	0 - 1	1
		1	49	22.26	23.13	22.98	0 - 1	1
		1	99	22.65	23.24	23.00	0 - 1	1
		50	0	21.51	21.90	21.84	0 - 2	2
		50	25	21.17	21.92	21.85	0 - 2	2
		50	49	21.11	22.04	21.98	0 - 2	2
		100	0	21.29	21.90	21.96	0 - 2	2
	64QAM	1	0	21.82	21.89	21.84	0 - 2	2
		1	49	21.22	22.02	22.10	0 - 2	2
		1	99	21.52	22.46	22.08	0 - 2	2
		50	0	20.43	20.89	20.85	0 - 3	3
		50	25	20.10	20.88	20.80	0 - 3	3
		50	49	20.08	21.04	20.99	0 - 3	3
		100	0	20.28	20.97	20.85	0 - 3	3
	256QAM	1	0	19.02	18.86	18.73	0 - 5	5
		1	49	17.99	19.38	18.97	0 - 5	5
		1	99	18.45	19.50	18.81	0 - 5	5
		50	0	18.31	18.93	18.81	0 - 5	5
		50	25	18.02	18.89	18.79	0 - 5	5
		50	49	18.00	19.09	18.94	0 - 5	5
		100	0	18.19	18.97	18.91	0 - 5	5

LTE FDD Band 66 Conducted Power_Free(DSI=0), RCV(DSI=1) _ANT.F[SUB2-2]

LTE FDD Band 66_1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				131979 Ch. 1710.7 MHz	132322 Ch. 1745 MHz	132665 Ch. 1779.3 MHz		
1.4 MHz	QPSK	1	0	18.16	18.17	18.14	0	0
		1	3	18.18	18.22	18.20	0	0
		1	5	18.00	18.09	18.03	0	0
		3	0	18.06	18.10	18.09	0 - 1	0
		3	1	18.17	18.26	18.23	0 - 1	0
		3	3	18.07	18.16	18.10	0 - 1	0
		6	0	18.15	18.23	18.20	0 - 1	0
	16QAM	1	0	18.39	18.53	18.45	0 - 1	0
		1	3	18.48	18.49	18.45	0 - 1	0
		1	5	18.55	18.63	18.54	0 - 1	0
		3	0	18.05	18.11	18.04	0 - 2	0
		3	1	18.23	18.27	18.30	0 - 2	0
		3	3	18.21	18.23	18.21	0 - 2	0
		6	0	18.20	18.31	18.25	0 - 2	0
	64QAM	1	0	18.34	18.38	18.38	0 - 2	0
		1	3	18.49	18.48	18.47	0 - 2	0
		1	5	18.30	18.34	18.26	0 - 2	0
		3	0	18.08	18.11	18.00	0 - 3	0
		3	1	18.15	18.22	18.11	0 - 3	0
		3	3	18.23	18.25	18.21	0 - 3	0
		6	0	18.14	18.21	18.14	0 - 3	0
	256QAM	1	0	18.21	18.21	18.24	0 - 5	0
		1	3	18.29	18.35	18.27	0 - 5	0
		1	5	18.27	18.31	18.31	0 - 5	0
		3	0	18.14	18.18	18.15	0 - 5	0
		3	1	18.25	18.29	18.25	0 - 5	0
		3	3	18.21	18.23	18.21	0 - 5	0
		6	0	18.19	18.23	18.23	0 - 5	0

LTE FDD Band 66_3 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				131987 Ch. 1711.5 MHz	132322 Ch. 1745 MHz	132657 Ch. 1778.5 MHz		
3 MHz	QPSK	1	0	18.12	18.19	18.20	0	0
		1	7	18.20	18.19	18.19	0	0
		1	14	18.00	18.11	18.01	0	0
		8	0	18.03	18.13	18.12	0 - 1	0
		8	3	18.22	18.24	18.23	0 - 1	0
		8	7	18.09	18.16	18.12	0 - 1	0
	16QAM	15	0	18.13	18.23	18.18	0 - 1	0
		1	0	18.44	18.54	18.46	0 - 1	0
		1	7	18.53	18.53	18.41	0 - 1	0
		1	14	18.57	18.61	18.61	0 - 1	0
		8	0	18.06	18.12	18.10	0 - 2	0
		8	3	18.19	18.27	18.31	0 - 2	0
	64QAM	8	7	18.19	18.27	18.24	0 - 2	0
		15	0	18.21	18.31	18.25	0 - 2	0
		1	0	18.32	18.37	18.36	0 - 2	0
		1	7	18.48	18.50	18.43	0 - 2	0
		1	14	18.26	18.32	18.21	0 - 2	0
		8	0	18.14	18.11	18.01	0 - 3	0
	256QAM	8	3	18.18	18.17	18.12	0 - 3	0
		8	7	18.23	18.28	18.18	0 - 3	0
		15	0	18.15	18.17	18.16	0 - 3	0
		1	0	18.18	18.23	18.23	0 - 5	0
		1	7	18.32	18.33	18.31	0 - 5	0
		1	14	18.22	18.31	18.32	0 - 5	0
		8	0	18.19	18.17	18.14	0 - 5	0
		8	3	18.20	18.29	18.25	0 - 5	0
		8	7	18.21	18.24	18.21	0 - 5	0
		15	0	18.19	18.21	18.28	0 - 5	0

LTE FDD Band 66_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				131997 Ch. 1712.5 MHz	132322 Ch. 1745 MHz	132647 Ch. 1777.5 MHz		
5 MHz	QPSK	1	0	18.15	18.20	18.17	0	0
		1	12	18.17	18.24	18.19	0	0
		1	24	17.97	18.11	17.99	0	0
		12	0	18.05	18.08	18.07	0 - 1	0
		12	6	18.17	18.24	18.23	0 - 1	0
		12	11	18.08	18.13	18.05	0 - 1	0
		25	0	18.19	18.23	18.18	0 - 1	0
	16QAM	1	0	18.40	18.53	18.45	0 - 1	0
		1	12	18.55	18.52	18.48	0 - 1	0
		1	24	18.50	18.61	18.55	0 - 1	0
		12	0	18.05	18.13	18.06	0 - 2	0
		12	6	18.24	18.26	18.29	0 - 2	0
		12	11	18.20	18.22	18.27	0 - 2	0
		25	0	18.22	18.30	18.26	0 - 2	0
	64QAM	1	0	18.31	18.37	18.34	0 - 2	0
		1	12	18.46	18.48	18.49	0 - 2	0
		1	24	18.33	18.26	18.21	0 - 2	0
		12	0	18.13	18.08	18.08	0 - 3	0
		12	6	18.20	18.20	18.14	0 - 3	0
		12	11	18.22	18.26	18.23	0 - 3	0
		25	0	18.18	18.22	18.16	0 - 3	0
	256QAM	1	0	18.19	18.25	18.18	0 - 5	0
		1	12	18.31	18.35	18.27	0 - 5	0
		1	24	18.21	18.33	18.30	0 - 5	0
		12	0	18.18	18.16	18.13	0 - 5	0
		12	6	18.24	18.22	18.27	0 - 5	0
		12	11	18.25	18.23	18.22	0 - 5	0
		25	0	18.14	18.22	18.26	0 - 5	0

LTE FDD Band 66_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				132022 Ch. 1715 MHz	132322 Ch. 1745 MHz	132622 Ch. 1775 MHz		
10 MHz	QPSK	1	0	18.17	18.23	18.21	0	0
		1	24	18.23	18.24	18.22	0	0
		1	49	18.05	18.12	18.07	0	0
		25	0	18.09	18.15	18.12	0 - 1	0
		25	12	18.23	18.29	18.29	0 - 1	0
		25	24	18.13	18.16	18.12	0 - 1	0
		50	0	18.20	18.28	18.24	0 - 1	0
	16QAM	1	0	18.47	18.55	18.50	0 - 1	0
		1	24	18.55	18.57	18.49	0 - 1	0
		1	49	18.58	18.64	18.62	0 - 1	0
		25	0	18.11	18.17	18.11	0 - 2	0
		25	12	18.26	18.33	18.31	0 - 2	0
		25	24	18.25	18.30	18.27	0 - 2	0
		50	0	18.26	18.31	18.29	0 - 2	0
	64QAM	1	0	18.38	18.43	18.42	0 - 2	0
		1	24	18.50	18.50	18.50	0 - 2	0
		1	49	18.33	18.34	18.28	0 - 2	0
		25	0	18.15	18.16	18.08	0 - 3	0
		25	12	18.21	18.24	18.17	0 - 3	0
		25	24	18.27	18.31	18.23	0 - 3	0
		50	0	18.22	18.24	18.20	0 - 3	0
	256QAM	1	0	18.26	18.29	18.25	0 - 5	0
		1	24	18.34	18.41	18.34	0 - 5	0
		1	49	18.29	18.35	18.32	0 - 5	0
		25	0	18.20	18.22	18.16	0 - 5	0
		25	12	18.26	18.30	18.29	0 - 5	0
		25	24	18.27	18.30	18.25	0 - 5	0
		50	0	18.20	18.28	18.28	0 - 5	0

LTE FDD Band 66_15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				132047 Ch. 1717.5 MHz	132322 Ch. 1745 MHz	132597 Ch. 1772.5 MHz		
15 MHz	QPSK	1	0	18.12	18.15	18.18	0	0
		1	36	18.18	18.17	18.19	0	0
		1	74	17.98	18.05	18.04	0	0
		36	0	18.04	18.11	18.08	0 - 1	0
		36	18	18.23	18.24	18.28	0 - 1	0
		36	39	18.07	18.14	18.10	0 - 1	0
		75	0	18.15	18.26	18.16	0 - 1	0
	16QAM	1	0	18.46	18.48	18.48	0 - 1	0
		1	36	18.54	18.56	18.42	0 - 1	0
		1	74	18.52	18.58	18.54	0 - 1	0
		36	0	18.04	18.14	18.03	0 - 2	0
		36	18	18.21	18.26	18.30	0 - 2	0
		36	39	18.23	18.23	18.20	0 - 2	0
		75	0	18.22	18.30	18.22	0 - 2	0
	64QAM	1	0	18.32	18.36	18.42	0 - 2	0
		1	36	18.44	18.42	18.47	0 - 2	0
		1	74	18.27	18.32	18.22	0 - 2	0
		36	0	18.10	18.14	18.05	0 - 3	0
		36	18	18.18	18.23	18.14	0 - 3	0
		36	39	18.25	18.30	18.22	0 - 3	0
		75	0	18.17	18.21	18.16	0 - 3	0
	256QAM	1	0	18.23	18.29	18.25	0 - 5	0
		1	36	18.30	18.33	18.30	0 - 5	0
		1	74	18.21	18.28	18.26	0 - 5	0
		36	0	18.19	18.15	18.13	0 - 5	0
		36	18	18.20	18.26	18.22	0 - 5	0
		36	39	18.26	18.23	18.17	0 - 5	0
		75	0	18.17	18.23	18.21	0 - 5	0

LTE FDD Band 66_20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				132072 Ch. 1720 MHz	132322 Ch. 1745 MHz	132572 Ch. 1770 MHz		
20 MHz	QPSK	1	0	18.04	18.09	18.02	0	0
		1	49	18.02	18.03	18.00	0	0
		1	99	17.92	17.98	17.97	0	0
		50	0	18.03	18.16	18.03	0 - 1	0
		50	25	18.04	18.10	18.06	0 - 1	0
		50	49	18.09	18.15	18.09	0 - 1	0
		100	0	18.11	18.15	18.13	0 - 1	0
	16QAM	1	0	18.26	18.28	18.24	0 - 1	0
		1	49	18.22	18.30	18.22	0 - 1	0
		1	99	18.29	18.36	18.28	0 - 1	0
		50	0	18.08	18.11	18.07	0 - 2	0
		50	25	18.08	18.13	18.07	0 - 2	0
		50	49	18.06	18.12	18.05	0 - 2	0
		100	0	18.03	18.05	18.02	0 - 2	0
	64QAM	1	0	18.24	18.30	18.28	0 - 2	0
		1	49	18.14	18.14	18.11	0 - 2	0
		1	99	18.25	18.30	18.29	0 - 2	0
		50	0	18.05	18.06	18.05	0 - 3	0
		50	25	18.01	18.08	18.00	0 - 3	0
		50	49	18.04	18.04	18.02	0 - 3	0
		100	0	18.06	18.14	18.12	0 - 3	0
	256QAM	1	0	18.12	18.20	18.19	0 - 5	0
		1	49	18.13	18.18	18.11	0 - 5	0
		1	99	18.04	18.06	18.06	0 - 5	0
		50	0	18.08	18.08	18.01	0 - 5	0
		50	25	18.09	18.15	18.11	0 - 5	0
		50	49	18.09	18.09	18.08	0 - 5	0
		100	0	18.09	18.15	18.14	0 - 5	0

LTE FDD Band 71 Conducted Power_Pmax, Free(DSI=0), RCV(DSI=1) _ANT.A[MAIN1]

LTE FDD Band 71_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				133147 Ch. 665.5 MHz	133297 Ch. 680.5 MHz	133447 Ch. 695.5 MHz		
5 MHz	QPSK	1	0	24.72	24.67	24.63	0	0
		1	12	24.69	24.75	24.59	0	0
		1	24	24.47	24.61	24.46	0	0
		12	0	23.63	23.58	23.44	0 - 1	1
		12	6	23.64	23.60	23.44	0 - 1	1
		12	11	23.62	23.68	23.47	0 - 1	1
		25	0	23.63	23.56	23.49	0 - 1	1
	16QAM	1	0	23.90	23.87	23.64	0 - 1	1
		1	12	23.79	23.91	23.88	0 - 1	1
		1	24	23.86	23.79	23.67	0 - 1	1
		12	0	22.67	22.68	22.55	0 - 2	2
		12	6	22.66	22.62	22.52	0 - 2	2
		12	11	22.62	22.72	22.52	0 - 2	2
		25	0	22.66	22.60	22.46	0 - 2	2
	64QAM	1	0	22.85	22.77	22.52	0 - 2	2
		1	12	22.80	22.83	22.74	0 - 2	2
		1	24	22.73	22.81	22.55	0 - 2	2
		12	0	21.72	21.68	21.43	0 - 3	3
		12	6	21.62	21.70	21.44	0 - 3	3
		12	11	21.67	21.70	21.49	0 - 3	3
		25	0	21.61	21.61	21.40	0 - 3	3
	256QAM	1	0	19.72	19.62	19.48	0 - 5	5
		1	12	19.77	19.76	19.61	0 - 5	5
		1	24	19.47	19.70	19.51	0 - 5	5
		12	0	19.63	19.60	19.39	0 - 5	5
		12	6	19.66	19.68	19.45	0 - 5	5
		12	11	19.62	19.67	19.45	0 - 5	5
		25	0	19.67	19.61	19.38	0 - 5	5

LTE FDD Band 71_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				133172 Ch. 668 MHz	133297 Ch. 680.5 MHz	133422 Ch. 693 MHz		
10 MHz	QPSK	1	0	24.70	24.67	24.59	0	0
		1	24	24.67	24.70	24.56	0	0
		1	49	24.53	24.64	24.41	0	0
		25	0	23.62	23.68	23.53	0 - 1	1
		25	12	23.70	23.70	23.56	0 - 1	1
		25	24	23.61	23.70	23.44	0 - 1	1
		50	0	23.67	23.64	23.55	0 - 1	1
	16QAM	1	0	23.94	23.84	23.87	0 - 1	1
		1	24	23.98	23.95	23.75	0 - 1	1
		1	49	23.90	23.85	23.64	0 - 1	1
		25	0	22.65	22.63	22.46	0 - 2	2
		25	12	22.71	22.69	22.55	0 - 2	2
		25	24	22.63	22.66	22.52	0 - 2	2
		50	0	22.66	22.66	22.53	0 - 2	2
	64QAM	1	0	22.76	22.84	22.70	0 - 2	2
		1	24	22.79	22.82	22.69	0 - 2	2
		1	49	22.75	22.77	22.58	0 - 2	2
		25	0	21.64	21.72	21.49	0 - 3	3
		25	12	21.68	21.70	21.58	0 - 3	3
		25	24	21.57	21.65	21.48	0 - 3	3
		50	0	21.61	21.63	21.53	0 - 3	3
	256QAM	1	0	19.64	19.65	19.52	0 - 5	5
		1	24	19.70	19.75	19.59	0 - 5	5
		1	49	19.65	19.76	19.48	0 - 5	5
		25	0	19.54	19.62	19.45	0 - 5	5
		25	12	19.58	19.64	19.51	0 - 5	5
		25	24	19.62	19.72	19.54	0 - 5	5
		50	0	19.60	19.62	19.49	0 - 5	5

LTE FDD Band 71_15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				133197 Ch. 670.5 MHz	133297 Ch. 680.5 MHz	133397 Ch. 690.5 MHz		
15 MHz	QPSK	1	0	24.52	24.54	24.53	0	0
		1	36	24.43	24.58	24.42	0	0
		1	74	24.48	24.34	24.28	0	0
		36	0	23.52	23.53	23.41	0 - 1	1
		36	18	23.39	23.53	23.38	0 - 1	1
		36	39	23.43	23.46	23.40	0 - 1	1
		75	0	23.52	23.50	23.38	0 - 1	1
	16QAM	1	0	23.58	23.73	23.56	0 - 1	1
		1	36	23.69	23.73	23.67	0 - 1	1
		1	74	23.51	23.61	23.47	0 - 1	1
		36	0	22.47	22.49	22.31	0 - 2	2
		36	18	22.47	22.48	22.42	0 - 2	2
		36	39	22.44	22.55	22.34	0 - 2	2
		75	0	22.48	22.50	22.38	0 - 2	2
	64QAM	1	0	22.51	22.67	22.48	0 - 2	2
		1	36	22.53	22.83	22.69	0 - 2	2
		1	74	22.56	22.49	22.36	0 - 2	2
		36	0	21.52	21.48	21.37	0 - 3	3
		36	18	21.51	21.56	21.37	0 - 3	3
		36	39	21.42	21.47	21.36	0 - 3	3
		75	0	21.42	21.48	21.43	0 - 3	3
	256QAM	1	0	19.48	19.52	19.40	0 - 5	5
		1	36	19.44	19.61	19.42	0 - 5	5
		1	74	19.59	19.49	19.50	0 - 5	5
		36	0	19.46	19.52	19.46	0 - 5	5
		36	18	19.46	19.48	19.38	0 - 5	5
		36	39	19.45	19.45	19.32	0 - 5	5
		75	0	19.53	19.53	19.45	0 - 5	5

LTE FDD Band 71_20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR Allowed Per 3GPP [dB]	MPR [dB]
					133297 Ch. 680.5 MHz		
20 MHz	QPSK	1	0		24.60		0
		1	49		24.50		0
		1	99		24.33		0
		50	0		23.54		0 - 1
		50	25		23.42		0 - 1
		50	49		23.44		0 - 1
		100	0		23.48		0 - 1
	16QAM	1	0		23.91		0 - 1
		1	49		23.65		0 - 1
		1	99		23.38		0 - 1
		50	0		22.57		0 - 2
		50	25		22.52		0 - 2
		50	49		22.42		0 - 2
		100	0		22.47		0 - 2
	64QAM	1	0		22.58		0 - 2
		1	49		22.42		0 - 2
		1	99		22.32		0 - 2
		50	0		21.47		0 - 3
		50	25		21.50		0 - 3
		50	49		21.38		0 - 3
		100	0		21.54		0 - 3
	256QAM	1	0		19.68		0 - 5
		1	49		19.69		0 - 5
		1	99		19.41		0 - 5
		50	0		19.43		0 - 5
		50	25		19.48		0 - 5
		50	49		19.43		0 - 5
		100	0		19.40		0 - 5