

Appendix K. – NR Band Plimit Conducted Power

K.1 NR Plimit Conducted Power

NR FDD Band n2 Conducted Power_Free(DSI=0) _ANT.A[MAIN1]

NR FDD Band n2_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						370500 Ch. 1852.5 MHz	376000 Ch. 1880 MHz	381500 Ch. 1907.5 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1	17.95	17.77	17.66	0
				1	13	17.76	17.71	17.57	0
				1	23	17.75	17.66	17.51	0
				12	0	17.87	17.67	17.52	0
				12	7	17.78	17.55	17.49	0
				12	13	17.75	17.66	17.42	0
				25	0	17.84	17.72	17.48	0
			QPSK	1	1	17.89	17.71	17.53	0
				1	13	17.81	17.61	17.50	0
				1	23	17.77	17.65	17.40	0
				12	0	17.86	17.71	17.56	0
				12	7	17.86	17.64	17.50	0
				12	13	17.73	17.55	17.43	0
				25	0	17.82	17.63	17.53	0
			16QAM	1	1	17.93	17.63	17.58	0
			64QAM	1	1	18.00	17.85	17.68	0
			256QAM	1	1	17.35	17.15	16.98	0
		CP	QPSK	1	1	17.99	17.79	17.62	0

NR FDD Band n2_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						371000 Ch. 1855 MHz	376000 Ch. 1880 MHz	381000 Ch. 1905 MHz	
10 MHz	15	DFT-s	pi/2 BPSK	1	1	17.96	17.72	17.65	0
				1	26	17.87	17.74	17.54	0
				1	50	17.81	17.63	17.50	0
				25	0	18.00	17.68	17.67	0
				25	14	17.92	17.66	17.56	0
				25	27	17.82	17.57	17.45	0
				50	0	17.93	17.60	17.54	0
			QPSK	1	1	18.00	17.74	17.68	0
				1	26	17.89	17.66	17.56	0
				1	50	17.80	17.63	17.50	0
				25	0	17.94	17.71	17.62	0
				25	14	17.88	17.65	17.55	0
				25	27	17.84	17.62	17.54	0
				50	0	17.90	17.63	17.56	0
			16QAM	1	1	18.00	17.72	17.68	0
			64QAM	1	1	18.13	17.82	17.80	0
			256QAM	1	1	17.48	17.21	17.13	0
		CP	QPSK	1	1	18.09	17.85	17.76	0

NR FDD Band n2_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						371500 Ch. 1857.5 MHz	376000 Ch. 1880 MHz	380500 Ch. 1902.5 MHz	
15 MHz	15	DFT-s	pi/2 BPSK	1	1	18.16	17.81	17.65	0
				1	40	17.99	17.84	17.60	0
				1	77	17.93	17.71	17.51	0
				36	0	18.07	17.87	17.66	0
				36	22	17.99	17.82	17.57	0
				36	43	17.97	17.77	17.55	0
				75	0	18.05	17.86	17.65	0
			QPSK	1	1	18.17	17.82	17.69	0
				1	40	18.00	17.86	17.57	0
				1	77	17.97	17.81	17.57	0
				36	0	18.15	17.89	17.64	0
				36	22	18.05	17.84	17.58	0
				36	43	17.97	17.79	17.53	0
				75	0	18.07	17.87	17.64	0
			16QAM	1	1	18.12	17.83	17.66	0
			64QAM	1	1	18.29	17.96	17.77	0
			256QAM	1	1	17.63	17.35	17.16	0
		CP	QPSK	1	1	18.28	18.00	17.79	0

NR FDD Band n2_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						372000 Ch. 1860 MHz	376000 Ch. 1880 MHz	380000 Ch. 1900 MHz	
20 MHz	15	DFT-s	pi/2 BPSK	1	1	18.05	17.84	17.69	0
				1	53	17.96	17.82	17.60	0
				1	104	17.82	17.72	17.52	0
				50	0	18.09	17.93	17.76	0
				50	28	17.99	17.88	17.67	0
				50	56	17.95	17.84	17.58	0
				100	0	18.02	17.90	17.72	0
			QPSK	1	1	18.13	17.85	17.78	0
				1	53	18.03	17.85	17.63	0
				1	104	17.85	17.75	17.57	0
				50	0	18.02	17.85	17.70	0
				50	28	18.01	17.85	17.64	0
				50	56	17.92	17.79	17.62	0
				100	0	18.05	17.89	17.66	0
			16QAM	1	1	18.08	17.84	17.66	0
			64QAM	1	1	18.20	17.97	17.83	0
			256QAM	1	1	17.60	17.34	17.23	0
		CP	QPSK	1	1	18.20	17.98	17.87	0

NR FDD Band n2 Conducted Power_Pmax, RCV(DSI=1) _ANT.A[MAIN1]

NR FDD Band n2_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						370500 Ch. 1852.5 MHz	376000 Ch. 1880 MHz	381500 Ch. 1907.5 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1	24.16	24.11	23.96	0
				1	13	23.98	24.05	23.90	0
				1	23	23.95	24.00	23.83	0
				12	0	23.55	23.51	23.44	0.5
				12	7	24.03	23.93	23.88	0
				12	13	23.43	23.40	23.34	0.5
				25	0	23.48	23.48	23.39	0.5
			QPSK	1	1	24.09	24.21	24.03	0
				1	13	24.02	24.20	23.90	0
				1	23	24.06	24.05	23.81	0
				12	0	23.05	23.02	23.00	1
				12	7	24.02	23.95	23.92	0
				12	13	22.96	22.97	22.86	1
				25	0	23.03	23.00	22.94	1
			16QAM	1	1	23.04	23.04	22.97	1
			64QAM	1	1	21.76	21.72	21.61	2.5
			256QAM	1	1	19.02	18.99	18.92	4.5
		CP	QPSK	1	1	22.60	22.54	22.53	1.5

NR FDD Band n2_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						371000 Ch. 1855 MHz	376000 Ch. 1880 MHz	381000 Ch. 1905 MHz	
10 MHz	15	DFT-s	pi/2 BPSK	1	1	24.24	24.04	24.01	0
				1	26	24.09	24.00	23.99	0
				1	50	24.04	23.93	23.92	0
				25	0	23.63	23.59	23.56	0.5
				25	14	24.12	24.05	23.84	0
				25	27	23.60	23.47	23.42	0.5
				50	0	23.60	23.54	23.42	0.5
			QPSK	1	1	24.17	24.08	23.97	0
				1	26	24.12	23.98	23.82	0
				1	50	24.02	24.10	23.90	0
				25	0	23.18	23.07	22.98	1
				25	14	24.12	24.01	23.94	0
				25	27	23.10	23.01	22.83	1
				50	0	23.13	23.04	22.84	1
			16QAM	1	1	23.13	23.10	23.03	1
			64QAM	1	1	21.85	21.82	21.65	2.5
			256QAM	1	1	19.15	19.04	18.99	4.5
		CP	QPSK	1	1	22.72	22.58	22.63	1.5

NR FDD Band n2_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						371500 Ch. 1857.5 MHz	376000 Ch. 1880 MHz	380500 Ch. 1902.5 MHz	
15 MHz	15	DFT-s	pi/2 BPSK	1	1	24.28	24.14	24.08	0
				1	40	24.22	24.23	23.96	0
				1	77	24.17	24.15	23.98	0
				36	0	23.80	23.60	23.59	0.5
				36	22	24.25	24.12	24.00	0
				36	43	23.77	23.68	23.48	0.5
				75	0	23.73	23.59	23.51	0.5
			QPSK	1	1	24.27	24.10	24.12	0
				1	40	24.18	24.09	23.96	0
				1	77	24.13	24.12	23.88	0
				36	0	23.19	23.13	23.08	1
				36	22	24.21	24.12	23.93	0
				36	43	23.15	23.18	23.04	1
				75	0	23.20	23.17	23.10	1
			16QAM	1	1	23.21	23.14	23.12	1
			64QAM	1	1	21.90	21.86	21.77	2.5
			256QAM	1	1	19.25	19.26	19.00	4.5
		CP	QPSK	1	1	22.80	22.75	22.69	1.5

NR FDD Band n2_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						372000 Ch. 1860 MHz	376000 Ch. 1880 MHz	380000 Ch. 1900 MHz	
20 MHz	15	DFT-s	pi/2 BPSK	1	1	24.21	24.16	24.13	0
				1	53	24.22	24.15	24.04	0
				1	104	24.13	24.12	23.93	0
				50	0	23.74	23.60	23.64	0.5
				50	28	24.29	24.12	24.10	0
				50	56	23.75	23.76	23.57	0.5
				100	0	23.69	23.65	23.61	0.5
			QPSK	1	1	24.20	24.16	24.04	0
				1	53	24.15	24.14	23.95	0
				1	104	24.13	24.15	24.02	0
				50	0	23.12	23.25	23.03	1
				50	28	24.10	24.24	24.07	0
				50	56	23.14	23.13	23.13	1
				100	0	23.19	23.28	23.10	1
			16QAM	1	1	23.12	23.19	23.00	1
			64QAM	1	1	21.89	21.85	21.74	2.5
			256QAM	1	1	19.21	19.14	19.09	4.5
		CP	QPSK	1	1	22.82	22.71	22.64	1.5

NR FDD Band n5 Conducted Power_Free(DSI=0) _ANT.A[MAIN1]

NR FDD Band n5_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						165300 Ch. 826.5 MHz	167300 Ch. 836.5 MHz	169300 Ch. 846.5 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1	21.93	22.23	21.88	0
				1	13	21.88	21.91	21.90	0
				1	23	21.91	21.98	21.92	0
				12	0	21.94	21.95	21.85	0
				12	7	21.88	21.95	21.79	0
				12	13	21.93	21.96	21.80	0
				25	0	21.96	22.00	21.84	0
			QPSK	1	1	22.01	22.04	21.94	0
				1	13	21.92	21.97	21.83	0
				1	23	21.94	22.01	21.86	0
				12	0	22.01	21.92	21.86	0
				12	7	21.98	21.94	21.83	0
				12	13	21.94	21.99	21.79	0
				25	0	21.96	22.00	21.87	0
			16QAM	1	1	21.99	21.97	21.88	0
			64QAM	1	1	22.21	22.12	22.09	0
			256QAM	1	1	19.58	19.45	19.37	2
		CP	QPSK	1	1	22.12	22.00	21.97	0

NR FDD Band n5_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							167300 Ch. 836.5 MHz	
10 MHz	15	DFT-s	pi/2 BPSK	1	1		21.91	0
				1	26		21.91	0
				1	50		21.86	0
				25	0		22.03	0
				25	14		21.99	0
				25	27		21.93	0
				50	0		21.97	0
			QPSK	1	1		21.94	0
				1	26		21.99	0
				1	50		21.90	0
				25	0		21.97	0
				25	14		22.02	0
				25	27		21.99	0
				50	0		22.04	0
			16QAM	1	1		21.98	0
			64QAM	1	1		22.11	0
			256QAM	1	1		19.46	2
		CP	QPSK	1	1		22.03	0

NR FDD Band n5_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							167300 Ch. 836.5 MHz		
15 MHz	15	DFT-s	pi/2 BPSK	1	1		22.06		0
				1	40		22.11		0
				1	77		22.07		0
				36	0		22.10		0
				36	22		22.14		0
				36	43		22.12		0
				75	0		22.08		0
			QPSK	1	1		22.11		0
				1	40		22.22		0
				1	77		22.13		0
				36	0		22.07		0
				36	22		22.11		0
				36	43		22.04		0
				75	0		22.12		0
			16QAM	1	1		22.04		0
			64QAM	1	1		22.17		0
			256QAM	1	1		19.69		2
		CP	QPSK	1	1		22.26		0

NR FDD Band n5_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							167300 Ch. 836.5 MHz		
20 MHz	15	DFT-s	pi/2 BPSK	1	1		22.04		0
				1	53		22.14		0
				1	104		21.97		0
				50	0		22.15		0
				50	28		22.18		0
				50	56		22.16		0
				100	0		22.12		0
			QPSK	1	1		22.06		0
				1	53		22.24		0
				1	104		22.25		0
				50	0		22.06		0
				50	28		22.09		0
				50	56		22.13		0
				100	0		22.14		0
			16QAM	1	1		22.08		0
			64QAM	1	1		22.22		0
			256QAM	1	1		19.59		2
		CP	QPSK	1	1		22.22		0

NR FDD Band n5 Conducted Power_Pmax, RCV(DSI=1) _ANT.A[MAIN1]

NR FDD Band n5_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						165300 Ch. 826.5 MHz	167300 Ch. 836.5 MHz	169300 Ch. 846.5 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1	24.66	24.62	24.58	0
				1	13	24.58	24.55	24.54	0
				1	23	24.63	24.70	24.55	0
				12	0	24.01	24.09	23.92	0.5
				12	7	24.52	24.56	24.56	0
				12	13	24.07	24.02	23.93	0.5
				25	0	23.98	24.08	24.00	0.5
			QPSK	1	1	24.60	24.63	24.50	0
				1	13	24.55	24.58	24.43	0
				1	23	24.62	24.59	24.35	0
				12	0	23.56	23.62	23.48	1
				12	7	24.53	24.58	24.44	0
				12	13	23.56	23.59	23.43	1
				25	0	23.51	23.58	23.44	1
			16QAM	1	1	23.57	23.66	23.48	1
			64QAM	1	1	22.24	22.29	22.20	2.5
			256QAM	1	1	19.61	19.62	19.56	4.5
		CP	QPSK	1	1	23.21	23.23	23.15	1.5

NR FDD Band n5_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							167300 Ch. 836.5 MHz	
10 MHz	15	DFT-s	pi/2 BPSK	1	1		24.61	0
				1	26		24.66	0
				1	50		24.57	0
				25	0		24.11	0.5
				25	14		24.58	0
				25	27		24.03	0.5
				50	0		24.13	0.5
			QPSK	1	1		24.56	0
				1	26		24.63	0
				1	50		24.50	0
				25	0		23.66	1
				25	14		24.60	0
				25	27		23.59	1
				50	0		23.63	1
			16QAM	1	1		23.55	1
			64QAM	1	1		22.18	2.5
			256QAM	1	1		19.58	4.5
		CP	QPSK	1	1		23.17	1.5

NR FDD Band n5_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							167300 Ch. 836.5 MHz		
15 MHz	15	DFT-s	pi/2 BPSK	1	1		24.77		0
				1	40		24.75		0
				1	77		24.65		0
				36	0		24.26		0.5
				36	22		24.77		0
				36	43		24.23		0.5
				75	0		24.16		0.5
			QPSK	1	1		24.77		0
				1	40		24.80		0
				1	77		24.72		0
				36	0		23.70		1
				36	22		24.78		0
				36	43		23.68		1
				75	0		23.82		1
			16QAM	1	1		23.67		1
			64QAM	1	1		22.32		2.5
			256QAM	1	1		19.69		4.5
		CP	QPSK	1	1		23.29		1.5

NR FDD Band n5_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							167300 Ch. 836.5 MHz		
20 MHz	15	DFT-s	pi/2 BPSK	1	1		24.66		0
				1	53		24.85		0
				1	104		24.71		0
				50	0		24.20		0.5
				50	28		24.84		0
				50	56		24.18		0.5
				100	0		24.16		0.5
			QPSK	1	1		24.66		0
				1	53		24.87		0
				1	104		24.65		0
				50	0		23.66		1
				50	28		24.83		0
				50	56		23.71		1
				100	0		23.74		1
			16QAM	1	1		23.66		1
			64QAM	1	1		22.30		2.5
			256QAM	1	1		19.69		4.5
		CP	QPSK	1	1		23.32		1.5

NR FDD Band n25 Conducted Power_Free(DSI=0) _ANT.A[MAIN1]

NR FDD Band n25_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						370500 Ch. 1852.5 MHz	376500 Ch. 1882.5 MHz	382500 Ch. 1912.5 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1	17.90	17.59	17.33	0
				1	13	17.81	17.50	17.33	0
				1	23	17.84	17.54	17.28	0
				12	0	17.90	17.55	17.36	0
				12	7	17.76	17.52	17.36	0
				12	13	17.77	17.50	17.31	0
				25	0	17.76	17.51	17.34	0
			QPSK	1	1	17.85	17.59	17.34	0
				1	13	17.79	17.50	17.35	0
				1	23	17.82	17.55	17.33	0
				12	0	17.82	17.51	17.35	0
				12	7	17.80	17.54	17.33	0
				12	13	17.78	17.55	17.36	0
				25	0	17.78	17.55	17.32	0
			16QAM	1	1	17.89	17.54	17.33	0
			64QAM	1	1	17.97	17.75	17.50	0
			256QAM	1	1	17.34	17.10	16.85	0
		CP	QPSK	1	1	17.97	17.67	17.42	0

NR FDD Band n25_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						371000 Ch. 1855 MHz	376500 Ch. 1882.5 MHz	382000 Ch. 1910 MHz	
10 MHz	15	DFT-s	pi/2 BPSK	1	1	17.99	17.57	17.43	0
				1	26	17.96	17.57	17.41	0
				1	50	17.82	17.43	17.36	0
				25	0	18.02	17.57	17.44	0
				25	14	17.86	17.54	17.41	0
				25	27	17.84	17.51	17.39	0
				50	0	17.86	17.56	17.44	0
			QPSK	1	1	17.92	17.57	17.45	0
				1	26	17.85	17.53	17.40	0
				1	50	17.78	17.48	17.37	0
				25	0	17.93	17.55	17.46	0
				25	14	17.86	17.52	17.43	0
				25	27	17.84	17.50	17.37	0
				50	0	17.86	17.52	17.40	0
			16QAM	1	1	17.93	17.53	17.46	0
			64QAM	1	1	18.03	17.68	17.59	0
			256QAM	1	1	17.38	17.05	16.90	0
		CP	QPSK	1	1	17.96	17.74	17.51	0

NR FDD Band n25_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						371500 Ch. 1857.5 MHz	376500 Ch. 1882.5 MHz	381500 Ch. 1907.5 MHz	
15 MHz	15	DFT-s	pi/2 BPSK	1	1	18.08	17.72	17.60	0
				1	40	17.94	17.65	17.53	0
				1	77	17.90	17.66	17.43	0
				36	0	18.07	17.80	17.61	0
				36	22	17.99	17.75	17.54	0
				36	43	17.93	17.72	17.54	0
				75	0	18.06	17.79	17.56	0
			QPSK	1	1	18.10	17.72	17.64	0
				1	40	17.97	17.71	17.52	0
				1	77	17.95	17.66	17.46	0
				36	0	18.07	17.77	17.59	0
				36	22	17.95	17.78	17.57	0
				36	43	17.96	17.69	17.52	0
				75	0	17.98	17.72	17.56	0
			16QAM	1	1	18.05	17.70	17.68	0
			64QAM	1	1	18.20	17.83	17.77	0
			256QAM	1	1	17.60	17.18	17.10	0
		CP	QPSK	1	1	18.21	17.88	17.78	0

NR FDD Band n25_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						372000 Ch. 1860 MHz	376500 Ch. 1882.5 MHz	381000 Ch. 1905 MHz	
20 MHz	15	DFT-s	pi/2 BPSK	1	1	17.97	17.82	17.69	0
				1	53	17.88	17.69	17.59	0
				1	104	17.74	17.55	17.47	0
				50	0	18.02	17.80	17.71	0
				50	28	17.98	17.73	17.57	0
				50	56	17.90	17.78	17.60	0
				100	0	17.96	17.79	17.60	0
			QPSK	1	1	18.00	17.72	17.75	0
				1	53	17.90	17.70	17.59	0
				1	104	17.79	17.62	17.54	0
				50	0	17.99	17.84	17.72	0
				50	28	17.95	17.76	17.69	0
				50	56	17.85	17.68	17.59	0
				100	0	17.98	17.79	17.69	0
			16QAM	1	1	18.01	17.70	17.68	0
			64QAM	1	1	18.16	17.87	17.82	0
			256QAM	1	1	17.57	17.26	17.18	0
		CP	QPSK	1	1	18.12	17.89	17.79	0

NR FDD Band n25_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]	
						372500 Ch. 1862.5 MHz	380500 Ch. 1902.5 MHz		
25 MHz	15	DFT-s	pi/2 BPSK	1	1	18.00		17.60	0
				1	66	17.80		17.49	0
				1	131	17.86		17.49	0
				64	0	17.90		17.65	0
				64	35	17.85		17.54	0
				64	69	17.82		17.52	0
				128	0	17.91		17.50	0
			QPSK	1	1	18.04		17.64	0
				1	66	17.88		17.55	0
				1	131	17.73		17.51	0
				64	0	17.91		17.59	0
				64	35	17.85		17.56	0
				64	69	17.77		17.48	0
				128	0	17.88		17.61	0
			16QAM	1	1	18.01		17.67	0
			64QAM	1	1	18.14		17.79	0
			256QAM	1	1	17.53		17.16	0
		CP	QPSK	1	1	18.12		17.79	0

NR FDD Band n25_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]	
						373000 Ch. 1865 MHz	380000 Ch. 1900 MHz		
30 MHz	15	DFT-s	pi/2 BPSK	1	1	18.10		17.65	0
				1	80	17.95		17.58	0
				1	158	17.86		17.55	0
				80	0	18.02		17.71	0
				80	40	17.96		17.58	0
				80	80	17.85		17.55	0
				160	0	17.96		17.66	0
			QPSK	1	1	18.13		17.65	0
				1	80	18.00		17.63	0
				1	158	17.76		17.51	0
				80	0	18.02		17.65	0
				80	40	17.99		17.61	0
				80	80	17.85		17.53	0
				160	0	17.99		17.62	0
			16QAM	1	1	18.10		17.65	0
			64QAM	1	1	18.21		17.76	0
			256QAM	1	1	17.64		17.27	0
		CP	QPSK	1	1	18.21		17.84	0

NR FDD Band n25_35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							376500 Ch. 1882.5 MHz	
35 MHz	15	DFT-s	pi/2 BPSK	1	1		17.83	0
				1	98		17.70	0
				1	186		17.54	0
				90	0		17.87	0
				90	45		17.77	0
				90	90		17.72	0
				180	0		17.80	0
			QPSK	1	1		17.83	0
				1	98		17.77	0
				1	186		17.59	0
				90	0		17.80	0
				90	45		17.70	0
				90	90		17.62	0
				180	0		17.73	0
			16QAM	1	1		17.84	0
			64QAM	1	1		18.00	0
			256QAM	1	1		17.39	0
		CP	QPSK	1	1		18.01	0

NR FDD Band n25_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							376500 Ch. 1882.5 MHz	
40 MHz	15	DFT-s	pi/2 BPSK	1	1		17.80	0
				1	108		17.68	0
				1	214		17.57	0
				108	0		17.79	0
				108	54		17.73	0
				108	108		17.73	0
				216	0		17.83	0
			QPSK	1	1		17.89	0
				1	108		17.90	0
				1	214		17.60	0
				108	0		17.83	0
				108	54		17.84	0
				108	108		17.72	0
				216	0		17.68	0
			16QAM	1	1		17.89	0
			64QAM	1	1		18.00	0
			256QAM	1	1		17.46	0
		CP	QPSK	1	1		18.01	0

NR FDD Band n25 Conducted Power_Pmax,RCV(DSI=1) _ANT.A[MAIN1]

NR FDD Band n25_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						370500 Ch. 1852.5 MHz	376500 Ch. 1882.5 MHz	382500 Ch. 1912.5 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1	24.06	24.04	23.82	0
				1	13	24.00	23.88	23.75	0
				1	23	24.05	24.01	23.75	0
				12	0	23.55	23.38	23.26	0.5
				12	7	24.01	23.88	23.70	0
				12	13	23.56	23.36	23.19	0.5
				25	0	23.50	23.41	23.27	0.5
			QPSK	1	1	24.14	23.92	23.90	0
				1	13	24.11	23.90	23.98	0
				1	23	24.13	23.91	23.93	0
				12	0	22.96	22.87	22.71	1
				12	7	23.93	23.86	23.70	0
				12	13	22.97	22.89	22.78	1
				25	0	22.94	22.87	22.74	1
			16QAM	1	1	22.98	22.93	22.66	1
			64QAM	1	1	21.67	21.62	21.41	2.5
			256QAM	1	1	19.09	18.91	18.75	4.5
		CP	QPSK	1	1	22.63	22.47	22.25	1.5

NR FDD Band n25_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						371000 Ch. 1855 MHz	376500 Ch. 1882.5 MHz	382000 Ch. 1910 MHz	
10 MHz	15	DFT-s	pi/2 BPSK	1	1	24.08	23.89	23.82	0
				1	26	24.11	23.94	23.80	0
				1	50	24.07	23.89	23.73	0
				25	0	23.67	23.46	23.33	0.5
				25	14	24.16	23.89	23.79	0
				25	27	23.55	23.37	23.33	0.5
				50	0	23.61	23.43	23.35	0.5
			QPSK	1	1	24.04	23.89	23.74	0
				1	26	24.07	23.86	23.84	0
				1	50	23.98	23.80	23.77	0
				25	0	23.10	22.96	22.73	1
				25	14	24.06	23.87	23.85	0
				25	27	23.05	22.90	22.79	1
				50	0	23.08	22.89	22.82	1
			16QAM	1	1	23.06	22.87	22.78	1
			64QAM	1	1	21.82	21.52	21.36	2.5
			256QAM	1	1	19.09	18.89	18.75	4.5
		CP	QPSK	1	1	22.66	22.48	22.37	1.5

NR FDD Band n25_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						371500 Ch. 1857.5 MHz	376500 Ch. 1882.5 MHz	381500 Ch. 1907.5 MHz	
15 MHz	15	DFT-s	pi/2 BPSK	1	1	24.34	24.05	24.05	0
				1	40	24.16	24.11	23.91	0
				1	77	24.15	24.03	23.87	0
				36	0	23.74	23.51	23.50	0.5
				36	22	24.22	24.06	23.96	0
				36	43	23.69	23.57	23.45	0.5
				75	0	23.73	23.57	23.53	0.5
			QPSK	1	1	24.29	24.08	23.97	0
				1	40	24.18	23.97	24.00	0
				1	77	24.12	24.04	23.93	0
				36	0	23.27	23.03	23.07	1
				36	22	24.22	24.04	23.95	0
				36	43	23.32	22.98	23.07	1
				75	0	23.23	23.07	22.99	1
			16QAM	1	1	23.20	23.04	22.95	1
			64QAM	1	1	21.89	21.77	21.51	2.5
			256QAM	1	1	19.25	19.12	18.99	4.5
		CP	QPSK	1	1	22.79	22.74	22.61	1.5

NR FDD Band n25_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						372000 Ch. 1860 MHz	376500 Ch. 1882.5 MHz	381000 Ch. 1905 MHz	
20 MHz	15	DFT-s	pi/2 BPSK	1	1	24.10	24.08	24.09	0
				1	53	24.09	24.02	23.96	0
				1	104	24.03	23.98	23.85	0
				50	0	23.71	23.64	23.47	0.5
				50	28	24.24	24.13	24.00	0
				50	56	23.66	23.63	23.55	0.5
				100	0	23.69	23.53	23.60	0.5
			QPSK	1	1	24.21	24.08	24.03	0
				1	53	24.18	23.93	24.02	0
				1	104	24.09	23.96	23.94	0
				50	0	23.12	23.18	23.00	1
				50	28	24.23	24.11	23.98	0
				50	56	23.14	23.05	23.08	1
				100	0	23.20	23.14	23.04	1
			16QAM	1	1	23.13	23.04	23.00	1
			64QAM	1	1	21.87	21.67	21.64	2.5
			256QAM	1	1	19.15	19.02	19.07	4.5
		CP	QPSK	1	1	22.72	22.61	22.67	1.5

NR FDD Band n25_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]	
						372500 Ch. 1862.5 MHz	380500 Ch. 1902.5 MHz		
25 MHz	15	DFT-s	pi/2 BPSK	1	1	24.14		23.93	0
				1	66	24.11		23.87	0
				1	131	24.02		23.88	0
				64	0	23.68		23.42	0.5
				64	35	24.06		23.88	0
				64	69	23.61		23.32	0.5
				128	0	23.65		23.36	0.5
			QPSK	1	1	24.09		23.95	0
				1	66	24.07		23.90	0
				1	131	24.09		23.90	0
				64	0	23.09		22.92	1
				64	35	24.04		23.93	0
				64	69	23.17		22.81	1
				128	0	23.13		22.92	1
			16QAM	1	1	23.03		22.96	1
			64QAM	1	1	21.79		21.65	2.5
			256QAM	1	1	19.19		19.07	4.5
		CP	QPSK	1	1	22.69		22.60	1.5

NR FDD Band n25_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]	
						373000 Ch. 1865 MHz	380000 Ch. 1900 MHz		
30 MHz	15	DFT-s	pi/2 BPSK	1	1	24.22		24.08	0
				1	80	24.20		24.00	0
				1	158	24.05		23.86	0
				80	0	23.77		23.52	0.5
				80	40	24.21		24.02	0
				80	80	23.67		23.49	0.5
				160	0	23.77		23.49	0.5
			QPSK	1	1	24.15		24.02	0
				1	80	24.14		23.94	0
				1	158	24.09		23.93	0
				80	0	23.17		22.96	1
				80	40	24.17		23.95	0
				80	80	23.25		23.00	1
				160	0	23.14		23.02	1
			16QAM	1	1	23.15		22.97	1
			64QAM	1	1	21.85		21.72	2.5
			256QAM	1	1	19.27		19.11	4.5
		CP	QPSK	1	1	22.80		22.61	1.5

NR FDD Band n25_35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							376500 Ch. 1882.5 MHz		
35 MHz	15	DFT-s	pi/2 BPSK	1	1		24.08		0
				1	98		24.06		0
				1	186		23.95		0
				90	0		23.54		0.5
				90	45		24.07		0
				90	90		23.50		0.5
				180	0		23.53		0.5
			QPSK	1	1		24.01		0
				1	98		24.04		0
				1	186		23.98		0
				90	0		23.18		1
				90	45		24.10		0
				90	90		22.99		1
				180	0		23.06		1
			16QAM	1	1		23.03		1
			64QAM	1	1		21.67		2.5
			256QAM	1	1		19.11		4.5
		CP	QPSK	1	1		22.69		1.5

NR FDD Band n25_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							376500 Ch. 1882.5 MHz		
40 MHz	15	DFT-s	pi/2 BPSK	1	1		24.12		0
				1	108		24.10		0
				1	214		23.96		0
				108	0		23.53		0.5
				108	54		24.12		0
				108	108		23.59		0.5
				216	0		23.54		0.5
			QPSK	1	1		24.00		0
				1	108		24.08		0
				1	214		24.05		0
				108	0		23.14		1
				108	54		24.08		0
				108	108		23.01		1
				216	0		23.06		1
			16QAM	1	1		23.04		1
			64QAM	1	1		21.65		2.5
			256QAM	1	1		19.13		4.5
		CP	QPSK	1	1		22.71		1.5

NR FDD Band n30 Conducted Power_Free(DSI=0) _ANT.A[MAIN1]

NR FDD Band n30_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							462000 Ch. 2310 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1		17.69	0
				1	13		17.77	0
				1	23		17.65	0
				12	0		17.71	0
				12	7		17.76	0
				12	13		17.72	0
				25	0		17.69	0
			QPSK	1	1		17.66	0
				1	13		17.77	0
				1	23		17.70	0
				12	0		17.69	0
				12	7		17.75	0
				12	13		17.75	0
				25	0		17.74	0
			16QAM	1	1		17.73	0
			64QAM	1	1		17.83	0
			256QAM	1	1		17.17	0
		CP	QPSK	1	1		17.91	0

NR FDD Band n30_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							462000 Ch. 2310 MHz	
10 MHz	15	DFT-s	pi/2 BPSK	1	1		17.83	0
				1	26		17.71	0
				1	50		17.72	0
				25	0		17.71	0
				25	14		17.74	0
				25	27		17.70	0
				50	0		17.68	0
			QPSK	1	1		17.77	0
				1	26		17.76	0
				1	50		17.75	0
				25	0		17.68	0
				25	14		17.74	0
				25	27		17.70	0
				50	0		17.70	0
			16QAM	1	1		17.75	0
			64QAM	1	1		17.89	0
			256QAM	1	1		17.15	0
		CP	QPSK	1	1		17.90	0

NR FDD Band n30 Conducted Power_Pmax, RCV(DSI=1) _ANT.A[MAIN1]

NR FDD Band n30_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							462000 Ch. 2310 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1		22.71	0
				1	13		22.79	0
				1	23		22.66	0
				12	0		22.19	0.5
				12	7		22.65	0
				12	13		22.16	0.5
				25	0		22.15	0.5
			QPSK	1	1		22.73	0
				1	13		22.75	0
				1	23		22.66	0
				12	0		21.71	1
				12	7		22.74	0
				12	13		21.58	1
				25	0		21.58	1
			16QAM	1	1		21.77	1
			64QAM	1	1		20.35	2.5
			256QAM	1	1		17.61	4.5
		CP	QPSK	1	1		21.30	1.5

NR FDD Band n30_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							462000 Ch. 2310 MHz	
10 MHz	15	DFT-s	pi/2 BPSK	1	1		22.80	0
				1	26		22.81	0
				1	50		22.63	0
				25	0		22.13	0.5
				25	14		22.68	0
				25	27		22.15	0.5
				50	0		22.18	0.5
			QPSK	1	1		22.68	0
				1	26		22.69	0
				1	50		22.66	0
				25	0		21.68	1
				25	14		22.61	0
				25	27		21.56	1
				50	0		21.61	1
			16QAM	1	1		21.82	1
			64QAM	1	1		20.43	2.5
			256QAM	1	1		17.66	4.5
		CP	QPSK	1	1		21.44	1.5

NR TDD Band n41 Conducted Power (Power Class 2, Power Class 3)_Free(DSI=0)_ANT.A[MAIN1]

NR TDD Band n41_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						500202 Ch. 2501.01 MHz	509400 Ch. 2547 MHz	518598 Ch. 2592.99 MHz	527802 Ch. 2639.01 MHz	537000 Ch. 2685 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	17.17	16.44	16.59	16.11	15.80	0
				1	12	17.14	16.41	16.56	16.11	15.78	0
				1	22	17.14	16.39	16.58	16.15	15.82	0
				12	0	17.21	16.47	16.56	16.11	15.83	0
				12	6	17.22	16.46	16.59	16.15	15.86	0
				12	12	17.25	16.47	16.59	16.18	15.84	0
				24	0	17.14	16.40	16.57	16.16	15.87	0
			QPSK	1	1	17.22	16.42	16.53	16.09	15.79	0
				1	12	17.21	16.42	16.51	16.07	15.84	0
				1	22	17.20	16.45	16.54	16.11	15.85	0
				12	0	17.21	16.46	16.61	16.11	15.78	0
				12	6	17.18	16.46	16.56	16.13	15.84	0
				12	12	17.18	16.47	16.58	16.16	15.89	0
				24	0	17.17	16.43	16.62	16.17	15.82	0
			16QAM	1	1	17.21	16.73	16.70	16.23	15.81	0
			64QAM	1	1	17.17	16.44	16.60	16.17	15.80	0
			256QAM	1	1	16.68	15.97	16.12	15.67	15.54	0
		CP	QPSK	1	1	16.48	16.43	16.60	16.13	15.95	0

NR TDD Band n41_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						500700 Ch. 2503.5 MHz	509652 Ch. 2548.26 MHz	518598 Ch. 2592.99 MHz	527550 Ch. 2637.75 MHz	536502 Ch. 2682.51 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	17.17	16.43	16.52	16.06	15.78	0
				1	18	17.10	16.37	16.49	16.10	15.78	0
				1	36	17.09	16.37	16.51	16.11	15.75	0
				18	0	17.21	16.43	16.56	16.06	15.79	0
				18	9	17.17	16.46	16.52	16.14	15.83	0
				18	18	17.17	16.40	16.53	16.15	15.81	0
				36	0	17.12	16.34	16.52	16.08	15.82	0
			QPSK	1	1	17.16	16.41	16.51	16.02	15.74	0
				1	18	17.15	16.42	16.51	16.05	15.83	0
				1	36	17.17	16.43	16.53	16.10	15.84	0
				18	0	17.20	16.39	16.56	16.06	15.76	0
				18	9	17.15	16.42	16.53	16.13	15.81	0
				18	18	17.17	16.44	16.53	16.12	15.83	0
				36	0	17.12	16.37	16.55	16.13	15.77	0
			16QAM	1	1	17.15	16.72	16.62	16.20	15.78	0
			64QAM	1	1	17.09	16.42	16.56	16.16	15.79	0
			256QAM	1	1	16.68	15.93	16.11	15.64	15.53	0
		CP	QPSK	1	1	16.45	16.35	16.58	16.05	15.91	0

NR TDD Band n41_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						501204 Ch. 2506.02 MHz	509898 Ch. 2549.49 MHz	518598 Ch. 2592.99 MHz	527298 Ch. 2636.49 MHz	535998 Ch. 2679.99 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	17.14	16.74	16.68	16.20	16.07	0
				1	26	16.94	16.48	16.55	16.05	15.98	0
				1	49	16.98	16.55	16.62	16.15	16.01	0
				25	0	17.02	16.69	16.70	16.23	16.04	0
				25	13	17.04	16.54	16.65	16.11	16.02	0
				25	26	16.96	16.51	16.61	16.13	16.06	0
				50	0	17.04	16.70	16.62	16.16	16.07	0
			QPSK	1	1	17.18	16.73	16.73	16.28	16.04	0
				1	26	16.99	16.49	16.60	16.11	15.99	0
				1	49	16.99	16.51	16.60	16.17	16.07	0
				25	0	17.07	16.68	16.69	16.22	16.08	0
				25	13	17.03	16.58	16.62	16.10	16.04	0
				25	26	16.95	16.53	16.63	16.15	16.04	0
				50	0	16.98	16.64	16.65	16.15	16.02	0
			16QAM	1	1	17.48	16.80	16.81	16.27	16.10	0
			64QAM	1	1	17.26	16.72	16.70	16.20	16.04	0
			256QAM	1	1	16.75	16.28	16.28	15.72	15.62	0
		CP	QPSK	1	1	17.22	16.80	16.76	16.28	16.11	0

NR TDD Band n41_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						502200 Ch. 2511 MHz	510402 Ch. 2552.01 MHz	518598 Ch. 2592.99 MHz	526800 Ch. 2634 MHz	534996 Ch. 2674.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	17.24	16.75	16.52	16.47	16.23	0
				1	39	17.14	16.54	16.55	16.34	16.05	0
				1	76	17.05	16.71	16.55	16.37	16.19	0
				36	0	17.22	16.67	16.54	16.36	16.20	0
				36	21	17.15	16.57	16.55	16.34	16.10	0
				36	42	17.06	16.62	16.57	16.33	16.17	0
				75	0	17.16	16.70	16.54	16.37	16.15	0
			QPSK	1	1	17.28	16.72	16.52	16.37	16.16	0
				1	39	17.13	16.52	16.46	16.25	16.06	0
				1	76	17.00	16.71	16.53	16.29	16.20	0
				36	0	17.23	16.67	16.56	16.40	16.25	0
				36	21	17.15	16.54	16.54	16.34	16.13	0
				36	42	17.09	16.62	16.54	16.36	16.19	0
				75	0	17.17	16.70	16.56	16.37	16.17	0
			16QAM	1	1	17.41	16.90	16.69	16.38	16.19	0
			64QAM	1	1	17.11	16.44	16.56	16.10	15.74	0
			256QAM	1	1	16.68	15.91	16.07	15.59	15.61	0
		CP	QPSK	1	1	16.42	16.36	16.56	16.10	15.93	0

NR TDD Band n41_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						503202 Ch. 2516.01 MHz	513468 Ch. 2567.34 MHz		523734 Ch. 2618.67 MHz	534000 Ch. 2670 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	17.12	16.42		16.05	15.78	0
				1	53	17.10	16.36		16.07	15.75	0
				1	104	17.09	16.33		16.14	15.77	0
				50	0	17.17	16.42		16.08	15.77	0
				50	28	17.21	16.41		16.08	15.79	0
				50	56	17.19	16.44		16.12	15.82	0
			QPSK	100	0	17.10	16.35		16.08	15.83	0
				1	1	17.20	16.42		16.05	15.77	0
				1	53	17.14	16.40		16.02	15.80	0
				1	104	17.19	16.40		16.05	15.80	0
				50	0	17.18	16.42		16.08	15.72	0
				50	28	17.12	16.43		16.09	15.77	0
				50	56	17.12	16.42		16.12	15.86	0
				100	0	17.15	16.42		16.16	15.74	0
			16QAM	1	1	17.15	16.66		16.22	15.79	0
			64QAM	1	1	17.15	16.41		16.14	15.78	0
			256QAM	1	1	16.63	15.90		15.59	15.57	0
		CP	QPSK	1	1	16.45	16.38		16.10	15.91	0

NR TDD Band n41_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						504204 Ch. 2521.02 MHz		518598 Ch. 2592.99 MHz		532998 Ch. 2664.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	17.16		16.53		15.73	0
				1	67	17.10		16.52		15.73	0
				1	131	17.08		16.52		15.81	0
				64	0	17.18		16.53		15.77	0
				64	35	17.19		16.58		15.80	0
				64	69	17.23		16.53		15.82	0
			QPSK	128	0	17.10		16.52		15.80	0
				1	1	17.21		16.51		15.76	0
				1	67	17.20		16.49		15.81	0
				1	131	17.17		16.49		15.80	0
				64	0	17.17		16.53		15.71	0
				64	35	17.11		16.55		15.83	0
				64	69	17.12		16.56		15.87	0
				128	0	17.12		16.57		15.77	0
			16QAM	1	1	17.16		16.66		15.78	0
			64QAM	1	1	17.13		16.53		15.74	0
			256QAM	1	1	16.66		16.09		15.56	0
		CP	QPSK	1	1	16.41		16.55		15.88	0

NR TDD Band n41_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR [dB]	
						505200 Ch. 2526 MHz		518598 Ch. 2592.99 MHz			531996 Ch. 2659.98 MHz
60 MHz	30	DFT-s	pi/2 BPSK	1	1	17.11		16.58		15.74	0
				1	81	17.12		16.56		15.73	0
				1	160	17.13		16.51		15.82	0
				81	0	17.19		16.52		15.81	0
				81	41	17.16		16.56		15.84	0
				81	81	17.21		16.54		15.79	0
				162	0	17.12		16.57		15.86	0
			QPSK	1	1	17.20		16.51		15.79	0
				1	81	17.13		16.48		15.82	0
				1	160	17.19		16.52		15.79	0
				81	0	17.18		16.61		15.75	0
				81	41	17.17		16.48		15.83	0
				81	81	17.10		16.53		15.88	0
				162	0	17.16		16.56		15.75	0
			16QAM	1	1	17.14		16.65		15.75	0
			64QAM	1	1	17.15		16.59		15.80	0
			256QAM	1	1	16.68		16.08		15.53	0
		CP	QPSK	1	1	16.43		16.57		15.94	0

NR TDD Band n41_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR [dB]	
						506202 Ch. 2531.01 MHz					531000 Ch. 2655 MHz
70 MHz	30	DFT-s	pi/2 BPSK	1	1	17.17				15.78	0
				1	95	17.07				15.75	0
				1	187	17.12				15.79	0
				90	0	17.15				15.77	0
				90	50	17.22				15.82	0
				90	99	17.25				15.84	0
				180	0	17.10				15.81	0
			QPSK	1	1	17.19				15.73	0
				1	95	17.14				15.80	0
				1	187	17.19				15.82	0
				90	0	17.15				15.78	0
				90	50	17.18				15.80	0
				90	99	17.14				15.83	0
				180	0	17.13				15.75	0
			16QAM	1	1	17.18				15.75	0
			64QAM	1	1	17.16				15.74	0
			256QAM	1	1	16.66				15.58	0
		CP	QPSK	1	1	16.45				15.90	0

NR TDD Band n41_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR [dB]	
						507204 Ch. 2536.02 MHz					529998 Ch. 2649.99 MHz
80 MHz	30	DFT-S	pi/2 BPSK	1	1	17.14				15.80	0
				1	109	17.07				15.72	0
				1	215	17.11				15.82	0
				108	0	17.20				15.78	0
				108	55	17.15				15.83	0
				108	109	17.19				15.77	0
				216	0	17.10				15.80	0
			QPSK	1	1	17.21				15.75	0
				1	109	17.21				15.77	0
				1	215	17.18				15.80	0
				108	0	17.14				15.71	0
				108	55	17.11				15.84	0
				108	109	17.17				15.84	0
				216	0	17.16				15.80	0
			16QAM	1	1	17.16				15.75	0
			64QAM	1	1	17.10				15.72	0
			256QAM	1	1	16.68				15.54	0
		CP	QPSK	1	1	16.41				15.93	0

NR TDD Band n41_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR [dB]	
						508200 Ch. 2541 MHz					528996 Ch. 2644.98 MHz
90 MHz	30	DFT-s	pi/2 BPSK	1	1	17.11				15.77	0
				1	123	17.08				15.72	0
				1	243	17.14				15.79	0
				120	0	17.14				15.79	0
				120	63	17.19				15.83	0
				120	125	17.19				15.83	0
				243	0	17.06				15.79	0
			QPSK	1	1	17.20				15.74	0
				1	123	17.18				15.80	0
				1	243	17.20				15.84	0
				120	0	17.18				15.73	0
				120	63	17.18				15.79	0
				120	125	17.12				15.85	0
				243	0	17.15				15.76	0
			16QAM	1	1	17.21				15.74	0
			64QAM	1	1	17.12				15.79	0
			256QAM	1	1	16.60				15.54	0
		CP	QPSK	1	1	16.43				15.90	0

NR TDD Band n41_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR [dB]
								518598 Ch. 2592.99 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1			16.56		0
				1	137			16.53		0
				1	271			16.54		0
				135	0			16.58		0
				135	69			16.50		0
				135	138			16.45		0
				270	0			16.47		0
			QPSK	1	1			16.58		0
				1	137			16.57		0
				1	271			16.51		0
				135	0			16.68		0
				135	69			16.62		0
				135	138			16.67		0
				270	0			16.10		0
			16QAM	1	1			16.59		0
			64QAM	1	1			16.44		0
			256QAM	1	1			16.61		0
		CP	QPSK	1	1			16.40		0

NR TDD Band n41 Conducted Power (Power Class2, Power Class 3)_RCV(DSI=1) _ANT.A[MAIN1]

NR TDD Band n41_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						500202 Ch. 2501.01 MHz	509400 Ch. 2547 MHz	518598 Ch. 2592.99 MHz	527802 Ch. 2639.01 MHz	537000 Ch. 2685 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	23.13	22.23	22.40	22.02	21.64	0
				1	12	23.02	22.17	22.36	21.98	21.84	0
				1	22	23.09	22.24	22.42	22.05	21.74	0
				12	0	22.59	21.86	21.91	21.51	21.22	0.5
				12	6	23.05	22.23	22.43	21.99	21.74	0
				12	12	22.54	21.71	22.04	21.57	21.25	0.5
				24	0	22.55	21.81	21.84	21.60	21.19	0.5
			QPSK	1	1	23.00	22.29	22.52	21.90	21.71	0
				1	12	22.91	22.16	22.39	21.93	21.80	0
				1	22	23.06	22.30	22.38	21.97	21.88	0
				12	0	22.01	21.31	21.38	20.98	20.64	1
				12	6	22.96	22.28	22.43	22.00	21.72	0
				12	12	22.07	21.27	21.43	21.06	20.69	1
				24	0	22.05	21.29	21.44	20.96	20.77	1
			16QAM	1	1	22.01	21.32	21.55	21.08	20.81	1
			64QAM	1	1	20.56	19.67	20.00	19.52	19.41	2.5
			256QAM	1	1	18.10	17.19	17.58	17.22	17.33	4.5
		CP	QPSK	1	1	21.58	20.90	21.06	20.59	20.24	1.5

NR TDD Band n41_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						500700 Ch. 2503.5 MHz	509652 Ch. 2548.26 MHz	518598 Ch. 2592.99 MHz	527550 Ch. 2637.75 MHz	536502 Ch. 2682.51 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	22.87	22.36	22.47	21.98	21.89	0
				1	18	22.69	22.26	22.19	21.82	21.76	0
				1	36	22.75	22.28	22.45	22.01	21.90	0
				18	0	22.41	21.98	22.04	21.59	21.36	0.5
				18	9	22.82	22.36	22.41	21.93	21.78	0
				18	18	22.38	21.72	21.95	21.43	21.28	0.5
				36	0	22.27	21.89	22.01	21.50	21.37	0.5
			QPSK	1	1	22.96	22.54	22.50	21.82	21.77	0
				1	18	22.84	22.10	22.37	21.75	21.67	0
				1	36	22.75	22.22	22.23	21.91	21.86	0
				18	0	21.92	21.51	21.45	21.08	20.82	1
				18	9	22.74	22.28	22.35	21.83	21.81	0
				18	18	21.83	21.31	21.40	20.94	20.76	1
				36	0	21.84	21.40	21.37	20.95	20.73	1
			16QAM	1	1	21.92	21.63	21.50	21.07	20.78	1
			64QAM	1	1	20.57	19.93	19.88	19.13	19.41	2.5
			256QAM	1	1	17.91	17.47	17.56	17.17	17.21	4.5
		CP	QPSK	1	1	21.45	20.95	21.05	20.45	20.41	1.5

NR TDD Band n41_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						501204 Ch. 2506.02 MHz	509898 Ch. 2549.49 MHz	518598 Ch. 2592.99 MHz	527298 Ch. 2636.49 MHz	535998 Ch. 2679.99 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	23.04	22.45	22.59	22.08	21.90	0
				1	26	22.75	22.33	22.41	21.99	21.76	0
				1	49	22.87	22.31	22.44	22.00	21.86	0
				25	0	22.44	22.02	22.00	21.69	21.40	0.5
				25	13	22.85	22.38	22.56	22.02	21.95	0
				25	26	22.33	21.83	21.97	21.52	21.42	0.5
				50	0	22.36	22.01	22.03	21.53	21.43	0.5
			QPSK	1	1	22.99	22.58	22.59	22.01	21.91	0
				1	26	22.79	22.30	22.51	21.93	21.77	0
				1	49	22.82	22.38	22.41	21.98	21.89	0
				25	0	21.99	21.51	21.61	21.18	20.95	1
				25	13	22.80	22.47	22.56	22.08	21.85	0
				25	26	21.88	21.38	21.46	21.06	20.92	1
				50	0	21.85	21.58	21.56	21.00	20.89	1
			16QAM	1	1	22.16	21.64	21.62	21.22	20.86	1
			64QAM	1	1	20.60	20.05	20.02	19.38	19.47	2.5
			256QAM	1	1	18.01	17.63	17.61	17.27	17.29	4.5
		CP	QPSK	1	1	21.63	21.08	21.19	20.68	20.43	1.5

NR TDD Band n41_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						502200 Ch. 2511 MHz	510402 Ch. 2552.01 MHz	518598 Ch. 2592.99 MHz	526800 Ch. 2634 MHz	534996 Ch. 2674.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	22.99	22.40	22.53	22.05	21.86	0
				1	39	22.77	22.24	22.44	21.93	21.79	0
				1	76	22.76	22.35	22.30	22.03	21.94	0
				36	0	22.42	21.97	21.93	21.66	21.34	0.5
				36	21	22.81	22.37	22.44	21.98	21.87	0
				36	42	22.37	21.89	21.89	21.39	21.34	0.5
				75	0	22.35	22.05	22.04	21.50	21.42	0.5
			QPSK	1	1	23.06	22.57	22.63	21.99	21.86	0
				1	39	22.79	22.29	22.43	21.86	21.77	0
				1	76	22.76	22.36	22.35	21.91	21.96	0
				36	0	21.96	21.51	21.46	21.11	21.00	1
				36	21	22.80	22.36	22.42	22.02	21.90	0
				36	42	21.85	21.43	21.52	20.96	20.85	1
				75	0	21.84	21.53	21.43	21.07	20.92	1
			16QAM	1	1	22.15	21.67	21.56	21.10	20.81	1
			64QAM	1	1	20.60	20.07	19.92	19.19	19.46	2.5
			256QAM	1	1	18.00	17.66	17.56	17.29	17.31	4.5
		CP	QPSK	1	1	21.55	21.19	21.14	20.68	20.58	1.5

NR TDD Band n41_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						503202 Ch. 2516.01 MHz	513468 Ch. 2567.34 MHz		523734 Ch. 2618.67 MHz	534000 Ch. 2670 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	22.91	22.39		22.48	22.03	0
				1	53	22.72	22.22		22.11	21.92	0
				1	104	22.43	22.57		22.16	22.12	0
				50	0	22.33	21.77		21.81	21.47	0.5
				50	28	22.58	22.33		22.20	22.06	0
				50	56	22.22	21.90		21.71	21.52	0.5
			QPSK	100	0	22.30	21.78		21.81	21.53	0.5
				1	1	22.74	22.11		22.38	21.97	0
				1	53	22.51	22.09		22.16	22.04	0
				1	104	22.49	22.40		22.10	22.07	0
				50	0	21.89	21.30		21.30	21.11	1
				50	28	22.59	22.19		22.17	22.10	0
				50	56	21.60	21.45		21.18	20.98	1
				100	0	21.71	21.31		21.37	21.03	1
			16QAM	1	1	22.18	21.27		21.50	21.23	1
			64QAM	1	1	20.21	19.48		19.79	19.59	2.5
			256QAM	1	1	17.95	17.29		17.42	17.34	4.5
		CP	QPSK	1	1	21.49	20.75		20.92	20.64	1.5

NR TDD Band n41_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						504204 Ch. 2521.02 MHz		518598 Ch. 2592.99 MHz		532998 Ch. 2664.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	23.12		22.38		22.13	0
				1	67	22.85		22.52		22.08	0
				1	131	22.54		22.29		21.96	0
				64	0	22.47		22.06		21.70	0.5
				64	35	22.87		22.41		22.08	0
				64	69	22.12		21.93		21.55	0.5
			QPSK	128	0	22.30		22.03		21.53	0.5
				1	1	23.07		22.32		22.14	0
				1	67	22.75		22.49		22.02	0
				1	131	22.38		22.20		21.91	0
				64	0	21.92		21.55		21.08	1
				64	35	22.89		22.42		22.11	0
				64	69	21.66		21.46		21.04	1
				128	0	21.79		21.48		21.06	1
			16QAM	1	1	22.01		21.52		21.35	1
			64QAM	1	1	20.90		19.88		19.37	2.5
			256QAM	1	1	18.21		17.45		17.25	4.5
		CP	QPSK	1	1	21.68		21.02		20.80	1.5

NR TDD Band n41_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						505200 Ch. 2526 MHz		518598 Ch. 2592.99 MHz		531996 Ch. 2659.98 MHz	
60 MHz	30	DFT-s	pi/2 BPSK	1	1	22.97		22.62		22.19	0
				1	81	22.71		22.48		22.06	0
				1	160	22.32		22.34		22.16	0
				81	0	22.30		22.01		21.67	0.5
				81	41	22.66		22.51		22.08	0
				81	81	22.08		22.00		21.68	0.5
				162	0	22.18		21.97		21.69	0.5
			QPSK	1	1	23.00		22.57		22.28	0
				1	81	22.58		22.50		22.09	0
				1	160	22.31		22.34		22.21	0
				81	0	21.82		21.56		21.21	1
				81	41	22.68		22.49		22.10	0
				81	81	21.59		21.40		21.15	1
				162	0	21.84		21.50		21.18	1
			16QAM	1	1	22.07		21.61		21.13	1
			64QAM	1	1	20.86		19.99		19.70	2.5
			256QAM	1	1	17.97		17.66		17.56	4.5
		CP	QPSK	1	1	21.62		21.11		20.72	1.5

NR TDD Band n41_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						506202 Ch. 2531.01 MHz				531000 Ch. 2655 MHz	
70 MHz	30	DFT-s	pi/2 BPSK	1	1	22.95				21.99	0
				1	95	22.78				21.88	0
				1	187	22.75				22.02	0
				90	0	22.38				21.59	0.5
				90	50	22.82				22.04	0
				90	99	22.33				21.58	0.5
				180	0	22.36				21.54	0.5
			QPSK	1	1	22.93				22.11	0
				1	95	22.79				21.94	0
				1	187	22.83				22.08	0
				90	0	21.93				21.13	1
				90	50	22.83				22.01	0
				90	99	21.90				21.07	1
				180	0	21.91				21.01	1
			16QAM	1	1	22.11				21.03	1
			64QAM	1	1	20.51				19.57	2.5
			256QAM	1	1	17.94				17.42	4.5
		CP	QPSK	1	1	21.57				20.64	1.5

NR TDD Band n41_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR [dB]	
						507204 Ch. 2536.02 MHz					529998 Ch. 2649.99 MHz
80 MHz	30	DFT-s	pi/2 BPSK	1	1	22.94				22.19	0
				1	109	22.72				21.81	0
				1	215	22.79				21.78	0
				108	0	22.37				21.52	0.5
				108	55	22.82				21.89	0
				108	109	22.23				21.34	0.5
				216	0	22.26				21.44	0.5
			QPSK	1	1	23.10				22.17	0
				1	109	22.79				21.73	0
				1	215	22.77				21.74	0
				108	0	21.90				20.99	1
				108	55	22.76				21.80	0
				108	109	21.89				20.79	1
				216	0	21.83				20.88	1
			16QAM	1	1	22.10				21.08	1
			64QAM	1	1	20.61				19.54	2.5
			256QAM	1	1	17.90				17.29	4.5
		CP	QPSK	1	1	21.59				20.76	1.5

NR TDD Band n41_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR [dB]	
						508200 Ch. 2541 MHz					528996 Ch. 2644.98 MHz
90 MHz	30	DFT-s	pi/2 BPSK	1	1	22.94				22.17	0
				1	123	22.34				21.88	0
				1	243	22.25				21.84	0
				120	0	22.28				21.75	0.5
				120	63	22.40				21.95	0
				120	125	21.75				21.34	0.5
				243	0	22.02				21.59	0.5
			QPSK	1	1	22.85				22.25	0
				1	123	22.25				21.93	0
				1	243	22.23				21.76	0
				120	0	21.82				21.26	1
				120	63	22.51				21.97	0
				120	125	21.21				20.86	1
				243	0	21.58				21.07	1
			16QAM	1	1	21.95				21.15	1
			64QAM	1	1	20.81				19.48	2.5
			256QAM	1	1	17.96				17.36	4.5
		CP	QPSK	1	1	21.45				20.76	1.5

NR TDD Band n41_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR [dB]
								518598 Ch. 2592.99 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1			22.19		0
				1	137			22.32		0
				1	271			21.86		0
				135	0			21.94		0.5
				135	69			22.38		0
				135	138			21.60		0.5
				270	0			21.42		0.5
			QPSK	1	1			22.14		0
				1	137			22.88		0
				1	271			21.79		0
				135	0			21.37		1
				135	69			22.87		0
				135	138			21.04		1
				270	0			21.18		1
			16QAM	1	1			21.34		1
			64QAM	1	1			19.79		2.5
			256QAM	1	1			17.33		4.5
		CP	QPSK	1	1			21.30		1.5

NR FDD Band n66 Conducted Power_Free(DSI=0) _ANT.A[MAIN1]

NR FDD Band n66_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						342500 Ch. 1712.5 MHz	349000 Ch. 1745 MHz	355500 Ch. 1777.5 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1	17.53	17.59	17.49	0
				1	13	17.58	17.62	17.50	0
				1	23	17.52	17.61	17.48	0
				12	0	17.51	17.58	17.49	0
				12	7	17.54	17.64	17.49	0
				12	13	17.52	17.61	17.45	0
				25	0	17.58	17.59	17.52	0
			QPSK	1	1	17.56	17.63	17.51	0
				1	13	17.59	17.61	17.49	0
				1	23	17.58	17.59	17.49	0
				12	0	17.56	17.67	17.45	0
				12	7	17.56	17.62	17.47	0
				12	13	17.57	17.59	17.51	0
				25	0	17.55	17.59	17.49	0
			16QAM	1	1	17.60	17.65	17.48	0
			64QAM	1	1	17.66	17.73	17.57	0
			256QAM	1	1	16.98	17.04	16.97	0
		CP	QPSK	1	1	17.62	17.69	17.53	0

NR FDD Band n66_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						343000 Ch. 1715 MHz	349000 Ch. 1745 MHz	355000 Ch. 1775 MHz	
10 MHz	15	DFT-s	pi/2 BPSK	1	1	17.56	17.59	17.61	0
				1	26	17.63	17.62	17.56	0
				1	50	17.59	17.62	17.58	0
				25	0	17.60	17.60	17.65	0
				25	14	17.62	17.59	17.49	0
				25	27	17.61	17.61	17.53	0
				50	0	17.68	17.58	17.66	0
			QPSK	1	1	17.65	17.61	17.61	0
				1	26	17.66	17.64	17.55	0
				1	50	17.59	17.62	17.50	0
				25	0	17.60	17.59	17.61	0
				25	14	17.60	17.64	17.51	0
				25	27	17.61	17.60	17.53	0
				50	0	17.60	17.60	17.54	0
			16QAM	1	1	17.67	17.64	17.61	0
			64QAM	1	1	17.76	17.72	17.67	0
			256QAM	1	1	17.02	17.04	17.00	0
		CP	QPSK	1	1	17.73	17.76	17.65	0

NR FDD Band n66_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						343500 Ch. 1717.5 MHz	349000 Ch. 1745 MHz	354500 Ch. 1772.5 MHz	
15 MHz	15	DFT-s	pi/2 BPSK	1	1	17.73	17.78	17.62	0
				1	40	17.63	17.74	17.54	0
				1	77	17.76	17.77	17.65	0
				36	0	17.75	17.77	17.62	0
				36	22	17.74	17.77	17.59	0
				36	43	17.77	17.84	17.66	0
				75	0	17.74	17.76	17.60	0
			QPSK	1	1	17.69	17.77	17.65	0
				1	40	17.70	17.73	17.62	0
				1	77	17.78	17.78	17.66	0
				36	0	17.82	17.81	17.66	0
				36	22	17.75	17.76	17.63	0
				36	43	17.81	17.80	17.60	0
				75	0	17.75	17.78	17.70	0
			16QAM	1	1	17.68	17.68	17.67	0
			64QAM	1	1	17.75	17.81	17.77	0
			256QAM	1	1	17.06	17.09	17.07	0
		CP	QPSK	1	1	17.78	17.93	17.82	0

NR FDD Band n66_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						344000 Ch. 1720 MHz	349000 Ch. 1745 MHz	354000 Ch. 1770 MHz	
20 MHz	15	DFT-s	pi/2 BPSK	1	1	17.70	17.68	17.62	0
				1	53	17.62	17.70	17.58	0
				1	104	17.79	17.73	17.68	0
				50	0	17.77	17.78	17.65	0
				50	28	17.74	17.75	17.63	0
				50	56	17.67	17.79	17.68	0
				100	0	17.69	17.81	17.70	0
			QPSK	1	1	17.64	17.63	17.71	0
				1	53	17.65	17.69	17.64	0
				1	104	17.74	17.75	17.61	0
				50	0	17.72	17.82	17.70	0
				50	28	17.67	17.77	17.73	0
				50	56	17.72	17.74	17.70	0
				100	0	17.71	17.83	17.66	0
			16QAM	1	1	17.68	17.71	17.75	0
			64QAM	1	1	17.75	17.84	17.87	0
			256QAM	1	1	17.12	17.13	17.10	0
		CP	QPSK	1	1	17.77	17.81	17.84	0

NR FDD Band n66_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						344500 Ch. 1722.5 MHz	349000 Ch. 1745 MHz	353500 Ch. 1767.5 MHz	
25 MHz	15	DFT-s	pi/2 BPSK	1	1	17.68	17.73	17.75	0
				1	66	17.66	17.81	17.72	0
				1	131	17.87	17.75	17.74	0
				64	0	17.71	17.68	17.76	0
				64	35	17.67	17.69	17.74	0
				64	69	17.68	17.76	17.73	0
				128	0	17.68	17.74	17.75	0
			QPSK	1	1	17.61	17.74	17.74	0
				1	66	17.70	17.82	17.73	0
				1	131	17.81	17.76	17.80	0
				64	0	17.68	17.76	17.75	0
				64	35	17.66	17.71	17.77	0
				64	69	17.68	17.72	17.72	0
				128	0	17.67	17.72	17.73	0
			16QAM	1	1	17.64	17.82	17.77	0
			64QAM	1	1	17.75	17.90	17.92	0
			256QAM	1	1	17.02	17.17	17.21	0
		CP	QPSK	1	1	17.84	17.95	17.97	0

NR FDD Band n66_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							349000 Ch. 1745 MHz		
30 MHz	15	DFT-s	pi/2 BPSK	1	1		17.69		0
				1	80		17.73		0
				1	158		17.71		0
				80	0		17.70		0
				80	40		17.78		0
				80	80		17.79		0
				160	0		17.83		0
			QPSK	1	1		17.72		0
				1	80		17.80		0
				1	158		17.61		0
				80	0		17.77		0
				80	40		17.68		0
				80	80		17.70		0
				160	0		17.69		0
			16QAM	1	1		17.79		0
			64QAM	1	1		17.86		0
			256QAM	1	1		17.15		0
		CP	QPSK	1	1		17.84		0

NR FDD Band n66_35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							349000 Ch. 1745 MHz		
35 MHz	15	DFT-s	pi/2 BPSK	1	1		17.68		0
				1	98		17.79		0
				1	186		17.84		0
				90	0		17.70		0
				90	45		17.82		0
				90	90		17.80		0
				180	0		17.83		0
			QPSK	1	1		17.73		0
				1	98		17.77		0
				1	186		17.79		0
				90	0		17.75		0
				90	45		17.71		0
				90	90		17.63		0
				180	0		17.70		0
			16QAM	1	1		17.77		0
			64QAM	1	1		17.76		0
			256QAM	1	1		17.15		0
		CP	QPSK	1	1		17.91		0

NR FDD Band n66_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							349000 Ch. 1745 MHz		
40 MHz	15	DFT-s	pi/2 BPSK	1	1		17.62		0
				1	108		17.77		0
				1	214		17.62		0
				108	0		17.67		0
				108	54		17.82		0
				108	108		17.83		0
				216	0		17.69		0
			QPSK	1	1		17.69		0
				1	108		17.76		0
				1	214		17.71		0
				108	0		17.69		0
				108	54		17.71		0
				108	108		17.66		0
				216	0		17.73		0
			16QAM	1	1		17.64		0
			64QAM	1	1		17.76		0
			256QAM	1	1		17.09		0
		CP	QPSK	1	1		17.81		0

NR FDD Band n66 Conducted Power_Pmax, RCV(DSI=1) _ANT.A[MAIN1]

NR FDD Band n66_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						342500 Ch. 1712.5 MHz	349000 Ch. 1745 MHz	355500 Ch. 1777.5 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1	23.72	23.79	23.64	0
				1	13	23.73	23.82	23.68	0
				1	23	23.74	23.80	23.65	0
				12	0	23.25	23.32	23.19	0.5
				12	7	23.74	23.83	23.66	0
				12	13	23.25	23.27	23.13	0.5
				25	0	23.25	23.30	23.22	0.5
			QPSK	1	1	23.81	23.78	23.65	0
				1	13	23.84	23.82	23.83	0
				1	23	23.72	23.76	23.77	0
				12	0	22.77	22.75	22.68	1
				12	7	23.72	23.80	23.66	0
				12	13	22.65	22.83	22.69	1
				25	0	22.77	22.79	22.70	1
			16QAM	1	1	22.75	22.80	22.67	1
			64QAM	1	1	21.45	21.51	21.35	2.5
			256QAM	1	1	18.66	18.78	18.64	4.5
		CP	QPSK	1	1	22.25	22.31	22.17	1.5

NR FDD Band n66_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						343000 Ch. 1715 MHz	349000 Ch. 1745 MHz	355000 Ch. 1775 MHz	
10 MHz	15	DFT-s	pi/2 BPSK	1	1	23.75	23.70	23.72	0
				1	26	23.82	23.72	23.75	0
				1	50	23.75	23.78	23.68	0
				25	0	23.33	23.22	23.26	0.5
				25	14	23.84	23.76	23.73	0
				25	27	23.30	23.25	23.26	0.5
				50	0	23.39	23.19	23.26	0.5
			QPSK	1	1	23.83	23.76	23.76	0
				1	26	23.60	23.78	23.76	0
				1	50	23.14	23.73	23.70	0
				25	0	22.85	22.74	22.77	1
				25	14	23.59	23.70	23.77	0
				25	27	22.34	22.80	22.67	1
				50	0	22.84	22.73	22.73	1
			16QAM	1	1	22.88	22.75	22.74	1
			64QAM	1	1	21.56	21.44	21.45	2.5
			256QAM	1	1	18.76	18.77	18.69	4.5
		CP	QPSK	1	1	22.40	22.35	22.26	1.5

NR FDD Band n66_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						343500 Ch. 1717.5 MHz	349000 Ch. 1745 MHz	354500 Ch. 1772.5 MHz	
15 MHz	15	DFT-s	pi/2 BPSK	1	1	23.91	23.85	23.79	0
				1	40	23.86	23.83	23.75	0
				1	77	23.81	23.87	23.68	0
				36	0	23.36	23.41	23.22	0.5
				36	22	23.82	23.88	23.68	0
				36	43	23.21	23.39	23.28	0.5
				75	0	23.41	23.42	23.25	0.5
			QPSK	1	1	23.81	23.90	23.40	0
				1	40	23.05	23.84	23.71	0
				1	77	23.12	23.92	23.80	0
				36	0	22.92	22.93	22.77	1
				36	22	22.98	23.91	23.76	0
				36	43	21.62	22.90	22.79	1
				75	0	22.29	22.92	22.83	1
			16QAM	1	1	22.92	22.85	22.41	1
			64QAM	1	1	21.53	21.55	21.16	2.5
			256QAM	1	1	18.74	18.81	18.73	4.5
		CP	QPSK	1	1	22.46	22.50	22.32	1.5

NR FDD Band n66_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						344000 Ch. 1720 MHz	349000 Ch. 1745 MHz	354000 Ch. 1770 MHz	
20 MHz	15	DFT-s	pi/2 BPSK	1	1	23.86	23.80	23.75	0
				1	53	23.79	23.86	23.73	0
				1	104	23.86	23.86	23.79	0
				50	0	23.36	23.40	23.31	0.5
				50	28	23.78	23.86	23.74	0
				50	56	23.07	23.47	23.29	0.5
				100	0	23.32	23.39	23.31	0.5
			QPSK	1	1	23.87	23.81	23.37	0
				1	53	22.76	23.83	23.77	0
				1	104	22.63	23.86	23.82	0
				50	0	22.75	22.93	22.32	1
				50	28	22.79	23.88	23.82	0
				50	56	21.51	22.91	22.81	1
				100	0	22.14	22.94	22.85	1
			16QAM	1	1	22.84	22.79	22.41	1
			64QAM	1	1	21.58	21.48	21.16	2.5
			256QAM	1	1	18.77	18.87	18.72	4.5
		CP	QPSK	1	1	22.50	22.46	22.28	1.5

NR FDD Band n66_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						344500 Ch. 1722.5 MHz	349000 Ch. 1745 MHz	353500 Ch. 1767.5 MHz	
25 MHz	15	DFT-s	pi/2 BPSK	1	1	23.80	23.94	23.88	0
				1	66	23.59	23.88	23.85	0
				1	131	23.96	23.94	23.87	0
				64	0	23.31	23.38	23.40	0.5
				64	35	23.37	23.91	23.86	0
				64	69	22.78	23.42	23.35	0.5
				128	0	23.15	23.44	23.32	0.5
			QPSK	1	1	23.80	23.35	23.96	0
				1	66	23.12	23.92	23.21	0
				1	131	22.71	23.88	23.97	0
				64	0	22.65	22.99	22.32	1
				64	35	22.66	23.91	23.49	0
				64	69	21.62	22.95	22.89	1
				128	0	21.97	22.94	22.86	1
			16QAM	1	1	22.87	22.39	22.94	1
			64QAM	1	1	21.48	21.11	21.56	2.5
			256QAM	1	1	18.76	18.91	18.84	4.5
		CP	QPSK	1	1	22.47	22.38	22.50	1.5

NR FDD Band n66_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							349000 Ch. 1745 MHz		
30 MHz	15	DFT-s	pi/2 BPSK	1	1		23.84		0
				1	80		23.88		0
				1	158		23.71		0
				80	0		23.44		0.5
				80	40		23.87		0
				80	80		23.40		0.5
				160	0		23.42		0.5
			QPSK	1	1		22.91		0
				1	80		23.92		0
				1	158		23.19		0
				80	0		22.95		1
				80	40		23.95		0
				80	80		22.90		1
				160	0		22.97		1
			16QAM	1	1		21.86		1
			64QAM	1	1		20.56		2.5
			256QAM	1	1		18.75		4.5
		CP	QPSK	1	1		21.81		1.5

NR FDD Band n66_35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							349000 Ch. 1745 MHz	
35 MHz	15	DFT-s	pi/2 BPSK	1	1		23.86	0
				1	98		23.83	0
				1	186		23.84	0
				90	0		23.42	0.5
				90	45		23.86	0
				90	90		23.47	0.5
				180	0		23.40	0.5
			QPSK	1	1		22.84	0
				1	98		23.90	0
				1	186		22.96	0
				90	0		22.89	1
				90	45		23.94	0
				90	90		22.87	1
				180	0		22.92	1
			16QAM	1	1		21.86	1
			64QAM	1	1		20.61	2.5
			256QAM	1	1		18.71	4.5
		CP	QPSK	1	1		21.81	1.5

NR FDD Band n66_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							349000 Ch. 1745 MHz	
40 MHz	15	DFT-s	pi/2 BPSK	1	1		23.82	0
				1	108		23.90	0
				1	214		23.73	0
				108	0		23.37	0.5
				108	54		23.87	0
				108	108		23.41	0.5
				216	0		23.42	0.5
			QPSK	1	1		23.01	0
				1	108		23.90	0
				1	214		23.01	0
				108	0		22.88	1
				108	54		23.97	0
				108	108		22.97	1
				216	0		22.94	1
			16QAM	1	1		22.00	1
			64QAM	1	1		20.54	2.5
			256QAM	1	1		18.69	4.5
		CP	QPSK	1	1		21.54	1.5

NR FDD Band n70 Conducted Power_Free(DSI=0) _ANT.A[MAIN1]

NR FDD Band n70_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						339500 Ch. 1697.5 MHz	340500 Ch. 1702.5 MHz	341500 Ch. 1707.5 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1	20.11	20.00	20.07	0
				1	13	20.01	20.05	20.03	0
				1	23	20.17	20.00	20.06	0
				12	0	20.06	19.96	20.05	0
				12	7	19.97	19.95	20.07	0
				12	13	20.01	19.93	20.03	0
				25	0	20.03	19.99	20.07	0
			QPSK	1	1	20.09	20.00	20.05	0
				1	13	20.07	19.96	20.02	0
				1	23	20.07	20.00	20.02	0
				12	0	20.06	19.96	20.02	0
				12	7	20.06	19.99	20.04	0
				12	13	20.06	19.98	20.04	0
				25	0	20.06	19.96	20.06	0
			16QAM	1	1	20.09	19.99	20.15	0
			64QAM	1	1	20.23	20.19	20.18	0
			256QAM	1	1	19.11	19.08	19.10	0.5
		CP	QPSK	1	1	20.14	20.07	20.14	0

NR FDD Band n70_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						340000 Ch. 1700 MHz	340500 Ch. 1702.5 MHz	341000 Ch. 1705 MHz	
10 MHz	15	DFT-s	pi/2 BPSK	1	1	19.99	19.98	20.03	0
				1	26	20.00	20.09	20.07	0
				1	50	20.05	19.91	20.03	0
				25	0	20.00	20.00	20.09	0
				25	14	20.02	20.01	20.12	0
				25	27	20.02	19.95	20.07	0
				50	0	19.99	20.01	20.13	0
			QPSK	1	1	20.01	19.94	20.04	0
				1	26	20.03	20.02	20.08	0
				1	50	19.97	19.94	20.04	0
				25	0	19.99	20.00	20.08	0
				25	14	20.06	19.97	20.11	0
				25	27	20.01	20.01	20.08	0
				50	0	20.00	19.96	20.08	0
			16QAM	1	1	20.00	20.05	20.09	0
			64QAM	1	1	20.06	20.00	20.25	0
			256QAM	1	1	19.04	19.02	19.16	0.5
		CP	QPSK	1	1	20.11	20.08	20.12	0

NR FDD Band n70_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							340500 Ch. 1702.5 MHz	
15 MHz	15	DFT-s	pi/2 BPSK	1	1		20.18	0
				1	40		20.19	0
				1	77		20.10	0
				36	0		20.14	0
				36	22		20.14	0
				36	43		20.17	0
				75	0		20.15	0
			QPSK	1	1		20.08	0
				1	40		20.22	0
				1	77		20.21	0
				36	0		20.08	0
				36	22		20.18	0
				36	43		20.17	0
				75	0		20.11	0
			16QAM	1	1		20.11	0
			64QAM	1	1		20.18	0
			256QAM	1	1		19.10	0.5
		CP	QPSK	1	1		20.24	0

NR FDD Band n70 Conducted Power_Pmax, RCV(DSI=1) _ANT.A[MAIN1]

NR FDD Band n70_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						339500 Ch. 1697.5 MHz	340500 Ch. 1702.5 MHz	341500 Ch. 1707.5 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1	23.84	23.75	23.86	0
				1	13	23.84	23.86	23.77	0
				1	23	23.79	23.76	23.75	0
				12	0	23.27	23.25	23.28	0.5
				12	7	23.79	23.75	23.76	0
				12	13	23.26	23.26	23.24	0.5
				25	0	23.29	23.26	23.28	0.5
			QPSK	1	1	23.85	23.80	23.86	0
				1	13	23.84	23.75	23.82	0
				1	23	23.80	23.73	23.79	0
				12	0	22.84	22.79	22.78	1
				12	7	23.82	23.73	23.77	0
				12	13	22.82	22.73	22.78	1
				25	0	22.82	22.74	22.81	1
			16QAM	1	1	22.88	22.74	22.81	1
			64QAM	1	1	21.55	21.46	21.42	2.5
			256QAM	1	1	18.78	18.82	18.80	4.5
		CP	QPSK	1	1	22.42	22.41	22.47	1.5

NR FDD Band n70_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						340000 Ch. 1700 MHz	340500 Ch. 1702.5 MHz	341000 Ch. 1705 MHz	
10 MHz	15	DFT-s	pi/2 BPSK	1	1	23.74	23.79	23.82	0
				1	26	23.90	23.81	23.83	0
				1	50	23.83	23.68	23.77	0
				25	0	23.28	23.32	23.34	0.5
				25	14	23.80	23.75	23.83	0
				25	27	23.23	23.21	23.28	0.5
				50	0	23.28	23.28	23.38	0.5
			QPSK	1	1	23.79	23.78	23.83	0
				1	26	23.79	23.78	23.83	0
				1	50	23.76	23.72	23.78	0
				25	0	22.82	22.81	22.88	1
				25	14	23.75	23.74	23.86	0
				25	27	22.81	22.79	22.84	1
				50	0	22.80	22.79	22.86	1
			16QAM	1	1	22.84	22.76	22.95	1
			64QAM	1	1	21.40	21.45	21.51	2.5
			256QAM	1	1	18.73	18.74	18.79	4.5
		CP	QPSK	1	1	22.36	22.33	22.38	1.5

NR FDD Band n70_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							340500 Ch. 1702.5 MHz	
15 MHz	15	DFT-s	pi/2 BPSK	1	1		23.90	0
				1	40		23.94	0
				1	77		23.86	0
				36	0		23.40	0.5
				36	22		23.90	0
				36	43		23.42	0.5
				75	0		23.41	0.5
			QPSK	1	1		23.87	0
				1	40		23.93	0
				1	77		23.81	0
				36	0		22.87	1
				36	22		23.97	0
				36	43		22.84	1
				75	0		22.86	1
			16QAM	1	1		22.90	1
			64QAM	1	1		21.52	2.5
			256QAM	1	1		18.86	4.5
		CP	QPSK	1	1		22.43	1.5

NR FDD Band n71 Conducted Power_Pmax, Free(DSI=0), RCV(DSI=1) _ANT.A[MAIN1]

NR FDD Band n71_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						133100 Ch. 665.5 MHz	136100 Ch. 680.5 MHz	139100 Ch. 695.5 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1	24.09	23.80	23.87	0
				1	13	24.08	23.80	23.93	0
				1	23	24.07	23.70	23.87	0
				12	0	23.65	23.24	23.33	0.5
				12	7	24.07	23.81	23.83	0
				12	13	23.60	23.33	23.43	0.5
				25	0	23.58	23.26	23.38	0.5
			QPSK	1	1	24.08	23.75	23.88	0
				1	13	24.01	23.84	23.87	0
				1	23	24.00	23.74	23.77	0
				12	0	23.06	22.71	22.88	1
				12	7	24.06	23.70	23.85	0
				12	13	23.04	22.82	22.83	1
				25	0	23.06	22.70	22.84	1
			16QAM	1	1	23.08	22.76	22.86	1
			64QAM	1	1	21.72	21.46	21.54	2.5
			256QAM	1	1	19.07	18.77	18.89	4.5
		CP	QPSK	1	1	22.73	22.38	22.48	1.5

NR FDD Band n71_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						133600 Ch. 668 MHz	136100 Ch. 680.5 MHz	138600 Ch. 693 MHz	
10 MHz	15	DFT-s	pi/2 BPSK	1	1	24.07	23.77	23.79	0
				1	26	23.97	23.82	23.83	0
				1	50	23.89	23.83	23.81	0
				25	0	23.55	23.29	23.20	0.5
				25	14	23.95	23.84	23.82	0
				25	27	23.37	23.23	23.30	0.5
				50	0	23.46	23.39	23.32	0.5
			QPSK	1	1	24.14	23.81	23.80	0
				1	26	24.05	23.88	23.84	0
				1	50	23.92	23.75	23.75	0
				25	0	23.08	22.77	22.73	1
				25	14	23.97	23.78	23.77	0
				25	27	23.00	22.74	22.72	1
				50	0	23.01	22.75	22.81	1
			16QAM	1	1	23.07	22.81	22.84	1
			64QAM	1	1	21.74	21.49	21.48	2.5
			256QAM	1	1	19.08	18.78	18.81	4.5
		CP	QPSK	1	1	22.73	22.45	22.40	1.5

NR FDD Band n71_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							136100 Ch. 680.5 MHz		
15 MHz	15	DFT-s	pi/2 BPSK	1	1		23.95		0
				1	40		23.93		0
				1	77		23.83		0
				36	0		23.53		0.5
				36	22		23.93		0
				36	43		23.43		0.5
				75	0		23.53		0.5
			QPSK	1	1		23.96		0
				1	40		23.91		0
				1	77		23.92		0
				36	0		22.91		1
				36	22		23.94		0
				36	43		22.90		1
				75	0		22.91		1
			16QAM	1	1		22.96		1
			64QAM	1	1		21.66		2.5
			256QAM	1	1		18.98		4.5
		CP	QPSK	1	1		22.58		1.5

NR FDD Band n71_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							136100 Ch. 680.5 MHz		
20 MHz	15	DFT-s	pi/2 BPSK	1	1		24.03		0
				1	53		23.93		0
				1	104		23.83		0
				50	0		23.55		0.5
				50	28		24.01		0
				50	56		23.33		0.5
				100	0		23.54		0.5
			QPSK	1	1		24.03		0
				1	53		23.97		0
				1	104		23.84		0
				50	0		22.91		1
				50	28		23.88		0
				50	56		22.93		1
				100	0		23.00		1
			16QAM	1	1		22.92		1
			64QAM	1	1		21.57		2.5
			256QAM	1	1		18.88		4.5
		CP	QPSK	1	1		22.64		1.5

NR FDD Band n2 Conducted Power_Free(DSI=0), RCV(DSI=1) _ANT.F[SUB2-2]

NR FDD Band n2_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						370500 Ch. 1852.5 MHz	376000 Ch. 1880 MHz	381500 Ch. 1907.5 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1	17.53	17.54	17.54	0
				1	13	17.47	17.47	17.44	0
				1	23	17.69	17.65	17.65	0
				12	0	17.56	17.57	17.58	0
				12	7	17.59	17.51	17.56	0
				12	13	17.60	17.54	17.58	0
				25	0	17.57	17.58	17.54	0
			QPSK	1	1	17.50	17.52	17.53	0
				1	13	17.49	17.52	17.48	0
				1	23	17.62	17.64	17.67	0
				12	0	17.58	17.55	17.59	0
				12	7	17.57	17.58	17.59	0
				12	13	17.60	17.62	17.59	0
				25	0	17.60	17.60	17.61	0
			16QAM	1	1	17.60	17.66	17.67	0
			64QAM	1	1	17.69	17.69	17.64	0
			256QAM	1	1	17.11	17.04	17.07	0
		CP	QPSK	1	1	17.67	17.71	17.65	0

NR FDD Band n2_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						371000 Ch. 1855 MHz	376000 Ch. 1880 MHz	381000 Ch. 1905 MHz	
10 MHz	15	DFT-s	pi/2 BPSK	1	1	17.59	17.59	17.61	0
				1	26	17.46	17.45	17.52	0
				1	50	17.65	17.66	17.70	0
				25	0	17.59	17.56	17.59	0
				25	14	17.52	17.56	17.59	0
				25	27	17.56	17.58	17.61	0
				50	0	17.61	17.55	17.62	0
			QPSK	1	1	17.52	17.55	17.55	0
				1	26	17.50	17.49	17.53	0
				1	50	17.62	17.64	17.69	0
				25	0	17.57	17.56	17.63	0
				25	14	17.55	17.55	17.60	0
				25	27	17.58	17.58	17.64	0
				50	0	17.58	17.58	17.62	0
			16QAM	1	1	17.64	17.60	17.67	0
			64QAM	1	1	17.70	17.63	17.71	0
			256QAM	1	1	17.05	17.09	17.11	0
		CP	QPSK	1	1	17.69	17.67	17.73	0

NR FDD Band n2_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						371500 Ch. 1857.5 MHz	376000 Ch. 1880 MHz	380500 Ch. 1902.5 MHz	
15 MHz	15	DFT-s	pi/2 BPSK	1	1	17.96	17.90	17.62	0
				1	40	17.92	17.93	17.62	0
				1	77	18.06	17.83	17.68	0
				36	0	17.97	17.86	17.66	0
				36	22	17.94	17.92	17.54	0
				36	43	17.92	17.90	17.65	0
				75	0	17.92	17.85	17.61	0
			QPSK	1	1	18.03	17.97	17.71	0
				1	40	17.91	17.99	17.60	0
				1	77	17.93	17.74	17.72	0
				36	0	17.99	17.90	17.64	0
				36	22	17.98	17.78	17.57	0
				36	43	17.91	17.87	17.61	0
				75	0	17.98	17.88	17.57	0
			16QAM	1	1	18.00	17.89	17.68	0
			64QAM	1	1	18.16	17.98	17.64	0
			256QAM	1	1	17.38	17.38	17.17	0
		CP	QPSK	1	1	18.18	18.02	17.76	0

NR FDD Band n2_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						372000 Ch. 1860 MHz	376000 Ch. 1880 MHz	380000 Ch. 1900 MHz	
20 MHz	15	DFT-s	pi/2 BPSK	1	1	17.89	17.87	17.66	0
				1	53	17.90	17.94	17.53	0
				1	104	17.92	17.66	17.76	0
				50	0	17.93	17.88	17.73	0
				50	28	17.90	17.95	17.75	0
				50	56	17.97	17.89	17.65	0
				100	0	17.93	17.83	17.70	0
			QPSK	1	1	17.91	17.92	17.76	0
				1	53	17.92	17.96	17.57	0
				1	104	17.92	17.70	17.76	0
				50	0	17.91	17.92	17.64	0
				50	28	17.88	17.85	17.58	0
				50	56	17.83	17.75	17.68	0
				100	0	17.93	17.88	17.64	0
			16QAM	1	1	18.03	17.93	17.72	0
			64QAM	1	1	18.09	18.04	17.81	0
			256QAM	1	1	17.33	17.40	17.20	0
		CP	QPSK	1	1	18.10	18.03	17.78	0

NR FDD Band n25 Conducted Power_Free(DSI=0), RCV(DSI=1) _ANT.F[SUB2-2]

NR FDD Band n25_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						370500 Ch. 1852.5 MHz	376500 Ch. 1882.5 MHz	382500 Ch. 1912.5 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1	18.03	18.04	18.04	0
				1	13	18.15	18.15	18.15	0
				1	23	17.90	17.88	17.90	0
				12	0	18.16	18.18	18.18	0
				12	7	18.28	18.24	18.20	0
				12	13	18.02	17.99	18.01	0
				25	0	18.08	18.05	18.02	0
			QPSK	1	1	18.13	18.11	18.11	0
				1	13	18.17	18.09	18.11	0
				1	23	17.91	17.95	17.95	0
				12	0	18.21	18.21	18.18	0
				12	7	18.15	18.14	18.14	0
				12	13	17.98	17.99	18.08	0
				25	0	18.09	18.12	18.12	0
			16QAM	1	1	18.17	18.12	18.14	0
			64QAM	1	1	18.23	18.21	18.15	0
			256QAM	1	1	17.54	17.65	17.61	0
		CP	QPSK	1	1	18.20	18.27	18.18	0

NR FDD Band n25_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						371000 Ch. 1855 MHz	376500 Ch. 1882.5 MHz	382000 Ch. 1910 MHz	
10 MHz	15	DFT-s	pi/2 BPSK	1	1	18.19	17.98	17.82	0
				1	26	18.25	18.01	17.86	0
				1	50	18.07	17.89	17.96	0
				25	0	18.23	18.05	17.88	0
				25	14	18.23	17.98	17.94	0
				25	27	18.23	17.95	17.94	0
				50	0	18.27	17.98	17.88	0
			QPSK	1	1	18.24	17.92	17.78	0
				1	26	18.26	18.00	17.84	0
				1	50	18.16	17.94	17.97	0
				25	0	18.20	18.06	17.91	0
				25	14	18.28	17.99	17.95	0
				25	27	18.24	17.97	17.92	0
				50	0	18.21	18.04	17.94	0
			16QAM	1	1	18.25	18.00	17.84	0
			64QAM	1	1	18.38	18.04	17.89	0
			256QAM	1	1	17.63	17.45	17.26	0
		CP	QPSK	1	1	18.40	18.12	17.96	0

NR FDD Band n25_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						371500 Ch. 1857.5 MHz	376500 Ch. 1882.5 MHz	381500 Ch. 1907.5 MHz	
15 MHz	15	DFT-s	pi/2 BPSK	1	1	18.29	18.26	17.92	0
				1	40	18.17	18.20	17.98	0
				1	77	18.22	17.97	18.08	0
				36	0	18.30	18.20	18.03	0
				36	22	18.22	18.18	18.06	0
				36	43	18.22	18.17	17.98	0
				75	0	18.21	18.12	18.10	0
			QPSK	1	1	18.25	18.27	17.97	0
				1	40	18.07	18.17	18.04	0
				1	77	18.23	18.04	18.09	0
				36	0	18.19	18.15	18.00	0
				36	22	18.17	18.09	17.94	0
				36	43	18.24	17.99	17.99	0
				75	0	18.23	18.10	17.96	0
			16QAM	1	1	18.26	18.24	17.94	0
			64QAM	1	1	18.34	18.28	17.99	0
			256QAM	1	1	17.75	17.69	17.51	0
		CP	QPSK	1	1	18.50	18.37	18.18	0

NR FDD Band n25_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						372000 Ch. 1860 MHz	376500 Ch. 1882.5 MHz	381000 Ch. 1905 MHz	
20 MHz	15	DFT-s	pi/2 BPSK	1	1	18.25	18.11	17.91	0
				1	53	18.05	18.23	17.98	0
				1	104	18.15	17.98	18.12	0
				50	0	18.16	18.18	18.00	0
				50	28	18.26	18.28	18.11	0
				50	56	18.20	17.99	18.08	0
				100	0	18.22	18.13	18.08	0
			QPSK	1	1	18.14	18.13	18.04	0
				1	53	18.15	18.19	17.95	0
				1	104	18.24	17.93	18.08	0
				50	0	18.22	18.18	17.96	0
				50	28	18.14	18.18	18.12	0
				50	56	18.22	18.02	18.05	0
				100	0	18.18	18.18	18.04	0
			16QAM	1	1	18.26	18.24	18.07	0
			64QAM	1	1	18.30	18.24	18.10	0
			256QAM	1	1	17.75	17.63	17.49	0
		CP	QPSK	1	1	18.44	18.29	18.17	0

NR FDD Band n25_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]	
						372500 Ch. 1862.5 MHz	380500 Ch. 1902.5 MHz		
25 MHz	15	DFT-s	pi/2 BPSK	1	1	18.18		17.99	0
				1	66	18.10		17.97	0
				1	131	18.19		18.06	0
				64	0	18.24		17.85	0
				64	35	18.18		17.89	0
				64	69	18.22		17.91	0
				128	0	18.18		17.96	0
			QPSK	1	1	18.19		17.98	0
				1	66	18.00		17.98	0
				1	131	18.10		18.12	0
				64	0	18.12		17.82	0
				64	35	18.18		17.92	0
				64	69	18.12		17.91	0
				128	0	18.25		17.94	0
			16QAM	1	1	18.20		17.96	0
			64QAM	1	1	18.32		18.08	0
			256QAM	1	1	17.73		17.54	0
		CP	QPSK	1	1	18.37		18.09	0

NR FDD Band n25_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]	
						373000 Ch. 1865 MHz	380000 Ch. 1900 MHz		
30 MHz	15	DFT-s	pi/2 BPSK	1	1	18.09		17.98	0
				1	80	18.09		18.18	0
				1	158	17.94		17.92	0
				80	0	18.15		18.15	0
				80	40	18.29		18.30	0
				80	80	17.94		17.99	0
				160	0	18.08		18.09	0
			QPSK	1	1	18.17		18.12	0
				1	80	18.14		18.12	0
				1	158	18.00		17.96	0
				80	0	18.17		18.14	0
				80	40	18.11		18.12	0
				80	80	17.96		17.98	0
				160	0	18.13		18.12	0
			16QAM	1	1	18.16		18.16	0
			64QAM	1	1	18.20		18.22	0
			256QAM	1	1	17.62		17.64	0
		CP	QPSK	1	1	18.26		18.27	0

NR FDD Band n25_35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							376500 Ch. 1882.5 MHz		
35 MHz	15	DFT-s	pi/2 BPSK	1	1		18.03		0
				1	98		18.17		0
				1	186		17.83		0
				90	0		18.19		0
				90	45		18.29		0
				90	90		17.95		0
				180	0		18.07		0
			QPSK	1	1		18.09		0
				1	98		18.11		0
				1	186		17.90		0
				90	0		18.21		0
				90	45		18.13		0
				90	90		18.01		0
				180	0		18.15		0
			16QAM	1	1		18.18		0
			64QAM	1	1		18.20		0
			256QAM	1	1		17.60		0
		CP	QPSK	1	1		18.27		0

NR FDD Band n25_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							376500 Ch. 1882.5 MHz		
40 MHz	15	DFT-s	pi/2 BPSK	1	1		18.09		0
				1	108		18.19		0
				1	214		17.90		0
				108	0		18.23		0
				108	54		18.27		0
				108	108		17.99		0
				216	0		18.11		0
			QPSK	1	1		18.31		0
				1	108		18.11		0
				1	214		17.95		0
				108	0		18.38		0
				108	54		18.08		0
				108	108		18.01		0
				216	0		18.07		0
			16QAM	1	1		18.16		0
			64QAM	1	1		18.26		0
			256QAM	1	1		17.64		0
		CP	QPSK	1	1		18.23		0

NR FDD Band n66 Conducted Power_Free(DSI=0), RCV(DSI=1) _ANT.F[SUB2-2]

NR FDD Band n66_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						342500 Ch. 1712.5 MHz	349000 Ch. 1745 MHz	355500 Ch. 1777.5 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1	17.91	18.28	18.20	0
				1	13	17.77	18.45	18.17	0
				1	23	18.07	18.36	18.37	0
				12	0	17.86	18.25	18.27	0
				12	7	17.85	18.28	18.26	0
				12	13	17.96	18.25	18.31	0
				25	0	17.87	18.23	18.24	0
			QPSK	1	1	17.84	18.26	18.27	0
				1	13	17.70	18.42	18.24	0
				1	23	18.05	18.28	18.35	0
				12	0	17.89	18.29	18.29	0
				12	7	17.89	18.35	18.25	0
				12	13	17.97	18.31	18.37	0
				25	0	17.91	18.26	18.29	0
			16QAM	1	1	18.03	18.33	18.29	0
			64QAM	1	1	17.94	18.37	18.30	0
			256QAM	1	1	17.36	17.72	17.69	0
		CP	QPSK	1	1	18.06	18.36	18.40	0

NR FDD Band n66_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						343000 Ch. 1715 MHz	349000 Ch. 1745 MHz	355000 Ch. 1775 MHz	
10 MHz	15	DFT-s	pi/2 BPSK	1	1	17.89	18.22	18.18	0
				1	26	18.02	18.46	18.21	0
				1	50	17.98	18.33	18.39	0
				25	0	17.97	18.30	18.18	0
				25	14	18.03	18.28	18.27	0
				25	27	18.01	18.28	18.30	0
				50	0	17.99	18.26	18.29	0
			QPSK	1	1	17.93	18.28	18.19	0
				1	26	17.98	18.37	18.24	0
				1	50	18.04	18.31	18.41	0
				25	0	17.95	18.27	18.19	0
				25	14	17.99	18.29	18.26	0
				25	27	17.98	18.30	18.34	0
				50	0	17.96	18.27	18.21	0
			16QAM	1	1	18.07	18.37	18.27	0
			64QAM	1	1	18.05	18.44	18.32	0
			256QAM	1	1	17.41	17.73	17.63	0
		CP	QPSK	1	1	18.20	18.44	18.33	0

NR FDD Band n66_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						343500 Ch. 1717.5 MHz	349000 Ch. 1745 MHz	354500 Ch. 1772.5 MHz	
15 MHz	15	DFT-s	pi/2 BPSK	1	1	17.97	18.49	18.17	0
				1	40	18.27	18.46	18.22	0
				1	77	18.37	18.35	18.50	0
				36	0	18.01	18.51	18.25	0
				36	22	18.04	18.44	18.18	0
				36	43	18.22	18.42	18.27	0
				75	0	18.08	18.46	18.27	0
			QPSK	1	1	18.04	18.44	18.18	0
				1	40	18.14	18.53	18.13	0
				1	77	18.37	18.45	18.45	0
				36	0	18.04	18.45	18.18	0
				36	22	18.01	18.43	18.17	0
				36	43	18.28	18.40	18.29	0
				75	0	18.05	18.43	18.18	0
			16QAM	1	1	18.16	18.49	18.24	0
			64QAM	1	1	18.11	18.49	18.36	0
			256QAM	1	1	17.47	17.93	17.58	0
		CP	QPSK	1	1	18.24	18.70	18.41	0

NR FDD Band n66_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						344000 Ch. 1720 MHz	349000 Ch. 1745 MHz	354000 Ch. 1770 MHz	
20 MHz	15	DFT-s	pi/2 BPSK	1	1	17.88	18.37	18.23	0
				1	53	18.17	18.42	18.16	0
				1	104	18.20	18.34	18.47	0
				50	0	17.99	18.45	18.27	0
				50	28	18.17	18.42	18.29	0
				50	56	18.26	18.35	18.27	0
				100	0	18.13	18.42	18.24	0
			QPSK	1	1	17.99	18.25	18.20	0
				1	53	18.20	18.45	18.11	0
				1	104	18.22	18.40	18.41	0
				50	0	17.96	18.45	18.21	0
				50	28	18.14	18.49	18.16	0
				50	56	18.21	18.46	18.29	0
				100	0	18.16	18.42	18.21	0
			16QAM	1	1	18.09	18.30	18.23	0
			64QAM	1	1	18.12	18.38	18.37	0
			256QAM	1	1	17.45	17.77	17.71	0
		CP	QPSK	1	1	18.22	18.42	18.45	0

NR FDD Band n66_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						344500 Ch. 1722.5 MHz	349000 Ch. 1745 MHz	353500 Ch. 1767.5 MHz	
25 MHz	15	DFT-s	pi/2 BPSK	1	1	17.92	18.39	18.30	0
				1	66	18.02	18.50	18.22	0
				1	131	18.61	18.45	18.52	0
				64	0	17.93	18.34	18.28	0
				64	35	18.15	18.45	18.24	0
				64	69	18.30	18.42	18.30	0
				128	0	18.18	18.43	18.28	0
			QPSK	1	1	18.00	18.46	18.30	0
				1	66	18.10	18.53	18.23	0
				1	131	18.50	18.43	18.58	0
				64	0	17.99	18.38	18.23	0
				64	35	18.14	18.43	18.22	0
				64	69	18.26	18.46	18.28	0
				128	0	18.12	18.36	18.34	0
			16QAM	1	1	18.14	18.51	18.38	0
			64QAM	1	1	18.20	18.53	18.45	0
			256QAM	1	1	17.46	17.84	17.79	0
		CP	QPSK	1	1	18.28	18.66	18.48	0

NR FDD Band n66_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							349000 Ch. 1745 MHz		
30 MHz	15	DFT-s	pi/2 BPSK	1	1		18.38		0
				1	80		18.45		0
				1	158		18.31		0
				80	0		18.48		0
				80	40		18.44		0
				80	80		18.44		0
				160	0		18.45		0
			QPSK	1	1		18.37		0
				1	80		18.57		0
				1	158		18.35		0
				80	0		18.38		0
				80	40		18.45		0
				80	80		18.48		0
				160	0		18.35		0
			16QAM	1	1		18.32		0
			64QAM	1	1		18.45		0
			256QAM	1	1		17.82		0
		CP	QPSK	1	1		18.50		0

NR FDD Band n66_35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							349000 Ch. 1745 MHz	
35 MHz	15	DFT-s	pi/2 BPSK	1	1		18.26	0
				1	98		18.49	0
				1	186		18.33	0
				90	0		18.32	0
				90	45		18.42	0
				90	90		18.37	0
				180	0		18.46	0
			QPSK	1	1		18.20	0
				1	98		18.47	0
				1	186		18.34	0
				90	0		18.28	0
				90	45		18.48	0
				90	90		18.47	0
				180	0		18.33	0
			16QAM	1	1		18.11	0
			64QAM	1	1		18.18	0
			256QAM	1	1		17.60	0
		CP	QPSK	1	1		18.35	0

NR FDD Band n66_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							349000 Ch. 1745 MHz	
40 MHz	15	DFT-s	pi/2 BPSK	1	1		18.08	0
				1	108		18.47	0
				1	214		18.15	0
				108	0		18.30	0
				108	54		18.40	0
				108	108		18.36	0
				216	0		18.39	0
			QPSK	1	1		18.42	0
				1	108		18.33	0
				1	214		18.18	0
				108	0		18.45	0
				108	54		18.43	0
				108	108		18.41	0
				216	0		18.34	0
			16QAM	1	1		18.11	0
			64QAM	1	1		18.23	0
			256QAM	1	1		17.47	0
		CP	QPSK	1	1		18.22	0

NR FDD Band n70 Conducted Power_Free(DSI=0), RCV(DSI=1) _ANT.F[SUB2-2]

NR FDD Band n70_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						339500 Ch. 1697.5 MHz	340500 Ch. 1702.5 MHz	341500 Ch. 1707.5 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1	19.24	19.13	19.37	0
				1	13	19.12	19.33	19.39	0
				1	23	19.32	19.18	19.32	0
				12	0	19.21	19.19	19.28	0
				12	7	19.12	19.25	19.32	0
				12	13	19.19	19.20	19.31	0
				25	0	19.20	19.26	19.34	0
			QPSK	1	1	19.21	19.13	19.36	0
				1	13	19.18	19.34	19.34	0
				1	23	19.30	19.19	19.33	0
				12	0	19.18	19.16	19.28	0
				12	7	19.16	19.28	19.30	0
				12	13	19.22	19.18	19.38	0
				25	0	19.21	19.12	19.33	0
			16QAM	1	1	19.14	19.14	19.43	0
			64QAM	1	1	19.38	19.26	19.51	0
			256QAM	1	1	18.68	18.71	18.84	0
		CP	QPSK	1	1	19.40	19.39	19.46	0

NR FDD Band n70_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						340000 Ch. 1700 MHz	340500 Ch. 1702.5 MHz	341000 Ch. 1705 MHz	
10 MHz	15	DFT-s	pi/2 BPSK	1	1	19.18	19.13	19.36	0
				1	26	19.35	19.31	19.32	0
				1	50	19.21	19.22	19.21	0
				25	0	19.25	19.26	19.34	0
				25	14	19.24	19.16	19.36	0
				25	27	19.25	19.24	19.38	0
				50	0	19.30	19.18	19.31	0
			QPSK	1	1	19.10	19.04	19.24	0
				1	26	19.30	19.27	19.30	0
				1	50	19.03	19.10	19.20	0
				25	0	19.15	19.16	19.24	0
				25	14	19.12	19.15	19.32	0
				25	27	19.19	19.24	19.28	0
				50	0	19.18	19.17	19.31	0
			16QAM	1	1	19.19	19.03	19.26	0
			64QAM	1	1	19.23	19.11	19.32	0
			256QAM	1	1	18.66	18.60	18.83	0
		CP	QPSK	1	1	19.27	19.16	19.48	0

NR FDD Band n70_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							340500 Ch. 1702.5 MHz	
15 MHz	15	DFT-s	pi/2 BPSK	1	1		19.26	0
				1	40		19.48	0
				1	77		19.37	0
				36	0		19.32	0
				36	22		19.41	0
				36	43		19.40	0
				75	0		19.41	0
			QPSK	1	1		19.27	0
				1	40		19.46	0
				1	77		19.40	0
				36	0		19.30	0
				36	22		19.42	0
				36	43		19.35	0
				75	0		19.37	0
			16QAM	1	1		19.19	0
			64QAM	1	1		19.32	0
			256QAM	1	1		18.79	0
		CP	QPSK	1	1		19.43	0

NR TDD Band n48 Conducted Power_Free(DSI=0), RCV(DSI=1) _ANT.G[SUB3]

NR TDD Band n48_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR [dB]
						637000 Ch. 3555 MHz	640134 Ch. 3602.01 MHz	643200 Ch. 3648 MHz	646334 Ch. 3695.01 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	14.70	14.52	14.18	14.18	0
				1	12	14.65	14.42	14.17	14.19	0
				1	22	14.68	14.45	14.26	14.23	0
				12	0	14.70	14.49	14.26	14.24	0
				12	6	14.71	14.46	14.18	14.27	0
				12	12	14.71	14.45	14.18	14.26	0
				24	0	14.69	14.47	14.20	14.22	0
			QPSK	1	1	14.71	14.45	14.19	14.23	0
				1	12	14.72	14.43	14.20	14.26	0
				1	22	14.62	14.42	14.24	14.23	0
				12	0	14.71	14.46	14.22	14.23	0
				12	6	14.76	14.45	14.22	14.28	0
				12	12	14.62	14.48	14.20	14.33	0
				24	0	14.71	14.43	14.13	14.27	0
			16QAM	1	1	14.49	14.55	14.22	14.37	0
			64QAM	1	1	14.58	14.37	14.18	14.10	0
			256QAM	1	1	14.22	14.01	13.74	13.77	0
		CP	QPSK	1	1	14.57	14.50	14.17	14.29	0

NR TDD Band n48_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR [dB]
						637334 Ch. 3560.01 MHz	640222 Ch. 3603.33 MHz	643110 Ch. 3646.65 MHz	646000 Ch. 3690 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	14.64	14.46	14.15	14.24	0
				1	26	14.71	14.48	14.20	14.18	0
				1	49	14.71	14.41	14.23	14.25	0
				25	0	14.68	14.48	14.21	14.26	0
				25	13	14.68	14.44	14.25	14.23	0
				25	26	14.68	14.52	14.23	14.30	0
				50	0	14.67	14.46	14.21	14.19	0
			QPSK	1	1	14.67	14.48	14.21	14.27	0
				1	26	14.69	14.43	14.17	14.25	0
				1	49	14.64	14.43	14.21	14.19	0
				25	0	14.76	14.46	14.26	14.25	0
				25	13	14.77	14.47	14.26	14.25	0
				25	26	14.63	14.46	14.22	14.30	0
				50	0	14.67	14.46	14.14	14.28	0
			16QAM	1	1	14.47	14.49	14.27	14.37	0
			64QAM	1	1	14.57	14.37	14.15	14.07	0
			256QAM	1	1	14.21	14.05	13.75	13.74	0
		CP	QPSK	1	1	14.59	14.47	14.21	14.28	0

NR TDD Band n48_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR [dB]
						637668 Ch. 3565.02 MHz	640334 Ch. 3605.01 MHz	643000 Ch. 3645 MHz	645666 Ch. 3684.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	14.65	14.50	14.20	14.22	0
				1	32	14.66	14.46	14.21	14.23	0
				1	63	14.65	14.47	14.25	14.21	0
				32	0	14.71	14.43	14.22	14.22	0
				32	17	14.68	14.46	14.20	14.30	0
				32	33	14.70	14.45	14.19	14.29	0
				64	0	14.71	14.50	14.26	14.22	0
			QPSK	1	1	14.72	14.47	14.18	14.28	0
				1	32	14.67	14.40	14.14	14.20	0
				1	63	14.64	14.43	14.21	14.19	0
				32	0	14.73	14.50	14.21	14.24	0
				32	17	14.75	14.45	14.22	14.25	0
				32	33	14.60	14.46	14.19	14.27	0
				64	0	14.68	14.45	14.16	14.22	0
			16QAM	1	1	14.46	14.53	14.23	14.39	0
			64QAM	1	1	14.64	14.37	14.14	14.13	0
			256QAM	1	1	14.29	14.04	13.74	13.75	0
		CP	QPSK	1	1	14.60	14.48	14.21	14.25	0

NR TDD Band n48_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR [dB]
						638000 Ch. 3570 MHz	641666 Ch. 3624.99 MHz		645332 Ch. 3679.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	14.67	14.50		14.19	0
				1	53	14.65	14.42		14.23	0
				1	104	14.67	14.48		14.22	0
				50	0	14.68	14.45		14.26	0
				50	28	14.69	14.45		14.26	0
				50	56	14.65	14.46		14.26	0
				100	0	14.74	14.43		14.19	0
			QPSK	1	1	14.72	14.67		14.27	0
				1	53	14.68	14.38		14.42	0
				1	104	14.62	14.45		14.23	0
				50	0	14.72	14.51		14.48	0
				50	28	14.71	14.45		14.23	0
				50	56	14.61	14.45		14.32	0
				100	0	14.73	14.46		14.24	0
			16QAM	1	1	14.49	14.49		14.32	0
			64QAM	1	1	14.57	14.39		14.08	0
			256QAM	1	1	14.26	14.01		13.79	0
		CP	QPSK	1	1	14.68	14.47		14.29	0

NR TDD Band n77 Conducted Power (Power Class 2, Power Class 3)_Free(DSI=0)_ANT.G[SUB3]

NR TDD Band n77_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						647000 Ch. 3705 MHz	650600 Ch. 3759 MHz	654200 Ch. 3813 MHz	657800 Ch. 3867 MHz	661400 Ch. 3921 MHz	665000 Ch. 3975 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	13.49	13.58	13.46	13.16	13.33	13.29	0
				1	12	13.38	13.54	13.51	13.35	13.45	13.42	0
				1	22	13.55	13.64	13.71	13.62	13.68	13.45	0
				12	0	13.43	13.55	13.53	13.41	13.47	13.26	0
				12	6	13.43	13.56	13.51	13.41	13.54	13.35	0
				12	12	13.33	13.46	13.67	13.60	13.67	13.50	0
				24	0	13.39	13.56	13.50	13.42	13.55	13.32	0
			QPSK	1	1	13.43	13.59	13.37	13.33	13.32	13.26	0
				1	12	13.27	13.49	13.42	13.38	13.37	13.33	0
				1	22	13.44	13.62	13.68	13.61	13.61	13.31	0
				12	0	13.42	13.53	13.54	13.46	13.41	13.25	0
				12	6	13.37	13.54	13.58	13.37	13.49	13.36	0
				12	12	13.38	13.64	13.68	13.57	13.68	13.34	0
				24	0	13.44	13.52	13.45	13.49	13.46	13.44	0
			16QAM	1	1	13.30	13.54	13.32	13.25	13.09	13.20	0
			64QAM	1	1	13.40	13.63	13.32	13.28	13.37	13.12	0
			256QAM	1	1	12.95	13.08	12.63	12.96	12.86	12.93	0
		CP	QPSK	1	1	13.60	13.71	13.55	13.43	13.56	13.35	0

NR TDD Band n77_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						647168 Ch. 3707.52 MHz	650700 Ch. 3760.5 MHz	654232 Ch. 3813.49 MHz	657766 Ch. 3866.5 MHz	661300 Ch. 3919.5 MHz	664832 Ch. 3972.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	13.47	13.55	13.50	13.14	13.35	13.24	0
				1	18	13.42	13.47	13.43	13.29	13.44	13.43	0
				1	36	13.56	13.65	13.80	13.61	13.72	13.43	0
				18	0	13.45	13.56	13.56	13.35	13.50	13.23	0
				18	9	13.41	13.54	13.52	13.38	13.50	13.39	0
				18	18	13.41	13.44	13.60	13.57	13.62	13.43	0
				36	0	13.42	13.56	13.56	13.43	13.50	13.35	0
			QPSK	1	1	13.43	13.68	13.38	13.37	13.28	13.22	0
				1	18	13.31	13.51	13.38	13.36	13.44	13.37	0
				1	36	13.49	13.64	13.62	13.63	13.63	13.39	0
				18	0	13.37	13.51	13.52	13.46	13.47	13.27	0
				18	9	13.43	13.51	13.56	13.43	13.51	13.38	0
				18	18	13.43	13.72	13.69	13.55	13.63	13.47	0
				36	0	13.42	13.57	13.45	13.45	13.47	13.42	0
			16QAM	1	1	13.34	13.53	13.27	13.29	13.10	13.21	0
			64QAM	1	1	13.38	13.53	13.31	13.27	13.40	13.16	0
			256QAM	1	1	13.04	13.13	12.69	13.00	12.96	12.93	0
		CP	QPSK	1	1	13.61	13.70	13.56	13.40	13.51	13.35	0

NR TDD Band n77_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						647334 Ch. 3710.01 MHz	650800 Ch. 3762 MHz	654266 Ch. 3813.99 MHz	657734 Ch. 3866.01 MHz	661200 Ch. 3918 MHz	664666 Ch. 3969.99 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	13.46	13.59	13.46	13.11	13.29	13.24	0
				1	26	13.43	13.49	13.50	13.35	13.50	13.35	0
				1	49	13.56	13.59	13.80	13.60	13.72	13.46	0
				25	0	13.44	13.59	13.53	13.44	13.48	13.26	0
				25	13	13.47	13.55	13.58	13.41	13.52	13.33	0
				25	26	13.43	13.44	13.57	13.60	13.70	13.43	0
			QPSK	50	0	13.46	13.49	13.52	13.40	13.54	13.38	0
				1	1	13.48	13.63	13.40	13.34	13.34	13.26	0
				1	26	13.27	13.48	13.44	13.39	13.40	13.36	0
				1	49	13.50	13.64	13.58	13.62	13.70	13.38	0
				25	0	13.47	13.54	13.54	13.45	13.39	13.27	0
				25	13	13.37	13.51	13.56	13.42	13.46	13.38	0
				25	26	13.42	13.69	13.67	13.61	13.64	13.46	0
				50	0	13.39	13.55	13.59	13.48	13.45	13.39	0
			16QAM	1	1	13.32	13.52	13.35	13.27	13.13	13.16	0
			64QAM	1	1	13.47	13.67	13.36	13.29	13.39	13.17	0
			256QAM	1	1	12.95	13.19	12.66	12.95	12.88	12.89	0
		CP	QPSK	1	1	13.58	13.71	13.52	13.44	13.54	13.31	0

NR TDD Band n77_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						647500 Ch. 3712.5 MHz	650900 Ch. 3763.5 MHz	654300 Ch. 3814.5 MHz	657700 Ch. 3865.5 MHz	661100 Ch. 3916.5 MHz	664500 Ch. 3967.5 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	13.47	13.58	13.44	13.16	13.30	13.26	0
				1	32	13.44	13.49	13.47	13.34	13.51	13.39	0
				1	63	13.58	13.71	13.79	13.60	13.75	13.44	0
				32	0	13.45	13.52	13.58	13.40	13.50	13.22	0
				32	17	13.37	13.53	13.49	13.40	13.50	13.39	0
				32	33	13.41	13.45	13.67	13.57	13.63	13.51	0
			QPSK	64	0	13.45	13.49	13.58	13.45	13.49	13.35	0
				1	1	13.42	13.61	13.41	13.29	13.33	13.22	0
				1	32	13.25	13.45	13.45	13.36	13.38	13.34	0
				1	63	13.46	13.62	13.61	13.56	13.69	13.34	0
				32	0	13.48	13.59	13.52	13.42	13.46	13.28	0
				32	17	13.36	13.54	13.58	13.42	13.50	13.36	0
				32	33	13.40	13.58	13.65	13.64	13.62	13.38	0
				64	0	13.47	13.54	13.50	13.48	13.52	13.46	0
			16QAM	1	1	13.33	13.54	13.29	13.28	13.11	13.19	0
			64QAM	1	1	13.35	13.61	13.40	13.24	13.36	13.17	0
			256QAM	1	1	12.99	13.15	12.61	13.01	12.91	12.90	0
		CP	QPSK	1	1	13.59	13.70	13.52	13.46	13.57	13.33	0

NR TDD Band n77_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						647668 Ch. 3715.02 MHz	651000 Ch. 3765 MHz	654334 Ch. 3815.01 MHz	657666 Ch. 3864.99 MHz	661000 Ch. 3915 MHz	664332 Ch. 3964.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	13.47	13.58	13.40	13.18	13.38	13.28	0
				1	39	13.39	13.46	13.45	13.35	13.45	13.37	0
				1	76	13.58	13.60	13.81	13.61	13.71	13.47	0
				36	0	13.41	13.56	13.49	13.43	13.40	13.27	0
				36	21	13.38	13.53	13.53	13.39	13.52	13.39	0
				36	42	13.42	13.43	13.64	13.59	13.59	13.46	0
			QPSK	75	0	13.43	13.51	13.51	13.47	13.46	13.36	0
				1	1	13.45	13.64	13.36	13.32	13.32	13.28	0
				1	39	13.31	13.46	13.42	13.31	13.38	13.32	0
				1	76	13.51	13.64	13.61	13.58	13.60	13.36	0
				36	0	13.36	13.61	13.51	13.45	13.44	13.32	0
				36	21	13.41	13.56	13.56	13.38	13.52	13.36	0
				36	42	13.41	13.68	13.63	13.63	13.69	13.48	0
				75	0	13.47	13.58	13.53	13.48	13.44	13.33	0
			16QAM	1	1	13.35	13.58	13.29	13.28	13.14	13.22	0
			64QAM	1	1	13.41	13.62	13.35	13.24	13.33	13.13	0
			256QAM	1	1	12.99	13.17	12.75	13.01	12.89	12.91	0
		CP	QPSK	1	1	13.54	13.72	13.62	13.46	13.46	13.31	0

NR TDD Band n77_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						648000 Ch. 3720 MHz	651200 Ch. 3768 MHz	654400 Ch. 3816 MHz	657600 Ch. 3864 MHz	660800 Ch. 3912 MHz	664000 Ch. 3960 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	13.55	13.66	13.50	13.23	13.41	13.37	0
				1	53	13.47	13.49	13.50	13.43	13.47	13.42	0
				1	104	13.61	13.73	13.82	13.64	13.79	13.52	0
				50	0	13.46	13.58	13.57	13.44	13.51	13.28	0
				50	28	13.46	13.62	13.59	13.47	13.54	13.39	0
				50	56	13.44	13.46	13.68	13.61	13.73	13.46	0
			QPSK	100	0	13.48	13.60	13.59	13.49	13.56	13.43	0
				1	1	13.46	13.65	13.44	13.32	13.33	13.28	0
				1	53	13.32	13.51	13.43	13.42	13.43	13.30	0
				1	104	13.47	13.68	13.63	13.66	13.72	13.45	0
				50	0	13.44	13.58	13.52	13.44	13.47	13.33	0
				50	28	13.41	13.60	13.55	13.51	13.55	13.39	0
				50	56	13.48	13.72	13.69	13.62	13.65	13.45	0
				100	0	13.50	13.58	13.54	13.54	13.57	13.47	0
			16QAM	1	1	13.41	13.59	13.40	13.30	13.16	13.18	0
			64QAM	1	1	13.43	13.62	13.41	13.31	13.42	13.21	0
			256QAM	1	1	13.05	13.20	12.67	13.01	12.95	12.97	0
		CP	QPSK	1	1	13.58	13.77	13.65	13.43	13.57	13.38	0

NR TDD Band n77_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]	
						648334 Ch. 3725.01 MHz	652166 Ch. 3782.49 MHz	656000 Ch. 3840 MHz		659834 Ch. 3897.51 MHz		663666 Ch. 3954.99 MHz
50 MHz	30	DFT-S	pi/2 BPSK	1	1	13.51	13.57	13.48		13.32	13.31	0
				1	67	13.40	13.49	13.47		13.50	13.31	0
				1	131	13.60	13.63	13.74		13.77	13.47	0
				64	0	13.41	13.55	13.53		13.46	13.32	0
				64	35	13.42	13.59	13.53		13.49	13.37	0
				64	69	13.40	13.43	13.67		13.66	13.41	0
				128	0	13.47	13.55	13.50		13.48	13.32	0
			QPSK	1	1	13.45	13.62	13.40		13.33	13.24	0
				1	67	13.31	13.48	13.45		13.37	13.27	0
				1	131	13.48	13.68	13.63		13.62	13.42	0
				64	0	13.48	13.59	13.50		13.51	13.31	0
				64	35	13.38	13.59	13.56		13.52	13.34	0
				64	69	13.39	13.71	13.71		13.65	13.39	0
				128	0	13.42	13.60	13.59		13.45	13.37	0
			16QAM	1	1	13.28	13.55	13.32		13.13	13.18	0
			64QAM	1	1	13.40	13.60	13.33		13.30	13.20	0
			256QAM	1	1	12.93	13.12	12.72		12.89	12.97	0
		CP	QPSK	1	1	13.60	13.65	13.57		13.48	13.39	0

NR TDD Band n77_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						648668 Ch. 3730.02 MHz	653556 Ch. 3803.34 MHz			658444 Ch. 3876.66 MHz	663332 Ch. 3949.98 MHz	
60 MHz	30	DFT-s	pi/2 BPSK	1	1	13.56	13.60			13.32	13.30	0
				1	81	13.34	13.50			13.54	13.34	0
				1	160	13.60	13.68			13.78	13.44	0
				81	0	13.48	13.53			13.47	13.25	0
				81	41	13.38	13.59			13.55	13.34	0
				81	81	13.33	13.40			13.68	13.43	0
				162	0	13.41	13.55			13.51	13.36	0
			QPSK	1	1	13.38	13.65			13.31	13.30	0
				1	81	13.25	13.52			13.41	13.27	0
				1	160	13.47	13.69			13.64	13.37	0
				81	0	13.44	13.60			13.46	13.30	0
				81	41	13.41	13.59			13.43	13.34	0
				81	81	13.39	13.71			13.59	13.42	0
				162	0	13.50	13.59			13.51	13.39	0
			16QAM	1	1	13.36	13.56			13.15	13.14	0
			64QAM	1	1	13.39	13.65			13.31	13.18	0
			256QAM	1	1	13.03	13.20			12.94	12.94	0
		CP	QPSK	1	1	13.53	13.72			13.54	13.33	0

NR TDD Band n77_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						649000 Ch. 3735 MHz	653666 Ch. 3804.99 MHz			658334 Ch. 3875.01 MHz	663000 Ch. 3945 MHz	
70 MHz	30	DFT-s	pi/2 BPSK	1	1	13.48	13.61			13.38	13.35	0
				1	95	13.46	13.43			13.45	13.37	0
				1	187	13.57	13.65			13.73	13.41	0
				90	0	13.40	13.57			13.44	13.24	0
				90	50	13.43	13.53			13.56	13.37	0
				90	99	13.40	13.49			13.66	13.48	0
				180	0	13.45	13.49			13.53	13.41	0
			QPSK	1	1	13.44	13.63			13.28	13.27	0
				1	95	13.30	13.43			13.41	13.30	0
				1	187	13.48	13.70			13.69	13.35	0
				90	0	13.47	13.52			13.42	13.26	0
				90	50	13.41	13.56			13.44	13.35	0
				90	99	13.42	13.64			13.65	13.40	0
				180	0	13.47	13.63			13.48	13.43	0
			16QAM	1	1	13.34	13.53			13.07	13.10	0
			64QAM	1	1	13.45	13.58			13.31	13.16	0
			256QAM	1	1	12.96	13.14			12.93	12.89	0
		CP	QPSK	1	1	13.62	13.72			13.44	13.40	0

NR TDD Band n77_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						649334 Ch. 3740.01 MHz	656000 Ch. 3840 MHz			662666 Ch. 3939.99 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1	13.44	13.42			13.35		0
				1	109	13.43	13.47			13.50		0
				1	215	13.61	13.75			13.71		0
				108	0	13.43	13.53			13.47		0
				108	55	13.38	13.55			13.57		0
				108	109	13.34	13.59			13.61		0
				216	0	13.41	13.54			13.48		0
			QPSK	1	1	13.38	13.44			13.35		0
				1	109	13.30	13.48			13.39		0
				1	215	13.49	13.67			13.65		0
				108	0	13.43	13.51			13.42		0
				108	55	13.37	13.53			13.53		0
				108	109	13.44	13.67			13.66		0
				216	0	13.46	13.52			13.48		0
			16QAM	1	1	13.34	13.30			13.12		0
			64QAM	1	1	13.42	13.33			13.35		0
			256QAM	1	1	12.99	12.69			12.88		0
		CP	QPSK	1	1	13.57	13.54			13.45		0

NR TDD Band n77_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						649668 Ch. 3745.02 MHz		656000 Ch. 3840 MHz		662332 Ch. 3934.98 MHz	
90 MHz	30	DFT-s	pi/2 BPSK	1	1	13.37		13.51		13.33	0
				1	123	13.23		13.47		13.50	0
				1	243	13.28		13.72		13.74	0
				120	0	13.28		13.52		13.48	0
				120	63	13.28		13.54		13.48	0
				120	125	13.37		13.64		13.70	0
			QPSK	243	0	13.27		13.54		13.58	0
				1	1	13.39		13.39		13.35	0
				1	123	13.30		13.37		13.43	0
				1	243	13.26		13.61		13.64	0
				120	0	13.32		13.50		13.48	0
				120	63	13.10		13.51		13.45	0
				120	125	13.29		13.68		13.66	0
				243	0	13.23		13.56		13.46	0
			16QAM	1	1	13.21		13.38		13.12	0
			64QAM	1	1	13.28		13.39		13.31	0
			256QAM	1	1	13.26		12.69		12.89	0
		CP	QPSK	1	1	13.25		13.56		13.51	0

NR TDD Band n77_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						650000 Ch. 3750 MHz				662000 Ch. 3930 MHz	
100 MHz	30	DFT-s	pi/2 BPSK	1	1	13.41				13.68	0
				1	137	13.30				13.55	0
				1	271	13.32				13.45	0
				135	0	13.34				13.51	0
				135	69	13.35				13.59	0
				135	138	13.39				13.57	0
			QPSK	270	0	13.29				13.54	0
				1	1	13.44				13.64	0
				1	137	13.38				13.76	0
				1	271	13.55				13.41	0
				135	0	13.38				13.61	0
				135	69	13.15				13.63	0
				135	138	13.44				13.42	0
				270	0	13.51				13.50	0
			16QAM	1	1	13.28				13.49	0
			64QAM	1	1	13.31				13.50	0
			256QAM	1	1	13.30				13.44	0
		CP	QPSK	1	1	13.55				13.47	0

NR TDD Band n77 Conducted Power (Power Class 2, Power Class 3)_RCV(DSI=1)_ANT.G[SUB3]

NR TDD Band n77_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						647000 Ch. 3705 MHz	650600 Ch. 3759 MHz	654200 Ch. 3813 MHz	657800 Ch. 3867 MHz	661400 Ch. 3921 MHz	665000 Ch. 3975 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	14.54	14.59	14.48	14.22	14.38	14.36	0
				1	12	14.41	14.54	14.52	14.40	14.48	14.44	0
				1	22	14.61	14.71	14.75	14.64	14.74	14.50	0
				12	0	14.48	14.58	14.59	14.44	14.48	14.29	0
				12	6	14.45	14.60	14.59	14.47	14.58	14.40	0
				12	12	14.40	14.48	14.68	14.63	14.73	14.51	0
				24	0	14.44	14.61	14.56	14.44	14.59	14.38	0
			QPSK	1	1	14.48	14.64	14.44	14.34	14.37	14.28	0
				1	12	14.32	14.53	14.44	14.43	14.41	14.36	0
				1	22	14.48	14.69	14.71	14.62	14.65	14.39	0
				12	0	14.48	14.56	14.56	14.47	14.46	14.32	0
				12	6	14.40	14.58	14.59	14.45	14.53	14.40	0
				12	12	14.46	14.71	14.71	14.63	14.71	14.42	0
				24	0	14.45	14.58	14.52	14.49	14.52	14.48	0
			16QAM	1	1	14.35	14.59	14.34	14.30	14.12	14.25	0
			64QAM	1	1	14.48	14.64	14.39	14.30	14.37	14.20	0
			256QAM	1	1	14.03	14.14	13.70	14.03	13.91	14.00	0
		CP	QPSK	1	1	14.64	14.76	14.59	14.45	14.58	14.37	0

NR TDD Band n77_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						647168 Ch. 3707.52 MHz	650700 Ch. 3760.5 MHz	654232 Ch. 3813.49 MHz	657766 Ch. 3866.5 MHz	661300 Ch. 3919.5 MHz	664832 Ch. 3972.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	14.50	14.63	14.51	14.17	14.41	14.31	0
				1	18	14.48	14.48	14.47	14.36	14.51	14.43	0
				1	36	14.58	14.68	14.82	14.65	14.76	14.50	0
				18	0	14.50	14.57	14.58	14.43	14.50	14.28	0
				18	9	14.46	14.59	14.57	14.44	14.57	14.40	0
				18	18	14.43	14.45	14.66	14.62	14.68	14.45	0
				36	0	14.49	14.57	14.57	14.46	14.57	14.40	0
			QPSK	1	1	14.44	14.68	14.46	14.39	14.31	14.28	0
				1	18	14.34	14.53	14.44	14.41	14.44	14.37	0
				1	36	14.50	14.70	14.68	14.67	14.66	14.44	0
				18	0	14.45	14.59	14.57	14.50	14.51	14.27	0
				18	9	14.44	14.57	14.57	14.45	14.54	14.43	0
				18	18	14.47	14.72	14.74	14.61	14.68	14.49	0
				36	0	14.50	14.59	14.52	14.52	14.51	14.45	0
			16QAM	1	1	14.42	14.57	14.34	14.29	14.13	14.24	0
			64QAM	1	1	14.44	14.61	14.35	14.31	14.41	14.18	0
			256QAM	1	1	14.07	14.18	13.71	14.03	13.98	13.99	0
		CP	QPSK	1	1	14.62	14.75	14.62	14.46	14.53	14.38	0

NR TDD Band n77_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						647334 Ch. 3710.01 MHz	650800 Ch. 3762 MHz	654266 Ch. 3813.99 MHz	657734 Ch. 3866.01 MHz	661200 Ch. 3918 MHz	664666 Ch. 3969.99 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	14.54	14.62	14.51	14.18	14.34	14.30	0
				1	26	14.44	14.55	14.53	14.37	14.55	14.37	0
				1	49	14.62	14.67	14.81	14.65	14.79	14.51	0
				25	0	14.47	14.61	14.56	14.49	14.53	14.28	0
				25	13	14.47	14.59	14.60	14.46	14.59	14.39	0
				25	26	14.46	14.51	14.63	14.64	14.71	14.45	0
				50	0	14.48	14.55	14.59	14.46	14.54	14.40	0
			QPSK	1	1	14.49	14.70	14.45	14.38	14.35	14.27	0
				1	26	14.30	14.52	14.46	14.41	14.42	14.36	0
				1	49	14.51	14.68	14.65	14.66	14.72	14.44	0
				25	0	14.47	14.57	14.58	14.46	14.46	14.27	0
				25	13	14.44	14.57	14.57	14.48	14.51	14.44	0
				25	26	14.49	14.72	14.69	14.63	14.70	14.49	0
				50	0	14.47	14.60	14.60	14.55	14.52	14.46	0
			16QAM	1	1	14.39	14.52	14.40	14.31	14.19	14.18	0
			64QAM	1	1	14.48	14.68	14.36	14.29	14.40	14.21	0
			256QAM	1	1	14.00	14.21	13.73	14.01	13.95	13.94	0
		CP	QPSK	1	1	14.64	14.73	14.59	14.49	14.57	14.37	0

NR TDD Band n77_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						647500 Ch. 3712.5 MHz	650900 Ch. 3763.5 MHz	654300 Ch. 3814.5 MHz	657700 Ch. 3865.5 MHz	661100 Ch. 3916.5 MHz	664500 Ch. 3967.5 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	14.51	14.63	14.48	14.19	14.34	14.30	0
				1	32	14.48	14.53	14.49	14.40	14.52	14.43	0
				1	63	14.59	14.72	14.81	14.65	14.79	14.47	0
				32	0	14.48	14.56	14.60	14.46	14.52	14.29	0
				32	17	14.42	14.61	14.54	14.46	14.57	14.43	0
				32	33	14.45	14.49	14.68	14.65	14.69	14.52	0
				64	0	14.47	14.56	14.59	14.46	14.56	14.39	0
			QPSK	1	1	14.49	14.67	14.44	14.35	14.34	14.29	0
				1	32	14.31	14.51	14.46	14.38	14.45	14.34	0
				1	63	14.53	14.67	14.68	14.61	14.71	14.40	0
				32	0	14.50	14.62	14.55	14.45	14.50	14.32	0
				32	17	14.40	14.61	14.58	14.49	14.55	14.42	0
				32	33	14.42	14.65	14.69	14.67	14.68	14.44	0
				64	0	14.49	14.58	14.55	14.53	14.58	14.47	0
			16QAM	1	1	14.36	14.55	14.37	14.29	14.17	14.19	0
			64QAM	1	1	14.41	14.66	14.41	14.30	14.37	14.23	0
			256QAM	1	1	14.04	14.16	13.68	14.07	13.91	13.94	0
		CP	QPSK	1	1	14.62	14.77	14.60	14.47	14.59	14.36	0

NR TDD Band n77_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						647668 Ch. 3715.02 MHz	651000 Ch. 3765 MHz	654334 Ch. 3815.01 MHz	657666 Ch. 3864.99 MHz	661000 Ch. 3915 MHz	664332 Ch. 3964.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	14.51	14.64	14.45	14.22	14.41	14.34	0
				1	39	14.40	14.48	14.46	14.42	14.51	14.42	0
				1	76	14.62	14.67	14.83	14.65	14.76	14.52	0
				36	0	14.45	14.61	14.56	14.44	14.46	14.28	0
				36	21	14.41	14.58	14.58	14.46	14.56	14.42	0
				36	42	14.45	14.47	14.64	14.60	14.67	14.52	0
				75	0	14.44	14.59	14.55	14.49	14.52	14.43	0
			QPSK	1	1	14.45	14.70	14.44	14.35	14.35	14.34	0
				1	39	14.36	14.48	14.50	14.38	14.46	14.35	0
				1	76	14.53	14.67	14.67	14.65	14.65	14.42	0
				36	0	14.44	14.63	14.52	14.48	14.47	14.33	0
				36	21	14.45	14.61	14.56	14.46	14.55	14.39	0
				36	42	14.43	14.70	14.69	14.66	14.70	14.48	0
				75	0	14.47	14.63	14.58	14.49	14.51	14.40	0
			16QAM	1	1	14.39	14.59	14.36	14.32	14.18	14.23	0
			64QAM	1	1	14.45	14.66	14.40	14.30	14.37	14.16	0
			256QAM	1	1	14.05	14.20	13.75	14.05	13.91	13.99	0
		CP	QPSK	1	1	14.59	14.77	14.63	14.49	14.53	14.39	0

NR TDD Band n77_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						648000 Ch. 3720 MHz	651200 Ch. 3768 MHz	654400 Ch. 3816 MHz	657600 Ch. 3864 MHz	660800 Ch. 3912 MHz	664000 Ch. 3960 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	14.58	14.66	14.52	14.25	14.41	14.37	0
				1	53	14.48	14.55	14.54	14.43	14.55	14.45	0
				1	104	14.65	14.74	14.83	14.68	14.81	14.53	0
				50	0	14.51	14.63	14.61	14.49	14.54	14.34	0
				50	28	14.49	14.62	14.61	14.52	14.60	14.46	0
				50	56	14.47	14.52	14.71	14.66	14.75	14.52	0
				100	0	14.50	14.62	14.62	14.52	14.60	14.44	0
			QPSK	1	1	14.50	14.72	14.48	14.39	14.37	14.34	0
				1	53	14.37	14.54	14.50	14.45	14.48	14.38	0
				1	104	14.55	14.74	14.71	14.68	14.73	14.46	0
				50	0	14.51	14.63	14.60	14.52	14.53	14.35	0
				50	28	14.46	14.63	14.60	14.53	14.56	14.45	0
				50	56	14.49	14.73	14.75	14.68	14.72	14.49	0
				100	0	14.53	14.65	14.60	14.56	14.58	14.48	0
			16QAM	1	1	14.42	14.60	14.41	14.33	14.20	14.25	0
			64QAM	1	1	14.49	14.69	14.42	14.32	14.42	14.24	0
			256QAM	1	1	14.07	14.22	13.75	14.08	13.98	14.01	0
		CP	QPSK	1	1	14.66	14.80	14.66	14.51	14.59	14.44	0

NR TDD Band n77_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						648334 Ch. 3725.01 MHz	652166 Ch. 3782.49 MHz	656000 Ch. 3840 MHz		659834 Ch. 3897.51 MHz	663666 Ch. 3954.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	14.55	14.61	14.51		14.36	14.34	0
				1	67	14.41	14.50	14.51		14.54	14.39	0
				1	131	14.63	14.69	14.81		14.80	14.49	0
				64	0	14.47	14.62	14.57		14.52	14.33	0
				64	35	14.47	14.59	14.55		14.55	14.43	0
				64	69	14.43	14.49	14.70		14.70	14.46	0
			QPSK	128	0	14.49	14.62	14.57		14.56	14.39	0
				1	1	14.48	14.66	14.41		14.35	14.27	0
				1	67	14.36	14.49	14.46		14.44	14.35	0
				1	131	14.52	14.70	14.67		14.69	14.43	0
				64	0	14.49	14.59	14.52		14.53	14.31	0
				64	35	14.42	14.60	14.58		14.55	14.41	0
				64	69	14.44	14.72	14.72		14.71	14.46	0
				128	0	14.46	14.64	14.60		14.52	14.43	0
			16QAM	1	1	14.36	14.57	14.35		14.17	14.21	0
			64QAM	1	1	14.42	14.63	14.37		14.36	14.23	0
			256QAM	1	1	13.99	14.16	13.73		13.93	14.00	0
		CP	QPSK	1	1	14.66	14.73	14.62		14.56	14.39	0

NR TDD Band n77_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						648668 Ch. 3730.02 MHz	653556 Ch. 3803.34 MHz			658444 Ch. 3876.66 MHz	663332 Ch. 3949.98 MHz	
60 MHz	30	DFT-s	pi/2 BPSK	1	1	14.57	14.65			14.40	14.36	0
				1	81	14.40	14.51			14.54	14.39	0
				1	160	14.63	14.68			14.81	14.51	0
				81	0	14.49	14.59			14.52	14.27	0
				81	41	14.42	14.62			14.58	14.41	0
				81	81	14.39	14.45			14.70	14.48	0
			QPSK	162	0	14.47	14.56			14.56	14.43	0
				1	1	14.46	14.68			14.33	14.30	0
				1	81	14.31	14.52			14.43	14.33	0
				1	160	14.54	14.70			14.71	14.38	0
				81	0	14.45	14.61			14.53	14.34	0
				81	41	14.43	14.59			14.51	14.38	0
				81	81	14.46	14.72			14.64	14.46	0
				162	0	14.53	14.60			14.52	14.45	0
			16QAM	1	1	14.41	14.59			14.19	14.20	0
			64QAM	1	1	14.43	14.65			14.37	14.20	0
			256QAM	1	1	14.04	14.20			13.94	13.96	0
		CP	QPSK	1	1	14.60	14.73			14.59	14.39	0

NR TDD Band n77_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						649000 Ch. 3735 MHz	653666 Ch. 3804.99 MHz			658334 Ch. 3875.01 MHz	663000 Ch. 3945 MHz	
70 MHz	30	DFT-s	pi/2 BPSK	1	1	14.56	14.66			14.40	14.37	0
				1	95	14.47	14.49			14.50	14.38	0
				1	187	14.58	14.66			14.78	14.48	0
				90	0	14.45	14.58			14.50	14.26	0
				90	50	14.46	14.55			14.56	14.40	0
				90	99	14.46	14.50			14.73	14.52	0
			QPSK	180	0	14.48	14.55			14.57	14.43	0
				1	1	14.47	14.66			14.29	14.28	0
				1	95	14.34	14.46			14.42	14.35	0
				1	187	14.51	14.72			14.73	14.43	0
				90	0	14.49	14.58			14.49	14.28	0
				90	50	14.41	14.58			14.52	14.41	0
				90	99	14.45	14.71			14.71	14.46	0
				180	0	14.50	14.64			14.51	14.46	0
			16QAM	1	1	14.39	14.58			14.13	14.18	0
			64QAM	1	1	14.48	14.64			14.37	14.23	0
			256QAM	1	1	14.00	14.21			13.96	13.97	0
		CP	QPSK	1	1	14.64	14.75			14.52	14.40	0

NR TDD Band n77_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						649334 Ch. 3740.01 MHz		656000 Ch. 3840 MHz		662666 Ch. 3939.99 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1	14.51		14.49		14.40		0
				1	109	14.44		14.49		14.55		0
				1	215	14.62		14.77		14.74		0
				108	0	14.47		14.60		14.52		0
				108	55	14.45		14.56		14.60		0
				108	109	14.41		14.63		14.67		0
			QPSK	216	0	14.47		14.61		14.53		0
				1	1	14.45		14.45		14.35		0
				1	109	14.36		14.49		14.43		0
				1	215	14.52		14.68		14.67		0
				108	0	14.49		14.59		14.46		0
				108	55	14.44		14.58		14.55		0
				108	109	14.44		14.68		14.71		0
				216	0	14.48		14.54		14.51		0
			16QAM	1	1	14.37		14.36		14.14		0
			64QAM	1	1	14.44		14.35		14.38		0
			256QAM	1	1	14.03		13.71		13.96		0
		CP	QPSK	1	1	14.63		14.60		14.52		0

NR TDD Band n77_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						649668 Ch. 3745.02 MHz		656000 Ch. 3840 MHz		662332 Ch. 3934.98 MHz	
90 MHz	30	DFT-s	pi/2 BPSK	1	1	14.52		14.51		14.34	0
				1	123	14.45		14.52		14.53	0
				1	243	14.59		14.79		14.77	0
				120	0	14.48		14.54		14.50	0
				120	63	14.43		14.56		14.53	0
				120	125	14.43		14.67		14.72	0
			QPSK	243	0	14.44		14.56		14.60	0
				1	1	14.46		14.41		14.36	0
				1	123	14.36		14.43		14.47	0
				1	243	14.49		14.66		14.65	0
				120	0	14.47		14.54		14.49	0
				120	63	14.40		14.54		14.48	0
				120	125	14.44		14.73		14.68	0
				243	0	14.52		14.58		14.53	0
			16QAM	1	1	14.40		14.40		14.19	0
			64QAM	1	1	14.44		14.41		14.38	0
			256QAM	1	1	14.01		13.71		13.94	0
		CP	QPSK	1	1	14.65		14.64		14.57	0

NR TDD Band n77_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						650000 Ch. 3750 MHz				662000 Ch. 3930 MHz	
100 MHz	30	DFT-s	pi/2 BPSK	1	1	14.51				14.38	0
				1	137	14.45				14.55	0
				1	271	14.58				14.75	0
				135	0	14.44				14.51	0
				135	69	14.48				14.59	0
				135	138	14.47				14.67	0
			QPSK	270	0	14.49				14.54	0
				1	1	14.44				14.31	0
				1	137	14.37				14.75	0
				1	271	14.74				14.67	0
				135	0	14.51				14.48	0
				135	69	14.39				14.70	0
				135	138	14.69				14.64	0
				270	0	14.68				14.56	0
			16QAM	1	1	14.35				14.19	0
			64QAM	1	1	14.42				14.40	0
			256QAM	1	1	14.03				13.94	0
		CP	QPSK	1	1	14.75				14.57	0

NR TDD Band n77 DoD Conducted Power (Power Class 2, Power Class 3)_Free(DSI=0), _ANT.G[SUB3]

NR TDD Band n77 DoD_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630334 Ch. 3445.01 MHz	633334 Ch. 3500.01 MHz	636332 Ch. 3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	13.38	13.44	13.49	0
				1	12	13.51	13.52	13.55	0
				1	22	13.57	13.54	13.53	0
				12	0	13.49	13.40	13.55	0
				12	6	13.49	13.47	13.49	0
				12	12	13.34	13.44	13.48	0
				24	0	13.42	13.44	13.53	0
			QPSK	1	1	13.39	13.48	13.45	0
				1	12	13.45	13.46	13.48	0
				1	22	13.49	13.49	13.55	0
				12	0	13.49	13.49	13.57	0
				12	6	13.49	13.50	13.55	0
				12	12	13.41	13.47	13.49	0
				24	0	13.52	13.55	13.50	0
			16QAM	1	1	13.22	13.24	13.22	0
			64QAM	1	1	13.44	13.27	13.26	0
			256QAM	1	1	12.96	13.01	13.04	0
		CP	QPSK	1	1	13.58	13.56	13.59	0

NR TDD Band n77 DoD_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630500 Ch. 3457.5 MHz	633334 Ch. 3500.01 MHz	636166 Ch. 3542.49 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	13.49	13.37	13.62	0
				1	18	13.47	13.50	13.57	0
				1	36	13.66	13.55	13.65	0
				18	0	13.56	13.50	13.61	0
				18	9	13.54	13.51	13.56	0
				18	18	13.40	13.39	13.40	0
				36	0	13.54	13.53	13.62	0
			QPSK	1	1	13.52	13.55	13.59	0
				1	18	13.44	13.45	13.50	0
				1	36	13.58	13.54	13.56	0
				18	0	13.54	13.56	13.55	0
				18	9	13.53	13.51	13.61	0
				18	18	13.43	13.43	13.45	0
				36	0	13.51	13.54	13.63	0
			16QAM	1	1	13.33	13.26	13.37	0
			64QAM	1	1	13.33	13.40	13.60	0
			256QAM	1	1	13.06	13.15	13.15	0
		CP	QPSK	1	1	13.65	13.69	13.71	0

NR TDD Band n77 DoD_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630668 Ch. 3460.02 MHz	633334 Ch. 3500.01 MHz	636000 Ch. 3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	13.62	13.60	13.70	0
				1	26	13.47	13.57	13.62	0
				1	49	13.54	13.59	13.56	0
				25	0	13.57	13.57	13.67	0
				25	13	13.53	13.52	13.57	0
				25	26	13.50	13.48	13.48	0
				50	0	13.62	13.55	13.61	0
			QPSK	1	1	13.68	13.67	13.71	0
				1	26	13.50	13.51	13.50	0
				1	49	13.53	13.55	13.49	0
				25	0	13.61	13.55	13.65	0
				25	13	13.61	13.55	13.58	0
				25	26	13.49	13.45	13.43	0
				50	0	13.58	13.59	13.65	0
			16QAM	1	1	13.47	13.41	13.46	0
			64QAM	1	1	13.36	13.40	13.31	0
			256QAM	1	1	13.18	13.18	13.25	0
		CP	QPSK	1	1	13.81	13.76	13.83	0

NR TDD Band n77 DoD_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630866 Ch. 3462.99 MHz	633334 Ch. 3500.01 MHz	635800 Ch. 3537 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	13.64	13.69	13.71	0
				1	32	13.33	13.20	13.26	0
				1	63	13.69	13.72	13.59	0
				32	0	13.33	13.31	13.37	0
				32	17	13.33	13.21	13.31	0
				32	33	13.09	13.13	13.21	0
				64	0	13.28	13.32	13.30	0
			QPSK	1	1	13.61	13.66	13.71	0
				1	32	13.28	13.18	13.20	0
				1	63	13.67	13.60	13.56	0
				32	0	13.36	13.30	13.37	0
				32	17	13.28	13.27	13.27	0
				32	33	13.02	13.09	13.15	0
				64	0	13.31	13.29	13.36	0
			16QAM	1	1	13.42	13.46	13.48	0
			64QAM	1	1	13.12	13.09	13.03	0
			256QAM	1	1	13.26	13.21	13.28	0
		CP	QPSK	1	1	13.86	13.79	13.86	0

NR TDD Band n77 DoD_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						631000 Ch. 3465 MHz	633334 Ch. 3500.01 MHz	635666 Ch. 3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	13.65	13.77	13.69	0
				1	39	13.54	13.62	13.63	0
				1	76	13.58	13.65	13.66	0
				36	0	13.68	13.70	13.79	0
				36	21	13.63	13.63	13.72	0
				36	42	13.46	13.46	13.47	0
				75	0	13.65	13.66	13.75	0
			QPSK	1	1	13.64	13.75	13.78	0
				1	39	13.48	13.55	13.55	0
				1	76	13.51	13.66	13.56	0
				36	0	13.67	13.72	13.78	0
				36	21	13.51	13.56	13.72	0
				36	42	13.53	13.44	13.48	0
				75	0	13.60	13.62	13.72	0
			16QAM	1	1	13.45	13.57	13.59	0
			64QAM	1	1	13.70	13.76	13.83	0
			256QAM	1	1	13.27	13.30	13.41	0
		CP	QPSK	1	1	13.90	13.91	13.87	0

NR TDD Band n77 DoD_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						631334 Ch. 3470.01 MHz		635332 Ch. 3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	13.82		13.50	0
				1	53	13.68		13.61	0
				1	104	13.66		13.64	0
				50	0	13.75		13.79	0
				50	28	13.74		13.66	0
				50	56	13.68		13.42	0
				100	0	13.61		13.75	0
			QPSK	1	1	13.71		13.84	0
				1	53	13.58		13.51	0
				1	104	13.58		13.56	0
				50	0	13.69		13.81	0
				50	28	13.71		13.65	0
				50	56	13.67		13.67	0
				100	0	13.62		13.72	0
			16QAM	1	1	13.66		13.69	0
			64QAM	1	1	13.73		13.67	0
			256QAM	1	1	13.40		13.37	0
		CP	QPSK	1	1	13.80		13.85	0

NR TDD Band n77 DoD_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						631668 Ch. 3475.02 MHz		635000 Ch. 3525 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	13.40		13.51	0
				1	67	13.22		13.20	0
				1	131	13.23		13.23	0
				64	0	13.47		13.46	0
				64	35	13.33		13.34	0
				64	69	13.21		13.24	0
				128	0	13.32		13.35	0
			QPSK	1	1	13.51		13.47	0
				1	67	13.20		13.25	0
				1	131	13.21		13.17	0
				64	0	13.50		13.49	0
				64	35	13.34		13.35	0
				64	69	13.26		13.19	0
				128	0	13.36		13.33	0
			16QAM	1	1	13.39		13.47	0
			64QAM	1	1	13.43		13.40	0
			256QAM	1	1	13.22		13.11	0
		CP	QPSK	1	1	13.63		13.71	0

NR TDD Band n77 DoD_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							633334 Ch. 3500.01 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		13.58		0
				1	81		13.61		0
				1	160		13.58		0
				81	0		13.63		0
				81	41		13.64		0
				81	81		13.50		0
				162	0		13.50		0
			QPSK	1	1		13.65		0
				1	81		13.47		0
				1	160		13.48		0
				81	0		13.74		0
				81	41		13.76		0
				81	81		13.54		0
				162	0		13.55		0
			16QAM	1	1		13.52		0
			64QAM	1	1		13.48		0
			256QAM	1	1		13.60		0
		CP	QPSK	1	1		13.56		0

NR TDD Band n77 DoD_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
70 MHz	30	DFT-s	pi/2 BPSK	1	1		13.59	0
				1	95		13.61	0
				1	187		13.59	0
				90	0		13.63	0
				90	50		13.57	0
				90	99		13.47	0
				180	0		13.56	0
			QPSK	1	1		13.70	0
				1	95		13.49	0
				1	187		13.40	0
				90	0		13.73	0
				90	50		13.72	0
				90	99		13.54	0
				180	0		13.55	0
			16QAM	1	1		13.50	0
			64QAM	1	1		13.45	0
			256QAM	1	1		13.55	0
		CP	QPSK	1	1		13.60	0

NR TDD Band n77 DoD_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
80 MHz	30	DFT-s	pi/2 BPSK	1	1		13.59	0
				1	109		13.57	0
				1	215		13.54	0
				108	0		13.64	0
				108	55		13.58	0
				108	109		13.52	0
				216	0		13.56	0
			QPSK	1	1		13.66	0
				1	109		13.50	0
				1	215		13.44	0
				108	0		13.73	0
				108	55		13.72	0
				108	109		13.50	0
				216	0		13.56	0
			16QAM	1	1		13.49	0
			64QAM	1	1		13.44	0
			256QAM	1	1		13.60	0
		CP	QPSK	1	1		13.53	0

NR TDD Band n77 DoD_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
90 MHz	30	DFT-s	pi/2 BPSK	1	1		13.60	0
				1	123		13.59	0
				1	243		13.61	0
				120	0		13.61	0
				120	63		13.61	0
				120	125		13.49	0
				243	0		13.49	0
			QPSK	1	1		13.65	0
				1	123		13.52	0
				1	243		13.44	0
				120	0		13.71	0
				120	63		13.70	0
				120	125		13.55	0
				243	0		13.54	0
			16QAM	1	1		13.49	0
			64QAM	1	1		13.48	0
			256QAM	1	1		13.59	0
		CP	QPSK	1	1		13.52	0

NR TDD Band n77 DoD_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
100 MHz	30	DFT-s	pi/2 BPSK	1	1		13.65	0
				1	137		13.62	0
				1	271		13.61	0
				135	0		13.66	0
				135	69		13.64	0
				135	138		13.54	0
				270	0		13.57	0
			QPSK	1	1		13.72	0
				1	137		13.53	0
				1	271		13.48	0
				135	0		13.77	0
				135	69		13.78	0
				135	138		13.56	0
				270	0		13.61	0
			16QAM	1	1		13.54	0
			64QAM	1	1		13.51	0
			256QAM	1	1		13.62	0
		CP	QPSK	1	1		13.60	0

NR TDD Band n77 DoD Conducted Power (Power Class 2, Power Class 3)_RCV(DSI=1) _ANT.G[SUB3]

NR TDD Band n77 DoD_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630334 Ch. 3445.01 MHz	633334 Ch. 3500.01 MHz	636332 Ch. 3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	14.43	14.46	14.50	0
				1	12	14.53	14.54	14.61	0
				1	22	14.57	14.58	14.60	0
				12	0	14.52	14.47	14.58	0
				12	6	14.50	14.49	14.53	0
				12	12	14.41	14.47	14.51	0
				24	0	14.49	14.49	14.55	0
			QPSK	1	1	14.43	14.49	14.52	0
				1	12	14.51	14.53	14.55	0
				1	22	14.51	14.52	14.55	0
				12	0	14.55	14.54	14.58	0
				12	6	14.52	14.52	14.56	0
				12	12	14.47	14.50	14.51	0
				24	0	14.53	14.56	14.57	0
			16QAM	1	1	14.26	14.25	14.28	0
			64QAM	1	1	14.46	14.28	14.27	0
			256QAM	1	1	14.02	14.02	14.06	0
		CP	QPSK	1	1	14.60	14.62	14.65	0

NR TDD Band n77 DoD_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630500 Ch. 3457.5 MHz	633334 Ch. 3500.01 MHz	636166 Ch. 3542.49 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	14.57	14.41	14.64	0
				1	18	14.55	14.55	14.64	0
				1	36	14.70	14.59	14.65	0
				18	0	14.60	14.57	14.67	0
				18	9	14.56	14.57	14.63	0
				18	18	14.43	14.46	14.47	0
				36	0	14.58	14.57	14.67	0
			QPSK	1	1	14.56	14.56	14.65	0
				1	18	14.50	14.51	14.56	0
				1	36	14.62	14.56	14.60	0
				18	0	14.61	14.60	14.63	0
				18	9	14.56	14.56	14.65	0
				18	18	14.47	14.45	14.51	0
				36	0	14.58	14.60	14.65	0
			16QAM	1	1	14.37	14.34	14.40	0
			64QAM	1	1	14.38	14.41	14.63	0
			256QAM	1	1	14.12	14.15	14.18	0
		CP	QPSK	1	1	14.73	14.74	14.76	0

NR TDD Band n77 DoD_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630668 Ch. 3460.02 MHz	633334 Ch. 3500.01 MHz	636000 Ch. 3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	14.64	14.66	14.76	0
				1	26	14.52	14.57	14.64	0
				1	49	14.60	14.65	14.57	0
				25	0	14.62	14.62	14.69	0
				25	13	14.59	14.59	14.63	0
				25	26	14.51	14.50	14.49	0
				50	0	14.63	14.60	14.65	0
			QPSK	1	1	14.69	14.69	14.75	0
				1	26	14.53	14.51	14.56	0
				1	49	14.59	14.59	14.53	0
				25	0	14.66	14.62	14.69	0
				25	13	14.63	14.61	14.65	0
				25	26	14.53	14.51	14.43	0
				50	0	14.65	14.62	14.65	0
			16QAM	1	1	14.47	14.46	14.52	0
			64QAM	1	1	14.41	14.40	14.35	0
			256QAM	1	1	14.25	14.26	14.29	0
		CP	QPSK	1	1	14.84	14.82	14.89	0

NR TDD Band n77 DoD_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630866 Ch. 3462.99 MHz	633334 Ch. 3500.01 MHz	635800 Ch. 3537 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	14.68	14.73	14.75	0
				1	32	14.37	14.23	14.31	0
				1	63	14.71	14.76	14.65	0
				32	0	14.39	14.38	14.38	0
				32	17	14.33	14.29	14.35	0
				32	33	14.11	14.13	14.25	0
				64	0	14.33	14.37	14.38	0
			QPSK	1	1	14.69	14.72	14.73	0
				1	32	14.35	14.20	14.25	0
				1	63	14.68	14.66	14.61	0
				32	0	14.41	14.37	14.42	0
				32	17	14.32	14.32	14.33	0
				32	33	14.10	14.14	14.18	0
				64	0	14.37	14.36	14.38	0
			16QAM	1	1	14.49	14.50	14.54	0
			64QAM	1	1	14.13	14.11	14.08	0
			256QAM	1	1	14.30	14.27	14.31	0
		CP	QPSK	1	1	14.89	14.87	14.90	0

NR TDD Band n77 DoD_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						631000 Ch. 3465 MHz	633334 Ch. 3500.01 MHz	635666 Ch. 3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	14.72	14.84	14.71	0
				1	39	14.58	14.63	14.65	0
				1	76	14.65	14.69	14.67	0
				36	0	14.70	14.77	14.79	0
				36	21	14.63	14.68	14.73	0
				36	42	14.48	14.49	14.52	0
				75	0	14.66	14.71	14.76	0
			QPSK	1	1	14.70	14.82	14.86	0
				1	39	14.49	14.61	14.61	0
				1	76	14.56	14.70	14.61	0
				36	0	14.70	14.78	14.81	0
				36	21	14.59	14.63	14.73	0
				36	42	14.58	14.51	14.48	0
				75	0	14.65	14.70	14.80	0
			16QAM	1	1	14.52	14.59	14.64	0
			64QAM	1	1	14.74	14.79	14.88	0
			256QAM	1	1	14.31	14.36	14.45	0
		CP	QPSK	1	1	14.90	14.94	15.02	0

NR TDD Band n77 DoD_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						631334 Ch. 3470.01 MHz		635332 Ch. 3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	14.86		14.51	0
				1	53	14.70		14.65	0
				1	104	14.73		14.68	0
				50	0	14.76		14.83	0
				50	28	14.75		14.70	0
				50	56	14.73		14.47	0
				100	0	14.68		14.76	0
			QPSK	1	1	14.76		14.85	0
				1	53	14.63		14.58	0
				1	104	14.64		14.63	0
				50	0	14.75		14.82	0
				50	28	14.76		14.71	0
				50	56	14.73		14.68	0
				100	0	14.67		14.78	0
			16QAM	1	1	14.73		14.70	0
			64QAM	1	1	14.77		14.75	0
			256QAM	1	1	14.46		14.44	0
		CP	QPSK	1	1	14.87		14.87	0

NR TDD Band n77 DoD_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						631668 Ch. 3475.02 MHz		635000 Ch. 3525 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	14.47		14.53	0
				1	67	14.26		14.27	0
				1	131	14.24		14.24	0
				64	0	14.49		14.48	0
				64	35	14.37		14.39	0
				64	69	14.23		14.26	0
				128	0	14.36		14.38	0
			QPSK	1	1	14.51		14.52	0
				1	67	14.26		14.28	0
				1	131	14.21		14.19	0
				64	0	14.50		14.51	0
				64	35	14.38		14.40	0
				64	69	14.26		14.26	0
				128	0	14.42		14.41	0
			16QAM	1	1	14.47		14.49	0
			64QAM	1	1	14.44		14.45	0
			256QAM	1	1	14.23		14.12	0
		CP	QPSK	1	1	14.65		14.71	0

NR TDD Band n77 DoD_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							633334 Ch. 3500.01 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		14.52		0
				1	81		14.52		0
				1	160		14.29		0
				81	0		14.54		0
				81	41		14.53		0
				81	81		14.36		0
				162	0		14.47		0
			QPSK	1	1		14.48		0
				1	81		14.42		0
				1	160		14.21		0
				81	0		14.53		0
				81	41		14.47		0
				81	81		14.35		0
				162	0		14.48		0
			16QAM	1	1		14.40		0
			64QAM	1	1		14.47		0
			256QAM	1	1		14.14		0
		CP	QPSK	1	1		14.66		0

NR TDD Band n77 DoD_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
70 MHz	30	DFT-s	pi/2 BPSK	1	1		14.46	0
				1	95		14.33	0
				1	187		14.12	0
				90	0		14.46	0
				90	50		14.39	0
				90	99		14.26	0
				180	0		14.44	0
			QPSK	1	1		14.51	0
				1	95		14.35	0
				1	187		14.09	0
				90	0		14.46	0
				90	50		14.41	0
				90	99		14.28	0
				180	0		14.44	0
			16QAM	1	1		14.27	0
			64QAM	1	1		14.47	0
			256QAM	1	1		14.41	0
		CP	QPSK	1	1		14.63	0

NR TDD Band n77 DoD_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
80 MHz	30	DFT-s	pi/2 BPSK	1	1		14.51	0
				1	109		14.33	0
				1	215		14.09	0
				108	0		14.43	0
				108	55		14.40	0
				108	109		14.24	0
				216	0		14.38	0
			QPSK	1	1		14.49	0
				1	109		14.33	0
				1	215		14.04	0
				108	0		14.47	0
				108	55		14.43	0
				108	109		14.26	0
				216	0		14.43	0
			16QAM	1	1		14.28	0
			64QAM	1	1		14.50	0
			256QAM	1	1		14.41	0
		CP	QPSK	1	1		14.64	0

NR TDD Band n77 DoD_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
90 MHz	30	DFT-s	pi/2 BPSK	1	1		14.49	0
				1	123		14.26	0
				1	243		14.28	0
				120	0		14.44	0
				120	63		14.41	0
				120	125		14.22	0
				243	0		14.40	0
			QPSK	1	1		14.49	0
				1	123		14.31	0
				1	243		14.20	0
				120	0		14.46	0
				120	63		14.43	0
				120	125		14.25	0
				243	0		14.44	0
			16QAM	1	1		14.29	0
			64QAM	1	1		14.52	0
			256QAM	1	1		14.43	0
		CP	QPSK	1	1		14.67	0

NR TDD Band n77 DoD_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
100 MHz	30	DFT-s	pi/2 BPSK	1	1		14.59	0
				1	137		14.36	0
				1	271		14.31	0
				135	0		14.46	0
				135	69		14.41	0
				135	138		14.23	0
				270	0		14.40	0
			QPSK	1	1		14.70	0
				1	137		14.34	0
				1	271		14.24	0
				135	0		14.47	0
				135	69		14.62	0
				135	138		14.22	0
				270	0		14.40	0
			16QAM	1	1		14.41	0
			64QAM	1	1		14.46	0
			256QAM	1	1		14.22	0
		CP	QPSK	1	1		14.70	0

NR TDD Band n78 Conducted Power (Power Class 2, Power Class 3)_Free(DSI=0) _ANT.G[SUB3]

NR TDD Band n78_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						647000 Ch. 3705 MHz	650000 Ch. 3750 MHz	653000 Ch. 3795 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	13.19	13.18	13.19	0
				1	12	13.21	13.21	13.19	0
				1	22	13.25	13.21	13.19	0
				12	0	13.22	13.25	13.22	0
				12	6	13.33	13.24	13.24	0
				12	12	13.13	13.13	13.15	0
				24	0	13.27	13.29	13.18	0
			QPSK	1	1	13.25	13.14	13.20	0
				1	12	13.21	13.15	13.11	0
				1	22	13.28	13.21	13.13	0
				12	0	13.29	13.33	13.31	0
				12	6	13.34	13.29	13.24	0
				12	12	13.05	13.22	13.23	0
				24	0	13.27	13.31	13.28	0
			16QAM	1	1	12.95	12.95	13.00	0
			64QAM	1	1	12.99	13.02	12.96	0
			256QAM	1	1	13.01	12.95	12.97	0
		CP	QPSK	1	1	12.98	12.92	12.90	0

NR TDD Band n78_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						647166 Ch. 3707.5 MHz	650000 Ch. 3750 MHz	652832 Ch. 3792.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	13.25	13.22	13.13	0
				1	18	13.20	13.23	13.18	0
				1	36	13.30	13.18	13.19	0
				18	0	13.25	13.21	13.29	0
				18	10	13.25	13.26	13.22	0
				18	20	13.10	13.14	13.16	0
				36	0	13.31	13.28	13.21	0
			QPSK	1	1	13.27	13.20	13.23	0
				1	18	13.15	13.13	13.13	0
				1	36	13.25	13.26	13.21	0
				18	0	13.29	13.29	13.27	0
				18	10	13.38	13.32	13.36	0
				18	20	13.09	13.12	13.17	0
				36	0	13.30	13.33	13.23	0
			16QAM	1	1	12.99	12.95	12.97	0
			64QAM	1	1	13.05	13.03	12.99	0
			256QAM	1	1	13.00	12.95	12.98	0
		CP	QPSK	1	1	12.96	12.94	12.86	0

NR TDD Band n78_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						647334 Ch. 3710.01 MHz	650000 Ch. 3750 MHz	652666 Ch. 3789.99 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	13.18	13.15	13.19	0
				1	26	13.22	13.19	13.12	0
				1	49	13.23	13.22	13.19	0
				25	0	13.32	13.26	13.30	0
				25	13	13.25	13.21	13.20	0
				25	26	13.11	13.16	13.12	0
				50	0	13.35	13.21	13.27	0
			QPSK	1	1	13.21	13.16	13.17	0
				1	26	13.24	13.22	13.15	0
				1	49	13.23	13.18	13.25	0
				25	0	13.31	13.26	13.26	0
				25	13	13.28	13.32	13.30	0
				25	26	13.09	13.17	13.11	0
				50	0	13.34	13.26	13.20	0
			16QAM	1	1	13.03	12.98	12.95	0
			64QAM	1	1	13.00	12.98	12.90	0
			256QAM	1	1	13.01	13.00	12.91	0
		CP	QPSK	1	1	12.97	12.95	12.91	0

NR TDD Band n78_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						647500 Ch. 3712.5 MHz	650000 Ch. 3750 MHz	652500 Ch. 3787.5 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	13.23	13.15	13.16	0
				1	32	13.26	13.22	13.14	0
				1	63	13.25	13.21	13.16	0
				32	0	13.31	13.24	13.23	0
				32	17	13.25	13.19	13.18	0
				32	33	13.06	13.15	13.13	0
				64	0	13.26	13.28	13.26	0
			QPSK	1	1	13.22	13.15	13.22	0
				1	32	13.16	13.17	13.14	0
				1	63	13.19	13.19	13.16	0
				32	0	13.35	13.35	13.26	0
				32	17	13.37	13.26	13.24	0
				32	33	13.19	13.18	13.12	0
				64	0	13.29	13.25	13.25	0
			16QAM	1	1	13.03	12.98	13.03	0
			64QAM	1	1	12.98	13.02	12.97	0
			256QAM	1	1	13.02	12.90	12.94	0
		CP	QPSK	1	1	12.95	12.94	12.94	0

NR TDD Band n78_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						647666 Ch. 3715 MHz	650000 Ch. 3750 MHz	652332 Ch. 3784.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	13.19	13.13	13.13	0
				1	39	13.19	13.19	13.14	0
				1	76	13.23	13.17	13.18	0
				36	0	13.24	13.29	13.26	0
				36	21	13.28	13.23	13.17	0
				36	42	13.04	13.18	13.05	0
				75	0	13.31	13.27	13.24	0
			QPSK	1	1	13.23	13.12	13.26	0
				1	39	13.19	13.17	13.17	0
				1	76	13.23	13.23	13.15	0
				36	0	13.31	13.35	13.36	0
				36	21	13.31	13.33	13.31	0
				36	42	13.11	13.08	13.09	0
				75	0	13.30	13.30	13.32	0
			16QAM	1	1	12.99	12.95	12.99	0
			64QAM	1	1	13.01	12.99	12.94	0
			256QAM	1	1	12.99	12.93	12.98	0
		CP	QPSK	1	1	12.96	13.02	12.86	0

NR TDD Band n78_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						647800 Ch. 3720 MHz		652000 Ch. 3780 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	13.25		13.19	0
				1	53	13.25		13.23	0
				1	104	13.26		13.14	0
				50	0	13.26		13.34	0
				50	28	13.26		13.23	0
				50	56	13.05		13.10	0
				100	0	13.27		13.19	0
			QPSK	1	1	13.29		13.16	0
				1	53	13.20		13.09	0
				1	104	13.16		13.16	0
				50	0	13.31		13.32	0
				50	28	13.27		13.25	0
				50	56	13.14		13.12	0
				100	0	13.26		13.24	0
			16QAM	1	1	12.97		12.99	0
			64QAM	1	1	12.99		12.89	0
			256QAM	1	1	12.95		12.98	0
		CP	QPSK	1	1	12.99		12.94	0

NR TDD Band n78_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						648334 Ch. 3725.01 MHz		651666 Ch. 3774.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	13.24		13.13	0
				1	67	13.20		13.17	0
				1	131	13.23		13.22	0
				64	0	13.27		13.29	0
				64	35	13.26		13.21	0
				64	69	13.13		13.07	0
				128	0	13.31		13.27	0
			QPSK	1	1	13.29		13.19	0
				1	67	13.19		13.11	0
				1	131	13.23		13.17	0
				64	0	13.33		13.33	0
				64	35	13.34		13.35	0
				64	69	13.17		13.19	0
				128	0	13.27		13.24	0
			16QAM	1	1	13.05		13.04	0
			64QAM	1	1	12.97		12.98	0
			256QAM	1	1	12.95		12.94	0
		CP	QPSK	1	1	12.96		12.90	0

NR TDD Band n78_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							650000 Ch. 3750 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		13.23		0
				1	81		13.24		0
				1	160		13.27		0
				81	0		13.29		0
				81	41		13.32		0
				81	81		13.19		0
				162	0		13.33		0
			QPSK	1	1		13.20		0
				1	81		13.22		0
				1	160		13.23		0
				81	0		13.31		0
				81	41		13.30		0
				81	81		13.16		0
				162	0		13.28		0
			16QAM	1	1		13.05		0
			64QAM	1	1		13.00		0
			256QAM	1	1		12.92		0
		CP	QPSK	1	1		12.91		0

NR TDD Band n78_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							650000 Ch. 3750 MHz	
70 MHz	30	DFT-s	pi/2 BPSK	1	1		13.18	0
				1	95		13.19	0
				1	187		13.25	0
				90	0		13.23	0
				90	50		13.28	0
				90	99		13.20	0
				180	0		13.28	0
			QPSK	1	1		13.20	0
				1	95		13.17	0
				1	187		13.21	0
				90	0		13.36	0
				90	50		13.22	0
				90	99		13.04	0
				180	0		13.19	0
			16QAM	1	1		13.03	0
			64QAM	1	1		12.95	0
			256QAM	1	1		12.97	0
		CP	QPSK	1	1		12.92	0

NR TDD Band n78_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							650000 Ch. 3750 MHz	
80 MHz	30	DFT-s	pi/2 BPSK	1	1		13.22	0
				1	109		13.20	0
				1	215		13.14	0
				108	0		13.23	0
				108	55		13.23	0
				108	109		13.17	0
				216	0		13.22	0
			QPSK	1	1		13.15	0
				1	109		13.16	0
				1	215		13.20	0
				108	0		13.29	0
				108	55		13.26	0
				108	109		13.17	0
				216	0		13.27	0
			16QAM	1	1		12.94	0
			64QAM	1	1		13.00	0
			256QAM	1	1		12.89	0
		CP	QPSK	1	1		12.88	0

NR TDD Band n78_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							650000 Ch. 3750 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		13.18		0
				1	123		13.20		0
				1	243		13.24		0
				120	0		13.23		0
				120	63		13.30		0
				120	125		13.10		0
				243	0		13.25		0
			QPSK	1	1		13.14		0
				1	123		13.16		0
				1	243		13.09		0
				120	0		13.27		0
				120	63		13.24		0
				120	125		13.11		0
				243	0		13.26		0
			16QAM	1	1		12.99		0
			64QAM	1	1		12.97		0
			256QAM	1	1		12.96		0
		CP	QPSK	1	1		12.96		0

NR TDD Band n78_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							650000 Ch. 3750 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1		13.05		0
				1	137		13.00		0
				1	271		12.98		0
				135	0		13.04		0
				135	69		13.01		0
				135	138		13.00		0
				270	0		12.97		0
			QPSK	1	1		13.11		0
				1	137		13.01		0
				1	271		12.92		0
				135	0		13.10		0
				135	69		13.04		0
				135	138		12.82		0
				270	0		12.98		0
			16QAM	1	1		13.00		0
			64QAM	1	1		13.02		0
			256QAM	1	1		12.96		0
		CP	QPSK	1	1		12.95		0

NR TDD Band n78 Conducted Power (Power Class 2, Power Class 3)_RCV(DSI=1)_ANT.G[SUB3]

NR TDD Band n78_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						647000 Ch. 3705 MHz	650000 Ch. 3750 MHz	653000 Ch. 3795 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	14.23	14.18	14.20	0
				1	12	14.24	14.24	14.26	0
				1	22	14.28	14.24	14.20	0
				12	0	14.28	14.27	14.27	0
				12	6	14.37	14.29	14.25	0
				12	12	14.21	14.17	14.18	0
				24	0	14.31	14.33	14.26	0
			QPSK	1	1	14.32	14.22	14.27	0
				1	12	14.25	14.19	14.17	0
				1	22	14.28	14.23	14.21	0
				12	0	14.34	14.34	14.36	0
				12	6	14.37	14.30	14.32	0
				12	12	14.13	14.24	14.24	0
				24	0	14.32	14.34	14.28	0
			16QAM	1	1	14.02	14.02	14.02	0
			64QAM	1	1	14.00	14.05	13.97	0
			256QAM	1	1	14.06	13.99	13.99	0
		CP	QPSK	1	1	13.99	14.00	13.95	0

NR TDD Band n78_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						647166 Ch. 3707.5 MHz	650000 Ch. 3750 MHz	652832 Ch. 3792.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	14.26	14.23	14.21	0
				1	18	14.23	14.23	14.20	0
				1	36	14.30	14.25	14.23	0
				18	0	14.30	14.25	14.30	0
				18	10	14.31	14.28	14.23	0
				18	20	14.11	14.17	14.18	0
				36	0	14.36	14.31	14.28	0
			QPSK	1	1	14.27	14.24	14.23	0
				1	18	14.20	14.21	14.21	0
				1	36	14.29	14.29	14.26	0
				18	0	14.32	14.35	14.34	0
				18	10	14.40	14.37	14.39	0
				18	20	14.11	14.13	14.24	0
				36	0	14.31	14.33	14.28	0
			16QAM	1	1	14.05	13.99	14.02	0
			64QAM	1	1	14.07	14.04	14.00	0
			256QAM	1	1	14.07	13.99	14.00	0
		CP	QPSK	1	1	14.03	13.96	13.93	0

NR TDD Band n78_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						647334 Ch. 3710.01 MHz	650000 Ch. 3750 MHz	652666 Ch. 3789.99 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	14.23	14.19	14.22	0
				1	26	14.25	14.24	14.20	0
				1	49	14.28	14.25	14.21	0
				25	0	14.35	14.32	14.34	0
				25	13	14.32	14.22	14.24	0
				25	26	14.18	14.20	14.17	0
				50	0	14.35	14.29	14.30	0
			QPSK	1	1	14.29	14.19	14.22	0
				1	26	14.28	14.23	14.21	0
				1	49	14.28	14.25	14.26	0
				25	0	14.37	14.33	14.33	0
				25	13	14.33	14.35	14.31	0
				25	26	14.13	14.18	14.15	0
				50	0	14.38	14.31	14.28	0
			16QAM	1	1	14.04	14.02	14.01	0
			64QAM	1	1	14.02	14.03	13.95	0
			256QAM	1	1	14.07	14.03	13.98	0
		CP	QPSK	1	1	13.98	14.03	13.93	0

NR TDD Band n78_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						647500 Ch. 3712.5 MHz	650000 Ch. 3750 MHz	652500 Ch. 3787.5 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	14.24	14.17	14.19	0
				1	32	14.26	14.24	14.20	0
				1	63	14.26	14.28	14.21	0
				32	0	14.34	14.32	14.27	0
				32	17	14.33	14.23	14.22	0
				32	33	14.14	14.17	14.18	0
				64	0	14.31	14.30	14.29	0
			QPSK	1	1	14.29	14.22	14.24	0
				1	32	14.21	14.19	14.21	0
				1	63	14.24	14.22	14.21	0
				32	0	14.36	14.36	14.32	0
				32	17	14.37	14.30	14.32	0
				32	33	14.20	14.21	14.18	0
				64	0	14.35	14.31	14.30	0
			16QAM	1	1	14.08	14.02	14.04	0
			64QAM	1	1	14.06	14.03	13.99	0
			256QAM	1	1	14.05	13.98	14.00	0
		CP	QPSK	1	1	14.01	14.00	14.00	0

NR TDD Band n78_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						647666 Ch. 3715 MHz	650000 Ch. 3750 MHz	652332 Ch. 3784.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	14.22	14.15	14.16	0
				1	39	14.25	14.21	14.22	0
				1	76	14.23	14.21	14.24	0
				36	0	14.29	14.30	14.27	0
				36	21	14.29	14.24	14.23	0
				36	42	14.11	14.24	14.11	0
				75	0	14.36	14.29	14.27	0
			QPSK	1	1	14.29	14.20	14.27	0
				1	39	14.25	14.23	14.19	0
				1	76	14.30	14.26	14.21	0
				36	0	14.37	14.35	14.38	0
				36	21	14.37	14.36	14.34	0
				36	42	14.18	14.13	14.11	0
				75	0	14.33	14.31	14.33	0
			16QAM	1	1	14.03	13.97	14.03	0
			64QAM	1	1	14.06	14.06	13.96	0
			256QAM	1	1	14.07	13.99	14.01	0
		CP	QPSK	1	1	13.99	14.02	13.93	0

NR TDD Band n78_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						647800 Ch. 3720 MHz		652000 Ch. 3780 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	14.27		14.23	0
				1	53	14.28		14.24	0
				1	104	14.29		14.22	0
				50	0	14.28		14.34	0
				50	28	14.30		14.28	0
				50	56	14.11		14.17	0
				100	0	14.35		14.26	0
			QPSK	1	1	14.30		14.21	0
				1	53	14.24		14.15	0
				1	104	14.23		14.19	0
				50	0	14.36		14.32	0
				50	28	14.33		14.33	0
				50	56	14.18		14.19	0
				100	0	14.33		14.28	0
			16QAM	1	1	14.04		14.06	0
			64QAM	1	1	14.05		13.94	0
			256QAM	1	1	14.00		13.99	0
		CP	QPSK	1	1	14.05		13.99	0

NR TDD Band n78_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						648334 Ch. 3725.01 MHz		651666 Ch. 3774.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	14.28		14.20	0
				1	67	14.22		14.22	0
				1	131	14.27		14.25	0
				64	0	14.31		14.30	0
				64	35	14.31		14.26	0
				64	69	14.17		14.11	0
				128	0	14.31		14.31	0
			QPSK	1	1	14.32		14.22	0
				1	67	14.22		14.17	0
				1	131	14.27		14.22	0
				64	0	14.39		14.39	0
				64	35	14.37		14.35	0
				64	69	14.20		14.21	0
				128	0	14.31		14.32	0
			16QAM	1	1	14.08		14.07	0
			64QAM	1	1	14.04		13.99	0
			256QAM	1	1	14.03		14.00	0
		CP	QPSK	1	1	14.01		13.93	0

NR TDD Band n78_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							650000 Ch. 3750 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		14.26		0
				1	81		14.27		0
				1	160		14.27		0
				81	0		14.31		0
				81	41		14.36		0
				81	81		14.25		0
				162	0		14.34		0
			QPSK	1	1		14.25		0
				1	81		14.25		0
				1	160		14.24		0
				81	0		14.38		0
				81	41		14.32		0
				81	81		14.21		0
				162	0		14.32		0
			16QAM	1	1		14.07		0
			64QAM	1	1		14.03		0
			256QAM	1	1		13.99		0
		CP	QPSK	1	1		13.98		0

NR TDD Band n78_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							650000 Ch. 3750 MHz		
70 MHz	30	DFT-s	pi/2 BPSK	1	1		14.19		0
				1	95		14.23		0
				1	187		14.25		0
				90	0		14.27		0
				90	50		14.28		0
				90	99		14.25		0
				180	0		14.29		0
			QPSK	1	1		14.23		0
				1	95		14.21		0
				1	187		14.22		0
				90	0		14.37		0
				90	50		14.27		0
				90	99		14.11		0
				180	0		14.25		0
			16QAM	1	1		14.07		0
			64QAM	1	1		14.03		0
			256QAM	1	1		13.98		0
		CP	QPSK	1	1		13.96		0

NR TDD Band n78_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							650000 Ch. 3750 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1		14.23		0
				1	109		14.22		0
				1	215		14.22		0
				108	0		14.29		0
				108	55		14.28		0
				108	109		14.18		0
				216	0		14.27		0
			QPSK	1	1		14.19		0
				1	109		14.17		0
				1	215		14.20		0
				108	0		14.33		0
				108	55		14.31		0
				108	109		14.18		0
				216	0		14.32		0
			16QAM	1	1		14.00		0
			64QAM	1	1		14.03		0
			256QAM	1	1		13.97		0
		CP	QPSK	1	1		13.92		0

NR TDD Band n78_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							650000 Ch. 3750 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		14.20		0
				1	123		14.26		0
				1	243		14.26		0
				120	0		14.28		0
				120	63		14.31		0
				120	125		14.17		0
				243	0		14.29		0
			QPSK	1	1		14.21		0
				1	123		14.21		0
				1	243		14.16		0
				120	0		14.32		0
				120	63		14.30		0
				120	125		14.17		0
				243	0		14.28		0
			16QAM	1	1		14.05		0
			64QAM	1	1		14.02		0
			256QAM	1	1		13.98		0
		CP	QPSK	1	1		13.96		0

NR TDD Band n78_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							650000 Ch. 3750 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1		14.19		0
				1	137		14.24		0
				1	271		14.19		0
				135	0		14.29		0
				135	69		14.33		0
				135	138		14.21		0
				270	0		14.28		0
			QPSK	1	1		14.25		0
				1	137		14.21		0
				1	271		14.22		0
				135	0		14.38		0
				135	69		14.28		0
				135	138		14.28		0
				270	0		14.29		0
			16QAM	1	1		14.00		0
			64QAM	1	1		14.00		0
			256QAM	1	1		13.96		0
		CP	QPSK	1	1		13.96		0

NR TDD Band n78 DoD Conducted Power (Power Class 2, Power Class 3)_Free(DSI=0) _ANT.G[SUB3]

NR TDD Band n78 DoD_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630334 Ch. 3455.01 MHz	633334 Ch. 3500.01 MHz	636332 Ch. 3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	13.15	13.08	13.08	0
				1	12	13.12	13.17	13.14	0
				1	22	13.16	13.21	13.12	0
				12	0	13.21	13.20	13.13	0
				12	6	13.27	13.24	13.14	0
				12	12	13.11	13.09	13.11	0
				24	0	13.28	13.25	13.16	0
			QPSK	1	1	13.17	13.09	13.14	0
				1	12	13.21	13.12	13.08	0
				1	22	13.18	13.16	13.11	0
				12	0	13.24	13.27	13.24	0
				12	6	13.35	13.22	13.23	0
				12	12	13.06	13.21	13.12	0
				24	0	13.31	13.24	13.20	0
			16QAM	1	1	12.98	12.97	13.00	0
			64QAM	1	1	12.87	12.93	12.86	0
			256QAM	1	1	13.02	12.88	12.94	0
		CP	QPSK	1	1	12.91	12.92	12.90	0

NR TDD Band n78 DoD_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630500 Ch. 3457.5 MHz	633334 Ch. 3500.01 MHz	636116 Ch. 3542.49 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	13.17	13.08	13.18	0
				1	18	13.17	13.14	13.14	0
				1	36	13.24	13.08	13.07	0
				18	0	13.21	13.22	13.18	0
				18	10	13.27	13.20	13.09	0
				18	20	13.12	13.07	13.04	0
				36	0	13.28	13.28	13.13	0
			QPSK	1	1	13.27	13.19	13.19	0
				1	18	13.13	13.16	13.09	0
				1	36	13.18	13.12	13.14	0
				18	0	13.30	13.27	13.20	0
				18	10	13.30	13.23	13.23	0
				18	20	13.07	13.17	13.19	0
				36	0	13.28	13.28	13.26	0
			16QAM	1	1	12.98	12.90	12.93	0
			64QAM	1	1	12.94	13.04	12.87	0
			256QAM	1	1	12.97	12.85	12.93	0
		CP	QPSK	1	1	12.91	12.92	12.93	0

NR TDD Band n78 DoD_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630668 Ch. 3460.02 MHz	633334 Ch. 3500.01 MHz	63600 Ch. 3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	13.14	13.17	13.16	0
				1	26	13.13	13.17	13.14	0
				1	49	13.13	13.16	13.12	0
				25	0	13.21	13.17	13.21	0
				25	13	13.29	13.24	13.19	0
				25	26	13.17	13.10	13.11	0
				50	0	13.26	13.29	13.20	0
			QPSK	1	1	13.30	13.15	13.25	0
				1	26	13.19	13.10	13.05	0
				1	49	13.21	13.15	13.13	0
				25	0	13.28	13.24	13.25	0
				25	13	13.32	13.17	13.30	0
				25	26	13.02	13.09	13.14	0
				50	0	13.22	13.25	13.20	0
			16QAM	1	1	12.97	12.96	12.92	0
			64QAM	1	1	12.94	12.93	12.90	0
			256QAM	1	1	12.97	12.88	12.90	0
		CP	QPSK	1	1	12.90	12.90	12.80	0

NR TDD Band n78 DoD_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630866 Ch. 3462.99 MHz	633334 Ch. 3500.01 MHz	635800 Ch. 3537 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	13.15	13.11	13.09	0
				1	32	13.18	13.12	13.19	0
				1	63	13.15	13.18	13.14	0
				32	0	13.15	13.22	13.15	0
				32	17	13.30	13.22	13.13	0
				32	33	13.14	13.12	13.07	0
				64	0	13.23	13.27	13.17	0
			QPSK	1	1	13.21	13.12	13.25	0
				1	32	13.18	13.13	13.09	0
				1	63	13.23	13.14	13.12	0
				32	0	13.29	13.26	13.26	0
				32	17	13.29	13.23	13.23	0
				32	33	13.10	13.19	13.15	0
				64	0	13.21	13.24	13.22	0
			16QAM	1	1	12.97	12.87	12.99	0
			64QAM	1	1	12.94	12.98	12.88	0
			256QAM	1	1	13.01	12.92	12.91	0
		CP	QPSK	1	1	12.90	12.87	12.86	0

NR TDD Band n78 DoD_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						631000 Ch. 3465 MHz	633334 Ch. 3500.01 MHz	635666 Ch. 3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	13.21	13.09	13.10	0
				1	39	13.16	13.19	13.11	0
				1	76	13.21	13.13	13.08	0
				36	0	13.23	13.17	13.16	0
				36	21	13.28	13.27	13.14	0
				36	42	13.11	13.06	13.12	0
				75	0	13.23	13.26	13.18	0
			QPSK	1	1	13.25	13.17	13.19	0
				1	39	13.12	13.09	13.08	0
				1	76	13.21	13.18	13.11	0
				36	0	13.29	13.26	13.27	0
				36	21	13.27	13.23	13.25	0
				36	42	13.04	13.17	13.18	0
				75	0	13.23	13.25	13.16	0
			16QAM	1	1	12.97	12.91	12.94	0
			64QAM	1	1	12.92	12.91	12.86	0
			256QAM	1	1	12.93	12.90	12.90	0
		CP	QPSK	1	1	12.93	12.99	12.82	0

NR TDD Band n78 DoD_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						631334 Ch. 3470.01 MHz		635332 Ch. 3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	13.18		13.13	0
				1	53	13.09		13.13	0
				1	104	13.15		13.14	0
				50	0	13.18		13.24	0
				50	28	13.33		13.14	0
				50	56	13.09		13.11	0
				100	0	13.28		13.17	0
			QPSK	1	1	13.24		13.19	0
				1	53	13.16		13.09	0
				1	104	13.25		13.18	0
				50	0	13.25		13.29	0
				50	28	13.26		13.22	0
				50	56	13.10		13.10	0
				100	0	13.25		13.26	0
			16QAM	1	1	12.91		12.93	0
			64QAM	1	1	12.91		12.85	0
			256QAM	1	1	12.95		12.88	0
		CP	QPSK	1	1	12.91		12.86	0

NR TDD Band n78 DoD_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]	
						631668 Ch. 3475.02 MHz	635000 Ch. 3525 MHz		
50 MHz	30	DFT-s	pi/2 BPSK	1	1	13.15		13.15	0
				1	67	13.14		13.18	0
				1	131	13.21		13.12	0
				64	0	13.18		13.22	0
				64	35	13.23		13.17	0
				64	69	13.09		13.06	0
				128	0	13.26		13.16	0
			QPSK	1	1	13.21		13.18	0
				1	67	13.15		13.09	0
				1	131	13.17		13.19	0
				64	0	13.33		13.30	0
				64	35	13.27		13.28	0
				64	69	13.06		13.16	0
				128	0	13.27		13.15	0
			16QAM	1	1	12.91		13.00	0
			64QAM	1	1	12.86		12.88	0
			256QAM	1	1	13.00		12.84	0
		CP	QPSK	1	1	12.89		12.85	0

NR TDD Band n78 DoD_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							633334 Ch. 3500.01 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		13.21		0
				1	81		13.18		0
				1	160		13.23		0
				81	0		13.25		0
				81	41		13.29		0
				81	81		13.15		0
				162	0		13.26		0
			QPSK	1	1		13.18		0
				1	81		13.18		0
				1	160		13.13		0
				81	0		13.33		0
				81	41		13.22		0
				81	81		13.15		0
				162	0		13.26		0
			16QAM	1	1		12.99		0
			64QAM	1	1		12.95		0
			256QAM	1	1		12.91		0
		CP	QPSK	1	1		12.97		0

NR TDD Band n78 DoD_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
70 MHz	30	DFT-s	pi/2 BPSK	1	1		13.17	0
				1	95		13.12	0
				1	187		13.18	0
				90	0		13.19	0
				90	50		13.27	0
				90	99		13.07	0
				180	0		13.24	0
			QPSK	1	1		13.20	0
				1	95		13.16	0
				1	187		13.13	0
				90	0		13.35	0
				90	50		13.26	0
				90	99		13.19	0
				180	0		13.22	0
			16QAM	1	1		13.00	0
			64QAM	1	1		12.92	0
			256QAM	1	1		12.96	0
		CP	QPSK	1	1		12.91	0

NR TDD Band n78 DoD_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
80 MHz	30	DFT-s	pi/2 BPSK	1	1		13.15	0
				1	109		13.14	0
				1	215		13.21	0
				108	0		13.28	0
				108	55		13.29	0
				108	109		13.15	0
				216	0		13.33	0
			QPSK	1	1		13.14	0
				1	109		13.19	0
				1	215		13.14	0
				108	0		13.27	0
				108	55		13.29	0
				108	109		13.26	0
				216	0		13.27	0
			16QAM	1	1		13.00	0
			64QAM	1	1		12.96	0
			256QAM	1	1		12.93	0
		CP	QPSK	1	1		12.91	0

NR TDD Band n78 DoD_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
90 MHz	30	DFT-s	pi/2 BPSK	1	1		13.16	0
				1	123		13.16	0
				1	243		13.21	0
				120	0		13.25	0
				120	63		13.33	0
				120	125		13.12	0
				243	0		13.30	0
			QPSK	1	1		13.17	0
				1	123		13.17	0
				1	243		13.18	0
				120	0		13.33	0
				120	63		13.31	0
				120	125		13.20	0
				243	0		13.21	0
			16QAM	1	1		12.98	0
			64QAM	1	1		12.93	0
			256QAM	1	1		12.87	0
		CP	QPSK	1	1		12.86	0

NR TDD Band n78 DoD_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
100 MHz	30	DFT-s	pi/2 BPSK	1	1		13.17	0
				1	137		13.19	0
				1	271		13.22	0
				135	0		13.22	0
				135	69		13.32	0
				135	138		13.12	0
				270	0		13.20	0
			QPSK	1	1		13.21	0
				1	137		13.11	0
				1	271		13.29	0
				135	0		13.19	0
				135	69		13.27	0
				135	138		13.10	0
				270	0		13.19	0
			16QAM	1	1		12.98	0
			64QAM	1	1		12.95	0
			256QAM	1	1		12.94	0
		CP	QPSK	1	1		12.87	0

NR TDD Band n78 DoD Conducted Power (Power Class 2, Power Class 3)_RCV(DSI=1) _ANT.G[SUB3]

NR TDD Band n78 DoD_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630334 Ch. 3455.01 MHz	633334 Ch. 3500.01 MHz	636332 Ch. 3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	14.18	14.14	14.16	0
				1	12	14.19	14.20	14.20	0
				1	22	14.21	14.21	14.18	0
				12	0	14.27	14.23	14.20	0
				12	6	14.33	14.24	14.20	0
				12	12	14.16	14.12	14.16	0
				24	0	14.30	14.33	14.21	0
			QPSK	1	1	14.25	14.16	14.19	0
				1	12	14.24	14.13	14.15	0
				1	22	14.26	14.19	14.17	0
				12	0	14.30	14.28	14.31	0
				12	6	14.36	14.27	14.29	0
				12	12	14.12	14.23	14.19	0
				24	0	14.31	14.28	14.21	0
			16QAM	1	1	14.00	13.99	14.02	0
			64QAM	1	1	13.94	13.97	13.93	0
			256QAM	1	1	14.03	13.95	13.96	0
		CP	QPSK	1	1	13.92	13.96	13.92	0

NR TDD Band n78 DoD_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630500 Ch. 3457.5 MHz	633334 Ch. 3500.01 MHz	636116 Ch. 3542.49 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	14.19	14.14	14.19	0
				1	18	14.21	14.18	14.18	0
				1	36	14.26	14.16	14.14	0
				18	0	14.22	14.22	14.24	0
				18	10	14.32	14.27	14.17	0
				18	20	14.15	14.14	14.11	0
				36	0	14.29	14.31	14.19	0
			QPSK	1	1	14.30	14.19	14.23	0
				1	18	14.20	14.17	14.13	0
				1	36	14.23	14.19	14.16	0
				18	0	14.32	14.28	14.28	0
				18	10	14.31	14.29	14.28	0
				18	20	14.08	14.22	14.20	0
				36	0	14.28	14.29	14.26	0
			16QAM	1	1	13.98	13.95	13.99	0
			64QAM	1	1	13.96	14.05	13.92	0
			256QAM	1	1	14.05	13.92	13.93	0
		CP	QPSK	1	1	13.93	13.99	13.94	0

NR TDD Band n78 DoD_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630668 Ch. 3460.02 MHz	633334 Ch. 3500.01 MHz	63600 Ch. 3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	14.18	14.17	14.19	0
				1	26	14.18	14.19	14.18	0
				1	49	14.21	14.21	14.18	0
				25	0	14.21	14.20	14.22	0
				25	13	14.30	14.25	14.21	0
				25	26	14.20	14.11	14.13	0
				50	0	14.30	14.30	14.21	0
			QPSK	1	1	14.31	14.21	14.26	0
				1	26	14.24	14.17	14.12	0
				1	49	14.22	14.15	14.14	0
				25	0	14.33	14.27	14.31	0
				25	13	14.37	14.25	14.31	0
				25	26	14.08	14.17	14.21	0
				50	0	14.29	14.29	14.27	0
			16QAM	1	1	14.00	13.99	13.94	0
			64QAM	1	1	13.94	13.99	13.91	0
			256QAM	1	1	14.02	13.95	13.94	0
		CP	QPSK	1	1	13.92	13.93	13.88	0

NR TDD Band n78 DoD_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630866 Ch. 3462.99 MHz	633334 Ch. 3500.01 MHz	635800 Ch. 3537 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	14.15	14.12	14.14	0
				1	32	14.18	14.17	14.21	0
				1	63	14.20	14.24	14.20	0
				32	0	14.22	14.27	14.22	0
				32	17	14.33	14.27	14.18	0
				32	33	14.19	14.13	14.14	0
				64	0	14.27	14.29	14.24	0
			QPSK	1	1	14.26	14.17	14.25	0
				1	32	14.21	14.14	14.10	0
				1	63	14.26	14.15	14.14	0
				32	0	14.33	14.31	14.31	0
				32	17	14.34	14.26	14.29	0
				32	33	14.11	14.20	14.22	0
				64	0	14.26	14.31	14.26	0
			16QAM	1	1	13.99	13.95	13.99	0
			64QAM	1	1	13.96	13.99	13.94	0
			256QAM	1	1	14.04	13.95	13.97	0
		CP	QPSK	1	1	13.94	13.94	13.88	0

NR TDD Band n78 DoD_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						631000 Ch. 3465 MHz	633334 Ch. 3500.01 MHz	635666 Ch. 3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	14.22	14.16	14.15	0
				1	39	14.17	14.21	14.19	0
				1	76	14.25	14.20	14.14	0
				36	0	14.25	14.21	14.22	0
				36	21	14.31	14.29	14.18	0
				36	42	14.13	14.10	14.14	0
				75	0	14.27	14.33	14.26	0
			QPSK	1	1	14.28	14.20	14.20	0
				1	39	14.19	14.13	14.13	0
				1	76	14.24	14.23	14.14	0
				36	0	14.33	14.30	14.28	0
				36	21	14.33	14.30	14.26	0
				36	42	14.08	14.19	14.22	0
				75	0	14.26	14.28	14.23	0
			16QAM	1	1	14.02	13.97	13.99	0
			64QAM	1	1	13.95	13.99	13.90	0
			256QAM	1	1	13.98	13.97	13.96	0
		CP	QPSK	1	1	13.94	13.99	13.87	0

NR TDD Band n78 DoD_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						631334 Ch. 3470.01 MHz		635332 Ch. 3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	14.18		14.19	0
				1	53	14.17		14.20	0
				1	104	14.21		14.19	0
				50	0	14.26		14.25	0
				50	28	14.35		14.20	0
				50	56	14.15		14.12	0
				100	0	14.28		14.21	0
			QPSK	1	1	14.25		14.25	0
				1	53	14.19		14.09	0
				1	104	14.26		14.20	0
				50	0	14.32		14.29	0
				50	28	14.30		14.29	0
				50	56	14.13		14.16	0
				100	0	14.26		14.27	0
			16QAM	1	1	13.99		13.98	0
			64QAM	1	1	13.95		13.92	0
			256QAM	1	1	13.98		13.94	0
		CP	QPSK	1	1	13.96		13.90	0

NR TDD Band n78 DoD_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]	
						631668 Ch. 3475.02 MHz	635000 Ch. 3525 MHz		
50 MHz	30	DFT-s	pi/2 BPSK	1	1	14.23		14.19	0
				1	67	14.20		14.19	0
				1	131	14.23		14.19	0
				64	0	14.25		14.24	0
				64	35	14.31		14.21	0
				64	69	14.17		14.12	0
				128	0	14.28		14.23	0
			QPSK	1	1	14.26		14.19	0
				1	67	14.21		14.15	0
				1	131	14.21		14.19	0
				64	0	14.33		14.35	0
				64	35	14.33		14.31	0
				64	69	14.11		14.23	0
				128	0	14.27		14.22	0
			16QAM	1	1	13.97		14.01	0
			64QAM	1	1	13.94		13.93	0
			256QAM	1	1	14.06		13.92	0
		CP	QPSK	1	1	13.94		13.87	0

NR TDD Band n78 DoD_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
						633334 Ch. 3500.01 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1	14.24		0
				1	81	14.22		0
				1	160	14.27		0
				81	0	14.27		0
				81	41	14.31		0
				81	81	14.16		0
				162	0	14.33		0
			QPSK	1	1	14.25		0
				1	81	14.19		0
				1	160	14.18		0
				81	0	14.34		0
				81	41	14.27		0
				81	81	14.23		0
				162	0	14.31		0
			16QAM	1	1	14.05		0
			64QAM	1	1	13.96		0
			256QAM	1	1	13.98		0
		CP	QPSK	1	1	13.98		0

NR TDD Band n78 DoD_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
70 MHz	30	DFT-s	pi/2 BPSK	1	1		14.22	0
				1	95		14.20	0
				1	187		14.26	0
				90	0		14.25	0
				90	50		14.33	0
				90	99		14.13	0
				180	0		14.31	0
			QPSK	1	1		14.23	0
				1	95		14.20	0
				1	187		14.17	0
				90	0		14.37	0
				90	50		14.32	0
				90	99		14.27	0
				180	0		14.24	0
			16QAM	1	1		14.01	0
			64QAM	1	1		13.99	0
			256QAM	1	1		13.96	0
		CP	QPSK	1	1		13.93	0

NR TDD Band n78 DoD_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
80 MHz	30	DFT-s	pi/2 BPSK	1	1		14.20	0
				1	109		14.21	0
				1	215		14.25	0
				108	0		14.29	0
				108	55		14.36	0
				108	109		14.21	0
				216	0		14.34	0
			QPSK	1	1		14.20	0
				1	109		14.23	0
				1	215		14.22	0
				108	0		14.33	0
				108	55		14.31	0
				108	109		14.26	0
				216	0		14.30	0
			16QAM	1	1		14.05	0
			64QAM	1	1		14.01	0
			256QAM	1	1		13.97	0
		CP	QPSK	1	1		13.93	0

NR TDD Band n78 DoD_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
90 MHz	30	DFT-s	pi/2 BPSK	1	1		14.22	0
				1	123		14.23	0
				1	243		14.21	0
				120	0		14.28	0
				120	63		14.36	0
				120	125		14.17	0
				243	0		14.33	0
			QPSK	1	1		14.21	0
				1	123		14.20	0
				1	243		14.22	0
				120	0		14.34	0
				120	63		14.31	0
				120	125		14.22	0
				243	0		14.24	0
			16QAM	1	1		14.02	0
			64QAM	1	1		14.00	0
			256QAM	1	1		13.92	0
		CP	QPSK	1	1		13.93	0

NR TDD Band n78 DoD_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
100 MHz	30	DFT-s	pi/2 BPSK	1	1		14.20	0
				1	137		14.26	0
				1	271		14.23	0
				135	0		14.27	0
				135	69		14.32	0
				135	138		14.19	0
				270	0		14.28	0
			QPSK	1	1		14.20	0
				1	137		14.23	0
				1	271		14.18	0
				135	0		14.34	0
				135	69		14.30	0
				135	138		14.21	0
				270	0		14.29	0
			16QAM	1	1		14.04	0
			64QAM	1	1		13.99	0
			256QAM	1	1		13.98	0
		CP	QPSK	1	1		13.95	0