

Appendix I. –Pmax Conducted Power

I.1 LTE Pmax Conducted Power

LTE FDD Band 2 Conducted Power_Pmax _SUB2[ANT.F]

LTE FDD Band 2_1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18607 Ch. 1850.7 MHz	18900 Ch. 1880 MHz	19193 Ch. 1909.3 MHz		
1.4 MHz	QPSK	1	0	24.27	24.44	24.38	0	0
		1	3	24.07	24.24	24.14	0	0
		1	5	24.26	24.36	24.14	0	0
		3	0	24.51	24.45	24.42	0 - 1	0
		3	1	24.33	24.48	24.20	0 - 1	0
		3	3	24.32	24.21	24.50	0 - 1	0
	16QAM	6	0	23.32	23.47	23.63	0 - 1	1
		1	0	23.56	23.69	23.56	0 - 1	1
		1	3	23.82	23.69	23.66	0 - 1	1
		1	5	23.60	23.71	23.74	0 - 1	1
		3	0	23.30	23.53	23.49	0 - 2	1
		3	1	23.47	23.19	23.54	0 - 2	1
	64QAM	3	3	23.48	23.53	23.59	0 - 2	1
		6	0	22.52	22.52	22.65	0 - 2	2
		1	0	22.48	22.62	22.45	0 - 2	2
		1	3	22.44	22.66	22.53	0 - 2	2
		1	5	22.56	22.66	22.60	0 - 2	2
		3	0	22.31	22.52	22.61	0 - 3	2
	256QAM	3	1	22.35	22.22	22.62	0 - 3	2
		3	3	22.45	22.53	22.54	0 - 3	2
		6	0	21.46	21.46	21.65	0 - 3	3
		1	0	19.57	19.59	19.63	0 - 5	5
		1	3	19.45	19.53	19.48	0 - 5	5
		1	5	19.18	19.37	19.56	0 - 5	5
		3	0	19.38	19.53	19.54	0 - 5	5
		3	1	19.21	19.49	19.53	0 - 5	5
		3	3	19.39	19.46	19.51	0 - 5	5
		6	0	19.26	19.14	19.38	0 - 5	5

LTE FDD Band 2_3 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18615 Ch. 1851.5 MHz	18900 Ch. 1880 MHz	19185 Ch. 1908.5 MHz		
3 MHz	QPSK	1	0	24.31	24.45	24.60	0	0
		1	7	24.24	24.39	24.40	0	0
		1	14	24.38	24.47	24.48	0	0
		8	0	23.41	23.51	23.53	0 - 1	1
		8	3	23.35	23.41	23.47	0 - 1	1
		8	7	23.43	23.50	23.54	0 - 1	1
		15	0	23.47	23.56	23.63	0 - 1	1
	16QAM	1	0	23.79	23.83	23.83	0 - 1	1
		1	7	23.83	23.83	23.86	0 - 1	1
		1	14	23.84	23.81	23.79	0 - 1	1
		8	0	22.45	22.55	22.52	0 - 2	2
		8	3	22.49	22.60	22.60	0 - 2	2
		8	7	22.45	22.53	22.54	0 - 2	2
		15	0	22.43	22.53	22.55	0 - 2	2
	64QAM	1	0	22.73	22.82	22.82	0 - 2	2
		1	7	22.46	22.58	22.58	0 - 2	2
		1	14	22.73	22.81	22.72	0 - 2	2
		8	0	21.46	21.52	21.50	0 - 3	3
		8	3	21.43	21.51	21.55	0 - 3	3
		8	7	21.48	21.51	21.52	0 - 3	3
		15	0	21.46	21.56	21.52	0 - 3	3
	256QAM	1	0	19.51	19.66	19.69	0 - 5	5
		1	7	19.50	19.57	19.55	0 - 5	5
		1	14	19.53	19.53	19.57	0 - 5	5
		8	0	19.40	19.44	19.51	0 - 5	5
		8	3	19.32	19.37	19.40	0 - 5	5
		8	7	19.42	19.43	19.43	0 - 5	5
		15	0	19.30	19.30	19.38	0 - 5	5

LTE FDD Band 2_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18625 Ch. 1852.5 MHz	18900 Ch. 1880 MHz	19175 Ch. 1907.5 MHz		
5 MHz	QPSK	1	0	24.37	24.51	24.47	0	0
		1	12	24.34	24.41	24.44	0	0
		1	24	24.45	24.52	24.55	0	0
		12	0	23.43	23.53	23.54	0 - 1	1
		12	6	23.42	23.47	23.54	0 - 1	1
		12	11	23.46	23.52	23.56	0 - 1	1
		25	0	23.42	23.49	23.54	0 - 1	1
	16QAM	1	0	23.74	23.82	23.83	0 - 1	1
		1	12	23.73	23.79	23.88	0 - 1	1
		1	24	23.72	23.72	23.73	0 - 1	1
		12	0	22.49	22.57	22.54	0 - 2	2
		12	6	22.53	22.57	22.63	0 - 2	2
		12	11	22.50	22.50	22.61	0 - 2	2
		25	0	22.40	22.47	22.50	0 - 2	2
	64QAM	1	0	22.60	22.69	22.70	0 - 2	2
		1	12	22.49	22.59	22.62	0 - 2	2
		1	24	22.71	22.69	22.76	0 - 2	2
		12	0	21.51	21.59	21.53	0 - 3	3
		12	6	21.44	21.52	21.52	0 - 3	3
		12	11	21.44	21.50	21.52	0 - 3	3
		25	0	21.44	21.45	21.49	0 - 3	3
	256QAM	1	0	19.52	19.64	19.59	0 - 5	5
		1	12	19.49	19.55	19.63	0 - 5	5
		1	24	19.61	19.57	19.68	0 - 5	5
		12	0	19.37	19.42	19.48	0 - 5	5
		12	6	19.42	19.45	19.51	0 - 5	5
		12	11	19.35	19.36	19.46	0 - 5	5
		25	0	19.35	19.37	19.43	0 - 5	5

LTE FDD Band 2_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18650 Ch. 1855 MHz	18900 Ch. 1880 MHz	19150 Ch. 1905 MHz		
10 MHz	QPSK	1	0	24.40	24.51	24.45	0	0
		1	24	24.54	24.62	24.58	0	0
		1	49	24.52	24.53	24.58	0	0
		25	0	23.43	23.52	23.52	0 - 1	1
		25	12	23.42	23.51	23.52	0 - 1	1
		25	24	23.50	23.49	23.55	0 - 1	1
		50	0	23.44	23.53	23.54	0 - 1	1
	16QAM	1	0	23.60	23.83	23.70	0 - 1	1
		1	24	23.82	23.82	23.92	0 - 1	1
		1	49	23.70	23.82	23.76	0 - 1	1
		25	0	22.46	22.51	22.57	0 - 2	2
		25	12	22.42	22.49	22.51	0 - 2	2
		25	24	22.52	22.49	22.55	0 - 2	2
		50	0	22.47	22.51	22.56	0 - 2	2
	64QAM	1	0	22.53	22.66	22.59	0 - 2	2
		1	24	22.63	22.57	22.53	0 - 2	2
		1	49	22.73	22.67	22.70	0 - 2	2
		25	0	21.45	21.55	21.54	0 - 3	3
		25	12	21.44	21.47	21.49	0 - 3	3
		25	24	21.50	21.48	21.52	0 - 3	3
		50	0	21.47	21.52	21.54	0 - 3	3
	256QAM	1	0	19.55	19.73	19.63	0 - 5	5
		1	24	19.44	19.48	19.45	0 - 5	5
		1	49	19.65	19.58	19.69	0 - 5	5
		25	0	19.39	19.46	19.44	0 - 5	5
		25	12	19.41	19.45	19.48	0 - 5	5
		25	24	19.44	19.41	19.49	0 - 5	5
		50	0	19.41	19.42	19.48	0 - 5	5

LTE FDD Band 2_15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18675 Ch. 1857.5 MHz	18900 Ch. 1880 MHz	19125 Ch. 1902.5 MHz		
15 MHz	QPSK	1	0	24.40	24.59	24.38	0	0
		1	36	24.35	24.40	24.37	0	0
		1	74	24.57	24.51	24.59	0	0
		36	0	23.48	23.54	23.48	0 - 1	1
		36	18	23.45	23.52	23.50	0 - 1	1
		36	39	23.57	23.54	23.57	0 - 1	1
		75	0	23.52	23.54	23.53	0 - 1	1
	16QAM	1	0	23.67	23.86	23.72	0 - 1	1
		1	36	23.79	23.74	23.84	0 - 1	1
		1	74	23.76	23.66	23.69	0 - 1	1
		36	0	22.46	22.54	22.45	0 - 2	2
		36	18	22.48	22.51	22.49	0 - 2	2
		36	39	22.54	22.52	22.56	0 - 2	2
		75	0	22.53	22.54	22.49	0 - 2	2
	64QAM	1	0	22.61	22.70	22.61	0 - 2	2
		1	36	22.54	22.51	22.54	0 - 2	2
		1	74	22.72	22.68	22.78	0 - 2	2
		36	0	21.43	21.58	21.49	0 - 3	3
		36	18	21.50	21.51	21.47	0 - 3	3
		36	39	21.55	21.50	21.56	0 - 3	3
		75	0	21.55	21.54	21.51	0 - 3	3
	256QAM	1	0	19.55	19.66	19.56	0 - 5	5
		1	36	19.61	19.56	19.54	0 - 5	5
		1	74	19.70	19.56	19.74	0 - 5	5
		36	0	19.43	19.49	19.44	0 - 5	5
		36	18	19.46	19.46	19.44	0 - 5	5
		36	39	19.55	19.44	19.49	0 - 5	5
		75	0	19.54	19.46	19.46	0 - 5	5

LTE FDD Band 2_20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18700 Ch. 1860 MHz	18900 Ch. 1880 MHz	19100 Ch. 1900 MHz		
20 MHz	QPSK	1	0	24.37	24.58	24.41	0	0
		1	49	24.61	24.63	24.57	0	0
		1	99	24.55	24.50	24.60	0	0
		50	0	23.45	23.56	23.44	0 - 1	1
		50	25	23.52	23.54	23.47	0 - 1	1
		50	49	23.57	23.49	23.54	0 - 1	1
		100	0	23.57	23.54	23.49	0 - 1	1
	16QAM	1	0	23.63	23.83	23.68	0 - 1	1
		1	49	23.85	23.80	23.87	0 - 1	1
		1	99	23.80	23.74	23.81	0 - 1	1
		50	0	22.52	22.57	22.46	0 - 2	2
		50	25	22.55	22.50	22.47	0 - 2	2
		50	49	22.58	22.51	22.49	0 - 2	2
		100	0	22.63	22.54	22.50	0 - 2	2
	64QAM	1	0	22.61	22.71	22.59	0 - 2	2
		1	49	22.68	22.62	22.59	0 - 2	2
		1	99	22.71	22.68	22.73	0 - 2	2
		50	0	21.51	21.56	21.46	0 - 3	3
		50	25	21.57	21.55	21.46	0 - 3	3
		50	49	21.57	21.48	21.50	0 - 3	3
		100	0	21.59	21.52	21.48	0 - 3	3
	256QAM	1	0	19.54	19.73	19.56	0 - 5	5
		1	49	19.50	19.48	19.47	0 - 5	5
		1	99	19.68	19.55	19.65	0 - 5	5
		50	0	19.45	19.47	19.37	0 - 5	5
		50	25	19.51	19.44	19.44	0 - 5	5
		50	49	19.52	19.43	19.49	0 - 5	5
		100	0	19.52	19.45	19.43	0 - 5	5

LTE FDD Band 4 Conducted Power_Pmax _SUB2[ANT.F]

LTE FDD Band 4_1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				19957 Ch. 1710.7 MHz	20175 Ch. 1732.5 MHz	20393 Ch. 1754.3 MHz		
1.4 MHz	QPSK	1	0	23.97	24.05	24.54	0	0
		1	3	23.93	24.02	24.52	0	0
		1	5	23.96	24.16	24.54	0	0
		3	0	24.07	24.23	24.64	0 - 1	0
		3	1	23.95	24.10	24.51	0 - 1	0
		3	3	23.90	24.06	24.48	0 - 1	0
		6	0	23.01	23.17	23.57	0 - 1	1
	16QAM	1	0	23.29	23.58	23.92	0 - 1	1
		1	3	23.19	23.25	23.67	0 - 1	1
		1	5	23.36	23.45	23.97	0 - 1	1
		3	0	23.03	23.22	23.63	0 - 2	1
		3	1	23.00	23.25	23.69	0 - 2	1
		3	3	23.07	23.23	23.75	0 - 2	1
		6	0	22.02	22.19	22.60	0 - 2	2
	64QAM	1	0	22.25	22.30	22.85	0 - 2	2
		1	3	22.04	22.14	22.52	0 - 2	2
		1	5	22.31	22.41	22.81	0 - 2	2
		3	0	22.09	22.20	22.60	0 - 3	2
		3	1	22.05	22.24	22.62	0 - 3	2
		3	3	21.97	22.15	22.64	0 - 3	2
		6	0	21.00	21.18	21.61	0 - 3	3
	256QAM	1	0	19.04	19.21	19.62	0 - 5	5
		1	3	19.05	19.17	19.60	0 - 5	5
		1	5	19.03	19.24	19.70	0 - 5	5
		3	0	19.12	19.26	19.63	0 - 5	5
		3	1	19.08	19.18	19.63	0 - 5	5
		3	3	19.02	19.14	19.56	0 - 5	5
		6	0	18.85	19.02	19.41	0 - 5	5

LTE FDD Band 4_3 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				19965 Ch. 1711.5 MHz	20175 Ch. 1732.5 MHz	20385 Ch. 1753.5 MHz		
3 MHz	QPSK	1	0	24.08	24.12	24.56	0	0
		1	7	23.95	24.01	24.44	0	0
		1	14	24.00	24.20	24.58	0	0
		8	0	23.00	23.14	23.62	0 - 1	1
		8	3	22.96	23.10	23.52	0 - 1	1
		8	7	23.05	23.18	23.56	0 - 1	1
		15	0	23.10	23.24	23.61	0 - 1	1
	16QAM	1	0	23.27	23.55	23.93	0 - 1	1
		1	7	23.26	23.44	23.98	0 - 1	1
		1	14	23.38	23.62	23.92	0 - 1	1
		8	0	21.99	22.23	22.60	0 - 2	2
		8	3	22.13	22.10	22.65	0 - 2	2
		8	7	22.01	22.19	22.59	0 - 2	2
		15	0	22.05	22.15	22.62	0 - 2	2
	64QAM	1	0	22.23	22.22	22.82	0 - 2	2
		1	7	22.03	22.10	22.68	0 - 2	2
		1	14	22.29	22.37	22.86	0 - 2	2
		8	0	21.00	21.09	21.63	0 - 3	3
		8	3	21.09	21.17	21.60	0 - 3	3
		8	7	21.08	21.15	21.58	0 - 3	3
		15	0	21.06	21.18	21.59	0 - 3	3
	256QAM	1	0	19.13	19.17	19.64	0 - 5	5
		1	7	19.05	18.76	19.68	0 - 5	5
		1	14	19.13	19.16	19.59	0 - 5	5
		8	0	18.99	19.09	19.56	0 - 5	5
		8	3	18.90	19.03	19.46	0 - 5	5
		8	7	18.93	19.10	19.51	0 - 5	5
		15	0	18.89	19.00	19.44	0 - 5	5

LTE FDD Band 4_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				19975 Ch. 1712.5 MHz	20175 Ch. 1732.5 MHz	20375 Ch. 1752.5 MHz		
5 MHz	QPSK	1	0	24.10	24.29	24.52	0	0
		1	12	23.89	24.21	24.46	0	0
		1	24	24.04	24.27	24.62	0	0
		12	0	23.00	23.16	23.57	0 - 1	1
		12	6	23.01	23.15	23.56	0 - 1	1
		12	11	23.02	23.20	23.60	0 - 1	1
		25	0	23.03	23.17	23.59	0 - 1	1
	16QAM	1	0	23.25	23.48	23.79	0 - 1	1
		1	12	23.40	23.48	23.82	0 - 1	1
		1	24	23.37	23.46	23.95	0 - 1	1
		12	0	22.06	22.23	22.60	0 - 2	2
		12	6	22.10	22.16	22.65	0 - 2	2
		12	11	22.08	22.20	22.62	0 - 2	2
		25	0	22.00	22.13	22.52	0 - 2	2
	64QAM	1	0	22.18	22.35	22.78	0 - 2	2
		1	12	22.06	22.19	22.63	0 - 2	2
		1	24	22.29	22.44	22.83	0 - 2	2
		12	0	21.01	21.16	21.57	0 - 3	3
		12	6	21.03	21.16	21.63	0 - 3	3
		12	11	20.98	21.17	21.57	0 - 3	3
		25	0	20.96	21.07	21.55	0 - 3	3
	256QAM	1	0	19.10	19.27	19.62	0 - 5	5
		1	12	19.08	19.20	19.65	0 - 5	5
		1	24	19.16	19.33	19.71	0 - 5	5
		12	0	18.91	19.06	19.47	0 - 5	5
		12	6	19.01	19.05	19.54	0 - 5	5
		12	11	18.95	19.04	19.50	0 - 5	5
		25	0	18.96	19.06	19.48	0 - 5	5

LTE FDD Band 4_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20000 Ch. 1715 MHz	20175 Ch. 1732.5 MHz	20350 Ch. 1750 MHz		
10 MHz	QPSK	1	0	23.93	24.08	24.45	0	0
		1	24	24.08	24.26	24.68	0	0
		1	49	24.06	24.36	24.62	0	0
		25	0	22.98	23.14	23.51	0 - 1	1
		25	12	22.99	23.15	23.56	0 - 1	1
		25	24	23.01	23.25	23.59	0 - 1	1
		50	0	23.03	23.18	23.61	0 - 1	1
	16QAM	1	0	23.07	23.35	23.65	0 - 1	1
		1	24	23.42	23.49	23.93	0 - 1	1
		1	49	23.26	23.59	23.86	0 - 1	1
		25	0	22.02	22.15	22.51	0 - 2	2
		25	12	22.03	22.18	22.52	0 - 2	2
		25	24	22.03	22.20	22.58	0 - 2	2
		50	0	22.04	22.17	22.59	0 - 2	2
	64QAM	1	0	22.11	22.21	22.54	0 - 2	2
		1	24	22.13	22.28	22.71	0 - 2	2
		1	49	22.18	22.48	22.58	0 - 2	2
		25	0	21.01	21.11	21.47	0 - 3	3
		25	12	21.01	21.10	21.55	0 - 3	3
		25	24	21.02	21.17	21.55	0 - 3	3
		50	0	21.00	21.17	21.52	0 - 3	3
	256QAM	1	0	19.08	19.14	19.62	0 - 5	5
		1	24	18.96	19.07	19.50	0 - 5	5
		1	49	19.10	19.40	19.70	0 - 5	5
		25	0	18.98	19.12	19.44	0 - 5	5
		25	12	19.00	19.10	19.52	0 - 5	5
		25	24	18.99	19.13	19.53	0 - 5	5
		50	0	18.96	19.09	19.44	0 - 5	5

LTE FDD Band 4_15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20025 Ch. 1717.5 MHz	20175 Ch. 1732.5 MHz	20325 Ch. 1747.5 MHz		
15 MHz	QPSK	1	0	23.95	24.04	24.37	0	0
		1	36	23.85	24.06	24.39	0	0
		1	74	24.11	24.45	24.49	0	0
		36	0	23.02	23.14	23.45	0 - 1	1
		36	18	23.00	23.18	23.50	0 - 1	1
		36	39	23.04	23.33	23.59	0 - 1	1
		75	0	23.05	23.18	23.53	0 - 1	1
	16QAM	1	0	23.14	23.37	23.58	0 - 1	1
		1	36	23.38	23.51	23.75	0 - 1	1
		1	74	23.35	23.60	23.96	0 - 1	1
		36	0	22.04	22.13	22.43	0 - 2	2
		36	18	22.04	22.11	22.48	0 - 2	2
		36	39	22.05	22.26	22.62	0 - 2	2
		75	0	22.09	22.15	22.50	0 - 2	2
	64QAM	1	0	22.08	22.29	22.54	0 - 2	2
		1	36	22.10	22.10	22.46	0 - 2	2
		1	74	22.25	22.60	22.70	0 - 2	2
		36	0	21.04	21.10	21.43	0 - 3	3
		36	18	21.03	21.13	21.50	0 - 3	3
		36	39	21.08	21.29	21.60	0 - 3	3
		75	0	21.01	21.15	21.48	0 - 3	3
	256QAM	1	0	19.05	19.16	19.42	0 - 5	5
		1	36	19.04	19.20	19.57	0 - 5	5
		1	74	19.23	19.42	19.75	0 - 5	5
		36	0	19.01	19.04	19.38	0 - 5	5
		36	18	18.99	19.10	19.43	0 - 5	5
		36	39	18.97	19.26	19.56	0 - 5	5
		75	0	19.01	19.15	19.47	0 - 5	5

LTE FDD Band 4_20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR Allowed Per 3GPP [dB]	MPR [dB]
					20175 Ch. 1732.5 MHz		
20 MHz	QPSK	1	0		24.02	0	0
		1	49		24.30	0	0
		1	99		24.48	0	0
		50	0		23.10	0 - 1	1
		50	25		23.19	0 - 1	1
		50	49		23.34	0 - 1	1
		100	0		23.19	0 - 1	1
	16QAM	1	0		23.29	0 - 1	1
		1	49		23.57	0 - 1	1
		1	99		23.66	0 - 1	1
		50	0		22.13	0 - 2	2
		50	25		22.19	0 - 2	2
		50	49		22.32	0 - 2	2
		100	0		22.18	0 - 2	2
	64QAM	1	0		22.23	0 - 2	2
		1	49		22.30	0 - 2	2
		1	99		22.54	0 - 2	2
		50	0		21.13	0 - 3	3
		50	25		21.19	0 - 3	3
		50	49		21.31	0 - 3	3
		100	0		21.17	0 - 3	3
	256QAM	1	0		19.12	0 - 5	5
		1	49		19.11	0 - 5	5
		1	99		19.52	0 - 5	5
		50	0		19.04	0 - 5	5
		50	25		19.10	0 - 5	5
		50	49		19.29	0 - 5	5
		100	0		19.15	0 - 5	5

LTE FDD Band 7 Conducted Power_Pmax _SUB2[ANT.F]

LTE FDD Band 7_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20775 Ch. 2502.5 MHz	21100 Ch. 2535 MHz	21425 Ch. 2567.5 MHz		
5 MHz	QPSK	1	0	22.94	22.97	23.55	0	0
		1	12	23.01	23.02	23.57	0	0
		1	24	22.98	23.12	23.57	0	0
		12	0	21.99	22.02	22.63	0 - 1	1
		12	6	21.97	22.06	22.65	0 - 1	1
		12	11	22.00	22.13	22.60	0 - 1	1
		25	0	21.97	22.09	22.64	0 - 1	1
	16QAM	1	0	22.18	22.40	22.89	0 - 1	1
		1	12	22.20	22.52	22.88	0 - 1	1
		1	24	22.18	22.50	22.71	0 - 1	1
		12	0	21.02	21.16	21.76	0 - 2	2
		12	6	20.96	21.16	21.73	0 - 2	2
		12	11	20.98	21.18	21.77	0 - 2	2
		25	0	20.92	21.09	21.68	0 - 2	2
	64QAM	1	0	21.27	21.28	21.89	0 - 2	2
		1	12	21.24	21.22	21.76	0 - 2	2
		1	24	21.26	21.41	21.90	0 - 2	2
		12	0	20.93	20.08	20.65	0 - 3	3
		12	6	20.89	20.07	20.65	0 - 3	3
		12	11	20.83	20.07	20.60	0 - 3	3
		25	0	20.84	19.97	20.55	0 - 3	3
	256QAM	1	0	18.32	18.22	18.71	0 - 5	5
		1	12	17.95	18.19	18.81	0 - 5	5
		1	24	17.97	18.20	18.73	0 - 5	5
		12	0	17.74	17.98	18.55	0 - 5	5
		12	6	17.75	17.99	18.59	0 - 5	5
		12	11	17.74	17.90	18.50	0 - 5	5
		25	0	17.71	17.93	18.54	0 - 5	5

LTE FDD Band 7_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20800 Ch. 2505 MHz	21100 Ch. 2535 MHz	21400 Ch. 2565 MHz		
10 MHz	QPSK	1	0	22.77	23.03	23.56	0	0
		1	24	22.91	23.19	23.73	0	0
		1	49	22.85	23.17	23.63	0	0
		25	0	21.83	22.05	22.64	0 - 1	1
		25	12	21.85	22.11	22.62	0 - 1	1
		25	24	21.79	22.09	22.63	0 - 1	1
		50	0	21.91	22.14	22.66	0 - 1	1
	16QAM	1	0	22.14	22.34	22.89	0 - 1	1
		1	24	22.31	22.40	22.92	0 - 1	1
		1	49	22.20	22.51	22.79	0 - 1	1
		25	0	20.94	21.08	21.68	0 - 2	2
		25	12	20.88	21.09	21.64	0 - 2	2
		25	24	20.85	21.11	21.63	0 - 2	2
		50	0	20.92	21.08	21.66	0 - 2	2
	64QAM	1	0	21.05	21.18	21.75	0 - 2	2
		1	24	20.98	21.11	21.70	0 - 2	2
		1	49	21.05	21.33	21.72	0 - 2	2
		25	0	19.92	20.08	20.64	0 - 3	3
		25	12	19.84	20.07	20.63	0 - 3	3
		25	24	19.85	20.08	20.58	0 - 3	3
		50	0	19.87	20.08	20.62	0 - 3	3
	256QAM	1	0	18.12	18.24	18.82	0 - 5	5
		1	24	18.02	18.20	18.78	0 - 5	5
		1	49	18.04	18.31	18.76	0 - 5	5
		25	0	17.81	17.93	18.54	0 - 5	5
		25	12	17.75	17.93	18.52	0 - 5	5
		25	24	17.77	17.94	18.53	0 - 5	5
		50	0	17.78	17.99	18.52	0 - 5	5

LTE FDD Band 7_15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20825 Ch. 2507.5 MHz	21100 Ch. 2535 MHz	21375 Ch. 2562.5 MHz		
15 MHz	QPSK	1	0	22.73	23.00	23.59	0	0
		1	36	22.71	23.04	23.64	0	0
		1	74	22.86	23.22	23.36	0	0
		36	0	21.86	22.05	22.57	0 - 1	1
		36	18	21.84	22.10	22.59	0 - 1	1
		36	39	21.86	22.19	22.67	0 - 1	1
		75	0	21.90	22.14	22.66	0 - 1	1
	16QAM	1	0	22.17	22.28	22.90	0 - 1	1
		1	36	22.30	22.46	22.97	0 - 1	1
		1	74	22.04	22.52	22.54	0 - 1	1
		36	0	20.96	21.14	21.64	0 - 2	2
		36	18	20.92	21.11	21.68	0 - 2	2
		36	39	20.91	21.14	21.62	0 - 2	2
		75	0	20.95	21.16	21.65	0 - 2	2
	64QAM	1	0	21.09	21.17	21.79	0 - 2	2
		1	36	21.00	21.22	21.72	0 - 2	2
		1	74	21.14	21.36	21.79	0 - 2	2
		36	0	19.92	20.08	20.65	0 - 3	3
		36	18	19.89	20.13	20.62	0 - 3	3
		36	39	19.87	20.13	20.59	0 - 3	3
		75	0	19.88	20.13	20.65	0 - 3	3
	256QAM	1	0	18.05	18.15	18.69	0 - 5	5
		1	36	18.06	18.25	18.73	0 - 5	5
		1	74	18.11	18.31	18.74	0 - 5	5
		36	0	17.83	18.01	18.55	0 - 5	5
		36	18	17.86	18.04	18.53	0 - 5	5
		36	39	17.79	18.09	18.51	0 - 5	5
		75	0	17.86	18.08	18.60	0 - 5	5

LTE FDD Band 7_20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20850 Ch. 2510 MHz	21100 Ch. 2535 MHz	21350 Ch. 2560 MHz		
20 MHz	QPSK	1	0	22.74	22.95	23.46	0	0
		1	49	22.86	23.19	23.64	0	0
		1	99	22.86	23.25	23.60	0	0
		50	0	21.85	22.04	22.54	0 - 1	1
		50	25	21.84	22.11	22.63	0 - 1	1
		50	49	21.85	22.16	22.57	0 - 1	1
		100	0	21.91	22.14	22.62	0 - 1	1
	16QAM	1	0	22.15	22.31	22.85	0 - 1	1
		1	49	22.24	22.54	22.93	0 - 1	1
		1	99	22.20	22.49	22.87	0 - 1	1
		50	0	20.96	21.15	21.61	0 - 2	2
		50	25	20.92	21.11	21.64	0 - 2	2
		50	49	20.91	21.16	21.63	0 - 2	2
		100	0	20.94	21.15	21.62	0 - 2	2
	64QAM	1	0	21.07	21.08	21.65	0 - 2	2
		1	49	20.82	21.10	21.62	0 - 2	2
		1	99	21.11	21.48	21.71	0 - 2	2
		50	0	19.91	20.09	20.61	0 - 3	3
		50	25	19.89	20.12	20.59	0 - 3	3
		50	49	19.88	20.17	20.54	0 - 3	3
		100	0	19.91	20.07	20.60	0 - 3	3
	256QAM	1	0	18.11	18.18	18.70	0 - 5	5
		1	49	18.00	18.19	18.77	0 - 5	5
		1	99	18.06	18.38	18.73	0 - 5	5
		50	0	17.77	17.99	18.48	0 - 5	5
		50	25	17.78	17.98	18.49	0 - 5	5
		50	49	17.79	18.09	18.48	0 - 5	5
		100	0	17.79	17.99	18.50	0 - 5	5

LTE FDD Band 25 Conducted Power_Pmax _SUB2[ANT.F]

LTE FDD Band 25_1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26047 Ch. 1850.7 MHz	26365 Ch. 1882.5 MHz	26683 Ch. 1914.3 MHz		
1.4 MHz	QPSK	1	0	23.97	24.32	24.07	0	0
		1	3	24.10	24.12	23.92	0	0
		1	5	24.03	24.13	24.10	0	0
		3	0	24.09	24.23	24.28	0 - 1	0
		3	1	24.08	24.09	24.20	0 - 1	0
		3	3	24.17	24.02	24.23	0 - 1	0
		6	0	23.29	23.14	23.26	0 - 1	1
	16QAM	1	0	23.53	23.51	23.26	0 - 1	1
		1	3	23.26	23.17	23.24	0 - 1	1
		1	5	23.56	23.52	23.54	0 - 1	1
		3	0	23.20	23.20	23.21	0 - 2	1
		3	1	23.15	23.21	23.29	0 - 2	1
		3	3	23.33	23.23	23.22	0 - 2	1
		6	0	22.20	22.15	22.24	0 - 2	2
	64QAM	1	0	22.23	22.35	22.44	0 - 2	2
		1	3	22.22	22.16	22.21	0 - 2	2
		1	5	22.42	22.46	22.37	0 - 2	2
		3	0	22.26	22.27	22.28	0 - 3	2
		3	1	22.25	22.21	22.21	0 - 3	2
		3	3	22.16	22.19	22.26	0 - 3	2
		6	0	21.13	21.18	21.23	0 - 3	3
	256QAM	1	0	19.19	19.29	19.35	0 - 5	5
		1	3	19.26	19.20	19.29	0 - 5	5
		1	5	19.25	19.23	19.36	0 - 5	5
		3	0	19.17	19.29	19.35	0 - 5	5
		3	1	19.25	19.32	19.31	0 - 5	5
		3	3	19.25	19.25	19.31	0 - 5	5
		6	0	19.07	19.07	19.12	0 - 5	5

LTE FDD Band 25_3 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26055 Ch. 1851.5 MHz	26365 Ch. 1882.5 MHz	26675 Ch. 1913.5 MHz		
3 MHz	QPSK	1	0	24.12	24.28	24.23	0	0
		1	7	24.07	24.05	24.10	0	0
		1	14	24.18	24.17	24.18	0	0
		8	0	23.16	23.15	23.24	0 - 1	1
		8	3	23.10	23.12	23.16	0 - 1	1
		8	7	23.19	23.16	23.24	0 - 1	1
	16QAM	15	0	23.21	23.20	23.31	0 - 1	1
		1	0	23.39	23.42	23.54	0 - 1	1
		1	7	23.57	23.56	23.48	0 - 1	1
		1	14	23.63	23.51	23.50	0 - 1	1
		8	0	22.16	22.19	22.24	0 - 2	2
		8	3	22.27	22.21	22.26	0 - 2	2
	64QAM	8	7	22.28	22.15	22.23	0 - 2	2
		15	0	22.20	22.19	22.29	0 - 2	2
		1	0	22.38	22.41	22.40	0 - 2	2
		1	7	22.26	22.19	22.28	0 - 2	2
		1	14	22.51	22.48	22.45	0 - 2	2
		8	0	21.23	21.20	21.25	0 - 3	3
	256QAM	8	3	21.23	21.20	21.23	0 - 3	3
		8	7	21.21	21.20	21.24	0 - 3	3
		15	0	21.22	21.23	21.28	0 - 3	3
		1	0	19.40	19.30	19.36	0 - 5	5
		1	7	19.29	19.32	19.23	0 - 5	5
		1	14	19.37	19.26	19.29	0 - 5	5
		8	0	19.19	19.16	19.27	0 - 5	5
		8	3	19.18	19.10	19.17	0 - 5	5
		8	7	19.15	19.15	19.25	0 - 5	5
		15	0	19.13	19.05	19.15	0 - 5	5

LTE FDD Band 25_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26065 Ch. 1852.5 MHz	26365 Ch. 1882.5 MHz	26665 Ch. 1912.5 MHz		
5 MHz	QPSK	1	0	24.15	24.19	24.32	0	0
		1	12	24.06	24.08	24.23	0	0
		1	24	24.23	24.18	24.21	0	0
		12	0	23.17	23.17	23.19	0 - 1	1
		12	6	23.18	23.16	23.18	0 - 1	1
		12	11	23.17	23.19	23.24	0 - 1	1
		25	0	23.19	23.15	23.25	0 - 1	1
	16QAM	1	0	23.42	23.48	23.55	0 - 1	1
		1	12	23.43	23.38	23.45	0 - 1	1
		1	24	23.50	23.40	23.38	0 - 1	1
		12	0	22.28	22.21	22.22	0 - 2	2
		12	6	22.27	22.25	22.23	0 - 2	2
		12	11	22.24	22.23	22.26	0 - 2	2
		25	0	22.15	22.14	22.20	0 - 2	2
	64QAM	1	0	22.44	22.45	22.43	0 - 2	2
		1	12	22.24	22.26	22.20	0 - 2	2
		1	24	22.48	22.43	22.42	0 - 2	2
		12	0	21.19	21.18	21.26	0 - 3	3
		12	6	21.21	21.14	21.18	0 - 3	3
		12	11	21.19	21.14	21.20	0 - 3	3
		25	0	21.17	21.12	21.20	0 - 3	3
	256QAM	1	0	19.28	19.27	19.37	0 - 5	5
		1	12	19.36	19.28	19.30	0 - 5	5
		1	24	19.44	19.25	19.44	0 - 5	5
		12	0	19.23	19.16	19.22	0 - 5	5
		12	6	19.22	19.15	19.18	0 - 5	5
		12	11	19.16	19.13	19.19	0 - 5	5
		25	0	19.15	19.12	19.22	0 - 5	5

LTE FDD Band 25_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26090 Ch. 1855 MHz	26365 Ch. 1882.5 MHz	26640 Ch. 1910 MHz		
10 MHz	QPSK	1	0	24.18	24.24	24.25	0	0
		1	24	24.33	24.31	24.37	0	0
		1	49	24.29	24.20	24.28	0	0
		25	0	23.18	23.15	23.27	0 - 1	1
		25	12	23.18	23.14	23.27	0 - 1	1
		25	24	23.23	23.16	23.28	0 - 1	1
		50	0	23.18	23.14	23.26	0 - 1	1
	16QAM	1	0	23.39	23.31	23.46	0 - 1	1
		1	24	23.66	23.42	23.57	0 - 1	1
		1	49	23.46	23.40	23.52	0 - 1	1
		25	0	22.20	22.20	22.27	0 - 2	2
		25	12	22.18	22.16	22.23	0 - 2	2
		25	24	22.26	22.18	22.27	0 - 2	2
		50	0	22.23	22.22	22.23	0 - 2	2
	64QAM	1	0	22.32	22.38	22.35	0 - 2	2
		1	24	22.33	22.33	22.40	0 - 2	2
		1	49	22.41	22.31	22.35	0 - 2	2
		25	0	21.19	21.19	21.28	0 - 3	3
		25	12	21.18	21.13	21.26	0 - 3	3
		25	24	21.22	21.21	21.26	0 - 3	3
		50	0	21.25	21.18	21.25	0 - 3	3
	256QAM	1	0	19.35	19.41	19.33	0 - 5	5
		1	24	19.23	19.18	19.29	0 - 5	5
		1	49	19.47	19.33	19.37	0 - 5	5
		25	0	19.22	19.20	19.27	0 - 5	5
		25	12	19.23	19.15	19.27	0 - 5	5
		25	24	19.26	19.21	19.29	0 - 5	5
		50	0	19.21	19.16	19.29	0 - 5	5

LTE FDD Band 25_15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26115 Ch. 1857.5 MHz	26365 Ch. 1882.5 MHz	26615 Ch. 1907.5 MHz		
15 MHz	QPSK	1	0	24.18	24.23	24.26	0	0
		1	36	24.10	24.05	24.12	0	0
		1	74	24.32	24.20	24.27	0	0
		36	0	23.17	23.21	23.22	0 - 1	1
		36	18	23.27	23.16	23.27	0 - 1	1
		36	39	23.28	23.17	23.26	0 - 1	1
		75	0	23.23	23.20	23.28	0 - 1	1
	16QAM	1	0	23.44	23.36	23.47	0 - 1	1
		1	36	23.57	23.51	23.52	0 - 1	1
		1	74	23.48	23.45	23.45	0 - 1	1
		36	0	22.22	22.22	22.24	0 - 2	2
		36	18	22.22	22.18	22.24	0 - 2	2
		36	39	22.30	22.16	22.23	0 - 2	2
		75	0	22.27	22.17	22.25	0 - 2	2
	64QAM	1	0	22.37	22.45	22.41	0 - 2	2
		1	36	22.28	22.20	22.26	0 - 2	2
		1	74	22.48	22.36	22.44	0 - 2	2
		36	0	21.19	21.18	21.21	0 - 3	3
		36	18	21.27	21.14	21.25	0 - 3	3
		36	39	21.31	21.18	21.30	0 - 3	3
		75	0	21.27	21.14	21.26	0 - 3	3
	256QAM	1	0	19.28	19.37	19.32	0 - 5	5
		1	36	19.36	19.27	19.34	0 - 5	5
		1	74	19.51	19.33	19.44	0 - 5	5
		36	0	19.18	19.20	19.23	0 - 5	5
		36	18	19.25	19.18	19.27	0 - 5	5
		36	39	19.31	19.15	19.27	0 - 5	5
		75	0	19.31	19.19	19.29	0 - 5	5

LTE FDD Band 25_20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26140 Ch. 1860 MHz	26365 Ch. 1882.5 MHz	26590 Ch. 1905 MHz		
20 MHz	QPSK	1	0	24.17	24.20	24.14	0	0
		1	49	24.35	24.32	24.32	0	0
		1	99	24.33	24.22	24.23	0	0
		50	0	23.21	23.22	23.19	0 - 1	1
		50	25	23.25	23.17	23.21	0 - 1	1
		50	49	23.30	23.21	23.28	0 - 1	1
		100	0	23.30	23.19	23.22	0 - 1	1
	16QAM	1	0	23.30	23.37	23.38	0 - 1	1
		1	49	23.53	23.61	23.54	0 - 1	1
		1	99	23.62	23.46	23.55	0 - 1	1
		50	0	22.22	22.21	22.17	0 - 2	2
		50	25	22.26	22.20	22.25	0 - 2	2
		50	49	22.25	22.17	22.29	0 - 2	2
		100	0	22.29	22.20	22.24	0 - 2	2
	64QAM	1	0	22.35	22.37	22.29	0 - 2	2
		1	49	22.39	22.39	22.37	0 - 2	2
		1	99	22.52	22.36	22.46	0 - 2	2
		50	0	21.24	21.23	21.20	0 - 3	3
		50	25	21.30	21.17	21.20	0 - 3	3
		50	49	21.29	21.20	21.25	0 - 3	3
		100	0	21.29	21.23	21.22	0 - 3	3
	256QAM	1	0	19.38	19.41	19.36	0 - 5	5
		1	49	19.27	19.12	19.20	0 - 5	5
		1	99	19.48	19.31	19.43	0 - 5	5
		50	0	19.19	19.24	19.20	0 - 5	5
		50	25	19.30	19.16	19.24	0 - 5	5
		50	49	19.29	19.18	19.30	0 - 5	5
		100	0	19.33	19.19	19.26	0 - 5	5

LTE FDD Band 30 Conducted Power_Pmax_SUB2[ANT.F]

LTE FDD Band 30_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				27685 Ch. 2307.5 MHz	27710 Ch. 2310 MHz	27735 Ch. 2312.5 MHz		
5 MHz	QPSK	1	0	22.38	22.43	22.43	0	0
		1	12	22.19	22.31	22.31	0	0
		1	24	22.34	22.48	22.40	0	0
		12	0	21.36	21.43	21.37	0 - 1	1
		12	6	21.34	21.37	21.39	0 - 1	1
		12	11	21.37	21.36	21.39	0 - 1	1
		25	0	21.34	21.35	21.32	0 - 1	1
	16QAM	1	0	21.67	21.71	21.73	0 - 1	1
		1	12	21.80	21.71	21.76	0 - 1	1
		1	24	21.65	21.79	21.70	0 - 1	1
		12	0	20.49	20.53	20.47	0 - 2	2
		12	6	20.52	20.47	20.53	0 - 2	2
		12	11	20.45	20.49	20.51	0 - 2	2
		25	0	20.40	20.42	20.37	0 - 2	2
	64QAM	1	0	20.73	20.76	20.70	0 - 2	2
		1	12	20.46	20.53	20.52	0 - 2	2
		1	24	20.66	20.68	20.68	0 - 2	2
		12	0	19.50	19.55	19.49	0 - 3	3
		12	6	19.47	19.51	19.44	0 - 3	3
		12	11	19.44	19.46	19.48	0 - 3	3
		25	0	19.40	19.34	19.37	0 - 3	3
	256QAM	1	0	17.71	17.67	17.65	0 - 5	5
		1	12	17.55	17.59	17.63	0 - 5	5
		1	24	17.62	17.68	17.70	0 - 5	5
		12	0	16.44	16.47	16.43	0 - 5	5
		12	6	16.53	16.44	16.47	0 - 5	5
		12	11	16.38	16.41	16.40	0 - 5	5
		25	0	16.36	16.38	16.37	0 - 5	5

LTE FDD Band 30_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR Allowed Per 3GPP [dB]	MPR [dB]
					27710 Ch. 2310 MHz		
10 MHz	QPSK	1	0		22.43		0
		1	24		22.47		0
		1	49		22.41		0
		25	0		21.38		0 - 1
		25	12		21.31		0 - 1
		25	24		21.36		0 - 1
		50	0		21.34		0 - 1
	16QAM	1	0		21.73		0 - 1
		1	24		21.76		0 - 1
		1	49		21.68		0 - 1
		25	0		20.44		0 - 2
		25	12		20.38		0 - 2
		25	24		20.40		0 - 2
		50	0		20.44		0 - 2
	64QAM	1	0		20.65		0 - 2
		1	24		20.55		0 - 2
		1	49		20.70		0 - 2
		25	0		19.45		0 - 3
		25	12		19.38		0 - 3
		25	24		19.36		0 - 3
		50	0		19.45		0 - 3
	256QAM	1	0		17.84		0 - 5
		1	24		17.54		0 - 5
		1	49		17.73		0 - 5
		25	0		16.49		0 - 5
		25	12		16.43		0 - 5
		25	24		16.40		0 - 5
		50	0		16.43		0 - 5

LTE FDD Band 66 Conducted Power_Pmax_SUB2[ANT.F]

LTE FDD Band 66_1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				131979 Ch. 1710.7 MHz	132322 Ch. 1745 MHz	132665 Ch. 1779.3 MHz		
1.4 MHz	QPSK	1	0	23.91	24.65	24.60	0	0
		1	3	23.96	24.48	24.34	0	0
		1	5	23.97	24.49	24.46	0	0
		3	0	24.02	24.55	24.55	0 - 1	0
		3	1	23.94	24.40	24.44	0 - 1	0
		3	3	23.88	24.36	24.42	0 - 1	0
		6	0	23.01	23.49	23.45	0 - 1	1
	16QAM	1	0	23.38	23.87	23.81	0 - 1	1
		1	3	23.14	23.57	23.53	0 - 1	1
		1	5	23.27	23.84	23.75	0 - 1	1
		3	0	23.07	23.48	23.48	0 - 2	1
		3	1	23.02	23.52	23.61	0 - 2	1
		3	3	23.09	23.64	23.57	0 - 2	1
		6	0	22.05	22.55	22.58	0 - 2	2
	64QAM	1	0	22.24	22.74	22.78	0 - 2	2
		1	3	22.05	22.47	22.55	0 - 2	2
		1	5	22.22	22.73	22.63	0 - 2	2
		3	0	22.12	22.59	22.57	0 - 3	2
		3	1	22.11	22.52	22.59	0 - 3	2
		3	3	21.97	22.45	22.45	0 - 3	2
		6	0	21.04	21.51	21.45	0 - 3	3
	256QAM	1	0	19.07	19.50	19.60	0 - 5	5
		1	3	19.09	19.53	19.52	0 - 5	5
		1	5	19.12	19.58	19.59	0 - 5	5
		3	0	19.12	19.58	19.55	0 - 5	5
		3	1	19.07	19.52	19.51	0 - 5	5
		3	3	19.04	19.48	19.48	0 - 5	5
		6	0	18.82	19.27	19.34	0 - 5	5

LTE FDD Band 66_3 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				131987 Ch. 1711.5 MHz	132322 Ch. 1745 MHz	132657 Ch. 1778.5 MHz		
3 MHz	QPSK	1	0	23.92	24.39	24.56	0	0
		1	7	23.84	24.33	24.52	0	0
		1	14	24.05	24.51	24.45	0	0
		8	0	23.01	23.48	23.48	0 - 1	1
		8	3	22.90	23.41	23.41	0 - 1	1
		8	7	23.02	23.50	23.50	0 - 1	1
		15	0	23.08	23.56	23.55	0 - 1	1
	16QAM	1	0	23.27	23.65	23.79	0 - 1	1
		1	7	23.34	23.84	23.75	0 - 1	1
		1	14	23.42	23.87	23.85	0 - 1	1
		8	0	21.98	22.45	22.50	0 - 2	2
		8	3	22.06	22.55	22.57	0 - 2	2
		8	7	22.05	22.51	22.55	0 - 2	2
		15	0	22.06	22.51	22.52	0 - 2	2
	64QAM	1	0	22.25	22.68	22.75	0 - 2	2
		1	7	22.02	22.53	22.58	0 - 2	2
		1	14	22.30	22.77	22.74	0 - 2	2
		8	0	21.01	21.52	21.52	0 - 3	3
		8	3	21.08	21.55	21.51	0 - 3	3
		8	7	21.06	21.50	21.54	0 - 3	3
		15	0	21.05	21.50	21.55	0 - 3	3
	256QAM	1	0	19.11	19.53	19.59	0 - 5	5
		1	7	19.04	19.49	19.49	0 - 5	5
		1	14	19.11	19.47	19.59	0 - 5	5
		8	0	19.00	19.40	19.46	0 - 5	5
		8	3	18.92	19.34	19.40	0 - 5	5
		8	7	18.94	19.42	19.38	0 - 5	5
		15	0	18.87	19.44	19.33	0 - 5	5

LTE FDD Band 66_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				131997 Ch. 1712.5 MHz	132322 Ch. 1745 MHz	132647 Ch. 1777.5 MHz		
5 MHz	QPSK	1	0	23.92	24.37	24.56	0	0
		1	12	23.86	24.40	24.32	0	0
		1	24	24.01	24.51	24.49	0	0
		12	0	22.96	23.42	23.45	0 - 1	1
		12	6	22.95	23.50	23.48	0 - 1	1
		12	11	22.97	23.54	23.48	0 - 1	1
		25	0	22.99	23.48	23.45	0 - 1	1
	16QAM	1	0	23.30	23.77	23.78	0 - 1	1
		1	12	23.30	23.76	23.75	0 - 1	1
		1	24	23.20	23.76	23.76	0 - 1	1
		12	0	22.03	22.54	22.55	0 - 2	2
		12	6	22.03	22.54	22.57	0 - 2	2
		12	11	22.07	22.54	22.54	0 - 2	2
		25	0	22.01	22.48	22.46	0 - 2	2
	64QAM	1	0	22.27	22.67	22.71	0 - 2	2
		1	12	22.00	22.51	22.47	0 - 2	2
		1	24	22.27	22.72	22.68	0 - 2	2
		12	0	21.01	21.50	21.51	0 - 3	3
		12	6	21.01	21.44	21.49	0 - 3	3
		12	11	21.00	21.47	21.50	0 - 3	3
		25	0	21.00	21.45	21.41	0 - 3	3
	256QAM	1	0	18.99	19.53	19.56	0 - 5	5
		1	12	18.95	19.48	19.51	0 - 5	5
		1	24	19.15	19.64	19.63	0 - 5	5
		12	0	18.88	19.35	19.39	0 - 5	5
		12	6	18.95	19.41	19.43	0 - 5	5
		12	11	18.94	19.42	19.39	0 - 5	5
		25	0	18.94	19.40	19.40	0 - 5	5

LTE FDD Band 66_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				132022 Ch. 1715 MHz	132322 Ch. 1745 MHz	132622 Ch. 1775 MHz		
10 MHz	QPSK	1	0	23.94	24.35	24.46	0	0
		1	24	24.10	24.62	24.58	0	0
		1	49	24.03	24.57	24.52	0	0
		25	0	22.98	23.46	23.42	0 - 1	1
		25	12	23.00	23.52	23.46	0 - 1	1
		25	24	23.02	23.59	23.49	0 - 1	1
		50	0	23.03	23.47	23.48	0 - 1	1
	16QAM	1	0	23.23	23.49	23.74	0 - 1	1
		1	24	23.33	23.79	23.80	0 - 1	1
		1	49	23.31	23.78	23.67	0 - 1	1
		25	0	21.99	22.40	22.46	0 - 2	2
		25	12	21.99	22.46	22.44	0 - 2	2
		25	24	22.04	22.49	22.46	0 - 2	2
		50	0	22.07	22.46	22.43	0 - 2	2
	64QAM	1	0	22.14	22.44	22.57	0 - 2	2
		1	24	22.17	22.67	22.69	0 - 2	2
		1	49	22.20	22.74	22.62	0 - 2	2
		25	0	21.02	21.39	21.44	0 - 3	3
		25	12	21.02	21.47	21.46	0 - 3	3
		25	24	21.01	21.50	21.46	0 - 3	3
		50	0	21.03	21.49	21.45	0 - 3	3
	256QAM	1	0	19.15	19.43	19.63	0 - 5	5
		1	24	18.90	19.35	19.37	0 - 5	5
		1	49	19.13	19.66	19.56	0 - 5	5
		25	0	18.99	19.35	19.40	0 - 5	5
		25	12	19.01	19.41	19.42	0 - 5	5
		25	24	18.95	19.45	19.41	0 - 5	5
		50	0	19.01	19.43	19.39	0 - 5	5

LTE FDD Band 66_15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				132047 Ch. 1717.5 MHz	132322 Ch. 1745 MHz	132597 Ch. 1772.5 MHz		
15 MHz	QPSK	1	0	23.95	24.25	24.48	0	0
		1	36	23.90	24.38	24.32	0	0
		1	74	24.10	24.63	24.55	0	0
		36	0	23.02	23.40	23.48	0 - 1	1
		36	18	23.03	23.48	23.46	0 - 1	1
		36	39	23.07	23.59	23.50	0 - 1	1
		75	0	23.07	23.54	23.47	0 - 1	1
	16QAM	1	0	23.23	23.39	23.81	0 - 1	1
		1	36	23.28	23.80	23.77	0 - 1	1
		1	74	23.38	23.83	23.74	0 - 1	1
		36	0	22.02	22.11	22.50	0 - 2	2
		36	18	22.06	22.48	22.44	0 - 2	2
		36	39	22.03	22.58	22.49	0 - 2	2
		75	0	22.05	22.47	22.50	0 - 2	2
	64QAM	1	0	22.19	22.43	22.70	0 - 2	2
		1	36	22.05	22.43	22.45	0 - 2	2
		1	74	22.26	22.73	22.71	0 - 2	2
		36	0	21.02	21.42	21.47	0 - 3	3
		36	18	21.05	21.47	21.49	0 - 3	3
		36	39	21.08	21.56	21.49	0 - 3	3
		75	0	21.07	21.46	21.42	0 - 3	3
	256QAM	1	0	19.17	19.27	19.57	0 - 5	5
		1	36	19.06	19.60	19.47	0 - 5	5
		1	74	19.23	19.65	19.52	0 - 5	5
		36	0	18.95	19.33	19.47	0 - 5	5
		36	18	18.97	19.41	19.40	0 - 5	5
		36	39	19.02	19.51	19.44	0 - 5	5
		75	0	19.00	19.47	19.42	0 - 5	5

LTE FDD Band 66_20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				132072 Ch. 1720 MHz	132322 Ch. 1745 MHz	132572 Ch. 1770 MHz		
20 MHz	QPSK	1	0	23.97	24.04	24.46	0	0
		1	49	24.13	24.23	24.57	0	0
		1	99	24.23	24.53	24.55	0	0
		50	0	23.02	23.43	23.47	0 - 1	1
		50	25	23.02	23.52	23.54	0 - 1	1
		50	49	23.09	23.61	23.49	0 - 1	1
		100	0	23.02	23.49	23.55	0 - 1	1
	16QAM	1	0	23.23	23.49	23.76	0 - 1	1
		1	49	23.39	23.74	23.86	0 - 1	1
		1	99	23.43	23.81	23.85	0 - 1	1
		50	0	22.01	22.42	22.51	0 - 2	2
		50	25	22.04	22.46	22.50	0 - 2	2
		50	49	22.10	22.59	22.47	0 - 2	2
		100	0	22.07	22.49	22.51	0 - 2	2
	64QAM	1	0	22.18	22.39	22.64	0 - 2	2
		1	49	22.23	22.65	22.61	0 - 2	2
		1	99	22.37	22.82	22.66	0 - 2	2
		50	0	21.03	21.34	21.55	0 - 3	3
		50	25	21.07	21.49	21.50	0 - 3	3
		50	49	21.09	21.71	21.47	0 - 3	3
		100	0	21.07	21.47	21.51	0 - 3	3
	256QAM	1	0	19.09	19.29	19.62	0 - 5	5
		1	49	18.95	19.55	19.37	0 - 5	5
		1	99	19.27	19.75	19.63	0 - 5	5
		50	0	18.98	19.28	19.44	0 - 5	5
		50	25	19.00	19.40	19.42	0 - 5	5
		50	49	19.03	19.56	19.41	0 - 5	5
		100	0	18.96	19.20	19.43	0 - 5	5

LTE TDD Band 48 Conducted Power_Pmax _SUB3[ANT.G]

LTE TDD Band 48_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR Allowed Per 3GPP [dB]	MPR [dB]
				55265 Ch. 3552.5 MHz	55748 Ch. 3600.8 MHz	56232 Ch. 3649.2 MHz	56715 Ch. 3697.5 MHz		
5 MHz	QPSK	1	0	22.01	21.93	21.83	21.98	0	0
		1	12	21.86	21.74	21.71	21.82	0	0
		1	24	21.97	21.97	21.91	22.11	0	0
		12	0	21.00	20.95	20.89	21.06	0 - 1	1
		12	6	20.98	20.94	20.89	21.05	0 - 1	1
		12	11	20.96	20.96	20.92	21.11	0 - 1	1
		25	0	21.01	20.98	20.93	21.13	0 - 1	1
	16QAM	1	0	20.99	21.01	20.94	21.09	0 - 1	1
		1	12	21.06	21.04	21.05	21.20	0 - 1	1
		1	24	20.96	20.96	20.92	21.12	0 - 1	1
		12	0	19.99	19.93	19.87	20.04	0 - 2	2
		12	6	19.96	19.90	19.87	20.02	0 - 2	2
		12	11	19.92	19.90	19.86	20.05	0 - 2	2
		25	0	19.98	20.03	19.99	20.19	0 - 2	2
	64QAM	1	0	19.73	19.64	19.60	19.74	0 - 2	2
		1	12	19.61	19.61	19.57	19.87	0 - 2	2
		1	24	19.67	19.68	19.64	19.85	0 - 2	2
		12	0	19.06	18.88	18.83	19.01	0 - 3	3
		12	6	19.03	18.86	18.83	19.00	0 - 3	3
		12	11	19.01	18.91	18.88	19.05	0 - 3	3
		25	0	19.05	18.98	18.93	19.13	0 - 3	3
	256QAM	1	0	16.89	16.84	16.77	16.94	0 - 5	5
		1	12	16.95	16.92	16.91	17.15	0 - 5	5
		1	24	16.85	16.87	16.83	17.04	0 - 5	5
		12	0	16.10	16.06	16.02	16.20	0 - 5	5
		12	6	16.08	16.02	16.01	16.17	0 - 5	5
		12	11	16.04	16.03	16.00	16.20	0 - 5	5
		25	0	16.03	16.01	15.98	16.21	0 - 5	5

LTE TDD Band 48_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR Allowed Per 3GPP [dB]	MPR [dB]
				55290 Ch. 3555 MHz	55757 Ch. 3601.7 MHz	56223 Ch. 3648.3 MHz	56690 Ch. 3695 MHz		
10 MHz	QPSK	1	0	21.93	21.56	21.51	21.91	0	0
		1	24	21.88	21.56	21.49	21.98	0	0
		1	49	21.79	21.56	21.51	22.07	0	0
		25	0	20.99	20.62	20.55	21.05	0 - 1	1
		25	12	20.93	20.60	20.55	21.08	0 - 1	1
		25	24	20.91	20.62	20.59	21.13	0 - 1	1
		50	0	20.96	20.63	20.59	21.11	0 - 1	1
	16QAM	1	0	20.99	20.59	20.49	20.96	0 - 1	1
		1	24	20.91	20.58	20.52	21.03	0 - 1	1
		1	49	20.91	20.66	20.61	21.18	0 - 1	1
		25	0	20.03	19.66	19.58	20.09	0 - 2	2
		25	12	19.97	19.63	19.59	20.13	0 - 2	2
		25	24	19.97	19.68	19.63	20.18	0 - 2	2
		50	0	19.97	19.65	19.58	20.12	0 - 2	2
	64QAM	1	0	19.75	19.34	19.23	19.73	0 - 2	2
		1	24	19.56	19.22	19.16	19.67	0 - 2	2
		1	49	19.58	19.33	19.28	19.85	0 - 2	2
		25	0	18.99	18.62	18.53	19.04	0 - 3	3
		25	12	18.94	18.60	18.55	19.07	0 - 3	3
		25	24	18.92	18.63	18.57	19.11	0 - 3	3
		50	0	19.04	18.70	18.64	19.18	0 - 3	3
	256QAM	1	0	16.93	16.51	16.42	16.91	0 - 5	5
		1	24	16.81	16.48	16.42	16.95	0 - 5	5
		1	49	16.76	16.51	16.46	17.05	0 - 5	5
		25	0	16.01	15.63	15.57	16.09	0 - 5	5
		25	12	15.95	15.61	15.58	16.12	0 - 5	5
		25	24	15.94	15.64	15.61	16.17	0 - 5	5
		50	0	15.97	15.63	15.60	16.14	0 - 5	5

LTE TDD Band 48_15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR Allowed Per 3GPP [dB]	MPR [dB]
				55315 Ch. 3557.5 MHz	55765 Ch. 3602.5 MHz	56215 Ch. 3647.5 MHz	56665 Ch. 3692.5 MHz		
15 MHz	QPSK	1	0	21.92	21.61	21.41	21.89	0	0
		1	36	21.65	21.47	21.31	21.77	0	0
		1	74	21.76	21.59	21.54	22.13	0	0
		36	0	20.98	20.62	20.54	21.03	0 - 1	1
		36	18	20.92	20.64	20.57	21.08	0 - 1	1
		36	39	20.87	20.65	20.60	21.16	0 - 1	1
		75	0	20.90	20.60	20.55	21.08	0 - 1	1
	16QAM	1	0	21.03	20.63	20.50	21.01	0 - 1	1
		1	36	21.01	20.72	20.67	21.15	0 - 1	1
		1	74	20.81	20.63	20.58	21.18	0 - 1	1
		36	0	19.94	19.58	19.48	19.98	0 - 2	2
		36	18	19.89	19.59	19.52	20.03	0 - 2	2
		36	39	19.82	19.59	19.55	20.09	0 - 2	2
		75	0	19.89	19.60	19.53	20.06	0 - 2	2
	64QAM	1	0	19.75	19.33	19.19	19.70	0 - 2	2
		1	36	19.67	19.37	19.27	19.83	0 - 2	2
		1	74	19.56	19.36	19.31	19.91	0 - 2	2
		36	0	19.03	18.67	18.57	19.07	0 - 3	3
		36	18	18.97	18.67	18.61	19.12	0 - 3	3
		36	39	18.92	18.68	18.63	19.19	0 - 3	3
		75	0	18.92	18.63	18.56	19.09	0 - 3	3
	256QAM	1	0	16.90	16.49	16.37	16.89	0 - 5	5
		1	36	16.93	16.64	16.54	17.11	0 - 5	5
		1	74	16.72	16.53	16.47	17.10	0 - 5	5
		36	0	16.02	15.64	15.57	16.09	0 - 5	5
		36	18	15.98	15.66	15.62	16.15	0 - 5	5
		36	39	15.90	15.67	15.65	16.21	0 - 5	5
		75	0	15.89	15.59	15.56	16.08	0 - 5	5

LTE TDD Band 48_20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR Allowed Per 3GPP [dB]	MPR [dB]
				55340 Ch. 3560 MHz	55773 Ch. 3603.3 MHz	56207 Ch. 3646.7 MHz	56640 Ch. 3690 MHz		
20 MHz	QPSK	1	0	21.93	21.61	21.40	21.87	0	0
		1	49	21.81	21.56	21.47	21.92	0	0
		1	99	21.70	21.60	21.52	22.11	0	0
		50	0	20.97	20.62	20.51	21.01	0 - 1	1
		50	25	20.90	20.63	20.56	21.05	0 - 1	1
		50	49	20.83	20.64	20.59	21.13	0 - 1	1
		100	0	20.89	20.63	20.56	21.06	0 - 1	1
	16QAM	1	0	21.00	20.61	20.44	20.95	0 - 1	1
		1	49	20.84	20.57	20.50	20.96	0 - 1	1
		1	99	20.79	20.68	20.60	21.20	0 - 1	1
		50	0	19.98	19.63	19.53	20.03	0 - 2	2
		50	25	19.93	19.65	19.57	20.06	0 - 2	2
		50	49	19.86	19.67	19.61	20.15	0 - 2	2
		100	0	19.92	19.65	19.58	20.07	0 - 2	2
	64QAM	1	0	19.76	19.35	19.18	19.68	0 - 2	2
		1	49	19.49	19.22	19.14	19.62	0 - 2	2
		1	99	19.49	19.37	19.28	19.90	0 - 2	2
		50	0	19.04	18.70	18.59	19.09	0 - 3	3
		50	25	18.98	18.71	18.63	19.13	0 - 3	3
		50	49	18.91	18.71	18.65	19.19	0 - 3	3
		100	0	18.91	18.64	18.56	19.05	0 - 3	3
	256QAM	1	0	16.93	16.51	16.37	16.88	0 - 5	5
		1	49	16.74	16.47	16.40	16.88	0 - 5	5
		1	99	16.64	16.53	16.46	17.08	0 - 5	5
		50	0	15.98	15.63	15.54	16.05	0 - 5	5
		50	25	15.91	15.64	15.59	16.08	0 - 5	5
		50	49	15.85	15.65	15.62	16.16	0 - 5	5
		100	0	15.83	15.57	15.51	16.01	0 - 5	5

I.2 NR Pmax Conducted Power

NR Band n41 Conducted Power (Power Class 2)_Pmax _MAIN2[ANT.B]

NR Band n41_10 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						500202 Ch. 2501.01 MHz	509400 Ch. 2547 MHz	518598 Ch. 2592.99 MHz	527802 Ch. 2639.01 MHz	537000 Ch. 2685 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	26.41	26.14	26.35	26.04	25.84	0
				1	12	26.42	26.28	26.44	26.09	25.94	0
				1	22	26.31	26.35	26.45	26.05	25.87	0
				12	0	25.94	25.72	25.90	25.55	25.35	0.5
				12	6	26.41	26.27	26.47	26.08	25.91	0
				12	12	25.87	25.86	25.97	25.58	25.40	0.5
				24	0	25.89	25.81	25.99	25.59	25.39	0.5
			QPSK	1	1	26.47	26.22	26.47	26.12	25.87	0
				1	12	26.48	26.29	26.50	26.09	25.88	0
				1	22	26.34	26.34	26.50	26.10	25.90	0
				12	0	25.41	25.22	25.44	25.08	24.89	1
				12	6	26.39	26.30	26.51	26.10	25.91	0
				12	12	25.34	25.35	25.51	25.09	24.89	1
				24	0	25.38	25.30	25.46	25.06	24.90	1
			16QAM	1	1	25.40	25.15	25.42	25.08	24.89	1
			64QAM	1	1	23.70	23.53	23.73	23.37	23.35	2.5
			256QAM	1	1	21.84	21.66	21.90	21.52	21.37	4.5
		CP	QPSK	1	1	24.59	24.37	24.67	24.34	24.19	1.5

NR Band n41_15 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						500700 Ch. 2503.5 MHz	509652 Ch. 2548.26 MHz	518598 Ch. 2592.99 MHz	527550 Ch. 2637.75 MHz	536502 Ch. 2682.51 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	25.76	25.55	25.83	25.54	25.27	0
				1	18	25.67	25.69	25.86	25.46	25.28	0
				1	36	25.54	25.86	25.96	25.51	25.32	0
				18	0	25.77	25.66	25.91	25.55	25.31	0.5
				18	9	25.73	25.79	25.95	25.56	25.33	0
				18	18	25.68	25.87	26.01	25.56	25.35	0.5
				36	0	25.77	25.82	25.96	25.56	25.36	0.5
			QPSK	1	1	25.81	25.63	25.96	25.57	25.28	0
				1	18	25.68	25.72	25.89	25.49	25.24	0
				1	36	25.58	25.86	25.95	25.48	25.32	0
				18	0	25.32	25.21	25.44	25.07	24.84	1
				18	9	25.75	25.79	25.98	25.58	25.34	0
				18	18	25.21	25.34	25.49	25.04	24.82	1
				36	0	25.25	25.31	25.47	25.03	24.83	1
			16QAM	1	1	25.35	25.11	25.40	25.11	24.79	1
			64QAM	1	1	23.78	23.53	23.71	23.53	23.23	2.5
			256QAM	1	1	21.83	21.59	21.85	21.57	21.27	4.5
		CP	QPSK	1	1	24.63	24.42	24.65	24.45	24.13	1.5

NR Band n41_20 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MP R [dB]
						501204 Ch. 2506.0 2 MHz	509898 Ch. 2549.4 9 MHz	518598 Ch. 2592.9 9 MHz	527298 Ch. 2636.4 9 MHz	535998 Ch. 2679.9 9 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	25.74	25.51	25.84	25.57	25.34	0
				1	26	25.59	25.80	25.93	25.53	25.31	0
				1	49	25.36	25.92	25.93	25.51	25.36	0
				25	0	25.75	25.68	25.89	25.63	25.37	0.5
				25	13	25.68	25.83	25.97	25.61	25.38	0
				25	26	25.50	25.91	26.00	25.59	25.38	0.5
				50	0	25.69	25.84	26.00	25.59	25.38	0.5
			QPSK	1	1	25.77	25.57	25.90	25.65	25.41	0
				1	26	25.61	25.79	25.94	25.53	25.34	0
				1	49	25.37	25.93	25.95	25.52	25.35	0
				25	0	25.27	25.19	25.46	25.12	24.88	1
				25	13	25.69	25.83	26.00	25.61	25.38	0
				25	26	25.02	25.40	25.49	25.10	24.89	1
				50	0	25.17	25.33	25.50	25.12	24.87	1
			16QAM	1	1	25.30	25.10	25.42	25.16	24.91	1
			64QAM	1	1	23.76	23.52	23.86	23.49	23.33	2.5
			256QAM	1	1	21.79	21.55	21.85	21.59	21.34	4.5
		CP	QPSK	1	1	24.62	24.39	24.69	24.38	24.17	1.5

NR Band n41_25 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MP R [dB]
						501702 Ch. 2508.51 MHz	510150 Ch. 2550.75 MHz	518598 Ch. 2592.99 MHz	527046 Ch. 2635.23 MHz	535500 Ch. 2677.5 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	25.72	25.51	25.82	25.58	25.34	0
				1	32	25.58	25.87	25.94	25.58	25.39	0
				1	63	25.28	25.91	25.88	25.52	25.38	0
				32	0	25.74	25.67	25.89	25.62	25.42	0.5
				32	17	25.58	25.84	25.95	25.58	25.40	0
				32	33	25.44	25.92	25.96	25.59	25.41	0.5
				64	0	25.64	25.84	25.97	25.58	25.39	0.5
			QPSK	1	1	25.77	25.52	25.87	25.63	25.38	0
				1	32	25.61	25.85	25.95	25.58	25.38	0
				1	63	25.26	25.91	25.88	25.49	25.36	0
				32	0	25.27	25.18	25.40	25.12	24.95	1
				32	17	25.62	25.85	25.98	25.59	25.40	0
				32	33	24.92	25.39	25.47	25.06	24.88	1
				64	0	25.12	25.33	25.46	25.10	24.87	1
			16QAM	1	1	25.29	25.03	25.36	25.11	24.89	1
			64QAM	1	1	23.71	23.44	23.81	23.57	23.30	2.5
			256QAM	1	1	21.81	21.49	21.81	21.62	21.41	4.5
		CP	QPSK	1	1	24.56	24.37	24.69	24.45	24.21	1.5

NR Band n41_30 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						502200 Ch. 2511 MHz	510402 Ch. 2552.01 MHz	518598 Ch. 2592.99 MHz	526800 Ch. 2634 MHz	534996 Ch. 2674.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	26.25	26.02	26.32	26.16	25.83	0
				1	39	26.09	26.43	26.54	26.15	25.88	0
				1	76	25.75	26.47	26.41	26.01	25.83	0
				36	0	25.79	25.71	25.92	25.64	25.40	0.5
				36	21	26.09	26.41	26.50	26.13	25.90	0
				36	42	25.37	26.01	25.99	25.57	25.39	0.5
			QPSK	75	0	25.58	25.90	25.99	25.62	25.39	0.5
				1	1	26.32	26.02	26.40	26.18	25.90	0
				1	39	26.18	26.51	26.55	26.19	25.95	0
				1	76	25.79	26.49	26.42	26.00	25.83	0
				36	0	25.29	25.22	25.42	25.16	24.92	1
				36	21	26.12	26.43	26.55	26.11	25.90	0
				36	42	24.87	25.48	25.49	25.07	24.87	1
				75	0	25.08	25.40	25.49	25.11	24.87	1
			16QAM	1	1	25.33	25.04	25.41	25.19	24.88	1
			64QAM	1	1	23.72	23.45	23.82	23.57	23.32	2.5
			256QAM	1	1	21.77	21.49	21.84	21.63	21.35	4.5
		CP	QPSK	1	1	24.64	24.38	24.67	24.49	24.19	1.5

NR Band n41_35 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						502700 Ch. 2513.5 MHz	510650 Ch. 2553.25 MHz	518598 Ch. 2592.99 MHz	526550 Ch. 2632.75 MHz	534500 Ch. 2672.5 MHz	
35 MHz	30	DFT-s	pi/2 BPSK	1	1	26.50	26.38	25.44	26.32	26.31	0
				1	45	26.60	26.42	25.50	26.64	26.54	0
				1	90	26.53	26.24	25.23	26.64	26.43	0
				45	0	26.23	25.88	24.79	25.99	25.99	0.5
				45	24	26.62	26.37	25.35	26.65	26.52	0
				45	47	26.05	25.86	24.81	26.17	25.94	0.5
			QPSK	90	0	26.13	25.83	24.84	26.21	26.00	0.5
				1	1	26.31	26.48	25.58	26.34	26.61	0
				1	45	26.41	26.35	25.33	26.64	26.61	0
				1	90	26.56	26.30	25.23	26.83	26.47	0
				45	0	25.66	25.40	24.35	25.56	24.60	1
				45	24	26.47	26.39	25.38	26.63	26.53	0
				45	47	25.62	25.37	24.24	25.66	25.50	1
				90	0	15.74	25.44	24.46	25.73	25.57	1
			16QAM	1	1	25.53	25.55	24.08	25.33	25.73	1
			64QAM	1	1	24.42	24.15	22.77	23.86	24.12	2.5
			256QAM	1	1	22.37	22.07	20.41	21.87	22.15	4.5
		CP	QPSK	1	1	25.12	24.90	24.02	20.16	25.03	1.5

NR Band n41_40 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						503202 Ch. 2516.01 MHz	513468 Ch. 2567.34 MHz		523734 Ch. 2618.67 MHz	534000 Ch. 2670 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	26.27	26.19		26.35	25.86	0
				1	53	25.93	26.48		26.34	25.97	0
				1	104	25.84	26.37		26.29	25.89	0
				50	0	25.70	25.89		25.87	25.44	0.5
				50	28	25.93	26.45		26.32	26.00	0
				50	56	25.30	25.92		25.74	25.43	0.5
				100	0	25.46	25.96		25.84	25.47	0.5
			QPSK	1	1	26.21	26.19		26.32	25.92	0
				1	53	25.95	26.61		26.33	25.93	0
				1	104	25.79	26.40		26.37	25.90	0
				50	0	25.21	25.41		25.36	24.98	1
				50	28	25.95	26.48		26.34	26.00	0
				50	56	24.80	25.43		25.22	24.93	1
				100	0	24.95	25.45		25.32	24.96	1
			16QAM	1	1	25.32	25.27		25.39	24.88	1
			64QAM	1	1	23.62	23.68		23.81	23.32	2.5
			256QAM	1	1	21.65	21.68		21.82	21.38	4.5
		CP	QPSK	1	1	24.59	24.55		24.78	24.28	1.5

NR Band n41_45 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR [dB]	
						503700 Ch. 2518.5 MHz		518598 Ch. 2592.99 MHz			533500 Ch. 2667.5 MHz
45 MHz	30	DFT-s	pi/2 BPSK	1	1	26.17		26.21		26.38	0
				1	59	26.53		26.44		10.67	0
				1	117	26.47		26.39		10.75	0
				54	0	26.18		25.88		26.09	0.5
				54	33	26.49		26.44		26.59	0
				54	65	25.98		23.09		26.07	0.5
				108	0	25.99		25.90		26.11	0.5
			QPSK	1	1	26.02		26.42		26.69	0
				1	59	26.46		26.40		26.63	0
				1	117	26.48		26.23		26.63	0
				54	0	25.67		25.40		25.76	1
				54	33	26.51		26.42		26.65	0
				54	65	25.50		25.62		25.63	1
				108	0	25.58		25.48		24.74	1
			16QAM	1	1	25.06		25.54		25.68	1
			64QAM	1	1	23.84		23.86		24.22	2.5
			256QAM	1	1	22.46		21.91		22.23	4.5
		CP	QPSK	1	1	24.69		24.90		25.12	1.5

NR Band n41_50 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR [dB]	
						504204 Ch. 2521.02 MHz		518598 Ch. 2592.99 MHz			532998 Ch. 2664.99 MHz
50 MHz	30	DFT-s	pi/2 BPSK	1	1	26.27		26.31		25.91	0
				1	67	25.85		26.45		25.90	0
				1	131	26.07		26.34		25.86	0
				64	0	25.66		25.89		25.41	0.5
				64	35	25.90		26.49		25.98	0
				64	69	25.38		25.95		25.40	0.5
			QPSK	128	0	25.42		25.97		25.42	0.5
				1	1	26.24		26.30		26.01	0
				1	67	25.90		26.49		25.95	0
				1	131	26.05		26.40		25.82	0
				64	0	25.21		25.41		24.93	1
				64	35	25.92		26.51		25.97	0
				64	69	24.86		25.43		24.95	1
				128	0	24.89		25.48		24.95	1
			16QAM	1	1	25.36		25.38		24.88	1
			64QAM	1	1	23.74		23.80		23.30	2.5
			256QAM	1	1	21.83		21.80		21.37	4.5
		CP	QPSK	1	1	24.62		24.63		24.23	1.5

NR Band n41_60 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR [dB]	
						505200 Ch. 2526 MHz		518598 Ch. 2592.99 MHz			531996 Ch. 2659.98 MHz
60 MHz	30	DFT-s	pi/2 BPSK	1	1	26.22		26.31		25.96	0
				1	81	25.82		26.45		26.03	0
				1	160	26.23		26.24		25.91	0
				81	0	25.53		25.86		25.44	0.5
				81	41	25.80		26.46		26.01	0
				81	81	25.49		25.89		25.46	0.5
			QPSK	162	0	25.27		25.96		25.48	0.5
				1	1	26.26		26.28		25.91	0
				1	81	25.86		26.52		26.00	0
				1	160	26.23		26.22		25.84	0
				81	0	25.06		25.39		24.96	1
				81	41	25.82		26.49		26.03	0
				81	81	24.97		25.41		24.92	1
				162	0	24.79		25.44		24.95	1
			16QAM	1	1	25.27		25.33		24.98	1
			64QAM	1	1	23.71		23.79		23.40	2.5
			256QAM	1	1	21.77		21.80		21.47	4.5
		CP	QPSK	1	1	24.53		24.65		24.30	1.5

NR Band n41_70 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR [dB]	
						506202 Ch. 2531.01 MHz					531000 Ch. 2655 MHz
70 MHz	30	DFT-s	pi/2 BPSK	1	1	26.21				26.10	0
				1	95	25.80				26.02	0
				1	187	26.32				26.01	0
				90	0	25.49				25.48	0.5
				90	50	25.84				26.05	0
				90	99	25.71				25.54	0.5
				180	0	25.33				25.54	0.5
			QPSK	1	1	26.29				26.14	0
				1	95	25.85				26.06	0
				1	187	26.35				25.99	0
				90	0	25.03				24.98	1
				90	50	25.87				26.05	0
				90	99	25.24				25.07	1
				180	0	24.82				25.04	1
			16QAM	1	1	25.32				25.14	1
			64QAM	1	1	23.73				23.54	2.5
			256QAM	1	1	21.82				21.60	4.5
		CP	QPSK	1	1	24.61				24.43	1.5

NR Band n41_80 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR [dB]	
						507204 Ch. 2536.02 MHz					529998 Ch. 2649.99 MHz
80 MHz	30	DFT-s	pi/2 BPSK	1	1	26.26				26.20	0
				1	109	25.91				26.03	0
				1	215	26.35				26.03	0
				108	0	25.42				25.62	0.5
				108	55	25.95				26.05	0
				108	109	25.88				25.54	0.5
				216	0	25.42				25.54	0.5
			QPSK	1	1	26.31				26.24	0
				1	109	25.94				26.05	0
				1	215	26.38				25.98	0
				108	0	24.99				25.13	1
				108	55	25.97				26.06	0
				108	109	25.38				25.06	1
				216	0	24.90				25.02	1
			16QAM	1	1	25.41				25.27	1
			64QAM	1	1	23.86				23.62	2.5
			256QAM	1	1	21.82				21.76	4.5
		CP	QPSK	1	1	24.65				24.52	1.5

NR Band n41_90 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR [dB]	
						508200 Ch. 2541 MHz					528996 Ch. 2644.98 MHz
90 MHz	30	DFT-s	pi/2 BPSK	1	1	26.33				26.27	0
				1	123	26.08				25.98	0
				1	243	26.39				25.97	0
				120	0	25.40				25.63	0.5
				120	63	26.07				26.04	0
				120	125	25.96				25.56	0.5
				243	0	25.57				25.54	0.5
			QPSK	1	1	26.35				26.31	0
				1	123	26.08				26.06	0
				1	243	26.37				25.95	0
				120	0	24.94				25.14	1
				120	63	26.10				26.05	0
				120	125	25.46				25.04	1
				243	0	25.07				25.00	1
			16QAM	1	1	25.37				25.36	1
			64QAM	1	1	23.91				23.81	2.5
			256QAM	1	1	21.88				21.76	4.5
		CP	QPSK	1	1	24.73				24.57	1.5

NR Band n41_100 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR [dB]
						518598 Ch. 2592.99 MHz				
100 MHz	30	DFT-s	pi/2 BPSK	1	1	26.00				0
				1	137	26.39				0
				1	271	26.16				0
				135	0	25.88				0.5
				135	69	26.44				0
				135	138	25.82				0.5
			QPSK	270	0	25.92				0.5
				1	1	26.07				0
				1	137	26.44				0
				1	271	26.19				0
				135	0	25.41				1
				135	69	26.44				0
				135	138	25.35				1
				270	0	25.46				1
			16QAM	1	1	25.07				1
			64QAM	1	1	23.50				2.5
			256QAM	1	1	21.59				4.5
		CP	QPSK	1	1	24.44				1.5

NR Band n2 Conducted Power_Pmax_SUB2[ANT.F]

NR Band n2_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						370500 Ch. 1852.5 MHz	376000 Ch. 1880 MHz	381500 Ch. 1907.5 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1	22.85	23.53	23.93	0
				1	13	22.93	23.50	23.79	0
				1	23	23.15	23.50	24.01	0
				12	0	22.57	23.07	23.45	0.5
				12	7	23.14	23.59	23.97	0
				12	13	22.62	23.08	23.55	0.5
				25	0	22.66	23.18	23.52	0.5
			QPSK	1	1	23.01	23.65	24.01	0
				1	13	23.08	23.57	24.04	0
				1	23	23.24	23.67	24.14	0
				12	0	22.04	22.67	23.01	1
				12	7	23.16	23.70	24.06	0
				12	13	22.16	22.69	23.13	1
				25	0	22.13	22.71	23.05	1
			16QAM	1	1	22.05	22.61	23.04	1
			64QAM	1	1	20.64	21.23	21.65	2.5
			256QAM	1	1	18.32	18.86	19.27	4.5
		CP	QPSK	1	1	21.45	21.96	22.36	1.5

NR Band n2_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						371000 Ch. 1855 MHz	376000 Ch. 1880 MHz	381000 Ch. 1905 MHz	
10 MHz	15	DFT-s	pi/2 BPSK	1	1	22.70	23.41	23.77	0
				1	26	23.13	23.63	23.92	0
				1	50	23.24	23.53	24.12	0
				25	0	22.45	23.00	23.40	0.5
				25	14	23.05	23.53	23.98	0
				25	27	22.67	23.08	23.56	0.5
				50	0	22.54	23.07	23.46	0.5
			QPSK	1	1	22.93	23.55	23.91	0
				1	26	23.09	23.61	24.01	0
				1	50	23.27	23.67	24.15	0
				25	0	21.99	22.57	22.95	1
				25	14	23.08	23.61	24.01	0
				25	27	22.21	22.60	23.08	1
				50	0	22.16	22.65	22.99	1
			16QAM	1	1	21.86	22.50	22.86	1
			64QAM	1	1	20.48	21.15	21.43	2.5
			256QAM	1	1	18.18	18.78	19.11	4.5
		CP	QPSK	1	1	21.28	21.94	22.24	1.5

NR Band n2_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						371500 Ch. 1857.5 MHz	376000 Ch. 1880 MHz	380500 Ch. 1902.5 MHz	
15 MHz	15	DFT-s	pi/2 BPSK	1	1	22.57	23.24	23.47	0
				1	40	22.90	23.40	23.66	0
				1	77	23.23	23.54	23.93	0
				36	0	22.36	22.91	23.23	0.5
				36	22	23.05	23.48	23.86	0
				36	43	22.66	23.07	23.45	0.5
				75	0	22.55	23.10	23.35	0.5
			QPSK	1	1	22.71	23.02	23.66	0
				1	40	23.01	23.48	23.79	0
				1	77	23.34	23.67	24.05	0
				36	0	21.92	22.48	22.75	1
				36	22	23.06	23.59	23.83	0
				36	43	22.25	22.56	22.98	1
				75	0	22.04	22.51	22.88	1
			16QAM	1	1	21.77	22.32	22.67	1
			64QAM	1	1	20.30	21.08	21.24	2.5
			256QAM	1	1	18.10	18.67	18.84	4.5
		CP	QPSK	1	1	21.16	21.78	22.00	1.5

NR Band n2_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						372000 Ch. 1860 MHz	376000 Ch. 1880 MHz	380000 Ch. 1900 MHz	
20 MHz	15	DFT-s	pi/2 BPSK	1	1	23.43	23.20	23.34	0
				1	53	23.08	23.44	23.85	0
				1	104	23.24	23.44	23.83	0
				50	0	22.38	22.78	23.03	0.5
				50	28	23.08	23.40	23.75	0
				50	56	22.77	23.01	23.36	0.5
				100	0	22.56	22.94	23.19	0.5
			QPSK	1	1	22.70	23.05	23.56	0
				1	53	23.18	23.49	23.95	0
				1	104	23.37	23.57	23.99	0
				50	0	21.90	22.36	22.60	1
				50	28	23.11	23.50	23.76	0
				50	56	22.26	22.56	22.94	1
				100	0	22.12	22.44	22.77	1
			16QAM	1	1	21.64	22.33	22.57	1
			64QAM	1	1	20.29	20.93	21.12	2.5
			256QAM	1	1	18.18	18.58	18.70	4.5
		CP	QPSK	1	1	21.06	21.70	21.80	1.5

NR Band n2_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]	
						372500 Ch. 1862.5 MHz	379500 Ch. 1897.5 MHz		
25 MHz	15	DFT-s	pi/2 BPSK	1	1	23.35		23.16	0
				1	66	23.08		23.65	0
				1	131	23.18		23.75	0
				64	0	22.31		22.89	0.5
				64	35	23.04		23.57	0
				64	69	22.74		23.24	0.5
				128	0	22.52		23.11	0.5
			QPSK	1	1	22.62		23.37	0
				1	66	23.20		23.70	0
				1	131	23.40		23.90	0
				64	0	21.89		22.49	1
				64	35	23.19		23.62	0
				64	69	22.37		22.79	1
				128	0	22.06		22.62	1
			16QAM	1	1	21.65		22.35	1
			64QAM	1	1	20.24		20.96	2.5
			256QAM	1	1	18.92		18.62	4.5
		CP	QPSK	1	1	21.19		21.75	1.5

NR Band n2_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]	
						373000 Ch. 1865 MHz	379000 Ch. 1895 MHz		
30 MHz	15	DFT-s	pi/2 BPSK	1	1	23.32		23.19	0
				1	80	23.16		23.61	0
				1	158	23.28		23.84	0
				80	0	22.31		22.87	0.5
				80	40	23.16		23.53	0
				80	80	22.80		23.22	0.5
				160	0	22.59		23.07	0.5
			QPSK	1	1	22.60		23.30	0
				1	80	23.22		23.63	0
				1	158	23.38		23.90	0
				80	0	21.95		22.38	1
				80	40	23.19		23.58	0
				80	80	22.36		22.78	1
				160	0	22.15		22.56	1
			16QAM	1	1	21.53		22.26	1
			64QAM	1	1	20.14		20.87	2.5
			256QAM	1	1	18.80		18.55	4.5
		CP	QPSK	1	1	21.09		21.15	1.5

NR Band n2_35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							376000 Ch. 1880 MHz	
35 MHz	15	DFT-s	pi/2 BPSK	1	1		22.91	0
				1	98		23.27	0
				1	186		23.52	0
				90	0		22.64	0.5
				90	45		23.38	0
				90	90		22.96	0.5
				180	0		22.89	0.5
			QPSK	1	1		22.99	0
				1	98		23.38	0
				1	186		23.59	0
				90	0		22.23	1
				90	45		23.42	0
				90	90		22.52	1
				180	0		22.42	1
			16QAM	1	1		22.01	1
			64QAM	1	1		20.59	2.5
			256QAM	1	1		18.33	4.5
		CP	QPSK	1	1		21.42	1.5

NR Band n2_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							376000 Ch. 1880 MHz	
40 MHz	15	DFT-s	pi/2 BPSK	1	1		22.56	0
				1	108		23.33	0
				1	214		23.52	0
				108	0		22.63	0.5
				108	54		23.33	0
				108	108		23.00	0.5
				216	0		22.82	0.5
			QPSK	1	1		22.86	0
				1	108		23.36	0
				1	214		23.64	0
				108	0		22.17	1
				108	54		23.43	0
				108	108		22.52	1
				216	0		22.40	1
			16QAM	1	1		21.85	1
			64QAM	1	1		20.48	2.5
			256QAM	1	1		18.13	4.5
		CP	QPSK	1	1		21.26	1.5

NR Band n25 Conducted Power_Pmax _SUB2[ANT.F]

NR Band n25_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						370500 Ch. 1852.5 MHz	376500 Ch. 1882.5 MHz	382500 Ch. 1912.5 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1	23.17	23.11	23.58	0
				1	13	23.14	23.12	23.62	0
				1	23	22.53	23.31	23.70	0
				12	0	22.17	22.70	23.20	0.5
				12	7	22.52	23.26	23.71	0
				12	13	22.07	22.78	23.23	0.5
				25	0	22.01	22.74	23.27	0.5
			QPSK	1	1	23.16	23.31	23.78	0
				1	13	23.07	23.27	23.73	0
				1	23	22.65	23.39	23.78	0
				12	0	21.55	22.23	22.77	1
				12	7	22.53	23.23	23.82	0
				12	13	21.63	22.30	22.81	1
				25	0	21.51	22.29	22.81	1
			16QAM	1	1	21.51	22.25	22.79	1
			64QAM	1	1	20.10	20.80	21.35	2.5
			256QAM	1	1	18.44	18.51	19.05	4.5
		CP	QPSK	1	1	21.04	21.45	22.13	1.5

NR Band n25_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						371000 Ch. 1855 MHz	376500 Ch. 1882.5 MHz	382000 Ch. 1910 MHz	
10 MHz	15	DFT-s	pi/2 BPSK	1	1	23.28	23.13	23.60	0
				1	26	22.68	23.35	24.02	0
				1	50	22.81	23.32	23.86	0
				25	0	22.03	22.70	23.30	0.5
				25	14	22.66	23.27	23.82	0
				25	27	22.25	22.86	23.33	0.5
				50	0	22.22	22.83	23.33	0.5
			QPSK	1	1	22.51	23.29	23.72	0
				1	26	22.70	23.35	24.00	0
				1	50	22.93	23.38	23.93	0
				25	0	21.65	22.24	22.81	1
				25	14	22.67	23.32	23.91	0
				25	27	21.86	22.40	22.87	1
				50	0	21.71	22.35	22.84	1
			16QAM	1	1	22.17	22.26	22.77	1
			64QAM	1	1	20.06	20.81	21.33	2.5
			256QAM	1	1	18.18	18.49	18.95	4.5
		CP	QPSK	1	1	21.19	21.63	22.06	1.5

NR Band n25_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						371500 Ch. 1857.5 MHz	376500 Ch. 1882.5 MHz	381500 Ch. 1907.5 MHz	
15 MHz	15	DFT-s	pi/2 BPSK	1	1	23.09	23.01	23.47	0
				1	40	22.58	23.18	23.72	0
				1	77	22.99	23.35	23.92	0
				36	0	22.12	22.72	23.22	0.5
				36	22	22.75	23.32	23.83	0
				36	43	22.46	22.85	23.42	0.5
				75	0	22.32	22.81	23.36	0.5
			QPSK	1	1	23.04	23.10	23.66	0
				1	40	22.75	23.30	23.77	0
				1	77	23.10	23.46	23.95	0
				36	0	21.68	22.30	22.77	1
				36	22	22.85	23.35	23.90	0
				36	43	22.02	22.39	22.97	1
				75	0	21.79	22.35	22.84	1
			16QAM	1	1	22.14	22.25	22.64	1
			64QAM	1	1	20.17	20.81	21.21	2.5
			256QAM	1	1	18.18	18.48	18.90	4.5
		CP	QPSK	1	1	21.54	21.67	22.05	1.5

NR Band n25_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						372000 Ch. 1860 MHz	376500 Ch. 1882.5 MHz	381000 Ch. 1905 MHz	
20 MHz	15	DFT-s	pi/2 BPSK	1	1	23.17	23.07	23.34	0
				1	53	22.90	23.36	23.85	0
				1	104	23.07	23.23	23.85	0
				50	0	22.07	22.54	23.09	0.5
				50	28	22.81	23.22	23.76	0
				50	56	22.52	22.80	23.39	0.5
				100	0	22.27	22.72	23.26	0.5
			QPSK	1	1	23.18	23.10	23.51	0
				1	53	22.92	23.34	23.80	0
				1	104	23.17	23.42	23.91	0
				50	0	21.69	22.20	22.65	1
				50	28	22.86	23.34	23.86	0
				50	56	22.06	22.42	22.94	1
				100	0	21.84	22.33	22.77	1
			16QAM	1	1	22.19	22.13	22.48	1
			64QAM	1	1	20.02	20.74	21.12	2.5
			256QAM	1	1	18.16	18.40	18.74	4.5
		CP	QPSK	1	1	21.16	21.58	21.79	1.5

NR Band n25_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]	
						372500 Ch. 1862.5 MHz	380500 Ch. 1902.5 MHz		
25 MHz	15	DFT-s	pi/2 BPSK	1	1	23.27		23.15	0
				1	66	23.02		23.63	0
				1	131	23.17		23.79	0
				64	0	22.19		22.89	0.5
				64	35	22.92		23.60	0
				64	69	22.63		23.32	0.5
				128	0	22.43		23.13	0.5
			QPSK	1	1	23.14		23.32	0
				1	66	23.15		23.72	0
				1	131	23.26		23.86	0
				64	0	21.74		22.47	1
				64	35	23.00		23.70	0
				64	69	22.18		22.89	1
				128	0	21.96		22.63	1
			16QAM	1	1	22.41		22.37	1
			64QAM	1	1	20.19		20.91	2.5
			256QAM	1	1	18.68		18.55	4.5
		CP	QPSK	1	1	21.42		21.70	1.5

NR Band n25_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]	
						373000 Ch. 1865 MHz	380000 Ch. 1900 MHz		
30 MHz	15	DFT-s	pi/2 BPSK	1	1	23.18		23.15	0
				1	80	23.09		23.60	0
				1	158	23.26		23.81	0
				80	0	22.22		22.85	0.5
				80	40	23.04		23.61	0
				80	80	22.75		23.32	0.5
				160	0	22.60		23.08	0.5
			QPSK	1	1	23.16		23.26	0
				1	80	23.18		23.68	0
				1	158	23.30		23.95	0
				80	0	21.84		22.43	1
				80	40	23.15		23.67	0
				80	80	22.28		22.86	1
				160	0	22.09		22.62	1
			16QAM	1	1	22.44		22.32	1
			64QAM	1	1	20.00		20.87	2.5
			256QAM	1	1	18.18		18.50	4.5
		CP	QPSK	1	1	21.28		21.67	1.5

NR Band n25_35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							376500 Ch. 1882.5 MHz		
35 MHz	15	DFT-s	pi/2 BPSK	1	1		22.81		0
				1	98		23.26		0
				1	186		23.51		0
				90	0		22.70		0.5
				90	45		23.36		0
				90	90		22.95		0.5
				180	0		22.86		0.5
			QPSK	1	1		23.01		0
				1	98		23.40		0
				1	186		23.67		0
				90	0		22.30		1
				90	45		23.43		0
				90	90		22.47		1
				180	0		22.40		1
			16QAM	1	1		22.01		1
			64QAM	1	1		20.56		2.5
			256QAM	1	1		18.27		4.5
		CP	QPSK	1	1		21.39		1.5

NR Band n25_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							376500 Ch. 1882.5 MHz		
40 MHz	15	DFT-s	pi/2 BPSK	1	1		22.82		0
				1	108		23.39		0
				1	214		23.67		0
				108	0		22.73		0.5
				108	54		23.37		0
				108	108		23.01		0.5
				216	0		22.89		0.5
			QPSK	1	1		22.91		0
				1	108		23.37		0
				1	214		23.73		0
				108	0		22.25		1
				108	54		23.47		0
				108	108		22.49		1
				216	0		22.39		1
			16QAM	1	1		21.96		1
			64QAM	1	1		20.48		2.5
			256QAM	1	1		18.21		4.5
		CP	QPSK	1	1		21.27		1.5

NR Band n30 Conducted Power_Pmax _SUB2[ANT.F]

NR Band n30_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							462000 Ch. 2310 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1		21.42	0
				1	13		21.32	0
				1	23		21.54	0
				12	0		21.56	0.5
				12	7		21.55	0
				12	13		21.61	0.5
				25	0		21.61	0.5
			QPSK	1	1		21.65	0
				1	13		21.44	0
				1	23		21.66	0
				12	0		21.08	1
				12	7		21.63	0
				12	13		21.09	1
				25	0		21.09	1
			16QAM	1	1		21.08	1
			64QAM	1	1		19.69	2.5
			256QAM	1	1		17.34	4.5
		CP	QPSK	1	1		20.48	1.5

NR Band n30_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							462000 Ch. 2310 MHz	
10 MHz	15	DFT-s	pi/2 BPSK	1	1		21.82	0
				1	26		21.97	0
				1	50		22.06	0
				25	0		21.56	0.5
				25	14		22.04	0
				25	27		21.62	0.5
				50	0		21.57	0.5
			QPSK	1	1		22.48	0
				1	26		22.18	0
				1	50		22.18	0
				25	0		21.21	1
				25	14		22.15	0
				25	27		21.19	1
				50	0		21.11	1
			16QAM	1	1		21.19	1
			64QAM	1	1		19.73	2.5
			256QAM	1	1		17.32	4.5
		CP	QPSK	1	1		20.51	1.5

NR Band n66 Conducted Power_Pmax _SUB2[ANT.F]

NR Band n66_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						342500 Ch. 1712.5 MHz	349000 Ch. 1745 MHz	355500 Ch. 1777.5 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1	23.44	24.03	24.28	0
				1	13	23.38	24.01	24.12	0
				1	23	23.48	24.16	24.14	0
				12	0	23.02	23.60	23.80	0.5
				12	7	23.51	24.17	24.29	0
				12	13	23.05	23.67	23.88	0.5
				25	0	23.02	23.66	23.88	0.5
			QPSK	1	1	23.50	24.10	24.36	0
				1	13	23.43	24.09	24.32	0
				1	23	23.53	24.19	24.44	0
				12	0	22.55	23.16	23.40	1
				12	7	23.53	24.13	24.43	0
				12	13	22.52	23.21	23.45	1
				25	0	22.57	23.18	23.45	1
			16QAM	1	1	22.48	23.19	23.39	1
			64QAM	1	1	21.14	21.66	22.02	2.5
			256QAM	1	1	18.89	19.46	19.69	4.5
		CP	QPSK	1	1	21.94	22.53	22.80	1.5

NR Band n66_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						343000 Ch. 1715 MHz	349000 Ch. 1745 MHz	355000 Ch. 1775 MHz	
10 MHz	15	DFT-s	pi/2 BPSK	1	1	23.44	23.84	24.24	0
				1	26	23.58	24.15	24.48	0
				1	50	23.58	24.18	24.40	0
				25	0	23.08	23.54	23.84	0.5
				25	14	23.56	24.14	24.39	0
				25	27	23.10	23.72	23.91	0.5
				50	0	23.09	23.62	23.90	0.5
			QPSK	1	1	23.55	23.94	24.36	0
				1	26	23.62	24.13	24.44	0
				1	50	23.59	24.22	24.46	0
				25	0	22.61	23.06	23.40	1
				25	14	23.61	24.15	24.42	0
				25	27	22.65	23.19	23.46	1
				50	0	22.64	23.17	23.44	1
			16QAM	1	1	22.54	22.96	23.44	1
			64QAM	1	1	21.15	21.56	22.09	2.5
			256QAM	1	1	18.94	19.31	19.73	4.5
		CP	QPSK	1	1	22.05	22.56	22.83	1.5

NR Band n66_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						343500 Ch. 1717.5 MHz	349000 Ch. 1745 MHz	354500 Ch. 1772.5 MHz	
15 MHz	15	DFT-s	pi/2 BPSK	1	1	23.42	23.83	24.19	0
				1	40	23.38	24.00	24.14	0
				1	77	23.60	24.27	24.31	0
				36	0	23.04	23.52	23.82	0.5
				36	22	23.57	24.14	24.29	0
				36	43	23.08	23.71	23.83	0.5
				75	0	23.10	23.63	23.82	0.5
			QPSK	1	1	23.52	23.91	24.31	0
				1	40	23.50	24.06	24.22	0
				1	77	23.65	24.33	24.38	0
				36	0	22.60	23.05	23.35	1
				36	22	23.58	24.13	24.31	0
				36	43	22.60	23.22	23.38	1
				75	0	22.61	23.16	23.31	1
			16QAM	1	1	22.59	22.92	23.35	1
			64QAM	1	1	21.23	21.57	21.90	2.5
			256QAM	1	1	18.91	19.31	19.64	4.5
		CP	QPSK	1	1	22.00	22.40	22.76	1.5

NR Band n66_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						344000 Ch. 1720 MHz	349000 Ch. 1745 MHz	354000 Ch. 1770 MHz	
20 MHz	15	DFT-s	pi/2 BPSK	1	1	23.35	23.80	24.23	0
				1	53	23.56	24.19	24.43	0
				1	104	23.61	24.29	24.37	0
				50	0	23.02	23.49	23.84	0.5
				50	28	23.56	24.15	24.34	0
				50	56	23.14	23.80	23.91	0.5
				100	0	23.04	23.66	23.82	0.5
			QPSK	1	1	23.50	23.85	24.32	0
				1	53	23.57	24.14	24.38	0
				1	104	23.68	24.34	24.45	0
				50	0	22.59	23.04	23.38	1
				50	28	23.57	24.17	24.41	0
				50	56	22.61	23.30	23.39	1
				100	0	22.57	23.15	23.39	1
			16QAM	1	1	22.48	22.87	23.32	1
			64QAM	1	1	21.07	21.47	21.97	2.5
			256QAM	1	1	18.88	19.24	19.64	4.5
		CP	QPSK	1	1	21.97	22.34	22.77	1.5

NR Band n66_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						344500 Ch. 1722.5 MHz	349000 Ch. 1745 MHz	353500 Ch. 1767.5 MHz	
25 MHz	15	DFT-s	pi/2 BPSK	1	1	23.36	23.70	24.27	0
				1	66	23.60	24.23	24.42	0
				1	131	23.63	24.34	24.35	0
				64	0	23.01	23.49	23.88	0.5
				64	35	23.53	24.15	24.38	0
				64	69	23.16	23.81	23.94	0.5
				128	0	23.03	23.66	23.92	0.5
			QPSK	1	1	23.45	23.76	24.36	0
				1	66	23.56	24.27	24.46	0
				1	131	23.74	24.39	24.45	0
				64	0	22.58	22.98	23.46	1
				64	35	23.60	24.18	24.45	0
				64	69	22.65	23.33	23.41	1
				128	0	22.52	23.20	23.42	1
			16QAM	1	1	22.48	22.74	23.31	1
			64QAM	1	1	21.04	21.32	21.96	2.5
			256QAM	1	1	18.85	19.17	19.75	4.5
		CP	QPSK	1	1	21.93	22.21	22.81	1.5

NR Band n66_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							349000 Ch. 1745 MHz		
30 MHz	15	DFT-s	pi/2 BPSK	1	1		23.57		0
				1	80		24.18		0
				1	158		24.29		0
				80	0		23.43		0.5
				80	40		24.19		0
				80	80		23.84		0.5
				160	0		23.69		0.5
			QPSK	1	1		23.72		0
				1	80		24.17		0
				1	158		24.35		0
				80	0		22.95		1
				80	40		24.24		0
				80	80		23.37		1
				160	0		23.20		1
			16QAM	1	1		22.73		1
			64QAM	1	1		21.30		2.5
			256QAM	1	1		19.12		4.5
		CP	QPSK	1	1		22.20		1.5

NR Band n66_35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							349000 Ch. 1745 MHz		
35 MHz	15	DFT-s	pi/2 BPSK	1	1		23.28		0
				1	98		23.86		0
				1	186		24.10		0
				90	0		23.18		0.5
				90	45		24.17		0
				90	90		23.84		0.5
				180	0		23.43		0.5
			QPSK	1	1		23.47		0
				1	98		23.98		0
				1	186		24.40		0
				90	0		22.72		1
				90	45		24.18		0
				90	90		23.18		1
				180	0		23.20		1
			16QAM	1	1		22.42		1
			64QAM	1	1		21.07		2.5
			256QAM	1	1		18.79		4.5
		CP	QPSK	1	1		21.97		1.5

NR Band n66_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							349000 Ch. 1745 MHz		
40 MHz	15	DFT-s	pi/2 BPSK	1	1		23.51		0
				1	108		24.24		0
				1	214		24.32		0
				108	0		23.37		0.5
				108	54		24.20		0
				108	108		23.88		0.5
				216	0		23.70		0.5
			QPSK	1	1		23.64		0
				1	108		24.21		0
				1	214		24.37		0
				108	0		22.92		1
				108	54		24.21		0
				108	108		23.40		1
				216	0		23.24		1
			16QAM	1	1		22.64		1
			64QAM	1	1		21.20		2.5
			256QAM	1	1		19.03		4.5
		CP	QPSK	1	1		22.15		1.5

NR Band n70 Conducted Power_Pmax _SUB2[ANT.F]

NR Band n70_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						339500 Ch. 1697.5 MHz	340500 Ch. 1702.5 MHz	341500 Ch. 1707.5 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1	22.43	22.44	22.61	0
				1	13	22.51	22.36	22.52	0
				1	23	22.58	22.55	22.58	0
				12	0	22.10	21.96	22.14	0.5
				12	7	22.64	22.51	22.62	0
				12	13	22.10	22.04	22.12	0.5
				25	0	22.15	22.02	22.17	0.5
			QPSK	1	1	22.55	22.47	22.67	0
				1	13	22.54	22.42	22.55	0
				1	23	22.59	22.58	22.59	0
				12	0	21.63	21.51	21.67	1
				12	7	22.63	22.53	22.65	0
				12	13	21.66	21.57	21.67	1
				25	0	21.66	21.52	21.68	1
			16QAM	1	1	21.54	21.50	21.66	1
			64QAM	1	1	20.17	20.10	20.27	2.5
			256QAM	1	1	17.93	17.93	18.04	4.5
		CP	QPSK	1	1	20.99	21.05	21.13	1.5

NR Band n70_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						340000 Ch. 1700 MHz	340500 Ch. 1702.5 MHz	341000 Ch. 1705 MHz	
10 MHz	15	DFT-s	pi/2 BPSK	1	1	22.42	22.48	22.56	0
				1	26	22.57	22.61	22.76	0
				1	50	22.57	22.55	22.62	0
				25	0	22.07	22.01	22.12	0.5
				25	14	22.53	22.53	22.68	0
				25	27	22.04	22.10	22.16	0.5
				50	0	22.05	22.05	22.16	0.5
			QPSK	1	1	22.52	22.53	22.59	0
				1	26	22.56	22.57	22.73	0
				1	50	22.62	22.60	22.62	0
				25	0	21.62	21.54	21.62	1
				25	14	22.57	22.53	22.72	0
				25	27	21.59	21.60	21.69	1
				50	0	21.53	21.57	21.71	1
			16QAM	1	1	21.50	21.60	21.59	1
			64QAM	1	1	20.11	20.19	20.22	2.5
			256QAM	1	1	17.83	17.95	18.02	4.5
		CP	QPSK	1	1	20.93	21.06	21.08	1.5

NR Band n70_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							340500 Ch. 1702.5 MHz	
15 MHz	15	DFT-s	pi/2 BPSK	1	1		22.48	0
				1	40		22.43	0
				1	77		22.54	0
				36	0		22.02	0.5
				36	22		22.52	0
				36	43		22.09	0.5
				75	0		22.07	0.5
			QPSK	1	1		22.50	0
				1	40		22.45	0
				1	77		22.54	0
				36	0		21.56	1
				36	22		22.56	0
				36	43		21.61	1
				75	0		21.57	1
			16QAM	1	1		21.50	1
			64QAM	1	1		20.07	2.5
			256QAM	1	1		17.90	4.5
		CP	QPSK	1	1		20.97	1.5

NR Band n48 Conducted Power_Pmax _SUB2[ANT.G]

NR Band n48_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR [dB]
						637000 Ch. 3555 MHz	640134 Ch. 3602.01 MHz	643200 Ch. 3648 MHz	646334 Ch. 3695.01 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	21.24	21.03	21.36	21.45	0
				1	12	21.23	21.00	21.39	21.59	0
				1	22	21.14	21.03	21.36	21.62	0
				12	0	20.75	20.49	20.86	21.00	0.5
				12	6	21.20	21.01	21.38	21.57	0
				12	12	20.68	20.55	20.90	21.13	0.5
				24	0	20.69	20.52	20.90	21.05	0.5
			QPSK	1	1	21.26	20.99	21.41	21.50	0
				1	12	21.17	21.10	21.50	21.72	0
				1	22	21.13	21.01	21.41	21.69	0
				12	0	20.31	19.99	20.37	20.52	1
				12	6	21.31	21.05	21.38	21.60	0
				12	12	20.23	20.06	20.41	20.62	1
				24	0	20.28	20.01	20.38	20.59	1
			16QAM	1	1	20.33	19.96	20.34	20.49	1
			64QAM	1	1	18.70	18.31	18.75	18.87	2.5
			256QAM	1	1	16.85	16.53	16.86	16.98	4.5
		CP	QPSK	1	1	19.65	19.38	19.74	19.88	1.5

NR Band n48_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR [dB]
						637168 Ch. 3557.52 MHz	640166 Ch. 3602.49 MHz	643166 Ch. 3647.49 MHz	646166 Ch. 3692.49 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	21.25	20.92	21.31	21.40	0
				1	18	21.09	20.88	21.30	21.44	0
				1	36	21.06	21.04	21.37	21.63	0
				18	0	20.72	20.45	20.85	20.94	0.5
				18	9	21.16	20.99	21.38	21.53	0
				18	18	20.59	20.53	20.89	21.05	0.5
				36	0	20.67	20.51	20.85	21.01	0.5
			QPSK	1	1	21.22	20.91	21.30	21.45	0
				1	18	21.06	20.94	21.31	21.46	0
				1	36	21.04	21.04	21.36	21.62	0
				18	0	20.22	19.99	20.36	20.46	1
				18	9	21.17	20.99	21.38	21.53	0
				18	18	20.11	20.03	20.38	20.61	1
				36	0	20.17	20.00	20.38	20.51	1
			16QAM	1	1	20.24	19.99	20.35	20.43	1
			64QAM	1	1	18.60	18.37	18.76	18.85	2.5
			256QAM	1	1	16.67	16.49	16.88	16.95	4.5
		CP	QPSK	1	1	19.70	19.34	19.74	19.83	1.5

NR Band n48_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR [dB]
						637334 Ch. 3560.01 MHz	640222 Ch. 3603.33 MHz	643110 Ch. 3646.65 MHz	646000 Ch. 3690 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	21.25	20.95	21.27	21.39	0
				1	26	21.12	21.01	21.36	21.47	0
				1	49	20.99	21.10	21.35	21.63	0
				25	0	20.72	20.46	20.85	20.94	0.5
				25	13	21.16	21.02	21.38	21.50	0
				25	26	20.57	20.59	20.90	21.08	0.5
				50	0	20.67	20.53	20.89	20.98	0.5
			QPSK	1	1	21.27	20.94	21.28	21.36	0
				1	26	21.11	20.98	21.34	21.46	0
				1	49	20.95	21.09	21.33	21.64	0
				25	0	20.26	20.00	20.33	20.42	1
				25	13	21.19	21.05	21.38	21.50	0
				25	26	20.09	20.09	20.38	20.57	1
				50	0	20.16	20.03	20.38	20.48	1
			16QAM	1	1	20.33	20.02	20.33	20.42	1
			64QAM	1	1	18.74	18.41	18.76	18.81	2.5
			256QAM	1	1	16.82	16.50	16.82	16.92	4.5
		CP	QPSK	1	1	19.75	19.38	19.75	19.80	1.5

NR Band n48_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR [dB]
						637668 Ch. 3565.02 MHz	640334 Ch. 3605.01 MHz	643000 Ch. 3645 MHz	645666 Ch. 3684.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	21.26	20.87	21.23	21.31	0
				1	32	21.12	20.95	21.31	21.47	0
				1	63	20.99	21.10	21.35	21.60	0
				32	0	20.70	20.42	20.81	20.88	0.5
				32	17	21.12	20.98	21.35	21.46	0
				32	33	20.53	20.54	20.88	21.02	0.5
				64	0	20.64	20.48	20.81	20.94	0.5
			QPSK	1	1	21.26	20.88	21.22	21.34	0
				1	32	21.09	20.98	21.32	21.45	0
				1	63	20.93	21.09	21.38	21.57	0
				32	0	20.22	19.95	20.30	20.41	1
				32	17	21.13	20.99	21.39	21.48	0
				32	33	20.03	20.04	20.40	20.52	1
				64	0	20.11	19.88	20.33	20.46	1
			16QAM	1	1	20.30	19.85	20.29	20.39	1
			64QAM	1	1	18.72	18.30	18.72	18.80	2.5
			256QAM	1	1	16.85	16.37	16.83	16.89	4.5
		CP	QPSK	1	1	19.69	19.25	19.73	19.76	1.5

NR Band n48_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR [dB]
						638000 Ch. 3570 MHz	641666 Ch. 3624.99 MHz		645334 Ch. 3680.01 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	21.34	21.08		21.30	0
				1	53	21.16	21.38		21.52	0
				1	104	20.96	21.35		21.65	0
				50	0	20.77	20.70		20.84	0.5
				50	28	21.11	21.30		21.44	0
				50	56	20.50	20.88		21.04	0.5
				100	0	20.59	20.80		20.90	0.5
			QPSK	1	1	21.33	21.08		21.31	0
				1	53	21.17	21.35		21.50	0
				1	104	20.92	21.27		21.71	0
				50	0	20.27	20.24		20.37	1
				50	28	21.11	21.34		21.45	0
				50	56	20.02	20.37		20.51	1
				100	0	20.10	20.29		20.42	1
			16QAM	1	1	20.42	20.11		20.36	1
			64QAM	1	1	18.80	18.53		18.77	2.5
			256QAM	1	1	16.90	16.57		16.88	4.5
		CP	QPSK	1	1	19.82	19.51		19.79	1.5

NR Band n77 Conducted Power (Power Class 2)_Pmax _SUB3[ANT.G]

NR Band n77_10 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MP R [dB]
						647000 Ch. 3705 MHz	650600 Ch. 3759 MHz	654200 Ch. 3813 MHz	657800 Ch. 3867 MHz	661400 Ch. 3921 MHz	665000 Ch. 3975 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	25.70	25.58	25.52	25.19	24.79	25.01	0
				1	12	25.77	25.66	25.66	25.27	24.86	25.03	0
				1	22	25.77	25.63	25.68	25.24	24.90	24.96	0
				12	0	25.27	25.09	25.09	24.72	24.33	24.55	0.5
				12	6	25.78	25.62	25.65	25.21	24.86	25.03	0
				12	12	25.27	25.14	25.17	24.73	24.39	24.53	0.5
				24	0	25.26	25.11	25.15	24.73	24.34	24.47	0.5
			QPSK	1	1	25.76	25.58	25.57	25.17	24.82	25.01	0
				1	12	25.78	25.72	25.61	25.29	24.80	25.09	0
				1	22	25.76	25.63	25.69	25.22	24.92	24.91	0
				12	0	24.80	24.61	24.60	24.23	23.85	24.03	1
				12	6	25.80	25.62	25.68	25.25	24.88	25.04	0
				12	12	24.80	24.63	24.71	24.25	23.90	23.95	1
				24	0	24.77	24.62	24.65	24.24	23.85	24.04	1
			16QAM	1	1	24.78	24.62	24.63	24.22	23.84	24.04	1
			64QAM	1	1	23.25	23.03	23.00	22.64	22.26	22.47	2.5
			256QAM	1	1	21.30	21.12	21.10	20.72	20.36	20.49	4.5
		CP	QPSK	1	1	24.19	24.00	23.94	23.63	23.20	23.44	1.5

NR Band n77_15 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MP R [dB]
						647168 Ch. 3707.52 MHz	650700 Ch. 3760.5 MHz	654232 Ch. 3813.49 MHz	657766 Ch. 3866.5 MHz	661300 Ch. 3919.5 MHz	664832 Ch. 3972.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	25.75	25.57	25.54	25.16	24.76	24.93	0
				1	18	25.73	25.59	25.57	25.13	24.77	24.91	0
				1	36	25.80	25.65	25.75	25.24	24.95	24.93	0
				18	0	25.29	25.11	25.07	24.69	24.31	24.47	0.5
				18	9	25.81	25.63	25.65	25.21	24.87	24.99	0
				18	18	25.29	25.17	25.19	24.72	24.39	24.43	0.5
				36	0	25.33	25.14	25.16	24.71	24.34	24.44	0.5
			QPSK	1	1	25.78	25.59	25.53	25.16	24.78	24.94	0
				1	18	25.72	25.56	25.57	25.14	24.76	24.89	0
				1	36	25.78	25.62	25.73	25.25	24.93	24.86	0
				18	0	24.84	24.62	24.61	24.22	23.86	24.00	1
				18	9	25.83	25.63	25.66	25.23	24.88	25.00	0
				18	18	24.83	24.64	24.70	24.24	23.89	23.95	1
				36	0	24.81	24.64	24.67	24.22	23.83	23.91	1
			16QAM	1	1	24.85	24.64	24.52	24.19	23.81	23.99	1
			64QAM	1	1	23.25	23.07	22.96	22.65	22.23	22.41	2.5
			256QAM	1	1	21.32	21.14	21.04	20.70	20.34	20.45	4.5
		CP	QPSK	1	1	24.20	23.97	23.92	23.60	23.23	23.32	1.5

NR Band n77_20 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MP R [dB]
						647334 Ch. 3710.0 1 MHz	650800 Ch. 3762 MHz	654266 Ch. 3813.9 9 MHz	657734 Ch. 3866.0 1 MHz	661200 Ch. 3918 MHz	664666 Ch. 3969.9 9 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	25.72	25.54	25.50	25.22	24.82	25.09	0
				1	26	25.76	25.60	25.65	25.22	24.84	24.93	0
				1	49	25.73	25.67	25.84	25.31	25.00	24.94	0
				25	0	25.30	25.13	25.12	24.73	24.39	24.53	0.5
				25	13	25.80	25.64	25.68	25.27	24.92	24.96	0
				25	26	25.27	25.16	25.28	24.78	24.43	24.46	0.5
				50	0	25.30	25.11	25.19	24.77	24.40	24.55	0.5
			QPSK	1	1	25.76	25.59	25.51	25.22	24.82	24.99	0
				1	26	25.76	25.59	25.66	25.24	24.87	24.90	0
				1	49	25.75	25.65	25.79	25.31	24.99	24.88	0
				25	0	24.81	24.62	24.61	24.25	23.88	24.01	1
				25	13	25.81	25.66	25.70	25.28	24.94	25.01	0
				25	26	24.81	24.68	24.78	24.31	23.95	23.93	1
				50	0	24.81	24.63	24.70	24.29	23.89	24.02	1
			16QAM	1	1	24.78	24.64	24.53	24.25	23.84	24.04	1
			64QAM	1	1	23.22	23.02	22.95	22.68	22.22	22.52	2.5
			256QAM	1	1	21.28	21.13	21.00	20.77	20.34	20.63	4.5
		CP	QPSK	1	1	24.14	23.96	23.86	23.61	23.19	23.41	1.5

NR Band n77_25 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MP R [dB]
						647500 Ch. 3712.5 MHz	650900 Ch. 3763.5 MHz	654300 Ch. 3814.5 MHz	657700 Ch. 3865.5 MHz	661100 Ch. 3916.5 MHz	664500 Ch. 3967.5 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	25.69	25.51	25.42	25.23	24.85	25.13	0
				1	32	25.81	25.68	25.73	25.32	24.98	25.10	0
				1	63	25.72	25.64	25.83	25.31	25.05	25.05	0
				32	0	25.25	25.07	25.08	24.76	24.40	24.67	0.5
				32	17	25.75	25.61	25.69	25.28	24.94	25.06	0
				32	33	25.26	25.13	25.29	24.82	24.51	24.49	0.5
				64	0	25.27	25.11	25.18	24.78	24.43	24.62	0.5
			QPSK	1	1	25.70	25.51	25.45	25.27	24.87	25.08	0
				1	32	25.78	25.59	25.73	25.28	24.90	25.10	0
				1	63	25.67	25.63	25.81	25.33	25.04	24.97	0
				32	0	24.78	24.58	24.60	24.28	23.91	24.16	1
				32	17	25.79	25.62	25.72	25.32	24.95	25.16	0
				32	33	24.75	24.61	24.81	24.32	23.99	24.04	1
				64	0	24.77	24.62	24.68	24.29	23.94	24.09	1
			16QAM	1	1	24.77	24.54	24.48	24.29	23.89	24.16	1
			64QAM	1	1	23.22	22.96	22.89	22.70	22.31	22.50	2.5
			256QAM	1	1	21.23	21.07	20.98	20.80	20.41	20.69	4.5
		CP	QPSK	1	1	24.09	23.94	23.84	23.67	23.30	23.47	1.5

NR Band n77_30 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MP R [dB]
						647668 Ch. 3715.0 2 MHz	651000 Ch. 3765 MHz	654334 Ch. 3815.0 1 MHz	657666 Ch. 3864.9 9 MHz	661000 Ch. 3915 MHz	664332 Ch. 3964.9 8 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	25.66	25.55	25.45	25.22	24.87	25.07	0
				1	39	25.82	25.74	25.74	25.22	24.96	25.11	0
				1	76	25.72	25.66	25.93	25.26	25.11	24.95	0
				36	0	25.24	25.15	25.13	24.71	24.41	24.64	0.5
				36	21	25.75	25.68	25.77	25.20	24.96	25.05	0
				36	42	25.26	25.17	25.35	24.73	24.53	24.55	0.5
			QPSK	75	0	25.29	25.19	25.27	24.71	24.48	24.60	0.5
				1	1	25.71	25.55	25.46	25.22	24.89	25.06	0
				1	39	25.81	25.79	25.84	25.22	24.90	25.10	0
				1	76	25.73	25.66	25.91	25.25	25.09	24.90	0
				36	0	24.77	24.63	24.62	24.25	23.94	24.07	1
				36	21	25.78	25.67	25.76	25.21	24.99	25.08	0
				36	42	24.76	24.69	24.85	24.23	24.01	24.04	1
				75	0	24.78	24.68	24.73	24.19	23.97	24.04	1
			16QAM	1	1	24.75	24.58	24.49	24.25	23.96	24.07	1
			64QAM	1	1	23.18	23.03	22.96	22.68	22.36	22.47	2.5
			256QAM	1	1	21.26	21.12	21.01	20.76	20.47	20.66	4.5
		CP	QPSK	1	1	24.17	23.98	23.90	23.61	23.30	23.44	1.5

NR Band n77_40 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MP R [dB]
						648000 Ch. 3720 MHz	651200 Ch. 3768 MHz	654400 Ch. 3816 MHz	657600 Ch. 3864 MHz	660800 Ch. 3912 MHz	664000 Ch. 3960 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	25.68	25.49	25.38	25.22	24.81	24.99	0
				1	53	25.79	25.69	25.79	25.24	24.94	25.02	0
				1	104	25.72	25.69	25.89	25.25	25.04	24.74	0
				50	0	25.21	25.08	25.04	24.71	24.72	24.41	0.5
				50	28	25.76	25.65	25.77	25.18	25.25	24.94	0
				50	56	25.24	25.19	25.39	24.74	24.77	24.35	0.5
			QPSK	100	0	25.19	25.13	25.22	24.69	24.69	24.46	0.5
				1	1	25.68	25.49	25.42	25.17	25.16	24.98	0
				1	53	25.72	25.69	25.66	25.25	25.28	25.08	0
				1	104	25.68	25.67	25.92	25.27	25.37	24.72	0
				50	0	24.73	24.59	24.55	24.22	24.23	23.94	1
				50	28	25.75	25.66	25.76	25.19	25.22	24.96	0
				50	56	24.75	24.68	24.91	24.24	24.28	23.83	1
				100	0	24.72	24.66	24.75	24.15	24.20	23.94	1
			16QAM	1	1	24.70	24.54	24.36	24.29	24.14	24.04	1
			64QAM	1	1	23.16	22.97	22.83	22.71	22.55	22.46	2.5
			256QAM	1	1	21.24	21.04	20.89	20.76	20.68	20.54	4.5
		CP	QPSK	1	1	24.11	23.88	23.78	23.57	23.50	23.36	1.5

NR Band n77_50 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						648334 Ch. 3725.01 MHz	652166 Ch. 3782.49 MHz	656000 Ch. 3840 MHz		659834 Ch. 3897.51 MHz	663666 Ch. 3954.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	25.95	25.75	25.72		25.20	24.99	0
				1	67	26.04	25.88	25.90		25.37	24.91	0
				1	131	25.99	26.05	25.72		25.35	24.75	0
				64	0	25.55	25.35	25.41		24.82	24.51	0.5
				64	35	26.08	25.91	25.92		25.41	24.91	0
				64	69	25.53	25.45	25.29		24.86	24.33	0.5
			QPSK	128	0	25.54	25.39	25.40		24.88	24.41	0.5
				1	1	26.03	25.84	25.74		25.26	24.99	0
				1	67	26.08	25.89	25.90		25.39	24.82	0
				1	131	26.02	26.07	25.70		25.30	24.70	0
				64	0	25.10	24.88	24.95		24.33	24.03	1
				64	35	26.09	25.91	25.95		25.42	24.91	0
				64	69	25.04	24.97	24.80		24.36	23.85	1
				128	0	25.03	24.89	24.90		24.39	23.90	1
			16QAM	1	1	25.04	24.78	24.76		24.25	24.01	1
			64QAM	1	1	23.49	23.25	23.20		22.64	22.46	2.5
			256QAM	1	1	21.51	21.31	21.27		20.78	20.55	4.5
		CP	QPSK	1	1	24.37	24.16	24.08		23.59	23.35	1.5

NR Band n77_60 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						648668 Ch. 3730.02 MHz	653556 Ch. 3803.34 MHz			658444 Ch. 3876.66 MHz	663332 Ch. 3949.98 MHz	
60 MHz	30	DFT-s	pi/2 BPSK	1	1	25.96	25.62			25.45	24.89	0
				1	81	26.05	25.96			25.53	25.02	0
				1	160	25.94	26.23			25.49	24.75	0
				81	0	25.51	25.25			24.91	24.58	0.5
				81	41	26.03	25.93			25.51	24.99	0
				81	81	25.51	25.69			25.04	24.41	0.5
			QPSK	162	0	25.50	25.40			24.98	24.47	0.5
				1	1	25.98	25.58			25.50	24.90	0
				1	81	26.15	25.90			25.47	25.01	0
				1	160	25.94	26.26			25.48	24.81	0
				81	0	25.02	24.76			24.43	24.09	1
				81	41	26.06	25.96			25.52	24.99	0
				81	81	25.01	25.15			24.54	23.93	1
				162	0	25.01	24.91			24.48	23.95	1
			16QAM	1	1	25.00	24.70			24.51	23.93	1
			64QAM	1	1	23.46	23.12			22.92	22.36	2.5
			256QAM	1	1	21.51	21.19			21.01	20.49	4.5
		CP	QPSK	1	1	24.38	24.01			23.83	23.29	1.5

NR Band n77_70 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						649000 Ch. 3735 MHz	653666 Ch. 3804.99 MHz			658334 Ch. 3875.01 MHz	663000 Ch. 3945 MHz	
70 MHz	30	DFT-s	pi/2 BPSK	1	1	25.96	25.62			25.58	24.95	0
				1	95	26.03	25.88			25.51	25.13	0
				1	187	26.01	26.20			25.55	24.84	0
				90	0	25.54	25.25			24.97	24.65	0.5
				90	50	26.05	25.94			25.54	25.14	0
				90	99	25.53	25.70			25.11	24.54	0.5
				180	0	25.54	25.40			24.99	24.65	0.5
			QPSK	1	1	26.01	25.62			25.57	24.95	0
				1	95	26.02	25.90			25.53	25.11	0
				1	187	25.98	26.19			25.54	24.84	0
				90	0	25.04	24.73			24.50	24.14	1
				90	50	26.07	25.96			25.58	25.17	0
				90	99	25.04	25.22			24.61	23.99	1
				180	0	25.05	24.91			24.52	24.13	1
			16QAM	1	1	25.02	24.72			24.61	24.04	1
			64QAM	1	1	23.38	23.07			23.02	22.44	2.5
			256QAM	1	1	21.52	21.14			21.14	20.51	4.5
		CP	QPSK	1	1	24.41	24.03			23.96	23.35	1.5

NR Band n77_80 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						649334 Ch. 3740.01 MHz	656000 Ch. 3840 MHz		662666 Ch. 3939.99 MHz			
80 MHz	30	DFT-s	pi/2 BPSK	1	1	25.99	25.46		24.96			0
				1	109	25.99	25.92		25.17			0
				1	215	25.95	25.77		24.83			0
				108	0	25.49	25.34		24.50			0.5
				108	55	26.02	25.98		25.18			0
				108	109	25.51	25.23		24.52			0.5
				216	0	25.49	25.43		24.64			0.5
			QPSK	1	1	25.97	25.49		24.98			0
				1	109	25.98	25.90		25.14			0
				1	215	25.98	25.76		24.80			0
				108	0	25.01	24.87		24.02			1
				108	55	26.05	25.94		25.21			0
				108	109	25.02	24.74		24.05			1
				216	0	25.02	24.90		24.15			1
			16QAM	1	1	25.07	24.57		24.06			1
			64QAM	1	1	23.46	22.91		22.48			2.5
			256QAM	1	1	21.56	21.07		20.53			4.5
		CP	QPSK	1	1	24.37	23.91		23.40			1.5

NR Band n77_90 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						649668 Ch. 3745.02 MHz		656000 Ch. 3840 MHz		662332 Ch. 3934.98 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1	26.02		25.46		24.99		0
				1	123	26.04		25.89		25.16		0
				1	243	26.11		25.85		24.85		0
				120	0	25.50		25.29		24.47		0.5
				120	63	26.05		25.96		25.19		0
				120	125	25.55		25.24		24.53		0.5
				243	0	25.54		25.41		24.60		0.5
			QPSK	1	1	26.03		25.47		24.99		0
				1	123	26.00		25.94		25.12		0
				1	243	26.07		25.83		24.85		0
				120	0	25.05		24.83		23.97		1
				120	63	26.06		25.97		25.17		0
				120	125	25.08		24.76		24.03		1
				243	0	25.05		24.93		24.14		1
			16QAM	1	1	25.12		24.49		24.07		1
			64QAM	1	1	23.49		23.00		22.55		2.5
			256QAM	1	1	21.57		21.00		20.56		4.5
		CP	QPSK	1	1	24.47		23.87		23.43		1.5

NR Band n77_100 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]	
						650000 Ch. 3750 MHz				662000 Ch. 3930 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1	26.04				25.03		0
				1	137	25.99				25.21		0
				1	271	26.21				24.97		0
				135	0	25.52				24.55		0.5
				135	69	26.04				25.23		0
				135	138	25.55				24.61		0.5
			270	0	25.52				24.64		0.5	
			QPSK	1	1	26.07				25.13		0
				1	137	26.01				25.41		0
				1	271	26.20				25.06		0
				135	0	25.02				24.05		1
				135	69	26.05				25.23		0
				135	138	25.09				24.11		1
			270	0	25.05				24.19		1	
			16QAM	1	1	25.12				24.07		1
			64QAM	1	1	23.53				22.52		2.5
			256QAM	1	1	21.61				20.59		4.5
		CP	QPSK	1	1	24.46				23.66		1.5

NR Band n77 DoD Conducted Power (Power Class 2)_Pmax _SUB3[ANT.G]

NR Band n77 DoD_10 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630334 Ch. 3445.01 MHz	633334 Ch. 3500.01 MHz	636332 Ch. 3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	24.79	25.41	25.49	0
				1	12	24.85	25.55	25.64	0
				1	22	24.82	25.46	25.75	0
				12	0	24.33	24.94	25.04	0.5
				12	6	24.82	25.46	25.64	0
				12	12	24.33	25.00	25.21	0.5
				24	0	24.35	24.99	25.16	0.5
			QPSK	1	1	24.84	25.40	25.52	0
				1	12	24.84	25.47	25.72	0
				1	22	24.81	25.48	25.73	0
				12	0	23.83	24.46	24.58	1
				12	6	24.85	25.46	25.66	0
				12	12	23.85	24.51	24.70	1
				24	0	23.85	24.49	24.64	1
			16QAM	1	1	23.85	24.45	24.56	1
			64QAM	1	1	22.27	22.86	22.94	2.5
			256QAM	1	1	20.37	20.99	21.07	4.5
		CP	QPSK	1	1	23.21	23.81	23.92	1.5

NR Band n77 DoD_15 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630500 Ch. 3457.5 MHz	633334 Ch. 3500.01 MHz	636166 Ch. 3542.49 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	24.81	25.38	25.56	0
				1	18	24.76	25.39	25.47	0
				1	36	24.87	25.47	25.74	0
				18	0	24.36	24.93	25.06	0.5
				18	9	24.88	25.47	25.54	0
				18	18	24.35	24.99	25.14	0.5
				36	0	24.37	24.98	25.03	0.5
			QPSK	1	1	24.85	25.38	25.57	0
				1	18	24.78	25.39	25.45	0
				1	36	24.84	25.51	25.70	0
				18	0	23.87	24.43	24.56	1
				18	9	24.90	25.48	25.55	0
				18	18	23.91	24.48	24.63	1
				36	0	23.90	24.47	24.55	1
			16QAM	1	1	23.89	24.37	24.61	1
			64QAM	1	1	22.34	22.81	23.00	2.5
			256QAM	1	1	20.39	20.94	21.10	4.5
		CP	QPSK	1	1	23.28	23.83	23.97	1.5

NR Band n77 DoD_20 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630668 Ch. 3460.02 MHz	633334 Ch. 3500.01 MHz	636000 Ch. 3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	24.88	25.32	25.50	0
				1	26	24.87	25.44	25.42	0
				1	49	24.90	25.49	25.72	0
				25	0	24.36	24.94	24.98	0.5
				25	13	24.89	25.48	25.47	0
				25	26	24.41	24.97	25.09	0.5
				50	0	24.39	24.99	24.98	0.5
			QPSK	1	1	24.89	25.35	25.51	0
				1	26	24.86	25.45	25.44	0
				1	49	24.88	25.46	25.68	0
				25	0	23.92	24.46	24.50	1
				25	13	24.92	25.51	25.51	0
				25	26	23.92	24.51	24.61	1
				50	0	23.92	24.48	24.49	1
			16QAM	1	1	23.90	24.40	24.53	1
			64QAM	1	1	22.34	22.80	22.98	2.5
			256QAM	1	1	20.42	20.87	21.03	4.5
		CP	QPSK	1	1	23.28	23.78	23.88	1.5

NR Band n77 DoD_25 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630866 Ch. 3462.99 MHz	633334 Ch. 3500.01 MHz	635800 Ch. 3537 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	24.88	25.29	25.47	0
				1	32	24.95	25.43	25.51	0
				1	63	24.95	25.43	25.62	0
				32	0	24.43	24.89	24.95	0.5
				32	17	24.91	25.48	25.45	0
				32	33	24.41	24.99	25.00	0.5
				64	0	24.41	25.01	24.95	0.5
			QPSK	1	1	24.90	25.32	25.47	0
				1	32	24.93	25.50	25.43	0
				1	63	24.94	25.43	25.62	0
				32	0	23.96	24.41	24.46	1
				32	17	24.96	25.53	25.47	0
				32	33	23.94	24.49	24.52	1
				64	0	23.93	24.50	24.46	1
			16QAM	1	1	23.92	24.33	24.49	1
			64QAM	1	1	22.35	22.74	22.93	2.5
			256QAM	1	1	20.46	20.86	21.04	4.5
		CP	QPSK	1	1	23.34	23.71	23.86	1.5

NR Band n77 DoD_30 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						631000 Ch. 3465 MHz	633334 Ch. 3500.01 MHz	635666 Ch. 3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	24.85	25.24	25.53	0
				1	39	24.95	25.55	25.55	0
				1	76	24.93	25.39	25.64	0
				36	0	24.38	24.86	25.02	0.5
				36	21	24.88	25.45	25.47	0
				36	42	24.42	24.99	25.02	0.5
				75	0	24.40	25.03	24.99	0.5
			QPSK	1	1	24.84	25.27	25.52	0
				1	39	24.89	25.51	25.49	0
				1	76	24.95	25.43	25.65	0
				36	0	23.92	24.41	24.53	1
				36	21	24.91	25.50	25.50	0
				36	42	23.92	24.52	24.52	1
				75	0	23.93	24.48	24.49	1
			16QAM	1	1	23.88	24.25	24.55	1
			64QAM	1	1	22.34	22.73	22.99	2.5
			256QAM	1	1	20.40	20.84	21.10	4.5
		CP	QPSK	1	1	23.35	23.66	23.94	1.5

NR Band n77 DoD_40 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						631334 Ch. 3470.01 MHz		635332 Ch. 3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	24.88		25.50	0
				1	53	24.96		25.48	0
				1	104	25.14		25.56	0
				50	0	24.40		25.00	0.5
				50	28	24.92		25.44	0
				50	56	24.52		24.87	0.5
				100	0	24.43		24.93	0.5
			QPSK	1	1	24.87		25.56	0
				1	53	24.87		25.52	0
				1	104	25.10		25.56	0
				50	0	23.93		24.53	1
				50	28	24.95		25.45	0
				50	56	24.06		24.38	1
				100	0	23.92		24.44	1
			16QAM	1	1	23.89		24.57	1
			64QAM	1	1	22.35		22.97	2.5
			256QAM	1	1	20.42		21.07	4.5
		CP	QPSK	1	1	23.22		23.94	1.5

NR Band n77 DoD_50 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]	
						631668 Ch. 3475.02 MHz	635000 Ch. 3525 MHz		
50 MHz	30	DFT-s	pi/2 BPSK	1	1	24.83		25.49	0
				1	67	24.96		25.46	0
				1	131	25.28		25.57	0
				64	0	24.41		25.02	0.5
				64	35	24.99		25.47	0
				64	69	24.63		24.89	0.5
				128	0	24.47		24.96	0.5
			QPSK	1	1	24.88		25.58	0
				1	67	24.87		25.42	0
				1	131	25.25		25.52	0
				64	0	23.90		24.54	1
				64	35	25.04		25.49	0
				64	69	24.17		24.40	1
				128	0	23.99		24.45	1
			16QAM	1	1	23.91		24.52	1
			64QAM	1	1	22.35		22.97	2.5
			256QAM	1	1	20.42		21.05	4.5
		CP	QPSK	1	1	23.36		23.79	1.5

NR Band n77 DoD_60 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
						633334 Ch. 3500.01 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1	25.00		0
				1	81	25.57		0
				1	160	25.30		0
				81	0	24.76		0.5
				81	41	25.49		0
				81	81	24.94		0.5
				162	0	24.99		0.5
			QPSK	1	1	24.98		0
				1	81	25.48		0
				1	160	25.33		0
				81	0	24.29		1
				81	41	25.54		0
				81	81	24.46		1
				162	0	24.51		1
			16QAM	1	1	24.06		1
			64QAM	1	1	22.48		2.5
			256QAM	1	1	20.56		4.5
		CP	QPSK	1	1	23.36		1.5

NR Band n77 DoD_70 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
70 MHz	30	DFT-s	pi/2 BPSK	1	1		24.95	0
				1	95		25.47	0
				1	187		25.27	0
				90	0		24.70	0.5
				90	50		25.49	0
				90	99		24.92	0.5
				180	0		24.96	0.5
			QPSK	1	1		24.97	0
				1	95		25.48	0
				1	187		25.27	0
				90	0		24.22	1
				90	50		25.53	0
				90	99		24.45	1
				180	0		24.48	1
			16QAM	1	1		24.01	1
			64QAM	1	1		22.44	2.5
			256QAM	1	1		20.51	4.5
		CP	QPSK	1	1		23.41	1.5

NR Band n77 DoD_80 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
80 MHz	30	DFT-s	pi/2 BPSK	1	1		25.01	0
				1	109		25.47	0
				1	215		25.28	0
				108	0		24.67	0.5
				108	55		25.52	0
				108	109		24.90	0.5
				216	0		24.98	0.5
			QPSK	1	1		25.04	0
				1	109		25.49	0
				1	215		25.27	0
				108	0		24.19	1
				108	55		25.52	0
				108	109		24.43	1
				216	0		24.51	1
			16QAM	1	1		24.16	1
			64QAM	1	1		22.49	2.5
			256QAM	1	1		20.60	4.5
		CP	QPSK	1	1		23.43	1.5

NR Band n77 DoD_90 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
90 MHz	30	DFT-s	pi/2 BPSK	1	1		25.00	0
				1	123		25.48	0
				1	243		25.37	0
				120	0		24.65	0.5
				120	63		25.51	0
				120	125		24.89	0.5
				243	0		24.97	0.5
			QPSK	1	1		25.04	0
				1	123		25.50	0
				1	243		25.37	0
				120	0		24.18	1
				120	63		25.54	0
				120	125		24.37	1
				243	0		24.50	1
			16QAM	1	1		24.05	1
			64QAM	1	1		22.49	2.5
			256QAM	1	1		20.55	4.5
		CP	QPSK	1	1		23.44	1.5

NR Band n77 DoD_100 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
100 MHz	30	DFT-s	pi/2 BPSK	1	1		25.06	0
				1	137		25.45	0
				1	271		25.57	0
				135	0		24.61	0.5
				135	69		25.52	0
				135	138		24.89	0.5
				270	0		25.00	0.5
			QPSK	1	1		25.09	0
				1	137		25.50	0
				1	271		25.57	0
				135	0		24.13	1
				135	69		25.52	0
				135	138		24.38	1
				270	0		24.47	1
			16QAM	1	1		24.12	1
			64QAM	1	1		22.61	2.5
			256QAM	1	1		20.64	4.5
		CP	QPSK	1	1		23.54	1.5

NR Band n78 Conducted Power (Power Class 2)_Pmax _SUB3[ANT.G]

NR Band n78_10 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						647000 Ch. 3705 MHz	650000 Ch. 3750 MHz	653000 Ch. 3795 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	26.08	25.99	25.88	0
				1	12	26.15	26.03	25.95	0
				1	22	26.14	25.99	25.97	0
				12	0	25.64	25.49	25.43	0.5
				12	6	26.16	26.00	25.95	0
				12	12	25.67	25.50	25.46	0.5
				24	0	25.67	25.47	25.44	0.5
			QPSK	1	1	26.15	25.98	25.91	0
				1	12	26.24	25.97	26.03	0
				1	22	26.13	25.99	25.95	0
				12	0	25.19	25.01	24.94	1
				12	6	26.18	26.04	25.96	0
				12	12	25.18	25.01	24.97	1
				24	0	25.18	25.00	24.95	1
			16QAM	1	1	25.19	25.00	24.92	1
			64QAM	1	1	23.64	23.44	23.38	2.5
			256QAM	1	1	21.67	21.53	21.44	4.5
		CP	QPSK	1	1	24.54	24.43	24.28	1.5

NR Band n78_15 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						647166 Ch. 3707.5 MHz	650000 Ch. 3750 MHz	652832 Ch. 3792.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	26.06	26.01	25.80	0
				1	18	26.05	25.92	25.82	0
				1	36	26.12	25.99	25.94	0
				18	0	25.62	25.49	25.36	0.5
				18	10	26.14	26.00	25.87	0
				18	20	25.66	25.50	25.41	0.5
				36	0	25.68	25.51	25.38	0.5
			QPSK	1	1	26.12	26.00	25.83	0
				1	18	26.08	25.93	25.79	0
				1	36	26.12	26.00	25.91	0
				18	0	25.16	25.05	24.87	1
				18	10	26.16	26.03	25.91	0
				18	20	25.15	25.01	24.91	1
				36	0	25.18	25.01	24.89	1
			16QAM	1	1	25.15	25.02	24.84	1
			64QAM	1	1	23.63	23.49	23.27	2.5
			256QAM	1	1	21.64	21.54	21.35	4.5
		CP	QPSK	1	1	24.53	24.40	24.19	1.5

NR Band n78_20 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						647334 Ch. 3710.01 MHz	650000 Ch. 3750 MHz	652666 Ch. 3789.99 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	26.09	25.98	25.82	0
				1	26	26.12	25.98	25.88	0
				1	49	26.07	26.02	25.97	0
				25	0	25.61	25.53	25.39	0.5
				25	13	26.14	26.05	25.91	0
				25	26	25.60	25.53	25.43	0.5
				50	0	25.65	25.53	25.41	0.5
			QPSK	1	1	26.15	26.02	25.83	0
				1	26	26.10	26.00	25.88	0
				1	49	26.06	26.00	25.95	0
				25	0	25.15	25.04	24.90	1
				25	13	26.18	26.04	25.93	0
				25	26	25.14	25.03	24.96	1
				50	0	25.15	25.03	24.92	1
			16QAM	1	1	25.17	25.06	24.87	1
			64QAM	1	1	23.57	23.50	23.28	2.5
			256QAM	1	1	21.64	21.54	21.36	4.5
		CP	QPSK	1	1	24.51	24.38	24.23	1.5

NR Band n78_25 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						647500 Ch. 3712.5 MHz	650000 Ch. 3750 MHz	652500 Ch. 3787.5 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	26.04	25.99	25.83	0
				1	32	26.06	25.94	25.92	0
				1	63	26.05	25.99	25.98	0
				32	0	25.59	25.53	25.40	0.5
				32	17	26.11	26.01	25.94	0
				32	33	25.58	25.53	25.47	0.5
				64	0	25.62	25.53	25.44	0.5
			QPSK	1	1	26.11	26.02	25.87	0
				1	32	26.15	26.02	25.90	0
				1	63	26.01	25.98	25.97	0
				32	0	25.14	25.03	24.92	1
				32	17	26.14	26.03	25.96	0
				32	33	25.08	25.03	24.97	1
				64	0	25.10	25.03	24.95	1
			16QAM	1	1	25.13	25.03	24.92	1
			64QAM	1	1	23.58	23.51	23.33	2.5
			256QAM	1	1	21.63	21.56	21.40	4.5
		CP	QPSK	1	1	24.49	24.41	24.28	1.5

NR Band n78_30 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						647666 Ch. 3715 MHz	650000 Ch. 3750 MHz	652332 Ch. 3784.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	26.05	26.00	25.82	0
				1	39	26.08	26.08	25.95	0
				1	76	26.01	26.03	25.94	0
				36	0	25.58	25.55	25.36	0.5
				36	21	26.09	26.06	25.89	0
				36	42	25.57	25.53	25.44	0.5
				75	0	25.59	25.54	25.41	0.5
			QPSK	1	1	26.06	26.01	25.83	0
				1	39	26.03	26.00	25.87	0
				1	76	26.02	26.03	25.98	0
				36	0	25.11	25.06	24.88	1
				36	21	26.10	26.05	25.91	0
				36	42	25.08	25.04	24.95	1
				75	0	25.10	25.06	24.91	1
			16QAM	1	1	25.14	25.00	24.83	1
			64QAM	1	1	23.54	23.46	23.31	2.5
			256QAM	1	1	21.63	21.56	21.36	4.5
		CP	QPSK	1	1	24.49	24.45	24.21	1.5

NR Band n78_40 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						647800 Ch. 3720 MHz		652000 Ch. 3780 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	26.02		25.84	0
				1	53	26.11		25.99	0
				1	104	26.05		25.98	0
				50	0	25.60		25.41	0.5
				50	28	26.13		25.96	0
				50	56	25.59		25.50	0.5
				100	0	25.60		25.45	0.5
			QPSK	1	1	26.04		25.92	0
				1	53	26.10		26.02	0
				1	104	26.05		26.01	0
				50	0	25.12		24.94	1
				50	28	26.11		25.96	0
				50	56	25.08		24.99	1
				100	0	25.12		24.95	1
			16QAM	1	1	25.09		24.88	1
			64QAM	1	1	23.51		23.30	2.5
			256QAM	1	1	21.58		21.38	4.5
		CP	QPSK	1	1	24.38		24.21	1.5

NR Band n78_50 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						648334 Ch. 3725.01 MHz		651666 Ch. 3774.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	26.02		25.83	0
				1	67	26.07		25.92	0
				1	131	26.02		26.00	0
				64	0	25.60		25.41	0.5
				64	35	26.09		25.93	0
				64	69	25.57		25.47	0.5
				128	0	25.58		25.42	0.5
			QPSK	1	1	26.04		25.83	0
				1	67	25.99		25.89	0
				1	131	25.93		25.96	0
				64	0	25.14		24.87	1
				64	35	26.13		25.96	0
				64	69	25.08		24.96	1
				128	0	25.08		24.93	1
			16QAM	1	1	25.08		24.88	1
			64QAM	1	1	23.53		23.28	2.5
			256QAM	1	1	21.59		21.37	4.5
		CP	QPSK	1	1	24.48		24.21	1.5

NR Band n78_60 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							650000 Ch. 3750 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		26.10		0
				1	81		26.16		0
				1	160		26.04		0
				81	0		25.66		0.5
				81	41		26.13		0
				81	81		25.57		0.5
				162	0		25.63		0.5
			QPSK	1	1		26.11		0
				1	81		26.02		0
				1	160		25.94		0
				81	0		25.16		1
				81	41		26.14		0
				81	81		25.12		1
				162	0		25.13		1
			16QAM	1	1		25.11		1
			64QAM	1	1		23.54		2.5
			256QAM	1	1		21.61		4.5
		CP	QPSK	1	1		24.55		1.5

NR Band n78_70 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							650000 Ch. 3750 MHz	
70 MHz	30	DFT-s	pi/2 BPSK	1	1		25.96	0
				1	95		25.98	0
				1	187		26.00	0
				90	0		25.50	0.5
				90	50		26.04	0
				90	99		25.54	0.5
				180	0		25.55	0.5
			QPSK	1	1		25.99	0
				1	95		26.03	0
				1	187		26.00	0
				90	0		25.04	1
				90	50		26.06	0
				90	99		25.04	1
				180	0		25.05	1
			16QAM	1	1		25.02	1
			64QAM	1	1		23.49	2.5
			256QAM	1	1		21.52	4.5
		CP	QPSK	1	1		24.42	1.5

NR Band n78_80 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							650000 Ch. 3750 MHz	
80 MHz	30	DFT-s	pi/2 BPSK	1	1		26.04	0
				1	109		26.02	0
				1	215		26.00	0
				108	0		25.59	0.5
				108	55		26.05	0
				108	109		25.57	0.5
				216	0		25.62	0.5
			QPSK	1	1		26.05	0
				1	109		26.03	0
				1	215		26.00	0
				108	0		25.09	1
				108	55		26.10	0
				108	109		25.04	1
				216	0		25.12	1
			16QAM	1	1		25.07	1
			64QAM	1	1		23.55	2.5
			256QAM	1	1		21.54	4.5
		CP	QPSK	1	1		24.40	1.5

NR Band n78_90 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							650000 Ch. 3750 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		26.00		0
				1	123		25.97		0
				1	243		26.15		0
				120	0		25.52		0.5
				120	63		26.00		0
				120	125		25.56		0.5
				243	0		25.55		0.5
			QPSK	1	1		26.05		0
				1	123		26.00		0
				1	243		26.11		0
				120	0		25.07		1
				120	63		26.07		0
				120	125		25.05		1
				243	0		25.05		1
			16QAM	1	1		25.08		1
			64QAM	1	1		23.49		2.5
			256QAM	1	1		21.59		4.5
		CP	QPSK	1	1		24.49		1.5

NR Band n78_100 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							650000 Ch. 3750 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1		26.05		0
				1	137		25.97		0
				1	271		26.19		0
				135	0		25.54		0.5
				135	69		26.05		0
				135	138		25.57		0.5
				270	0		25.55		0.5
			QPSK	1	1		26.12		0
				1	137		26.02		0
				1	271		26.18		0
				135	0		25.03		1
				135	69		26.09		0
				135	138		25.05		1
				270	0		25.07		1
			16QAM	1	1		25.13		1
			64QAM	1	1		23.59		2.5
			256QAM	1	1		21.66		4.5
		CP	QPSK	1	1		24.52		1.5

NR Band n78 DoD Conducted Power (Power Class 2)_Pmax _SUB3[ANT.G]

NR Band n78 DoD_10 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630334 Ch. 3455.01 MHz	633334 Ch. 3500.01 MHz	636332 Ch. 3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	24.84	25.46	25.54	0
				1	12	24.94	25.58	25.69	0
				1	22	24.86	25.53	25.77	0
				12	0	24.40	24.98	25.09	0.5
				12	6	24.89	25.52	25.66	0
				12	12	24.38	25.03	25.22	0.5
				24	0	24.38	25.03	25.19	0.5
			QPSK	1	1	24.87	25.44	25.55	0
				1	12	24.88	25.53	25.77	0
				1	22	24.85	25.51	25.77	0
				12	0	23.90	24.45	24.63	1
				12	6	24.88	25.53	25.68	0
				12	12	23.88	24.54	24.74	1
				24	0	23.88	24.55	24.70	1
			16QAM	1	1	23.90	24.47	24.58	1
			64QAM	1	1	22.33	22.89	23.04	2.5
			256QAM	1	1	20.43	20.99	21.11	4.5
		CP	QPSK	1	1	23.26	23.88	23.93	1.5

NR Band n78 DoD_15 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630500 Ch. 3457.5 MHz	633334 Ch. 3500.01 MHz	636116 Ch. 3542.49 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	24.84	25.40	25.57	0
				1	18	24.83	25.44	25.49	0
				1	36	24.91	25.50	25.72	0
				18	0	24.40	24.96	25.08	0.5
				18	10	24.91	25.50	25.56	0
				18	20	24.40	25.04	25.16	0.5
				36	0	24.42	25.03	25.04	0.5
			QPSK	1	1	24.89	25.42	25.56	0
				1	18	24.84	25.43	25.45	0
				1	36	24.87	25.52	25.71	0
				18	0	23.93	24.48	24.59	1
				18	10	24.92	25.54	25.56	0
				18	20	23.91	24.54	24.67	1
				36	0	23.92	24.52	24.56	1
			16QAM	1	1	23.92	24.42	24.63	1
			64QAM	1	1	22.37	22.87	23.00	2.5
			256QAM	1	1	20.45	20.99	21.11	4.5
		CP	QPSK	1	1	23.33	23.80	23.99	1.5

NR Band n78 DoD_20 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630668 Ch. 3460.02 MHz	633334 Ch. 3500.01 MHz	63600 Ch. 3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	24.93	25.36	25.39	0
				1	26	24.92	25.48	25.51	0
				1	49	24.92	25.52	25.52	0
				25	0	24.44	24.96	24.99	0.5
				25	13	24.97	25.55	25.54	0
				25	26	24.46	25.00	25.02	0.5
				50	0	24.44	25.02	25.03	0.5
			QPSK	1	1	24.94	25.40	25.41	0
				1	26	24.89	25.49	25.50	0
				1	49	24.92	25.49	25.50	0
				25	0	23.95	24.52	24.48	1
				25	13	24.95	25.55	25.55	0
				25	26	23.96	24.53	24.54	1
				50	0	23.96	24.53	24.54	1
			16QAM	1	1	23.95	24.41	24.41	1
			64QAM	1	1	22.40	22.85	22.84	2.5
			256QAM	1	1	20.47	20.90	20.97	4.5
		CP	QPSK	1	1	23.36	23.76	23.79	1.5

NR Band n78 DoD_25 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630866 Ch. 3462.99 MHz	633334 Ch. 3500.01 MHz	635800 Ch. 3537 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	24.93	25.37	25.49	0
				1	32	24.99	25.47	25.51	0
				1	63	24.98	25.50	25.65	0
				32	0	24.46	24.94	24.98	0.5
				32	17	24.95	25.52	25.50	0
				32	33	24.46	25.03	25.04	0.5
				64	0	24.45	25.03	24.97	0.5
			QPSK	1	1	24.93	25.35	25.51	0
				1	32	24.99	25.57	25.47	0
				1	63	24.97	25.48	25.66	0
				32	0	23.97	24.45	24.53	1
				32	17	25.02	25.53	25.50	0
				32	33	23.97	24.52	24.53	1
				64	0	23.99	24.55	24.48	1
			16QAM	1	1	23.96	24.37	24.52	1
			64QAM	1	1	22.41	22.77	22.98	2.5
			256QAM	1	1	20.49	20.91	21.04	4.5
		CP	QPSK	1	1	23.34	23.77	23.91	1.5

NR Band n78 DoD_30 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						631000 Ch. 3465 MHz	633334 Ch. 3500.01 MHz	635666 Ch. 3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	24.87	25.29	25.58	0
				1	39	24.99	25.60	25.61	0
				1	76	24.96	25.47	25.68	0
				36	0	24.43	24.95	25.06	0.5
				36	21	24.94	25.53	25.51	0
				36	42	24.45	25.04	25.05	0.5
				75	0	24.45	25.03	25.02	0.5
			QPSK	1	1	24.89	25.30	25.57	0
				1	39	24.90	25.54	25.51	0
				1	76	24.99	25.45	25.68	0
				36	0	23.94	24.43	24.56	1
				36	21	24.95	25.55	25.54	0
				36	42	23.94	24.55	24.55	1
				75	0	23.93	24.56	24.51	1
			16QAM	1	1	23.93	24.32	24.60	1
			64QAM	1	1	22.38	22.75	23.03	2.5
			256QAM	1	1	20.45	20.86	21.13	4.5
		CP	QPSK	1	1	23.38	23.70	23.96	1.5

NR Band n78 DoD_40 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						631334 Ch. 3470.01 MHz		635332 Ch. 3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	24.93		25.57	0
				1	53	25.00		25.54	0
				1	104	25.17		25.60	0
				50	0	24.43		25.06	0.5
				50	28	24.98		25.50	0
				50	56	24.54		24.91	0.5
				100	0	24.45		24.97	0.5
			QPSK	1	1	24.93		25.59	0
				1	53	24.99		25.56	0
				1	104	25.16		25.51	0
				50	0	23.95		24.54	1
				50	28	24.96		25.50	0
				50	56	24.05		24.41	1
				100	0	23.96		24.47	1
			16QAM	1	1	23.95		24.56	1
			64QAM	1	1	22.37		23.01	2.5
			256QAM	1	1	20.47		21.11	4.5
		CP	QPSK	1	1	23.37		23.95	1.5

NR Band n78 DoD_50 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]	
						631668 Ch. 3475.02 MHz	635000 Ch. 3525 MHz		
50 MHz	30	DFT-s	pi/2 BPSK	1	1	24.87		25.54	0
				1	67	25.01		25.49	0
				1	131	25.29		25.58	0
				64	0	24.44		25.09	0.5
				64	35	25.04		25.51	0
				64	69	24.72		24.91	0.5
				128	0	24.51		24.98	0.5
			QPSK	1	1	25.00		25.53	0
				1	67	24.90		25.53	0
				1	131	25.26		25.56	0
				64	0	23.96		24.59	1
				64	35	25.05		25.50	0
				64	69	24.20		24.41	1
				128	0	24.02		24.52	1
			16QAM	1	1	23.95		24.58	1
			64QAM	1	1	22.37		22.99	2.5
			256QAM	1	1	20.44		21.10	4.5
		CP	QPSK	1	1	23.39		23.90	1.5

NR Band n78 DoD_60 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
						633334 Ch. 3500.01 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1	25.04		0
				1	81	25.63		0
				1	160	25.33		0
				81	0	24.80		0.5
				81	41	25.55		0
				81	81	24.96		0.5
				162	0	25.01		0.5
			QPSK	1	1	25.08		0
				1	81	25.62		0
				1	160	25.35		0
				81	0	24.30		1
				81	41	25.53		0
				81	81	24.45		1
				162	0	24.55		1
			16QAM	1	1	24.07		1
			64QAM	1	1	22.54		2.5
			256QAM	1	1	20.61		4.5
		CP	QPSK	1	1	23.53		1.5

NR Band n78 DoD_70 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
70 MHz	30	DFT-s	pi/2 BPSK	1	1		24.99	0
				1	95		25.49	0
				1	187		25.31	0
				90	0		24.74	0.5
				90	50		25.59	0
				90	99		24.96	0.5
				180	0		25.00	0.5
			QPSK	1	1		25.06	0
				1	95		25.53	0
				1	187		25.32	0
				90	0		24.29	1
				90	50		25.60	0
				90	99		24.48	1
				180	0		24.51	1
			16QAM	1	1		24.10	1
			64QAM	1	1		22.51	2.5
			256QAM	1	1		20.58	4.5
		CP	QPSK	1	1		23.46	1.5

NR Band n78 DoD_80 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
80 MHz	30	DFT-s	pi/2 BPSK	1	1		25.02	0
				1	109		25.51	0
				1	215		25.32	0
				108	0		24.73	0.5
				108	55		25.55	0
				108	109		24.94	0.5
				216	0		25.03	0.5
			QPSK	1	1		25.06	0
				1	109		25.52	0
				1	215		25.26	0
				108	0		24.28	1
				108	55		25.57	0
				108	109		24.44	1
				216	0		24.53	1
			16QAM	1	1		24.15	1
			64QAM	1	1		22.53	2.5
			256QAM	1	1		20.62	4.5
		CP	QPSK	1	1		23.46	1.5

NR Band n78 DoD_90 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
90 MHz	30	DFT-s	pi/2 BPSK	1	1		25.04	0
				1	123		25.51	0
				1	243		25.42	0
				120	0		24.71	0.5
				120	63		25.56	0
				120	125		24.90	0.5
				243	0		25.02	0.5
			QPSK	1	1		25.09	0
				1	123		25.56	0
				1	243		25.42	0
				120	0		24.20	1
				120	63		25.59	0
				120	125		24.44	1
				243	0		24.52	1
			16QAM	1	1		24.23	1
			64QAM	1	1		22.49	2.5
			256QAM	1	1		20.64	4.5
		CP	QPSK	1	1		23.51	1.5

NR Band n78 DoD_100 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
100 MHz	30	DFT-s	pi/2 BPSK	1	1		25.07	0
				1	137		25.50	0
				1	271		25.59	0
				135	0		24.65	0.5
				135	69		25.55	0
				135	138		24.91	0.5
				270	0		25.01	0.5
			QPSK	1	1		25.13	0
				1	137		25.54	0
				1	271		25.59	0
				135	0		24.18	1
				135	69		25.56	0
				135	138		24.41	1
				270	0		24.52	1
			16QAM	1	1		24.14	1
			64QAM	1	1		22.63	2.5
			256QAM	1	1		20.69	4.5
		CP	QPSK	1	1		23.56	1.5