

Appendix K. NR bands Plimit Conducted Power

K.1 NR Plimit Conducted Power (Lower Antenna)

NR FDD Band n5 Conducted Power_Pmax, RCV(RSI1) _MAIN1[ANT.A]

NR FDD Band n5_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						165300 Ch. 826.5 MHz	167300 Ch. 836.5 MHz	169300 Ch. 846.5 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1	24.65	24.61	24.78	0
				1	13	24.56	24.62	24.68	0
				1	23	24.72	24.78	24.80	0
				12	0	24.22	24.23	24.35	0.5
				12	7	24.72	24.80	24.91	0
				12	13	24.20	24.24	24.36	0.5
				25	0	24.28	24.26	24.43	0.5
			QPSK	1	1	24.73	24.76	24.88	0
				1	13	24.68	24.72	24.85	0
				1	23	24.73	24.78	24.89	0
				12	0	23.71	23.77	23.93	1
				12	7	24.76	24.81	24.90	0
				12	13	23.74	23.82	23.89	1
				25	0	23.78	23.80	23.95	1
			16QAM	1	1	23.73	23.77	23.85	1
			64QAM	1	1	22.30	22.38	22.41	2.5
			256QAM	1	1	19.96	20.08	20.16	4.5
		CP	QPSK	1	1	23.19	23.19	23.24	1.5

NR FDD Band n5_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							167300 Ch. 836.5 MHz		
10 MHz	15	DFT-s	pi/2 BPSK	1	1		24.53		0
				1	26		24.88		0
				1	50		24.74		0
				25	0		24.25		0.5
				25	14		24.74		0
				25	27		24.33		0.5
				50	0		24.29		0.5
			QPSK	1	1		24.74		0
				1	26		24.78		0
				1	50		24.81		0
				25	0		23.80		1
				25	14		24.81		0
				25	27		23.81		1
				50	0		23.77		1
			16QAM	1	1		23.73		1
			64QAM	1	1		22.32		2.5
			256QAM	1	1		20.02		4.5
		CP	QPSK	1	1		23.16		1.5

NR FDD Band n5_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							167300 Ch. 836.5 MHz		
15 MHz	15	DFT-s	pi/2 BPSK	1	1		24.56		0
				1	40		24.60		0
				1	77		24.73		0
				36	0		24.24		0.5
				36	22		24.71		0
				36	43		24.28		0.5
				75	0		24.25		0.5
			QPSK	1	1		24.67		0
				1	40		24.70		0
				1	77		24.84		0
				36	0		23.76		1
				36	22		24.80		0
				36	43		23.84		1
				75	0		23.78		1
			16QAM	1	1		23.73		1
			64QAM	1	1		22.26		2.5
			256QAM	1	1		19.99		4.5
		CP	QPSK	1	1		23.04		1.5

NR FDD Band n5_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							167300 Ch. 836.5 MHz		
20 MHz	15	DFT-s	pi/2 BPSK	1	1		24.54		0
				1	53		24.87		0
				1	104		24.81		0
				50	0		24.21		0.5
				50	28		24.79		0
				50	56		24.34		0.5
				100	0		24.26		0.5
			QPSK	1	1		24.69		0
				1	53		24.82		0
				1	104		24.77		0
				50	0		23.74		1
				50	28		24.80		0
				50	56		23.83		1
				100	0		23.79		1
			16QAM	1	1		23.70		1
			64QAM	1	1		22.21		2.5
			256QAM	1	1		20.02		4.5
		CP	QPSK	1	1		23.11		1.5

NR FDD Band n5 Conducted Power_Free(RSI0) _MAIN1[ANT.A]

NR FDD Band n5_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						165300 Ch. 826.5 MHz	167300 Ch. 836.5 MHz	169300 Ch. 846.5 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1	21.21	21.22	21.32	0
				1	13	21.09	21.15	21.29	0
				1	23	21.19	21.24	21.41	0
				12	0	21.22	21.29	21.41	0
				12	7	21.21	21.29	21.43	0
				12	13	21.25	21.30	21.41	0
				25	0	21.23	21.33	21.44	0
			QPSK	1	1	21.21	21.28	21.37	0
				1	13	21.11	21.19	21.31	0
				1	23	21.23	21.31	21.39	0
				12	0	21.27	21.27	21.39	0
				12	7	21.22	21.28	21.42	0
				12	13	21.23	21.30	21.43	0
				25	0	21.27	21.29	21.44	0
			16QAM	1	1	21.22	21.27	21.40	0
			64QAM	1	1	21.31	21.38	21.49	0
			256QAM	1	1	19.89	19.98	20.06	1.5
		CP	QPSK	1	1	21.23	21.23	21.38	0

NR FDD Band n5_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							167300 Ch. 836.5 MHz		
10 MHz	15	DFT-s	pi/2 BPSK	1	1		21.20		0
				1	26		21.43		0
				1	50		21.25		0
				25	0		21.23		0
				25	14		21.28		0
				25	27		21.32		0
				50	0		21.29		0
			QPSK	1	1		21.25		0
				1	26		21.37		0
				1	50		21.34		0
				25	0		21.24		0
				25	14		21.31		0
				25	27		21.35		0
				50	0		21.29		0
			16QAM	1	1		21.22		0
			64QAM	1	1		21.32		0
			256QAM	1	1		19.92		1.5
		CP	QPSK	1	1		21.24		0

NR FDD Band n5_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							167300 Ch. 836.5 MHz		
15 MHz	15	DFT-s	pi/2 BPSK	1	1		21.17		0
				1	40		21.17		0
				1	77		21.34		0
				36	0		21.26		0
				36	22		21.27		0
				36	43		21.36		0
				75	0		21.29		0
			QPSK	1	1		21.21		0
				1	40		21.22		0
				1	77		21.33		0
				36	0		21.28		0
				36	22		21.31		0
				36	43		21.32		0
				75	0		21.33		0
			16QAM	1	1		21.25		0
			64QAM	1	1		21.31		0
			256QAM	1	1		19.91		1.5
		CP	QPSK	1	1		21.24		0

NR FDD Band n5_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							167300 Ch. 836.5 MHz		
20 MHz	15	DFT-s	pi/2 BPSK	1	1		21.16		0
				1	53		21.43		0
				1	104		21.34		0
				50	0		21.25		0
				50	28		21.31		0
				50	56		21.35		0
				100	0		21.34		0
			QPSK	1	1		21.23		0
				1	53		21.36		0
				1	104		21.38		0
				50	0		21.27		0
				50	28		21.35		0
				50	56		21.36		0
				100	0		21.32		0
			16QAM	1	1		21.18		0
			64QAM	1	1		21.34		0
			256QAM	1	1		19.94		1.5
		CP	QPSK	1	1		21.24		0

NR FDD Band n71 Conducted Power_Pmax, RCV(RSI1) _MAIN1[ANT.A]

NR FDD Band n71_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						133100 Ch. 665.5 MHz	136100 Ch. 680.5 MHz	139100 Ch. 695.5 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1	24.78	25.11	25.24	0
				1	13	24.85	25.19	25.09	0
				1	23	25.00	25.32	25.16	0
				12	0	24.41	24.79	24.80	0.5
				12	7	24.96	25.30	25.26	0
				12	13	24.52	24.85	24.75	0.5
				25	0	24.51	24.82	24.83	0.5
			QPSK	1	1	24.94	25.26	25.32	0
				1	13	24.94	25.20	25.23	0
				1	23	25.09	25.34	25.34	0
				12	0	23.95	24.34	24.38	1
				12	7	25.03	25.36	25.35	0
				12	13	24.07	24.36	24.37	1
				25	0	24.00	24.31	24.41	1
			16QAM	1	1	23.93	24.25	24.33	1
			64QAM	1	1	22.49	22.83	22.98	2.5
			256QAM	1	1	20.23	20.57	20.67	4.5
		CP	QPSK	1	1	23.30	23.70	23.76	1.5

NR FDD Band n71_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						133600 Ch. 668 MHz	136100 Ch. 680.5 MHz	138600 Ch. 693 MHz	
10 MHz	15	DFT-s	pi/2 BPSK	1	1	24.74	25.11	25.33	0
				1	26	25.14	25.37	25.44	0
				1	50	25.14	25.31	25.14	0
				25	0	24.45	24.76	24.82	0.5
				25	14	25.04	25.28	25.31	0
				25	27	24.61	24.89	24.76	0.5
				50	0	24.57	24.83	24.87	0.5
			QPSK	1	1	24.92	25.23	25.39	0
				1	26	25.19	25.39	25.44	0
				1	50	25.18	25.03	25.23	0
				25	0	24.03	24.32	24.40	1
				25	14	25.08	25.35	25.39	0
				25	27	24.16	24.35	24.36	1
				50	0	24.13	24.35	24.41	1
			16QAM	1	1	23.90	24.21	24.43	1
			64QAM	1	1	22.55	22.80	22.89	2.5
			256QAM	1	1	20.24	20.45	20.69	4.5
		CP	QPSK	1	1	23.33	23.60	23.51	1.5

NR FDD Band n71_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							136100 Ch. 680.5 MHz		
15 MHz	15	DFT-s	pi/2 BPSK	1	1		25.01		0
				1	40		25.19		0
				1	77		25.40		0
				36	0		24.81		0.5
				36	22		25.35		0
				36	43		24.95		0.5
				75	0		24.92		0.5
			QPSK	1	1		25.25		0
				1	40		25.31		0
				1	77		25.12		0
				36	0		24.35		1
				36	22		25.48		0
				36	43		24.42		1
				75	0		24.43		1
			16QAM	1	1		24.18		1
			64QAM	1	1		22.79		2.5
			256QAM	1	1		20.70		4.5
		CP	QPSK	1	1		23.63		1.5

NR FDD Band n71_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							136100 Ch. 680.5 MHz		
20 MHz	15	DFT-s	pi/2 BPSK	1	1		24.98		0
				1	53		25.40		0
				1	104		25.37		0
				50	0		24.78		0.5
				50	28		25.39		0
				50	56		24.98		0.5
				100	0		24.90		0.5
			QPSK	1	1		25.15		0
				1	53		25.47		0
				1	104		25.40		0
				50	0		24.29		1
				50	28		25.41		0
				50	56		24.49		1
				100	0		24.40		1
			16QAM	1	1		24.08		1
			64QAM	1	1		22.76		2.5
			256QAM	1	1		20.43		4.5
		CP	QPSK	1	1		23.53		1.5

NR FDD Band n71 Conducted Power_Free(RSI0) _MAIN1[ANT.A]

NR FDD Band n71_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						133100 Ch. 665.5 MHz	136100 Ch. 680.5 MHz	139100 Ch. 695.5 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1	21.87	22.24	22.35	0
				1	13	21.90	22.25	22.33	0
				1	23	22.08	22.39	22.31	0
				12	0	22.04	22.33	22.41	0
				12	7	22.01	22.41	22.41	0
				12	13	22.02	22.41	22.40	0
				25	0	22.06	22.38	22.43	0
			QPSK	1	1	22.00	22.32	22.40	0
				1	13	21.95	22.36	22.34	0
				1	23	22.08	22.44	22.37	0
				12	0	22.09	22.37	22.48	0
				12	7	22.11	22.41	22.48	0
				12	13	22.09	22.42	22.40	0
				25	0	22.13	22.40	22.46	0
			16QAM	1	1	21.96	22.41	22.39	0
			64QAM	1	1	22.14	22.47	22.51	0
			256QAM	1	1	20.21	20.52	20.57	2
		CP	QPSK	1	1	21.93	22.26	22.42	0

NR FDD Band n71_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						133600 Ch. 668 MHz	136100 Ch. 680.5 MHz	138600 Ch. 693 MHz	
10 MHz	15	DFT-s	pi/2 BPSK	1	1	21.90	22.20	22.46	0
				1	26	22.20	22.57	22.60	0
				1	50	22.24	22.47	22.35	0
				25	0	22.01	22.34	22.42	0
				25	14	22.15	22.41	22.49	0
				25	27	22.23	22.47	22.48	0
				50	0	22.19	22.44	22.53	0
			QPSK	1	1	21.98	22.24	22.55	0
				1	26	22.25	22.50	22.58	0
				1	50	22.29	22.48	22.40	0
				25	0	22.11	22.40	22.50	0
				25	14	22.19	22.41	22.54	0
				25	27	22.18	22.46	22.51	0
				50	0	22.14	22.46	22.51	0
			16QAM	1	1	22.08	22.30	22.55	0
			64QAM	1	1	22.13	22.36	22.65	0
			256QAM	1	1	20.16	20.50	20.66	2
		CP	QPSK	1	1	21.96	22.26	22.47	0

NR FDD Band n71_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							136100 Ch. 680.5 MHz		
15 MHz	15	DFT-s	pi/2 BPSK	1	1		22.10		0
				1	40		22.22		0
				1	77		22.41		0
				36	0		22.37		0
				36	22		22.40		0
				36	43		22.51		0
				75	0		22.42		0
			QPSK	1	1		22.29		0
				1	40		22.35		0
				1	77		22.47		0
				36	0		22.33		0
				36	22		22.45		0
				36	43		22.50		0
				75	0		22.51		0
			16QAM	1	1		22.30		0
			64QAM	1	1		22.33		0
			256QAM	1	1		20.38		2
		CP	QPSK	1	1		22.16		0

NR FDD Band n71_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							136100 Ch. 680.5 MHz		
20 MHz	15	DFT-s	pi/2 BPSK	1	1		22.06		0
				1	53		22.53		0
				1	104		22.34		0
				50	0		22.24		0
				50	28		22.43		0
				50	56		22.45		0
				100	0		22.47		0
			QPSK	1	1		22.16		0
				1	53		22.48		0
				1	104		22.41		0
				50	0		22.32		0
				50	28		22.43		0
				50	56		22.49		0
				100	0		22.42		0
			16QAM	1	1		22.14		0
			64QAM	1	1		22.29		0
			256QAM	1	1		20.29		2
		CP	QPSK	1	1		22.14		0

NR FDD Band n2 Conducted Power_Pmax, RCV(RSI1) _MAIN2[ANT.B]

NR FDD Band n2_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						370500 Ch. 1852.5 MHz	376000 Ch. 1880 MHz	381500 Ch. 1907.5 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1	22.87	23.32	23.72	0
				1	13	22.99	23.31	23.69	0
				1	23	23.15	23.41	23.81	0
				12	0	22.55	22.84	23.24	0.5
				12	7	23.13	23.45	23.79	0
				12	13	22.66	22.87	23.31	0.5
				25	0	22.66	22.90	23.29	0.5
			QPSK	1	1	23.07	23.42	23.71	0
				1	13	23.08	23.31	23.80	0
				1	23	23.25	23.47	23.91	0
				12	0	22.11	22.40	22.80	1
				12	7	23.19	23.43	23.83	0
				12	13	22.30	22.43	22.85	1
				25	0	22.16	22.48	22.87	1
			16QAM	1	1	22.12	22.40	22.75	1
			64QAM	1	1	20.65	20.90	21.41	2.5
			256QAM	1	1	18.42	18.79	19.04	4.5
		CP	QPSK	1	1	21.55	21.80	21.54	1.5

NR FDD Band n2_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						371000 Ch. 1855 MHz	376000 Ch. 1880 MHz	381000 Ch. 1905 MHz	
10 MHz	15	DFT-s	pi/2 BPSK	1	1	22.91	23.18	23.41	0
				1	26	23.24	23.53	23.83	0
				1	50	23.23	23.35	23.85	0
				25	0	22.56	22.73	23.01	0.5
				25	14	23.16	23.25	23.72	0
				25	27	22.75	22.84	23.30	0.5
				50	0	22.68	22.82	23.24	0.5
			QPSK	1	1	22.98	23.21	23.52	0
				1	26	23.19	23.32	23.73	0
				1	50	23.31	23.39	23.85	0
				25	0	22.18	22.31	22.62	1
				25	14	23.26	23.34	23.75	0
				25	27	22.27	22.37	22.86	1
				50	0	22.22	22.38	22.67	1
			16QAM	1	1	22.04	22.19	22.53	1
			64QAM	1	1	20.63	20.86	21.18	2.5
			256QAM	1	1	18.32	18.63	18.86	4.5
		CP	QPSK	1	1	21.45	21.67	21.96	1.5

NR FDD Band n2_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						371500 Ch. 1857.5 MHz	376000 Ch. 1880 MHz	380500 Ch. 1902.5 MHz	
15 MHz	15	DFT-s	pi/2 BPSK	1	1	22.85	23.17	23.48	0
				1	40	23.05	23.28	23.48	0
				1	77	23.18	23.48	23.85	0
				36	0	22.57	22.77	23.01	0.5
				36	22	23.17	23.36	23.63	0
				36	43	22.76	22.98	23.29	0.5
				75	0	22.71	22.93	23.14	0.5
			QPSK	1	1	22.93	23.29	23.55	0
				1	40	23.16	23.28	23.56	0
				1	77	23.26	23.52	23.93	0
				36	0	22.15	22.31	22.56	1
				36	22	23.25	23.41	23.73	0
				36	43	22.23	22.45	22.78	1
				75	0	22.23	22.43	22.63	1
			16QAM	1	1	21.95	22.34	22.54	1
			64QAM	1	1	20.56	20.86	21.16	2.5
			256QAM	1	1	18.35	18.62	18.94	4.5
		CP	QPSK	1	1	21.38	21.73	21.95	1.5

NR FDD Band n2_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						372000 Ch. 1860 MHz	376000 Ch. 1880 MHz	380000 Ch. 1900 MHz	
20 MHz	15	DFT-s	pi/2 BPSK	1	1	22.81	23.21	23.50	0
				1	53	23.38	23.38	23.58	0
				1	104	23.24	23.63	23.83	0
				50	0	22.66	22.87	23.06	0.5
				50	28	23.29	23.39	23.53	0
				50	56	22.78	23.02	23.27	0.5
				100	0	22.77	22.88	23.04	0.5
			QPSK	1	1	23.00	23.30	23.57	0
				1	53	23.35	23.54	23.58	0
				1	104	23.33	23.58	23.85	0
				50	0	22.19	22.34	22.55	1
				50	28	23.31	23.39	23.58	0
				50	56	22.33	22.50	22.76	1
				100	0	22.32	22.38	22.54	1
			16QAM	1	1	21.96	22.29	22.50	1
			64QAM	1	1	20.62	20.82	21.14	2.5
			256QAM	1	1	18.34	18.49	18.89	4.5
		CP	QPSK	1	1	21.46	21.62	21.96	1.5

NR FDD Band n2_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]	
						372500 Ch. 1862.5 MHz	379500 Ch. 1897.5 MHz		
25 MHz	15	DFT-s	pi/2 BPSK	1	1	22.81		23.33	0
				1	66	23.33		23.67	0
				1	131	23.25		23.80	0
				64	0	22.59		22.97	0.5
				64	35	23.25		23.49	0
				64	69	22.77		23.23	0.5
			128	0	22.74		23.01	0.5	
			QPSK	1	1	22.96		23.40	0
				1	66	23.35		23.61	0
				1	131	23.31		23.83	0
				64	0	22.16		22.58	1
				64	35	23.22		23.58	0
				64	69	22.31		22.69	1
			128	0	22.22		22.53	1	
			16QAM	1	1	21.85		22.38	1
			64QAM	1	1	20.42		20.98	2.5
			256QAM	1	1	18.26		18.73	4.5
		CP	QPSK	1	1	21.34		21.75	1.5

NR FDD Band n2_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]	
						373000 Ch. 1865 MHz	379000 Ch. 1895 MHz		
30 MHz	15	DFT-s	pi/2 BPSK	1	1	22.68		23.22	0
				1	80	23.31		23.65	0
				1	158	23.22		23.80	0
				80	0	22.60		22.98	0.5
				80	40	23.19		23.59	0
				80	80	22.77		23.15	0.5
				160	0	22.70		23.07	0.5
			QPSK	1	1	22.84		23.31	0
				1	80	23.25		23.59	0
				1	158	23.34		23.89	0
				80	0	22.20		22.46	1
				80	40	23.22		23.57	0
				80	80	22.27		22.64	1
				160	0	22.22		22.60	1
			16QAM	1	1	21.89		22.29	1
			64QAM	1	1	20.47		20.90	2.5
			256QAM	1	1	18.24		18.63	4.5
		CP	QPSK	1	1	21.23		21.76	1.5

NR FDD Band n2_35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							376000 Ch. 1880 MHz	
35 MHz	15	DFT-s	pi/2 BPSK	1	1		23.06	0
				1	98		23.27	0
				1	186		23.48	0
				90	0		22.76	0.5
				90	45		23.35	0
				90	90		23.03	0.5
				180	0		22.86	0.5
			QPSK	1	1		23.16	0
				1	98		23.41	0
				1	186		23.59	0
				90	0		22.30	1
				90	45		23.36	0
				90	90		22.54	1
				180	0		22.45	1
			16QAM	1	1		22.15	1
			64QAM	1	1		20.72	2.5
			256QAM	1	1		18.48	4.5
		CP	QPSK	1	1		21.59	1.5

NR FDD Band n2_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							376000 Ch. 1880 MHz	
40 MHz	15	DFT-s	pi/2 BPSK	1	1		22.92	0
				1	108		23.49	0
				1	214		23.48	0
				108	0		22.67	0.5
				108	54		23.33	0
				108	108		23.11	0.5
				216	0		22.89	0.5
			QPSK	1	1		23.11	0
				1	108		23.42	0
				1	214		23.61	0
				108	0		22.31	1
				108	54		23.42	0
				108	108		22.64	1
				216	0		22.39	1
			16QAM	1	1		22.18	1
			64QAM	1	1		20.66	2.5
			256QAM	1	1		18.46	4.5
		CP	QPSK	1	1		21.54	1.5

NR FDD Band n2 Conducted Power_Free(RSI0) _MAIN2[ANT.B]

NR FDD Band n2_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						370500 Ch. 1852.5 MHz	376000 Ch. 1880 MHz	381500 Ch. 1907.5 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1	17.71	17.65	17.80	0
				1	13	17.66	17.53	17.86	0
				1	23	17.87	17.65	17.97	0
				12	0	17.79	17.68	17.89	0
				12	7	17.79	17.67	17.95	0
				12	13	17.81	17.63	17.98	0
				25	0	17.78	17.74	17.99	0
			QPSK	1	1	17.74	17.70	17.89	0
				1	13	17.74	17.51	17.90	0
				1	23	17.86	17.68	17.98	0
				12	0	17.73	17.70	17.94	0
				12	7	17.81	17.73	17.93	0
				12	13	17.81	17.71	17.97	0
				25	0	17.80	17.77	17.99	0
			16QAM	1	1	17.75	17.62	17.93	0
			64QAM	1	1	17.75	17.84	18.07	0
			256QAM	1	1	17.59	17.61	17.74	0
		CP	QPSK	1	1	17.75	17.66	17.86	0

NR FDD Band n2_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						371000 Ch. 1855 MHz	376000 Ch. 1880 MHz	381000 Ch. 1905 MHz	
10 MHz	15	DFT-s	pi/2 BPSK	1	1	17.69	17.60	17.69	0
				1	26	17.94	17.82	18.00	0
				1	50	17.85	17.76	17.98	0
				25	0	17.76	17.65	17.79	0
				25	14	17.85	17.67	17.88	0
				25	27	17.81	17.70	17.99	0
				50	0	17.86	17.65	17.85	0
			QPSK	1	1	17.66	17.71	17.78	0
				1	26	17.83	17.66	17.91	0
				1	50	17.87	17.72	17.99	0
				25	0	17.82	17.71	17.89	0
				25	14	17.87	17.67	17.88	0
				25	27	17.80	17.69	17.98	0
				50	0	17.85	17.75	17.88	0
			16QAM	1	1	17.79	17.65	17.82	0
			64QAM	1	1	17.78	17.76	17.82	0
			256QAM	1	1	17.63	17.69	17.64	0
		CP	QPSK	1	1	17.73	17.69	17.73	0

NR FDD Band n2_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						371500 Ch. 1857.5 MHz	376000 Ch. 1880 MHz	380500 Ch. 1902.5 MHz	
15 MHz	15	DFT-s	pi/2 BPSK	1	1	17.60	17.67	17.73	0
				1	40	17.73	17.69	17.73	0
				1	77	17.80	17.75	18.02	0
				36	0	17.76	17.67	17.71	0
				36	22	17.83	17.77	17.83	0
				36	43	17.91	17.76	17.96	0
				75	0	17.83	17.69	17.79	0
			QPSK	1	1	17.70	17.67	17.72	0
				1	40	17.76	17.65	17.74	0
				1	77	17.84	17.83	18.04	0
				36	0	17.82	17.76	17.78	0
				36	22	17.89	17.78	17.89	0
				36	43	17.85	17.77	17.95	0
				75	0	17.89	17.77	17.80	0
			16QAM	1	1	17.76	17.66	17.73	0
			64QAM	1	1	17.77	17.74	17.96	0
			256QAM	1	1	17.61	17.60	17.66	0
		CP	QPSK	1	1	17.71	17.72	17.82	0

NR FDD Band n2_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						372000 Ch. 1860 MHz	376000 Ch. 1880 MHz	380000 Ch. 1900 MHz	
20 MHz	15	DFT-s	pi/2 BPSK	1	1	17.64	17.67	17.79	0
				1	53	17.94	17.86	17.89	0
				1	104	17.77	17.87	18.00	0
				50	0	17.76	17.73	17.87	0
				50	28	17.86	17.80	17.81	0
				50	56	17.80	17.84	17.91	0
				100	0	17.88	17.81	17.78	0
			QPSK	1	1	17.68	17.74	17.82	0
				1	53	17.92	17.77	17.84	0
				1	104	17.77	17.86	18.04	0
				50	0	17.82	17.72	17.89	0
				50	28	17.95	17.77	17.81	0
				50	56	17.86	17.84	17.98	0
				100	0	17.90	17.74	17.79	0
			16QAM	1	1	17.71	17.72	17.81	0
			64QAM	1	1	17.72	17.82	17.92	0
			256QAM	1	1	17.66	17.63	17.77	0
		CP	QPSK	1	1	17.70	17.73	17.85	0

NR FDD Band n2_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]	
						372500 Ch. 1862.5 MHz	379500 Ch. 1897.5 MHz		
25 MHz	15	DFT-s	pi/2 BPSK	1	1	17.63		17.75	0
				1	66	17.93		17.97	0
				1	131	17.75		18.06	0
				64	0	17.85		17.83	0
				64	35	17.81		17.83	0
				64	69	17.83		17.96	0
				128	0	17.86		17.80	0
			QPSK	1	1	17.71		17.78	0
				1	66	17.91		17.82	0
				1	131	17.80		18.05	0
				64	0	17.85		17.90	0
				64	35	17.83		17.82	0
				64	69	17.82		17.96	0
				128	0	17.89		17.79	0
			16QAM	1	1	17.75		17.80	0
			64QAM	1	1	17.72		17.93	0
			256QAM	1	1	17.69		17.72	0
		CP	QPSK	1	1	17.71		17.81	0

NR FDD Band n2_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]	
						373000 Ch. 1865 MHz	379000 Ch. 1895 MHz		
30 MHz	15	DFT-s	pi/2 BPSK	1	1	17.63		17.68	0
				1	80	17.98		18.00	0
				1	158	17.77		18.04	0
				80	0	17.83		17.83	0
				80	40	17.87		17.87	0
				80	80	17.78		17.90	0
				160	0	17.85		17.86	0
			QPSK	1	1	17.71		17.67	0
				1	80	17.91		17.86	0
				1	158	17.83		18.06	0
				80	0	17.87		17.85	0
				80	40	17.88		17.90	0
				80	80	17.78		17.90	0
				160	0	17.84		17.91	0
			16QAM	1	1	17.76		17.76	0
			64QAM	1	1	17.77		17.78	0
			256QAM	1	1	17.61		17.60	0
		CP	QPSK	1	1	17.71		17.69	0

NR FDD Band n2_35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							376000 Ch. 1880 MHz		
35 MHz	15	DFT-s	pi/2 BPSK	1	1		17.75		0
				1	98		17.76		0
				1	186		17.81		0
				90	0		17.72		0
				90	45		17.81		0
				90	90		17.84		0
				180	0		17.80		0
			QPSK	1	1		17.76		0
				1	98		17.73		0
				1	186		17.85		0
				90	0		17.73		0
				90	45		17.80		0
				90	90		17.92		0
				180	0		17.83		0
			16QAM	1	1		17.74		0
			64QAM	1	1		17.82		0
			256QAM	1	1		17.68		0
		CP	QPSK	1	1		17.78		0

NR FDD Band n2_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							376000 Ch. 1880 MHz		
40 MHz	15	DFT-s	pi/2 BPSK	1	1		17.73		0
				1	108		17.94		0
				1	214		17.80		0
				108	0		17.76		0
				108	54		17.70		0
				108	108		17.95		0
				216	0		17.82		0
			QPSK	1	1		17.73		0
				1	108		17.82		0
				1	214		17.81		0
				108	0		17.76		0
				108	54		17.81		0
				108	108		17.88		0
				216	0		17.81		0
			16QAM	1	1		17.74		0
			64QAM	1	1		17.86		0
			256QAM	1	1		17.66		0
		CP	QPSK	1	1		17.78		0

NR FDD Band n25 Conducted Power_Pmax, RCV(RSI1) _MAIN2[ANT.B]

NR FDD Band n25_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						370500 Ch. 1852.5 MHz	376500 Ch. 1882.5 MHz	382500 Ch. 1912.5 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1	22.53	22.78	23.24	0
				1	13	22.54	22.73	23.22	0
				1	23	22.64	22.92	23.27	0
				12	0	22.06	22.35	22.77	0.5
				12	7	22.63	22.87	23.31	0
				12	13	22.09	22.36	22.85	0.5
				25	0	22.14	22.37	22.84	0.5
			QPSK	1	1	22.53	22.80	23.29	0
				1	13	22.54	22.78	23.24	0
				1	23	22.66	22.92	23.32	0
				12	0	21.59	21.80	22.33	1
				12	7	22.68	22.90	23.34	0
				12	13	21.66	21.94	22.35	1
				25	0	21.67	21.87	22.38	1
			16QAM	1	1	21.52	21.80	22.35	1
			64QAM	1	1	20.05	20.39	20.87	2.5
			256QAM	1	1	18.06	18.20	18.65	4.5
		CP	QPSK	1	1	21.06	21.21	21.75	1.5

NR FDD Band n25_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						371000 Ch. 1855 MHz	376500 Ch. 1882.5 MHz	382000 Ch. 1910 MHz	
10 MHz	15	DFT-s	pi/2 BPSK	1	1	22.81	23.21	23.59	0
				1	26	23.26	23.35	23.99	0
				1	50	23.18	23.45	23.81	0
				25	0	22.48	22.78	23.28	0.5
				25	14	23.16	23.34	23.90	0
				25	27	22.70	22.93	23.39	0.5
				50	0	22.63	22.86	23.38	0.5
			QPSK	1	1	22.91	23.25	23.69	0
				1	26	23.15	23.39	23.97	0
				1	50	23.21	23.48	23.91	0
				25	0	22.11	22.28	22.87	1
				25	14	23.20	23.34	23.92	0
				25	27	22.28	22.43	22.89	1
				50	0	22.15	22.33	22.90	1
			16QAM	1	1	21.94	22.27	22.70	1
			64QAM	1	1	20.52	20.83	21.30	2.5
			256QAM	1	1	18.28	18.62	19.12	4.5
		CP	QPSK	1	1	21.37	21.71	22.14	1.5

NR FDD Band n25_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						371500 Ch. 1857.5 MHz	376500 Ch. 1882.5 MHz	381500 Ch. 1907.5 MHz	
15 MHz	15	DFT-s	pi/2 BPSK	1	1	22.51	22.67	22.93	0
				1	40	22.53	22.74	23.19	0
				1	77	22.70	23.02	23.35	0
				36	0	22.11	22.34	22.67	0.5
				36	22	22.70	22.90	23.29	0
				36	43	22.25	22.46	22.89	0.5
				75	0	22.24	22.36	22.81	0.5
			QPSK	1	1	22.94	22.75	23.02	0
				1	40	22.64	22.81	23.23	0
				1	77	22.79	23.09	23.40	0
				36	0	21.61	21.86	22.16	1
				36	22	22.75	22.97	23.35	0
				36	43	21.78	21.97	22.37	1
				75	0	21.71	21.87	22.33	1
			16QAM	1	1	21.54	21.74	22.06	1
			64QAM	1	1	20.06	20.31	20.57	2.5
			256QAM	1	1	18.07	18.15	18.33	4.5
		CP	QPSK	1	1	21.09	21.20	21.46	1.5

NR FDD Band n25_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						372000 Ch. 1860 MHz	376500 Ch. 1882.5 MHz	381000 Ch. 1905 MHz	
20 MHz	15	DFT-s	pi/2 BPSK	1	1	22.62	22.64	22.92	0
				1	53	22.80	22.91	23.32	0
				1	104	22.76	23.00	23.30	0
				50	0	22.10	22.33	22.55	0.5
				50	28	22.77	22.87	23.16	0
				50	56	22.22	22.54	22.81	0.5
				100	0	22.22	22.31	22.68	0.5
			QPSK	1	1	22.52	22.73	22.99	0
				1	53	22.79	22.89	23.21	0
				1	104	22.79	23.06	23.33	0
				50	0	21.66	21.77	22.03	1
				50	28	22.79	22.91	23.22	0
				50	56	21.85	22.00	22.39	1
				100	0	21.74	21.89	22.18	1
			16QAM	1	1	21.72	21.73	21.97	1
			64QAM	1	1	20.04	20.27	20.47	2.5
			256QAM	1	1	18.18	18.08	18.31	4.5
		CP	QPSK	1	1	21.13	21.14	21.42	1.5

NR FDD Band n25_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]	
						372500 Ch. 1862.5 MHz	380500 Ch. 1902.5 MHz		
25 MHz	15	DFT-s	pi/2 BPSK	1	1	22.62		22.85	0
				1	66	22.74		23.16	0
				1	131	22.65		23.30	0
				64	0	22.06		22.47	0.5
				64	35	22.66		23.12	0
				64	69	22.19		22.84	0.5
				128	0	22.16		22.59	0.5
			QPSK	1	1	22.83		22.95	0
				1	66	22.77		23.16	0
				1	131	22.78		23.37	0
				64	0	21.60		21.98	1
				64	35	22.75		23.16	0
				64	69	21.76		22.36	1
				128	0	21.71		22.03	1
			16QAM	1	1	21.93		21.92	1
			64QAM	1	1	20.40		20.50	2.5
			256QAM	1	1	18.41		18.35	4.5
		CP	QPSK	1	1	21.10		21.39	1.5

NR FDD Band n25_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]	
						373000 Ch. 1865 MHz	380000 Ch. 1900 MHz		
30 MHz	15	DFT-s	pi/2 BPSK	1	1	22.68		23.38	0
				1	80	23.30		23.62	0
				1	158	23.26		23.89	0
				80	0	22.59		23.10	0.5
				80	40	23.18		23.58	0
				80	80	22.69		23.35	0.5
				160	0	22.63		23.07	0.5
			QPSK	1	1	22.90		23.44	0
				1	80	23.35		23.62	0
				1	158	23.34		23.92	0
				80	0	22.18		22.60	1
				80	40	23.26		23.60	0
				80	80	22.31		22.86	1
				160	0	22.21		22.59	1
			16QAM	1	1	21.88		22.42	1
			64QAM	1	1	20.46		21.00	2.5
			256QAM	1	1	18.22		18.76	4.5
		CP	QPSK	1	1	21.36		21.88	1.5

NR FDD Band n25_35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							376500 Ch. 1882.5 MHz		
35 MHz	15	DFT-s	pi/2 BPSK	1	1		23.00		0
				1	98		23.32		0
				1	186		23.47		0
				90	0		22.70		0.5
				90	45		23.31		0
				90	90		23.07		0.5
				180	0		22.83		0.5
			QPSK	1	1		23.13		0
				1	98		23.43		0
				1	186		23.57		0
				90	0		22.31		1
				90	45		23.35		0
				90	90		22.58		1
				180	0		22.39		1
			16QAM	1	1		22.11		1
			64QAM	1	1		20.68		2.5
			256QAM	1	1		18.49		4.5
		CP	QPSK	1	1		21.48		1.5

NR FDD Band n25_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							376500 Ch. 1882.5 MHz		
40 MHz	15	DFT-s	pi/2 BPSK	1	1		23.00		0
				1	108		23.42		0
				1	214		23.53		0
				108	0		22.70		0.5
				108	54		23.34		0
				108	108		23.09		0.5
				216	0		22.81		0.5
			QPSK	1	1		23.15		0
				1	108		23.43		0
				1	214		23.57		0
				108	0		22.22		1
				108	54		23.38		0
				108	108		22.57		1
				216	0		22.44		1
			16QAM	1	1		22.21		1
			64QAM	1	1		20.73		2.5
			256QAM	1	1		18.47		4.5
		CP	QPSK	1	1		21.57		1.5

NR FDD Band n25 Conducted Power_Free(RSI0) _MAIN2[ANT.B]

NR FDD Band n25_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						370500 Ch. 1852.5 MHz	376500 Ch. 1882.5 MHz	382500 Ch. 1912.5 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1	17.75	17.77	18.01	0
				1	13	17.71	17.58	17.92	0
				1	23	17.87	17.77	18.04	0
				12	0	17.78	17.71	18.05	0
				12	7	17.87	17.76	17.98	0
				12	13	17.88	17.78	18.01	0
				25	0	17.85	17.78	17.99	0
			QPSK	1	1	17.78	17.72	18.02	0
				1	13	17.78	17.69	17.93	0
				1	23	17.92	17.78	18.04	0
				12	0	17.84	17.74	18.04	0
				12	7	17.86	17.74	17.99	0
				12	13	17.88	17.78	18.04	0
				25	0	17.91	17.81	18.06	0
			16QAM	1	1	17.73	17.73	18.00	0
			64QAM	1	1	17.87	17.86	18.11	0
			256QAM	1	1	17.71	17.70	17.96	0
		CP	QPSK	1	1	17.79	17.73	18.11	0

NR FDD Band n25_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						371000 Ch. 1855 MHz	376500 Ch. 1882.5 MHz	382000 Ch. 1910 MHz	
10 MHz	15	DFT-s	pi/2 BPSK	1	1	17.66	17.70	17.88	0
				1	26	18.04	17.85	18.22	0
				1	50	17.92	17.86	18.02	0
				25	0	17.82	17.82	17.94	0
				25	14	17.87	17.77	18.01	0
				25	27	17.95	17.77	18.05	0
				50	0	17.97	17.75	18.09	0
			QPSK	1	1	17.73	17.75	17.94	0
				1	26	17.90	17.73	18.15	0
				1	50	17.92	17.86	18.04	0
				25	0	17.83	17.83	18.01	0
				25	14	17.93	17.80	18.08	0
				25	27	17.96	17.84	18.05	0
				50	0	17.98	17.74	18.05	0
			16QAM	1	1	17.85	17.78	17.97	0
			64QAM	1	1	17.87	17.88	17.96	0
			256QAM	1	1	17.71	17.69	17.81	0
		CP	QPSK	1	1	17.74	17.72	17.91	0

NR FDD Band n25_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						371500 Ch. 1857.5 MHz	376500 Ch. 1882.5 MHz	381500 Ch. 1907.5 MHz	
15 MHz	15	DFT-s	pi/2 BPSK	1	1	17.65	17.72	17.80	0
				1	40	17.76	17.68	17.95	0
				1	77	17.85	17.89	18.10	0
				36	0	17.85	17.74	17.88	0
				36	22	17.94	17.75	18.06	0
				36	43	17.89	17.84	18.03	0
				75	0	17.93	17.77	18.01	0
			QPSK	1	1	17.77	17.73	17.80	0
				1	40	17.85	17.68	17.99	0
				1	77	17.93	17.93	18.04	0
				36	0	17.92	17.75	17.92	0
				36	22	17.88	17.75	18.01	0
				36	43	17.94	17.87	18.08	0
				75	0	17.91	17.78	18.09	0
			16QAM	1	1	17.79	17.68	17.81	0
			64QAM	1	1	17.80	17.78	17.84	0
			256QAM	1	1	17.67	17.63	17.71	0
		CP	QPSK	1	1	17.81	17.69	17.80	0

NR FDD Band n25_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						372000 Ch. 1860 MHz	376500 Ch. 1882.5 MHz	381000 Ch. 1905 MHz	
20 MHz	15	DFT-s	pi/2 BPSK	1	1	17.69	17.72	17.74	0
				1	53	18.07	17.85	18.03	0
				1	104	17.75	17.87	18.06	0
				50	0	17.84	17.76	17.79	0
				50	28	17.90	17.76	18.01	0
				50	56	17.89	17.90	18.10	0
				100	0	17.92	17.79	17.88	0
			QPSK	1	1	17.73	17.69	17.81	0
				1	53	17.95	17.81	18.01	0
				1	104	17.85	17.91	18.00	0
				50	0	17.90	17.77	17.87	0
				50	28	17.89	17.76	18.02	0
				50	56	17.90	17.90	18.09	0
				100	0	17.92	17.76	17.97	0
			16QAM	1	1	17.73	17.75	17.84	0
			64QAM	1	1	17.87	17.94	17.91	0
			256QAM	1	1	17.68	17.72	17.68	0
		CP	QPSK	1	1	17.78	17.79	17.77	0

NR FDD Band n25_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]	
						372500 Ch. 1862.5 MHz	380500 Ch. 1902.5 MHz		
25 MHz	15	DFT-s	pi/2 BPSK	1	1	17.67		17.84	0
				1	66	18.04		17.97	0
				1	131	17.71		18.08	0
				64	0	17.88		17.82	0
				64	35	17.87		17.91	0
				64	69	17.81		18.10	0
				128	0	17.91		17.91	0
			QPSK	1	1	17.70		17.92	0
				1	66	17.98		17.97	0
				1	131	17.82		18.08	0
				64	0	17.88		17.81	0
				64	35	17.91		17.90	0
				64	69	17.85		18.11	0
				128	0	17.92		17.92	0
			16QAM	1	1	17.76		17.87	0
			64QAM	1	1	17.77		17.98	0
			256QAM	1	1	17.63		17.80	0
		CP	QPSK	1	1	17.70		17.84	0

NR FDD Band n25_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]	
						373000 Ch. 1865 MHz	380000 Ch. 1900 MHz		
30 MHz	15	DFT-s	pi/2 BPSK	1	1	17.70		17.80	0
				1	80	18.03		17.98	0
				1	158	17.77		18.08	0
				80	0	17.90		17.92	0
				80	40	17.82		17.83	0
				80	80	17.89		18.09	0
				160	0	17.86		17.84	0
			QPSK	1	1	17.75		17.80	0
				1	80	17.94		17.91	0
				1	158	17.76		18.07	0
				80	0	17.96		17.98	0
				80	40	17.80		17.90	0
				80	80	17.82		18.07	0
				160	0	17.88		17.87	0
			16QAM	1	1	17.66		17.86	0
			64QAM	1	1	17.81		17.89	0
			256QAM	1	1	17.61		17.69	0
		CP	QPSK	1	1	17.74		17.86	0

NR FDD Band n25_35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							376500 Ch. 1882.5 MHz		
35 MHz	15	DFT-s	pi/2 BPSK	1	1		17.71		0
				1	98		17.76		0
				1	186		17.84		0
				90	0		17.73		0
				90	45		17.80		0
				90	90		17.96		0
				180	0		17.77		0
			QPSK	1	1		17.76		0
				1	98		17.82		0
				1	186		17.81		0
				90	0		17.80		0
				90	45		17.80		0
				90	90		17.95		0
				180	0		17.78		0
			16QAM	1	1		17.80		0
			64QAM	1	1		17.98		0
			256QAM	1	1		17.71		0
		CP	QPSK	1	1		17.80		0

NR FDD Band n25_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							376500 Ch. 1882.5 MHz		
40 MHz	15	DFT-s	pi/2 BPSK	1	1		17.68		0
				1	108		17.85		0
				1	214		17.85		0
				108	0		17.71		0
				108	54		17.77		0
				108	108		17.92		0
				216	0		17.79		0
			QPSK	1	1		17.76		0
				1	108		18.15		0
				1	214		17.85		0
				108	0		17.77		0
				108	54		17.82		0
				108	108		18.17		0
				216	0		17.82		0
			16QAM	1	1		17.79		0
			64QAM	1	1		17.81		0
			256QAM	1	1		17.71		0
		CP	QPSK	1	1		17.79		0

NR FDD Band n30 Conducted Power_Pmax, RCV(RSI1) _MAIN2[ANT.B]

NR FDD Band n30_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							462000 Ch. 2310 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1		21.99	0
				1	13		21.91	0
				1	23		22.07	0
				12	0		21.67	0.5
				12	7		22.06	0
				12	13		21.59	0.5
				25	0		21.67	0.5
			QPSK	1	1		22.18	0
				1	13		22.05	0
				1	23		22.15	0
				12	0		21.21	1
				12	7		22.17	0
				12	13		21.15	1
				25	0		21.12	1
			16QAM	1	1		21.15	1
			64QAM	1	1		19.78	2.5
			256QAM	1	1		17.50	4.5
		CP	QPSK	1	1		20.63	1.5

NR FDD Band n30_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							462000 Ch. 2310 MHz	
10 MHz	15	DFT-s	pi/2 BPSK	1	1		21.98	0
				1	26		21.97	0
				1	50		21.93	0
				25	0		21.55	0.5
				25	14		22.05	0
				25	27		21.54	0.5
				50	0		21.58	0.5
			QPSK	1	1		22.07	0
				1	26		22.13	0
				1	50		22.00	0
				25	0		21.11	1
				25	14		22.10	0
				25	27		21.04	1
				50	0		21.07	1
			16QAM	1	1		21.08	1
			64QAM	1	1		19.68	2.5
			256QAM	1	1		17.38	4.5
		CP	QPSK	1	1		20.56	1.5

NR FDD Band n30 Conducted Power_Free(RSI0) _MAIN2[ANT.B]

NR FDD Band n30_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							462000 Ch. 2310 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1		17.77	0
				1	13		17.72	0
				1	23		17.76	0
				12	0		17.82	0
				12	7		17.81	0
				12	13		17.77	0
				25	0		17.80	0
			QPSK	1	1		17.80	0
				1	13		17.68	0
				1	23		17.72	0
				12	0		17.80	0
				12	7		17.79	0
				12	13		17.75	0
				25	0		17.86	0
			16QAM	1	1		17.84	0
			64QAM	1	1		17.92	0
			256QAM	1	1		17.49	0.5
		CP	QPSK	1	1		17.85	0

NR FDD Band n30_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							462000 Ch. 2310 MHz	
10 MHz	15	DFT-s	pi/2 BPSK	1	1		17.67	0
				1	26		17.78	0
				1	50		17.64	0
				25	0		17.75	0
				25	14		17.67	0
				25	27		17.68	0
				50	0		17.75	0
			QPSK	1	1		17.86	0
				1	26		17.73	0
				1	50		17.68	0
				25	0		17.82	0
				25	14		17.74	0
				25	27		17.73	0
				50	0		17.76	0
			16QAM	1	1		17.80	0
			64QAM	1	1		17.92	0
			256QAM	1	1		17.53	0.5
		CP	QPSK	1	1		17.77	0

NR TDD Band n41 Conducted Power (Power Class 2)_Free(RSI0) _MAIN2[ANT.B]

NR TDD Band n41_10 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						500202 Ch. 2501.01 MHz	509400 Ch. 2547 MHz	518598 Ch. 2592.99 MHz	527802 Ch. 2639.01 MHz	537000 Ch. 2685 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	17.23	17.02	17.68	17.10	16.78	0
				1	12	17.31	17.22	17.84	17.11	16.84	0
				1	22	17.17	17.19	17.83	17.04	16.78	0
				12	0	17.20	17.02	17.67	17.06	16.77	0
				12	6	17.20	17.07	17.73	17.06	16.77	0
				12	12	17.19	17.13	17.80	17.05	16.77	0
				24	0	17.19	17.09	17.73	17.06	16.76	0
			QPSK	1	1	17.26	17.01	17.66	17.14	16.76	0
				1	12	17.22	17.20	17.80	17.12	16.75	0
				1	22	17.20	17.19	17.78	17.10	16.84	0
				12	0	17.21	17.03	17.67	17.05	16.77	0
				12	6	17.19	17.08	17.73	17.07	16.78	0
				12	12	17.19	17.12	17.74	17.04	16.77	0
				24	0	17.20	17.08	17.72	17.08	16.80	0
			16QAM	1	1	17.18	17.03	17.60	17.06	16.77	0
			64QAM	1	1	17.37	17.07	17.70	17.25	16.75	0
			256QAM	1	1	17.23	16.97	17.66	16.97	16.75	0
		CP	QPSK	1	1	17.20	16.96	17.63	17.03	16.82	0

NR TDD Band n41_15 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						500700 Ch. 2503.5 MHz	509652 Ch. 2548.26 MHz	518598 Ch. 2592.99 MHz	527550 Ch. 2637.75 MHz	536502 Ch. 2682.51 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	17.31	17.09	17.59	17.11	16.98	0
				1	18	17.21	17.16	17.72	16.97	16.99	0
				1	36	17.18	17.27	17.80	16.97	16.93	0
				18	0	17.29	17.10	17.64	17.05	16.93	0
				18	9	17.25	17.16	17.70	17.02	16.96	0
				18	18	17.22	17.20	17.76	17.03	16.97	0
				36	0	17.27	17.16	17.69	17.01	16.91	0
			QPSK	1	1	17.44	17.12	17.57	17.13	16.90	0
				1	18	17.41	17.09	17.63	16.95	16.87	0
				1	36	17.50	17.32	17.76	16.96	16.89	0
				18	0	17.27	17.09	17.62	17.06	16.93	0
				18	9	17.26	17.17	17.71	17.02	16.95	0
				18	18	17.20	17.22	17.75	17.02	16.91	0
				36	0	17.21	17.16	17.68	17.06	16.93	0
			16QAM	1	1	17.20	17.09	17.56	17.11	16.95	0
			64QAM	1	1	17.11	17.01	17.55	17.14	16.62	0
			256QAM	1	1	17.52	16.99	17.50	17.05	16.82	0
		CP	QPSK	1	1	17.31	17.04	17.57	17.07	16.90	0

NR TDD Band n41_20 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MP R [dB]
						501204 Ch. 2506.02 MHz	509898 Ch. 2549.49 MHz	518598 Ch. 2592.99 MHz	527298 Ch. 2636.49 MHz	535998 Ch. 2679.99 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	16.91	17.10	17.51	17.14	16.91	0
				1	26	17.00	17.14	17.70	16.98	16.89	0
				1	49	16.95	17.31	17.74	16.94	16.88	0
				25	0	17.09	17.08	17.64	17.09	16.91	0
				25	13	17.04	17.21	17.71	16.99	16.90	0
				25	26	17.00	17.25	17.76	16.98	16.90	0
			QPSK	50	0	17.04	17.19	17.70	17.02	16.93	0
				1	1	17.14	17.05	17.57	17.17	16.91	0
				1	26	17.07	17.16	17.75	17.01	16.92	0
				1	49	17.00	17.34	17.78	16.94	16.92	0
				25	0	17.08	17.12	17.62	17.10	16.89	0
				25	13	17.07	17.22	17.71	17.00	16.94	0
				25	26	17.00	17.27	17.79	16.99	16.91	0
				50	0	17.06	17.18	17.72	17.01	16.92	0
			16QAM	1	1	17.15	17.02	17.48	17.19	16.96	0
			64QAM	1	1	17.16	17.26	17.56	17.07	17.13	0
			256QAM	1	1	17.07	17.04	17.49	17.23	16.83	0
		CP	QPSK	1	1	17.07	17.06	17.25	17.12	16.96	0

NR TDD Band n41_25 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MP R [dB]
						501702 Ch. 2508.51 MHz	510150 Ch. 2550.75 MHz	518598 Ch. 2592.99 MHz	527046 Ch. 2635.23 MHz	535500 Ch. 2677.5 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	16.90	17.18	17.55	17.20	16.89	0
				1	32	17.07	17.21	17.74	17.01	16.90	0
				1	63	16.95	17.34	17.75	16.96	16.86	0
				32	0	17.13	17.12	17.59	17.09	16.86	0
				32	17	17.09	17.23	17.71	16.99	16.85	0
				32	33	17.01	17.35	17.79	16.97	16.88	0
			QPSK	64	0	17.08	17.24	17.70	16.99	16.85	0
				1	1	17.19	16.99	17.55	17.19	16.91	0
				1	32	17.09	17.26	17.79	17.09	16.85	0
				1	63	16.96	17.36	17.76	17.01	16.87	0
				32	0	17.14	17.13	17.60	17.09	16.86	0
				32	17	17.09	17.26	17.71	16.99	16.85	0
				32	33	16.99	17.33	17.77	16.98	16.88	0
				64	0	17.08	17.25	17.71	16.99	16.87	0
			16QAM	1	1	17.53	17.38	17.53	17.19	16.89	0
			64QAM	1	1	17.12	16.95	17.51	17.24	16.92	0
			256QAM	1	1	17.14	16.96	17.53	17.11	16.85	0
		CP	QPSK	1	1	17.07	17.00	17.55	17.23	16.81	0

NR TDD Band n41_30 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						502200 Ch. 2511 MHz	510402 Ch. 2552.01 MHz	518598 Ch. 2592.99 MHz	526800 Ch. 2634 MHz	534996 Ch. 2674.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	17.25	17.22	17.06	17.50	17.48	0
				1	39	17.16	17.34	17.75	17.32	17.09	0
				1	76	16.93	17.41	17.73	17.04	16.96	0
				36	0	17.19	17.14	17.56	17.35	17.04	0
				36	21	17.10	17.29	17.71	17.20	17.01	0
				36	42	17.02	17.38	17.74	17.12	17.01	0
			QPSK	75	0	17.11	17.27	17.71	17.21	17.01	0
				1	1	17.23	17.08	17.49	17.48	17.08	0
				1	39	17.15	17.37	17.85	17.25	17.05	0
				1	76	16.99	17.44	17.70	17.08	16.97	0
				36	0	17.18	17.14	17.57	17.35	17.03	0
				36	21	17.14	17.30	17.71	17.21	17.02	0
				36	42	17.06	17.39	17.77	17.13	17.01	0
				75	0	17.13	17.28	17.69	17.20	17.03	0
			16QAM	1	1	17.21	17.41	17.37	17.04	17.07	0
			64QAM	1	1	17.24	16.96	17.52	17.26	17.07	0
			256QAM	1	1	17.14	16.94	17.40	17.45	17.01	0
		CP	QPSK	1	1	17.24	17.46	17.08	17.49	17.07	0

NR TDD Band n41_35 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						502700 Ch. 2513.5 MHz	510650 Ch. 2553.25 MHz	518598 Ch. 2592.99 MHz	526550 Ch. 2632.75 MHz	534500 Ch. 2672.5 MHz	
35 MHz	30	DFT-s	pi/2 BPSK	1	1	26.50	26.38	25.44	26.32	26.31	0
				1	45	26.60	26.42	25.50	26.64	26.54	0
				1	90	26.53	26.24	25.23	26.64	26.43	0
				45	0	26.23	25.88	24.79	25.99	25.99	0.5
				45	24	26.62	26.37	25.35	26.65	26.52	0
				45	47	26.05	25.86	24.81	26.17	25.94	0.5
			QPSK	90	0	26.13	25.83	24.84	26.21	26.00	0.5
				1	1	26.31	26.48	25.58	26.34	26.61	0
				1	45	26.41	26.35	25.33	26.64	26.61	0
				1	90	26.56	26.30	25.23	26.83	26.47	0
				45	0	25.66	25.40	24.35	25.56	24.60	1
				45	24	26.47	26.39	25.38	26.63	26.53	0
				45	47	25.62	25.37	24.24	25.66	25.50	1
				90	0	15.74	25.44	24.46	25.73	25.57	1
			16QAM	1	1	25.53	25.55	24.08	25.33	25.73	1
			64QAM	1	1	24.42	24.15	22.77	23.86	24.12	2.5
			256QAM	1	1	22.37	22.07	20.41	21.87	22.15	4.5
		CP	QPSK	1	1	25.12	24.90	24.02	20.16	25.03	1.5

NR TDD Band n41_40 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						503202 Ch. 2516.01 MHz	513468 Ch. 2567.34 MHz		523734 Ch. 2618.67 MHz	534000 Ch. 2670 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	17.09	17.31		17.78	17.15	0
				1	53	16.97	17.72		17.66	17.23	0
				1	104	16.88	17.72		17.59	17.07	0
				50	0	17.06	17.52		17.80	17.22	0
				50	28	16.96	17.63		17.68	17.17	0
				50	56	16.89	17.69		17.42	17.20	0
				100	0	16.96	17.61		17.69	17.17	0
			QPSK	1	1	17.03	17.40		17.90	17.23	0
				1	53	16.94	17.67		17.77	17.20	0
				1	104	16.86	17.78		17.64	17.14	0
				50	0	17.07	17.54		17.82	17.26	0
				50	28	16.97	17.64		17.69	17.22	0
				50	56	16.87	17.69		17.44	17.21	0
				100	0	16.97	17.63		17.69	17.21	0
			16QAM	1	1	17.14	17.55		18.01	17.33	0
			64QAM	1	1	16.84	17.45		17.97	17.28	0
			256QAM	1	1	17.05	17.37		17.90	17.25	0
		CP	QPSK	1	1	17.04	17.22		17.69	17.04	0

NR TDD Band n41_45 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR [dB]	
						503700 Ch. 2518.5 MHz		518598 Ch. 2592.99 MHz			533500 Ch. 2667.5 MHz
45 MHz	30	DFT-s	pi/2 BPSK	1	1	26.17		26.21		26.38	0
				1	59	26.53		26.44		10.67	0
				1	117	26.47		26.39		10.75	0
				54	0	26.18		25.88		26.09	0.5
				54	33	26.49		26.44		26.59	0
				54	65	25.98		23.09		26.07	0.5
				108	0	25.99		25.90		26.11	0.5
			QPSK	1	1	26.02		26.42		26.69	0
				1	59	26.46		26.40		26.63	0
				1	117	26.48		26.23		26.63	0
				54	0	25.67		25.40		25.76	1
				54	33	26.51		26.42		26.65	0
				54	65	25.50		25.62		25.63	1
				108	0	25.58		25.48		24.74	1
			16QAM	1	1	25.06		25.54		25.68	1
			64QAM	1	1	23.84		23.86		24.22	2.5
			256QAM	1	1	22.46		21.91		22.23	4.5
		CP	QPSK	1	1	24.69		24.90		25.12	1.5

NR TDD Band n41_50 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR [dB]	
						504204 Ch. 2521.02 MHz		518598 Ch. 2592.99 MHz			532998 Ch. 2664.99 MHz
50 MHz	30	DFT-s	pi/2 BPSK	1	1	17.37		17.58		17.29	0
				1	67	17.17		17.94		17.26	0
				1	131	17.30		17.75		17.12	0
				64	0	17.42		17.79		17.34	0
				64	35	17.31		18.02		17.32	0
				64	69	17.26		17.98		17.24	0
			QPSK	128	0	17.33		17.99		17.33	0
				1	1	17.51		17.67		17.35	0
				1	67	17.30		18.02		17.35	0
				1	131	17.40		17.81		17.16	0
				64	0	17.46		17.80		17.39	0
				64	35	17.35		18.02		17.36	0
				64	69	17.29		18.01		17.25	0
				128	0	17.34		17.99		17.33	0
			16QAM	1	1	17.61		17.77		17.48	0
			64QAM	1	1	17.57		17.73		17.42	0
			256QAM	1	1	17.51		17.69		17.37	0
		CP	QPSK	1	1	17.35		17.43		17.12	0

NR TDD Band n41_60 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR [dB]	
						505200 Ch. 2526 MHz		518598 Ch. 2592.99 MHz			531996 Ch. 2659.98 MHz
60 MHz	30	DFT-s	pi/2 BPSK	1	1	17.29		17.47		17.25	0
				1	81	17.23		18.07		17.29	0
				1	160	17.48		17.58		17.03	0
				81	0	17.30		17.77		17.15	0
				81	41	17.19		18.03		17.21	0
				81	81	17.31		17.94		17.10	0
				162	0	17.22		17.99		17.18	0
			QPSK	1	1	17.39		17.63		17.30	0
				1	81	17.30		18.15		17.33	0
				1	160	17.54		17.62		17.07	0
				81	0	17.32		17.80		17.21	0
				81	41	17.23		18.06		17.04	0
				81	81	17.31		18.00		17.10	0
				162	0	17.23		18.02		17.20	0
			16QAM	1	1	17.57		17.79		17.49	0
			64QAM	1	1	17.49		17.72		17.41	0
			256QAM	1	1	17.44		17.64		17.38	0
		CP	QPSK	1	1	17.13		17.38		17.12	0

NR TDD Band n41_70 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR [dB]	
						506202 Ch. 2531.01 MHz					531000 Ch. 2655 MHz
70 MHz	30	DFT-s	pi/2 BPSK	1	1	17.27				17.29	0
				1	95	17.09				17.02	0
				1	187	17.49				17.02	0
				90	0	17.23				17.08	0
				90	50	17.20				17.10	0
				90	99	17.19				17.07	0
				180	0	17.17				17.06	0
			QPSK	1	1	17.39				17.41	0
				1	95	17.22				17.06	0
				1	187	17.56				17.03	0
				90	0	17.35				17.12	0
				90	50	17.22				17.14	0
				90	99	17.44				17.08	0
				180	0	17.24				17.16	0
			16QAM	1	1	17.58				17.71	0
			64QAM	1	1	17.55				17.48	0
			256QAM	1	1	17.44				17.48	0
		CP	QPSK	1	1	17.18				17.24	0

NR TDD Band n41_80 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR [dB]	
						507204 Ch. 2536.02 MHz					529998 Ch. 2649.99 MHz
80 MHz	30	DFT-s	pi/2 BPSK	1	1	17.31				17.63	0
				1	109	17.08				17.11	0
				1	215	17.63				17.03	0
				108	0	17.16				17.35	0
				108	55	17.17				17.21	0
				108	109	17.54				17.21	0
				216	0	17.18				17.71	0
			QPSK	1	1	17.41				17.76	0
				1	109	17.17				17.17	0
				1	215	17.71				17.08	0
				108	0	17.24				17.38	0
				108	55	17.20				17.22	0
				108	109	17.57				17.11	0
				216	0	17.19				17.21	0
			16QAM	1	1	17.57				17.97	0
			64QAM	1	1	17.50				17.87	0
			256QAM	1	1	17.43				17.81	0
		CP	QPSK	1	1	17.19				17.60	0

NR TDD Band n41_90 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR [dB]	
						508200 Ch. 2541 MHz					528996 Ch. 2644.98 MHz
90 MHz	30	DFT-s	pi/2 BPSK	1	1	17.38				17.84	0
				1	123	17.26				17.26	0
				1	243	17.73				17.02	0
				120	0	17.30				17.64	0
				120	63	17.41				17.30	0
				120	125	17.58				17.22	0
				243	0	17.29				17.31	0
			QPSK	1	1	17.47				18.01	0
				1	123	17.32				17.38	0
				1	243	17.79				17.08	0
				120	0	17.33				17.72	0
				120	63	17.35				17.39	0
				120	125	17.65				17.25	0
				243	0	17.35				17.34	0
			16QAM	1	1	17.62				18.16	0
			64QAM	1	1	17.59				18.08	0
			256QAM	1	1	17.53				18.03	0
		CP	QPSK	1	1	17.21				17.76	0

NR TDD Band n41_100 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR [dB]
								518598 Ch. 2592.99 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1			17.32		0
				1	137			18.01		0
				1	271			17.32		0
				135	0			17.71		0
				135	69			18.00		0
				135	138			17.77		0
			QPSK	270	0			17.97		0
				1	1			17.40		0
				1	137			18.02		0
				1	271			17.28		0
				135	0			17.70		0
				135	69			18.02		0
				135	138			17.76		0
				270	0			17.98		0
			16QAM	1	1			17.25		0
			64QAM	1	1			17.33		0
			256QAM	1	1			17.45		0
		CP	QPSK	1	1			17.19		0

NR FDD Band n66 Conducted Power_Pmax,RCV(RSI1) _MAIN2[ANT.B]

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						342500 Ch. 1712.5 MHz	349000 Ch. 1745 MHz	355500 Ch. 1777.5 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1	24.20	24.08	23.95	0
				1	13	24.08	24.01	23.93	0
				1	23	24.20	23.99	24.07	0
				12	0	23.67	23.57	23.57	0.5
				12	7	24.17	24.08	24.10	0
				12	13	23.65	23.55	23.60	0.5
				25	0	23.71	23.60	23.58	0.5
			QPSK	1	1	24.24	24.14	24.02	0
				1	13	24.15	23.97	24.02	0
				1	23	24.17	24.07	24.12	0
				12	0	23.26	23.14	23.07	1
				12	7	24.22	24.10	24.10	0
				12	13	23.20	23.08	23.14	1
				25	0	23.25	23.10	23.14	1
			16QAM	1	1	23.27	23.17	23.06	1
			64QAM	1	1	21.89	21.77	21.62	2.5
			256QAM	1	1	19.64	19.57	19.41	4.5
		CP	QPSK	1	1	22.70	22.59	22.48	1.5

NR FDD Band n66_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						343000 Ch. 1715 MHz	349000 Ch. 1745 MHz	355000 Ch. 1775 MHz	
10 MHz	15	DFT-s	pi/2 BPSK	1	1	24.22	24.18	24.08	0
				1	26	24.23	24.14	24.17	0
				1	50	23.95	24.10	24.13	0
				25	0	23.81	23.72	23.59	0.5
				25	14	24.21	24.11	24.11	0
				25	27	23.63	23.60	23.68	0.5
				50	0	23.72	23.64	23.60	0.5
			QPSK	1	1	24.38	24.23	24.17	0
				1	26	24.29	24.13	24.14	0
				1	50	24.02	24.16	24.20	0
				25	0	23.33	23.24	23.15	1
				25	14	24.21	24.15	24.12	0
				25	27	23.12	23.12	23.21	1
				50	0	23.25	23.14	23.13	1
			16QAM	1	1	23.39	23.24	23.19	1
			64QAM	1	1	21.94	21.88	21.74	2.5
			256QAM	1	1	19.76	19.63	19.53	4.5
		CP	QPSK	1	1	22.69	22.71	22.65	1.5

NR FDD Band n66_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						343500 Ch. 1717.5 MHz	349000 Ch. 1745 MHz	354500 Ch. 1772.5 MHz	
15 MHz	15	DFT-s	pi/2 BPSK	1	1	24.19	24.29	24.14	0
				1	40	23.89	24.00	23.90	0
				1	77	23.99	24.18	24.07	0
				36	0	23.71	23.78	23.63	0.5
				36	22	24.08	24.14	24.02	0
				36	43	23.52	23.69	23.55	0.5
				75	0	23.64	23.68	23.53	0.5
			QPSK	1	1	24.34	24.37	24.21	0
				1	40	23.98	24.04	23.92	0
				1	77	24.09	24.20	24.11	0
				36	0	23.30	23.31	23.45	1
				36	22	24.10	24.15	24.23	0
				36	43	23.05	23.19	22.95	1
				75	0	23.15	23.17	22.97	1
			16QAM	1	1	23.36	23.34	23.12	1
			64QAM	1	1	21.95	22.01	21.69	2.5
			256QAM	1	1	19.72	19.74	19.54	4.5
		CP	QPSK	1	1	22.79	22.84	22.74	1.5

NR FDD Band n66_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						344000 Ch. 1720 MHz	349000 Ch. 1745 MHz	354000 Ch. 1770 MHz	
20 MHz	15	DFT-s	pi/2 BPSK	1	1	24.11	24.28	24.26	0
				1	53	23.93	24.15	24.21	0
				1	104	24.16	24.24	24.09	0
				50	0	23.58	23.71	23.79	0.5
				50	28	23.93	24.12	24.11	0
				50	56	23.53	23.65	23.55	0.5
				100	0	23.47	23.67	23.66	0.5
			QPSK	1	1	24.29	24.34	24.36	0
				1	53	23.96	24.14	24.20	0
				1	104	24.21	24.30	24.13	0
				50	0	23.19	23.30	23.31	1
				50	28	23.97	24.16	24.18	0
				50	56	23.06	23.19	23.07	1
				100	0	23.00	23.18	23.17	1
			16QAM	1	1	23.29	23.34	23.33	1
			64QAM	1	1	21.86	21.94	21.89	2.5
			256QAM	1	1	19.64	19.73	19.71	4.5
		CP	QPSK	1	1	22.78	22.83	22.82	1.5

NR FDD Band n66_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						344500 Ch. 1722.5 MHz	349000 Ch. 1745 MHz	353500 Ch. 1767.5 MHz	
25 MHz	15	DFT-s	pi/2 BPSK	1	1	24.15	24.29	24.26	0
				1	66	24.11	24.22	24.32	0
				1	131	24.25	24.32	24.06	0
				64	0	23.53	23.84	23.86	0.5
				64	35	23.98	24.15	24.21	0
				64	69	23.70	23.71	23.58	0.5
				128	0	23.49	23.68	23.77	0.5
			QPSK	1	1	24.26	24.35	24.31	0
				1	66	24.00	24.31	24.27	0
				1	131	24.31	24.40	24.15	0
				64	0	23.09	23.39	23.41	1
				64	35	24.02	24.20	24.26	0
				64	69	23.23	23.25	23.10	1
				128	0	22.99	23.19	23.26	1
			16QAM	1	1	23.28	23.29	23.32	1
			64QAM	1	1	21.89	21.96	21.93	2.5
			256QAM	1	1	19.63	19.70	19.69	4.5
		CP	QPSK	1	1	22.69	22.81	22.79	1.5

NR FDD Band n66_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							349000 Ch. 1745 MHz		
30 MHz	15	DFT-s	pi/2 BPSK	1	1		24.18		0
				1	80		24.21		0
				1	158		24.32		0
				80	0		23.87		0.5
				80	40		24.20		0
				80	80		23.74		0.5
				160	0		23.72		0.5
			QPSK	1	1		24.29		0
				1	80		24.16		0
				1	158		24.42		0
				80	0		23.42		1
				80	40		24.19		0
				80	80		23.29		1
				160	0		23.20		1
			16QAM	1	1		23.27		1
			64QAM	1	1		21.95		2.5
			256QAM	1	1		19.65		4.5
		CP	QPSK	1	1		22.77		1.5

NR FDD Band n66_35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							349000 Ch. 1745 MHz		
35 MHz	15	DFT-s	pi/2 BPSK	1	1		24.12		0
				1	98		24.11		0
				1	186		24.35		0
				90	0		23.91		0.5
				90	45		24.17		0
				90	90		23.76		0.5
				180	0		23.70		0.5
			QPSK	1	1		24.22		0
				1	98		24.14		0
				1	186		24.44		0
				90	0		23.46		1
				90	45		24.21		0
				90	90		23.33		1
				180	0		23.20		1
			16QAM	1	1		23.19		1
			64QAM	1	1		21.86		2.5
			256QAM	1	1		19.63		4.5
		CP	QPSK	1	1		22.57		1.5

NR FDD Band n66_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							349000 Ch. 1745 MHz		
40 MHz	15	DFT-s	pi/2 BPSK	1	1		23.89		0
				1	108		24.18		0
				1	214		24.28		0
				108	0		23.83		0
				108	54		24.15		0
				108	108		23.83		0
				216	0		23.68		0
			QPSK	1	1		24.05		0
				1	108		24.16		0
				1	214		24.33		0
				108	0		23.42		0
				108	54		24.43		0
				108	108		23.37		0
				216	0		23.19		0
			16QAM	1	1		23.05		0
			64QAM	1	1		21.71		0
			256QAM	1	1		19.43		0
		CP	QPSK	1	1		22.56		0

NR FDD Band n66 Conducted Power_Free(RSI0)_MAIN2[ANT.B]

NR FDD Band n66_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						342500 Ch. 1712.5 MHz	349000 Ch. 1745 MHz	355500 Ch. 1777.5 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1	17.92	17.69	17.57	0
				1	13	17.96	17.68	17.53	0
				1	23	17.66	17.74	17.59	0
				12	0	18.01	17.77	17.61	0
				12	7	17.90	17.76	17.64	0
				12	13	17.76	17.77	17.61	0
				25	0	17.86	17.73	17.68	0
			QPSK	1	1	18.02	17.78	17.59	0
				1	13	17.96	17.65	17.54	0
				1	23	17.81	17.76	17.61	0
				12	0	17.98	17.76	17.60	0
				12	7	17.90	17.77	17.68	0
				12	13	17.77	17.75	17.67	0
				25	0	17.89	17.78	17.66	0
			16QAM	1	1	18.03	17.76	17.61	0
			64QAM	1	1	18.12	17.88	17.62	0
			256QAM	1	1	18.03	17.71	17.47	0
		CP	QPSK	1	1	18.06	17.80	17.56	0

NR FDD Band n66_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						343000 Ch. 1715 MHz	349000 Ch. 1745 MHz	355000 Ch. 1775 MHz	
10 MHz	15	DFT-s	pi/2 BPSK	1	1	17.87	17.92	17.71	0
				1	26	17.89	17.89	17.81	0
				1	50	17.59	17.84	17.65	0
				25	0	17.88	17.84	17.62	0
				25	14	17.76	17.75	17.64	0
				25	27	17.67	17.80	17.70	0
				50	0	17.79	17.83	17.62	0
			QPSK	1	1	17.95	17.91	17.72	0
				1	26	17.89	17.73	17.70	0
				1	50	17.70	17.83	17.68	0
				25	0	17.86	17.85	17.68	0
				25	14	17.78	17.83	17.62	0
				25	27	17.68	17.81	17.68	0
				50	0	17.80	17.78	17.69	0
			16QAM	1	1	17.97	17.89	17.77	0
			64QAM	1	1	17.99	18.06	17.77	0
			256QAM	1	1	17.89	17.81	17.68	0
		CP	QPSK	1	1	18.00	17.97	17.75	0

NR FDD Band n66_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						343500 Ch. 1717.5 MHz	349000 Ch. 1745 MHz	354500 Ch. 1772.5 MHz	
15 MHz	15	DFT-s	pi/2 BPSK	1	1	17.93	17.87	17.81	0
				1	40	17.79	17.67	17.58	0
				1	77	18.00	17.82	17.65	0
				36	0	17.87	17.86	17.79	0
				36	22	17.67	17.74	17.65	0
				36	43	17.76	17.78	17.67	0
				75	0	17.79	17.76	17.65	0
			QPSK	1	1	18.01	17.95	17.82	0
				1	40	17.67	17.69	17.59	0
				1	77	18.02	17.83	17.65	0
				36	0	17.89	17.86	17.83	0
				36	22	17.71	17.82	17.64	0
				36	43	17.88	17.77	17.68	0
				75	0	17.77	17.88	17.67	0
			16QAM	1	1	17.99	17.94	17.81	0
			64QAM	1	1	18.10	18.02	17.94	0
			256QAM	1	1	17.97	17.86	17.73	0
		CP	QPSK	1	1	17.94	17.93	17.84	0

NR FDD Band n66_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						344000 Ch. 1720 MHz	349000 Ch. 1745 MHz	354000 Ch. 1770 MHz	
20 MHz	15	DFT-s	pi/2 BPSK	1	1	17.84	17.85	17.94	0
				1	53	17.68	17.86	17.87	0
				1	104	17.87	17.89	17.68	0
				50	0	17.73	17.94	17.87	0
				50	28	17.62	17.86	17.78	0
				50	56	17.71	17.91	17.63	0
				100	0	17.66	17.88	17.82	0
			QPSK	1	1	17.95	17.93	17.89	0
				1	53	17.60	17.80	17.81	0
				1	104	17.90	17.97	17.70	0
				50	0	17.80	17.92	17.91	0
				50	28	17.61	17.76	17.82	0
				50	56	17.74	17.83	17.69	0
				100	0	17.65	17.83	17.82	0
			16QAM	1	1	17.94	17.93	17.92	0
			64QAM	1	1	17.97	18.04	17.98	0
			256QAM	1	1	17.88	17.82	17.94	0
		CP	QPSK	1	1	17.89	17.97	17.87	0

NR FDD Band n66_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						344500 Ch. 1722.5 MHz	349000 Ch. 1745 MHz	353500 Ch. 1767.5 MHz	
25 MHz	15	DFT-s	pi/2 BPSK	1	1	17.87	17.86	17.86	0
				1	66	17.84	17.90	17.95	0
				1	131	18.02	18.01	17.67	0
				64	0	17.64	17.95	17.93	0
				64	35	17.65	17.86	17.86	0
				64	69	17.89	17.92	17.72	0
				128	0	17.63	17.79	17.84	0
			QPSK	1	1	17.92	17.90	17.82	0
				1	66	17.68	17.99	17.89	0
				1	131	18.00	18.05	17.73	0
				64	0	17.71	17.93	17.93	0
				64	35	17.63	17.83	17.85	0
				64	69	17.94	17.87	17.71	0
				128	0	17.63	17.85	17.91	0
			16QAM	1	1	17.88	17.92	17.83	0
			64QAM	1	1	17.92	18.14	17.97	0
			256QAM	1	1	17.79	17.77	17.76	0
		CP	QPSK	1	1	17.87	17.93	17.87	0

NR FDD Band n66_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							349000 Ch. 1745 MHz		
30 MHz	15	DFT-s	pi/2 BPSK	1	1		17.78		0
				1	80		17.88		0
				1	158		17.95		0
				80	0		17.92		0
				80	40		17.77		0
				80	80		17.88		0
				160	0		17.72		0
			QPSK	1	1		17.82		0
				1	80		17.92		0
				1	158		18.03		0
				80	0		17.88		0
				80	40		17.79		0
				80	80		17.83		0
				160	0		17.84		0
			16QAM	1	1		17.84		0
			64QAM	1	1		18.11		0
			256QAM	1	1		17.67		0
		CP	QPSK	1	1		17.86		0

NR FDD Band n66_35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							349000 Ch. 1745 MHz		
35 MHz	15	DFT-s	pi/2 BPSK	1	1		17.72		0
				1	98		17.82		0
				1	186		17.94		0
				90	0		17.91		0
				90	45		17.71		0
				90	90		17.82		0
				180	0		17.67		0
			QPSK	1	1		17.77		0
				1	98		17.87		0
				1	186		18.01		0
				90	0		17.87		0
				90	45		17.76		0
				90	90		17.82		0
				180	0		17.81		0
			16QAM	1	1		17.83		0
			64QAM	1	1		18.04		0
			256QAM	1	1		17.63		0
		CP	QPSK	1	1		17.78		0

NR FDD Band n66_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							349000 Ch. 1745 MHz		
40 MHz	15	DFT-s	pi/2 BPSK	1	1		17.44		0
				1	108		17.81		0
				1	214		17.96		0
				108	0		17.88		0
				108	54		17.75		0
				108	108		17.95		0
				216	0		17.77		0
			QPSK	1	1		17.51		0
				1	108		17.77		0
				1	214		18.00		0
				108	0		17.89		0
				108	54		17.81		0
				108	108		18.02		0
				216	0		17.84		0
			16QAM	1	1		17.51		0
			64QAM	1	1		17.61		0
			256QAM	1	1		17.47		0
		CP	QPSK	1	1		17.53		0

NR FDD Band n70 Conducted Power_Pmax, RCV(RSI1) _MAIN2[ANT.B]

NR FDD Band n70_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						339500 Ch. 1697.5 MHz	340500 Ch. 1702.5 MHz	341500 Ch. 1707.5 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1	22.93	23.07	23.26	0
				1	13	22.92	23.06	23.20	0
				1	23	23.10	23.24	23.35	0
				12	0	22.51	22.63	22.84	0.5
				12	7	23.08	23.17	23.35	0
				12	13	22.62	22.73	22.87	0.5
				25	0	22.57	22.70	22.91	0.5
			QPSK	1	1	22.97	23.12	23.35	0
				1	13	22.95	23.13	23.27	0
				1	23	23.14	23.24	23.36	0
				12	0	22.06	22.15	22.41	1
				12	7	23.10	23.18	23.35	0
				12	13	22.14	22.24	22.39	1
				25	0	22.11	22.20	22.40	1
			16QAM	1	1	22.03	22.07	22.38	1
			64QAM	1	1	20.61	20.73	20.96	2.5
			256QAM	1	1	18.34	18.54	18.77	4.5
		CP	QPSK	1	1	21.44	21.62	21.85	1.5

NR FDD Band n70_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						340000 Ch. 1700 MHz	340500 Ch. 1702.5 MHz	341000 Ch. 1705 MHz	
10 MHz	15	DFT-s	pi/2 BPSK	1	1	22.92	22.99	23.16	0
				1	26	23.14	23.31	23.47	0
				1	50	23.27	23.27	23.37	0
				25	0	22.55	22.59	22.83	0.5
				25	14	23.15	23.20	23.40	0
				25	27	22.75	22.80	22.88	0.5
				50	0	22.67	22.70	22.93	0.5
			QPSK	1	1	22.94	23.02	23.23	0
				1	26	23.20	23.23	23.41	0
				1	50	23.32	23.27	23.39	0
				25	0	22.07	22.12	22.35	1
				25	14	23.17	23.23	23.40	0
				25	27	22.24	22.26	22.41	1
				50	0	22.16	22.20	22.42	1
			16QAM	1	1	22.01	22.05	22.24	1
			64QAM	1	1	20.59	20.62	20.83	2.5
			256QAM	1	1	18.38	18.39	18.58	4.5
		CP	QPSK	1	1	21.44	21.51	21.71	1.5

NR FDD Band n70_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							340500 Ch. 1702.5 MHz		
15 MHz	15	DFT-s	pi/2 BPSK	1	1		22.98		0
				1	40		23.15		0
				1	77		23.36		0
				36	0		22.64		0.5
				36	22		23.29		0
				36	43		22.86		0.5
				75	0		22.76		0.5
			QPSK	1	1		22.99		0
				1	40		23.18		0
				1	77		23.36		0
				36	0		22.14		1
				36	22		23.26		0
				36	43		22.36		1
				75	0		22.25		1
			16QAM	1	1		21.96		1
			64QAM	1	1		20.59		2.5
			256QAM	1	1		18.38		4.5
		CP	QPSK	1	1		21.39		1.5

NR FDD Band n70 Conducted Power_Free(RSI0) _MAIN2[ANT.B]

NR FDD Band n70_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						339500 Ch. 1697.5 MHz	340500 Ch. 1702.5 MHz	341500 Ch. 1707.5 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1	17.58	17.72	17.94	0
				1	13	17.58	17.66	17.86	0
				1	23	17.73	17.86	17.93	0
				12	0	17.67	17.75	17.91	0
				12	7	17.73	17.81	17.97	0
				12	13	17.75	17.82	17.94	0
				25	0	17.71	17.81	18.01	0
			QPSK	1	1	17.58	17.72	17.97	0
				1	13	17.63	17.68	17.86	0
				1	23	17.76	17.83	17.94	0
				12	0	17.64	17.74	17.96	0
				12	7	17.70	17.81	17.98	0
				12	13	17.75	17.85	17.98	0
				25	0	17.72	17.82	17.98	0
			16QAM	1	1	17.63	17.74	17.94	0
			64QAM	1	1	17.68	17.82	18.03	0
			256QAM	1	1	17.53	17.65	17.96	0
		CP	QPSK	1	1	17.63	17.75	17.97	0

NR FDD Band n70_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						340000 Ch. 1700 MHz	340500 Ch. 1702.5 MHz	341000 Ch. 1705 MHz	
10 MHz	15	DFT-s	pi/2 BPSK	1	1	17.60	17.62	17.79	0
				1	26	17.85	17.98	18.14	0
				1	50	17.93	17.94	17.99	0
				25	0	17.71	17.74	17.91	0
				25	14	17.78	17.83	18.03	0
				25	27	17.87	17.95	18.04	0
				50	0	17.78	17.84	17.99	0
			QPSK	1	1	17.61	17.66	17.86	0
				1	26	17.76	17.89	18.00	0
				1	50	17.93	17.96	18.00	0
				25	0	17.71	17.76	17.96	0
				25	14	17.84	17.85	18.03	0
				25	27	17.90	17.98	18.03	0
				50	0	17.82	17.85	18.00	0
			16QAM	1	1	17.61	17.64	17.82	0
			64QAM	1	1	17.67	17.79	17.97	0
			256QAM	1	1	17.57	17.56	17.84	0
		CP	QPSK	1	1	17.60	17.69	17.84	0

NR FDD Band n70_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							340500 Ch. 1702.5 MHz		
15 MHz	15	DFT-s	pi/2 BPSK	1	1		17.65		0
				1	40		17.87		0
				1	77		18.06		0
				36	0		17.84		0
				36	22		18.00		0
				36	43		18.08		0
				75	0		17.94		0
			QPSK	1	1		17.70		0
				1	40		17.88		0
				1	77		18.00		0
				36	0		17.82		0
				36	22		17.95		0
				36	43		18.02		0
				75	0		17.89		0
			16QAM	1	1		17.59		0
			64QAM	1	1		17.75		0
			256QAM	1	1		17.58		0
		CP	QPSK	1	1		17.59		0

K.2 NR Plimit Conducted Power (Upper Antenna)

NR FDD Band n2 Conducted Power_Free(RSI0) _SUB2[ANT.F]

NR FDD Band n2_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						370500 Ch. 1852.5 MHz	376000 Ch. 1880 MHz	381500 Ch. 1907.5 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1	17.66	17.74	17.81	0
				1	13	17.70	17.68	17.76	0
				1	23	17.81	17.74	17.83	0
				12	0	17.71	17.76	17.80	0
				12	7	17.78	17.81	17.80	0
				12	13	17.74	17.81	17.87	0
			QPSK	25	0	17.77	17.74	17.86	0
				1	1	17.76	17.81	17.80	0
				1	13	17.69	17.67	17.77	0
				1	23	17.81	17.78	17.92	0
				12	0	17.73	17.74	17.86	0
				12	7	17.81	17.75	17.86	0
				12	13	17.81	17.75	17.85	0
				25	0	17.83	17.82	17.92	0
			16QAM	1	1	17.79	17.82	17.78	0
			64QAM	1	1	17.91	17.87	17.92	0
			256QAM	1	1	17.66	17.73	17.71	0
		CP	QPSK	1	1	17.74	17.82	17.89	0

NR FDD Band n2_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						371000 Ch. 1855 MHz	376000 Ch. 1880 MHz	381000 Ch. 1905 MHz	
10 MHz	15	DFT-s	pi/2 BPSK	1	1	17.62	17.74	17.73	0
				1	26	17.89	17.84	17.94	0
				1	50	17.86	17.75	17.87	0
				25	0	17.81	17.76	17.77	0
				25	14	17.80	17.76	17.87	0
				25	27	17.85	17.80	17.86	0
			QPSK	50	0	17.88	17.80	17.86	0
				1	1	17.81	17.82	17.80	0
				1	26	17.80	17.81	17.89	0
				1	50	17.89	17.79	17.95	0
				25	0	17.86	17.82	17.82	0
				25	14	17.84	17.80	17.90	0
				25	27	17.86	17.78	17.91	0
				50	0	17.87	17.86	17.92	0
			16QAM	1	1	17.74	17.82	17.80	0
			64QAM	1	1	17.85	17.97	17.94	0
			256QAM	1	1	17.66	17.68	17.67	0
		CP	QPSK	1	1	17.80	17.80	17.85	0

NR FDD Band n2_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						371500 Ch. 1857.5 MHz	376000 Ch. 1880 MHz	380500 Ch. 1902.5 MHz	
15 MHz	15	DFT-s	pi/2 BPSK	1	1	17.61	17.69	17.65	0
				1	40	17.69	17.71	17.65	0
				1	77	17.85	17.71	17.86	0
				36	0	17.72	17.77	17.75	0
				36	22	17.83	17.77	17.82	0
				36	43	17.86	17.72	17.90	0
				75	0	17.86	17.79	17.82	0
			QPSK	1	1	17.69	17.81	17.74	0
				1	40	17.77	17.73	17.80	0
				1	77	17.90	17.76	17.93	0
				36	0	17.79	17.78	17.75	0
				36	22	17.84	17.88	17.85	0
				36	43	17.96	17.78	17.88	0
				75	0	17.86	17.83	17.82	0
			16QAM	1	1	17.70	17.87	17.75	0
			64QAM	1	1	17.81	18.00	17.86	0
			256QAM	1	1	17.61	17.74	17.61	0
		CP	QPSK	1	1	17.73	17.80	17.69	0

NR FDD Band n2_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						372000 Ch. 1860 MHz	376000 Ch. 1880 MHz	380000 Ch. 1900 MHz	
20 MHz	15	DFT-s	pi/2 BPSK	1	1	17.60	17.62	17.71	0
				1	53	17.89	17.90	17.93	0
				1	104	17.80	17.69	17.89	0
				50	0	17.80	17.72	17.78	0
				50	28	17.82	17.78	17.82	0
				50	56	17.89	17.79	17.88	0
				100	0	17.89	17.80	17.81	0
			QPSK	1	1	17.68	17.87	17.73	0
				1	53	17.90	17.77	17.81	0
				1	104	17.91	17.81	17.88	0
				50	0	17.80	17.85	17.77	0
				50	28	17.91	17.81	17.82	0
				50	56	17.90	17.79	17.86	0
				100	0	17.95	17.82	17.85	0
			16QAM	1	1	17.66	17.84	17.70	0
			64QAM	1	1	17.79	17.89	17.84	0
			256QAM	1	1	17.57	17.71	17.64	0
		CP	QPSK	1	1	17.69	17.93	17.42	0

NR FDD Band n2_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]	
						372500 Ch. 1862.5 MHz	379500 Ch. 1897.5 MHz		
25 MHz	15	DFT-s	pi/2 BPSK	1	1	17.65		17.62	0
				1	66	17.90		17.92	0
				1	131	17.82		17.84	0
				64	0	17.77		17.71	0
				64	35	17.85		17.71	0
				64	69	17.94		17.87	0
				128	0	17.84		17.77	0
			QPSK	1	1	17.68		17.67	0
				1	66	18.02		17.83	0
				1	131	17.87		17.87	0
				64	0	17.85		17.77	0
				64	35	17.99		17.81	0
				64	69	17.88		17.93	0
				128	0	17.88		17.76	0
			16QAM	1	1	17.83		17.73	0
			64QAM	1	1	17.79		17.76	0
			256QAM	1	1	17.54		17.58	0
		CP	QPSK	1	1	17.68		17.66	0

NR FDD Band n2_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]	
						373000 Ch. 1865 MHz	379000 Ch. 1895 MHz		
30 MHz	15	DFT-s	pi/2 BPSK	1	1	17.62		17.69	0
				1	80	18.02		17.81	0
				1	158	17.77		17.88	0
				80	0	17.85		17.74	0
				80	40	17.90		17.82	0
				80	80	17.93		17.78	0
				160	0	17.96		17.77	0
			QPSK	1	1	17.69		17.72	0
				1	80	18.03		17.78	0
				1	158	17.81		17.90	0
				80	0	17.85		17.76	0
				80	40	17.93		17.78	0
				80	80	17.88		17.86	0
				160	0	17.92		17.83	0
			16QAM	1	1	17.70		17.79	0
			64QAM	1	1	17.82		17.83	0
			256QAM	1	1	17.58		17.59	0
		CP	QPSK	1	1	17.65		17.77	0

NR FDD Band n2_35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							376000 Ch. 1880 MHz		
35 MHz	15	DFT-s	pi/2 BPSK	1	1		17.72		0
				1	98		17.78		0
				1	186		17.78		0
				90	0		17.85		0
				90	45		17.88		0
				90	90		17.80		0
				180	0		17.82		0
			QPSK	1	1		17.82		0
				1	98		17.80		0
				1	186		17.78		0
				90	0		17.93		0
				90	45		17.83		0
				90	90		17.83		0
				180	0		17.82		0
			16QAM	1	1		17.84		0
			64QAM	1	1		17.90		0
			256QAM	1	1		17.74		0
		CP	QPSK	1	1		17.65		0

NR FDD Band n2_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							376000 Ch. 1880 MHz		
40 MHz	15	DFT-s	pi/2 BPSK	1	1		17.77		0
				1	108		18.01		0
				1	214		17.77		0
				108	0		17.92		0
				108	54		17.89		0
				108	108		17.82		0
				216	0		17.86		0
			QPSK	1	1		17.82		0
				1	108		17.84		0
				1	214		17.87		0
				108	0		17.89		0
				108	54		17.94		0
				108	108		17.86		0
				216	0		17.83		0
			16QAM	1	1		17.78		0
			64QAM	1	1		17.96		0
			256QAM	1	1		17.75		0
		CP	QPSK	1	1		17.56		0

NR FDD Band n2 Conducted Power_RCV(RSI1) _SUB2[ANT.F]

NR FDD Band n2_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						370500 Ch. 1852.5 MHz	376000 Ch. 1880 MHz	381500 Ch. 1907.5 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1	17.91	17.76	17.77	0
				1	13	17.85	17.94	17.68	0
				1	23	17.91	17.85	17.83	0
				12	0	17.88	17.72	17.82	0
				12	7	17.93	17.73	17.81	0
				12	13	17.95	17.74	17.90	0
				25	0	17.92	17.74	17.84	0
			QPSK	1	1	17.88	17.80	17.80	0
				1	13	17.82	17.70	17.77	0
				1	23	17.92	17.78	17.88	0
				12	0	17.90	17.80	17.83	0
				12	7	17.89	17.78	17.82	0
				12	13	17.92	17.79	17.89	0
				25	0	17.91	17.81	17.88	0
			16QAM	1	1	17.86	17.82	17.89	0
			64QAM	1	1	17.90	17.94	17.92	0
			256QAM	1	1	17.75	17.70	17.85	0
		CP	QPSK	1	1	17.86	17.82	17.75	0

NR FDD Band n2_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						371000 Ch. 1855 MHz	376000 Ch. 1880 MHz	381000 Ch. 1905 MHz	
10 MHz	15	DFT-s	pi/2 BPSK	1	1	17.92	17.83	17.77	0
				1	26	17.84	17.79	17.82	0
				1	50	17.94	17.77	17.89	0
				25	0	17.93	17.84	17.90	0
				25	14	17.99	17.77	17.88	0
				25	27	17.80	17.80	17.93	0
				50	0	17.92	17.82	17.90	0
			QPSK	1	1	17.97	17.83	17.84	0
				1	26	17.83	17.85	17.90	0
				1	50	17.81	17.81	17.96	0
				25	0	17.83	17.88	17.90	0
				25	14	17.99	17.81	17.90	0
				25	27	17.85	17.80	17.92	0
				50	0	17.84	17.83	17.89	0
			16QAM	1	1	17.95	17.86	17.86	0
			64QAM	1	1	17.78	17.75	17.98	0
			256QAM	1	1	17.84	17.80	17.76	0
		CP	QPSK	1	1	17.99	17.82	17.86	0

NR FDD Band n2_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						371500 Ch. 1857.5 MHz	376000 Ch. 1880 MHz	380500 Ch. 1902.5 MHz	
15 MHz	15	DFT-s	pi/2 BPSK	1	1	17.84	17.84	17.64	0
				1	40	17.83	17.82	17.67	0
				1	77	17.94	17.88	17.78	0
				36	0	17.97	17.83	17.69	0
				36	22	17.96	17.79	17.76	0
				36	43	17.98	17.74	17.78	0
				75	0	17.91	17.84	17.77	0
			QPSK	1	1	17.92	17.84	17.71	0
				1	40	17.91	17.71	17.63	0
				1	77	17.91	17.75	17.83	0
				36	0	17.99	17.85	17.74	0
				36	22	17.99	17.80	17.80	0
				36	43	17.80	17.75	17.75	0
				75	0	17.88	17.80	17.75	0
			16QAM	1	1	17.74	17.86	17.69	0
			64QAM	1	1	17.88	17.90	17.76	0
			256QAM	1	1	17.86	17.80	17.59	0
		CP	QPSK	1	1	17.96	17.88	17.73	0

NR FDD Band n2_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						372000 Ch. 1860 MHz	376000 Ch. 1880 MHz	380000 Ch. 1900 MHz	
20 MHz	15	DFT-s	pi/2 BPSK	1	1	17.79	17.83	17.69	0
				1	53	17.97	17.93	17.85	0
				1	104	17.86	17.76	17.77	0
				50	0	17.93	17.83	17.72	0
				50	28	17.94	17.79	17.80	0
				50	56	17.96	17.78	17.79	0
				100	0	17.97	17.83	17.77	0
			QPSK	1	1	17.88	17.89	17.67	0
				1	53	17.90	17.83	17.80	0
				1	104	17.91	17.74	17.84	0
				50	0	17.98	17.89	17.75	0
				50	28	17.96	17.80	17.77	0
				50	56	17.99	17.78	17.82	0
				100	0	17.80	17.86	17.76	0
			16QAM	1	1	17.86	17.86	17.70	0
			64QAM	1	1	17.81	17.97	17.79	0
			256QAM	1	1	17.81	17.81	17.59	0
		CP	QPSK	1	1	17.91	17.93	17.73	0

NR FDD Band n2_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]	
						372500 Ch. 1862.5 MHz	379500 Ch. 1897.5 MHz		
25 MHz	15	DFT-s	pi/2 BPSK	1	1	17.73		17.69	0
				1	66	17.98		17.50	0
				1	131	17.78		17.63	0
				64	0	17.89		17.65	0
				64	35	17.93		17.72	0
				64	69	17.87		17.78	0
				128	0	17.93		17.77	0
			QPSK	1	1	17.84		17.71	0
				1	66	17.99		17.87	0
				1	131	17.81		17.84	0
				64	0	17.94		17.76	0
				64	35	17.95		17.81	0
				64	69	17.95		17.86	0
				128	0	17.94		17.83	0
			16QAM	1	1	17.92		17.74	0
			64QAM	1	1	17.93		17.93	0
			256QAM	1	1	17.74		17.63	0
		CP	QPSK	1	1	17.88		17.71	0

NR FDD Band n2_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]	
						373000 Ch. 1865 MHz	379000 Ch. 1895 MHz		
30 MHz	15	DFT-s	pi/2 BPSK	1	1	17.82		17.78	0
				1	80	17.91		17.90	0
				1	158	17.79		17.86	0
				80	0	17.80		17.80	0
				80	40	17.83		17.82	0
				80	80	17.80		17.91	0
				160	0	17.91		17.84	0
			QPSK	1	1	17.94		17.82	0
				1	80	17.86		17.78	0
				1	158	17.83		17.89	0
				80	0	17.88		17.84	0
				80	40	17.85		17.83	0
				80	80	17.98		17.89	0
				160	0	17.98		17.85	0
			16QAM	1	1	17.96		17.86	0
			64QAM	1	1	17.90		17.99	0
			256QAM	1	1	17.82		17.73	0
		CP	QPSK	1	1	17.92		17.77	0

NR FDD Band n2_35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							376000 Ch. 1880 MHz		
35 MHz	15	DFT-s	pi/2 BPSK	1	1		17.80		0
				1	98		17.74		0
				1	186		17.71		0
				90	0		17.90		0
				90	45		17.84		0
				90	90		17.73		0
				180	0		17.82		0
			QPSK	1	1		17.94		0
				1	98		17.77		0
				1	186		17.72		0
				90	0		17.90		0
				90	45		17.83		0
				90	90		17.78		0
				180	0		17.84		0
			16QAM	1	1		17.89		0
			64QAM	1	1		17.95		0
			256QAM	1	1		17.88		0
		CP	QPSK	1	1		17.92		0

NR FDD Band n2_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							376000 Ch. 1880 MHz		
40 MHz	15	DFT-s	pi/2 BPSK	1	1		17.79		0
				1	108		17.93		0
				1	214		17.71		0
				108	0		17.91		0
				108	54		17.83		0
				108	108		17.77		0
				216	0		17.79		0
			QPSK	1	1		17.87		0
				1	108		17.81		0
				1	214		17.73		0
				108	0		17.96		0
				108	54		17.85		0
				108	108		17.81		0
				216	0		17.82		0
			16QAM	1	1		17.92		0
			64QAM	1	1		17.94		0
			256QAM	1	1		17.79		0
		CP	QPSK	1	1		17.88		0

NR FDD Band n25 Conducted Power_Free(RSI0) _SUB2[ANT.F]

NR FDD Band n25_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						370500 Ch. 1852.5 MHz	376500 Ch. 1882.5 MHz	382500 Ch. 1912.5 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1	17.73	17.76	17.85	0
				1	13	17.73	17.71	17.79	0
				1	23	17.85	17.78	17.84	0
				12	0	17.81	17.78	17.90	0
				12	7	17.81	17.80	17.91	0
				12	13	17.84	17.82	17.93	0
				25	0	17.90	17.80	17.95	0
			QPSK	1	1	17.80	17.84	17.94	0
				1	13	17.77	17.73	17.81	0
				1	23	17.91	17.85	17.89	0
				12	0	17.84	17.75	17.97	0
				12	7	17.86	17.81	17.90	0
				12	13	17.90	17.79	17.93	0
				25	0	17.90	17.78	17.96	0
			16QAM	1	1	17.80	17.82	17.92	0
			64QAM	1	1	17.92	18.01	18.10	0
			256QAM	1	1	17.70	17.72	17.84	0
		CP	QPSK	1	1	17.86	17.89	17.92	0

NR FDD Band n25_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						371000 Ch. 1855 MHz	376500 Ch. 1882.5 MHz	382000 Ch. 1910 MHz	
10 MHz	15	DFT-s	pi/2 BPSK	1	1	17.73	17.65	17.78	0
				1	26	17.87	17.79	18.00	0
				1	50	17.86	17.70	17.91	0
				25	0	17.77	17.77	17.87	0
				25	14	17.88	17.80	17.92	0
				25	27	17.84	17.81	17.92	0
				50	0	17.83	17.82	17.87	0
			QPSK	1	1	17.82	17.77	17.90	0
				1	26	17.89	17.84	17.99	0
				1	50	17.93	17.82	17.94	0
				25	0	17.88	17.80	17.94	0
				25	14	17.87	17.77	17.97	0
				25	27	17.96	17.86	17.95	0
				50	0	17.90	17.80	17.89	0
			16QAM	1	1	17.76	17.83	17.91	0
			64QAM	1	1	17.91	17.86	17.95	0
			256QAM	1	1	17.65	17.62	17.67	0
		CP	QPSK	1	1	17.75	17.78	17.85	0

NR FDD Band n25_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						371500 Ch. 1857.5 MHz	376500 Ch. 1882.5 MHz	381500 Ch. 1907.5 MHz	
15 MHz	15	DFT-s	pi/2 BPSK	1	1	17.65	17.74	17.75	0
				1	40	17.74	17.70	17.83	0
				1	77	17.95	17.85	17.93	0
				36	0	17.83	17.85	17.86	0
				36	22	17.90	17.80	17.91	0
				36	43	17.96	17.83	17.96	0
				75	0	17.86	17.81	17.92	0
			QPSK	1	1	17.74	17.85	17.78	0
				1	40	17.78	17.71	17.84	0
				1	77	17.92	17.80	17.96	0
				36	0	17.83	17.83	17.90	0
				36	22	17.87	17.79	17.91	0
				36	43	17.97	17.87	17.99	0
				75	0	17.91	17.82	17.93	0
			16QAM	1	1	17.71	17.89	17.79	0
			64QAM	1	1	17.82	17.96	17.88	0
			256QAM	1	1	17.66	17.75	17.70	0
		CP	QPSK	1	1	17.47	17.85	17.71	0

NR FDD Band n25_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						372000 Ch. 1860 MHz	376500 Ch. 1882.5 MHz	381000 Ch. 1905 MHz	
20 MHz	15	DFT-s	pi/2 BPSK	1	1	17.64	17.81	17.68	0
				1	53	18.07	17.83	17.98	0
				1	104	17.90	17.78	17.88	0
				50	0	17.85	17.78	17.84	0
				50	28	17.91	17.80	17.94	0
				50	56	17.89	17.84	17.97	0
				100	0	17.95	17.81	17.95	0
			QPSK	1	1	17.71	17.82	17.74	0
				1	53	17.92	17.83	17.90	0
				1	104	17.95	17.84	17.92	0
				50	0	17.86	17.83	17.82	0
				50	28	17.93	17.79	17.91	0
				50	56	17.97	17.79	17.95	0
				100	0	17.98	17.81	17.85	0
			16QAM	1	1	17.71	17.80	17.76	0
			64QAM	1	1	17.84	17.99	17.88	0
			256QAM	1	1	17.61	17.71	17.64	0
		CP	QPSK	1	1	17.47	17.82	17.72	0

NR FDD Band n25_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]	
						372500 Ch. 1862.5 MHz	380500 Ch. 1902.5 MHz		
25 MHz	15	DFT-s	pi/2 BPSK	1	1	17.68		17.74	0
				1	66	18.00		17.96	0
				1	131	17.87		18.00	0
				64	0	17.88		17.77	0
				64	35	17.94		17.89	0
				64	69	17.95		18.05	0
				128	0	17.93		17.94	0
			QPSK	1	1	17.77		17.81	0
				1	66	17.99		17.99	0
				1	131	17.90		17.98	0
				64	0	17.88		17.81	0
				64	35	17.95		17.96	0
				64	69	17.99		17.99	0
				128	0	17.97		17.89	0
			16QAM	1	1	17.86		17.82	0
			64QAM	1	1	17.81		17.95	0
			256QAM	1	1	17.65		17.70	0
		CP	QPSK	1	1	17.62		17.73	0

NR FDD Band n25_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]	
						373000 Ch. 1865 MHz	380000 Ch. 1900 MHz		
30 MHz	15	DFT-s	pi/2 BPSK	1	1	17.59		17.66	0
				1	80	18.08		17.89	0
				1	158	17.81		17.91	0
				80	0	17.86		17.73	0
				80	40	17.93		17.84	0
				80	80	17.91		17.89	0
				160	0	17.94		17.85	0
			QPSK	1	1	17.72		17.67	0
				1	80	18.01		17.87	0
				1	158	17.83		17.92	0
				80	0	17.94		17.80	0
				80	40	18.04		17.87	0
				80	80	17.95		17.95	0
				160	0	17.96		17.90	0
			16QAM	1	1	17.82		17.73	0
			64QAM	1	1	17.87		17.89	0
			256QAM	1	1	17.54		17.57	0
		CP	QPSK	1	1	17.57		17.72	0

NR FDD Band n25_35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							376500 Ch. 1882.5 MHz		
35 MHz	15	DFT-s	pi/2 BPSK	1	1		17.69		0
				1	98		17.71		0
				1	186		17.75		0
				90	0		17.81		0
				90	45		17.80		0
				90	90		17.80		0
				180	0		17.81		0
			QPSK	1	1		17.81		0
				1	98		17.83		0
				1	186		17.83		0
				90	0		17.85		0
				90	45		17.81		0
				90	90		17.87		0
				180	0		17.83		0
			16QAM	1	1		17.92		0
			64QAM	1	1		17.91		0
			256QAM	1	1		17.68		0
		CP	QPSK	1	1		17.78		0

NR FDD Band n25_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							376500 Ch. 1882.5 MHz		
40 MHz	15	DFT-s	pi/2 BPSK	1	1		17.67		0
				1	108		17.81		0
				1	214		17.74		0
				108	0		17.80		0
				108	54		17.86		0
				108	108		17.76		0
				216	0		17.78		0
			QPSK	1	1		17.80		0
				1	108		18.06		0
				1	214		17.84		0
				108	0		18.07		0
				108	54		17.79		0
				108	108		17.86		0
				216	0		17.81		0
			16QAM	1	1		17.90		0
			64QAM	1	1		17.91		0
			256QAM	1	1		17.77		0
		CP	QPSK	1	1		18.05		0

NR FDD Band n25 Conducted Power_RCV(RSI1) _SUB2[ANT.F]

NR FDD Band n25_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						370500 Ch. 1852.5 MHz	376500 Ch. 1882.5 MHz	382500 Ch. 1912.5 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1	17.82	17.74	17.75	0
				1	13	17.74	17.60	17.67	0
				1	23	17.84	17.70	17.76	0
				12	0	17.84	17.71	17.81	0
				12	7	17.90	17.74	17.79	0
				12	13	17.89	17.71	17.80	0
				25	0	17.90	17.74	17.79	0
			QPSK	1	1	17.86	17.74	17.85	0
				1	13	17.78	17.63	17.69	0
				1	23	17.92	17.73	17.74	0
				12	0	17.86	17.75	17.83	0
				12	7	17.94	17.76	17.78	0
				12	13	17.87	17.76	17.80	0
				25	0	17.90	17.76	17.83	0
			16QAM	1	1	17.90	17.76	17.79	0
			64QAM	1	1	17.91	17.91	17.90	0
			256QAM	1	1	17.79	17.64	17.73	0
		CP	QPSK	1	1	17.88	17.79	17.78	0

NR FDD Band n25_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						371000 Ch. 1855 MHz	376500 Ch. 1882.5 MHz	382000 Ch. 1910 MHz	
10 MHz	15	DFT-s	pi/2 BPSK	1	1	17.89	17.76	17.75	0
				1	26	17.89	17.81	17.81	0
				1	50	17.81	17.70	17.77	0
				25	0	17.98	17.78	17.82	0
				25	14	17.96	17.75	17.88	0
				25	27	17.84	17.73	17.84	0
				50	0	17.88	17.72	17.87	0
			QPSK	1	1	17.97	17.85	17.81	0
				1	26	17.92	17.71	17.92	0
				1	50	17.94	17.72	17.80	0
				25	0	17.97	17.78	17.85	0
				25	14	17.93	17.75	17.89	0
				25	27	17.95	17.76	17.85	0
				50	0	17.91	17.77	17.85	0
			16QAM	1	1	17.81	17.80	17.81	0
			64QAM	1	1	17.89	17.86	17.89	0
			256QAM	1	1	17.91	17.72	17.73	0
		CP	QPSK	1	1	17.88	17.82	17.83	0

NR FDD Band n25_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						371500 Ch. 1857.5 MHz	376500 Ch. 1882.5 MHz	381500 Ch. 1907.5 MHz	
15 MHz	15	DFT-s	pi/2 BPSK	1	1	17.86	17.74	17.72	0
				1	40	17.86	17.60	17.77	0
				1	77	17.95	17.69	17.80	0
				36	0	17.98	17.75	17.80	0
				36	22	17.99	17.73	17.88	0
				36	43	17.99	17.71	17.87	0
				75	0	17.98	17.75	17.85	0
			QPSK	1	1	17.97	17.82	17.81	0
				1	40	17.95	17.64	17.78	0
				1	77	17.98	17.71	17.82	0
				36	0	17.97	17.82	17.85	0
				36	22	17.81	17.78	17.89	0
				36	43	17.82	17.73	17.91	0
				75	0	17.82	17.75	17.85	0
			16QAM	1	1	17.88	17.87	17.80	0
			64QAM	1	1	17.91	17.88	17.87	0
			256QAM	1	1	17.82	17.76	17.75	0
		CP	QPSK	1	1	17.95	17.84	17.86	0

NR FDD Band n25_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						372000 Ch. 1860 MHz	376500 Ch. 1882.5 MHz	381000 Ch. 1905 MHz	
20 MHz	15	DFT-s	pi/2 BPSK	1	1	17.83	17.78	17.73	0
				1	53	17.91	17.80	17.96	0
				1	104	17.90	17.70	17.86	0
				50	0	17.94	17.82	17.84	0
				50	28	17.96	17.79	17.85	0
				50	56	17.90	17.70	17.92	0
				100	0	17.96	17.79	17.84	0
			QPSK	1	1	17.92	17.83	17.82	0
				1	53	17.81	17.72	17.89	0
				1	104	17.95	17.76	17.87	0
				50	0	17.98	17.85	17.86	0
				50	28	17.97	17.77	17.89	0
				50	56	17.80	17.72	17.98	0
				100	0	17.81	17.79	17.92	0
			16QAM	1	1	17.85	17.82	17.78	0
			64QAM	1	1	17.96	17.93	17.88	0
			256QAM	1	1	17.83	17.80	17.72	0
		CP	QPSK	1	1	17.92	17.82	17.76	0

NR FDD Band n25_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]	
						372500 Ch. 1862.5 MHz	380500 Ch. 1902.5 MHz		
25 MHz	15	DFT-s	pi/2 BPSK	1	1	17.80		17.65	0
				1	66	17.98		17.86	0
				1	131	17.78		17.75	0
				64	0	17.92		17.73	0
				64	35	17.94		17.77	0
				64	69	17.91		17.83	0
				128	0	17.95		17.78	0
			QPSK	1	1	17.88		17.68	0
				1	66	17.99		17.81	0
				1	131	17.82		17.77	0
				64	0	17.96		17.73	0
				64	35	17.96		17.81	0
				64	69	17.96		17.84	0
				128	0	17.97		17.77	0
			16QAM	1	1	17.80		17.71	0
			64QAM	1	1	17.94		17.85	0
			256QAM	1	1	17.75		17.60	0
		CP	QPSK	1	1	17.90		17.72	0

NR FDD Band n25_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]	
						373000 Ch. 1865 MHz	380000 Ch. 1900 MHz		
30 MHz	15	DFT-s	pi/2 BPSK	1	1	17.87		17.65	0
				1	80	17.98		17.85	0
				1	158	17.81		17.74	0
				80	0	17.98		17.71	0
				80	40	17.81		17.79	0
				80	80	17.97		17.82	0
				160	0	17.85		17.80	0
			QPSK	1	1	17.96		17.70	0
				1	80	17.89		17.81	0
				1	158	17.83		17.79	0
				80	0	17.87		17.75	0
				80	40	17.86		17.81	0
				80	80	17.83		17.83	0
				160	0	17.86		17.80	0
			16QAM	1	1	17.97		17.70	0
			64QAM	1	1	17.91		17.81	0
			256QAM	1	1	17.88		17.61	0
		CP	QPSK	1	1	17.98		17.70	0

NR FDD Band n25_35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							376500 Ch. 1882.5 MHz		
35 MHz	15	DFT-s	pi/2 BPSK	1	1		17.80		0
				1	98		17.71		0
				1	186		17.68		0
				90	0		17.85		0
				90	45		17.81		0
				90	90		17.74		0
				180	0		17.77		0
			QPSK	1	1		17.87		0
				1	98		17.75		0
				1	186		17.66		0
				90	0		17.88		0
				90	45		17.82		0
				90	90		17.74		0
				180	0		17.75		0
			16QAM	1	1		17.84		0
			64QAM	1	1		17.94		0
			256QAM	1	1		17.76		0
		CP	QPSK	1	1		17.92		0

NR FDD Band n25_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							376500 Ch. 1882.5 MHz		
40 MHz	15	DFT-s	pi/2 BPSK	1	1		17.73		0
				1	108		17.79		0
				1	214		17.66		0
				108	0		17.85		0
				108	54		17.77		0
				108	108		17.69		0
				216	0		17.74		0
			QPSK	1	1		17.85		0
				1	108		17.98		0
				1	214		17.70		0
				108	0		17.99		0
				108	54		17.78		0
				108	108		17.79		0
				216	0		17.75		0
			16QAM	1	1		17.80		0
			64QAM	1	1		17.90		0
			256QAM	1	1		17.77		0
		CP	QPSK	1	1		17.89		0

NR FDD Band n30 Conducted Power_Free(RSI0) _SUB2[ANT.F]

NR FDD Band n30_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							462000 Ch. 2310 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1		17.72	0
				1	13		17.61	0
				1	23		17.79	0
				12	0		17.78	0
				12	7		17.69	0
				12	13		17.80	0
				25	0		17.79	0
			QPSK	1	1		17.77	0
				1	13		17.67	0
				1	23		17.80	0
				12	0		17.84	0
				12	7		17.76	0
				12	13		17.86	0
				25	0		17.82	0
			16QAM	1	1		17.78	0
			64QAM	1	1		17.95	0
			256QAM	1	1		17.53	0.5
		CP	QPSK	1	1		17.87	0

NR FDD Band n30_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							462000 Ch. 2310 MHz	
10 MHz	15	DFT-s	pi/2 BPSK	1	1		17.68	0
				1	26		17.71	0
				1	50		17.68	0
				25	0		17.74	0
				25	14		17.65	0
				25	27		17.67	0
				50	0		17.77	0
			QPSK	1	1		17.84	0
				1	26		17.70	0
				1	50		17.73	0
				25	0		17.79	0
				25	14		17.68	0
				25	27		17.82	0
				50	0		17.70	0
			16QAM	1	1		17.77	0
			64QAM	1	1		17.96	0
			256QAM	1	1		17.40	0.5
		CP	QPSK	1	1		17.78	0

NR FDD Band n30 Conducted Power_RCV(RSI1) _SUB2[ANT.F]

NR FDD Band n30_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							462000 Ch. 2310 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1		17.69	0
				1	13		17.61	0
				1	23		17.77	0
				12	0		17.79	0
				12	7		17.81	0
				12	13		17.80	0
				25	0		17.79	0
			QPSK	1	1		17.82	0
				1	13		17.71	0
				1	23		17.86	0
				12	0		17.83	0
				12	7		17.82	0
				12	13		17.83	0
				25	0		17.79	0
			16QAM	1	1		17.79	0
			64QAM	1	1		17.95	0
			256QAM	1	1		17.49	0
		CP	QPSK	1	1		17.80	0

NR FDD Band n30_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							462000 Ch. 2310 MHz	
10 MHz	15	DFT-s	pi/2 BPSK	1	1		17.70	0
				1	26		17.79	0
				1	50		17.81	0
				25	0		17.78	0
				25	14		17.79	0
				25	27		17.81	0
				50	0		17.79	0
			QPSK	1	1		17.96	0
				1	26		17.75	0
				1	50		17.90	0
				25	0		17.88	0
				25	14		17.81	0
				25	27		17.98	0
				50	0		17.82	0
			16QAM	1	1		17.88	0
			64QAM	1	1		18.02	0
			256QAM	1	1		17.55	0
		CP	QPSK	1	1		17.83	0

NR FDD Band n66 Conducted Power_Free(RSI0), RCV(RSI1) _SUB2[ANT.F]

NR FDD Band n66_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						342500 Ch. 1712.5 MHz	349000 Ch. 1745 MHz	355500 Ch. 1777.5 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1	17.07	17.79	17.82	0
				1	13	17.01	17.83	17.74	0
				1	23	17.14	17.95	17.87	0
				12	0	17.11	17.87	17.87	0
				12	7	17.14	17.91	17.86	0
				12	13	17.12	17.98	17.86	0
				25	0	17.15	17.90	17.86	0
			QPSK	1	1	17.09	17.85	17.85	0
				1	13	17.04	17.80	17.78	0
				1	23	17.13	17.97	17.87	0
				12	0	17.13	17.88	17.88	0
				12	7	17.14	17.91	17.89	0
				12	13	17.16	17.96	17.87	0
				25	0	17.16	17.94	17.90	0
			16QAM	1	1	17.09	17.84	17.88	0
			64QAM	1	1	17.18	17.97	17.91	0
			256QAM	1	1	17.04	17.76	17.78	0
		CP	QPSK	1	1	17.13	17.87	17.86	0

NR FDD Band n66_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						343000 Ch. 1715 MHz	349000 Ch. 1745 MHz	355000 Ch. 1775 MHz	
10 MHz	15	DFT-s	pi/2 BPSK	1	1	17.15	17.70	17.81	0
				1	26	17.32	17.80	17.98	0
				1	50	17.21	17.94	17.88	0
				25	0	17.23	17.83	17.84	0
				25	14	17.18	17.90	17.89	0
				25	27	17.27	17.96	17.89	0
				50	0	17.25	17.91	17.86	0
			QPSK	1	1	17.17	17.76	17.87	0
				1	26	17.27	17.93	17.89	0
				1	50	17.23	17.91	17.91	0
				25	0	17.23	17.84	17.87	0
				25	14	17.26	17.98	17.88	0
				25	27	17.26	17.82	17.89	0
				50	0	17.24	17.93	17.84	0
			16QAM	1	1	17.17	17.75	17.88	0
			64QAM	1	1	17.30	17.84	17.95	0
			256QAM	1	1	17.14	17.68	17.77	0
		CP	QPSK	1	1	17.19	17.75	17.90	0

NR FDD Band n66_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						343500 Ch. 1717.5 MHz	349000 Ch. 1745 MHz	354500 Ch. 1772.5 MHz	
15 MHz	15	DFT-s	pi/2 BPSK	1	1	17.14	17.68	17.94	0
				1	40	17.09	17.80	17.83	0
				1	77	17.26	17.82	17.83	0
				36	0	17.19	17.76	17.98	0
				36	22	17.25	17.90	17.95	0
				36	43	17.23	17.81	17.83	0
				75	0	17.24	17.91	17.80	0
			QPSK	1	1	17.14	17.66	17.99	0
				1	40	17.11	17.84	17.87	0
				1	77	17.25	17.86	17.80	0
				36	0	17.19	17.84	17.81	0
				36	22	17.22	17.91	17.96	0
				36	43	17.25	17.99	17.88	0
				75	0	17.26	17.92	17.85	0
			16QAM	1	1	17.11	17.70	17.96	0
			64QAM	1	1	17.32	17.86	17.81	0
			256QAM	1	1	17.09	17.62	17.88	0
		CP	QPSK	1	1	17.15	17.67	17.87	0

NR FDD Band n66_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						344000 Ch. 1720 MHz	349000 Ch. 1745 MHz	354000 Ch. 1770 MHz	
20 MHz	15	DFT-s	pi/2 BPSK	1	1	17.04	17.57	17.81	0
				1	53	17.24	17.85	17.97	0
				1	104	17.30	17.87	17.86	0
				50	0	17.16	17.75	17.85	0
				50	28	17.18	17.92	17.87	0
				50	56	17.27	17.86	17.81	0
				100	0	17.16	17.93	17.87	0
			QPSK	1	1	17.09	17.60	17.75	0
				1	53	17.22	17.93	17.85	0
				1	104	17.31	17.88	17.86	0
				50	0	17.18	17.76	17.86	0
				50	28	17.22	17.93	17.87	0
				50	56	17.24	17.85	17.83	0
				100	0	17.23	17.95	17.83	0
			16QAM	1	1	17.08	17.56	17.68	0
			64QAM	1	1	17.27	17.67	17.94	0
			256QAM	1	1	16.99	17.50	17.69	0
		CP	QPSK	1	1	17.09	17.53	17.78	0

NR FDD Band n66_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						344500 Ch. 1722.5 MHz	349000 Ch. 1745 MHz	353500 Ch. 1767.5 MHz	
25 MHz	15	DFT-s	pi/2 BPSK	1	1	17.82	17.46	17.81	0
				1	66	17.36	17.83	17.95	0
				1	131	17.35	17.85	17.86	0
				64	0	17.16	17.73	17.89	0
				64	35	17.21	17.95	17.90	0
				64	69	17.27	17.87	17.87	0
				128	0	17.20	17.94	17.86	0
			QPSK	1	1	17.04	17.46	17.85	0
				1	66	17.20	17.80	17.92	0
				1	131	17.42	17.85	17.85	0
				64	0	17.15	17.70	17.95	0
				64	35	17.22	17.93	17.91	0
				64	69	17.30	17.89	17.88	0
				128	0	17.21	17.97	17.87	0
			16QAM	1	1	17.08	17.51	17.78	0
			64QAM	1	1	17.20	17.50	17.99	0
			256QAM	1	1	16.94	17.36	17.74	0
		CP	QPSK	1	1	17.02	17.43	17.81	0

NR FDD Band n66_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							349000 Ch. 1745 MHz		
30 MHz	15	DFT-s	pi/2 BPSK	1	1		17.30		0
				1	80		17.99		0
				1	158		17.90		0
				80	0		17.66		0
				80	40		17.93		0
				80	80		17.88		0
				160	0		17.91		0
			QPSK	1	1		17.42		0
				1	80		17.92		0
				1	158		17.83		0
				80	0		17.71		0
				80	40		17.96		0
				80	80		17.88		0
				160	0		17.96		0
			16QAM	1	1		17.41		0
			64QAM	1	1		17.42		0
			256QAM	1	1		17.28		0
		CP	QPSK	1	1		17.37		0

NR FDD Band n66_35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							349000 Ch. 1745 MHz		
35 MHz	15	DFT-s	pi/2 BPSK	1	1		17.26		0
				1	98		17.96		0
				1	186		17.80		0
				90	0		17.60		0
				90	45		17.96		0
				90	90		17.89		0
				180	0		17.91		0
			QPSK	1	1		17.30		0
				1	98		17.97		0
				1	186		17.80		0
				90	0		17.64		0
				90	45		17.95		0
				90	90		17.89		0
				180	0		17.94		0
			16QAM	1	1		17.30		0
			64QAM	1	1		17.46		0
			256QAM	1	1		17.15		0
		CP	QPSK	1	1		17.28		0

NR FDD Band n66_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							349000 Ch. 1745 MHz		
40 MHz	15	DFT-s	pi/2 BPSK	1	1		17.18		0
				1	108		17.82		0
				1	214		17.96		0
				108	0		17.60		0
				108	54		17.95		0
				108	108		17.89		0
				216	0		17.89		0
			QPSK	1	1		17.28		0
				1	108		17.97		0
				1	214		17.99		0
				108	0		17.58		0
				108	54		17.98		0
				108	108		17.84		0
				216	0		17.96		0
			16QAM	1	1		17.29		0
			64QAM	1	1		17.39		0
			256QAM	1	1		17.15		0
		CP	QPSK	1	1		17.07		0

NR FDD Band n70 Conducted Power_Free(RSI0), RCV(RSI1) _SUB2[ANT.F]

NR FDD Band n70_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						339500 Ch. 1697.5 MHz	340500 Ch. 1702.5 MHz	341500 Ch. 1707.5 MHz	
5 MHz	15	DFT-s	pi/2 BPSK	1	1	16.88	16.94	16.81	0
				1	13	16.84	16.73	16.73	0
				1	23	16.86	16.96	16.78	0
				12	0	16.80	16.95	16.84	0
				12	7	16.88	16.78	16.96	0
				12	13	16.84	16.89	16.85	0
				25	0	16.78	16.83	16.79	0
			QPSK	1	1	16.84	16.96	16.88	0
				1	13	16.90	16.72	16.78	0
				1	23	16.94	16.86	16.95	0
				12	0	16.80	16.91	16.88	0
				12	7	16.87	16.82	16.90	0
				12	13	16.77	16.89	16.80	0
				25	0	16.92	16.99	16.87	0
			16QAM	1	1	16.92	16.93	16.83	0
			64QAM	1	1	16.87	16.91	16.96	0
			256QAM	1	1	16.80	16.89	16.80	0
		CP	QPSK	1	1	16.73	16.81	16.83	0

NR FDD Band n70_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						340000 Ch. 1700 MHz	340500 Ch. 1702.5 MHz	341000 Ch. 1705 MHz	
10 MHz	15	DFT-s	pi/2 BPSK	1	1	16.77	16.77	16.82	0
				1	26	16.95	16.87	16.84	0
				1	50	16.84	16.89	16.83	0
				25	0	16.82	16.90	16.91	0
				25	14	16.80	16.83	16.84	0
				25	27	16.85	16.82	16.87	0
				50	0	16.90	16.80	16.92	0
			QPSK	1	1	16.77	16.76	16.85	0
				1	26	16.87	16.90	16.95	0
				1	50	16.81	16.92	16.91	0
				25	0	16.98	16.95	16.77	0
				25	14	16.75	16.95	16.88	0
				25	27	16.79	16.88	16.89	0
				50	0	16.87	16.84	16.81	0
			16QAM	1	1	16.79	16.83	16.86	0
			64QAM	1	1	16.79	16.95	16.89	0
			256QAM	1	1	16.77	16.84	16.71	0
		CP	QPSK	1	1	16.77	16.96	16.76	0

NR FDD Band n70_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							340500 Ch. 1702.5 MHz		
15 MHz	15	DFT-s	pi/2 BPSK	1	1		16.87		0
				1	40		16.80		0
				1	77		16.93		0
				36	0		16.79		0
				36	22		16.83		0
				36	43		16.82		0
				75	0		16.76		0
			QPSK	1	1		16.72		0
				1	40		16.76		0
				1	77		16.90		0
				36	0		16.84		0
				36	22		16.92		0
				36	43		16.98		0
				75	0		16.82		0
			16QAM	1	1		16.80		0
			64QAM	1	1		16.90		0
			256QAM	1	1		16.75		0
		CP	QPSK	1	1		16.85		0

NR FDD Band n48 Conducted Power_Free(RSI0), RCV(RSI1)_SUB3[ANT.G]

NR FDD Band n48_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR [dB]
						637000 Ch. 3555 MHz	640134 Ch. 3602.01 MHz	643200 Ch. 3648 MHz	646334 Ch. 3695.01 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	15.24	14.81	15.10	15.04	0
				1	12	15.17	14.85	15.09	15.17	0
				1	22	15.08	14.80	15.05	15.17	0
				12	0	15.14	14.77	15.01	15.05	0
				12	6	15.11	14.79	14.98	15.10	0
				12	12	15.07	14.82	15.02	15.13	0
				24	0	15.12	14.78	15.00	15.07	0
			QPSK	1	1	15.18	14.79	15.05	15.02	0
				1	12	15.17	14.85	15.04	15.10	0
				1	22	15.07	14.80	15.07	15.16	0
				12	0	15.12	14.77	15.00	15.04	0
				12	6	15.10	14.76	15.00	15.08	0
				12	12	15.05	14.79	15.00	15.12	0
				24	0	15.10	14.77	15.01	15.09	0
			16QAM	1	1	15.23	14.81	15.03	14.99	0
			64QAM	1	1	15.27	14.87	15.05	15.05	0
			256QAM	1	1	15.17	14.71	14.98	15.05	0
		CP	QPSK	1	1	15.11	14.73	15.00	14.98	0

NR FDD Band n48_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR [dB]
						637168 Ch. 3557.52 MHz	640166 Ch. 3602.49 MHz	643166 Ch. 3647.49 MHz	646166 Ch. 3692.49 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	15.14	14.77	14.96	14.93	0
				1	18	14.91	14.70	14.91	14.94	0
				1	36	14.88	14.80	14.93	15.11	0
				18	0	15.09	14.74	14.95	14.93	0
				18	9	15.01	14.74	14.98	14.97	0
				18	18	14.96	14.75	14.99	15.02	0
				36	0	15.00	14.75	14.97	14.99	0
			QPSK	1	1	15.14	14.64	14.89	14.91	0
				1	18	15.00	14.64	14.89	14.87	0
				1	36	14.89	14.73	14.88	15.09	0
				18	0	15.04	14.72	14.94	14.93	0
				18	9	15.00	14.72	14.93	14.95	0
				18	18	14.94	14.73	14.97	15.05	0
				36	0	15.00	14.73	14.93	14.98	0
			16QAM	1	1	15.12	14.60	14.99	14.92	0
			64QAM	1	1	15.09	14.59	14.88	14.85	0
			256QAM	1	1	15.08	14.68	15.04	14.81	0
		CP	QPSK	1	1	15.03	14.64	14.90	14.88	0

NR FDD Band n48_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR [dB]
						637334 Ch. 3560.01 MHz	640222 Ch. 3603.33 MHz	643110 Ch. 3646.65 MHz	646000 Ch. 3690 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	15.12	14.69	14.91	14.91	0
				1	26	14.92	14.75	14.95	14.95	0
				1	49	14.80	14.77	14.90	15.07	0
				25	0	15.06	14.71	14.94	14.88	0
				25	13	14.94	14.73	14.94	14.93	0
				25	26	14.83	14.73	14.94	15.02	0
				50	0	14.95	14.71	14.94	14.93	0
			QPSK	1	1	15.10	14.72	14.91	14.88	0
				1	26	14.96	14.61	14.92	14.95	0
				1	49	14.76	14.71	14.87	15.12	0
				25	0	15.03	14.70	14.95	14.91	0
				25	13	14.97	14.71	14.94	14.93	0
				25	26	14.85	14.74	14.93	15.02	0
				50	0	14.95	14.72	14.93	14.93	0
			16QAM	1	1	15.15	14.72	14.81	15.05	0
			64QAM	1	1	15.16	14.81	14.85	14.87	0
			256QAM	1	1	15.18	14.59	14.91	14.85	0
		CP	QPSK	1	1	15.07	14.67	14.87	14.83	0

NR FDD Band n48_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR [dB]
						637668 Ch. 3565.02 MHz	640334 Ch. 3605.01 MHz	643000 Ch. 3645 MHz	645666 Ch. 3684.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	15.00	14.66	14.92	14.84	0
				1	32	14.93	14.66	14.95	14.91	0
				1	63	14.69	14.74	14.86	14.96	0
				32	0	14.97	14.63	14.93	14.85	0
				32	17	14.91	14.67	14.92	14.86	0
				32	33	14.77	14.72	14.91	14.92	0
				64	0	14.90	14.65	14.91	14.87	0
			QPSK	1	1	15.09	14.66	14.90	14.83	0
				1	32	14.91	14.70	14.96	14.92	0
				1	63	14.68	14.72	14.94	14.98	0
				32	0	14.99	14.65	14.89	14.84	0
				32	17	14.90	14.66	14.93	14.89	0
				32	33	14.79	14.70	14.93	14.90	0
				64	0	14.91	14.66	14.90	14.88	0
			16QAM	1	1	15.25	14.73	14.90	14.97	0
			64QAM	1	1	14.96	14.55	14.89	14.88	0
			256QAM	1	1	15.09	14.57	14.84	14.77	0
		CP	QPSK	1	1	15.08	14.56	14.91	14.81	0

NR FDD Band n48_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]				MPR [dB]
						638000 Ch. 3570 MHz	641666 Ch. 3624.99 MHz		645334 Ch. 3680.01 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	14.72	14.71		14.83	0
				1	53	14.85	14.93		14.95	0
				1	104	14.58	14.86		15.04	0
				50	0	14.97	14.79		14.82	0
				50	28	14.78	14.85		14.86	0
				50	56	14.67	14.89		14.90	0
			QPSK	100	0	14.81	14.87		14.87	0
				1	1	15.04	14.75		14.76	0
				1	53	14.85	14.89		14.87	0
				1	104	14.57	14.85		15.00	0
				50	0	15.09	14.80		14.82	0
				50	28	14.82	14.88		14.88	0
				50	56	14.72	14.89		14.92	0
				100	0	14.81	14.87		14.86	0
			16QAM	1	1	15.04	14.80		14.75	0
			64QAM	1	1	15.10	14.82		14.79	0
			256QAM	1	1	15.04	14.73		14.74	0
		CP	QPSK	1	1	15.10	14.74		14.78	0

NR TDD Band n77 Conducted Power (Power Class 2)_Free(RSI0) _SUB3[ANT.G]

NR TDD Band n77_10 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MP R [dB]
						647000 Ch. 3705 MHz	650600 Ch. 3759 MHz	654200 Ch. 3813 MHz	657800 Ch. 3867 MHz	661400 Ch. 3921 MHz	665000 Ch. 3975 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	15.17	14.92	14.82	14.60	14.56	14.59	0
				1	12	15.23	14.94	14.92	14.70	14.64	14.59	0
				1	22	15.14	14.89	14.98	14.63	14.70	14.54	0
				12	0	15.13	14.85	14.86	14.59	14.54	14.54	0
				12	6	15.13	14.87	14.85	14.60	14.60	14.56	0
				12	12	15.13	14.91	14.93	14.62	14.63	14.52	0
				24	0	15.13	14.92	14.90	14.58	14.58	14.55	0
			QPSK	1	1	15.16	14.97	14.84	14.62	14.56	14.61	0
				1	12	15.14	14.88	14.91	14.69	14.61	14.62	0
				1	22	15.16	15.00	15.00	14.63	14.71	14.56	0
				12	0	15.12	14.87	14.84	14.58	14.52	14.55	0
				12	6	15.12	14.89	14.88	14.59	14.59	14.54	0
				12	12	15.13	14.91	14.96	14.63	14.65	14.57	0
				24	0	15.13	14.89	14.88	14.57	14.57	14.53	0
			16QAM	1	1	15.12	14.93	14.83	14.61	14.54	14.55	0
			64QAM	1	1	15.19	14.97	14.85	14.57	14.55	14.67	0
			256QAM	1	1	15.16	14.86	14.83	14.49	14.50	14.49	0
		CP	QPSK	1	1	15.19	14.93	14.86	14.62	14.57	14.51	0

NR TDD Band n77_15 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MP R [dB]
						647168 Ch. 3707.52 MHz	650700 Ch. 3760.5 MHz	654232 Ch. 3813.49 MHz	657766 Ch. 3866.5 MHz	661300 Ch. 3919.5 MHz	664832 Ch. 3972.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	15.11	14.86	14.78	14.56	14.50	14.51	0
				1	18	15.02	14.82	14.82	14.53	14.51	14.43	0
				1	36	15.08	14.86	14.98	14.68	14.71	14.49	0
				18	0	15.09	14.87	14.84	14.57	14.57	14.51	0
				18	9	15.08	14.87	14.90	14.60	14.57	14.50	0
				18	18	15.04	14.89	14.93	14.62	14.61	14.48	0
				36	0	15.09	14.89	14.88	14.58	14.59	14.49	0
			QPSK	1	1	15.13	14.84	14.74	14.56	14.48	14.47	0
				1	18	15.04	14.77	14.81	14.54	14.53	14.38	0
				1	36	15.08	14.89	14.94	14.68	14.74	14.47	0
				18	0	15.11	14.88	14.81	14.56	14.52	14.51	0
				18	9	15.08	14.89	14.85	14.59	14.60	14.49	0
				18	18	15.08	14.86	14.92	14.60	14.64	14.45	0
				36	0	15.07	14.90	14.88	14.57	14.58	14.49	0
			16QAM	1	1	15.14	14.79	14.76	14.48	14.48	14.48	0
			64QAM	1	1	15.20	14.89	14.80	14.47	14.50	14.34	0
			256QAM	1	1	15.12	14.79	14.69	14.55	14.46	14.44	0
		CP	QPSK	1	1	15.18	14.94	14.75	14.48	14.46	14.49	0

NR TDD Band n77_20 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MP R [dB]
						647334 Ch. 3710.0 1 MHz	650800 Ch. 3762 MHz	654266 Ch. 3813.9 9 MHz	657734 Ch. 3866.0 1 MHz	661200 Ch. 3918 MHz	664666 Ch. 3969.9 9 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	15.08	14.81	14.77	14.56	14.50	14.56	0
				1	26	15.06	14.85	14.87	14.59	14.59	14.53	0
				1	49	15.05	14.86	15.00	14.68	14.76	14.50	0
				25	0	15.06	14.84	14.79	14.58	14.51	14.54	0
				25	13	15.10	14.88	14.89	14.61	14.57	14.54	0
				25	26	15.08	14.88	14.95	14.64	14.69	14.51	0
				50	0	15.09	14.87	14.90	14.58	14.61	14.52	0
			QPSK	1	1	15.07	14.82	14.73	14.56	14.47	14.53	0
				1	26	15.05	14.82	14.91	14.64	14.58	14.49	0
				1	49	14.97	14.84	15.00	14.68	14.77	14.49	0
				25	0	15.08	14.86	14.81	14.57	14.55	14.59	0
				25	13	15.07	14.86	14.89	14.63	14.61	14.53	0
				25	26	15.05	14.88	14.96	14.64	14.67	14.49	0
				50	0	15.07	14.86	14.89	14.61	14.61	14.53	0
			16QAM	1	1	15.10	14.85	14.69	14.51	14.43	14.62	0
			64QAM	1	1	15.14	14.82	14.75	14.63	14.45	14.82	0
			256QAM	1	1	15.10	14.80	14.69	14.52	14.41	14.48	0
		CP	QPSK	1	1	15.05	14.85	14.73	14.46	14.37	14.53	0

NR TDD Band n77_25 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MP R [dB]
						647500 Ch. 3712.5 MHz	650900 Ch. 3763.5 MHz	654300 Ch. 3814.5 MHz	657700 Ch. 3865.5 MHz	661100 Ch. 3916.5 MHz	664500 Ch. 3967.5 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	15.08	14.86	14.68	14.59	14.48	14.61	0
				1	32	15.08	14.89	14.90	14.64	14.60	14.63	0
				1	63	14.99	14.88	15.04	14.73	14.81	14.53	0
				32	0	15.06	14.82	14.76	14.57	14.53	14.58	0
				32	17	15.05	14.87	14.89	14.61	14.61	14.60	0
				32	33	15.00	14.85	14.99	14.66	14.73	14.57	0
				64	0	15.05	14.83	14.90	14.61	14.60	14.58	0
			QPSK	1	1	15.08	14.85	14.66	14.61	14.48	14.57	0
				1	32	15.12	14.92	14.93	14.65	14.67	14.65	0
				1	63	15.03	14.92	15.06	14.72	14.85	14.52	0
				32	0	15.07	14.81	14.76	14.58	14.53	14.59	0
				32	17	15.05	14.86	14.87	14.62	14.63	14.59	0
				32	33	15.01	14.87	14.95	14.66	14.71	14.53	0
				64	0	15.05	14.85	14.90	14.60	14.61	14.57	0
			16QAM	1	1	15.06	14.86	14.69	14.60	14.48	14.60	0
			64QAM	1	1	15.03	14.84	14.69	14.58	14.61	14.75	0
			256QAM	1	1	15.05	14.74	14.64	14.51	14.44	14.50	0
		CP	QPSK	1	1	15.11	14.85	14.71	14.59	14.44	14.53	0

NR TDD Band n77_30 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						647668 Ch. 3715.0 2 MHz	651000 Ch. 3765 MHz	654334 Ch. 3815.0 1 MHz	657666 Ch. 3864.9 9 MHz	661000 Ch. 3915 MHz	664332 Ch. 3964.9 8 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	14.95	14.87	14.74	14.55	14.51	14.50	0
				1	39	15.06	14.96	15.05	14.61	14.62	14.64	0
				1	76	14.99	14.90	15.18	14.66	14.85	14.47	0
				36	0	14.96	14.89	14.84	14.47	14.54	14.54	0
				36	21	14.98	14.89	14.99	14.51	14.64	14.56	0
				36	42	14.92	14.90	15.07	14.59	14.73	14.54	0
			QPSK	75	0	14.97	14.91	14.93	14.51	14.62	14.53	0
				1	1	14.92	14.89	14.74	14.53	14.51	14.54	0
				1	39	15.10	15.00	15.01	14.60	14.72	14.60	0
				1	76	14.93	14.91	15.13	14.62	14.86	14.47	0
				36	0	14.92	14.89	14.83	14.51	14.54	14.53	0
				36	21	14.93	14.90	14.96	14.53	14.64	14.54	0
				36	42	15.00	14.92	15.07	14.59	14.72	14.50	0
				75	0	15.00	14.91	14.94	14.53	14.65	14.52	0
			16QAM	1	1	15.01	14.90	14.67	14.56	14.80	14.57	0
			64QAM	1	1	14.94	14.88	14.67	14.47	14.55	14.48	0
			256QAM	1	1	14.90	14.82	14.68	14.49	14.45	14.41	0
		CP	QPSK	1	1	14.93	14.83	14.77	14.53	14.44	14.52	0

NR TDD Band n77_40 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						648000 Ch. 3720 MHz	651200 Ch. 3768 MHz	654400 Ch. 3816 MHz	657600 Ch. 3864 MHz	660800 Ch. 3912 MHz	664000 Ch. 3960 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	14.97	14.78	14.62	14.55	14.39	14.60	0
				1	53	15.03	14.93	15.03	14.59	14.62	14.74	0
				1	104	14.94	14.88	15.13	14.69	14.84	14.53	0
				50	0	14.98	14.84	14.79	14.50	14.42	14.58	0
				50	28	15.01	14.86	14.98	14.53	14.54	14.67	0
				50	56	14.96	14.88	15.14	14.60	14.67	14.58	0
			QPSK	100	0	14.98	14.86	14.95	14.52	14.53	14.62	0
				1	1	15.03	14.79	14.63	14.55	14.34	14.59	0
				1	53	15.02	14.88	14.97	14.58	14.54	14.65	0
				1	104	14.95	14.90	15.10	14.72	14.81	14.50	0
				50	0	14.98	14.82	14.77	14.51	14.45	14.55	0
				50	28	15.01	14.87	14.98	14.49	14.55	14.64	0
				50	56	14.95	14.87	15.10	14.61	14.66	14.58	0
				100	0	14.96	14.88	14.94	14.52	14.51	14.60	0
			16QAM	1	1	14.97	14.63	14.60	14.76	14.38	14.47	0
			64QAM	1	1	15.07	14.79	14.52	14.51	14.25	14.57	0
			256QAM	1	1	15.00	14.79	14.59	14.57	14.34	14.52	0
		CP	QPSK	1	1	14.98	14.78	14.60	14.48	14.31	14.56	0

NR TDD Band n77_50 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						648334 Ch. 3725.01 MHz	652166 Ch. 3782.49 MHz	656000 Ch. 3840 MHz		659834 Ch. 3897.51 MHz	663666 Ch. 3954.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	15.01	14.75	14.68		14.35	14.52	0
				1	67	15.04	14.78	14.85		14.63	14.60	0
				1	131	14.95	14.98	14.72		14.77	14.51	0
				64	0	15.01	14.77	14.84		14.47	14.60	0
				64	35	15.04	14.82	14.88		14.65	14.59	0
				64	69	15.00	14.86	14.77		14.67	14.59	0
			QPSK	128	0	14.99	14.79	14.87		14.63	14.58	0
				1	1	15.03	14.70	14.62		14.35	14.49	0
				1	67	15.01	14.80	14.84		14.63	14.56	0
				1	131	14.95	14.98	14.67		14.78	14.50	0
				64	0	15.01	14.80	14.83		14.51	14.59	0
				64	35	15.01	14.82	14.87		14.65	14.59	0
				64	69	14.98	14.84	14.77		14.68	14.56	0
				128	0	14.98	14.81	14.86		14.62	14.56	0
			16QAM	1	1	14.99	14.72	14.64		14.39	14.50	0
			64QAM	1	1	15.06	14.70	14.67		14.42	14.42	0
			256QAM	1	1	15.02	14.74	14.61		14.35	14.44	0
		CP	QPSK	1	1	14.95	14.70	14.62		14.27	14.51	0

NR TDD Band n77_60 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						648668 Ch. 3730.02 MHz	653556 Ch. 3803.34 MHz			658444 Ch. 3876.66 MHz	663332 Ch. 3949.98 MHz	
60 MHz	30	DFT-s	pi/2 BPSK	1	1	14.99	14.58			14.26	14.34	0
				1	81	15.05	14.87			14.55	14.64	0
				1	160	14.87	15.16			14.48	14.53	0
				81	0	14.98	14.66			14.57	14.62	0
				81	41	14.96	14.81			14.54	14.59	0
				81	81	14.90	15.03			14.57	14.65	0
			QPSK	162	0	14.94	14.79			14.47	14.56	0
				1	1	14.95	14.59			14.28	14.38	0
				1	81	15.05	14.82			14.53	14.63	0
				1	160	14.87	15.13			14.45	14.56	0
				81	0	14.94	14.66			14.59	14.61	0
				81	41	14.97	14.81			14.49	14.58	0
				81	81	14.91	15.02			14.60	14.62	0
				162	0	14.92	14.81			14.53	14.56	0
			16QAM	1	1	14.98	14.58			14.30	14.34	0
			64QAM	1	1	14.89	14.58			14.38	14.43	0
			256QAM	1	1	14.91	14.61			14.20	14.24	0
		CP	QPSK	1	1	14.96	14.53			14.26	14.28	0

NR TDD Band n77_70 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						649000 Ch. 3735 MHz	653666 Ch. 3804.99 MHz			658334 Ch. 3875.01 MHz	663000 Ch. 3945 MHz	
70 MHz	30	DFT-s	pi/2 BPSK	1	1	15.01	14.56			14.57	14.35	0
				1	95	14.98	14.82			14.62	14.75	0
				1	187	14.94	15.11			14.89	14.65	0
				90	0	14.99	14.64			14.49	14.58	0
				90	50	15.01	14.82			14.64	14.73	0
				90	99	14.98	15.09			14.80	14.71	0
				180	0	14.97	14.79			14.60	14.70	0
			QPSK	1	1	15.03	14.54			14.58	14.32	0
				1	95	15.03	14.82			14.66	14.74	0
				1	187	14.95	15.14			14.88	14.64	0
				90	0	14.99	14.63			14.49	14.59	0
				90	50	14.98	14.83			14.65	14.73	0
				90	99	14.95	15.08			14.80	14.72	0
				180	0	14.96	14.80			14.60	14.71	0
			16QAM	1	1	15.02	14.57			14.59	14.29	0
			64QAM	1	1	15.06	14.58			14.60	14.24	0
			256QAM	1	1	14.99	14.58			14.53	14.29	0
		CP	QPSK	1	1	15.01	14.58			14.58	14.26	0

NR TDD Band n77_80 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						649334 Ch. 3740.01 MHz		656000 Ch. 3840 MHz		662666 Ch. 3939.99 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1	14.98		14.46		14.28		0
				1	109	14.93		14.85		14.75		0
				1	215	14.91		14.88		14.62		0
				108	0	14.95		14.75		14.40		0
				108	55	14.94		14.88		14.73		0
				108	109	14.91		14.74		14.72		0
				216	0	14.90		14.88		14.66		0
			QPSK	1	1	15.01		14.46		14.27		0
				1	109	14.92		14.89		14.75		0
				1	215	14.92		14.89		14.62		0
				108	0	14.92		14.78		14.40		0
				108	55	14.92		14.91		14.73		0
				108	109	14.91		14.73		14.71		0
				216	0	14.89		14.87		14.68		0
			16QAM	1	1	14.84		14.42		14.18		0
			64QAM	1	1	14.85		14.35		14.19		0
			256QAM	1	1	14.94		14.38		14.23		0
		CP	QPSK	1	1	14.96		14.40		14.31		0

NR TDD Band n77_90 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						649668 Ch. 3745.02 MHz		656000 Ch. 3840 MHz		662332 Ch. 3934.98 MHz	
90 MHz	30	DFT-s	pi/2 BPSK	1	1	15.01		14.40		14.20	0
				1	123	14.97		14.86		14.68	0
				1	243	15.02		14.97		14.63	0
				120	0	14.94		14.71		14.30	0
				120	63	14.97		14.87		14.66	0
				120	125	14.96		14.74		14.67	0
			QPSK	243	0	14.93		14.89		14.63	0
				1	1	15.00		14.40		14.23	0
				1	123	14.93		14.88		14.69	0
				1	243	14.98		14.96		14.64	0
				120	0	14.96		14.72		14.30	0
				120	63	14.98		14.91		14.66	0
				120	125	14.97		14.74		14.71	0
				243	0	14.95		14.88		14.61	0
			16QAM	1	1	15.04		14.44		14.21	0
			64QAM	1	1	14.92		14.36		14.23	0
			256QAM	1	1	14.95		14.35		14.18	0
		CP	QPSK	1	1	14.95		14.39		14.17	0

NR TDD Band n77_100 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						650000 Ch. 3750 MHz				662000 Ch. 3930 MHz	
100 MHz	30	DFT-s	pi/2 BPSK	1	1	15.08				14.20	0
				1	137	14.95				14.76	0
				1	271	15.09				14.79	0
				135	0	14.94				14.35	0
				135	69	14.93				14.67	0
				135	138	14.95				14.73	0
			QPSK	270	0	14.94				14.63	0
				1	1	15.10				14.19	0
				1	137	14.91				14.71	0
				1	271	15.16				14.79	0
				135	0	14.94				14.32	0
				135	69	14.95				14.70	0
				135	138	14.96				14.71	0
				270	0	14.92				14.64	0
			16QAM	1	1	15.15				14.20	0
			64QAM	1	1	14.83				14.13	0
			256QAM	1	1	15.05				14.15	0
		CP	QPSK	1	1	15.06				14.16	0

NR TDD Band n77 Conducted Power (Power Class 2)_RCV(RSI1) _SUB3[ANT.G]

NR TDD Band n77_10 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						647000 Ch. 3705 MHz	650600 Ch. 3759 MHz	654200 Ch. 3813 MHz	657800 Ch. 3867 MHz	661400 Ch. 3921 MHz	665000 Ch. 3975 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	14.92	14.44	14.76	14.81	14.31	14.63	0
				1	12	14.81	14.52	14.85	14.67	14.41	14.79	0
				1	22	14.94	14.48	14.85	14.80	14.42	14.79	0
				12	0	14.93	14.42	14.73	14.87	14.34	14.63	0
				12	6	14.90	14.42	14.78	14.77	14.36	14.67	0
				12	12	14.90	14.44	14.80	14.77	14.39	14.75	0
				24	0	14.91	14.42	14.76	14.82	14.37	14.62	0
				1	1	14.88	14.48	14.79	14.81	14.42	14.69	0
			QPSK	1	12	14.94	14.46	14.83	14.80	14.36	14.69	0
				1	22	14.95	14.49	14.81	14.85	14.37	14.71	0
				12	0	14.91	14.44	14.74	14.78	14.34	14.61	0
				12	6	14.91	14.43	14.75	14.85	14.29	14.69	0
				12	12	14.89	14.42	14.80	14.81	14.36	14.72	0
				24	0	14.90	14.42	14.78	14.85	14.35	14.69	0
			16QAM	1	1	14.94	14.40	14.78	14.88	14.32	14.64	0
			64QAM	1	1	14.96	14.58	14.69	14.83	14.48	14.58	0
			256QAM	1	1	14.84	14.34	14.68	14.71	14.24	14.63	0
		CP	QPSK	1	1	14.91	14.44	14.58	14.79	14.33	14.51	0

NR TDD Band n77_15 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						647168 Ch. 3707.52 MHz	650700 Ch. 3760.5 MHz	654232 Ch. 3813.49 MHz	657766 Ch. 3866.5 MHz	661300 Ch. 3919.5 MHz	664832 Ch. 3972.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	14.63	14.41	14.78	14.56	14.50	14.51	0
				1	18	14.63	14.36	14.82	14.53	14.51	14.43	0
				1	36	14.82	14.54	14.98	14.68	14.71	14.49	0
				18	0	14.64	14.45	14.84	14.57	14.57	14.51	0
				18	9	14.69	14.87	14.90	14.60	14.57	14.50	0
				18	18	14.78	14.89	14.93	14.62	14.61	14.48	0
				36	0	14.76	14.89	14.88	14.58	14.59	14.49	0
			QPSK	1	1	14.60	14.84	14.74	14.56	14.48	14.47	0
				1	18	14.67	14.77	14.81	14.54	14.53	14.38	0
				1	36	14.79	14.89	14.94	14.68	14.74	14.47	0
				18	0	14.63	14.88	14.81	14.56	14.52	14.51	0
				18	9	14.67	14.89	14.85	14.59	14.60	14.49	0
				18	18	14.79	14.86	14.92	14.60	14.64	14.45	0
				36	0	14.73	14.90	14.88	14.57	14.58	14.49	0
			16QAM	1	1	14.64	14.79	14.76	14.48	14.48	14.48	0
			64QAM	1	1	14.66	14.89	14.80	14.47	14.50	14.34	0
			256QAM	1	1	14.53	14.79	14.69	14.55	14.46	14.44	0
		CP	QPSK	1	1	14.63	14.94	14.75	14.48	14.46	14.49	0

NR TDD Band n77_20 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						647334 Ch. 3710.0 1 MHz	650800 Ch. 3762 MHz	654266 Ch. 3813.9 9 MHz	657734 Ch. 3866.0 1 MHz	661200 Ch. 3918 MHz	664666 Ch. 3969.9 9 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	14.70	14.70	14.26	14.31	14.26	14.39	0
				1	26	14.65	14.25	14.58	14.30	14.28	14.32	0
				1	49	14.57	14.27	14.73	14.38	14.43	14.32	0
				25	0	14.72	14.26	14.55	14.30	14.27	14.39	0
				25	13	14.70	14.26	14.61	14.33	14.27	14.36	0
				25	26	14.64	14.26	14.68	14.35	14.35	14.33	0
			QPSK	50	0	14.70	14.25	14.63	14.32	14.28	14.37	0
				1	1	14.76	14.30	14.49	14.38	14.27	14.40	0
				1	26	14.70	14.25	14.53	14.34	14.27	14.37	0
				1	49	14.58	14.24	14.71	14.38	14.36	14.36	0
				25	0	14.72	14.27	14.55	14.30	14.25	14.38	0
				25	13	14.71	14.27	14.63	14.33	14.30	14.37	0
				25	26	14.61	14.27	14.67	14.36	14.34	14.34	0
				50	0	14.70	14.29	14.62	14.32	14.28	14.36	0
			16QAM	1	1	14.67	14.21	14.52	14.27	14.28	14.43	0
			64QAM	1	1	14.74	14.21	14.49	14.28	14.02	14.61	0
			256QAM	1	1	14.80	14.25	14.44	14.29	14.23	14.35	0
		CP	QPSK	1	1	14.69	13.79	14.56	14.30	14.23	14.32	0

NR TDD Band n77_25 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						647500 Ch. 3712.5 MHz	650900 Ch. 3763.5 MHz	654300 Ch. 3814.5 MHz	657700 Ch. 3865.5 MHz	661100 Ch. 3916.5 MHz	664500 Ch. 3967.5 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	14.39	14.78	14.28	14.45	14.35	14.28	0
				1	32	14.69	14.34	14.43	13.47	13.13	13.84	0
				1	63	14.53	14.25	14.71	14.39	14.47	14.33	0
				32	0	14.73	14.27	14.53	14.29	14.26	14.37	0
				32	17	14.68	14.29	14.63	14.32	14.27	14.36	0
				32	33	14.59	14.25	14.69	14.35	14.36	14.35	0
			QPSK	64	0	14.70	14.23	14.63	14.31	14.26	14.36	0
				1	1	14.75	14.33	14.48	14.39	14.29	14.41	0
				1	32	14.79	14.24	14.70	14.38	14.34	14.37	0
				1	63	14.56	14.21	14.70	14.37	14.44	14.36	0
				32	0	14.74	14.28	14.53	14.29	14.26	14.37	0
				32	17	14.70	14.28	14.62	14.33	14.28	14.35	0
				32	33	14.61	14.26	14.68	14.36	14.35	14.35	0
				64	0	14.68	14.26	14.62	14.31	14.28	14.36	0
			16QAM	1	1	14.77	14.26	14.45	14.38	14.28	13.90	0
			64QAM	1	1	14.76	14.27	14.45	14.19	14.26	14.31	0
			256QAM	1	1	14.75	14.21	14.46	14.32	14.23	14.33	0
		CP	QPSK	1	1	14.57	13.70	14.62	14.38	14.29	14.38	0

NR TDD Band n77_30 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						647668 Ch. 3715.0 2 MHz	651000 Ch. 3765 MHz	654334 Ch. 3815.0 1 MHz	657666 Ch. 3864.9 9 MHz	661000 Ch. 3915 MHz	664332 Ch. 3964.9 8 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	14.63	14.14	14.25	14.50	14.29	14.48	0
				1	39	14.62	14.26	14.63	14.44	14.31	14.47	0
				1	76	14.47	14.30	14.83	14.34	14.47	14.27	0
				36	0	14.63	14.16	14.39	14.44	14.25	14.47	0
				36	21	14.60	14.23	14.58	14.39	14.27	14.42	0
				36	42	14.53	14.27	14.71	14.33	14.35	14.38	0
			QPSK	75	0	14.59	14.19	14.54	14.37	14.27	14.41	0
				1	1	14.66	14.16	14.23	14.52	14.29	14.49	0
				1	39	14.57	14.23	14.59	14.39	14.28	14.49	0
				1	76	14.51	14.32	14.79	14.35	14.46	14.31	0
				36	0	14.62	14.15	14.40	14.44	14.25	14.46	0
				36	21	14.61	14.24	14.56	14.35	14.28	14.43	0
				36	42	14.54	14.25	14.70	14.34	14.34	14.35	0
				75	0	14.62	14.21	14.53	14.36	14.27	14.44	0
			16QAM	1	1	14.66	14.09	13.91	14.52	14.33	14.58	0
			64QAM	1	1	14.57	14.06	14.28	14.48	14.23	14.38	0
			256QAM	1	1	14.60	14.05	14.13	14.47	14.25	14.49	0
		CP	QPSK	1	1	14.61	14.07	14.20	14.50	14.28	14.44	0

NR TDD Band n77_40 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						648000 Ch. 3720 MHz	651200 Ch. 3768 MHz	654400 Ch. 3816 MHz	657600 Ch. 3864 MHz	660800 Ch. 3912 MHz	664000 Ch. 3960 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	14.71	14.17	14.19	14.62	14.42	14.47	0
				1	53	14.64	14.28	14.62	14.44	14.39	14.48	0
				1	104	14.30	14.26	14.76	14.33	14.47	14.30	0
				50	0	14.70	14.20	14.36	14.46	14.39	14.41	0
				50	28	14.59	14.27	14.59	14.36	14.32	14.45	0
				50	56	14.43	14.26	14.75	14.33	14.33	14.37	0
			QPSK	100	0	14.60	14.24	14.57	14.35	14.31	14.45	0
				1	1	14.65	14.15	14.21	14.62	14.43	14.46	0
				1	53	14.60	14.32	14.59	14.40	14.28	14.43	0
				1	104	14.32	14.26	14.70	14.33	14.39	14.32	0
				50	0	14.70	14.23	14.39	14.49	14.39	14.41	0
				50	28	14.59	14.27	14.60	14.39	14.33	14.45	0
				50	56	14.44	14.27	14.75	14.35	14.32	14.38	0
				100	0	14.58	14.26	14.58	14.37	14.31	14.43	0
			16QAM	1	1	14.74	14.23	14.25	14.55	14.36	14.44	0
			64QAM	1	1	14.73	13.98	14.02	14.31	14.44	14.66	0
			256QAM	1	1	14.67	14.14	14.15	14.52	14.58	14.36	0
		CP	QPSK	1	1	14.66	14.16	14.14	14.56	14.37	14.37	0

NR TDD Band n77_50 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]	
						648334 Ch. 3725.01 MHz	652166 Ch. 3782.49 MHz	656000 Ch. 3840 MHz		659834 Ch. 3897.51 MHz		663666 Ch. 3954.99 MHz
50 MHz	30	DFT-s	pi/2 BPSK	1	1	14.59	14.27	14.62		14.32	14.53	0
				1	67	14.43	14.26	14.66		14.37	14.46	0
				1	131	14.26	14.37	14.33		14.33	14.21	0
				64	0	14.56	14.31	14.75		14.36	14.54	0
				64	35	14.47	14.29	14.70		14.39	14.44	0
				64	69	14.33	14.26	14.50		14.31	14.35	0
				128	0	14.46	14.27	14.71		14.38	14.44	0
			QPSK	1	1	14.62	14.27	14.60		14.22	14.52	0
				1	67	14.44	14.27	14.61		14.37	14.41	0
				1	131	14.20	14.38	14.37		14.33	14.20	0
				64	0	14.57	14.30	14.75		14.36	14.52	0
				64	35	14.46	14.28	14.70		14.39	14.45	0
				64	69	14.34	14.25	14.50		14.31	14.34	0
				128	0	14.46	14.28	14.71		14.38	14.44	0
			16QAM	1	1	14.63	14.30	14.53		14.23	14.53	0
			64QAM	1	1	14.42	14.23	14.61		14.29	14.46	0
			256QAM	1	1	14.55	14.34	14.62		14.19	14.47	0
		CP	QPSK	1	1	14.56	14.18	14.54		14.21	14.51	0

NR TDD Band n77_60 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPP [dB]
						648668 Ch.	653556 Ch.			658444 Ch.	663332 Ch.	
						3730.02 MHz	3803.34 MHz			3876.66 MHz	3949.98 MHz	
60 MHz	30	DFT-s	pi/2 BPSK	1	1	14.67	14.13			14.44	14.27	0
				1	81	14.48	14.47			14.42	14.47	0
				1	160	14.20	14.73			14.39	14.28	0
				81	0	14.60	14.29			14.30	14.47	0
				81	41	14.44	14.41			14.39	14.42	0
				81	81	14.26	14.64			14.43	14.40	0
			162	0	14.41	14.39			14.34	14.41	0	
			QPSK	1	1	14.63	14.33			14.49	14.26	0
				1	81	14.49	14.46			14.39	14.46	0
				1	160	14.19	14.77			14.42	14.29	0
				81	0	14.60	14.32			14.29	14.48	0
				81	41	14.43	14.41			14.37	14.43	0
				81	81	14.27	14.62			14.43	14.42	0
			162	0	14.43	14.41			14.34	14.41	0	
			16QAM	1	1	14.72	14.36			14.49	14.21	0
			64QAM	1	1	14.76	14.31			14.40	14.51	0
			256QAM	1	1	14.66	14.29			14.49	14.17	0
		CP	QPSK	1	1	14.63	14.27			14.40	14.25	0

NR TDD Band n77_70 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPR [dB]
						649000 Ch. 3735 MHz	653666 Ch. 3804.99 MHz			658334 Ch. 3875.01 MHz	663000 Ch. 3945 MHz	
70 MHz	30	DFT-s	pi/2 BPSK	1	1	14.60	14.38			14.08	13.97	0
				1	95	14.35	14.44			14.33	14.43	0
				1	187	14.33	14.63			14.40	14.44	0
				90	0	14.49	14.32			14.29	14.30	0
				90	50	14.33	14.46			14.31	14.43	0
				90	99	14.26	14.65			14.47	14.47	0
			QPSK	180	0	14.34	14.40			14.34	14.42	0
				1	1	14.60	14.36			14.48	14.11	0
				1	95	14.39	14.40			14.36	14.37	0
				1	187	14.34	14.56			14.41	14.44	0
				90	0	14.50	14.32			14.30	14.30	0
				90	50	14.35	14.45			14.35	14.43	0
				90	99	14.23	14.67			14.45	14.46	0
				180	0	14.34	14.40			14.33	14.42	0
			16QAM	1	1	14.74	14.40			14.56	14.21	0
			64QAM	1	1	14.83	14.19			14.34	14.22	0
			256QAM	1	1	14.49	14.35			14.60	14.14	0
		CP	QPSK	1	1	14.51	14.28			14.45	14.08	0

NR TDD Band n77_80 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]						MPP [dB]
						649334 Ch. 3740.01 MHz		656000 Ch. 3840 MHz		662666 Ch. 3939.99 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1	14.78		14.34		14.40		0
				1	109	14.32		14.70		14.51		0
				1	215	14.25		14.45		14.35		0
				108	0	14.56		14.67		14.28		0
				108	55	14.30		14.69		14.50		0
				108	109	14.23		14.38		14.45		0
				216	0	14.31		14.67		14.50		0
			QPSK	1	1	14.71		14.44		14.45		0
				1	109	14.32		14.67		14.57		0
				1	215	14.25		14.48		14.39		0
				108	0	14.56		14.67		14.29		0
				108	55	14.32		14.70		14.51		0
				108	109	14.22		14.38		14.45		0
				216	0	14.30		14.68		14.50		0
			16QAM	1	1	14.19		14.28		14.27		0
			64QAM	1	1	14.77		14.35		14.57		0
			256QAM	1	1	14.71		14.34		14.30		0
		CP	QPSK	1	1	14.70		14.34		14.40		0

NR TDD Band n77_90 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						649668 Ch. 3745.02 MHz		656000 Ch. 3840 MHz		662332 Ch. 3934.98 MHz	
90 MHz	30	DFT-s	pi/2 BPSK	1	1	14.04		14.35		13.34	0
				1	123	14.26		14.65		14.49	0
				1	243	14.48		14.51		14.26	0
				120	0	14.46		14.60		14.35	0
				120	63	14.24		14.68		14.51	0
				120	125	14.31		14.37		14.38	0
			QPSK	243	0	14.28		14.68		14.46	0
				1	1	14.71		14.41		14.56	0
				1	123	14.27		14.73		14.51	0
				1	243	14.50		14.50		14.23	0
				120	0	14.47		14.63		14.35	0
				120	63	14.25		14.69		14.51	0
				120	125	14.33		14.38		14.36	0
				243	0	14.28		14.69		14.48	0
			16QAM	1	1	14.88		14.46		14.59	0
			64QAM	1	1	14.66		14.54		14.64	0
			256QAM	1	1	14.68		14.26		14.50	0
		CP	QPSK	1	1	14.67		14.27		14.49	0

NR TDD Band n77_100 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]					MPR [dB]
						650000 Ch. 3750 MHz				662000 Ch. 3930 MHz	
100 MHz	30	DFT-s	pi/2 BPSK	1	1	13.92				14.02	0
				1	137	14.28				14.47	0
				1	271	14.48				14.44	0
				135	0	14.53				14.36	0
				135	69	14.22				14.48	0
				135	138	14.29				14.43	0
			QPSK	270	0	14.28				14.49	0
				1	1	14.90				14.55	0
				1	137	14.25				14.49	0
				1	271	14.97				14.63	0
				135	0	14.51				14.33	0
				135	69	14.22				14.48	0
				135	138	14.58				14.55	0
				270	0	14.57				14.45	0
			16QAM	1	1	14.86				14.52	0
			64QAM	1	1	14.93				14.50	0
			256QAM	1	1	14.91				14.49	0
		CP	QPSK	1	1	14.86				14.47	0

NR TDD Band n77 DoD Conducted Power (Power Class 2)_Free(RSI0) _SUB3[ANT.G]

NR TDD Band n77 DoD_10 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630334 Ch. 3445.01 MHz	633334 Ch. 3500.01 MHz	636332 Ch. 3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	14.13	14.70	14.84	0
				1	12	14.20	14.82	15.04	0
				1	22	14.11	14.74	15.05	0
				12	0	14.12	14.69	14.87	0
				12	6	14.10	14.74	14.92	0
				12	12	14.11	14.77	15.00	0
				24	0	14.11	14.75	14.96	0
			QPSK	1	1	14.16	14.73	14.88	0
				1	12	14.10	14.80	14.99	0
				1	22	14.15	14.78	15.06	0
				12	0	14.11	14.72	14.89	0
				12	6	14.12	14.76	14.96	0
				12	12	14.08	14.74	15.01	0
				24	0	14.11	14.75	14.93	0
			16QAM	1	1	14.13	14.74	14.85	0
			64QAM	1	1	14.12	14.61	14.81	0
			256QAM	1	1	14.11	14.67	14.80	0
		CP	QPSK	1	1	15.02	14.72	14.82	0

NR TDD Band n77 DoD_15 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630500 Ch. 3457.5 MHz	633334 Ch. 3500.01 MHz	636166 Ch. 3542.49 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	14.14	14.66	14.87	0
				1	18	14.11	14.69	14.78	0
				1	36	14.11	14.75	15.00	0
				18	0	14.14	14.68	14.87	0
				18	9	14.16	14.74	14.83	0
				18	18	14.15	14.75	14.90	0
				36	0	14.15	14.73	14.83	0
			QPSK	1	1	14.11	14.62	14.84	0
				1	18	14.08	14.65	14.72	0
				1	36	14.09	14.70	14.95	0
				18	0	14.14	14.69	14.86	0
				18	9	14.13	14.75	14.83	0
				18	18	14.10	14.76	14.91	0
				36	0	14.14	14.75	14.81	0
			16QAM	1	1	14.16	14.70	14.88	0
			64QAM	1	1	14.18	14.43	14.88	0
			256QAM	1	1	14.17	14.71	14.92	0
		CP	QPSK	1	1	15.00	14.66	14.80	0

NR TDD Band n77 DoD_20 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630668 Ch. 3460.02 MHz	633334 Ch. 3500.01 MHz	636000 Ch. 3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	14.18	14.60	14.77	0
				1	26	14.18	14.72	14.75	0
				1	49	14.16	14.75	14.97	0
				25	0	14.22	14.68	14.76	0
				25	13	14.18	14.76	14.73	0
				25	26	14.15	14.75	14.88	0
				50	0	14.17	14.78	14.77	0
			QPSK	1	1	14.19	14.54	14.72	0
				1	26	14.14	14.75	14.69	0
				1	49	14.19	14.71	14.94	0
				25	0	14.16	14.69	14.77	0
				25	13	14.18	14.76	14.76	0
				25	26	14.17	14.75	14.85	0
				50	0	14.18	14.76	14.75	0
			16QAM	1	1	14.25	14.58	14.76	0
			64QAM	1	1	14.39	14.63	14.78	0
			256QAM	1	1	14.21	14.60	14.69	0
		CP	QPSK	1	1	14.17	14.65	14.76	0

NR TDD Band n77 DoD_25 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630866 Ch. 3462.99 MHz	633334 Ch. 3500.01 MHz	635800 Ch. 3537 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	14.18	14.59	14.80	0
				1	32	14.22	14.80	14.75	0
				1	63	14.23	14.76	14.95	0
				32	0	14.19	14.66	14.76	0
				32	17	14.18	14.76	14.74	0
				32	33	14.18	14.75	14.77	0
				64	0	14.19	14.78	14.71	0
			QPSK	1	1	14.21	14.58	14.83	0
				1	32	14.22	14.83	14.78	0
				1	63	14.19	14.75	14.91	0
				32	0	14.18	14.66	14.74	0
				32	17	14.17	14.76	14.75	0
				32	33	14.19	14.73	14.77	0
				64	0	14.19	14.72	14.72	0
			16QAM	1	1	14.18	14.60	14.78	0
			64QAM	1	1	14.15	14.60	14.76	0
			256QAM	1	1	14.15	14.58	14.71	0
		CP	QPSK	1	1	14.15	14.59	14.80	0

NR TDD Band n77 DoD_30 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						631000 Ch. 3465 MHz	633334 Ch. 3500.01 MHz	635666 Ch. 3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	14.16	14.56	14.86	0
				1	39	14.23	14.79	14.82	0
				1	76	14.25	14.69	14.94	0
				36	0	14.16	14.64	14.81	0
				36	21	14.17	14.74	14.77	0
				36	42	14.15	14.75	14.79	0
				75	0	14.15	14.74	14.76	0
			QPSK	1	1	14.17	14.53	14.83	0
				1	39	14.26	14.81	14.83	0
				1	76	14.23	14.72	14.92	0
				36	0	14.14	14.63	14.79	0
				36	21	14.14	14.78	14.76	0
				36	42	14.14	14.75	14.77	0
				75	0	14.14	14.75	14.74	0
			16QAM	1	1	14.24	14.69	14.76	0
			64QAM	1	1	14.03	14.50	14.84	0
			256QAM	1	1	14.06	14.50	14.79	0
		CP	QPSK	1	1	14.15	14.56	14.89	0

NR TDD Band n77 DoD_40 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						631334 Ch. 3470.01 MHz		635332 Ch. 3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	14.17		14.80	0
				1	53	14.20		14.81	0
				1	104	14.42		14.84	0
				50	0	14.16		14.77	0
				50	28	14.17		14.72	0
				50	56	14.26		14.61	0
				100	0	14.16		14.72	0
			QPSK	1	1	14.14		14.80	0
				1	53	14.21		14.78	0
				1	104	14.41		14.81	0
				50	0	14.18		14.75	0
				50	28	14.19		14.72	0
				50	56	14.28		14.62	0
				100	0	14.19		14.70	0
			16QAM	1	1	14.23		14.82	0
			64QAM	1	1	14.28		14.68	0
			256QAM	1	1	14.10		14.79	0
		CP	QPSK	1	1	14.12		14.74	0

NR TDD Band n77 DoD_50 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]	
						631668 Ch. 3475.02 MHz	635000 Ch. 3525 MHz		
50 MHz	30	DFT-s	pi/2 BPSK	1	1	14.14		14.77	0
				1	67	14.24		14.70	0
				1	131	14.54		14.80	0
				64	0	14.16		14.78	0
				64	35	14.22		14.73	0
				64	69	14.41		14.64	0
				128	0	14.20		14.70	0
			QPSK	1	1	14.12		14.75	0
				1	67	14.22		14.70	0
				1	131	14.49		14.80	0
				64	0	14.14		14.79	0
				64	35	14.24		14.73	0
				64	69	14.40		14.65	0
				128	0	14.20		14.71	0
			16QAM	1	1	14.12		14.76	0
			64QAM	1	1	14.03		14.66	0
			256QAM	1	1	14.14		14.75	0
		CP	QPSK	1	1	14.12		14.72	0

NR TDD Band n77 DoD_60 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
						633334 Ch. 3500.01 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1	14.29		0
				1	81	14.80		0
				1	160	14.56		0
				81	0	14.54		0
				81	41	14.77		0
				81	81	14.70		0
				162	0	14.74		0
			QPSK	1	1	14.29		0
				1	81	14.75		0
				1	160	14.57		0
				81	0	14.52		0
				81	41	14.76		0
				81	81	14.71		0
				162	0	14.73		0
			16QAM	1	1	14.27		0
			64QAM	1	1	14.37		0
			256QAM	1	1	14.27		0
		CP	QPSK	1	1	14.20		0

NR TDD Band n77 DoD_70 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
70 MHz	30	DFT-s	pi/2 BPSK	1	1		14.27	0
				1	95		14.76	0
				1	187		14.59	0
				90	0		14.44	0
				90	50		14.74	0
				90	99		14.67	0
				180	0		14.69	0
			QPSK	1	1		14.26	0
				1	95		14.75	0
				1	187		14.56	0
				90	0		14.44	0
				90	50		14.76	0
				90	99		14.67	0
				180	0		14.70	0
			16QAM	1	1		14.26	0
			64QAM	1	1		14.18	0
			256QAM	1	1		14.26	0
		CP	QPSK	1	1		14.22	0

NR TDD Band n77 DoD_80 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
80 MHz	30	DFT-s	pi/2 BPSK	1	1		14.28	0
				1	109		14.76	0
				1	215		14.63	0
				108	0		14.39	0
				108	55		14.73	0
				108	109		14.67	0
				216	0		14.68	0
			QPSK	1	1		14.32	0
				1	109		14.78	0
				1	215		14.63	0
				108	0		14.41	0
				108	55		14.76	0
				108	109		14.63	0
				216	0		14.72	0
			16QAM	1	1		14.30	0
			64QAM	1	1		14.29	0
			256QAM	1	1		14.25	0
		CP	QPSK	1	1		14.32	0

NR TDD Band n77 DoD_90 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							633334 Ch. 3500.01 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		14.33		0
				1	123		14.75		0
				1	243		14.67		0
				120	0		14.37		0
				120	63		14.74		0
				120	125		14.61		0
				243	0		14.71		0
			QPSK	1	1		14.29		0
				1	123		14.73		0
				1	243		14.64		0
				120	0		14.39		0
				120	63		14.72		0
				120	125		14.66		0
				243	0		14.72		0
			16QAM	1	1		14.27		0
			64QAM	1	1		14.31		0
			256QAM	1	1		14.24		0
		CP	QPSK	1	1		14.26		0

NR TDD Band n77 DoD_100 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							633334 Ch. 3500.01 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1		14.41		0
				1	137		14.75		0
				1	271		14.86		0
				135	0		14.37		0
				135	69		14.75		0
				135	138		14.64		0
				270	0		14.71		0
			QPSK	1	1		14.37		0
				1	137		14.72		0
				1	271		14.87		0
				135	0		14.36		0
				135	69		14.74		0
				135	138		14.62		0
				270	0		14.71		0
			16QAM	1	1		14.34		0
			64QAM	1	1		14.32		0
			256QAM	1	1		14.40		0
		CP	QPSK	1	1		14.29		0

NR TDD Band n77 DoD Conducted Power (Power Class 2)_RCV(RS11) _SUB3[ANT.G]

NR TDD Band n77 DoD_10 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630334 Ch. 3445.01 MHz	633334 Ch. 3500.01 MHz	636332 Ch. 3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	14.74	14.70	14.84	0
				1	12	14.33	14.82	14.84	0
				1	22	14.35	14.74	14.85	0
				12	0	14.40	14.69	14.87	0
				12	6	14.17	14.74	14.92	0
				12	12	14.25	14.77	14.80	0
				24	0	14.18	14.75	14.96	0
			QPSK	1	1	14.16	14.73	14.88	0
				1	12	14.10	14.80	14.99	0
				1	22	14.15	14.78	14.86	0
				12	0	14.11	14.72	14.89	0
				12	6	14.12	14.76	14.96	0
				12	12	14.08	14.74	14.81	0
				24	0	14.11	14.75	14.93	0
			16QAM	1	1	14.13	14.74	14.85	0
			64QAM	1	1	14.12	14.61	14.81	0
			256QAM	1	1	14.11	14.67	14.80	0
		CP	QPSK	1	1	14.02	14.72	14.82	0

NR TDD Band n77 DoD_15 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630500 Ch. 3457.5 MHz	633334 Ch. 3500.01 MHz	636166 Ch. 3542.49 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	14.14	14.66	14.87	0
				1	18	14.11	14.69	14.78	0
				1	36	14.11	14.75	14.80	0
				18	0	14.14	14.68	14.87	0
				18	9	14.16	14.74	14.83	0
				18	18	14.15	14.75	14.90	0
				36	0	14.15	14.73	14.83	0
			QPSK	1	1	14.11	14.62	14.84	0
				1	18	14.08	14.65	14.72	0
				1	36	14.09	14.70	14.95	0
				18	0	14.14	14.69	14.86	0
				18	9	14.13	14.75	14.83	0
				18	18	14.10	14.76	14.91	0
				36	0	14.14	14.75	14.81	0
			16QAM	1	1	14.16	14.70	14.88	0
			64QAM	1	1	14.18	14.43	14.88	0
			256QAM	1	1	14.17	14.71	14.92	0
		CP	QPSK	1	1	14.00	14.66	14.80	0

NR TDD Band n77 DoD_20 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630668 Ch. 3460.02 MHz	633334 Ch. 3500.01 MHz	636000 Ch. 3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	13.90	13.94	14.40	0
				1	26	13.85	14.49	14.85	0
				1	49	13.87	14.57	14.92	0
				25	0	13.84	14.43	14.77	0
				25	13	13.83	14.54	14.85	0
				25	26	13.86	14.54	14.85	0
				50	0	13.84	14.53	14.83	0
			QPSK	1	1	13.82	14.36	14.57	0
				1	26	13.81	14.53	14.83	0
				1	49	13.83	14.55	14.83	0
				25	0	13.85	14.44	14.74	0
				25	13	13.84	14.55	14.83	0
				25	26	13.86	14.56	14.85	0
				50	0	13.86	14.52	14.82	0
			16QAM	1	1	13.80	14.30	14.72	0
			64QAM	1	1	13.89	14.38	14.70	0
			256QAM	1	1	13.83	14.30	14.64	0
		CP	QPSK	1	1	13.84	14.30	14.45	0

NR TDD Band n77 DoD_25 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630866 Ch. 3462.99 MHz	633334 Ch. 3500.01 MHz	635800 Ch. 3537 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	13.95	13.83	14.61	0
				1	32	13.94	14.56	14.71	0
				1	63	14.03	14.57	14.97	0
				32	0	13.92	14.39	14.59	0
				32	17	13.89	14.54	14.73	0
				32	33	13.95	14.55	14.91	0
				64	0	13.92	14.53	14.71	0
			QPSK	1	1	13.93	14.28	14.61	0
				1	32	13.94	14.60	14.72	0
				1	63	14.03	14.59	14.91	0
				32	0	13.92	14.42	14.61	0
				32	17	13.91	14.54	14.74	0
				32	33	13.94	14.55	14.91	0
				64	0	13.91	14.50	14.71	0
			16QAM	1	1	14.02	14.27	14.53	0
			64QAM	1	1	13.83	14.14	14.46	0
			256QAM	1	1	13.83	14.24	14.42	0
		CP	QPSK	1	1	13.90	14.22	14.55	0

NR TDD Band n77 DoD_30 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						631000 Ch. 3465 MHz	633334 Ch. 3500.01 MHz	635666 Ch. 3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	13.74	14.11	14.95	0
				1	39	13.77	14.58	14.90	0
				1	76	13.95	14.57	14.91	0
				36	0	13.73	14.38	14.72	0
				36	21	13.74	14.55	14.83	0
				36	42	13.84	14.57	14.80	0
				75	0	13.76	14.50	14.79	0
			QPSK	1	1	13.72	14.20	14.65	0
				1	39	13.77	14.55	14.88	0
				1	76	13.95	14.55	14.97	0
				36	0	13.74	14.38	14.70	0
				36	21	13.75	14.53	14.84	0
				36	42	13.84	14.55	14.90	0
				75	0	13.72	14.53	14.81	0
			16QAM	1	1	13.68	13.72	14.94	0
			64QAM	1	1	13.46	14.20	14.55	0
			256QAM	1	1	13.65	14.13	14.53	0
		CP	QPSK	1	1	13.29	14.09	14.63	0

NR TDD Band n77 DoD_40 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						631334 Ch. 3470.01 MHz		635332 Ch. 3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	13.85		14.77	0
				1	53	13.93		14.70	0
				1	104	14.31		14.74	0
				50	0	13.83		14.52	0
				50	28	13.88		14.62	0
				50	56	14.05		14.79	0
				100	0	13.87		14.62	0
			QPSK	1	1	13.85		14.53	0
				1	53	13.98		14.70	0
				1	104	14.32		14.88	0
				50	0	13.83		14.53	0
				50	28	13.87		14.64	0
				50	56	14.06		14.83	0
				100	0	13.87		14.60	0
			16QAM	1	1	13.76		14.52	0
			64QAM	1	1	13.95		14.55	0
			256QAM	1	1	13.79		14.47	0
		CP	QPSK	1	1	13.77		14.17	0

NR TDD Band n77 DoD_50 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]	
						631668 Ch. 3475.02 MHz	635000 Ch. 3525 MHz		
50 MHz	30	DFT-s	pi/2 BPSK	1	1	13.74		14.41	0
				1	67	13.87		14.48	0
				1	131	14.49		14.51	0
				64	0	13.73		14.44	0
				64	35	13.86		14.49	0
				64	69	14.19		14.69	0
				128	0	13.86		14.49	0
			QPSK	1	1	13.74		14.39	0
				1	67	13.85		14.46	0
				1	131	14.46		14.46	0
				64	0	13.73		14.42	0
				64	35	13.89		14.50	0
				64	69	14.21		14.69	0
				128	0	13.86		14.48	0
			16QAM	1	1	13.69		14.45	0
			64QAM	1	1	13.91		14.65	0
			256QAM	1	1	13.79		14.34	0
		CP	QPSK	1	1	13.29		14.28	0

NR TDD Band n77 DoD_60 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
						633334 Ch. 3500.01 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		14.44	0
				1	81		14.58	0
				1	160		14.63	0
				81	0		14.16	0
				81	41		14.54	0
				81	81		14.55	0
				162	0		14.51	0
			QPSK	1	1		13.78	0
				1	81		14.55	0
				1	160		14.64	0
				81	0		14.18	0
				81	41		14.54	0
				81	81		14.56	0
				162	0		14.52	0
			16QAM	1	1		13.87	0
			64QAM	1	1		13.55	0
			256QAM	1	1		13.77	0
		CP	QPSK	1	1		13.86	0

NR TDD Band n77 DoD_70 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
70 MHz	30	DFT-s	pi/2 BPSK	1	1		14.62	0
				1	95		14.55	0
				1	187		14.69	0
				90	0		14.07	0
				90	50		14.54	0
				90	99		14.54	0
				180	0		14.47	0
			QPSK	1	1		13.80	0
				1	95		14.54	0
				1	187		14.69	0
				90	0		14.09	0
				90	50		14.55	0
				90	99		14.52	0
				180	0		14.45	0
			16QAM	1	1		13.86	0
			64QAM	1	1		14.01	0
			256QAM	1	1		13.84	0
		CP	QPSK	1	1		13.79	0

NR TDD Band n77 DoD_80 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
80 MHz	30	DFT-s	pi/2 BPSK	1	1		14.58	0
				1	109		14.52	0
				1	215		14.82	0
				108	0		14.01	0
				108	55		14.52	0
				108	109		14.54	0
				216	0		14.49	0
			QPSK	1	1		13.80	0
				1	109		14.53	0
				1	215		14.83	0
				108	0		14.02	0
				108	55		14.54	0
				108	109		14.53	0
				216	0		14.51	0
			16QAM	1	1		13.84	0
			64QAM	1	1		13.79	0
			256QAM	1	1		13.77	0
		CP	QPSK	1	1		13.29	0

NR TDD Band n77 DoD_90 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
90 MHz	30	DFT-s	pi/2 BPSK	1	1		14.64	0
				1	123		14.53	0
				1	243		14.83	0
				120	0		13.97	0
				120	63		14.52	0
				120	125		14.57	0
				243	0		14.49	0
			QPSK	1	1		13.84	0
				1	123		14.54	0
				1	243		14.99	0
				120	0		13.98	0
				120	63		14.52	0
				120	125		14.58	0
				243	0		14.50	0
			16QAM	1	1		13.81	0
			64QAM	1	1		13.84	0
			256QAM	1	1		13.80	0
		CP	QPSK	1	1		13.08	0

NR TDD Band n77 DoD_100 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
100 MHz	30	DFT-s	pi/2 BPSK	1	1		13.85	0
				1	137		14.54	0
				1	271		14.44	0
				135	0		13.91	0
				135	69		14.52	0
				135	138		14.59	0
				270	0		14.51	0
			QPSK	1	1		13.90	0
				1	137		14.52	0
				1	271		14.83	0
				135	0		13.93	0
				135	69		14.66	0
				135	138		14.60	0
				270	0		14.59	0
			16QAM	1	1		13.99	0
			64QAM	1	1		14.07	0
			256QAM	1	1		13.88	0
		CP	QPSK	1	1		13.88	0

NR TDD Band n78 Conducted Power (Power Class 2)_Free(RSI0) _SUB3[ANT.G]

NR TDD Band n78_10 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						647000 Ch. 3705 MHz	650000 Ch. 3750 MHz	653000 Ch. 3795 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	15.13	14.94	14.84	0
				1	12	15.19	14.97	14.93	0
				1	22	15.08	14.94	14.87	0
				12	0	15.12	14.93	14.82	0
				12	6	15.13	14.95	14.84	0
				12	12	15.11	14.91	14.87	0
				24	0	15.11	14.93	14.84	0
			QPSK	1	1	15.16	14.92	14.86	0
				1	12	15.12	14.94	14.93	0
				1	22	15.12	14.97	14.85	0
				12	0	15.12	14.94	14.83	0
				12	6	15.12	14.94	14.82	0
				12	12	15.10	14.91	14.83	0
				24	0	15.13	14.94	14.84	0
			16QAM	1	1	15.16	14.96	14.85	0
			64QAM	1	1	15.16	14.95	14.82	0
			256QAM	1	1	15.18	14.88	14.73	0
		CP	QPSK	1	1	15.20	14.94	14.86	0

NR TDD Band n78_15 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						647166 Ch. 3707.5 MHz	650000 Ch. 3750 MHz	652832 Ch. 3792.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	15.08	14.94	14.74	0
				1	18	15.04	14.85	14.72	0
				1	36	15.10	14.89	14.82	0
				18	0	15.09	14.93	14.75	0
				18	10	15.10	14.93	14.79	0
				18	20	15.09	14.92	14.81	0
				36	0	15.10	14.92	14.78	0
			QPSK	1	1	15.11	14.93	14.68	0
				1	18	15.04	14.79	14.69	0
				1	36	15.09	14.93	14.81	0
				18	0	15.12	14.92	14.73	0
				18	10	15.10	14.94	14.79	0
				18	20	15.09	14.92	14.81	0
				36	0	15.08	14.92	14.78	0
			16QAM	1	1	15.46	14.94	14.72	0
			64QAM	1	1	15.27	14.92	14.71	0
			256QAM	1	1	15.12	14.93	14.72	0
		CP	QPSK	1	1	15.19	14.95	14.70	0

NR TDD Band n78_20 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						647334 Ch. 3710.01 MHz	650000 Ch. 3750 MHz	652666 Ch. 3789.99 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	15.10	14.93	14.71	0
				1	26	15.06	14.89	14.76	0
				1	49	15.01	14.93	14.85	0
				25	0	15.09	14.92	14.77	0
				25	13	15.09	14.92	14.79	0
				25	26	15.04	14.91	14.84	0
				50	0	15.06	14.92	14.79	0
			QPSK	1	1	15.07	14.99	14.68	0
				1	26	15.07	14.92	14.76	0
				1	49	15.04	14.93	14.84	0
				25	0	15.11	14.94	14.77	0
				25	13	15.08	14.94	14.80	0
				25	26	15.05	14.94	14.81	0
				50	0	15.08	14.94	14.80	0
			16QAM	1	1	15.04	14.90	14.74	0
			64QAM	1	1	15.11	14.95	14.73	0
			256QAM	1	1	15.02	14.89	14.68	0
		CP	QPSK	1	1	15.02	14.90	14.72	0

NR TDD Band n78_25 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						647500 Ch. 3712.5 MHz	650000 Ch. 3750 MHz	652500 Ch. 3787.5 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	15.09	14.94	14.78	0
				1	32	15.05	14.99	14.84	0
				1	63	14.99	14.95	14.90	0
				32	0	15.05	14.95	14.81	0
				32	17	15.05	14.92	14.82	0
				32	33	15.01	14.91	14.78	0
				64	0	15.04	14.94	14.84	0
			QPSK	1	1	15.09	14.95	14.80	0
				1	32	15.14	15.00	14.84	0
				1	63	15.03	14.91	14.89	0
				32	0	15.05	14.92	14.77	0
				32	17	15.02	14.93	14.82	0
				32	33	15.03	14.90	14.87	0
				64	0	15.05	14.94	14.81	0
			16QAM	1	1	15.04	14.94	14.53	0
			64QAM	1	1	15.13	14.94	14.66	0
			256QAM	1	1	15.05	14.91	14.75	0
		CP	QPSK	1	1	15.08	14.97	14.80	0

NR TDD Band n78_30 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						647666 Ch. 3715 MHz	650000 Ch. 3750 MHz	652332 Ch. 3784.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	15.04	14.94	14.74	0
				1	39	15.06	14.95	14.83	0
				1	76	14.94	14.91	14.85	0
				36	0	15.03	14.92	14.74	0
				36	21	15.04	14.94	14.78	0
				36	42	14.98	14.92	14.82	0
				75	0	15.03	14.91	14.77	0
			QPSK	1	1	15.06	14.97	14.75	0
				1	39	15.04	15.00	14.81	0
				1	76	14.97	14.92	14.85	0
				36	0	15.03	14.93	14.75	0
				36	21	14.99	14.93	14.78	0
				36	42	14.97	14.91	14.79	0
				75	0	15.00	14.92	14.76	0
			16QAM	1	1	15.01	14.88	14.73	0
			64QAM	1	1	14.94	14.83	14.77	0
			256QAM	1	1	15.06	14.86	14.65	0
		CP	QPSK	1	1	15.05	14.94	14.74	0

NR TDD Band n78_40 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						647800 Ch. 3720 MHz		652000 Ch. 3780 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	15.03		14.83	0
				1	53	15.07		14.96	0
				1	104	15.00		14.93	0
				50	0	15.09		14.82	0
				50	28	15.09		14.86	0
				50	56	15.03		14.90	0
				100	0	15.04		14.85	0
			QPSK	1	1	15.06		14.82	0
				1	53	15.12		14.89	0
				1	104	15.04		14.97	0
				50	0	15.10		14.83	0
				50	28	15.06		14.86	0
				50	56	15.02		14.88	0
				100	0	15.06		14.85	0
			16QAM	1	1	15.15		14.78	0
			64QAM	1	1	14.98		14.89	0
			256QAM	1	1	15.02		14.74	0
		CP	QPSK	1	1	14.97		14.74	0

NR TDD Band n78_50 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						648334 Ch. 3725.01 MHz		651666 Ch. 3774.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	15.03		14.75	0
				1	67	15.05		14.80	0
				1	131	14.98		14.86	0
				64	0	15.07		14.79	0
				64	35	15.06		14.83	0
				64	69	15.01		14.85	0
				128	0	15.03		14.81	0
			QPSK	1	1	15.03		14.71	0
				1	67	15.03		14.81	0
				1	131	14.95		14.86	0
				64	0	15.06		14.80	0
				64	35	15.02		14.82	0
				64	69	15.01		14.87	0
				128	0	15.03		14.81	0
			16QAM	1	1	15.02		14.74	0
			64QAM	1	1	15.10		14.78	0
			256QAM	1	1	15.06		14.69	0
		CP	QPSK	1	1	14.93		14.68	0

NR TDD Band n78_60 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							650000 Ch. 3750 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		14.93		0
				1	81		15.02		0
				1	160		14.92		0
				81	0		14.95		0
				81	41		14.93		0
				81	81		14.94		0
				162	0		14.92		0
			QPSK	1	1		14.95		0
				1	81		14.94		0
				1	160		14.94		0
				81	0		14.94		0
				81	41		14.97		0
				81	81		14.94		0
				162	0		14.96		0
			16QAM	1	1		14.97		0
			64QAM	1	1		15.02		0
			256QAM	1	1		14.92		0
		CP	QPSK	1	1		14.92		0

NR TDD Band n78_70 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							650000 Ch. 3750 MHz	
70 MHz	30	DFT-s	pi/2 BPSK	1	1		14.92	0
				1	95		14.93	0
				1	187		14.93	0
				90	0		14.94	0
				90	50		14.99	0
				90	99		14.95	0
				180	0		14.97	0
			QPSK	1	1		14.94	0
				1	95		14.97	0
				1	187		14.95	0
				90	0		14.95	0
				90	50		14.97	0
				90	99		14.94	0
				180	0		14.92	0
			16QAM	1	1		14.93	0
			64QAM	1	1		14.93	0
			256QAM	1	1		14.94	0
		CP	QPSK	1	1		14.93	0

NR TDD Band n78_80 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							650000 Ch. 3750 MHz	
80 MHz	30	DFT-s	pi/2 BPSK	1	1		15.01	0
				1	109		14.93	0
				1	215		15.01	0
				108	0		14.95	0
				108	55		14.98	0
				108	109		14.94	0
				216	0		14.96	0
			QPSK	1	1		15.01	0
				1	109		14.97	0
				1	215		14.99	0
				108	0		14.96	0
				108	55		14.98	0
				108	109		14.95	0
				216	0		14.95	0
			16QAM	1	1		14.92	0
			64QAM	1	1		14.95	0
			256QAM	1	1		14.96	0
		CP	QPSK	1	1		14.94	0

NR TDD Band n78_90 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							650000 Ch. 3750 MHz	
90 MHz	30	DFT-s	pi/2 BPSK	1	1		15.04	0
				1	123		14.97	0
				1	243		15.08	0
				120	0		14.94	0
				120	63		14.94	0
				120	125		14.95	0
				243	0		14.94	0
			QPSK	1	1		15.06	0
				1	123		14.96	0
				1	243		15.10	0
				120	0		14.94	0
				120	63		14.97	0
				120	125		14.95	0
				243	0		14.94	0
			16QAM	1	1		15.15	0
			64QAM	1	1		15.03	0
			256QAM	1	1		14.97	0
		CP	QPSK	1	1		14.99	0

NR TDD Band n78_100 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							650000 Ch. 3750 MHz	
100 MHz	30	DFT-s	pi/2 BPSK	1	1		15.07	0
				1	137		14.93	0
				1	271		15.16	0
				135	0		14.96	0
				135	69		14.93	0
				135	138		14.95	0
				270	0		14.95	0
			QPSK	1	1		15.09	0
				1	137		14.93	0
				1	271		15.12	0
				135	0		14.95	0
				135	69		14.95	0
				135	138		14.96	0
				270	0		14.95	0
			16QAM	1	1		15.11	0
			64QAM	1	1		15.12	0
			256QAM	1	1		14.98	0
		CP	QPSK	1	1		15.02	0

NR TDD Band n78 Conducted Power (Power Class 2)_RCV(RSI1) _SUB3[ANT.G]

NR TDD Band n78_10 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						647000 Ch. 3705 MHz	650000 Ch. 3750 MHz	653000 Ch. 3795 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	14.86	14.94	14.84	0
				1	12	14.85	14.97	14.93	0
				1	22	14.95	14.94	14.87	0
				12	0	14.88	14.93	14.82	0
				12	6	14.84	14.95	14.84	0
				12	12	14.90	14.91	14.87	0
				24	0	14.89	14.93	14.84	0
			QPSK	1	1	14.88	14.92	14.86	0
				1	12	14.91	14.94	14.93	0
				1	22	14.90	14.97	14.85	0
				12	0	14.91	14.94	14.83	0
				12	6	14.90	14.94	14.82	0
				12	12	14.82	14.91	14.83	0
				24	0	14.84	14.94	14.84	0
			16QAM	1	1	14.96	14.96	14.85	0
			64QAM	1	1	14.95	14.95	14.82	0
			256QAM	1	1	14.95	14.88	14.73	0
		CP	QPSK	1	1	14.97	14.94	14.86	0

NR TDD Band n78_15 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						647166 Ch. 3707.5 MHz	650000 Ch. 3750 MHz	652832 Ch. 3792.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	14.88	14.94	14.74	0
				1	18	14.78	14.85	14.72	0
				1	36	14.81	14.89	14.82	0
				18	0	14.85	14.93	14.75	0
				18	10	14.81	14.93	14.79	0
				18	20	14.87	14.92	14.81	0
				36	0	14.84	14.92	14.78	0
			QPSK	1	1	14.90	14.93	14.68	0
				1	18	14.84	14.79	14.69	0
				1	36	14.89	14.93	14.81	0
				18	0	14.83	14.92	14.73	0
				18	10	14.83	14.94	14.79	0
				18	20	14.82	14.92	14.81	0
				36	0	14.79	14.92	14.78	0
			16QAM	1	1	14.82	14.94	14.72	0
			64QAM	1	1	14.98	14.92	14.71	0
			256QAM	1	1	14.87	14.93	14.72	0
		CP	QPSK	1	1	14.95	14.95	14.70	0

NR TDD Band n78_20 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						647334 Ch. 3710.01 MHz	650000 Ch. 3750 MHz	652666 Ch. 3789.99 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	14.77	14.30	14.71	0
				1	26	14.70	14.25	14.27	0
				1	49	14.62	14.26	14.34	0
				25	0	14.76	14.32	14.28	0
				25	13	14.75	14.28	14.31	0
				25	26	14.66	14.28	14.32	0
				50	0	14.73	14.27	14.29	0
			QPSK	1	1	14.69	14.33	14.25	0
				1	26	14.73	14.18	14.27	0
				1	49	14.55	14.27	14.36	0
				25	0	14.75	14.30	14.29	0
				25	13	14.76	14.29	14.31	0
				25	26	14.68	14.28	14.32	0
				50	0	14.73	14.25	14.29	0
			16QAM	1	1	14.77	14.26	14.21	0
			64QAM	1	1	14.75	14.27	14.31	0
			256QAM	1	1	14.75	14.31	14.24	0
		CP	QPSK	1	1	14.64	14.77	14.59	0

NR TDD Band n78_25 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						647500 Ch. 3712.5 MHz	650000 Ch. 3750 MHz	652500 Ch. 3787.5 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	14.85	14.36	14.26	0
				1	32	14.70	14.24	14.25	0
				1	63	14.48	14.26	14.35	0
				32	0	14.77	14.32	14.26	0
				32	17	14.70	14.29	14.29	0
				32	33	14.61	14.28	14.30	0
				64	0	14.73	14.26	14.28	0
			QPSK	1	1	14.82	14.35	14.25	0
				1	32	14.74	14.31	14.35	0
				1	63	14.53	14.29	14.33	0
				32	0	14.77	14.31	14.25	0
				32	17	14.72	14.29	14.28	0
				32	33	14.63	14.28	14.30	0
				64	0	14.70	14.28	14.28	0
			16QAM	1	1	14.72	14.25	14.27	0
			64QAM	1	1	14.76	14.51	14.26	0
			256QAM	1	1	14.73	14.27	14.25	0
		CP	QPSK	1	1	14.81	14.83	14.39	0

NR TDD Band n78_30 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						647666 Ch. 3715 MHz	650000 Ch. 3750 MHz	652332 Ch. 3784.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	14.81	14.80	14.38	0
				1	39	14.70	14.33	14.35	0
				1	76	14.40	14.26	14.27	0
				36	0	14.78	14.32	14.36	0
				36	21	14.68	14.26	14.34	0
				36	42	14.54	14.24	14.31	0
				75	0	14.68	14.27	14.33	0
			QPSK	1	1	14.83	14.36	14.39	0
				1	39	14.72	14.29	14.37	0
				1	76	14.44	14.27	14.33	0
				36	0	14.76	14.32	14.35	0
				36	21	14.68	14.27	14.31	0
				36	42	14.55	14.26	14.30	0
				75	0	14.68	14.27	14.34	0
			16QAM	1	1	14.72	14.53	14.52	0
			64QAM	1	1	14.82	14.30	14.59	0
			256QAM	1	1	14.77	14.33	14.24	0
		CP	QPSK	1	1	14.77	14.39	14.30	0

NR TDD Band n78_40 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						647800 Ch. 3720 MHz		652000 Ch. 3780 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	14.65		14.23	0
				1	53	14.68		14.35	0
				1	104	14.40		14.30	0
				50	0	14.67		14.28	0
				50	28	14.62		14.27	0
				50	56	14.50		14.28	0
				100	0	14.62		14.30	0
			QPSK	1	1	14.65		14.16	0
				1	53	14.53		14.28	0
				1	104	14.34		14.32	0
				50	0	14.67		14.27	0
				50	28	14.62		14.28	0
				50	56	14.50		14.28	0
				100	0	14.63		14.29	0
			16QAM	1	1	14.58		14.18	0
			64QAM	1	1	14.64		14.16	0
			256QAM	1	1	14.60		14.20	0
		CP	QPSK	1	1	14.82		14.13	0

NR TDD Band n78_50 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						648334 Ch. 3725.01 MHz		651666 Ch. 3774.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	14.59		14.60	0
				1	67	14.49		14.30	0
				1	131	14.28		14.24	0
				64	0	14.57		14.31	0
				64	35	14.48		14.31	0
				64	69	14.35		14.25	0
				128	0	14.49		14.29	0
			QPSK	1	1	14.50		14.31	0
				1	67	14.42		14.32	0
				1	131	14.22		14.26	0
				64	0	14.57		14.32	0
				64	35	14.49		14.31	0
				64	69	14.34		14.23	0
				128	0	14.48		14.30	0
			16QAM	1	1	14.64		14.26	0
			64QAM	1	1	14.79		14.24	0
			256QAM	1	1	14.64		14.28	0
		CP	QPSK	1	1	14.47		14.28	0

NR TDD Band n78_60 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							650000 Ch. 3750 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		14.79		0
				1	81		14.34		0
				1	160		14.30		0
				81	0		14.39		0
				81	41		14.26		0
				81	81		14.26		0
				162	0		14.24		0
			QPSK	1	1		14.48		0
				1	81		14.25		0
				1	160		14.29		0
				81	0		14.40		0
				81	41		14.26		0
				81	81		14.28		0
				162	0		14.27		0
			16QAM	1	1		14.61		0
			64QAM	1	1		14.58		0
			256QAM	1	1		14.49		0
		CP	QPSK	1	1		17.78		0

NR TDD Band n78_70 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							650000 Ch. 3750 MHz	
70 MHz	30	DFT-s	pi/2 BPSK	1	1		14.70	0
				1	95		14.27	0
				1	187		14.29	0
				90	0		14.42	0
				90	50		14.29	0
				90	99		14.27	0
				180	0		14.28	0
			QPSK	1	1		14.61	0
				1	95		14.26	0
				1	187		14.18	0
				90	0		14.43	0
				90	50		14.26	0
				90	99		14.27	0
				180	0		14.26	0
			16QAM	1	1		14.61	0
			64QAM	1	1		14.48	0
			256QAM	1	1		14.58	0
		CP	QPSK	1	1		14.62	0

NR TDD Band n78_80 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							650000 Ch. 3750 MHz	
80 MHz	30	DFT-s	pi/2 BPSK	1	1		14.72	0
				1	109		14.26	0
				1	215		14.33	0
				108	0		14.45	0
				108	55		14.26	0
				108	109		14.28	0
				216	0		14.25	0
			QPSK	1	1		14.67	0
				1	109		14.23	0
				1	215		14.27	0
				108	0		14.44	0
				108	55		14.25	0
				108	109		14.28	0
				216	0		14.25	0
			16QAM	1	1		14.69	0
			64QAM	1	1		14.58	0
			256QAM	1	1		14.65	0
		CP	QPSK	1	1		14.42	0

NR TDD Band n78_90 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							650000 Ch. 3750 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		14.79		0
				1	123		14.26		0
				1	243		14.38		0
				120	0		14.50		0
				120	63		14.26		0
				120	125		14.30		0
				243	0		14.29		0
			QPSK	1	1		14.81		0
				1	123		14.28		0
				1	243		14.39		0
				120	0		14.48		0
				120	63		14.27		0
				120	125		14.29		0
				243	0		14.29		0
			16QAM	1	1		14.96		0
			64QAM	1	1		14.81		0
			256QAM	1	1		14.79		0
		CP	QPSK	1	1		14.70		0

NR TDD Band n78_100 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
							650000 Ch. 3750 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1		14.90		0
				1	137		14.26		0
				1	271		14.47		0
				135	0		14.54		0
				135	69		14.23		0
				135	138		14.29		0
				270	0		14.29		0
			QPSK	1	1		14.87		0
				1	137		14.22		0
				1	271		14.48		0
				135	0		14.56		0
				135	69		14.22		0
				135	138		14.30		0
				270	0		14.29		0
			16QAM	1	1		14.86		0
			64QAM	1	1		14.86		0
			256QAM	1	1		14.84		0
		CP	QPSK	1	1		14.27		0

NR TDD Band n78 DoD Conducted Power (Power Class 2)_Free(RSI0) _SUB3[ANT.G]

NR TDD Band n78 DoD_10 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630334 Ch. 3455.01 MHz	633334 Ch. 3500.01 MHz	636332 Ch. 3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	14.20	14.72	14.84	0
				1	12	14.12	14.83	15.03	0
				1	22	14.15	14.78	15.07	0
				12	0	14.11	14.73	14.87	0
				12	6	14.12	14.76	14.93	0
				12	12	14.14	14.77	14.99	0
				24	0	14.11	14.75	14.91	0
			QPSK	1	1	14.16	14.72	14.87	0
				1	12	14.16	14.83	14.99	0
				1	22	14.16	14.79	15.03	0
				12	0	14.14	14.75	14.87	0
				12	6	14.13	14.77	14.92	0
				12	12	14.11	14.75	15.00	0
				24	0	14.15	14.76	14.92	0
			16QAM	1	1	14.13	14.76	14.81	0
			64QAM	1	1	14.14	14.70	14.86	0
			256QAM	1	1	14.06	14.67	14.84	0
		CP	QPSK	1	1	14.07	14.75	14.88	0

NR TDD Band n78 DoD_15 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630500 Ch. 3457.5 MHz	633334 Ch. 3500.01 MHz	636116 Ch. 3542.49 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	14.16	14.75	14.87	0
				1	18	14.06	14.73	14.77	0
				1	36	14.15	14.79	15.03	0
				18	0	14.14	14.73	14.87	0
				18	10	14.17	14.78	14.84	0
				18	20	14.14	14.78	14.92	0
				36	0	14.16	14.78	14.83	0
			QPSK	1	1	14.17	14.71	14.84	0
				1	18	14.10	14.72	14.79	0
				1	36	14.12	14.78	14.98	0
				18	0	14.15	14.74	14.88	0
				18	10	14.13	14.76	14.83	0
				18	20	14.13	14.77	14.92	0
				36	0	14.15	14.79	14.84	0
			16QAM	1	1	14.13	14.83	14.80	0
			64QAM	1	1	14.20	14.64	14.92	0
			256QAM	1	1	14.11	14.72	14.85	0
		CP	QPSK	1	1	14.08	14.66	14.84	0

NR TDD Band n78 DoD_20 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630668 Ch. 3460.02 MHz	633334 Ch. 3500.01 MHz	63600 Ch. 3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	14.22	14.23	14.63	0
				1	26	14.19	14.73	14.73	0
				1	49	14.17	14.77	14.78	0
				25	0	14.20	14.69	14.71	0
				25	13	14.18	14.78	14.76	0
				25	26	14.18	14.78	14.77	0
				50	0	14.20	14.75	14.79	0
			QPSK	1	1	14.20	14.66	14.65	0
				1	26	14.15	14.70	14.79	0
				1	49	14.17	14.74	14.80	0
				25	0	14.20	14.71	14.71	0
				25	13	14.21	14.77	14.77	0
				25	26	14.19	14.77	14.77	0
				50	0	14.20	14.77	14.74	0
			16QAM	1	1	14.27	14.66	14.69	0
			64QAM	1	1	14.39	14.64	14.86	0
			256QAM	1	1	14.18	14.58	14.67	0
		CP	QPSK	1	1	14.21	14.64	14.62	0

NR TDD Band n78 DoD_25 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630866 Ch. 3462.99 MHz	633334 Ch. 3500.01 MHz	635800 Ch. 3537 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	14.25	14.64	14.80	0
				1	32	14.29	14.80	14.76	0
				1	63	14.29	14.76	14.94	0
				32	0	14.19	14.68	14.76	0
				32	17	14.23	14.77	14.75	0
				32	33	14.21	14.78	14.80	0
				64	0	14.21	14.79	14.71	0
			QPSK	1	1	14.24	14.58	14.82	0
				1	32	14.23	14.86	14.78	0
				1	63	14.30	14.80	14.91	0
				32	0	14.24	14.68	14.77	0
				32	17	14.24	14.78	14.75	0
				32	33	14.22	14.79	14.79	0
				64	0	14.23	14.80	14.73	0
			16QAM	1	1	14.40	14.61	14.78	0
			64QAM	1	1	14.21	14.71	14.77	0
			256QAM	1	1	14.15	14.58	14.71	0
		CP	QPSK	1	1	14.18	14.61	14.73	0

NR TDD Band n78 DoD_30 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						631000 Ch. 3465 MHz	633334 Ch. 3500.01 MHz	635666 Ch. 3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	14.80	14.56	14.85	0
				1	39	14.27	14.83	14.83	0
				1	76	14.23	14.69	14.98	0
				36	0	14.15	14.66	14.79	0
				36	21	14.15	14.78	14.77	0
				36	42	14.18	14.76	14.75	0
				75	0	14.16	14.74	14.74	0
			QPSK	1	1	14.19	14.55	14.84	0
				1	39	14.22	14.84	14.78	0
				1	76	14.29	14.74	14.92	0
				36	0	14.17	14.63	14.82	0
				36	21	14.17	14.78	14.78	0
				36	42	14.15	14.75	14.79	0
				75	0	14.16	14.73	14.76	0
			16QAM	1	1	14.23	14.60	14.97	0
			64QAM	1	1	14.04	14.54	14.91	0
			256QAM	1	1	14.11	14.50	14.84	0
		CP	QPSK	1	1	14.18	14.53	14.89	0

NR TDD Band n78 DoD_40 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						631334 Ch. 3470.01 MHz		635332 Ch. 3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	14.15		14.80	0
				1	53	14.20		14.78	0
				1	104	14.42		14.82	0
				50	0	14.16		14.79	0
				50	28	14.17		14.72	0
				50	56	14.28		14.63	0
				100	0	14.16		14.68	0
			QPSK	1	1	14.15		14.82	0
				1	53	14.17		14.75	0
				1	104	14.38		14.87	0
				50	0	14.17		14.77	0
				50	28	14.18		14.71	0
				50	56	14.26		14.66	0
				100	0	14.16		14.68	0
			16QAM	1	1	14.13		14.90	0
			64QAM	1	1	14.07		14.91	0
			256QAM	1	1	14.07		14.81	0
		CP	QPSK	1	1	14.11		14.75	0

NR TDD Band n78 DoD_50 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						631668 Ch. 3475.02 MHz		635000 Ch. 3525 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	14.82		14.77	0
				1	67	14.25		14.74	0
				1	131	14.52		14.80	0
				64	0	14.15		14.78	0
				64	35	14.23		14.73	0
				64	69	14.38		14.65	0
				128	0	14.22		14.70	0
			QPSK	1	1	14.14		14.80	0
				1	67	14.23		14.75	0
				1	131	14.50		14.86	0
				64	0	14.15		14.78	0
				64	35	14.25		14.72	0
				64	69	14.39		14.64	0
				128	0	14.21		14.69	0
			16QAM	1	1	14.24		14.77	0
			64QAM	1	1	14.23		14.86	0
			256QAM	1	1	14.14		14.72	0
		CP	QPSK	1	1	14.09		14.72	0

NR TDD Band n78 DoD_60 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						633334 Ch. 3500.01 MHz	633334 Ch. 3500.01 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1	14.27	14.27		0
				1	81	14.82	14.82		0
				1	160	14.57	14.57		0
				81	0	14.54	14.54		0
				81	41	14.77	14.77		0
				81	81	14.71	14.71		0
				162	0	14.74	14.74		0
			QPSK	1	1	14.26	14.26		0
				1	81	14.81	14.81		0
				1	160	14.55	14.55		0
				81	0	14.52	14.52		0
				81	41	14.76	14.76		0
				81	81	14.71	14.71		0
				162	0	14.73	14.73		0
			16QAM	1	1	14.29	14.29		0
			64QAM	1	1	14.16	14.16		0
			256QAM	1	1	14.28	14.28		0
		CP	QPSK	1	1	14.23	14.23		0

NR TDD Band n78 DoD_70 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
70 MHz	30	DFT-s	pi/2 BPSK	1	1		14.85	0
				1	95		14.76	0
				1	187		14.60	0
				90	0		14.44	0
				90	50		14.77	0
				90	99		14.68	0
				180	0		14.70	0
			QPSK	1	1		14.28	0
				1	95		14.75	0
				1	187		14.59	0
				90	0		14.45	0
				90	50		14.77	0
				90	99		14.67	0
				180	0		14.69	0
			16QAM	1	1		14.25	0
			64QAM	1	1		14.21	0
			256QAM	1	1		14.25	0
		CP	QPSK	1	1		14.26	0

NR TDD Band n78 DoD_80 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
80 MHz	30	DFT-s	pi/2 BPSK	1	1		14.30	0
				1	109		14.75	0
				1	215		14.59	0
				108	0		14.40	0
				108	55		14.74	0
				108	109		14.66	0
				216	0		14.72	0
			QPSK	1	1		14.31	0
				1	109		14.78	0
				1	215		14.61	0
				108	0		14.42	0
				108	55		14.74	0
				108	109		14.64	0
				216	0		14.71	0
			16QAM	1	1		14.28	0
			64QAM	1	1		14.24	0
			256QAM	1	1		14.24	0
		CP	QPSK	1	1		14.30	0

NR TDD Band n78 DoD_90 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
90 MHz	30	DFT-s	pi/2 BPSK	1	1		14.28	0
				1	123		14.73	0
				1	243		14.67	0
				120	0		14.39	0
				120	63		14.76	0
				120	125		14.62	0
				243	0		14.70	0
			QPSK	1	1		14.33	0
				1	123		14.78	0
				1	243		14.71	0
				120	0		14.38	0
				120	63		14.74	0
				120	125		14.63	0
				243	0		14.71	0
			16QAM	1	1		14.29	0
			64QAM	1	1		14.33	0
			256QAM	1	1		14.27	0
		CP	QPSK	1	1		14.21	0

NR TDD Band n78 DoD_100 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
							633334 Ch. 3500.01 MHz	
100 MHz	30	DFT-s	pi/2 BPSK	1	1		14.37	0
				1	137		14.75	0
				1	271		14.86	0
				135	0		14.37	0
				135	69		14.72	0
				135	138		14.63	0
				270	0		14.71	0
			QPSK	1	1		14.35	0
				1	137		14.75	0
				1	271		14.88	0
				135	0		14.33	0
				135	69		14.73	0
				135	138		14.63	0
				270	0		14.71	0
			16QAM	1	1		14.35	0
			64QAM	1	1		14.36	0
			256QAM	1	1		14.41	0
		CP	QPSK	1	1		14.31	0

NR TDD Band n78 DoD Conducted Power (Power Class 2)_RCV(RS11) _SUB3[ANT.G]

NR TDD Band n78 DoD_10 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630334 Ch. 3455.01 MHz	633334 Ch. 3500.01 MHz	636332 Ch. 3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	14.91	14.72	14.84	0
				1	12	14.82	14.83	14.83	0
				1	22	14.94	14.78	14.87	0
				12	0	14.83	14.73	14.87	0
				12	6	14.85	14.76	14.93	0
				12	12	14.14	14.77	14.99	0
				24	0	14.11	14.75	14.91	0
			QPSK	1	1	14.16	14.72	14.87	0
				1	12	14.16	14.83	14.99	0
				1	22	14.16	14.79	14.83	0
				12	0	14.14	14.75	14.87	0
				12	6	14.13	14.77	14.92	0
				12	12	14.11	14.75	14.80	0
				24	0	14.15	14.76	14.92	0
			16QAM	1	1	14.13	14.76	14.81	0
			64QAM	1	1	14.14	14.70	14.86	0
			256QAM	1	1	14.06	14.67	14.84	0
		CP	QPSK	1	1	14.07	14.75	14.88	0

NR TDD Band n78 DoD_15 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630500 Ch. 3457.5 MHz	633334 Ch. 3500.01 MHz	636116 Ch. 3542.49 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	14.16	14.75	14.87	0
				1	18	14.06	14.73	14.77	0
				1	36	14.15	14.79	14.83	0
				18	0	14.14	14.73	14.87	0
				18	10	14.17	14.78	14.84	0
				18	20	14.14	14.78	14.92	0
				36	0	14.16	14.78	14.83	0
			QPSK	1	1	14.17	14.71	14.84	0
				1	18	14.10	14.72	14.79	0
				1	36	14.12	14.78	14.98	0
				18	0	14.15	14.74	14.88	0
				18	10	14.13	14.76	14.83	0
				18	20	14.13	14.77	14.92	0
				36	0	14.15	14.79	14.84	0
			16QAM	1	1	14.13	14.83	14.80	0
			64QAM	1	1	14.20	14.64	14.92	0
			256QAM	1	1	14.11	14.72	14.85	0
		CP	QPSK	1	1	14.08	14.66	14.84	0

NR TDD Band n78 DoD_20 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630668 Ch. 3460.02 MHz	633334 Ch. 3500.01 MHz	63600 Ch. 3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	13.89	14.33	14.32	0
				1	26	13.84	14.48	14.52	0
				1	49	13.86	14.56	14.56	0
				25	0	13.83	14.41	14.42	0
				25	13	13.84	14.53	14.54	0
				25	26	13.85	14.53	14.55	0
				50	0	13.84	14.53	14.52	0
			QPSK	1	1	13.84	14.26	14.32	0
				1	26	13.80	14.47	14.56	0
				1	49	13.80	14.57	14.53	0
				25	0	13.83	14.41	14.41	0
				25	13	13.82	14.52	14.53	0
				25	26	13.85	14.54	14.54	0
				50	0	13.82	14.53	14.53	0
			16QAM	1	1	13.85	14.28	14.38	0
			64QAM	1	1	13.62	14.06	14.56	0
			256QAM	1	1	13.89	14.35	14.30	0
		CP	QPSK	1	1	13.78	14.34	14.33	0

NR TDD Band n78 DoD_25 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						630866 Ch. 3462.99 MHz	633334 Ch. 3500.01 MHz	635800 Ch. 3537 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	14.52	13.89	14.54	0
				1	32	13.99	14.54	14.73	0
				1	63	13.99	14.55	14.94	0
				32	0	13.89	14.38	14.57	0
				32	17	13.89	14.52	14.73	0
				32	33	13.92	14.54	14.90	0
				64	0	13.90	14.51	14.69	0
			QPSK	1	1	13.90	14.24	14.53	0
				1	32	13.91	14.58	14.68	0
				1	63	14.00	14.57	14.83	0
				32	0	13.88	14.39	14.58	0
				32	17	13.89	14.54	14.72	0
				32	33	13.92	14.53	14.89	0
				64	0	13.92	14.52	14.71	0
			16QAM	1	1	13.86	13.84	14.76	0
			64QAM	1	1	13.73	14.21	14.50	0
			256QAM	1	1	13.83	14.23	14.47	0
		CP	QPSK	1	1	13.86	14.50	14.66	0

NR TDD Band n78 DoD_30 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						631000 Ch. 3465 MHz	633334 Ch. 3500.01 MHz	635666 Ch. 3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	14.45	13.71	14.17	0
				1	39	13.77	14.57	14.86	0
				1	76	13.94	14.51	14.94	0
				36	0	13.71	14.36	14.70	0
				36	21	13.75	14.53	14.82	0
				36	42	13.82	14.52	14.80	0
				75	0	13.73	14.50	14.82	0
			QPSK	1	1	13.70	14.20	14.68	0
				1	39	13.73	14.52	14.86	0
				1	76	13.94	14.54	14.93	0
				36	0	13.70	14.34	14.70	0
				36	21	13.75	14.53	14.82	0
				36	42	13.81	14.52	14.82	0
				75	0	13.72	14.51	14.80	0
			16QAM	1	1	13.73	13.71	14.57	0
			64QAM	1	1	13.93	14.16	14.69	0
			256QAM	1	1	13.62	14.08	14.52	0
		CP	QPSK	1	1	13.73	14.50	14.56	0

NR TDD Band n78 DoD_40 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]			MPR [dB]
						631334 Ch. 3470.01 MHz		635332 Ch. 3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	14.65		13.82	0
				1	53	13.85		14.74	0
				1	104	14.28		14.84	0
				50	0	13.80		14.51	0
				50	28	13.87		14.62	0
				50	56	14.04		14.80	0
				100	0	13.85		14.62	0
			QPSK	1	1	13.83		14.51	0
				1	53	13.96		14.67	0
				1	104	14.29		14.79	0
				50	0	13.82		14.50	0
				50	28	13.87		14.62	0
				50	56	14.07		14.78	0
				100	0	13.85		14.61	0
			16QAM	1	1	14.05		14.44	0
			64QAM	1	1	13.88		14.47	0
			256QAM	1	1	13.76		14.52	0
		CP	QPSK	1	1	13.87		14.44	0

NR TDD Band n78 DoD_50 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]	
						631668 Ch. 3475.02 MHz	635000 Ch. 3525 MHz		
50 MHz	30	DFT-s	pi/2 BPSK	1	1	14.49		14.69	0
				1	67	13.85		14.60	0
				1	131	14.44		14.90	0
				64	0	13.72		14.44	0
				64	35	13.85		14.47	0
				64	69	14.18		14.67	0
				128	0	13.84		14.46	0
			QPSK	1	1	13.68		14.32	0
				1	67	13.79		14.41	0
				1	131	14.45		14.82	0
				64	0	13.72		14.42	0
				64	35	13.87		14.48	0
				64	69	14.19		14.70	0
				128	0	13.85		14.46	0
			16QAM	1	1	13.74		14.32	0
			64QAM	1	1	13.74		14.41	0
			256QAM	1	1	13.62		14.41	0
		CP	QPSK	1	1	13.70		14.50	0

NR TDD Band n78 DoD_60 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
						633334 Ch. 3500.01 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1	14.38		0
				1	81	14.56		0
				1	160	14.60		0
				81	0	14.15		0
				81	41	14.53		0
				81	81	14.56		0
				162	0	14.50		0
			QPSK	1	1	13.83		0
				1	81	14.51		0
				1	160	14.59		0
				81	0	14.14		0
				81	41	14.53		0
				81	81	14.56		0
				162	0	14.51		0
			16QAM	1	1	13.85		0
			64QAM	1	1	13.73		0
			256QAM	1	1	13.74		0
		CP	QPSK	1	1	13.71		0

NR TDD Band n78 DoD_70 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
						633334 Ch. 3500.01 MHz		
70 MHz	30	DFT-s	pi/2 BPSK	1	1	13.81		0
				1	95	14.47		0
				1	187	14.66		0
				90	0	14.02		0
				90	50	14.50		0
				90	99	14.53		0
				180	0	14.43		0
			QPSK	1	1	13.76		0
				1	95	14.48		0
				1	187	14.69		0
				90	0	14.06		0
				90	50	14.51		0
				90	99	14.53		0
				180	0	14.45		0
			16QAM	1	1	13.69		0
			64QAM	1	1	13.82		0
			256QAM	1	1	13.75		0
		CP	QPSK	1	1	14.46		0

NR TDD Band n78 DoD_80 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
						633334 Ch. 3500.01 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1	13.77		0
				1	109	14.49		0
				1	215	14.81		0
				108	0	14.00		0
				108	55	14.51		0
				108	109	14.51		0
				216	0	14.47		0
			QPSK	1	1	13.76		0
				1	109	14.57		0
				1	215	14.77		0
				108	0	14.01		0
				108	55	14.49		0
				108	109	14.52		0
				216	0	14.49		0
			16QAM	1	1	14.27		0
			64QAM	1	1	13.61		0
			256QAM	1	1	13.72		0
		CP	QPSK	1	1	14.47		0

NR TDD Band n78 DoD_90 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
						633334 Ch. 3500.01 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1	13.71		0
				1	123	14.48		0
				1	243	14.81		0
				120	0	13.92		0
				120	63	14.51		0
				120	125	14.54		0
				243	0	14.50		0
			QPSK	1	1	13.83		0
				1	123	14.50		0
				1	243	14.84		0
				120	0	13.96		0
				120	63	14.53		0
				120	125	14.56		0
				243	0	14.49		0
			16QAM	1	1	13.78		0
			64QAM	1	1	13.80		0
			256QAM	1	1	13.80		0
		CP	QPSK	1	1	14.28		0

NR TDD Band n78 DoD_100 MHz Bandwidth Conducted Power-Power Class 2

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max.Average Power [dBm]		MPR [dB]
						633334 Ch. 3500.01 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1	13.81		0
				1	137	14.51		0
				1	271	14.82		0
				135	0	13.94		0
				135	69	14.48		0
				135	138	14.59		0
				270	0	14.48		0
			QPSK	1	1	13.92		0
				1	137	14.52		0
				1	271	14.31		0
				135	0	13.94		0
				135	69	14.51		0
				135	138	14.60		0
				270	0	14.48		0
			16QAM	1	1	13.86		0
			64QAM	1	1	13.84		0
			256QAM	1	1	13.76		0
		CP	QPSK	1	1	14.47		0