

**HCT Co., Ltd.**

2-6, 73, 74, Seoicheon-ro 578beon-gil, Majang-myeon, Icheon-si, Gyeonggi-do, Republic of Korea
Tel. +82 31 634 6300 Fax. +82 31 645 6401

Appendix A: Test Setup Photo

FCC ID: A3LSMA376U

File No.
HCT-SR-2512-FC007-P


REVISION HISTORY

The revision history for this document is shown in table.

Revision No.	Date of Issue	Description
0	Dec. 15, 2025	Initial Release

- DUT Antenna Information


- SAR Test Setup Photo.





Ant	Support Band List	Ant	Support Band List
MAIN1 [Ant A]	TX/RX - GSM 850/900 - WCDMA 5/8 - LTE B5/12/13/14/20/26/28/29/71 - NR n5/29/71	SUB1 [Ant E]	DRX GSM 850/900 WCDMA 5/8 LTE B5/12/13/14/20/26/28/29/71 NR n5/29/71 DRX MIMO LTE B2/4/25/38/41/66 NR n2/25/41/66/70
MAIN2 [Ant B]	TX (SRS only) - NR n48/77/78 (SRS #2) TX/RX - GSM 1800/1900 - WCDMA 1/2/4 - LTE B1/2/3/4/7/25/30/38/39/40/41/66 - NR n2/25/30/41/66/70 DRX - LTE B48 - NR n48/77/78	SUB2 [Ant F]	TX/RX - LTE B2/4/7/25/30/66 (Tx Dev. Hopping) - NR n2/25/30/66/70 (Tx Dev. Hopping) DRX - GSM 1800/1900 - WCDMA 1/2/4 - LTE B1/2/3/4/7/25/30/38/40/41/66 - NR n2/25/41/66/70 GPS L1
		SUB3 [Ant G]	LTE B48 NR n48/77/78 WIFI#1 5GHz
		SUB4 [Ant H]	PRX MIMO - LTE B1/2/3/4/25/38/41/66 - NR n2/25/41/66/70 WIFI#1 2.4GHz/BT
		SUB5 [Ant I]	WIFI#2 5GHz
		SUB6 [Ant J]	WIFI#2 2.4GHz
		SUB7 [Ant K]	TX (SRS only) - NR n48/77/78 (SRS #3) PRX MIMO - LTE B48 - NR n48/77/78
		SUB8 [Ant L]	TX (SRS only) - NR n48/77/78 (SRS #4) DRX MIMO - LTE B48 - NR n48/77/78
		SUB9 [Ant M]	

1. Head


1.1 Head Left All (SAM Phantom)




1.2 Head Left Cheek / Tilt



1.3 Head Right All (SAM Phantom)




1.4 Head Right Cheek / Tilt



2. Body

2.1 Body All (SAM Phantom)



2.2 Body Rear



Distance of 0 mm from the EUT



Distance of 5 mm from the EUT

2.3 Body Front




Distance of 0 mm from the EUT




Distance of 5 mm from the EUT

2.4 Body Left



Distance of 0 mm from the EUT



Distance of 10 mm from the EUT

2.5 Body Right



Distance of 10 mm from the EUT

2.6 Body Top



Distance of 0 mm from the EUT



Distance of 10 mm from the EUT


2.6 Body Bottom




Distance of 10 mm from the EUT

3. NFC(Phablet SAR)

3.1 NFC All (ELI Phantom)




3.2 NFC Rear



Distance of 0 mm from the EUT

3.3 NFC Front



Distance of 0 mm from the EUT

3.4 NFC Left




Distance of 0 mm from the EUT

3.5 NFC Top



Distance of 0 mm from the EUT

Spacer 5mm

Spacer 10mm

