



HCT Co., Ltd.

74, Seoicheon-ro 578beon-gil, Majang-myeon, Icheon-si, Gyeonggi-do, 17383 KOREA
Tel. +82 31 634 6300 Fax. +82 31 645 6401

Appendix A: Test Setup Photo

FCC ID.
A3LSMA507FN



File No.
HCT-SR-1908-FC003-P

REVISION HISTORY


The revision history for this document is shown in table.

Revision No.	Date of Issue	Description
0	Aug. 06, 2019	Initial Release

- DUT Antenna Information




* Distance between antennas and edge




5

* Distance between BT/WLAN Antenna and Edge
WIFI/BT/ANT+ ANTENNA




6




1. Head

1.1 Left All




1.2 Left Touch / Left Tilt



1.3 Right All



1.4 Right Touch / Right Tilt




2. Body


2.1 Body All



2.2 Body Rear



Distance of 10 mm from the EUT




Distance of 15 mm from the EUT

2.3 Body Front




Distance of 10 mm from the EUT



Distance of 15 mm from the EUT

2.4 Body Left



Distance of 10 mm from the EUT

* Note: All test configurations are based on front view position.

2.5 Body Right



Distance of 10 mm from the EUT

* Note: All test configurations are based on front view position.

2.6 Body Top



Distance of 10 mm from the EUT

2.7 Body Bottom



Distance of 10 mm from the EUT

3. Phablet

3.1 Phablet SAR Test Setup Rear




Distance of 0 mm from the EUT



Distance of 4 mm from the EUT

3.2 Phablet SAR Test Setup Front




Distance of 0 mm from the EUT

3.3 Phablet SAR Test Setup Left



Distance of 0 mm from the EUT



Distance of 1 mm from the EUT

* Note: All test configurations are based on front view position.

3.4 Phablet SAR Test Setup Right



Distance of 0 mm from the EUT

* Note: All test configurations are based on front view position.

3.5 Phablet SAR Test Setup Top



Distance of 0 mm from the EUT

3.6 Phablet SAR Test Setup Bottom



Distance of 0 mm from the EUT