12. SETUP PHOTOS

12.1. SM-A715F (Original)

RADIATED RF AND AC LINE CONDUCTED MEASUREMENT SETUP

AC LINE CONDUCTED (FRONT)



AC LINE CONDUCTED (BACK)



BELOW 30MHz (FRONT)



BELOW 30MHz (BACK)



BELOW 1GHz (FRONT)



BELOW 1GHz (BACK)

UL VERIFICATION SERVICES INC. FORM NO: CCSUP4701I
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 771-1000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

LOOP ANTENNA ORIENTATIONS



PARALLEL



PERPENDICULAR



GROUND-PARALLEL

This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ORIENTATIONS AND FREQUENCY TOLERANCE OVE EXTREME CONDITIONS

X-ORIENTATION

Y-ORIENTATION

Z-ORIENTATION

FREQUENCY TOLERANCE OVER EXTREME CONDITIONS

This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

12.2. SM-A715W (Spot Check)

RADIATED RF MEASUREMENT SETUP

	
BELOW 30MHz (FRONT)	**BELOW 30MHz (BACK)**

END OF TEST REPORT

UL VERIFICATION SERVICES INC. FORM NO: CCSUP4701I
47173 Benicia Street, Fremont, CA 94538; USA TEL:(510) 771-1000 FAX:(510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.