



HCT Co., Ltd.

74, Seoicheon-ro 578beon-gil, Majang-myeon, Icheon-si, Gyeonggi-do, 17383 KOREA  
Tel. +82 31 634 6300 Fax. +82 31 645 6401

## Appendix A: Test Setup Photo

FCC ID.  
A3LSMA908B


File No.  
HCT-SR-1908-FC006-P-R2

### REVISION HISTORY


The revision history for this document is shown in table.

| Revision No. | Date of Issue | Description         |
|--------------|---------------|---------------------|
| 0            | Aug. 27, 2019 | Initial Release     |
| 1            | Sep. 05, 2019 | Revised 14, 15 page |
| 2            | Sep. 07, 2019 | Revised 2page       |


## - DUT Antenna Information




## \* Diagonal dimension of display and device



★ Distance between Main antenna and edge




★ Distance between BT/WLAN antenna and edge




\* Distance between BT/WLAN antenna and edge

Front View



## 1. Head


### 1.1 Left All



## 1.2 Left Touch / Left Tilt



## 1.3 Right All



## 1.4 Right Touch / Right Tilt




## 2. Body

### 2.1 Body All



## 2.2 Body Rear



Distance of 10 mm from the EUT



Distance of 15 mm from the EUT

### 2.3 Body Front



Distance of 10 mm from the EUT

### 2.4 Body Left



Distance of 10 mm from the EUT

## 2.5 Body Right



Distance of 10 mm from the EUT

## 2.6 Body Top



Distance of 10 mm from the EUT

## 2.7 Body Bottom



Distance of 10 mm from the EUT

### 3. Phablet

#### 3.1 Phablet SAR Test Setup Rear




Distance of 6 mm from the EUT



Distance of 0 mm from the EUT

### 3.2 Phablet SAR Test Setup Front



Distance of 4 mm from the EUT



Distance of 0 mm from the EUT

### 3.3 Phablet SAR Test Setup Left



Distance of 0 mm from the EUT

### 3.4 Phablet SAR Test Setup Right




Distance of 0 mm from the EUT

### 3.5 Phablet SAR Test Setup Bottom



Distance of 9 mm from the EUT



Distance of 0 mm from the EUT

### 3.6 Phablet SAR Test Setup Top



Distance of 0 mm from the EUT