

Appendix K. NR Bands *P_{limit}* Conducted Power

L.1 NR Band Maximum Conducted Power (Lower Antenna)

NR FDD Band n2 Conducted Power_ Measured Pmax, Folder Open RCV(RSI

1)_ MAIN1 [Ant A]

NR FDD Band n2 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376000	381500	
						1852.5 MHz	1880 MHz	1907.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.77	24.08	24.02	0
				1	13	23.78	24.00	23.95	0
				1	23	23.88	24.10	24.12	0
				12	0	23.33	23.58	23.57	0.5
				12	7	23.86	24.14	24.06	0
				12	13	23.44	23.64	23.63	0.5
				25	0	23.37	23.58	23.57	0.5
			QPSK	1	1	23.64	24.03	23.85	0
				1	13	23.81	24.05	23.79	0
				1	23	23.97	24.18	23.91	0
				12	0	22.91	23.20	23.06	1
				12	7	23.93	24.09	23.90	0
				12	13	22.95	23.17	23.13	1
				25	0	22.89	23.13	23.06	1
			16QAM	1	1	22.75	23.21	22.98	1
			64QAM	1	1	21.30	21.72	21.70	2.5
			256QAM	1	1	18.62	19.47	19.55	4.5
		CP	QPSK	1	1	22.32	22.64	22.60	1.5

NR FDD Band n2 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376000	381000	
						1855 MHz	1880 MHz	1905 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.92	24.06	24.14	0
				1	26	24.10	24.13	24.06	0
				1	50	24.06	24.11	24.16	0
				25	0	23.47	23.64	23.69	0.5
				25	14	24.04	24.16	24.08	0
				25	27	23.53	23.66	23.62	0.5
				50	0	23.57	23.65	23.67	0.5
			QPSK	1	1	23.71	23.89	23.85	0
				1	26	24.13	23.98	23.82	0
				1	50	24.10	24.14	23.98	0
				25	0	23.05	23.19	23.16	1
				25	14	24.10	24.05	23.93	0
				25	27	23.13	23.15	23.18	1
				50	0	23.06	23.20	23.18	1
			16QAM	1	1	22.86	23.01	23.00	1
			64QAM	1	1	21.51	21.76	21.75	2.5
			256QAM	1	1	19.60	19.56	19.61	4.5
		CP	QPSK	1	1	22.47	22.61	22.62	1.5

NR FDD Band n2 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376000	380500	
						1857.5 MHz	1880 MHz	1902.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.64	23.59	23.77	0
				1	40	23.87	24.04	23.82	0
				1	77	24.06	24.11	23.66	0
				36	0	23.55	23.48	23.41	0.5
				36	22	24.04	24.14	23.83	0
				36	43	23.65	23.65	23.40	0.5
				75	0	23.50	23.64	23.36	0.5
			QPSK	1	1	23.36	23.39	23.54	0
				1	40	24.02	23.93	23.65	0
				1	77	24.11	24.02	23.54	0
				36	0	23.00	22.96	22.89	1
				36	22	24.04	24.00	23.71	0
				36	43	23.13	23.21	22.92	1
				75	0	23.08	23.15	22.88	1
			16QAM	1	1	22.55	22.62	22.73	1
			64QAM	1	1	21.43	21.31	21.53	2.5
			256QAM	1	1	19.42	19.64	19.67	4.5
		CP	QPSK	1	1	22.17	22.17	22.40	1.5

NR FDD Band n2 _ 20 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376000	380000	
						1860 MHz	1880 MHz	1900 MHz	
20 Mhz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.49	23.54	23.89	0
				1	53	24.27	24.11	23.89	0
				1	104	23.97	24.08	23.59	0
				50	0	23.53	23.44	23.58	0.5
				50	28	24.06	24.13	23.91	0
				50	56	23.62	23.61	23.39	0.5
				100	0	23.54	23.61	23.46	0.5
			QPSK	1	1	23.20	23.40	23.59	0
				1	53	24.15	23.96	23.64	0
				1	104	23.79	23.95	23.38	0
				50	0	23.05	22.92	23.05	1
				50	28	24.10	23.99	23.77	0
				50	56	23.09	23.18	22.90	1
				100	0	23.08	23.14	22.98	1
			16QAM	1	1	22.36	22.50	22.90	1
			64QAM	1	1	21.18	21.47	21.68	2.5
			256QAM	1	1	19.43	19.61	19.68	4.5
		CP	QPSK	1	1	22.00	22.10	22.46	1.5

NR FDD Band n2 _ 25 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		379500	
						1862.5 MHz		1897.5 MHz	
25 Mhz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.85		24.14	0
				1	66	24.18		23.95	0
				1	131	24.13		23.94	0
				64	0	23.49		23.72	0.5
				64	35	24.11		24.01	0
				64	69	23.66		23.49	0.5
				128	0	23.62		23.61	0.5
			QPSK	1	1	23.85		24.17	0
				1	66	24.21		23.81	0
				1	131	24.10		23.82	0
				64	0	23.01		23.21	1
				64	35	24.09		23.87	0
				64	69	23.17		23.01	1
				128	0	23.07		23.14	1
			16QAM	1	1	22.98		23.19	1
			64QAM	1	1	21.55		21.75	2.5
			256QAM	1	1	19.29		19.63	4.5
		CP	QPSK	1	1	22.43		22.59	1.5

NR FDD Band n2 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		379000	
						1865 MHz		1895 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.97		24.16	0
				1	80	24.35		24.04	0
				1	158	24.22		23.94	0
				80	0	23.58		23.72	0.5
				80	40	24.09		24.08	0
				80	80	23.72		23.50	0.5
				160	0	23.61		23.65	0.5
			QPSK	1	1	23.96		23.93	0
				1	80	24.19		23.85	0
				1	158	24.25		23.79	0
				80	0	23.13		23.30	1
				80	40	24.17		23.93	0
				80	80	23.27		23.01	1
				160	0	23.16		23.17	1
			16QAM	1	1	23.01		23.16	1
			64QAM	1	1	21.64		21.86	2.5
			256QAM	1	1	19.54		19.76	4.5
		CP	QPSK	1	1	22.48		22.73	1.5

NR FDD Band n2 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						376000		
						1880 MHz		
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.04		0
				1	98	24.12		0
				1	186	24.12		0
				90	0	23.62		0.5
				90	45	24.16		0
				90	90	23.61		0.5
				180	0	23.68		0.5
			QPSK	1	1	24.16		0
				1	98	24.01		0
				1	186	24.14		0
				90	0	23.20		1
				90	45	24.04		0
				90	90	23.19		1
				180	0	23.21		1
			16QAM	1	1	23.25		1
			64QAM	1	1	21.52		2.5
			256QAM	1	1	19.57		4.5
		CP	QPSK	1	1	22.58		1.5

NR FDD Band n2 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376000	
						1880 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.99	0
				1	108	24.22	0
				1	214	24.14	0
				108	0	23.65	0.5
				108	54	24.23	0
				108	108	23.71	0.5
				216	0	23.71	0.5
			QPSK	1	1	24.09	0
				1	108	23.99	0
				1	214	24.07	0
				108	0	23.24	1
				108	54	24.07	0
				108	108	23.19	1
				216	0	23.22	1
			16QAM	1	1	23.01	1
			64QAM	1	1	21.57	2.5
			256QAM	1	1	19.46	4.5
		CP	QPSK	1	1	22.54	1.5

NR FDD Band n2 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)
_ MAIN1 [Ant A]

NR FDD Band n2 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376000	381500	
						1852.5 MHz	1880 MHz	1907.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.42	17.62	17.62	0
				1	13	17.38	17.54	17.49	0
				1	23	17.52	17.64	17.59	0
				12	0	17.41	17.71	17.51	0
				12	7	17.49	17.64	17.61	0
				12	13	17.49	17.67	17.56	0
				25	0	17.42	17.71	17.64	0
			QPSK	1	1	17.44	17.68	17.63	0
				1	13	17.39	17.63	17.58	0
				1	23	17.52	17.69	17.64	0
				12	0	17.46	17.68	17.60	0
				12	7	17.46	17.66	17.61	0
				12	13	17.50	17.66	17.66	0
				25	0	17.47	17.67	17.58	0
			16QAM	1	1	17.46	17.57	17.64	0
			64QAM	1	1	17.39	17.80	17.67	0
			256QAM	1	1	17.52	17.56	17.60	0
		CP	QPSK	1	1	17.54	17.70	17.50	0

NR FDD Band n2 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376000	381000	
						1855 MHz	1880 MHz	1905 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.41	17.62	17.65	0
				1	26	17.57	17.81	17.84	0
				1	50	17.61	17.58	17.67	0
				25	0	17.52	17.61	17.69	0
				25	14	17.55	17.64	17.64	0
				25	27	17.60	17.61	17.61	0
			QPSK	50	0	17.57	17.66	17.67	0
				1	1	17.57	17.65	17.71	0
				1	26	17.61	17.69	17.66	0
				1	50	17.61	17.68	17.67	0
				25	0	17.51	17.66	17.72	0
				25	14	17.53	17.62	17.69	0
				25	27	17.59	17.66	17.66	0
				50	0	17.58	17.66	17.65	0
			16QAM	1	1	17.47	17.71	17.62	0
			64QAM	1	1	17.58	17.46	17.70	0
			256QAM	1	1	17.50	17.61	17.56	0
		CP	QPSK	1	1	17.52	17.58	17.55	0

NR FDD Band n2 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376000	380500	
						1857.5 MHz	1880 MHz	1902.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.37	17.58	17.57	0
				1	40	17.39	17.59	17.45	0
				1	77	17.52	17.54	17.50	0
				36	0	17.45	17.62	17.60	0
				36	22	17.51	17.66	17.61	0
				36	43	17.59	17.63	17.50	0
			QPSK	75	0	17.51	17.66	17.58	0
				1	1	17.46	17.67	17.59	0
				1	40	17.40	17.57	17.55	0
				1	77	17.62	17.57	17.65	0
				36	0	17.48	17.67	17.63	0
				36	22	17.46	17.62	17.58	0
				36	43	17.53	17.60	17.52	0
				75	0	17.50	17.65	17.59	0
			16QAM	1	1	17.42	17.73	17.74	0
			64QAM	1	1	17.51	17.59	17.62	0
			256QAM	1	1	17.46	17.57	17.61	0
		CP	QPSK	1	1	17.37	17.60	17.61	0

NR FDD Band n2 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376000	380000	
						1860 MHz	1880 MHz	1900 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.40	17.62	17.63	0
				1	53	17.63	17.81	17.70	0
				1	104	17.63	17.67	17.51	0
				50	0	17.43	17.63	17.66	0
				50	28	17.50	17.67	17.64	0
				50	56	17.54	17.65	17.56	0
				100	0	17.45	17.69	17.54	0
			QPSK	1	1	17.35	17.68	17.65	0
				1	53	17.55	17.69	17.67	0
				1	104	17.67	17.66	17.64	0
				50	0	17.50	17.64	17.67	0
				50	28	17.51	17.63	17.60	0
				50	56	17.56	17.60	17.51	0
				100	0	17.47	17.66	17.65	0
			16QAM	1	1	17.48	17.51	17.61	0
			64QAM	1	1	17.38	17.67	17.73	0
			256QAM	1	1	17.45	17.57	17.55	0
		CP	QPSK	1	1	17.36	17.63	17.61	0

NR FDD Band n2 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		379500	
						1862.5 MHz		1897.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.31		17.59	0
				1	66	17.61		17.86	0
				1	131	17.57		17.57	0
				64	0	17.42		17.69	0
				64	35	17.54		17.62	0
				64	69	17.63		17.63	0
				128	0	17.49		17.69	0
			QPSK	1	1	17.37		17.59	0
				1	66	17.70		17.84	0
				1	131	17.63		17.64	0
				64	0	17.44		17.69	0
				64	35	17.56		17.65	0
				64	69	17.64		17.63	0
				128	0	17.53		17.66	0
			16QAM	1	1	17.47		17.73	0
			64QAM	1	1	17.44		17.61	0
			256QAM	1	1	17.31		17.68	0
		CP	QPSK	1	1	17.32		17.57	0

NR FDD Band n2 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		379000	
						1865 MHz		1895 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.43		17.65	0
				1	80	17.70		17.86	0
				1	158	17.67		17.60	0
				80	0	17.50		17.70	0
				80	40	17.58		17.73	0
				80	80	17.70		17.67	0
				160	0	17.60		17.72	0
			QPSK	1	1	17.54		17.75	0
				1	80	17.74		17.88	0
				1	158	17.72		17.63	0
				80	0	17.53		17.77	0
				80	40	17.65		17.72	0
				80	80	17.69		17.63	0
				160	0	17.63		17.74	0
			16QAM	1	1	17.60		17.73	0
			64QAM	1	1	17.45		17.67	0
			256QAM	1	1	17.44		17.70	0
		CP	QPSK	1	1	17.49		17.70	0

NR FDD Band n2 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376000	
						1880 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.47	0
				1	98	17.59	0
				1	186	17.59	0
				90	0	17.64	0
				90	45	17.60	0
				90	90	17.60	0
				180	0	17.70	0
			QPSK	1	1	17.57	0
				1	98	17.63	0
				1	186	17.59	0
				90	0	17.62	0
				90	45	17.67	0
				90	90	17.59	0
				180	0	17.65	0
			16QAM	1	1	17.50	0
			64QAM	1	1	17.54	0
			256QAM	1	1	17.55	0
		CP	QPSK	1	1	17.48	0

NR FDD Band n2 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376000	
						1880 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.48	0
				1	108	17.74	0
				1	214	17.63	0
				108	0	17.65	0
				108	54	17.64	0
				108	108	17.65	0
				216	0	17.68	0
			QPSK	1	1	17.55	0
				1	108	17.75	0
				1	214	17.66	0
				108	0	17.62	0
				108	54	17.66	0
				108	108	17.66	0
				216	0	17.63	0
			16QAM	1	1	17.53	0
			64QAM	1	1	17.61	0
			256QAM	1	1	17.54	0
		CP	QPSK	1	1	17.54	0

NR FDD Band n5 Conducted Power_ Measured Pmax, Folder Open RCV(RSI

1)_ MAIN1 [Ant A]

NR FDD Band n5_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						165300	167300	169300	
						826.5 MHz	836.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.80	23.69	23.67	0
				1	13	23.64	23.57	23.56	0
				1	23	23.70	23.64	23.18	0
				12	0	23.24	23.26	23.26	0.5
				12	7	23.76	23.67	23.67	0
				12	13	23.21	23.19	23.18	0.5
				25	0	23.26	23.23	23.22	0.5
			QPSK	1	1	23.78	23.78	23.81	0
				1	13	23.68	23.70	23.68	0
				1	23	23.77	23.76	23.16	0
				12	0	22.78	22.78	22.75	1
				12	7	23.74	23.76	23.72	0
				12	13	22.71	22.72	22.74	1
				25	0	22.73	22.72	22.70	1
			16QAM	1	1	22.77	22.80	22.84	1
			64QAM	1	1	21.43	21.32	21.38	2.5
			256QAM	1	1	19.27	19.26	19.20	4.5
		CP	QPSK	1	1	22.34	22.25	22.25	1.5

NR FDD Band n5_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.65	0
				1	26	23.82	0
				1	50	23.73	0
				25	0	23.20	0.5
				25	14	23.70	0
				25	27	23.23	0.5
				50	0	23.14	0.5
			QPSK	1	1	23.73	0
				1	26	23.72	0
				1	50	23.74	0
				25	0	22.71	1
				25	14	23.71	0
				25	27	22.68	1
				50	0	22.72	1
			16QAM	1	1	22.75	1
			64QAM	1	1	21.15	2.5
			256QAM	1	1	19.22	4.5
		CP	QPSK	1	1	22.13	1.5

NR FDD Band n5_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.67	0
				1	40	23.57	0
				1	77	23.71	0
				36	0	23.17	0.5
				36	22	23.65	0
				36	43	23.23	0.5
				75	0	23.20	0.5
			QPSK	1	1	23.74	0
				1	40	23.67	0
				1	77	23.73	0
				36	0	22.74	1
				36	22	23.72	0
				36	43	22.75	1
				75	0	22.73	1
			16QAM	1	1	22.74	1
			64QAM	1	1	21.19	2.5
			256QAM	1	1	19.33	4.5
		CP	QPSK	1	1	22.10	1.5

NR FDD Band n5_ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.59	0
				1	53	23.83	0
				1	104	23.84	0
				50	0	23.20	0.5
				50	28	23.68	0
				50	56	23.22	0.5
				100	0	23.17	0.5
			QPSK	1	1	23.73	0
				1	53	23.73	0
				1	104	23.76	0
				50	0	22.72	1
				50	28	23.68	0
				50	56	22.74	1
				100	0	22.72	1
			16QAM	1	1	22.80	1
			64QAM	1	1	21.25	2.5
			256QAM	1	1	19.19	4.5
		CP	QPSK	1	1	22.25	1.5

**NR FDD Band n5 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)
_ MAIN1 [Ant A]**

NR FDD Band n5_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						165300	167300	169300	
						826.5 MHz	836.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	21.46	21.41	21.40	0
				1	13	21.26	21.28	21.32	0
				1	23	21.39	21.34	21.37	0
				12	0	21.45	21.44	21.42	0
				12	7	21.39	21.42	21.42	0
				12	13	21.36	21.38	21.38	0
				25	0	21.41	21.42	21.42	0
			QPSK	1	1	21.42	21.47	21.49	0
				1	13	21.38	21.42	21.35	0
				1	23	21.45	21.42	21.38	0
				12	0	21.48	21.43	21.46	0
				12	7	21.42	21.43	21.47	0
				12	13	21.42	21.38	21.47	0
				25	0	21.41	21.42	21.42	0
			16QAM	1	1	21.46	21.40	21.59	0
			64QAM	1	1	20.69	20.71	20.73	0
			256QAM	1	1	18.67	18.68	18.78	2
		CP	QPSK	1	1	21.48	21.43	21.54	0

NR FDD Band n5_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	21.35	0
				1	26	21.56	0
				1	50	21.39	0
				25	0	21.47	0
				25	14	21.37	0
				25	27	21.37	0
				50	0	21.39	0
			QPSK	1	1	21.44	0
				1	26	21.43	0
				1	50	21.47	0
				25	0	21.46	0
				25	14	21.42	0
				25	27	21.38	0
				50	0	21.45	0
			16QAM	1	1	21.47	0
			64QAM	1	1	20.60	0
			256QAM	1	1	18.62	2
		CP	QPSK	1	1	21.32	0

NR FDD Band n5_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	21.44	0
				1	40	21.33	0
				1	77	21.38	0
				36	0	21.40	0
				36	22	21.43	0
				36	43	21.46	0
				75	0	21.38	0
			QPSK	1	1	21.47	0
				1	40	21.33	0
				1	77	21.43	0
				36	0	21.39	0
				36	22	21.46	0
				36	43	21.46	0
				75	0	21.40	0
			16QAM	1	1	21.51	0
			64QAM	1	1	20.68	0
			256QAM	1	1	18.60	2
		CP	QPSK	1	1	21.44	0

NR FDD Band n5_ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	21.37	0
				1	53	21.49	0
				1	104	21.39	0
				50	0	21.44	0
				50	28	21.43	0
				50	56	21.46	0
				100	0	21.42	0
			QPSK	1	1	21.41	0
				1	53	21.48	0
				1	104	21.43	0
				50	0	21.60	0
				50	28	21.43	0
				50	56	21.44	0
				100	0	21.41	0
			16QAM	1	1	21.44	0
			64QAM	1	1	20.72	0
			256QAM	1	1	18.56	2
		CP	QPSK	1	1	21.48	0

NR FDD Band n25 Conducted Power_ Measured Pmax, Folder Open RCV(RSI

1)_ MAIN1 [Ant A]

NR FDD Band n25 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376500	382500	
						1852.5 MHz	1882.5 MHz	1912.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.56	24.84	24.76	0
				1	13	24.51	24.75	24.68	0
				1	23	24.62	24.83	24.34	0
				12	0	24.14	24.39	24.31	0.5
				12	7	24.62	24.85	24.70	0
				12	13	24.15	24.33	24.16	0.5
				25	0	24.12	24.39	24.30	0.5
			QPSK	1	1	24.27	24.66	24.62	0
				1	13	24.54	24.76	24.51	0
				1	23	24.72	24.90	24.15	0
				12	0	23.60	23.88	23.82	1
				12	7	24.55	24.79	24.50	0
				12	13	23.68	23.89	23.63	1
				25	0	23.67	23.90	23.79	1
			16QAM	1	1	23.42	23.74	23.76	1
			64QAM	1	1	22.15	22.44	22.43	2.5
			256QAM	1	1	20.11	20.29	20.32	4.5
		CP	QPSK	1	1	23.04	23.39	23.26	1.5

NR FDD Band n25 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376500	382000	
						1855 MHz	1882.5 MHz	1910 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.66	24.76	24.76	0
				1	26	24.83	24.88	24.74	0
				1	50	24.77	24.83	24.41	0
				25	0	24.22	24.40	24.37	0.5
				25	14	24.76	24.89	24.82	0
				25	27	24.30	24.37	24.35	0.5
				50	0	24.27	24.40	24.37	0.5
			QPSK	1	1	24.37	24.64	24.63	0
				1	26	24.88	24.77	24.59	0
				1	50	24.85	24.89	24.24	0
				25	0	23.74	23.91	23.92	1
				25	14	24.81	24.83	24.67	0
				25	27	23.80	23.93	23.85	1
				50	0	23.80	23.91	23.89	1
			16QAM	1	1	23.52	23.71	23.84	1
			64QAM	1	1	22.24	22.41	22.35	2.5
			256QAM	1	1	20.13	20.42	20.33	4.5
		CP	QPSK	1	1	23.14	23.38	23.35	1.5

NR FDD Band n25 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376500	381500	
						1857.5 MHz	1882.5 MHz	1907.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.32	24.38	24.50	0
				1	40	24.59	24.76	24.70	0
				1	77	24.81	24.87	24.11	0
				36	0	24.27	24.24	24.23	0.5
				36	22	24.76	24.86	24.75	0
				36	43	24.34	24.38	24.26	0.5
				75	0	24.31	24.37	24.23	0.5
			QPSK	1	1	24.06	24.17	24.28	0
				1	40	24.75	24.74	24.51	0
				1	77	24.88	24.85	23.93	0
				36	0	23.79	23.72	23.70	1
				36	22	24.79	24.80	24.61	0
				36	43	23.89	23.87	23.75	1
				75	0	23.79	23.92	23.75	1
			16QAM	1	1	23.16	23.38	23.54	1
			64QAM	1	1	22.06	22.25	22.41	2.5
			256QAM	1	1	20.13	20.39	20.40	4.5
		CP	QPSK	1	1	22.93	22.93	23.12	1.5

NR FDD Band n25 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376500	381000	
						1860 MHz	1882.5 MHz	1905 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.21	24.21	24.72	0
				1	53	24.84	24.87	24.74	0
				1	104	24.78	24.86	24.04	0
				50	0	24.22	24.17	24.35	0.5
				50	28	24.77	24.88	24.74	0
				50	56	24.30	24.36	24.24	0.5
				100	0	24.32	24.39	24.28	0.5
			QPSK	1	1	23.91	24.05	24.49	0
				1	53	24.84	24.74	24.56	0
				1	104	24.61	24.75	23.87	0
				50	0	23.76	23.65	23.81	1
				50	28	24.80	24.76	24.61	0
				50	56	23.85	23.90	23.73	1
				100	0	23.83	23.91	23.79	1
			16QAM	1	1	23.00	23.15	23.67	1
			64QAM	1	1	21.85	21.99	22.52	2.5
			256QAM	1	1	20.16	20.36	20.51	4.5
		CP	QPSK	1	1	22.68	22.81	23.30	1.5

NR FDD Band n25 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		380500	
						1862.5 MHz		1902.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.58		24.86	0
				1	66	24.88		24.61	0
				1	131	24.87		24.30	0
				64	0	24.16		24.36	0.5
				64	35	24.80		24.67	0
				64	69	24.42		24.21	0.5
				128	0	24.29		24.30	0.5
			QPSK	1	1	24.53		24.96	0
				1	66	24.92		24.40	0
				1	131	24.82		24.06	0
				64	0	23.69		23.90	1
				64	35	24.82		24.52	0
				64	69	23.93		23.71	1
				128	0	23.85		23.83	1
			16QAM	1	1	23.58		24.00	1
			64QAM	1	1	22.08		22.43	2.5
			256QAM	1	1	20.05		20.40	4.5
		CP	QPSK	1	1	23.17		23.38	1.5

NR FDD Band n25 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		380000	
						1865 MHz		1900 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.67		24.82	0
				1	80	25.02		24.63	0
				1	158	24.94		24.29	0
				80	0	24.33		24.46	0.5
				80	40	24.89		24.72	0
				80	80	24.48		24.18	0.5
				160	0	24.38		24.37	0.5
			QPSK	1	1	24.65		24.87	0
				1	80	24.96		24.43	0
				1	158	24.99		24.08	0
				80	0	23.84		24.00	1
				80	40	24.91		24.57	0
				80	80	24.03		23.68	1
				160	0	23.88		23.88	1
			16QAM	1	1	23.74		23.76	1
			64QAM	1	1	22.31		22.46	2.5
			256QAM	1	1	20.21		20.31	4.5
		CP	QPSK	1	1	23.25		23.34	1.5

NR FDD Band n25 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376500	
						1882.5 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.67	0
				1	98	24.86	0
				1	186	24.84	0
				90	0	24.41	0.5
				90	45	24.91	0
				90	90	24.45	0.5
			QPSK	180	0	24.48	0.5
				1	1	24.77	0
				1	98	24.68	0
				1	186	24.72	0
				90	0	23.94	1
				90	45	24.77	0
				90	90	23.91	1
				180	0	23.93	1
			16QAM	1	1	23.84	1
			64QAM	1	1	22.26	2.5
			256QAM	1	1	20.24	4.5
		CP	QPSK	1	1	23.25	1.5

NR FDD Band n25 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376500	
						1882.5 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.75	0
				1	108	24.90	0
				1	214	24.85	0
				108	0	24.39	0.5
				108	54	24.90	0
				108	108	24.43	0.5
				216	0	24.42	0.5
			QPSK	1	1	24.87	0
				1	108	24.74	0
				1	214	24.74	0
				108	0	23.93	1
				108	54	24.80	0
				108	108	23.98	1
				216	0	23.94	1
			16QAM	1	1	23.84	1
			64QAM	1	1	22.35	2.5
			256QAM	1	1	20.32	4.5
		CP	QPSK	1	1	23.33	1.5

NR FDD Band n25 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)
_ MAIN1 [Ant A]

NR FDD Band n25 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376500	382500	
						1852.5 MHz	1882.5 MHz	1912.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.38	17.61	17.55	0
				1	13	17.33	17.57	17.53	0
				1	23	17.51	17.66	17.57	0
				12	0	17.40	17.64	17.63	0
				12	7	17.41	17.63	17.61	0
				12	13	17.53	17.66	17.59	0
				25	0	17.46	17.72	17.60	0
			QPSK	1	1	17.51	17.67	17.68	0
				1	13	17.35	17.61	17.52	0
				1	23	17.51	17.68	17.65	0
				12	0	17.45	17.67	17.66	0
				12	7	17.44	17.68	17.61	0
				12	13	17.52	17.65	17.59	0
				25	0	17.46	17.70	17.60	0
			16QAM	1	1	17.53	17.80	17.63	0
			64QAM	1	1	17.39	17.69	17.64	0
			256QAM	1	1	17.48	17.75	17.68	0
		CP	QPSK	1	1	17.44	17.60	17.64	0

NR FDD Band n25 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376500	382000	
						1855 MHz	1882.5 MHz	1910 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.50	17.64	17.60	0
				1	26	17.67	17.72	17.81	0
				1	50	17.65	17.62	17.62	0
				25	0	17.58	17.70	17.65	0
				25	14	17.60	17.68	17.65	0
				25	27	17.58	17.62	17.65	0
			QPSK	50	0	17.57	17.68	17.64	0
				1	1	17.57	17.67	17.62	0
				1	26	17.61	17.78	17.78	0
				1	50	17.64	17.71	17.68	0
				25	0	17.56	17.66	17.62	0
				25	14	17.58	17.66	17.69	0
				25	27	17.61	17.64	17.68	0
				50	0	17.61	17.67	17.68	0
			16QAM	1	1	17.53	17.69	17.64	0
			64QAM	1	1	17.50	17.67	17.73	0
			256QAM	1	1	17.53	17.61	17.70	0
		CP	QPSK	1	1	17.46	17.67	17.49	0

NR FDD Band n25 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376500	381500	
						1857.5 MHz	1882.5 MHz	1907.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.41	17.64	17.68	0
				1	40	17.44	17.55	17.55	0
				1	77	17.65	17.59	17.65	0
				36	0	17.53	17.73	17.66	0
				36	22	17.57	17.69	17.66	0
				36	43	17.62	17.62	17.68	0
			QPSK	75	0	17.53	17.67	17.65	0
				1	1	17.47	17.67	17.76	0
				1	40	17.53	17.58	17.58	0
				1	77	17.65	17.70	17.69	0
				36	0	17.54	17.68	17.75	0
				36	22	17.57	17.66	17.69	0
				36	43	17.64	17.63	17.65	0
				75	0	17.56	17.67	17.65	0
			16QAM	1	1	17.51	17.68	17.81	0
			64QAM	1	1	17.50	17.61	17.72	0
			256QAM	1	1	17.42	17.55	17.58	0
		CP	QPSK	1	1	17.50	17.73	17.59	0

NR FDD Band n25 _ 20 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376500	381000	
						1860 MHz	1882.5 MHz	1905 MHz	
20 Mhz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.41	17.66	17.70	0
				1	53	17.68	17.71	17.88	0
				1	104	17.66	17.61	17.64	0
				50	0	17.56	17.68	17.75	0
				50	28	17.60	17.66	17.66	0
				50	56	17.58	17.65	17.70	0
				100	0	17.56	17.63	17.68	0
			QPSK	1	1	17.49	17.71	17.78	0
				1	53	17.67	17.74	17.73	0
				1	104	17.77	17.67	17.74	0
				50	0	17.55	17.70	17.79	0
				50	28	17.57	17.62	17.68	0
				50	56	17.59	17.67	17.71	0
				100	0	17.55	17.62	17.67	0
			16QAM	1	1	17.45	17.76	17.85	0
			64QAM	1	1	17.48	17.81	17.71	0
			256QAM	1	1	17.46	17.66	17.77	0
		CP	QPSK	1	1	17.45	17.57	17.72	0

NR FDD Band n25 _ 25 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		380500	
						1862.5 MHz		1902.5 MHz	
25 Mhz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.42		17.66	0
				1	66	17.69		17.75	0
				1	131	17.64		17.55	0
				64	0	17.49		17.67	0
				64	35	17.58		17.65	0
				64	69	17.68		17.59	0
				128	0	17.61		17.60	0
			QPSK	1	1	17.43		17.69	0
				1	66	17.69		17.70	0
				1	131	17.68		17.60	0
				64	0	17.49		17.63	0
				64	35	17.59		17.64	0
				64	69	17.66		17.63	0
				128	0	17.56		17.63	0
			16QAM	1	1	17.50		17.70	0
			64QAM	1	1	17.37		17.70	0
			256QAM	1	1	17.51		17.65	0
		CP	QPSK	1	1	17.40		17.67	0

NR FDD Band n25 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		380000	
						1865 MHz		1900 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.51		17.59	0
				1	80	17.78		17.86	0
				1	158	17.73		17.57	0
				80	0	17.61		17.76	0
				80	40	17.62		17.70	0
				80	80	17.72		17.62	0
				160	0	17.64		17.71	0
			QPSK	1	1	17.57		17.68	0
				1	80	17.72		17.79	0
				1	158	17.76		17.70	0
				80	0	17.62		17.74	0
				80	40	17.68		17.74	0
				80	80	17.75		17.60	0
				160	0	17.67		17.68	0
			16QAM	1	1	17.50		17.59	0
			64QAM	1	1	17.47		17.67	0
			256QAM	1	1	17.61		17.62	0
		CP	QPSK	1	1	17.49		17.61	0

NR FDD Band n25 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376500	
						1882.5 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.51	0
				1	98	17.60	0
				1	186	17.66	0
				90	0	17.66	0
				90	45	17.63	0
				90	90	17.71	0
				180	0	17.65	0
			QPSK	1	1	17.57	0
				1	98	17.68	0
				1	186	17.71	0
				90	0	17.68	0
				90	45	17.67	0
				90	90	17.67	0
				180	0	17.69	0
			16QAM	1	1	17.53	0
			64QAM	1	1	17.50	0
			256QAM	1	1	17.51	0
		CP	OPSK	1	1	17.57	0

NR FDD Band n25 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376500	
						1882.5 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.52	0
				1	108	17.71	0
				1	214	17.61	0
				108	0	17.65	0
				108	54	17.64	0
				108	108	17.66	0
				216	0	17.67	0
			QPSK	1	1	17.92	0
				1	108	17.73	0
				1	214	17.70	0
				108	0	17.69	0
				108	54	17.66	0
				108	108	17.66	0
				216	0	17.68	0
			16QAM	1	1	17.70	0
			64QAM	1	1	17.57	0
			256QAM	1	1	17.52	0
		CP	QPSK	1	1	17.57	0

NR FDD Band n66 Conducted Power_ Measured Pmax, Folder Open RCV(RSI

1)_ MAIN1 [Ant A]

NR FDD Band n66 _5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						342500	349000	355500	
						1712.5 MHz	1745 MHz	1777.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.35	24.26	23.99	0
				1	13	24.25	24.18	23.91	0
				1	23	24.30	24.19	24.02	0
				12	0	23.88	23.76	23.55	0.5
				12	7	24.35	24.31	24.00	0
				12	13	23.92	23.79	23.53	0.5
				25	0	23.88	23.76	23.60	0.5
			QPSK	1	1	24.43	24.37	24.10	0
				1	13	24.30	24.21	24.04	0
				1	23	24.38	24.30	24.08	0
				12	0	23.41	23.31	23.08	1
				12	7	24.37	24.32	24.06	0
				12	13	23.38	23.30	23.07	1
				25	0	23.42	23.34	23.11	1
			16QAM	1	1	23.49	23.39	23.08	1
			64QAM	1	1	21.87	21.87	21.46	2.5
			256QAM	1	1	19.84	19.78	19.62	4.5
		CP	QPSK	1	1	22.87	22.83	22.55	1.5

NR FDD Band n66 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343000	349000	355000	
						1715 MHz	1745 MHz	1775 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.43	24.32	24.04	0
				1	26	24.53	24.39	24.31	0
				1	50	24.29	24.23	24.04	0
				25	0	23.99	23.81	23.64	0.5
				25	14	24.44	24.35	24.11	0
				25	27	23.91	23.78	23.59	0.5
				50	0	23.95	23.84	23.55	0.5
			QPSK	1	1	24.52	24.40	24.13	0
				1	26	24.56	24.31	24.17	0
				1	50	24.43	24.26	24.11	0
				25	0	23.54	23.35	23.09	1
				25	14	24.47	24.33	24.06	0
				25	27	23.37	23.33	23.12	1
				50	0	23.48	23.32	23.17	1
			16QAM	1	1	23.53	23.42	23.12	1
			64QAM	1	1	22.24	21.99	21.51	2.5
			256QAM	1	1	19.99	19.94	19.59	4.5
		CP	QPSK	1	1	22.92	22.80	22.57	1.5

NR FDD Band n66 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5 MHz	1745 MHz	1772.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.41	24.32	23.92	0
				1	40	24.24	24.17	23.85	0
				1	77	24.16	24.22	23.93	0
				36	0	23.93	23.83	23.42	0.5
				36	22	24.37	24.35	24.01	0
				36	43	23.83	23.79	23.50	0.5
				75	0	23.85	23.79	23.49	0.5
			QPSK	1	1	24.48	24.38	24.01	0
				1	40	24.33	24.22	23.92	0
				1	77	24.26	24.25	23.98	0
				36	0	23.47	23.45	22.96	1
				36	22	24.36	24.33	24.01	0
				36	43	23.37	23.30	23.00	1
				75	0	23.43	23.30	23.06	1
			16QAM	1	1	23.49	23.43	22.92	1
			64QAM	1	1	21.94	22.02	21.49	2.5
			256QAM	1	1	19.87	19.83	19.49	4.5
		CP	QPSK	1	1	22.92	22.82	22.52	1.5

NR FDD Band n66 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344000	349000	354000	
						1720 MHz	1745 MHz	1770 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.34	24.36	23.98	0
				1	53	24.38	24.35	24.11	0
				1	104	24.13	24.15	23.94	0
				50	0	23.87	23.84	23.48	0.5
				50	28	24.25	24.30	24.05	0
				50	56	23.75	23.72	23.55	0.5
				100	0	23.77	23.84	23.52	0.5
			QPSK	1	1	24.48	24.42	24.09	0
				1	53	24.46	24.48	24.22	0
				1	104	24.24	24.24	24.05	0
				50	0	23.39	23.37	23.06	1
				50	28	24.34	24.34	24.06	0
				50	56	23.22	23.26	23.09	1
				100	0	23.37	23.32	23.03	1
			16QAM	1	1	23.52	23.35	23.08	1
			64QAM	1	1	22.06	21.93	21.42	2.5
			256QAM	1	1	19.91	19.86	19.49	4.5
		CP	QPSK	1	1	22.90	22.83	22.64	1.5

NR FDD Band n66 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344500	349000	353500	
						1722.5 MHz	1745 MHz	1767.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.34	24.27	24.12	0
				1	66	24.42	24.44	24.17	0
				1	131	24.19	24.20	24.04	0
				64	0	23.77	23.86	23.63	0.5
				64	35	24.27	24.30	24.03	0
				64	69	23.66	23.69	23.57	0.5
				128	0	23.76	23.80	23.63	0.5
			QPSK	1	1	24.45	24.40	24.17	0
				1	66	24.36	24.50	24.15	0
				1	131	24.29	24.20	24.07	0
				64	0	23.33	23.43	23.11	1
				64	35	24.29	24.35	24.11	0
				64	69	23.20	23.24	23.06	1
				128	0	23.32	23.31	23.04	1
			16QAM	1	1	23.37	23.40	23.24	1
			64QAM	1	1	21.96	21.83	21.67	2.5
			256QAM	1	1	19.86	19.95	19.61	4.5
		CP	QPSK	1	1	22.90	22.80	22.64	1.5

NR FDD Band n66 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.20	0
				1	80	24.30	0
				1	158	24.12	0
				80	0	23.83	0.5
				80	40	24.31	0
				80	80	23.80	0.5
				160	0	23.81	0.5
			QPSK	1	1	24.36	0
				1	80	24.36	0
				1	158	24.20	0
				80	0	23.36	1
				80	40	24.28	0
				80	80	23.31	1
				160	0	23.35	1
			16QAM	1	1	23.26	1
			64QAM	1	1	21.82	2.5
			256QAM	1	1	19.76	4.5
		CP	OPSK	1	1	22.83	1.5

NR FDD Band n66 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.23	0
				1	98	24.32	0
				1	186	24.02	0
				90	0	23.80	0.5
				90	45	24.33	0
				90	90	23.80	0.5
				180	0	23.82	0.5
			QPSK	1	1	24.33	0
				1	98	24.34	0
				1	186	24.11	0
				90	0	23.41	1
				90	45	24.30	0
				90	90	23.31	1
				180	0	23.31	1
			16QAM	1	1	23.31	1
			64QAM	1	1	21.72	2.5
			256QAM	1	1	19.61	4.5
		CP	QPSK	1	1	22.75	1.5

NR FDD Band n66 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.23	0
				1	108	24.40	0
				1	214	24.01	0
				108	0	23.85	0.5
				108	54	24.37	0
				108	108	23.71	0.5
				216	0	23.83	0.5
			QPSK	1	1	24.31	0
				1	108	24.40	0
				1	214	24.12	0
				108	0	23.33	1
				108	54	24.37	0
				108	108	23.20	1
				216	0	23.37	1
			16QAM	1	1	23.13	1
			64QAM	1	1	21.88	2.5
			256QAM	1	1	19.81	4.5
		CP	QPSK	1	1	22.75	1.5

**NR FDD Band n66 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)
_ MAIN1 [Ant A]**

NR FDD Band n66 _5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						342500	349000	355500	
						1712.5 MHz	1745 MHz	1777.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.89	17.90	17.63	0
				1	13	17.89	17.75	17.53	0
				1	23	17.84	17.81	17.58	0
				12	0	17.97	17.86	17.67	0
				12	7	17.95	17.90	17.63	0
				12	13	17.96	17.87	17.64	0
				25	0	17.98	17.92	17.63	0
			QPSK	1	1	17.93	17.92	17.66	0
				1	13	17.91	17.84	17.57	0
				1	23	17.98	17.88	17.62	0
				12	0	18.01	17.92	17.72	0
				12	7	17.98	17.91	17.66	0
				12	13	17.94	17.87	17.62	0
				25	0	17.99	17.90	17.61	0
			16QAM	1	1	17.98	17.88	17.66	0
			64QAM	1	1	17.82	17.77	17.68	0
			256QAM	1	1	17.94	17.88	17.69	0
		CP	QPSK	1	1	17.97	17.84	17.61	0

NR FDD Band n66 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343000	349000	355000	
						1715 MHz	1745 MHz	1775 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.00	17.94	17.64	0
				1	26	18.09	17.94	17.87	0
				1	50	17.83	17.78	17.57	0
				25	0	18.08	17.93	17.72	0
				25	14	17.97	17.89	17.66	0
				25	27	17.98	17.82	17.68	0
				50	0	18.00	17.93	17.68	0
			QPSK	1	1	18.04	17.90	17.69	0
				1	26	18.02	17.88	17.71	0
				1	50	17.93	17.85	17.66	0
				25	0	18.10	17.89	17.72	0
				25	14	18.01	17.84	17.70	0
				25	27	17.92	17.86	17.68	0
				50	0	18.02	17.84	17.71	0
			16QAM	1	1	18.02	17.90	17.77	0
			64QAM	1	1	18.04	17.89	17.60	0
			256QAM	1	1	17.99	17.98	17.59	0
		CP	QPSK	1	1	18.05	17.83	17.67	0

NR FDD Band n66 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5 MHz	1745 MHz	1772.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.00	17.90	17.53	0
				1	40	17.79	17.77	17.46	0
				1	77	17.77	17.79	17.52	0
				36	0	18.01	17.94	17.54	0
				36	22	17.89	17.85	17.58	0
				36	43	17.81	17.87	17.57	0
				75	0	17.95	17.85	17.56	0
			QPSK	1	1	18.02	17.89	17.54	0
				1	40	17.82	17.78	17.52	0
				1	77	17.81	17.79	17.54	0
				36	0	18.01	17.93	17.59	0
				36	22	17.91	17.84	17.61	0
				36	43	17.82	17.89	17.59	0
				75	0	17.93	17.83	17.64	0
			16QAM	1	1	18.05	18.06	17.59	0
			64QAM	1	1	17.93	17.94	17.63	0
			256QAM	1	1	17.97	17.89	17.56	0
		CP	QPSK	1	1	17.96	17.89	17.55	0

NR FDD Band n66 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344000	349000	354000	
						1720 MHz	1745 MHz	1770 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.95	17.86	17.53	0
				1	53	17.92	17.94	17.67	0
				1	104	17.73	17.67	17.48	0
				50	0	17.93	17.88	17.53	0
				50	28	17.84	17.87	17.60	0
				50	56	17.81	17.77	17.61	0
				100	0	17.86	17.83	17.62	0
			QPSK	1	1	18.03	17.87	17.63	0
				1	53	17.95	18.00	17.63	0
				1	104	17.85	17.77	17.60	0
				50	0	17.96	17.93	17.56	0
				50	28	17.88	17.88	17.61	0
				50	56	17.79	17.82	17.61	0
				100	0	17.85	17.84	17.59	0
			16QAM	1	1	18.04	17.80	17.66	0
			64QAM	1	1	17.90	17.96	17.71	0
			256QAM	1	1	17.89	17.92	17.63	0
		CP	QPSK	1	1	17.92	17.79	17.55	0

NR FDD Band n66 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344500	349000	353500	
						1722.5 MHz	1745 MHz	1767.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.87	17.83	17.69	0
				1	66	17.88	18.05	17.75	0
				1	131	17.79	17.72	17.50	0
				64	0	17.84	17.88	17.67	0
				64	35	17.76	17.87	17.68	0
				64	69	17.67	17.80	17.62	0
			QPSK	128	0	17.80	17.87	17.60	0
				1	1	17.96	17.91	17.73	0
				1	66	17.91	18.03	17.74	0
				1	131	17.86	17.76	17.66	0
				64	0	17.86	17.99	17.70	0
				64	35	17.79	17.91	17.65	0
				64	69	17.73	17.79	17.64	0
				128	0	17.83	17.85	17.64	0
			16QAM	1	1	17.97	17.95	17.67	0
			64QAM	1	1	17.92	17.85	17.85	0
			256QAM	1	1	17.93	17.73	17.67	0
		CP	QPSK	1	1	17.94	17.88	17.66	0

NR FDD Band n66 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						349000		
						1745 MHz		
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.86	0	
				1	80	17.91	0	
				1	158	17.70	0	
				80	0	17.93	0	
				80	40	17.87	0	
				80	80	17.80	0	
			QPSK	160	0	17.86	0	
				1	1	17.84	0	
				1	80	17.89	0	
				1	158	17.72	0	
				80	0	17.96	0	
				80	40	17.86	0	
				80	80	17.86	0	
				160	0	17.89	0	
			16QAM	1	1	18.02	0	
			64QAM	1	1	17.85	0	
			256QAM	1	1	17.86	0	
		CP	QPSK	1	1	17.87	0	

NR FDD Band n66 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.73	0
				1	98	17.82	0
				1	186	17.67	0
				90	0	17.89	0
				90	45	17.86	0
				90	90	17.82	0
			QPSK	180	0	17.88	0
				1	1	17.84	0
				1	98	17.85	0
				1	186	17.67	0
				90	0	17.93	0
				90	45	17.84	0
				90	90	17.86	0
				180	0	17.87	0
			16QAM	1	1	17.87	0
			64QAM	1	1	17.93	0
			256QAM	1	1	17.80	0
		CP	QPSK	1	1	17.85	0

NR FDD Band n66 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.80	0
				1	108	17.89	0
				1	214	17.57	0
				108	0	17.87	0
				108	54	17.79	0
				108	108	17.74	0
			QPSK	216	0	17.85	0
				1	1	17.83	0
				1	108	17.95	0
				1	214	17.62	0
				108	0	17.90	0
				108	54	17.91	0
				108	108	17.79	0
				216	0	17.89	0
			16QAM	1	1	17.80	0
			64QAM	1	1	17.90	0
			256QAM	1	1	17.84	0
		CP	QPSK	1	1	17.79	0

NR FDD Band n71 Conducted Power_ Measured Pmax, Folder Open RCV(RSI 1), Folder Open Free (RSI 0), Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4) _ MAIN1 [Ant A]

NR FDD Band n71 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						133100	136100	139100	
						665.5 MHz	680.5 MHz	695.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.50	22.32	22.20	0
				1	13	22.36	22.23	22.10	0
				1	23	22.50	22.28	22.16	0
				12	0	22.01	21.92	21.78	0.5
				12	7	22.53	22.40	22.19	0
				12	13	21.98	21.84	21.66	0.5
				25	0	22.01	21.89	21.72	0.5
			QPSK	1	1	22.54	22.44	22.27	0
				1	13	22.44	22.31	22.15	0
				1	23	22.59	22.37	22.21	0
				12	0	21.52	21.42	21.25	1
				12	7	22.51	22.39	22.23	0
				12	13	21.55	21.36	21.23	1
				25	0	21.57	21.40	21.25	1
			16QAM	1	1	21.48	21.41	21.24	1
			64QAM	1	1	20.15	19.97	19.92	2.5
			256QAM	1	1	18.01	17.96	17.71	4.5
		CP	QPSK	1	1	20.94	20.82	20.64	1.5

NR FDD Band n71 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						133600	136100	138600	
						668 MHz	680.5 MHz	693 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.43	22.35	22.23	0
				1	26	22.69	22.56	22.43	0
				1	50	22.40	22.28	22.03	0
				25	0	21.96	21.90	21.71	0.5
				25	14	22.52	22.37	22.15	0
				25	27	22.02	21.84	21.65	0.5
			QPSK	50	0	21.99	21.90	21.71	0.5
				1	1	22.49	22.43	22.22	0
				1	26	22.66	22.44	22.28	0
				1	50	22.59	22.33	22.06	0
				25	0	21.52	21.40	21.24	1
				25	14	22.55	22.41	22.18	0
				25	27	21.54	21.41	21.17	1
				50	0	21.51	21.45	21.18	1
			16QAM	1	1	21.44	21.42	21.23	1
			64QAM	1	1	20.20	20.09	19.68	2.5
			256QAM	1	1	17.95	17.79	17.81	4.5
		CP	QPSK	1	1	21.04	20.96	20.79	1.5

NR FDD Band n71 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)		MPR [dB]
						136100		
						680.5 MHz		
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.44	0	
				1	40	22.19	0	
				1	77	22.28	0	
				36	0	21.95	0.5	
				36	22	22.42	0	
				36	43	21.79	0.5	
			QPSK	75	0	21.92	0.5	
				1	1	22.48	0	
				1	40	22.33	0	
				1	77	22.34	0	
				36	0	21.41	1	
				36	22	22.44	0	
				36	43	21.27	1	
				75	0	21.41	1	
			16QAM	1	1	21.44	1	
			64QAM	1	1	20.07	2.5	
			256QAM	1	1	18.12	4.5	
		CP	QPSK	1	1	21.00	1.5	

NR FDD Band n71 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)	MPR [dB]
						136100	
						680.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.40	0
				1	53	22.56	0
				1	104	22.21	0
				50	0	21.93	0.5
				50	28	22.36	0
				50	56	21.76	0.5
				100	0	21.89	0.5
			QPSK	1	1	22.45	0
				1	53	22.51	0
				1	104	22.26	0
				50	0	21.46	1
				50	28	22.40	0
				50	56	21.30	1
				100	0	21.43	1
			16QAM	1	1	21.47	1
			64QAM	1	1	19.94	2.5
			256QAM	1	1	18.01	4.5
		CP	QPSK	1	1	20.95	1.5

L.2 NR Band Maximum Conducted Power (Upper Antenna)

NR FDD Band n2 Conducted Power_ Measured Folder Open Free (RSI 0),

Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)

_ SUB5 [Ant I]

NR FDD Band n2 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376000	381500	
						1852.5 MHz	1880 MHz	1907.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.45	15.13	15.02	0
				1	13	15.35	15.09	14.91	0
				1	23	15.30	15.12	14.96	0
				12	0	15.50	15.16	14.99	0
				12	7	15.44	15.18	15.06	0
				12	13	15.32	15.16	15.04	0
			QPSK	25	0	15.36	15.17	15.09	0
				1	1	15.42	15.12	15.07	0
				1	13	15.30	15.09	14.95	0
				1	23	15.25	15.18	15.00	0
				12	0	15.40	15.24	15.01	0
				12	7	15.36	15.20	15.01	0
				12	13	15.26	15.19	15.03	0
				25	0	15.37	15.19	15.05	0
			16QAM	1	1	15.23	15.34	14.98	0
			64QAM	1	1	15.27	15.16	15.12	0
			256QAM	1	1	15.27	15.22	14.80	0
		CP	QPSK	1	1	15.31	15.09	15.04	0

NR FDD Band n2 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376000	381000	
						1855 MHz	1880 MHz	1905 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.19	14.97	14.93	0
				1	26	15.25	15.16	15.14	0
				1	50	15.10	15.05	14.89	0
				25	0	15.21	15.05	14.95	0
				25	14	15.10	15.04	14.97	0
				25	27	15.10	15.07	14.95	0
			QPSK	50	0	15.17	15.00	15.00	0
				1	1	15.21	15.04	14.94	0
				1	26	15.27	15.17	15.00	0
				1	50	15.14	15.04	14.96	0
				25	0	15.20	15.03	14.96	0
				25	14	15.14	15.04	14.98	0
				25	27	15.17	15.06	14.96	0
				50	0	15.13	15.05	14.94	0
			16QAM	1	1	15.30	15.14	14.85	0
			64QAM	1	1	15.22	15.10	15.05	0
			256QAM	1	1	15.18	15.05	14.96	0
		CP	QPSK	1	1	15.24	15.05	14.84	0

NR FDD Band n2 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376000	380500	
						1857.5 MHz	1880 MHz	1902.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.13	15.14	14.88	0
				1	40	15.01	14.90	14.83	0
				1	77	15.09	14.93	14.89	0
				36	0	15.09	15.02	14.90	0
				36	22	15.10	14.98	14.88	0
				36	43	15.12	15.06	14.94	0
			QPSK	75	0	15.10	14.99	14.89	0
				1	1	15.19	15.03	14.91	0
				1	40	14.99	15.00	14.81	0
				1	77	15.15	15.05	14.86	0
				36	0	15.09	15.04	14.87	0
				36	22	15.09	15.04	14.94	0
				36	43	15.10	15.07	14.93	0
				75	0	15.11	15.04	14.94	0
			16QAM	1	1	15.18	15.09	14.81	0
			64QAM	1	1	15.34	15.00	14.83	0
			256QAM	1	1	15.08	14.89	15.17	0
		CP	QPSK	1	1	15.19	15.03	14.94	0

NR FDD Band n2 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376000	380000	
						1860 MHz	1880 MHz	1900 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.10	14.99	14.98	0
				1	53	15.22	15.14	15.01	0
				1	104	14.96	14.93	14.89	0
				50	0	15.10	14.94	14.91	0
				50	28	15.12	15.02	14.95	0
				50	56	15.09	15.05	14.96	0
				100	0	15.07	15.01	14.98	0
			QPSK	1	1	15.22	15.00	15.05	0
				1	53	15.16	15.07	14.99	0
				1	104	15.06	14.99	14.97	0
				50	0	15.11	15.02	14.93	0
				50	28	15.09	15.04	14.97	0
				50	56	15.10	15.06	14.99	0
				100	0	15.13	15.02	14.94	0
			16QAM	1	1	15.16	15.08	14.99	0
			64QAM	1	1	15.41	14.92	15.20	0
			256QAM	1	1	15.11	14.96	15.04	0
		CP	QPSK	1	1	15.13	15.04	14.99	0

NR FDD Band n2 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		379500	
						1862.5 MHz		1897.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.88		14.96	0
				1	66	15.15		15.09	0
				1	131	14.92		14.86	0
				64	0	15.10		15.02	0
				64	35	15.06		14.86	0
				64	69	15.05		14.93	0
				128	0	15.09		14.94	0
			QPSK	1	1	15.18		15.02	0
				1	66	15.17		15.05	0
				1	131	15.01		14.95	0
				64	0	15.11		15.00	0
				64	35	15.11		14.93	0
				64	69	15.09		15.00	0
				128	0	15.12		14.95	0
			16QAM	1	1	15.13		15.03	0
			64QAM	1	1	14.94		15.30	0
			256QAM	1	1	15.17		14.87	0
		CP	QPSK	1	1	15.13		15.09	0

NR FDD Band n2 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		379000	
						1865 MHz		1895 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.15		15.01	0
				1	80	15.20		15.00	0
				1	158	15.05		14.90	0
				80	0	15.07		15.04	0
				80	40	15.13		14.91	0
				80	80	15.08		14.91	0
				160	0	15.11		14.96	0
			QPSK	1	1	15.18		15.06	0
				1	80	15.21		15.11	0
				1	158	15.09		14.94	0
				80	0	15.08		15.02	0
				80	40	15.10		14.93	0
				80	80	15.13		14.98	0
				160	0	15.10		14.92	0
			16QAM	1	1	15.25		14.94	0
			64QAM	1	1	15.39		15.13	0
			256QAM	1	1	15.17		15.08	0
		CP	QPSK	1	1	15.15		14.94	0

NR FDD Band n2 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376000	
						1880 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.08	0
				1	98	14.99	0
				1	186	14.94	0
				90	0	15.06	0
				90	45	14.98	0
				90	90	14.99	0
				180	0	15.01	0
			QPSK	1	1	15.07	0
				1	98	15.02	0
				1	186	15.00	0
				90	0	15.07	0
				90	45	15.01	0
				90	90	14.99	0
				180	0	15.00	0
			16QAM	1	1	15.23	0
			64QAM	1	1	15.11	0
			256QAM	1	1	15.32	0
		CP	OPSK	1	1	15.06	0

NR FDD Band n2 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376000	
						1880 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.03	0
				1	108	15.18	0
				1	214	14.92	0
				108	0	14.98	0
				108	54	15.04	0
				108	108	14.95	0
				216	0	15.04	0
			QPSK	1	1	15.11	0
				1	108	15.09	0
				1	214	14.95	0
				108	0	15.03	0
				108	54	15.01	0
				108	108	15.00	0
				216	0	15.04	0
			16QAM	1	1	15.18	0
			64QAM	1	1	15.07	0
			256QAM	1	1	15.02	0
		CP	QPSK	1	1	15.04	0

NR FDD Band n2 Conducted Power_ Measured Folder Open RCV(RSI 1)_

SUB5 [Ant I]

NR FDD Band n2 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376000	381500	
						1852.5 MHz	1880 MHz	1907.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.05	14.99	14.86	0
				1	13	15.08	14.94	14.85	0
				1	23	15.04	14.97	14.91	0
				12	0	15.21	14.96	14.84	0
				12	7	15.16	14.99	14.87	0
				12	13	15.04	15.03	14.94	0
				25	0	15.16	14.98	14.92	0
			QPSK	1	1	15.20	15.03	14.90	0
				1	13	15.10	14.98	14.82	0
				1	23	15.08	15.00	14.84	0
				12	0	15.16	14.96	14.93	0
				12	7	15.12	15.03	14.95	0
				12	13	15.02	15.04	14.93	0
				25	0	15.16	15.02	14.91	0
			16QAM	1	1	15.17	14.93	14.78	0
			64QAM	1	1	15.28	14.76	15.26	0
			256QAM	1	1	15.01	14.89	14.88	0
		CP	QPSK	1	1	15.09	14.91	14.87	0

R FDD Band n2 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376000	381000	
						1855 MHz	1880 MHz	1905 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.03	14.96	14.82	0
				1	26	15.07	14.92	14.85	0
				1	50	15.01	14.95	14.89	0
				25	0	15.19	14.96	14.82	0
				25	14	15.13	14.96	14.85	0
				25	27	15.03	14.99	14.91	0
				50	0	15.12	14.95	14.91	0
			QPSK	1	1	15.18	15.02	14.89	0
				1	26	15.09	14.96	14.78	0
				1	50	15.05	14.98	14.84	0
				25	0	15.14	14.96	14.91	0
				25	14	15.10	15.00	14.93	0
				25	27	15.02	15.03	14.89	0
				50	0	15.13	15.00	14.91	0
			16QAM	1	1	15.14	14.89	14.77	0
			64QAM	1	1	15.23	14.73	15.23	0
			256QAM	1	1	15.00	14.86	14.86	0
		CP	QPSK	1	1	15.09	14.89	14.85	0

NR FDD Band n2 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376000	380500	
						1857.5 MHz	1880 MHz	1902.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.08	14.99	14.86	0
				1	40	15.11	14.97	14.89	0
				1	77	15.06	14.99	14.93	0
				36	0	15.23	14.98	14.86	0
				36	22	15.17	14.99	14.89	0
				36	43	15.05	15.04	14.94	0
				75	0	15.16	15.00	14.93	0
			QPSK	1	1	15.21	15.05	14.92	0
				1	40	15.12	14.98	14.84	0
				1	77	15.10	15.01	14.86	0
				36	0	15.18	14.99	14.93	0
				36	22	15.13	15.03	14.97	0
				36	43	15.06	15.05	14.95	0
				75	0	15.18	15.04	14.93	0
			16QAM	1	1	15.19	14.94	14.80	0
			64QAM	1	1	15.30	14.78	15.28	0
			256QAM	1	1	15.03	14.91	14.90	0
		CP	QPSK	1	1	15.11	14.92	14.89	0

NR FDD Band n2 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376000	380000	
						1860 MHz	1880 MHz	1900 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.09	15.01	14.89	0
				1	53	15.12	14.98	14.90	0
				1	104	15.07	15.01	14.95	0
				50	0	15.25	15.00	14.88	0
				50	28	15.19	15.02	14.91	0
				50	56	15.08	15.06	14.96	0
				100	0	15.19	15.02	14.96	0
			QPSK	1	1	15.23	15.07	14.93	0
				1	53	15.14	15.01	14.86	0
				1	104	15.12	15.03	14.88	0
				50	0	15.20	15.01	14.96	0
				50	28	15.15	15.05	14.98	0
				50	56	15.07	15.07	14.96	0
				100	0	15.19	15.06	14.95	0
			16QAM	1	1	15.20	14.95	14.81	0
			64QAM	1	1	15.31	14.80	15.29	0
			256QAM	1	1	15.06	14.93	14.92	0
		CP	QPSK	1	1	15.13	14.95	14.90	0

NR FDD Band n2 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		379500	
						1862.5 MHz		1897.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.05		14.86	0
				1	66	15.07		14.86	0
				1	131	15.03		14.91	0
				64	0	15.22		14.84	0
				64	35	15.16		14.88	0
				64	69	15.05		14.93	0
			QPSK	128	0	15.16		14.91	0
				1	1	15.20		14.89	0
				1	66	15.10		14.83	0
				1	131	15.09		14.84	0
				64	0	15.16		14.91	0
				64	35	15.12		14.93	0
				64	69	15.03		14.92	0
				128	0	15.14		14.91	0
				16QAM	1	1	15.16	14.78	0
				64QAM	1	1	15.27	15.25	0
				256QAM	1	1	15.03	14.88	0
		CP	QPSK	1	1	15.09		14.85	0

NR FDD Band n2 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		379000	
						1865 MHz		1895 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.05		14.87	0
				1	80	15.10		14.86	0
				1	158	15.03		14.93	0
				80	0	15.23		14.86	0
				80	40	15.17		14.89	0
				80	80	15.06		14.93	0
			QPSK	160	0	15.16		14.94	0
				1	1	15.21		14.90	0
				1	80	15.12		14.83	0
				1	158	15.09		14.86	0
				80	0	15.18		14.94	0
				80	40	15.14		14.96	0
				80	80	15.05		14.93	0
				160	0	15.16		14.93	0
			16QAM	1	1	15.17		14.77	0
			64QAM	1	1	15.27		15.26	0
			256QAM	1	1	15.04		14.89	0
		CP	QPSK	1	1	15.11		14.86	0

NR FDD Band n2 _ 35 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376000	
						1880 Mhz	
35 Mhz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.96	0
				1	98	14.93	0
				1	186	14.98	0
				90	0	14.97	0
				90	45	14.98	0
				90	90	15.01	0
				180	0	14.97	0
			QPSK	1	1	15.01	0
				1	98	14.96	0
				1	186	14.97	0
				90	0	14.97	0
				90	45	14.99	0
				90	90	15.02	0
				180	0	15.03	0
			16QAM	1	1	14.90	0
			64QAM	1	1	14.76	0
			256QAM	1	1	14.89	0
		CP	QPSK	1	1	14.90	0

NR FDD Band n2 _ 40 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376000	
						1880 Mhz	
40 Mhz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.98	0
				1	108	14.95	0
				1	214	14.98	0
				108	0	14.97	0
				108	54	14.97	0
				108	108	15.02	0
				216	0	14.97	0
			QPSK	1	1	15.04	0
				1	108	14.96	0
				1	214	14.98	0
				108	0	14.97	0
				108	54	15.01	0
				108	108	15.03	0
				216	0	15.02	0
			16QAM	1	1	14.91	0
			64QAM	1	1	14.77	0
			256QAM	1	1	14.90	0
		CP	QPSK	1	1	14.92	0

**NR FDD Band n25 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)
_ SUB5 [Ant I]**

NR FDD Band n25 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376500	382500	
						1852.5 MHz	1882.5 MHz	1912.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.97	15.83	15.73	0
				1	13	15.91	15.76	15.68	0
				1	23	15.88	15.86	15.76	0
				12	0	16.06	15.86	15.77	0
				12	7	15.98	15.84	15.80	0
				12	13	15.95	15.88	15.82	0
				25	0	16.01	15.87	15.79	0
			QPSK	1	1	15.99	15.86	15.72	0
				1	13	15.94	15.76	15.71	0
				1	23	15.94	15.89	15.82	0
				12	0	16.05	15.85	15.81	0
				12	7	16.04	15.85	15.79	0
				12	13	15.94	15.92	15.84	0
				25	0	16.07	15.89	15.84	0
			16QAM	1	1	16.14	15.96	15.71	0
			64QAM	1	1	16.04	15.97	15.82	0
			256QAM	1	1	15.99	15.87	15.73	0
		CP	QPSK	1	1	15.98	15.75	15.67	0

NR FDD Band n25 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376500	382000	
						1855 MHz	1882.5 MHz	1910 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.00	15.82	15.69	0
				1	26	16.00	15.96	15.83	0
				1	50	15.93	15.83	15.77	0
				25	0	16.01	15.86	15.79	0
				25	14	15.95	15.88	15.71	0
				25	27	15.91	15.83	15.79	0
			QPSK	50	0	15.93	15.91	15.71	0
				1	1	16.02	15.79	15.77	0
				1	26	16.02	15.93	15.78	0
				1	50	15.91	15.83	15.85	0
				25	0	16.01	15.88	15.77	0
				25	14	15.91	15.84	15.72	0
				25	27	15.93	15.90	15.83	0
				50	0	15.92	15.90	15.74	0
			16QAM	1	1	15.96	15.85	15.82	0
			64QAM	1	1	16.08	15.88	15.75	0
			256QAM	1	1	15.96	15.77	15.47	0
		CP	QPSK	1	1	15.94	15.78	15.78	0

NR FDD Band n25 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376500	381500	
						1857.5 MHz	1882.5 MHz	1907.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.95	15.85	15.73	0
				1	40	15.76	15.70	15.69	0
				1	77	15.95	15.79	15.77	0
				36	0	15.96	15.84	15.77	0
				36	22	15.90	15.85	15.81	0
				36	43	15.94	15.86	15.80	0
			QPSK	75	0	15.97	15.80	15.79	0
				1	1	16.06	15.88	15.81	0
				1	40	15.85	15.79	15.72	0
				1	77	15.96	15.77	15.85	0
				36	0	15.93	15.86	15.81	0
				36	22	15.87	15.85	15.81	0
				36	43	15.95	15.84	15.84	0
				75	0	15.97	15.85	15.80	0
			16QAM	1	1	16.07	15.90	15.54	0
			64QAM	1	1	16.23	15.96	15.81	0
			256QAM	1	1	16.02	15.83	15.67	0
		CP	QPSK	1	1	15.98	15.89	15.64	0

NR FDD Band n25 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376500	381000	
						1860 MHz	1882.5 MHz	1905 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.98	15.84	15.75	0
				1	53	16.05	15.95	15.94	0
				1	104	15.91	15.85	15.77	0
				50	0	15.91	15.85	15.79	0
				50	28	15.96	15.88	15.82	0
				50	56	15.95	15.81	15.73	0
				100	0	15.91	15.90	15.77	0
			QPSK	1	1	15.99	15.85	15.87	0
				1	53	16.05	16.00	15.90	0
				1	104	15.88	15.87	15.81	0
				50	0	15.95	15.86	15.80	0
				50	28	15.95	15.91	15.83	0
				50	56	15.94	15.87	15.73	0
				100	0	15.95	15.87	15.80	0
			16QAM	1	1	15.86	15.80	15.86	0
			64QAM	1	1	16.10	15.89	15.91	0
			256QAM	1	1	16.17	15.93	15.76	0
		CP	QPSK	1	1	16.00	15.80	15.72	0

NR FDD Band n25 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		380500	
						1862.5 MHz		1902.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.96		15.79	0
				1	66	16.06		15.87	0
				1	131	15.80		15.76	0
				64	0	15.95		15.82	0
				64	35	15.91		15.76	0
				64	69	15.90		15.77	0
				128	0	15.99		15.80	0
			QPSK	1	1	16.02		15.82	0
				1	66	15.98		15.84	0
				1	131	15.86		15.85	0
				64	0	15.95		15.85	0
				64	35	15.98		15.82	0
				64	69	15.93		15.80	0
				128	0	15.97		15.79	0
			16QAM	1	1	15.95		15.88	0
			64QAM	1	1	15.94		15.94	0
			256QAM	1	1	16.06		15.85	0
		CP	QPSK	1	1	16.01		15.84	0

NR FDD Band n25 _ 30 MHz Bandwidth Conducted Power

Bandwidth h	SCS(kHz)	OFDM	Modulation n	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		380000	
						1865 MHz		1900 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.02		15.89	0
				1	80	16.12		15.86	0
				1	158	15.92		15.81	0
				80	0	15.91		15.84	0
				80	40	15.97		15.75	0
				80	80	15.98		15.81	0
				160	0	15.99		15.81	0
			QPSK	1	1	16.07		15.92	0
				1	80	16.01		15.97	0
				1	158	15.88		15.90	0
				80	0	15.99		15.92	0
				80	40	16.00		15.85	0
				80	80	15.96		15.81	0
				160	0	15.98		15.84	0
			16QAM	1	1	16.22		15.98	0
			64QAM	1	1	16.27		15.94	0
			256QAM	1	1	16.19		15.90	0
		CP	QPSK	1	1	15.91		15.84	0

NR FDD Band n25 _ 35 MHz Bandwidth Conducted Power

Bandwidth h	SCS(kHz)	OFDM	Modulation n	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						376500			
						1882.5 MHz			
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.84			0
				1	98	15.86			0
				1	186	15.73			0
				90	0	15.84			0
				90	45	15.85			0
				90	90	15.78			0
				180	0	15.89			0
			QPSK	1	1	15.90			0
				1	98	15.92			0
				1	186	15.79			0
				90	0	15.81			0
				90	45	15.89			0
				90	90	15.83			0
				180	0	15.87			0
			16QAM	1	1	15.88			0
			64QAM	1	1	16.06			0
			256QAM	1	1	15.85			0
		CP	QPSK	1	1	15.95			0

NR FDD Band n25 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376500	
						1882.5 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.55	0
				1	108	15.70	0
				1	214	15.47	0
				108	0	15.60	0
				108	54	15.58	0
				108	108	15.62	0
				216	0	15.55	0
			QPSK	1	1	15.60	0
				1	108	15.69	0
				1	214	15.48	0
				108	0	15.64	0
				108	54	15.59	0
				108	108	15.57	0
				216	0	15.56	0
			16QAM	1	1	15.78	0
			64QAM	1	1	15.42	0
			256QAM	1	1	15.55	0
		CP	QPSK	1	1	15.59	0

NR FDD Band n25 Conducted Power_ Measured Folder Open RCV(RSI 1)_

SUB5 [Ant I]

NR FDD Band n25 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376500	382500	
						1852.5 MHz	1882.5 MHz	1912.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.36	15.28	15.17	0
				1	13	15.30	15.21	15.14	0
				1	23	15.29	15.29	15.21	0
				12	0	15.39	15.26	15.21	0
				12	7	15.44	15.32	15.26	0
				12	13	15.33	15.29	15.28	0
				25	0	15.42	15.29	15.24	0
			QPSK	1	1	15.42	15.25	15.20	0
				1	13	15.34	15.18	15.15	0
				1	23	15.34	15.30	15.25	0
				12	0	15.48	15.26	15.22	0
				12	7	15.44	15.30	15.27	0
				12	13	15.34	15.31	15.22	0
				25	0	15.42	15.29	15.23	0
			16QAM	1	1	15.46	15.24	15.19	0
			64QAM	1	1	15.60	15.41	15.39	0
			256QAM	1	1	15.62	15.43	15.16	0
		CP	QPSK	1	1	15.39	15.27	15.24	0

NR FDD Band n25 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376500	382000	
						1855 MHz	1882.5 MHz	1910 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.41	15.19	15.18	0
				1	26	15.46	15.33	15.40	0
				1	50	15.41	15.30	15.24	0
				25	0	15.36	15.30	15.22	0
				25	14	15.31	15.29	15.17	0
				25	27	15.35	15.29	15.28	0
				50	0	15.29	15.23	15.16	0
			QPSK	1	1	15.42	15.25	15.18	0
				1	26	15.41	15.32	15.21	0
				1	50	15.34	15.29	15.30	0
				25	0	15.41	15.33	15.20	0
				25	14	15.32	15.32	15.16	0
				25	27	15.31	15.26	15.27	0
				50	0	15.32	15.27	15.21	0
			16QAM	1	1	15.44	15.30	15.29	0
			64QAM	1	1	15.76	15.35	15.17	0
			256QAM	1	1	15.39	15.23	15.10	0
		CP	QPSK	1	1	15.36	15.12	15.44	0

NR FDD Band n25 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376500	381500	
						1857.5 MHz	1882.5 MHz	1907.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.36	15.19	15.15	0
				1	40	15.26	15.22	15.11	0
				1	77	15.39	15.24	15.24	0
				36	0	15.33	15.27	15.20	0
				36	22	15.34	15.30	15.23	0
				36	43	15.42	15.31	15.22	0
				75	0	15.35	15.30	15.22	0
			QPSK	1	1	15.41	15.29	15.23	0
				1	40	15.25	15.20	15.12	0
				1	77	15.40	15.27	15.28	0
				36	0	15.34	15.30	15.27	0
				36	22	15.37	15.32	15.24	0
				36	43	15.42	15.32	15.29	0
				75	0	15.39	15.34	15.26	0
			16QAM	1	1	15.46	15.45	15.36	0
			64QAM	1	1	15.62	15.46	15.37	0
			256QAM	1	1	15.56	15.19	15.14	0
		CP	QPSK	1	1	15.46	15.36	15.16	0

NR FDD Band n25 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376500	381000	
						1860 MHz	1882.5 MHz	1905 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.38	15.29	15.20	0
				1	53	15.53	15.43	15.42	0
				1	104	15.31	15.32	15.25	0
				50	0	15.40	15.31	15.23	0
				50	28	15.39	15.33	15.29	0
				50	56	15.43	15.34	15.21	0
				100	0	15.40	15.34	15.27	0
			QPSK	1	1	15.45	15.34	15.26	0
				1	53	15.47	15.33	15.31	0
				1	104	15.36	15.30	15.23	0
				50	0	15.36	15.29	15.27	0
				50	28	15.40	15.32	15.29	0
				50	56	15.38	15.33	15.23	0
				100	0	15.39	15.30	15.27	0
			16QAM	1	1	15.28	15.26	15.29	0
			64QAM	1	1	15.46	15.38	15.43	0
			256QAM	1	1	15.64	15.07	15.19	0
		CP	QPSK	1	1	15.40	15.34	15.26	0

NR FDD Band n25 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		380500	
						1862.5 MHz		1902.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.47		15.26	0
				1	66	15.53		15.31	0
				1	131	15.25		15.28	0
				64	0	15.41		15.29	0
				64	35	15.37		15.26	0
				64	69	15.43		15.25	0
				128	0	15.38		15.25	0
			QPSK	1	1	15.54		15.34	0
				1	66	15.47		15.28	0
				1	131	15.31		15.29	0
				64	0	15.40		15.29	0
				64	35	15.41		15.21	0
				64	69	15.42		15.25	0
				128	0	15.44		15.25	0
			16QAM	1	1	15.32		15.24	0
			64QAM	1	1	15.29		15.38	0
			256QAM	1	1	15.46		15.06	0
		CP	QPSK	1	1	15.43		15.34	0

NR FDD Band n25 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		380000	
						1865 MHz		1900 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.44		15.34	0
				1	80	15.62		15.31	0
				1	158	15.34		15.29	0
				80	0	15.35		15.30	0
				80	40	15.44		15.28	0
				80	80	15.49		15.30	0
				160	0	15.47		15.29	0
			QPSK	1	1	15.55		15.40	0
				1	80	15.43		15.36	0
				1	158	15.43		15.35	0
				80	0	15.39		15.29	0
				80	40	15.45		15.31	0
				80	80	15.47		15.27	0
				160	0	15.44		15.30	0
			16QAM	1	1	15.50		15.49	0
			64QAM	1	1	15.52		15.33	0
			256QAM	1	1	15.49		15.28	0
		CP	QPSK	1	1	15.50		15.35	0

NR FDD Band n25 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376500	
						1882.5 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.28	0
				1	98	15.30	0
				1	186	15.18	0
				90	0	15.30	0
				90	45	15.33	0
				90	90	15.25	0
				180	0	15.37	0
			QPSK	1	1	15.40	0
				1	98	15.33	0
				1	186	15.23	0
				90	0	15.33	0
				90	45	15.35	0
				90	90	15.28	0
				180	0	15.30	0
			16QAM	1	1	15.32	0
			64QAM	1	1	15.32	0
			256QAM	1	1	15.32	0
		CP	QPSK	1	1	15.21	0

NR FDD Band n25 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376500	
						1882.5 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.36	0
				1	108	15.40	0
				1	214	15.20	0
				108	0	15.34	0
				108	54	15.33	0
				108	108	15.37	0
				216	0	15.31	0
			QPSK	1	1	15.38	0
				1	108	15.45	0
				1	214	15.23	0
				108	0	15.37	0
				108	54	15.35	0
				108	108	15.36	0
				216	0	15.32	0
			16QAM	1	1	15.42	0
			64QAM	1	1	15.63	0
			256QAM	1	1	15.33	0
		CP	QPSK	1	1	15.31	0

NR TDD Band n41 Conducted Power_ Measured Folder Open Free (RSI 0), _
Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)
_ SUB5 [Ant I]

NR TDD Band n41 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500202	509400	518598	527802	537000	
						2501.01 MHz	2547 MHz	2592.99 MHz	2639.01 MHz	2685 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	17.54	17.60	17.06	17.25	17.18	0
				1	12	17.61	17.36	17.11	17.31	17.09	0
				1	22	17.75	17.59	17.12	17.09	17.27	0
				12	0	17.56	17.50	17.26	17.09	17.14	0
				12	6	17.49	17.25	17.13	17.28	17.10	0
				12	12	17.52	17.21	17.16	17.10	17.32	0
			QPSK	24	0	17.44	17.34	17.34	17.06	17.14	0
				1	1	17.52	17.47	17.19	17.41	17.04	0
				1	12	17.36	17.50	17.05	17.26	17.11	0
				1	22	17.72	17.64	17.26	17.22	17.12	0
				12	0	17.68	17.47	17.29	17.07	17.24	0
				12	6	17.53	17.51	17.35	17.01	17.09	0
				12	12	17.75	17.54	17.16	17.15	17.02	0
				24	0	17.67	17.40	17.18	17.12	17.05	0
			16QAM	1	1	17.57	17.31	17.39	17.28	17.62	0
			64QAM	1	1	17.61	17.08	17.33	17.13	17.51	0
			256QAM	1	1	17.62	17.65	17.06	17.18	17.78	0
		CP	QPSK	1	1	17.64	17.37	17.28	17.20	17.64	0

NR TDD Band n41 _15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500700	509664	518598	527562	536496	
						2503.5	2548.32	2592.99	2637.81	2682.48	
						MHz	MHz	MHz	MHz	MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	17.60	17.42	17.13	17.04	17.00	0
				1	18	17.73	17.60	17.35	16.87	17.19	0
				1	36	17.89	17.58	17.43	17.20	17.19	0
				18	0	17.55	17.53	17.27	17.75	17.01	0
				18	9	17.41	17.21	17.07	17.27	17.23	0
				18	18	17.79	17.62	17.28	17.35	17.17	0
				36	0	17.71	17.41	17.30	17.14	17.05	0
			QPSK	1	1	17.70	17.62	17.26	17.05	17.13	0
				1	18	17.68	17.45	17.19	16.97	17.26	0
				1	36	17.62	17.49	17.47	16.87	17.22	0
				18	0	17.42	17.40	17.53	17.11	17.02	0
				18	9	17.49	17.52	17.26	17.20	16.95	0
				18	18	17.59	17.52	17.21	17.25	17.22	0
				36	0	17.61	17.60	17.04	17.20	17.10	0
			16QAM	1	1	17.58	17.65	17.36	17.17	17.20	0
			64QAM	1	1	17.52	17.55	17.19	17.18	16.96	0
			256QAM	1	1	17.48	17.57	17.15	17.08	16.99	0
		CP	QPSK	1	1	17.57	17.45	17.28	17.14	17.01	0

NR TDD Band n41 _20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501204	509898	518598	527298	535998	
						2506.02	2549.49	2592.99	2636.49	2679.99	
						MHz	MHz	MHz	MHz	MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	17.55	17.41	17.12	17.20	16.93	0
				1	26	17.36	17.17	17.06	16.97	16.90	0
				1	49	17.70	17.35	17.08	17.25	16.83	0
				25	0	17.42	17.30	17.16	17.20	16.95	0
				25	13	17.35	17.25	17.04	17.03	17.11	0
				25	26	17.52	17.37	17.32	17.06	16.97	0
				50	0	17.60	17.10	17.10	17.07	17.00	0
			QPSK	1	1	17.43	17.48	17.24	17.26	17.05	0
				1	26	17.52	17.51	17.06	17.06	17.11	0
				1	49	17.57	17.30	17.07	17.28	17.08	0
				25	0	17.48	17.43	17.00	16.92	16.99	0
				25	13	17.58	17.12	16.95	17.02	16.95	0
				25	26	17.36	17.24	17.01	16.95	17.08	0
				50	0	17.48	17.41	17.24	17.03	17.16	0
			16QAM	1	1	17.33	17.41	17.40	17.29	17.42	0
			64QAM	1	1	17.37	17.09	16.93	16.94	17.37	0
			256QAM	1	1	17.38	17.40	17.06	17.09	17.54	0
		CP	QPSK	1	1	17.60	17.42	17.19	17.26	17.55	0

NR TDD Band n41_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501702	510150	518598	527046	535500	
						2508.51	2550.75	2592.99	2635.23	2677.50	
						MHz	MHz	MHz	MHz	MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	17.65	17.57	17.39	17.41	17.13	0
				1	32	17.79	17.62	17.47	17.27	17.21	0
				1	63	17.60	17.63	17.60	17.45	17.29	0
				32	0	17.73	17.62	17.31	17.31	17.17	0
				32	17	17.64	17.52	17.26	17.65	17.13	0
				32	33	17.55	17.61	17.37	17.28	17.28	0
				64	0	17.73	17.39	17.39	17.43	17.25	0
			QPSK	1	1	17.60	17.51	17.30	17.13	17.07	0
				1	32	17.74	17.49	17.22	17.31	17.22	0
				1	63	17.65	17.73	17.43	17.28	17.23	0
				32	0	17.50	17.46	17.28	17.47	17.10	0
				32	17	17.50	17.51	17.33	17.42	17.14	0
				32	33	17.53	17.50	17.28	17.39	17.44	0
				64	0	17.48	17.41	17.29	17.25	17.32	0
			16QAM	1	1	17.61	17.39	17.30	17.35	17.19	0
			64QAM	1	1	17.65	17.46	17.31	17.22	17.05	0
			256QAM	1	1	17.93	17.60	17.46	17.34	17.03	0
		CP	QPSK	1	1	17.40	17.41	17.15	17.33	17.24	0

NR TDD Band n41_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						502200	510402	518598	526800	534996	
						2511	2552.01	2592.99	2634	2674.98	
						MHz	MHz	MHz	MHz	MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	17.51	17.27	16.98	16.60	16.65	0
				1	39	17.34	17.21	17.00	16.57	16.85	0
				1	76	17.45	17.33	17.19	16.66	16.95	0
				36	0	17.21	17.03	17.03	16.46	16.62	0
				36	21	17.37	16.96	16.78	16.97	16.64	0
				36	42	17.54	17.47	17.23	16.86	16.83	0
				75	0	17.27	17.11	16.86	17.09	16.71	0
			QPSK	1	1	17.11	17.33	17.06	16.96	16.69	0
				1	39	17.44	17.06	17.00	16.68	16.92	0
				1	76	17.33	17.29	17.13	16.58	16.78	0
				36	0	17.28	17.06	16.98	16.87	16.83	0
				36	21	17.15	17.07	17.21	16.76	16.71	0
				36	42	17.54	17.03	17.11	16.90	16.77	0
				75	0	17.41	17.11	17.05	16.90	16.85	0
			16QAM	1	1	17.13	17.16	16.97	17.07	17.06	0
			64QAM	1	1	17.17	17.21	16.89	16.99	16.66	0
			256QAM	1	1	17.08	17.53	16.75	16.79	16.89	0
		CP	QPSK	1	1	17.12	17.21	16.99	17.05	16.57	0

NR TDD Band n41 _40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						503202	513468		523734	534000	
						2516.01 MHz	2567.34 MHz		2618.67 MHz	2670 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	17.61	17.54		17.18	17.80	0
				1	53	17.79	17.62		17.51	17.75	0
				1	104	17.81	17.56		17.52	17.83	0
				50	0	17.79	17.49		17.33	17.76	0
				50	28	17.79	17.49		17.29	17.61	0
				50	56	17.70	17.56		17.58	17.54	0
				100	0	17.88	17.29		17.55	17.53	0
			QPSK	1	1	17.56	17.21		17.35	17.41	0
				1	53	17.74	17.49		17.45	17.51	0
				1	104	17.56	17.33		17.57	17.61	0
				50	0	17.61	17.57		17.37	17.32	0
				50	28	17.75	17.57		17.51	17.28	0
				50	56	17.69	17.57		17.53	17.62	0
				100	0	17.68	17.33		17.65	17.60	0
			16QAM	1	1	17.56	17.49		17.18	17.22	0
			64QAM	1	1	17.61	17.67		17.46	17.29	0
			256QAM	1	1	17.84	17.49		17.14	17.06	0
		CP	QPSK	1	1	17.46	17.38		17.25	17.32	0

NR TDD Band n41 _50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						504204		518598		532998	
						2521.02 MHz		2592.99 MHz		2664.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	17.63		17.63		17.48	0
				1	67	17.89		17.60		17.46	0
				1	131	17.65		17.83		17.63	0
				64	0	17.66		17.69		17.45	0
				64	35	17.91		17.56		17.48	0
				64	69	17.94		17.75		17.51	0
				128	0	17.88		17.41		17.48	0
			QPSK	1	1	17.75		17.74		17.44	0
				1	67	17.99		17.44		17.47	0
				1	131	17.67		17.86		17.56	0
				64	0	17.91		17.55		17.43	0
				64	35	17.84		17.64		17.45	0
				64	69	17.78		17.65		17.52	0
				128	0	17.84		17.52		17.42	0
			16QAM	1	1	17.92		17.65		17.53	0
			64QAM	1	1	17.90		17.49		17.69	0
			256QAM	1	1	17.91		17.78		16.98	0
		CP	QPSK	1	1	17.75		17.73		17.51	0

NR TDD Band n41 _60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						505200		518598			531996
						2526 MHz		2592.99 MHz			2659.98 MHz
60 MHz	30	DFT-s	pi/2 BPSK	1	1	17.54		17.47		17.17	0
				1	81	17.72		17.39		17.27	0
				1	160	17.53		17.59		17.22	0
				81	0	17.48		17.30		17.33	0
				81	41	17.43		17.30		17.27	0
				81	81	17.35		17.60		17.38	0
				162	0	17.69		17.31		17.30	0
			QPSK	1	1	17.44		17.50		17.30	0
				1	81	17.74		17.30		17.27	0
				1	160	17.41		17.34		17.45	0
				81	0	17.45		17.46		17.23	0
				81	41	17.52		17.08		17.35	0
				81	81	17.43		17.30		17.29	0
				162	0	17.37		17.03		17.31	0
			16QAM	1	1	17.46		17.39		17.29	0
			64QAM	1	1	17.55		17.02		17.45	0
			256QAM	1	1	17.51		17.33		17.31	0
		CP	QPSK	1	1	17.52		17.38		17.27	0

NR TDD Band n41 _70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						506208					530994
						2531.04 MHz					2654.97 MHz
70 MHz	30	DFT-s	pi/2 BPSK	1	1	17.58				17.31	0
				1	81	17.60				17.16	0
				1	160	17.60				17.80	0
				81	0	17.57				17.17	0
				81	41	17.57				17.43	0
				81	81	17.63				17.39	0
				162	0	17.60				17.46	0
			QPSK	1	1	17.49				17.34	0
				1	81	17.58				17.13	0
				1	160	17.52				17.50	0
				81	0	17.44				17.30	0
				81	41	17.55				17.31	0
				81	81	17.52				17.42	0
				162	0	17.37				17.23	0
			16QAM	1	1	17.64				17.46	0
			64QAM	1	1	17.48				17.21	0
			256QAM	1	1	17.59				17.43	0
		CP	QPSK	1	1	17.56				17.39	0

NR TDD Band n41_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						507204					529998
						2536.02 MHz					2649.99 MHz
80 MHz	30	DFT-s	pi/2 BPSK	1	1	17.76				16.77	0
				1	109	17.37				17.00	0
				1	215	17.22				17.55	0
				108	0	17.38				17.09	0
				108	55	17.34				17.10	0
				108	109	17.38				17.13	0
				216	0	17.43				16.86	0
			QPSK	1	1	17.83				16.74	0
				1	109	17.40				17.17	0
				1	215	17.20				17.29	0
				108	0	17.49				17.15	0
				108	55	17.33				17.19	0
				108	109	17.33				17.27	0
				216	0	17.19				17.18	0
			16QAM	1	1	17.53				16.65	0
			64QAM	1	1	17.69				16.73	0
			256QAM	1	1	17.64				16.56	0
		CP	QPSK	1	1	17.49				16.69	0

NR TDD Band n41_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						508200					528996
						2541 MHz					2644.98 MHz
90 MHz	30	DFT-s	pi/2 BPSK	1	1	17.60				16.24	0
				1	123	17.01				16.77	0
				1	243	16.67				17.15	0
				120	0	16.96				16.38	0
				120	63	16.88				16.57	0
				120	125	17.03				16.95	0
			QPSK	243	0	16.80				16.76	0
				1	1	17.52				16.00	0
				1	123	16.92				16.64	0
				1	243	16.56				17.04	0
				120	0	17.05				16.82	0
				120	63	17.04				16.78	0
				120	125	17.09				16.79	0
				243	0	16.90				16.95	0
			16QAM	1	1	17.61				16.35	0
			64QAM	1	1	17.55				16.38	0
			256QAM	1	1	17.60				16.07	0
		CP	QPSK	1	1	17.71				16.14	0

NR TDD Band n41 _100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
								518598		
								2592.99 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1			17.51		0
				1	137			17.21		0
				1	271			17.80		0
				135	0			17.22		0
				135	69			17.10		0
				135	138			17.62		0
				270	0			17.15		0
			QPSK	1	1			17.48		0
				1	137			17.10		0
				1	271			17.63		0
				135	0			17.19		0
				135	69			17.17		0
				135	138			17.43		0
				270	0			17.33		0
			16QAM	1	1			17.33		0
			64QAM	1	1			17.14		0
			256QAM	1	1			17.69		0
		CP	QPSK	1	1			17.04		0

NR TDD Band n41 Conducted Power_ Measured Folder Open RCV(RSI 1)_

SUB5 [Ant I]

NR TDD Band n41 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500202	509400	518598	527802	537000	
						2501.01 MHz	2547 MHz	2592.99 MHz	2639.01 MHz	2685 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	14.94	15.00	14.46	14.65	14.58	0
				1	12	15.01	14.76	14.51	14.71	14.49	0
				1	22	15.15	14.99	14.52	14.49	14.67	0
				12	0	14.96	14.90	14.66	14.49	14.54	0
				12	6	14.89	14.65	14.53	14.68	14.50	0
				12	12	14.92	14.61	14.56	14.50	14.72	0
				24	0	14.84	14.74	14.74	14.46	14.54	0
			QPSK	1	1	14.92	14.87	14.59	14.81	14.44	0
				1	12	14.76	14.90	14.45	14.66	14.51	0
				1	22	15.12	15.04	14.66	14.62	14.52	0
				12	0	15.08	14.87	14.69	14.47	14.64	0
				12	6	14.93	14.91	14.75	14.41	14.49	0
				12	12	15.15	14.94	14.56	14.55	14.42	0
				24	0	15.07	14.80	14.58	14.52	14.45	0
			16QAM	1	1	14.97	14.71	14.79	14.68	15.02	0
			64QAM	1	1	15.01	14.48	14.73	14.53	14.91	0
			256QAM	1	1	15.02	15.05	14.46	14.58	15.18	0
		CP	QPSK	1	1	15.04	14.77	14.68	14.60	15.04	0

NR TDD Band n41 _15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500700	509664	518598	527562	536496	
						2503.5 MHz	2548.32 MHz	2592.99 MHz	2637.81 MHz	2682.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	15.00	14.82	14.53	14.44	14.40	0
				1	18	15.13	15.00	14.75	14.27	14.59	0
				1	36	15.29	14.98	14.83	14.60	14.59	0
				18	0	14.95	14.93	14.67	15.15	14.41	0
				18	9	14.81	14.61	14.47	14.67	14.63	0
				18	18	15.19	15.02	14.68	14.75	14.57	0
				36	0	15.11	14.81	14.70	14.54	14.45	0
			QPSK	1	1	15.10	15.02	14.66	14.45	14.53	0
				1	18	15.08	14.85	14.59	14.37	14.66	0
				1	36	15.02	14.89	14.87	14.27	14.62	0
				18	0	14.82	14.80	14.93	14.51	14.42	0
				18	9	14.89	14.92	14.66	14.60	14.35	0
				18	18	14.99	14.92	14.61	14.65	14.62	0
				36	0	15.01	15.00	14.44	14.60	14.50	0
			16QAM	1	1	14.98	15.05	14.76	14.57	14.60	0
			64QAM	1	1	14.92	14.95	14.59	14.58	14.36	0
			256QAM	1	1	14.88	14.97	14.55	14.48	14.39	0
		CP	QPSK	1	1	14.97	14.85	14.68	14.54	14.41	0

NR TDD Band n41_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501204	509898	518598	527298	535998	
						2506.02	2549.49	2592.99	2636.49	2679.99	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	14.95	14.81	14.52	14.60	14.33	0
				1	26	14.76	14.57	14.46	14.37	14.30	0
				1	49	15.10	14.75	14.48	14.65	14.23	0
				25	0	14.82	14.70	14.56	14.60	14.35	0
				25	13	14.75	14.65	14.44	14.43	14.51	0
				25	26	14.92	14.77	14.72	14.46	14.37	0
				50	0	15.00	14.50	14.50	14.47	14.40	0
			QPSK	1	1	14.83	14.88	14.64	14.66	14.45	0
				1	26	14.92	14.91	14.46	14.46	14.51	0
				1	49	14.97	14.70	14.47	14.68	14.48	0
				25	0	14.88	14.83	14.40	14.32	14.39	0
				25	13	14.98	14.52	14.35	14.42	14.35	0
				25	26	14.76	14.64	14.41	14.35	14.48	0
				50	0	14.88	14.81	14.64	14.43	14.56	0
			16QAM	1	1	14.73	14.81	14.80	14.69	14.82	0
			64QAM	1	1	14.77	14.49	14.33	14.34	14.77	0
			256QAM	1	1	14.78	14.80	14.46	14.49	14.94	0
		CP	QPSK	1	1	15.00	14.82	14.59	14.66	14.95	0

NR TDD Band n41_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501702	510150	518598	527046	535500	
						2508.51	2550.75	2592.99	2635.23	2677.50	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	14.95	14.97	14.79	14.81	14.53	0
				1	32	15.09	15.02	14.87	14.67	14.61	0
				1	63	14.90	15.03	15.00	14.85	14.69	0
				32	0	15.03	15.02	14.71	14.71	14.57	0
				32	17	14.94	14.92	14.66	15.05	14.53	0
				32	33	14.85	15.01	14.77	14.68	14.68	0
				64	0	15.03	14.79	14.79	14.83	14.65	0
			QPSK	1	1	14.90	14.91	14.70	14.53	14.47	0
				1	32	15.04	14.89	14.62	14.71	14.62	0
				1	63	14.95	15.13	14.83	14.68	14.63	0
				32	0	14.80	14.86	14.68	14.87	14.50	0
				32	17	14.80	14.91	14.73	14.82	14.54	0
				32	33	14.83	14.90	14.68	14.79	14.84	0
				64	0	14.78	14.81	14.69	14.65	14.72	0
			16QAM	1	1	14.91	14.79	14.70	14.75	14.59	0
			64QAM	1	1	14.95	14.86	14.71	14.62	14.45	0
			256QAM	1	1	15.23	15.00	14.86	14.74	14.43	0
		CP	QPSK	1	1	14.70	14.81	14.55	14.73	14.64	0

NR TDD Band n41_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						502200	510402	518598	526800	534996	
						2511	2552.01	2592.99	2634	2674.98	
						MHz	MHz	MHz	MHz	MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	14.91	14.67	14.38	14.00	14.05	0
				1	39	14.74	14.61	14.40	13.97	14.25	0
				1	76	14.85	14.73	14.59	14.06	14.35	0
				36	0	14.61	14.43	14.43	13.86	14.02	0
				36	21	14.77	14.36	14.18	14.37	14.04	0
				36	42	14.94	14.87	14.63	14.26	14.23	0
				75	0	14.67	14.51	14.26	14.49	14.11	0
			QPSK	1	1	14.51	14.73	14.46	14.36	14.09	0
				1	39	14.84	14.46	14.40	14.08	14.32	0
				1	76	14.73	14.69	14.53	13.98	14.18	0
				36	0	14.68	14.46	14.38	14.27	14.23	0
				36	21	14.55	14.47	14.61	14.16	14.11	0
				36	42	14.94	14.43	14.51	14.30	14.17	0
				75	0	14.81	14.51	14.45	14.30	14.25	0
			16QAM	1	1	14.53	14.56	14.37	14.47	14.46	0
			64QAM	1	1	14.57	14.61	14.29	14.39	14.06	0
			256QAM	1	1	14.48	14.93	14.15	14.19	14.29	0
		CP	QPSK	1	1	14.52	14.61	14.39	14.45	13.97	0

NR TDD Band n41_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						503202	513468		523734	534000	
						2516.01	2567.34		2618.67	2670	
						MHz	MHz		MHz	MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	15.01	14.94		14.58	15.20	0
				1	53	15.19	15.02		14.91	15.15	0
				1	104	15.21	14.96		14.92	15.23	0
				50	0	15.19	14.89		14.73	15.16	0
				50	28	15.19	14.89		14.69	15.01	0
				50	56	15.10	14.96		14.98	14.94	0
				100	0	15.28	14.69		14.95	14.93	0
			QPSK	1	1	14.96	14.61		14.75	14.81	0
				1	53	15.14	14.89		14.85	14.91	0
				1	104	14.96	14.73		14.97	15.01	0
				50	0	15.01	14.97		14.77	14.72	0
				50	28	15.15	14.97		14.91	14.68	0
				50	56	15.09	14.97		14.93	15.02	0
				100	0	15.08	14.73		15.05	15.00	0
			16QAM	1	1	14.96	14.89		14.58	14.62	0
			64QAM	1	1	15.01	15.07		14.86	14.69	0
			256QAM	1	1	15.24	14.89		14.54	14.46	0
		CP	QPSK	1	1	14.86	14.78		14.65	14.72	0

NR TDD Band n41 _50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						504204		518598		532998	
						2521.02		2592.99		2664.99	
				MHz		MHz		MHz			
50 MHz	30	DFT-s	pi/2 BPSK	1	1	14.85		15.03		14.88	0
				1	67	14.99		15.00		14.86	0
				1	131	14.80		15.23		15.03	0
				64	0	14.93		15.09		14.85	0
				64	35	14.84		14.96		14.88	0
				64	69	14.75		15.15		14.91	0
				128	0	14.93		14.81		14.88	0
			QPSK	1	1	14.80		15.14		14.84	0
				1	67	14.94		14.84		14.87	0
				1	131	14.85		15.26		14.96	0
				64	0	14.70		14.95		14.83	0
				64	35	14.70		15.04		14.85	0
				64	69	14.73		15.05		14.92	0
				128	0	14.68		14.92		14.82	0
			16QAM	1	1	14.81		15.05		14.93	0
			64QAM	1	1	14.85		14.89		15.09	0
			256QAM	1	1	15.13		15.18		14.38	0
		CP	QPSK	1	1	14.60		15.13		14.91	0

NR TDD Band n41 _60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						505200		518598			531996
						2526 MHz		2592.99 MHz			2659.98 MHz
60 MHz	30	DFT-s	pi/2 BPSK	1	1	14.94		14.87		14.57	0
				1	81	15.12		14.79		14.67	0
				1	160	14.93		14.99		14.62	0
				81	0	14.88		14.70		14.73	0
				81	41	14.83		14.70		14.67	0
				81	81	14.75		15.00		14.78	0
				162	0	15.09		14.71		14.70	0
			QPSK	1	1	14.84		14.90		14.70	0
				1	81	15.14		14.70		14.67	0
				1	160	14.81		14.74		14.85	0
				81	0	14.85		14.86		14.63	0
				81	41	14.92		14.48		14.75	0
				81	81	14.83		14.70		14.69	0
				162	0	14.77		14.43		14.71	0
			16QAM	1	1	14.86		14.79		14.69	0
			64QAM	1	1	14.95		14.42		14.85	0
			256QAM	1	1	14.91		14.73		14.71	0
		CP	QPSK	1	1	14.92		14.78		14.67	0

NR TDD Band n41_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						506208					530994
						2531.04 MHz					2654.97 MHz
70 MHz	30	DFT-s	pi/2 BPSK	1	1	14.98				14.71	0
				1	81	15.00				14.56	0
				1	160	15.00				15.20	0
				81	0	14.97				14.57	0
				81	41	14.97				14.83	0
				81	81	15.03				14.79	0
				162	0	15.00				14.86	0
			QPSK	1	1	14.89				14.74	0
				1	81	14.98				14.53	0
				1	160	14.92				14.90	0
				81	0	14.84				14.70	0
				81	41	14.95				14.71	0
				81	81	14.92				14.82	0
				162	0	14.77				14.63	0
			16QAM	1	1	15.04				14.86	0
			64QAM	1	1	14.88				14.61	0
			256QAM	1	1	14.99				14.83	0
		CP	QPSK	1	1	14.96				14.79	0

NR TDD Band n41_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						507204					529998
						2536.02					2649.99
				MHz					MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1	15.16				14.17	0
				1	109	14.77				14.40	0
				1	215	14.62				14.95	0
				108	0	14.78				14.49	0
				108	55	14.74				14.50	0
				108	109	14.78				14.53	0
				216	0	14.83				14.26	0
			QPSK	1	1	15.23				14.14	0
				1	109	14.80				14.57	0
				1	215	14.60				14.69	0
				108	0	14.89				14.55	0
				108	55	14.73				14.59	0
				108	109	14.73				14.67	0
				216	0	14.59				14.58	0
			16QAM	1	1	14.93				14.05	0
			64QAM	1	1	15.09				14.13	0
			256QAM	1	1	15.04				13.96	0
		CP	QPSK	1	1	14.89				14.09	0

NR TDD Band n41 _90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						508200					528996
						2541					2644.98
						MHz					MHz
90 MHz	30	DFT-s	pi/2 BPSK	1	1	15.00				13.64	0
				1	123	14.41				14.17	0
				1	243	14.07				14.55	0
				120	0	14.36				13.78	0
				120	63	14.28				13.97	0
				120	125	14.43				14.35	0
				243	0	14.20				14.16	0
			QPSK	1	1	14.92				13.40	0
				1	123	14.32				14.04	0
				1	243	13.96				14.44	0
				120	0	14.45				14.22	0
				120	63	14.44				14.18	0
				120	125	14.49				14.19	0
				243	0	14.30				14.35	0
			16QAM	1	1	15.01				13.75	0
			64QAM	1	1	14.95				13.78	0
			256QAM	1	1	15.00				13.47	0
		CP	QPSK	1	1	15.11				13.54	0

NR TDD Band n41 _100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
								518598		
								2592.99		
								MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1			14.91		0
				1	137			14.61		0
				1	271			15.20		0
				135	0			14.62		0
				135	69			14.50		0
				135	138			15.02		0
				270	0			14.55		0
			QPSK	1	1			14.88		0
				1	137			14.50		0
				1	271			15.03		0
				135	0			14.59		0
				135	69			14.57		0
				135	138			14.83		0
				270	0			14.73		0
			16QAM	1	1			14.73		0
			64QAM	1	1			14.54		0
			256QAM	1	1			15.09		0
		CP	QPSK	1	1			14.44		0

**NR FDD Band n66 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)
_ SUB5 [Ant I]**

NR FDD Band n66 _5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						342500	349000	355500	
						1712.5 MHz	1745 MHz	1777.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.12	16.14	16.28	0
				1	13	16.00	16.09	16.25	0
				1	23	16.05	16.26	16.41	0
				12	0	16.06	16.18	16.31	0
				12	7	16.05	16.18	16.38	0
				12	13	16.07	16.23	16.40	0
				25	0	16.12	16.20	16.41	0
			QPSK	1	1	16.14	16.19	16.32	0
				1	13	15.99	16.10	16.31	0
				1	23	16.08	16.21	16.43	0
				12	0	16.06	16.17	16.32	0
				12	7	16.05	16.20	16.38	0
				12	13	16.12	16.16	16.42	0
				25	0	16.12	16.19	16.36	0
			16QAM	1	1	16.17	16.19	16.28	0
			64QAM	1	1	16.23	16.13	16.34	0
			256QAM	1	1	16.05	16.15	16.29	0
		CP	QPSK	1	1	16.16	16.14	16.38	0

NR FDD Band n66 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343000	349000	355000	
						1715 MHz	1745 MHz	1775 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.06	16.02	16.22	0
				1	26	16.20	16.26	16.48	0
				1	50	16.05	16.22	16.38	0
				25	0	16.03	16.14	16.32	0
				25	14	16.02	16.20	16.29	0
				25	27	16.04	16.24	16.38	0
				50	0	16.04	16.19	16.32	0
			QPSK	1	1	16.14	16.12	16.30	0
				1	26	16.24	16.27	16.34	0
				1	50	16.01	16.31	16.46	0
				25	0	16.06	16.18	16.33	0
				25	14	16.05	16.20	16.34	0
				25	27	16.06	16.29	16.37	0
				50	0	16.06	16.19	16.35	0
			16QAM	1	1	16.05	16.27	16.37	0
			64QAM	1	1	16.02	16.16	16.33	0
			256QAM	1	1	16.04	16.10	16.16	0
		CP	QPSK	1	1	16.10	16.15	16.32	0

NR FDD Band n66 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5 MHz	1745 MHz	1772.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.09	16.05	16.15	0
				1	40	15.95	16.04	16.23	0
				1	77	16.05	16.18	16.34	0
				36	0	16.03	16.11	16.27	0
				36	22	16.04	16.15	16.29	0
				36	43	16.02	16.28	16.35	0
				75	0	16.01	16.16	16.31	0
			QPSK	1	1	16.14	16.12	16.25	0
				1	40	15.98	16.09	16.29	0
				1	77	16.09	16.25	16.44	0
				36	0	16.06	16.11	16.31	0
				36	22	16.04	16.19	16.35	0
				36	43	16.03	16.26	16.32	0
				75	0	16.10	16.20	16.37	0
			16QAM	1	1	16.11	16.03	16.27	0
			64QAM	1	1	16.31	16.19	16.24	0
			256QAM	1	1	16.17	16.05	16.25	0
		CP	QPSK	1	1	16.14	16.13	16.12	0

NR FDD Band n66 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344000	349000	354000	
						1720 MHz	1745 MHz	1770 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.06	15.99	16.12	0
				1	53	16.09	16.27	16.43	0
				1	104	16.09	16.24	16.38	0
				50	0	16.00	16.13	16.23	0
				50	28	16.01	16.24	16.32	0
				50	56	16.09	16.28	16.30	0
				100	0	16.03	16.16	16.34	0
			QPSK	1	1	16.11	16.04	16.22	0
				1	53	16.20	16.32	16.42	0
				1	104	16.15	16.28	16.42	0
				50	0	16.06	16.14	16.21	0
				50	28	16.08	16.22	16.34	0
				50	56	16.11	16.33	16.34	0
				100	0	16.09	16.24	16.34	0
			16QAM	1	1	16.23	16.23	16.33	0
			64QAM	1	1	16.04	16.20	16.13	0
			256QAM	1	1	16.11	16.08	16.17	0
		CP	QPSK	1	1	16.07	15.97	16.10	0

NR FDD Band n66 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344500	349000	353500	
						1722.5 MHz	1745 MHz	1767.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.02	15.96	16.15	0
				1	66	16.20	16.31	16.41	0
				1	131	16.09	16.29	16.43	0
				64	0	15.98	16.17	16.21	0
				64	35	16.02	16.19	16.29	0
				64	69	16.09	16.25	16.37	0
			QPSK	128	0	16.02	16.19	16.26	0
				1	1	16.08	16.04	16.20	0
				1	66	16.08	16.26	16.44	0
				1	131	16.15	16.33	16.45	0
				64	0	16.01	16.17	16.23	0
				64	35	16.01	16.20	16.33	0
				64	69	16.15	16.26	16.38	0
				128	0	16.02	16.19	16.31	0
			16QAM	1	1	15.95	16.14	16.18	0
			64QAM	1	1	16.31	16.11	16.17	0
			256QAM	1	1	16.19	15.91	16.20	0
		CP	QPSK	1	1	16.10	15.96	16.15	0

NR FDD Band n66 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.99	0
				1	80	16.21	0
				1	158	16.29	0
				80	0	16.09	0
				80	40	16.17	0
				80	80	16.27	0
			QPSK	160	0	16.22	0
				1	1	16.05	0
				1	80	16.30	0
				1	158	16.36	0
				80	0	16.12	0
				80	40	16.24	0
				80	80	16.27	0
				160	0	16.24	0
			16QAM	1	1	16.07	0
			64QAM	1	1	16.07	0
			256QAM	1	1	15.95	0
		CP	QPSK	1	1	15.94	0

NR FDD Band n66 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.01	0
				1	98	16.16	0
				1	186	16.31	0
				90	0	16.04	0
				90	45	16.17	0
				90	90	16.25	0
				180	0	16.19	0
			QPSK	1	1	16.00	0
				1	98	16.25	0
				1	186	16.38	0
				90	0	16.09	0
				90	45	16.19	0
				90	90	16.24	0
				180	0	16.22	0
			16QAM	1	1	16.17	0
			64QAM	1	1	16.19	0
			256QAM	1	1	16.07	0
		CP	QPSK	1	1	15.90	0

NR FDD Band n66 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.90	0
				1	108	16.21	0
				1	214	16.39	0
				108	0	16.00	0
				108	54	16.21	0
				108	108	16.22	0
				216	0	16.21	0
			QPSK	1	1	16.21	0
				1	108	16.32	0
				1	214	16.42	0
				108	0	16.08	0
				108	54	16.22	0
				108	108	16.23	0
				216	0	16.25	0
			16QAM	1	1	15.87	0
			64QAM	1	1	16.09	0
			256QAM	1	1	15.88	0
		CP	QPSK	1	1	15.99	0

NR FDD Band n66 Conducted Power_ Measured Folder Open RCV(RSI 1)_

SUB5 [Ant I]

NR FDD Band n66 _5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						342500	349000	355500	
						1712.5 MHz	1745 MHz	1777.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.03	15.17	15.36	0
				1	13	14.97	15.08	15.39	0
				1	23	15.05	15.24	15.47	0
				12	0	15.12	15.23	15.39	0
				12	7	15.15	15.24	15.44	0
				12	13	15.09	15.24	15.46	0
				25	0	15.17	15.21	15.45	0
			QPSK	1	1	15.11	15.26	15.41	0
				1	13	14.99	15.17	15.40	0
				1	23	15.11	15.26	15.49	0
				12	0	15.12	15.24	15.42	0
				12	7	15.10	15.29	15.46	0
				12	13	15.13	15.23	15.48	0
				25	0	15.09	15.26	15.48	0
			16QAM	1	1	15.10	15.18	15.33	0
			64QAM	1	1	15.40	15.32	15.42	0
			256QAM	1	1	15.10	15.14	15.49	0
		CP	QPSK	1	1	15.21	15.19	15.32	0

NR FDD Band n66 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343000	349000	355000	
						1715 MHz	1745 MHz	1775 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.11	15.14	15.34	0
				1	26	15.20	15.41	15.48	0
				1	50	15.06	15.29	15.42	0
				25	0	15.11	15.20	15.35	0
				25	14	15.12	15.19	15.36	0
				25	27	15.07	15.31	15.44	0
				50	0	15.08	15.26	15.39	0
			QPSK	1	1	15.17	15.22	15.37	0
				1	26	15.24	15.32	15.48	0
				1	50	15.12	15.33	15.47	0
				25	0	15.16	15.20	15.38	0
				25	14	15.09	15.25	15.38	0
				25	27	15.12	15.30	15.46	0
				50	0	15.14	15.24	15.44	0
			16QAM	1	1	15.22	15.05	15.40	0
			64QAM	1	1	15.21	15.20	15.32	0
			256QAM	1	1	15.09	15.18	15.31	0
		CP	QPSK	1	1	15.09	15.20	15.30	0

NR FDD Band n66 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5 MHz	1745 MHz	1772.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.14	15.16	15.28	0
				1	40	15.00	15.11	15.26	0
				1	77	15.07	15.29	15.45	0
				36	0	15.13	15.18	15.32	0
				36	22	15.07	15.24	15.37	0
				36	43	15.10	15.32	15.40	0
				75	0	15.05	15.25	15.42	0
			QPSK	1	1	15.13	15.19	15.31	0
				1	40	15.05	15.21	15.35	0
				1	77	15.17	15.30	15.43	0
				36	0	15.09	15.15	15.36	0
				36	22	15.06	15.25	15.42	0
				36	43	15.11	15.31	15.42	0
				75	0	15.12	15.26	15.39	0
			16QAM	1	1	15.16	15.04	15.28	0
			64QAM	1	1	15.25	15.31	15.24	0
			256QAM	1	1	15.28	15.11	15.11	0
		CP	QPSK	1	1	15.12	15.21	15.32	0

NR FDD Band n66 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344000	349000	354000	
						1720 MHz	1745 MHz	1770 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.15	15.08	15.14	0
				1	53	15.15	15.30	15.44	0
				1	104	15.16	15.32	15.41	0
				50	0	15.08	15.16	15.29	0
				50	28	15.09	15.20	15.35	0
				50	56	15.12	15.29	15.35	0
				100	0	15.08	15.24	15.40	0
			QPSK	1	1	15.12	15.12	15.28	0
				1	53	15.09	15.35	15.40	0
				1	104	15.16	15.30	15.48	0
				50	0	15.12	15.18	15.33	0
				50	28	15.07	15.24	15.38	0
				50	56	15.14	15.34	15.41	0
				100	0	15.09	15.23	15.41	0
			16QAM	1	1	15.24	14.97	15.23	0
			64QAM	1	1	15.03	15.18	15.10	0
			256QAM	1	1	15.07	14.92	15.33	0
		CP	QPSK	1	1	15.21	15.22	15.25	0

NR FDD Band n66 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344500	349000	353500	
						1722.5 MHz	1745 MHz	1767.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.12	15.06	15.24	0
				1	66	15.30	15.37	15.46	0
				1	131	15.11	15.33	15.41	0
				64	0	15.03	15.16	15.31	0
				64	35	15.04	15.28	15.37	0
				64	69	15.17	15.33	15.45	0
			QPSK	128	0	15.11	15.23	15.39	0
				1	1	15.12	15.08	15.20	0
				1	66	15.11	15.33	15.42	0
				1	131	15.15	15.39	15.43	0
				64	0	15.06	15.20	15.24	0
				64	35	15.09	15.24	15.36	0
				64	69	15.15	15.33	15.42	0
				128	0	15.08	15.29	15.36	0
			16QAM	1	1	15.22	15.06	15.25	0
			64QAM	1	1	15.17	15.23	15.16	0
			256QAM	1	1	15.20	15.06	15.22	0
		CP	QPSK	1	1	15.12	14.99	15.21	0

NR FDD Band n66 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.07	0
				1	80	15.32	0
				1	158	15.39	0
				80	0	15.15	0
				80	40	15.27	0
				80	80	15.28	0
			QPSK	160	0	15.26	0
				1	1	15.08	0
				1	80	15.39	0
				1	158	15.42	0
				80	0	15.14	0
				80	40	15.26	0
				80	80	15.30	0
				160	0	15.30	0
			16QAM	1	1	15.01	0
			64QAM	1	1	14.98	0
			256QAM	1	1	14.98	0
		CP	QPSK	1	1	15.02	0

NR FDD Band n66 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.97	0
				1	98	15.19	0
				1	186	15.37	0
				90	0	15.09	0
				90	45	15.27	0
				90	90	15.27	0
			QPSK	180	0	15.31	0
				1	1	15.06	0
				1	98	15.26	0
				1	186	15.48	0
				90	0	15.12	0
				90	45	15.24	0
				90	90	15.31	0
				180	0	15.29	0
			16QAM	1	1	14.96	0
			64QAM	1	1	15.07	0
			256QAM	1	1	14.93	0
		CP	QPSK	1	1	15.03	0

NR FDD Band n66 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.99	0
				1	108	15.44	0
				1	214	15.44	0
				108	0	15.08	0
				108	54	15.26	0
				108	108	15.35	0
			QPSK	216	0	15.31	0
				1	1	15.00	0
				1	108	15.48	0
				1	214	15.46	0
				108	0	15.08	0
				108	54	15.24	0
				108	108	15.34	0
				216	0	15.27	0
			16QAM	1	1	14.93	0
			64QAM	1	1	14.88	0
			256QAM	1	1	14.99	0
		CP	QPSK	1	1	15.00	0

**NR TDD Band n77 Conducted Power_ Measured Folder Open Free (RSI 0),
RCV(RSI 1),Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close
Hotspot(RSI 4)_ SUB2 [AntF]**

NR TDD Band n77_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647000	650600	654200	657800	661400	665000	
						3705 MHz	3759 MHz	3813 MHz	3867 MHz	3921 MHz	3975 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	13.83	13.27	12.94	12.90	12.27	11.86	0
				1	12	13.76	13.21	13.00	12.81	12.33	11.89	0
				1	22	13.69	13.22	12.87	12.75	12.20	11.91	0
				12	0	13.70	13.26	12.90	12.88	12.22	11.91	0
				12	6	13.68	13.20	12.88	12.82	12.12	11.94	0
				12	12	13.67	13.21	12.85	12.77	12.18	11.96	0
			QPSK	24	0	13.66	13.23	12.90	12.82	12.17	11.95	0
				1	1	13.71	13.27	12.92	12.87	12.24	11.89	0
				1	12	13.68	13.24	13.03	12.75	12.19	11.98	0
				1	22	13.61	13.22	12.91	12.69	12.13	12.05	0
				12	0	13.72	13.22	12.91	12.84	12.18	11.92	0
				12	6	13.67	13.22	12.88	12.85	12.15	11.93	0
				12	12	13.64	13.22	12.94	12.78	12.18	11.99	0
				24	0	13.71	13.25	12.89	12.84	12.17	11.93	0
			16QAM	1	1	13.62	13.37	12.90	12.88	12.11	12.13	0
			64QAM	1	1	13.84	13.35	12.89	12.92	12.33	11.94	0
			256QAM	1	1	13.70	13.47	13.39	13.14	12.60	12.33	0
		CP	QPSK	1	1	13.26	13.25	12.93	12.90	12.57	11.86	0

NR TDD Band n77_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647168	650700	654232	657766	661300	664832	
						3707.52 MHz	3760.5 MHz	3813.49 MHz	3866.5 MHz	3919.5 MHz	3972.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	13.40	13.25	12.94	12.90	12.14	11.86	0
				1	18	13.26	13.20	12.86	12.77	11.99	11.92	0
				1	36	13.25	13.20	12.95	12.70	12.01	12.00	0
				18	0	13.37	13.29	12.89	12.86	12.10	11.95	0
				18	9	13.32	13.27	12.90	12.82	12.05	11.99	0
				18	18	13.25	13.22	12.92	12.77	12.03	12.03	0
			QPSK	36	0	13.28	13.23	12.90	12.81	12.09	11.94	0
				1	1	13.38	13.32	12.92	12.84	12.11	11.92	0
				1	18	13.29	13.17	12.82	12.71	11.98	11.98	0
				1	36	13.28	13.23	12.90	12.70	11.96	12.08	0
				18	0	13.29	13.29	12.90	12.88	12.10	11.95	0
				18	9	13.33	13.22	12.91	12.85	12.01	12.00	0
				18	18	13.24	13.22	12.90	12.77	12.05	12.01	0
				36	0	13.29	13.28	12.92	12.83	12.07	11.99	0
			16QAM	1	1	13.39	13.27	12.96	12.72	12.12	11.96	0
			64QAM	1	1	13.34	13.36	12.89	12.86	12.27	12.00	0
			256QAM	1	1	13.77	13.73	13.35	13.35	12.17	11.94	0
		CP	QPSK	1	1	13.35	13.27	12.20	12.89	12.50	12.20	0

NR TDD Band n77_ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647334	650800	654266	657734	661200	664666	
						3710.01	3762	3813.99	3866.01	3918	3969.99	
20 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.81	13.86	12.95	12.93	12.15	11.82	0
				1	26	13.66	13.70	12.91	12.75	12.06	11.90	0
				1	49	13.66	13.65	12.96	12.67	12.03	12.01	0
				25	0	13.34	13.31	12.93	12.91	12.10	11.87	0
				25	13	13.26	13.25	12.92	12.78	12.06	11.95	0
				25	26	13.27	13.28	12.92	12.71	12.03	12.00	0
			QPSK	50	0	13.26	13.26	12.95	12.81	12.07	11.95	0
				1	1	13.42	13.33	12.96	12.91	12.18	11.80	0
				1	26	13.27	13.20	12.93	12.76	12.07	11.89	0
				1	49	13.30	13.19	12.96	12.65	12.02	11.98	0
				25	0	13.34	13.30	12.94	12.88	12.10	11.89	0
				25	13	13.26	13.25	12.93	12.82	12.08	11.97	0
				25	26	13.27	13.10	12.92	12.73	12.06	11.99	0
				50	0	13.28	13.27	12.92	12.83	12.08	11.96	0
			16QAM	1	1	13.53	13.33	12.84	12.95	12.24	11.91	0
			64QAM	1	1	13.42	13.23	13.03	12.86	12.30	11.81	0
			256QAM	1	1	13.82	13.76	13.11	13.36	12.50	12.28	0
		CP	QPSK	1	1	13.48	13.38	12.95	12.94	12.15	12.10	0

NR TDD Band n77_ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647500	650900	654300	657700	661100	664500	
						3712.5	3763.5	3814.5	3865.5	3916.5	3967.5	
25 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.48	13.41	12.99	12.97	12.18	11.80	0
				1	32	13.27	13.34	12.93	12.78	12.05	11.92	0
				1	63	13.29	13.21	12.93	12.65	12.02	12.00	0
				32	0	13.34	13.32	12.90	12.84	12.12	11.80	0
				32	17	13.28	13.28	12.91	12.81	12.07	11.89	0
				32	33	13.25	13.25	12.91	12.72	12.02	12.03	0
			QPSK	64	0	13.28	13.31	12.93	12.82	12.06	11.89	0
				1	1	13.43	13.42	12.99	13.00	12.21	11.75	0
				1	32	13.25	13.26	12.97	12.80	12.14	11.85	0
				1	63	13.18	13.22	12.93	12.60	12.05	12.00	0
				32	0	13.35	13.36	12.94	12.91	12.13	11.79	0
				32	17	13.26	13.28	12.93	12.85	12.06	11.92	0
				32	33	13.26	13.25	12.94	12.74	12.07	12.00	0
				64	0	13.27	13.31	12.92	12.83	12.10	11.87	0
			16QAM	1	1	13.58	13.59	13.01	12.96	12.29	11.82	0
			64QAM	1	1	13.48	13.44	13.02	13.08	12.28	11.95	0
			256QAM	1	1	13.94	13.86	13.25	13.47	12.48	12.26	0
		CP	QPSK	1	1	13.43	13.39	13.10	12.92	12.18	12.10	0

NR TDD Band n77_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647668	651000	654334	657666	661000	664332	
						3715.02	3765	3815.01	3864.99	3915	3964.98	
						MHz	MHz	MHz	MHz	MHz	MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	13.45	13.34	12.85	13.14	12.26	11.88	0
				1	39	13.64	13.22	12.82	12.91	12.15	12.03	0
				1	76	13.75	13.20	12.96	12.57	12.07	12.00	0
				36	0	13.61	13.22	12.79	13.05	12.16	11.90	0
				36	21	13.18	13.23	12.82	12.89	12.09	11.91	0
				36	42	13.30	13.27	12.92	12.75	12.01	11.97	0
			QPSK	75	0	13.20	13.25	12.80	12.92	12.05	11.91	0
				1	1	13.34	13.30	12.83	13.11	12.24	11.94	0
				1	39	13.05	13.25	12.89	12.88	12.11	11.98	0
				1	76	13.22	13.22	12.98	12.55	12.04	12.08	0
				36	0	13.21	13.27	12.82	13.04	12.15	11.88	0
				36	21	13.17	13.22	12.82	12.91	12.10	11.91	0
				36	42	13.27	13.25	12.92	12.73	12.09	11.98	0
				75	0	13.19	13.23	12.82	12.93	12.06	11.91	0
			16QAM	1	1	13.46	13.33	12.83	13.23	12.20	11.86	0
			64QAM	1	1	13.33	13.20	12.95	13.19	12.30	11.90	0
			256QAM	1	1	13.64	13.63	12.74	13.18	12.31	12.50	0
		CP	QPSK	1	1	13.60	13.30	13.12	13.18	12.24	11.95	0

NR TDD Band n77_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648000	651200	654400	657600	660800	664000	
						3720	3768	3816	3864	3912	3960	
						MHz	MHz	MHz	MHz	MHz	MHz	
40 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.37	13.46	12.91	13.18	12.42	11.96	0
				1	53	13.75	13.50	12.93	12.95	12.20	11.89	0
				1	104	13.74	13.24	13.07	12.52	11.95	12.03	0
				50	0	13.68	13.34	12.79	13.09	12.34	11.83	0
				50	28	13.24	13.32	12.85	12.89	12.18	11.80	0
				50	56	13.32	13.29	12.95	12.69	12.08	11.94	0
			QPSK	100	0	13.27	13.36	12.86	12.92	12.21	11.82	0
				1	1	13.42	13.30	12.90	13.17	12.47	11.91	0
				1	53	13.33	13.35	12.93	13.00	12.25	11.79	0
				1	104	13.34	13.25	13.05	12.54	12.00	12.04	0
				50	0	13.26	13.32	12.81	13.09	12.35	11.81	0
				50	28	13.27	13.30	12.82	12.91	12.19	11.80	0
				50	56	13.32	13.15	12.92	12.72	12.04	11.94	0
				100	0	13.32	13.33	12.85	12.94	12.18	11.79	0
			16QAM	1	1	13.47	13.01	12.96	13.13	12.41	12.06	0
			64QAM	1	1	13.40	13.29	13.52	13.20	12.36	11.61	0
			256QAM	1	1	13.78	13.75	13.17	13.05	12.84	12.35	0
		CP	QPSK	1	1	13.39	13.24	12.80	13.15	12.41	11.93	0

NR TDD Band n77_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648334	652166	656000		659834	663666	
						3725.01	3782.49	3840		3897.51	3954.99	
50 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.90	13.31	12.99		12.68	12.12	0
				1	67	13.86	13.10	13.00		12.31	11.78	0
				1	131	13.54	12.91	12.97		12.10	11.95	0
				64	0	13.60	13.25	12.97		12.51	12.01	0
				64	35	13.63	13.14	13.05		12.37	11.88	0
				64	69	13.37	13.10	13.02		12.22	11.90	0
			QPSK	128	0	13.31	13.17	13.03		12.36	11.88	0
				1	1	13.34	13.30	12.98		12.78	12.14	0
				1	67	13.20	13.09	13.02		12.35	11.83	0
				1	131	13.36	12.91	12.97		12.18	11.97	0
				64	0	13.24	13.25	12.94		12.50	12.02	0
				64	35	13.26	13.13	13.02		12.37	11.84	0
				64	69	13.37	12.95	13.04		12.26	11.90	0
				128	0	13.23	13.16	13.02		12.36	11.90	0
			16QAM	1	1	13.35	13.41	12.93		12.58	12.16	0
			64QAM	1	1	13.33	13.34	13.18		13.01	12.49	0
			256QAM	1	1	13.52	13.70	13.44		13.11	12.54	0
		CP	QPSK	1	1	13.32	13.70	12.89		12.73	12.54	0

NR TDD Band n77_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648668	653556			658444	663332	
						3730.02	3803.34			3876.66	3949.98	
60 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.50	13.42			13.08	12.12	0
				1	81	13.43	13.38			12.59	11.89	0
				1	160	13.33	13.40			12.35	12.04	0
				81	0	13.24	13.11			12.94	12.02	0
				81	41	13.35	12.93			12.63	11.88	0
				81	81	13.36	12.91			12.42	11.91	0
			QPSK	162	0	13.42	12.93			12.67	11.89	0
				1	1	13.60	13.36			13.08	12.21	0
				1	81	13.38	12.97			12.73	11.93	0
				1	160	13.36	13.03			12.38	12.11	0
				81	0	13.32	13.12			12.91	11.99	0
				81	41	13.40	12.91			12.65	11.83	0
				81	81	13.41	12.95			12.43	11.88	0
				162	0	13.41	12.94			12.67	11.87	0
			16QAM	1	1	13.43	13.09			12.91	11.95	0
			64QAM	1	1	13.63	13.32			13.03	12.31	0
			256QAM	1	1	13.72	13.77			13.51	12.19	0
		CP	QPSK	1	1	13.41	13.67			13.12	12.61	0

NR TDD Band n77_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						649000	654336			658334	663000	
						3750	3804.99			3875.01	3945	
70 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.46	13.82			13.06	12.21	0
				1	95	13.31	13.33			12.60	11.86	0
				1	187	13.41	13.47			12.40	12.15	0
				90	0	13.17	13.59			12.97	11.97	0
				90	50	13.29	13.32			12.66	11.90	0
				90	99	13.40	13.31			12.43	11.97	0
			QPSK	180	0	13.38	13.32			12.70	11.90	0
				1	1	13.43	13.78			12.99	12.21	0
				1	95	13.30	13.31			12.61	11.81	0
				1	187	13.39	13.38			12.42	12.26	0
				90	0	13.23	13.58			12.97	12.00	0
				90	50	13.31	13.30			12.64	12.25	0
				90	99	13.43	13.34			12.42	12.32	0
				180	0	13.39	13.32			12.70	11.90	0
			16QAM	1	1	13.47	13.88			13.09	12.15	0
			64QAM	1	1	13.27	13.64			13.12	12.09	0
			256QAM	1	1	13.77	13.84			13.54	12.06	0
		CP	QPSK	1	1	13.47	12.94			13.08	12.20	0

NR TDD Band n77_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						649334		656000		662666		
						3740.01		3840		3939.99		
80 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.41		12.48		12.15		0
				1	109	13.74		13.01		11.90		0
				1	215	13.27		12.42		12.18		0
				108	0	13.33		12.97		12.13		0
				108	55	13.35		12.99		11.94		0
				108	109	13.32		13.01		11.84		0
				216	0	13.42		13.05		11.95		0
			QPSK	1	1	12.98		12.46		12.18		0
				1	109	13.13		13.04		11.95		0
				1	215	12.72		12.49		12.18		0
				108	0	13.35		12.96		12.13		0
				108	55	13.40		13.03		11.88		0
				108	109	13.34		12.97		11.84		0
				216	0	13.43		13.06		11.95		0
			16QAM	1	1	12.95		12.39		12.15		0
			64QAM	1	1	13.04		12.39		12.28		0
			256QAM	1	1	13.29		12.79		12.65		0
		CP	QPSK	1	1	13.39		12.46		12.13		0

NR TDD Band n77_ 90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						649668		656000		662332	
						3745.02		3840		3934.98	
90 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.02		12.56		12.34	0
				1	123	13.37		13.00		11.91	0
				1	243	13.14		12.42		12.07	0
				120	0	13.33		12.95		12.30	0
				120	63	13.35		13.02		11.98	0
				120	125	13.36		12.98		11.78	0
			QPSK	243	0	13.43		13.08		12.03	0
				1	1	12.96		12.54		12.41	0
				1	123	13.31		12.94		11.98	0
				1	243	13.12		12.40		12.12	0
				120	0	13.26		12.97		12.30	0
				120	63	13.40		13.02		11.99	0
				120	125	13.38		12.99		11.79	0
				243	0	13.42		13.06		12.04	0
			16QAM	1	1	12.92		12.66		12.39	0
			64QAM	1	1	12.85		12.80		12.49	0
			256QAM	1	1	13.04		12.96		12.73	0
		CP	QPSK	1	1	12.95		12.62		12.38	0

NR TDD Band n77_ 100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						650000				662000	
						3750				3930	
100 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.95				13.41	0
				1	137	13.88				12.99	0
				1	271	13.16				13.32	0
				135	0	13.48				13.39	0
				135	69	13.49				13.05	0
				135	138	12.58				12.89	0
				270	0	13.45				13.12	0
			QPSK	1	1	13.22				13.46	0
				1	137	13.48				13.06	0
				1	271	13.75				13.80	0
				135	0	13.47				13.39	0
				135	69	13.49				13.07	0
				135	138	13.37				12.92	0
				270	0	13.55				13.12	0
			16QAM	1	1	13.21				13.47	0
			64QAM	1	1	13.19				13.31	0
			256QAM	1	1	13.12				13.92	0
		CP	QPSK	1	1	13.06				13.49	0

NR TDD Band n77(DoD) Conducted Power_ Measured Folder Open Free (RSI 0), RCV(RSI 1),Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)_ SUB2 [Ant F]

NR TDD Band n77 DoD_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630334	633334	636332	
						3445.01 MHz	3500.01 MHz	3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	13.47	13.35	13.28	0
				1	12	13.52	13.33	13.31	0
				1	22	13.42	13.34	13.35	0
				12	0	13.44	13.37	13.27	0
				12	6	13.42	13.32	13.29	0
				12	12	13.45	13.37	13.31	0
				24	0	13.45	13.36	13.29	0
			QPSK	1	1	13.46	13.42	13.34	0
				1	12	13.52	13.38	13.35	0
				1	22	13.47	13.32	13.33	0
				12	0	13.45	13.38	13.29	0
				12	6	13.46	13.37	13.29	0
				12	12	13.40	13.33	13.31	0
				24	0	13.46	13.38	13.30	0
			16QAM	1	1	13.50	13.31	13.22	0
			64QAM	1	1	13.61	13.37	13.32	0
			256QAM	1	1	13.77	13.78	13.70	0
		CP	QPSK	1	1	13.50	13.34	13.26	0

NR TDD Band n77 DoD_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630500	633334	636166	
						3457.5 MHz	3500.01 MHz	3542.49 MHz	
15MHz	30	DFT-s	pi/2 BPSK	1	1	13.50	13.35	13.25	0
				1	18	13.39	13.23	13.20	0
				1	36	13.44	13.26	13.30	0
				18	0	13.51	13.35	13.20	0
				18	9	13.52	13.38	13.21	0
				18	18	13.52	13.32	13.24	0
				36	0	13.51	13.33	13.28	0
			QPSK	1	1	13.52	13.37	13.14	0
				1	18	13.46	13.26	13.10	0
				1	36	13.51	13.29	13.28	0
				18	0	13.50	13.36	13.24	0
				18	9	13.50	13.36	13.24	0
				18	18	13.50	13.32	13.27	0
				36	0	13.54	13.37	13.25	0
			16QAM	1	1	13.50	13.48	13.35	0
			64QAM	1	1	13.45	13.52	13.20	0
			256QAM	1	1	13.87	13.80	13.21	0
		CP	QPSK	1	1	13.49	13.39	13.25	0

NR TDD Band n77 DoD_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630668	633334	636000	
						3460.02 MHz	3500.01 MHz	3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	13.97	13.37	13.56	0
				1	26	13.93	13.31	13.60	0
				1	49	13.92	13.21	13.65	0
				25	0	13.96	13.39	13.19	0
				25	13	13.56	13.36	13.18	0
				25	26	13.50	13.31	13.21	0
				50	0	13.53	13.40	13.18	0
			QPSK	1	1	13.61	13.38	13.14	0
				1	26	13.53	13.29	13.15	0
				1	49	13.53	13.21	13.24	0
				25	0	13.56	13.37	13.19	0
				25	13	13.58	13.38	13.19	0
				25	26	13.54	13.30	12.26	0
				50	0	13.60	13.34	13.19	0
			16QAM	1	1	13.45	13.37	13.20	0
			64QAM	1	1	13.66	13.44	13.06	0
			256QAM	1	1	13.90	13.82	13.45	0
		CP	QPSK	1	1	13.63	13.39	13.11	0

NR TDD Band n77 DoD_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630834	633334	635834	
						3462.51 MHz	3500.01 MHz	3537.51 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	13.68	13.25	13.09	0
				1	26	13.93	13.18	13.07	0
				1	49	13.90	13.28	13.18	0
				25	0	13.92	13.15	13.09	0
				25	13	13.90	13.17	13.12	0
				25	26	13.97	13.22	13.16	0
				50	0	13.90	13.18	13.13	0
			QPSK	1	1	13.91	13.25	13.14	0
				1	26	13.92	13.16	13.16	0
				1	49	13.93	13.24	13.23	0
				25	0	13.93	13.18	13.08	0
				25	13	13.61	13.18	13.14	0
				25	26	13.57	13.25	13.19	0
				50	0	13.63	13.18	13.15	0
			16QAM	1	1	13.71	13.07	13.22	0
			64QAM	1	1	13.53	13.21	13.39	0
			256QAM	1	1	13.97	13.46	13.49	0
		CP	QPSK	1	1	13.63	13.26	13.08	0

NR TDD Band n77 DoD_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631000	633334	635666	
						3465 MHz	3500.01 MHz	3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	13.46	13.40	13.27	0
				1	39	13.38	13.37	13.32	0
				1	76	13.31	13.21	13.35	0
				36	0	13.46	13.38	13.24	0
				36	21	13.42	13.33	13.27	0
				36	42	13.37	13.31	13.31	0
				75	0	13.44	13.38	13.29	0
			QPSK	1	1	13.48	13.40	13.32	0
				1	39	13.45	13.39	13.35	0
				1	76	13.35	13.22	13.36	0
				36	0	13.46	13.39	13.24	0
				36	21	13.44	13.34	13.33	0
				36	42	13.37	13.27	13.33	0
				75	0	13.43	13.37	13.28	0
			16QAM	1	1	13.65	13.43	13.34	0
			64QAM	1	1	13.38	13.40	13.22	0
			256QAM	1	1	13.78	13.74	13.66	0
		CP	QPSK	1	1	13.50	13.39	13.29	0

NR TDD Band n77 DoD_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631334		635332	
						3470.01 MHz		3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	13.57		13.25	0
				1	53	13.57		13.18	0
				1	104	13.37		13.28	0
				50	0	13.58		13.15	0
				50	28	13.51		13.17	0
				50	56	13.41		13.22	0
				100	0	13.64		13.18	0
			QPSK	1	1	13.74		13.25	0
				1	53	13.69		13.16	0
				1	104	13.51		13.24	0
				50	0	13.65		13.18	0
				50	28	13.55		13.18	0
				50	56	13.46		13.25	0
				100	0	13.57		13.18	0
			16QAM	1	1	13.75		13.07	0
			64QAM	1	1	13.54		13.21	0
			256QAM	1	1	13.56		13.46	0
		CP	QPSK	1	1	13.52		13.26	0

NR TDD Band n77 DoD_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631668		635000	
						3475.02 MHz		3525 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	13.59		13.29	0
				1	67	13.36		13.06	0
				1	131	13.40		13.26	0
				64	0	13.46		13.13	0
				64	35	13.35		13.06	0
				64	69	13.36		13.16	0
				128	0	13.41		13.06	0
			QPSK	1	1	13.52		13.27	0
				1	67	13.27		13.04	0
				1	131	13.34		13.21	0
				64	0	13.44		13.11	0
				64	35	13.36		13.09	0
				64	69	13.33		13.14	0
				128	0	13.40		13.13	0
			16QAM	1	1	13.55		13.32	0
			64QAM	1	1	13.69		13.21	0
			256QAM	1	1	13.85		13.61	0
		CP	QPSK	1	1	13.61		13.31	0

NR TDD Band n77 DoD_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		13.59		0
				1	81		13.42		0
				1	160		13.24		0
				81	0		13.40		0
				81	41		13.39		0
				81	81		13.22		0
				162	0		13.41		0
			QPSK	1	1		13.57		0
				1	81		13.43		0
				1	160		13.19		0
				81	0		13.42		0
				81	41		13.37		0
				81	81		13.24		0
				162	0		13.41		0
			16QAM	1	1		13.32		0
			64QAM	1	1		13.62		0
			256QAM	1	1		13.66		0
		CP	QPSK	1	1		13.47		0

NR TDD Band n77 DoD_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)		MPR [dB]
							633334	
							3500.01 MHz	
70 MHz	30	DFT-s	pi/2 BPSK	1	1		13.66	0
				1	95		13.35	0
				1	187		13.28	0
				90	0		13.44	0
				90	50		13.38	0
				90	99		13.18	0
				180	0		13.39	0
			QPSK	1	1		13.63	0
				1	95		13.35	0
				1	187		13.29	0
				90	0		13.46	0
				90	50		13.35	0
				90	99		13.23	0
				180	0		13.36	0
			16QAM	1	1		13.67	0
			64QAM	1	1		13.56	0
			256QAM	1	1		13.65	0
		CP	QPSK	1	1		13.64	0

NR TDD Band n77 DoD_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)		MPR [dB]
							633334	
							3500.01 MHz	
80 MHz	30	DFT-s	pi/2 BPSK	1	1		13.50	0
				1	109		13.35	0
				1	215		13.23	0
				108	0		13.46	0
				108	55		13.35	0
				108	109		13.17	0
				216	0		13.41	0
			QPSK	1	1		13.54	0
				1	109		13.31	0
				1	215		13.24	0
				108	0		13.46	0
				108	55		13.39	0
				108	109		13.19	0
				216	0		13.37	0
			16QAM	1	1		13.51	0
			64QAM	1	1		13.58	0
			256QAM	1	1		13.87	0
		CP	QPSK	1	1		13.48	0

NR TDD Band n77 DoD_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		13.44		0
				1	123		13.30		0
				1	243		13.16		0
				120	0		13.49		0
				120	63		13.37		0
				120	125		13.22		0
				243	0		13.42		0
			QPSK	1	1		13.46		0
				1	123		13.29		0
				1	243		13.17		0
				120	0		13.51		0
				120	63		13.38		0
				120	125		13.21		0
				243	0		13.43		0
			16QAM	1	1		13.47		0
			64QAM	1	1		13.48		0
			256QAM	1	1		13.90		0
		CP	QPSK	1	1		13.53		0

NR TDD Band n77 DoD_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
100MHz	30	DFT-s	pi/2 BPSK	1	1		13.58		0
				1	137		13.34		0
				1	271		13.31		0
				135	0		13.54		0
				135	69		13.34		0
				135	138		13.21		0
				270	0		13.43		0
			QPSK	1	1		13.70		0
				1	137		13.35		0
				1	271		13.26		0
				135	0		13.54		0
				135	69		13.38		0
				135	138		13.22		0
				270	0		13.42		0
			16QAM	1	1		13.63		0
			64QAM	1	1		13.71		0
			256QAM	1	1		13.84		0
		CP	QPSK	1	1		13.69		0

L.3 NR Band SRS Conducted Power

[NR TDD Band n41 SRS Conducted Power]

Measured Folder Open Free (RSI 0), Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)

NR TDD Band n41_ 100 MHz Bandwidth Conducted Power_ Antenna: MAIN2(Ant B), SRS2

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			518598	2592.99 MHz	
100 MHz	30	CW	15.88		0

NR TDD Band n41_ 100 MHz Bandwidth Conducted Power_ Antenna: Sub2(Ant F), SRS3

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			518598	2592.99 MHz	
100 MHz	30	CW	17.97		0

NR TDD Band n41_ 100 MHz Bandwidth Conducted Power_ Antenna: MAIN3(Ant C), SRS4

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			518598	2592.99 MHz	
100 MHz	30	CW	15.62		0

Measured Folder Open RCV(RSI 1)

NR TDD Band n41_ 100 MHz Bandwidth Conducted Power_ Antenna: MAIN2(Ant B), SRS2

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			518598	2592.99 MHz	
100 MHz	30	CW	11.96		0

NR TDD Band n41_ 100 MHz Bandwidth Conducted Power_ Antenna: Sub2(Ant F), SRS3

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			518598	2592.99 MHz	
100 MHz	30	CW	13.20		0

NR TDD Band n41_ 100 MHz Bandwidth Conducted Power_ Antenna: MAIN3(Ant C), SRS4

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			518598	2592.99 MHz	
100 MHz	30	CW	12.04		0

[NR TDD Band n77 SRS Conducted Power]

Measured Folder Open Free (RSI 0), RCV(RSI1),Folder Open Hotspot(RSI 2),
Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)

NR TDD Band n77_ 100 MHz Bandwidth Conducted Power_ Antenna: SUB5(Ant I), SRS2

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]				MPR [dB]
			650000			662000	
			3750 MHz			3930 MHz	
100 MHz	30	CW	13.80			13.67	0

NR TDD Band n77_ 100 MHz Bandwidth Conducted Power_ Antenna: Sub1(Ant E), SRS3

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]				MPR [dB]
			650000			662000	
			3750 MHz			3930 MHz	
100 MHz	30	CW	13.92			13.96	0

NR TDD Band n77_ 100 MHz Bandwidth Conducted Power_ Antenna: MAIN3(Ant C), SRS4

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]				MPR [dB]
			650000			662000	
			3750 MHz			3930 MHz	
100 MHz	30	CW	13.46			13.40	0

[NR TDD Band n77 DoD SRS Conducted Power]

Measured Folder Open Free (RSI 0), RCV(RSI1),Folder Open Hotspot(RSI 2),
Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)

NR TDD Band n77 DoD_ 100 MHz Bandwidth Conducted Power_ Antenna: SUB5(Ant I), SRS2

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
				633334	
				3500.01 MHz	
100 MHz	30	CW		13.94	0

NR TDD Band n77 DoD _ 100 MHz Bandwidth Conducted Power_ Antenna: Sub1(Ant E), SRS3

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
				633334	
				3500.01 MHz	
100 MHz	30	CW		13.37	0

NR TDD Band n77 DoD _ 100 MHz Bandwidth Conducted Power_ Antenna: MAIN3(Ant C), SRS4

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
				633334	
				3500.01 MHz	
100 MHz	30	CW		13.47	0