

**HCT Co., Ltd.**

74, Seoicheon-ro 578beon-gil, Majang-myeon, Icheon-si, Gyeonggi-do, 17383 KOREA
Tel. +82 31 634 6300 Fax. +82 31 645 6401


Appendix A: Test Setup Photo

FCC ID: A3LSMF761B**File No.**
HCT-SR-2505-FC003-P**REVISION HISTORY**

The revision history for this document is shown in table.

Revision No.	Date of Issue	Description
0	May. 09, 2025	Initial Release

- DUT Antenna Information




Tx Antenna Information

Ant	Support Band List
MAIN1 (Ant A)	TX/RX - GSM 850/1900, WCDMA B2/4/5 - LTE B2/4/5/12/13/17/25/26/66 - NR n2/3/25/66/71
MAIN2 (Ant B)	TX/RX - LTE B41 DRX - NR n41 TX (SRS only) - NR n41(SRS2)
MAIN3 (Ant C)	PRX MIMO - LTE B2/4/25/41/66 - NR n2/25/66 DRX MIMO - NR n41/77 TX (SRS only) - NR n41(SRS4), n77(SRS4)
SUB1 (Ant E)	DRX - GSM 850, WCDMA B5 - LTE B5/12/13/17/26 - NR n5/77 PRX MIMO - NR n77 TX (SRS only) - NR n77(SRS3) GPS L5
SUB2 (Ant F)	TX/RX - NR n77 PRX MIMO - NR n41 DRX MIMO - LTE B41 TX (SRS only) - NR n41(SRS3) Bluetooth Ant1, Wi-Fi Ant1 2.4G/5G/6G
SUB3 (Ant G)	DRX MIMO - LTE B2/4/25/66 - NR n2/25/66 NFC
SUB4 (Ant H)	Bluetooth Ant2, Wi-Fi Ant2 2.4G/5G/6G GPS_L1
SUB5 (Ant I)	TX/RX - NR n41 DRX - GSM1900, WCDMA B2/4 - LTE B2/4/25/41/66 - NR n2/25/66/77 TX (SRS only) - NR n77(SRS2) TX/RX(Only MHB-MHB EN-DC/ULCA SCC or Path Switching(PS)) - WCDMA B2/4 (Only PS) - LTE B2/4/25/41/66 (Only PS) - NR n2/25/66 (EN-DC/ULCA SCC or PS)


- SAR Test Setup Photo.

1. Head


1.1 Head Left All (SAM Phantom)




1.2 Head Left Touch / Tilt



1.3 Head Right All (SAM Phantom)




1.4 Head Right Touch / Tilt



2. Body

2.1 Body All (SAM Phantom)



2.2 Body Rear




Distance of 5 mm from the EUT



Distance of 5 mm from the EUT

2.3 Body Front



Distance of 5 mm from the EUT




Distance of 5 mm from the EUT

2.4 Body Left




Distance of 5 mm from the EUT




Distance of 5 mm from the EUT

2.5 Body Right



Distance of 5 mm from the EUT




Distance of 5 mm from the EUT

2.6 Body Top




Distance of 5 mm from the EUT



Distance of 5 mm from the EUT

2.7 Body Bottom




Distance of 5 mm from the EUT




Distance of 5 mm from the EUT

3. NFC(Phablet SAR)

3.1 NFC All (ELI Phantom)



3.2 NFC Rear




Distance of 0 mm from the EUT

3.3 NFC Front




Distance of 0 mm from the EUT

3.4 NFC Left



Distance of 0 mm from the EUT

3.5 NFC Right



Distance of 0 mm from the EUT

3.6 NFC Top




Distance of 0 mm from the EUT

3.7 NFC Bottom





Distance of 0 mm from the EUT

Spacer 5mm


4. WLAN 6E Power Density

4.1 Power Density All






4.2 Power Density Front




Distance of 2 mm from the EUT




Distance of 2 mm from the EUT

4.3 Power Density Rear




Distance of 2 mm from the EUT




Distance of 2 mm from the EUT

4.4 Power Density Left




Distance of 2 mm from the EUT




Distance of 2 mm from the EUT

4.5 Power Density Right




Distance of 2 mm from the EUT




Distance of 2 mm from the EUT

4.6 Power Density Top



Distance of 2 mm from the EUT

4.7 Power Density Bottom



Distance of 2 mm from the EUT