

Appendix K. NR Bands *P_{limit}* Conducted Power

L.1 NR Band Maximum Conducted Power (Lower Antenna)

NR FDD Band n2 Conducted Power_ Measured Pmax, Folder Open RCV(RSI

1)_ MAIN1 [Ant A]

NR FDD Band n2 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376000	381500	
						1852.5 MHz	1880 MHz	1907.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.45	25.31	25.40	0
				1	13	25.45	25.24	25.40	0
				1	23	25.50	25.32	25.45	0
				12	0	24.98	24.81	24.89	0.5
				12	7	25.48	25.33	25.47	0
				12	13	24.99	24.87	24.97	0.5
				25	0	25.03	24.87	24.98	0.5
			QPSK	1	1	25.56	25.48	25.47	0
				1	13	25.48	25.34	25.47	0
				1	23	25.59	25.43	25.54	0
				12	0	24.52	24.42	24.45	1
				12	7	25.61	25.50	25.50	0
				12	13	24.57	24.43	24.48	1
				25	0	24.52	24.41	24.48	1
			16QAM	1	1	24.56	24.39	24.55	1
			64QAM	1	1	23.03	23.04	22.98	2.5
			256QAM	1	1	20.85	20.61	20.79	4.5
		CP	QPSK	1	1	23.95	23.89	23.92	1.5

NR FDD Band n2 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376000	381000	
						1855 MHz	1880 MHz	1905 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.63	25.40	25.47	0
				1	26	25.63	25.65	25.47	0
				1	50	25.71	25.49	25.50	0
				25	0	25.13	24.94	25.00	0.5
				25	14	25.64	25.42	25.46	0
				25	27	25.13	24.89	25.01	0.5
				50	0	25.12	24.98	25.02	0.5
			QPSK	1	1	25.58	25.54	25.60	0
				1	26	25.66	25.46	25.28	0
				1	50	25.75	25.51	25.49	0
				25	0	24.69	24.54	24.57	1
				25	14	25.67	25.49	25.35	0
				25	27	24.67	24.48	24.55	1
				50	0	24.66	24.44	24.61	1
			16QAM	1	1	24.79	24.54	24.54	1
			64QAM	1	1	23.07	23.01	23.03	2.5
			256QAM	1	1	20.54	20.90	20.84	4.5
		CP	QPSK	1	1	24.04	23.91	24.04	1.5

NR FDD Band n2 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376000	380500	
						1857.5 MHz	1880 MHz	1902.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.41	25.38	25.29	0
				1	40	25.39	25.24	25.32	0
				1	77	25.56	25.45	25.38	0
				36	0	25.02	24.92	24.87	0.5
				36	22	25.56	25.37	25.43	0
				36	43	25.02	24.93	24.91	0.5
				75	0	25.03	24.87	24.91	0.5
			QPSK	1	1	25.62	25.51	25.47	0
				1	40	25.52	25.33	25.40	0
				1	77	25.71	25.48	25.46	0
				36	0	24.56	24.46	24.49	1
				36	22	25.61	25.40	25.47	0
				36	43	24.56	24.44	24.45	1
				75	0	24.58	24.44	24.42	1
			16QAM	1	1	24.60	24.59	24.57	1
			64QAM	1	1	23.11	22.95	23.08	2.5
			256QAM	1	1	20.99	20.80	20.78	4.5
		CP	QPSK	1	1	24.03	23.97	23.81	1.5

NR FDD Band n2 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376000	380000	
						1860 MHz	1880 MHz	1900 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.58	25.50	25.40	0
				1	53	25.60	25.53	25.75	0
				1	104	25.62	25.42	25.41	0
				50	0	25.05	24.94	24.91	0.5
				50	28	25.64	25.44	25.46	0
				50	56	25.08	24.92	24.97	0.5
				100	0	25.07	24.93	24.92	0.5
			QPSK	1	1	25.39	25.62	25.49	0
				1	53	25.71	25.53	25.63	0
				1	104	25.64	25.51	25.44	0
				50	0	24.61	24.53	24.45	1
				50	28	25.68	25.48	25.50	0
				50	56	24.64	24.45	24.47	1
				100	0	24.61	24.50	24.48	1
			16QAM	1	1	24.43	24.50	24.54	1
			64QAM	1	1	23.17	23.18	22.81	2.5
			256QAM	1	1	20.83	20.98	20.74	4.5
		CP	QPSK	1	1	24.01	23.99	23.84	1.5

NR FDD Band n2 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		379500	
						1862.5 MHz		1897.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.47		25.43	0
				1	66	25.70		25.49	0
				1	131	25.51		25.45	0
				64	0	25.00		24.96	0.5
				64	35	25.58		25.48	0
				64	69	25.07		24.97	0.5
				128	0	25.05		24.92	0.5
			QPSK	1	1	25.62		25.50	0
				1	66	25.72		25.58	0
				1	131	25.52		25.49	0
				64	0	24.56		24.48	1
				64	35	25.65		25.49	0
				64	69	24.62		24.49	1
				128	0	24.55		24.43	1
			16QAM	1	1	24.62		24.45	1
			64QAM	1	1	22.99		23.00	2.5
			256QAM	1	1	20.86		20.66	4.5
		CP	QPSK	1	1	24.03		23.88	1.5

NR FDD Band n2 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		379000	
						1865 MHz		1895 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.63		25.39	0
				1	80	25.75		25.54	0
				1	158	25.51		25.42	0
				80	0	25.12		25.02	0.5
				80	40	25.64		25.49	0
				80	80	25.02		25.03	0.5
				160	0	25.16		24.94	0.5
			QPSK	1	1	25.71		25.60	0
				1	80	25.82		25.60	0
				1	158	25.56		25.51	0
				80	0	24.70		24.64	1
				80	40	25.72		25.56	0
				80	80	24.59		24.52	1
				160	0	24.67		24.51	1
			16QAM	1	1	24.69		24.62	1
			64QAM	1	1	23.19		22.96	2.5
			256QAM	1	1	20.92		20.80	4.5
		CP	QPSK	1	1	24.20		23.98	1.5

NR FDD Band n2 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						376000			
						1880 MHz			
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.51			0
				1	98	25.38			0
				1	186	25.40			0
				90	0	25.00			0.5
				90	45	25.43			0
				90	90	24.93			0.5
				180	0	24.96			0.5
			QPSK	1	1	25.69			0
				1	98	25.49			0
				1	186	25.49			0
				90	0	24.57			1
				90	45	25.48			0
				90	90	24.45			1
				180	0	24.47			1
			16QAM	1	1	24.64			1
			64QAM	1	1	23.13			2.5
			256QAM	1	1	20.88			4.5
		CP	QPSK	1	1	24.09			1.5

NR FDD Band n2 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376000	
						1880 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.38	0
				1	108	25.44	0
				1	214	25.30	0
				108	0	24.93	0.5
				108	54	25.33	0
				108	108	24.84	0.5
				216	0	24.85	0.5
			QPSK	1	1	25.61	0
				1	108	25.51	0
				1	214	25.52	0
				108	0	24.51	1
				108	54	25.42	0
				108	108	24.44	1
				216	0	24.39	1
			16QAM	1	1	24.61	1
			64QAM	1	1	23.00	2.5
			256QAM	1	1	20.96	4.5
		CP	QPSK	1	1	24.02	1.5

NR FDD Band n2 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)
_ MAIN1 [Ant A]

NR FDD Band n2 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376000	381500	
						1852.5 MHz	1880 MHz	1907.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.09	17.15	17.30	0
				1	13	16.98	16.97	17.23	0
				1	23	17.06	17.08	17.36	0
				12	0	17.09	17.12	17.27	0
				12	7	17.08	17.07	17.32	0
				12	13	17.10	17.09	17.30	0
				25	0	17.10	17.09	17.33	0
			QPSK	1	1	17.15	17.17	17.33	0
				1	13	17.00	16.98	17.25	0
				1	23	17.09	17.12	17.39	0
				12	0	17.08	17.12	17.33	0
				12	7	17.11	17.05	17.32	0
				12	13	17.10	17.06	17.35	0
				25	0	17.09	17.08	17.34	0
			16QAM	1	1	17.13	17.13	17.32	0
			64QAM	1	1	17.19	17.16	17.34	0
			256QAM	1	1	17.01	17.06	17.21	0
		CP	QPSK	1	1	17.12	17.18	17.34	0

NR FDD Band n2 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376000	381000	
						1855 MHz	1880 MHz	1905 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.20	17.05	17.31	0
				1	26	17.25	17.19	17.49	0
				1	50	17.17	17.08	17.41	0
				25	0	17.19	17.16	17.40	0
				25	14	17.19	17.09	17.40	0
				25	27	17.27	17.07	17.34	0
			QPSK	50	0	17.20	17.09	17.37	0
				1	1	17.25	17.10	17.35	0
				1	26	17.22	17.08	17.44	0
				1	50	17.19	17.09	17.44	0
				25	0	17.18	17.14	17.41	0
				25	14	17.17	17.05	17.39	0
				25	27	17.21	17.06	17.40	0
				50	0	17.19	17.05	17.38	0
			16QAM	1	1	17.31	17.16	17.40	0
			64QAM	1	1	17.40	17.09	17.33	0
			256QAM	1	1	17.13	17.08	17.24	0
		CP	QPSK	1	1	17.19	17.15	17.41	0

NR FDD Band n2 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376000	380500	
						1857.5 MHz	1880 MHz	1902.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.20	17.11	17.20	0
				1	40	17.12	16.97	17.22	0
				1	77	17.18	17.12	17.26	0
				36	0	17.19	17.11	17.26	0
				36	22	17.21	17.08	17.29	0
				36	43	17.18	17.08	17.27	0
			QPSK	75	0	17.22	17.08	17.30	0
				1	1	17.19	17.14	17.29	0
				1	40	17.10	17.00	17.25	0
				1	77	17.18	17.13	17.33	0
				36	0	17.20	17.12	17.30	0
				36	22	17.21	17.11	17.29	0
				36	43	17.18	17.09	17.26	0
				75	0	17.21	17.08	17.29	0
			16QAM	1	1	17.23	17.11	17.39	0
			64QAM	1	1	17.43	16.97	17.32	0
			256QAM	1	1	17.12	17.07	17.23	0
		CP	QPSK	1	1	17.22	17.10	17.24	0

NR FDD Band n2 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376000	380000	
						1860 MHz	1880 MHz	1900 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.16	17.16	17.21	0
				1	53	17.25	17.21	17.32	0
				1	104	17.19	17.23	17.30	0
				50	0	17.16	17.15	17.25	0
				50	28	17.12	17.05	17.29	0
				50	56	17.15	17.08	17.29	0
				100	0	17.17	17.09	17.25	0
			QPSK	1	1	17.18	17.15	17.25	0
				1	53	17.16	17.16	17.29	0
				1	104	17.24	17.20	17.38	0
				50	0	17.14	17.13	17.28	0
				50	28	17.11	17.08	17.26	0
				50	56	17.16	17.06	17.28	0
				100	0	17.18	17.10	17.27	0
			16QAM	1	1	17.34	17.06	17.30	0
			64QAM	1	1	17.25	17.19	17.25	0
			256QAM	1	1	17.14	17.11	17.07	0
		CP	QPSK	1	1	17.16	17.11	17.23	0

NR FDD Band n2 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		379500	
						1862.5 MHz		1897.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.10		17.26	0
				1	66	17.29		17.55	0
				1	131	17.08		17.30	0
				64	0	17.11		17.25	0
				64	35	17.11		17.36	0
				64	69	17.22		17.37	0
				128	0	17.13		17.35	0
			QPSK	1	1	17.15		17.33	0
				1	66	17.20		17.51	0
				1	131	17.12		17.36	0
				64	0	17.11		17.25	0
				64	35	17.12		17.36	0
				64	69	17.20		17.36	0
				128	0	17.07		17.34	0
			16QAM	1	1	17.27		17.30	0
			64QAM	1	1	17.15		17.24	0
			256QAM	1	1	17.03		17.37	0
		CP	QPSK	1	1	17.11		17.30	0

NR FDD Band n2 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		379000	
						1865 MHz		1895 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.21		17.14	0
				1	80	17.39		17.41	0
				1	158	17.21		17.37	0
				80	0	17.31		17.25	0
				80	40	17.21		17.31	0
				80	80	17.21		17.38	0
				160	0	17.22		17.29	0
			QPSK	1	1	17.26		17.16	0
				1	80	17.28		17.44	0
				1	158	17.18		17.40	0
				80	0	17.29		17.25	0
				80	40	17.22		17.32	0
				80	80	17.21		17.37	0
				160	0	17.23		17.33	0
			16QAM	1	1	17.41		17.17	0
			64QAM	1	1	17.29		17.27	0
			256QAM	1	1	17.18		17.00	0
		CP	QPSK	1	1	17.28		17.25	0

NR FDD Band n2 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376000	
						1880 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.13	0
				1	98	17.09	0
				1	186	17.30	0
				90	0	17.17	0
				90	45	17.15	0
				90	90	17.19	0
				180	0	17.15	0
			QPSK	1	1	17.18	0
				1	98	17.08	0
				1	186	17.33	0
				90	0	17.15	0
				90	45	17.14	0
				90	90	17.19	0
				180	0	17.16	0
			16QAM	1	1	17.16	0
			64QAM	1	1	17.17	0
			256QAM	1	1	17.15	0
		CP	QPSK	1	1	17.16	0

NR FDD Band n2 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376000	
						1880 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.12	0
				1	108	17.22	0
				1	214	17.31	0
				108	0	17.18	0
				108	54	17.14	0
				108	108	17.27	0
				216	0	17.15	0
			QPSK	1	1	17.16	0
				1	108	17.13	0
				1	214	17.32	0
				108	0	17.23	0
				108	54	17.08	0
				108	108	17.26	0
				216	0	17.11	0
			16QAM	1	1	17.21	0
			64QAM	1	1	17.22	0
			256QAM	1	1	17.19	0
		CP	QPSK	1	1	17.05	0

NR FDD Band n5 Conducted Power_ Measured Pmax, Folder Open RCV(RSI

1)_ MAIN1 [Ant A]

NR FDD Band n5_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						165300	167300	169300	
						826.5 MHz	836.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.95	24.85	24.89	0
				1	13	24.93	24.82	24.82	0
				1	23	25.01	24.84	24.97	0
				12	0	24.48	24.37	24.43	0.5
				12	7	25.01	24.98	24.95	0
				12	13	24.51	24.41	24.42	0.5
				25	0	24.56	24.47	24.46	0.5
			QPSK	1	1	25.12	24.96	24.91	0
				1	13	25.03	24.91	24.90	0
				1	23	25.08	24.93	24.95	0
				12	0	24.06	24.01	23.92	1
				12	7	25.10	24.96	24.99	0
				12	13	24.08	23.88	23.99	1
				25	0	24.07	23.94	23.99	1
			16QAM	1	1	24.02	24.02	23.92	1
			64QAM	1	1	22.71	22.49	22.38	2.5
			256QAM	1	1	20.68	20.41	20.26	4.5
		CP	QPSK	1	1	23.51	23.39	23.40	1.5

NR FDD Band n5_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.88	0
				1	26	24.99	0
				1	50	24.85	0
				25	0	24.43	0.5
				25	14	24.92	0
				25	27	24.31	0.5
				50	0	24.39	0.5
			QPSK	1	1	24.99	0
				1	26	25.05	0
				1	50	24.94	0
				25	0	23.94	1
				25	14	24.98	0
				25	27	23.81	1
				50	0	23.90	1
			16QAM	1	1	24.00	1
			64QAM	1	1	22.57	2.5
			256QAM	1	1	20.47	4.5
		CP	QPSK	1	1	23.47	1.5

NR FDD Band n5_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.88	0
				1	40	24.67	0
				1	77	24.75	0
				36	0	24.36	0.5
				36	22	24.85	0
				36	43	24.29	0.5
				75	0	24.35	0.5
			QPSK	1	1	24.93	0
				1	40	24.78	0
				1	77	24.89	0
				36	0	23.92	1
				36	22	24.93	0
				36	43	23.75	1
				75	0	23.88	1
			16QAM	1	1	23.89	1
			64QAM	1	1	22.57	2.5
			256QAM	1	1	20.45	4.5
		CP	QPSK	1	1	23.46	1.5

NR FDD Band n5_ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.87	0
				1	53	24.85	0
				1	104	24.72	0
				50	0	24.32	0.5
				50	28	24.80	0
				50	56	24.22	0.5
				100	0	24.31	0.5
			QPSK	1	1	24.97	0
				1	53	24.93	0
				1	104	24.88	0
				50	0	23.89	1
				50	28	24.88	0
				50	56	23.85	1
				100	0	23.87	1
			16QAM	1	1	24.08	1
			64QAM	1	1	22.44	2.5
			256QAM	1	1	20.50	4.5
		CP	QPSK	1	1	23.38	1.5

**NR FDD Band n5 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)
_ MAIN1 [Ant A]**

NR FDD Band n5_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						165300	167300	169300	
						826.5 MHz	836.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.04	23.07	22.98	0
				1	13	22.96	23.03	22.96	0
				1	23	23.05	22.96	23.11	0
				12	0	23.11	23.02	23.01	0
				12	7	23.12	23.03	23.07	0
				12	13	23.13	22.98	23.04	0
			QPSK	25	0	23.16	23.10	23.05	0
				1	1	23.14	23.11	23.09	0
				1	13	23.09	22.95	23.00	0
				1	23	23.15	23.06	23.07	0
				12	0	23.21	23.08	23.04	0
				12	7	23.21	23.05	23.05	0
				12	13	23.11	23.08	23.06	0
				25	0	23.13	23.03	23.10	0
			16QAM	1	1	23.17	23.21	23.18	0
			64QAM	1	1	22.45	22.30	22.24	0
			256QAM	1	1	20.31	20.31	20.29	2
		CP	QPSK	1	1	23.13	23.11	23.05	0

NR FDD Band n5_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.92	0
				1	26	23.09	0
				1	50	22.85	0
				25	0	22.99	0
				25	14	22.98	0
				25	27	22.83	0
			QPSK	50	0	22.98	0
				1	1	23.04	0
				1	26	23.12	0
				1	50	22.93	0
				25	0	23.05	0
				25	14	23.04	0
				25	27	22.89	0
				50	0	23.02	0
			16QAM	1	1	23.17	0
			64QAM	1	1	22.31	0
			256QAM	1	1	20.14	2
		CP	QPSK	1	1	23.07	0

NR FDD Band n5_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.94	0
				1	40	22.79	0
				1	77	22.85	0
				36	0	23.01	0
				36	22	22.93	0
				36	43	22.84	0
				75	0	23.01	0
			QPSK	1	1	23.01	0
				1	40	22.87	0
				1	77	22.92	0
				36	0	23.09	0
				36	22	23.04	0
				36	43	22.92	0
				75	0	23.02	0
			16QAM	1	1	23.07	0
			64QAM	1	1	22.24	0
			256QAM	1	1	20.13	2
		CP	QPSK	1	1	23.02	0

NR FDD Band n5_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.92	0
				1	53	22.97	0
				1	104	22.84	0
				50	0	22.97	0
				50	28	22.88	0
				50	56	22.95	0
				100	0	22.97	0
			QPSK	1	1	23.12	0
				1	53	23.01	0
				1	104	23.00	0
				50	0	23.03	0
				50	28	23.04	0
				50	56	23.02	0
				100	0	23.02	0
			16QAM	1	1	23.20	0
			64QAM	1	1	22.31	0
			256QAM	1	1	20.36	2
		CP	QPSK	1	1	23.11	0

NR FDD Band n7 Conducted Power_ Measured Pmax, Folder Open RCV(RSI

1)_ MAIN2 [AntB]

NR FDD Band n7 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						500500	507000	513500	
						2502.5 MHz	2535 MHz	2567.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.04	23.66	23.43	0
				1	13	24.01	23.62	23.44	0
				1	23	24.03	23.65	24.21	0
				12	0	23.64	23.17	22.90	0.5
				12	7	24.11	23.71	23.49	0
				12	13	23.61	23.19	23.07	0.5
				25	0	23.65	23.17	23.02	0.5
			QPSK	1	1	24.20	23.80	23.53	0
				1	13	24.08	23.64	23.47	0
				1	23	24.13	23.69	23.59	0
				12	0	23.22	22.72	22.50	1
				12	7	24.19	23.73	23.59	0
				12	13	23.13	22.69	22.55	1
				25	0	23.19	22.68	22.55	1
			16QAM	1	1	23.22	22.87	22.58	1
			64QAM	1	1	21.71	21.43	21.09	2.5
			256QAM	1	1	19.73	19.20	18.91	4.5
		CP	QPSK	1	1	22.76	22.09	21.98	1.5

NR FDD Band n7 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						501000	507000	513000	
						2505 MHz	2535 MHz	2565 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.91	23.78	23.47	0
				1	26	23.98	23.81	23.62	0
				1	50	23.82	23.65	23.51	0
				25	0	23.49	23.22	22.98	0.5
				25	14	23.91	23.68	23.50	0
				25	27	23.41	23.16	23.00	0.5
				50	0	23.43	23.22	22.97	0.5
			QPSK	1	1	24.03	23.86	23.54	0
				1	26	24.03	23.80	23.50	0
				1	50	23.95	23.72	23.56	0
				25	0	23.04	22.78	22.50	1
				25	14	23.96	23.70	23.49	0
				25	27	23.00	22.70	22.52	1
				50	0	22.99	22.67	22.54	1
			16QAM	1	1	23.08	22.71	22.54	1
			64QAM	1	1	21.55	21.46	21.07	2.5
			256QAM	1	1	19.55	19.31	18.92	4.5
		CP	QPSK	1	1	20.11	20.01	19.71	1.5

NR FDD Band n7 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						501500	507000	512500	
						2507.5 MHz	2535 MHz	2562.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.06	23.84	23.61	0
				1	40	23.86	23.56	23.53	0
				1	77	23.84	23.71	23.59	0
				36	0	23.51	23.30	23.11	0.5
				36	22	24.05	23.67	23.61	0
				36	43	23.44	23.16	23.08	0.5
				75	0	23.57	23.18	23.21	0.5
			QPSK	1	1	24.10	23.91	23.68	0
				1	40	23.97	23.62	23.60	0
				1	77	23.93	23.68	23.69	0
				36	0	23.05	22.80	22.67	1
				36	22	24.07	23.73	23.72	0
				36	43	22.96	22.75	22.68	1
				75	0	23.08	22.66	22.69	1
			16QAM	1	1	23.18	22.86	22.78	1
			64QAM	1	1	21.65	21.38	21.10	2.5
			256QAM	1	1	19.50	19.25	19.02	4.5
		CP	QPSK	1	1	22.54	22.37	22.14	1.5

NR FDD Band n7 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						502000	507000	512000	
						2510 MHz	2535 MHz	2560 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.03	23.84	23.55	0
				1	53	24.00	23.78	23.79	0
				1	104	24.00	23.54	23.63	0
				50	0	24.12	23.30	23.07	0.5
				50	28	23.91	23.71	23.61	0
				50	56	23.38	23.17	23.12	0.5
				100	0	23.51	23.20	23.11	0.5
			QPSK	1	1	24.16	23.90	23.70	0
				1	53	24.03	23.81	23.70	0
				1	104	24.06	23.66	23.67	0
				50	0	23.08	22.86	22.63	1
				50	28	24.02	23.77	23.66	0
				50	56	22.94	22.80	22.62	1
				100	0	23.01	22.70	22.64	1
			16QAM	1	1	23.23	23.01	22.75	1
			64QAM	1	1	21.62	21.45	21.28	2.5
			256QAM	1	1	19.34	19.37	18.96	4.5
		CP	QPSK	1	1	22.61	22.40	22.17	1.5

NR FDD Band n7 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						502500		511500	
						2512.5 MHz		2557.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.09		23.59	0
				1	67	23.89		23.47	0
				1	131	24.01		23.58	0
				64	0	23.62		23.08	0.5
				64	35	23.99		23.59	0
				64	39	23.52		23.07	0.5
				128	0	23.52		23.09	0.5
			QPSK	1	1	24.24		23.71	0
				1	67	23.99		23.50	0
				1	131	24.10		23.67	0
				64	0	23.18		22.70	1
				64	35	24.05		23.64	0
				64	69	23.18		22.58	1
				128	0	23.09		22.64	1
			16QAM	1	1	23.20		22.69	1
			64QAM	1	1	21.84		21.33	2.5
			256QAM	1	1	19.81		19.18	4.5
		CP	QPSK	1	1	22.79		22.14	1.5

NR FDD Band n7 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						503000		511000	
						2515 MHz		2555 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.98		23.69	0
				1	80	23.97		23.70	0
				1	158	23.88		23.65	0
				80	0	23.49		23.18	0.5
				80	40	23.89		23.52	0
				80	80	23.53		23.11	0.5
				160	0	23.42		23.05	0.5
			QPSK	1	1	24.14		23.78	0
				1	80	24.00		23.63	0
				1	158	23.98		23.67	0
				80	0	23.01		22.76	1
				80	40	23.91		23.55	0
				80	80	23.14		22.66	1
				160	0	22.93		22.60	1
			16QAM	1	1	23.14		22.73	1
			64QAM	1	1	21.70		21.29	2.5
			256QAM	1	1	19.52		19.19	4.5
		CP	QPSK	1	1	22.56		22.18	1.5

NR FDD Band n7 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						507000		
						2535 MHz		
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.92		0
				1	98	23.68		0
				1	186	23.55		0
				90	0	23.45		0.5
				90	45	23.77		0
				90	90	23.24		0.5
				180	0	23.26		0.5
			QPSK	1	1	23.97		0
				1	98	23.79		0
				1	186	23.64		0
				90	0	22.98		1
				90	45	23.85		0
				90	90	22.81		1
				180	0	22.90		1
			16QAM	1	1	23.05		1
			64QAM	1	1	21.55		2.5
			256QAM	1	1	19.50		4.5
		CP	QPSK	1	1	22.54		1.5

NR FDD Band n7 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						507000	
						2535 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.81	0
				1	108	23.78	0
				1	214	23.61	0
				108	0	23.42	0.5
				108	54	23.76	0
				108	108	23.16	0.5
				216	0	23.29	0.5
			QPSK	1	1	23.97	0
				1	108	23.86	0
				1	214	23.60	0
				108	0	23.02	1
				108	54	23.79	0
				108	108	22.72	1
				216	0	22.83	1
			16QAM	1	1	23.04	1
			64QAM	1	1	21.49	2.5
			256QAM	1	1	19.32	4.5
		CP	QPSK	1	1	22.39	1.5

NR FDD Band n7 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)
_ MAIN2 [Ant.B]

NR FDD Band n7 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						500500	507000	513500	
						2502.5 MHz	2535 MHz	2567.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.73	18.26	18.03	0
				1	13	18.65	18.15	18.01	0
				1	23	18.69	18.23	18.12	0
				12	0	18.76	18.29	18.12	0
				12	7	18.74	18.28	18.17	0
				12	13	18.66	18.27	18.21	0
			QPSK	25	0	18.74	18.30	18.18	0
				1	1	18.74	18.30	18.13	0
				1	13	18.73	18.18	18.09	0
				1	23	18.71	18.27	18.14	0
				12	0	18.80	18.31	18.17	0
				12	7	18.80	18.28	18.14	0
				12	13	18.74	18.29	18.17	0
				25	0	18.75	18.28	18.14	0
			16QAM	1	1	18.73	18.33	18.10	0
			64QAM	1	1	18.82	18.30	18.24	0
			256QAM	1	1	18.61	18.18	18.10	0
		CP	QPSK	1	1	18.77	18.27	18.11	0

NR FDD Band n7 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						501000	507000	513000	
						2505 MHz	2535 MHz	2565 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.46	18.30	18.05	0
				1	26	18.56	18.43	18.22	0
				1	50	18.46	18.25	18.09	0
				25	0	18.57	18.30	18.13	0
				25	14	18.49	18.26	18.06	0
				25	27	18.54	18.26	18.06	0
				50	0	18.53	18.30	18.05	0
			QPSK	1	1	18.60	18.38	18.07	0
				1	26	18.57	18.33	18.16	0
				1	50	18.46	18.32	18.17	0
				25	0	18.59	18.32	18.11	0
				25	14	18.52	18.28	18.06	0
				25	27	18.50	18.26	18.13	0
				50	0	18.47	18.31	18.05	0
			16QAM	1	1	18.57	18.37	18.05	0
			64QAM	1	1	18.75	18.51	18.24	0
			256QAM	1	1	18.58	18.33	17.92	0
		CP	QPSK	1	1	18.59	18.43	18.02	0

NR FDD Band n7 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						501500	507000	512500	
						2507.5 MHz	2535 MHz	2562.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.59	18.38	18.17	0
				1	40	18.41	18.16	18.14	0
				1	77	18.38	18.27	18.22	0
				36	0	18.54	18.35	18.25	0
				36	22	18.61	18.27	18.24	0
				36	43	18.52	18.30	18.22	0
				75	0	18.55	18.28	18.26	0
			QPSK	1	1	18.64	18.45	18.24	0
				1	40	18.49	18.26	18.17	0
				1	77	18.46	18.34	18.24	0
				36	0	18.62	18.37	18.22	0
				36	22	18.60	18.30	18.27	0
				36	43	18.50	18.25	18.26	0
				75	0	18.58	18.28	18.32	0
			16QAM	1	1	18.64	18.53	18.51	0
			64QAM	1	1	18.59	18.44	18.35	0
			256QAM	1	1	18.56	18.55	18.24	0
		CP	QPSK	1	1	18.65	18.52	18.29	0

NR FDD Band n7 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						502000	507000	512000	
						2510 MHz	2535 MHz	2560 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.60	18.47	18.19	0
				1	53	18.58	18.45	18.40	0
				1	104	18.59	18.16	18.17	0
				50	0	18.59	18.41	18.15	0
				50	28	18.55	18.30	18.26	0
				50	56	18.50	18.30	18.11	0
				100	0	18.60	18.31	18.21	0
			QPSK	1	1	18.67	18.47	18.23	0
				1	53	18.65	18.35	18.26	0
				1	104	18.61	18.25	18.25	0
				50	0	18.65	18.46	18.18	0
				50	28	18.53	18.32	18.24	0
				50	56	18.50	18.36	18.20	0
				100	0	18.61	18.29	18.21	0
			16QAM	1	1	18.64	18.64	18.22	0
			64QAM	1	1	18.80	18.57	18.51	0
			256QAM	1	1	18.75	18.46	18.01	0
		CP	QPSK	1	1	18.67	18.56	18.23	0

NR FDD Band n7 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						502500		511500	
						2512.5 MHz		2557.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.74		18.23	0
				1	67	18.45		18.03	0
				1	131	18.60		18.16	0
				64	0	18.69		18.23	0
				64	35	18.57		18.18	0
				64	39	18.54		18.15	0
				128	0	18.66		18.18	0
			QPSK	1	1	18.84		18.30	0
				1	67	18.57		18.10	0
				1	131	18.71		18.27	0
				64	0	18.74		18.19	0
				64	35	18.59		18.22	0
				64	69	18.71		18.15	0
				128	0	18.61		18.21	0
			16QAM	1	1	18.75		18.23	0
			64QAM	1	1	18.87		18.23	0
			256QAM	1	1	18.77		18.26	0
		CP	QPSK	1	1	18.84		18.17	0

NR FDD Band n7 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						503000		511000	
						2515 MHz		2555 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.57		18.28	0
				1	80	18.55		18.22	0
				1	158	18.43		18.18	0
				80	0	18.56		18.27	0
				80	40	18.45		18.12	0
				80	80	18.62		18.19	0
				160	0	18.45		18.17	0
			QPSK	1	1	18.67		18.38	0
				1	80	18.51		18.11	0
				1	158	18.56		18.19	0
				80	0	18.58		18.24	0
				80	40	18.43		18.12	0
				80	80	18.60		18.19	0
				160	0	18.49		18.15	0
			16QAM	1	1	18.71		18.33	0
			64QAM	1	1	18.63		18.34	0
			256QAM	1	1	18.64		18.31	0
		CP	QPSK	1	1	18.61		18.31	0

NR FDD Band n7 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						507000			
						2535 MHz			
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.53			0
				1	98	18.30			0
				1	186	18.13			0
				90	0	18.58			0
				90	45	18.35			0
				90	90	18.35			0
				180	0	18.34			0
			QPSK	1	1	18.57			0
				1	98	18.33			0
				1	186	18.24			0
				90	0	18.61			0
				90	45	18.34			0
				90	90	18.32			0
				180	0	18.32			0
			16QAM	1	1	18.65			0
			64QAM	1	1	18.71			0
			256QAM	1	1	18.58			0
		CP	QPSK	1	1	18.60			0

NR FDD Band n7 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						507000	
						2535 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.50	0
				1	108	18.49	0
				1	214	18.12	0
				108	0	18.54	0
				108	54	18.36	0
				108	108	18.29	0
				216	0	18.37	0
			QPSK	1	1	18.56	0
				1	108	18.43	0
				1	214	18.20	0
				108	0	18.58	0
				108	54	18.34	0
				108	108	18.27	0
				216	0	18.35	0
			16QAM	1	1	18.62	0
			64QAM	1	1	18.76	0
			256QAM	1	1	18.53	0
		CP	QPSK	1	1	18.54	0

NR FDD Band n12 Conducted Power_ Measured Pmax, Folder Open RCV(RSI

1)_ MAIN1 [Ant A]

NR FDD Band n12_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						140300	141500	142700	
						701.5 MHz	707.5 MHz	713.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.99	25.00	24.94	0
				1	13	24.92	24.95	24.91	0
				1	23	24.98	25.01	25.00	0
				12	0	24.55	24.51	24.43	0.5
				12	7	25.03	25.06	25.03	0
				12	13	24.56	24.60	24.54	0.5
				25	0	24.56	24.62	24.56	0.5
			QPSK	1	1	25.10	25.13	25.03	0
				1	13	25.04	25.04	25.03	0
				1	23	25.05	25.08	25.04	0
				12	0	24.15	24.12	24.05	1
				12	7	25.05	25.10	25.09	0
				12	13	24.05	24.12	24.09	1
				25	0	24.07	24.11	24.08	1
			16QAM	1	1	24.17	24.09	24.06	1
			64QAM	1	1	22.57	22.73	22.56	2.5
			256QAM	1	1	20.48	20.54	20.60	4.5
		CP	QPSK	1	1	23.57	23.58	23.51	1.5

NR FDD Band n12_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						141500		
						707.5 MHz		
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.99		0
				1	26	25.08		0
				1	50	24.94		0
				25	0	24.56		0.5
				25	14	25.08		0
				25	27	24.53		0.5
				50	0	24.58		0.5
			QPSK	1	1	25.07		0
				1	26	25.17		0
				1	50	25.04		0
				25	0	24.10		1
				25	14	25.18		0
				25	27	24.08		1
				50	0	24.13		1
			16QAM	1	1	24.13		1
			64QAM	1	1	22.63		2.5
			256QAM	1	1	20.61		4.5
		CP	QPSK	1	1	23.59		1.5

NR FDD Band n12_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						141500	
						707.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.90	0
				1	40	24.84	0
				1	77	24.91	0
				36	0	24.49	0.5
				36	22	25.08	0
				36	43	24.45	0.5
				75	0	24.52	0.5
			QPSK	1	1	25.35	0
				1	40	25.00	0
				1	77	25.01	0
				36	0	24.07	1
				36	22	25.36	0
				36	43	23.99	1
				75	0	24.09	1
			16QAM	1	1	24.05	1
			64QAM	1	1	22.55	2.5
			256QAM	1	1	20.31	4.5
		CP	QPSK	1	1	23.60	1.5

NR FDD Band n12 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)
_ MAIN1 [Ant A]

NR FDD Band n12_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						140300	141500	142700	
						701.5 MHz	707.5 MHz	713.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.10	23.18	23.13	0
				1	13	23.03	23.12	23.08	0
				1	23	23.07	23.20	23.23	0
				12	0	23.17	23.21	23.13	0
				12	7	23.14	23.23	23.23	0
				12	13	23.14	23.21	23.20	0
				25	0	23.15	23.29	23.24	0
			QPSK	1	1	23.27	23.29	23.20	0
				1	13	23.17	23.17	23.14	0
				1	23	23.25	23.22	23.29	0
				12	0	23.21	23.27	23.22	0
				12	7	23.26	23.33	23.28	0
				12	13	23.19	23.25	23.26	0
				25	0	23.27	23.29	23.24	0
			16QAM	1	1	23.38	23.37	23.41	0
			64QAM	1	1	22.44	22.52	22.43	1
			256QAM	1	1	20.30	20.38	20.29	3
		CP	QPSK	1	1	23.20	23.24	23.13	0

NR FDD Band n12_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						141500	
						707.5 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.27	0
				1	26	23.42	0
				1	50	23.18	0
				25	0	23.24	0
				25	14	23.28	0
				25	27	23.31	0
				50	0	23.30	0
			QPSK	1	1	23.33	0
				1	26	23.41	0
				1	50	23.19	0
				25	0	23.34	0
				25	14	23.30	0
				25	27	23.28	0
				50	0	23.39	0
			16QAM	1	1	23.37	0
			64QAM	1	1	22.76	1
			256QAM	1	1	20.47	3
		CP	QPSK	1	1	23.28	0

NR FDD Band n12_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						141500	
						707.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.21	0
				1	40	23.14	0
				1	77	23.18	0
				36	0	23.29	0
				36	22	23.27	0
				36	43	23.19	0
				75	0	23.27	0
			QPSK	1	1	23.37	0
				1	40	23.29	0
				1	77	23.33	0
				36	0	23.31	0
				36	22	23.32	0
				36	43	23.31	0
				75	0	23.37	0
			16QAM	1	1	23.50	0
			64QAM	1	1	22.39	1
			256QAM	1	1	20.60	3
		CP	QPSK	1	1	23.28	0

NR FDD Band n14 Conducted Power_ Measured Pmax, Folder Open RCV(RSI 1), Folder Open Free (RSI 0), Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4) _ MAIN1 [Ant A]

NR FDD Band n14_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						158600	
						793 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.00	0
				1	26	23.17	0
				1	50	22.97	0
				25	0	22.51	0.5
				25	14	22.98	0
				25	27	22.44	0.5
				50	0	22.46	0.5
			QPSK	1	1	22.99	0
				1	26	23.16	0
				1	50	22.96	0
				25	0	22.04	1
				25	14	22.97	0
				25	27	21.98	1
				50	0	22.02	1
			16QAM	1	1	21.88	1
			64QAM	1	1	20.50	2.5
			256QAM	1	1	18.48	4.5
		CP	QPSK	1	1	21.52	1.5

NR FDD Band n14_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						158600	
						793 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.00	0
				1	26	23.17	0
				1	50	22.97	0
				25	0	22.51	0.5
				25	14	22.98	0
				25	27	22.44	0.5
				50	0	22.46	0.5
			QPSK	1	1	22.99	0
				1	26	23.16	0
				1	50	22.96	0
				25	0	22.04	1
				25	14	22.97	0
				25	27	21.98	1
				50	0	22.02	1
			16QAM	1	1	21.88	1
			64QAM	1	1	20.50	2.5
			256QAM	1	1	18.48	4.5
		CP	QPSK	1	1	21.52	1.5

NR FDD Band n25 Conducted Power_ Measured Pmax, Folder Open RCV(RSI

1)_ MAIN1 [Ant A]

NR FDD Band n25 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376500	382500	
						1852.5 MHz	1882.5 MHz	1912.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.21	25.27	25.33	0
				1	13	25.23	25.25	25.30	0
				1	23	25.37	25.38	25.42	0
				12	0	24.83	24.82	24.83	0.5
				12	7	25.46	25.34	25.42	0
				12	13	24.90	24.86	24.87	0.5
				25	0	24.98	24.84	24.93	0.5
			QPSK	1	1	25.48	25.38	25.41	0
				1	13	25.42	25.31	25.40	0
				1	23	25.50	25.42	25.34	0
				12	0	24.47	24.31	24.40	1
				12	7	25.52	25.39	25.47	0
				12	13	24.44	24.35	24.46	1
				25	0	24.49	24.35	24.43	1
			16QAM	1	1	24.56	24.44	24.47	1
			64QAM	1	1	23.03	22.94	22.83	2.5
			256QAM	1	1	20.81	20.69	20.70	4.5
		CP	QPSK	1	1	23.95	23.74	23.75	1.5

NR FDD Band n25 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376500	382000	
						1855 MHz	1882.5 MHz	1910 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.38	25.33	24.28	0
				1	26	25.57	25.47	25.41	0
				1	50	25.52	25.43	25.47	0
				25	0	25.03	24.85	24.99	0.5
				25	14	25.54	25.39	25.37	0
				25	27	25.02	24.92	24.99	0.5
				50	0	25.02	24.91	24.91	0.5
			QPSK	1	1	25.57	25.50	25.45	0
				1	26	25.74	25.59	25.56	0
				1	50	25.65	25.49	25.24	0
				25	0	24.63	24.43	24.46	1
				25	14	25.67	25.44	25.48	0
				25	27	24.58	24.43	24.51	1
				50	0	24.59	24.39	24.47	1
			16QAM	1	1	24.63	24.46	24.52	1
			64QAM	1	1	23.07	23.03	22.99	2.5
			256QAM	1	1	20.96	20.70	20.71	4.5
		CP	QPSK	1	1	23.97	23.98	23.98	1.5

NR FDD Band n25 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376500	381500	
						1857.5 MHz	1882.5 MHz	1907.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.43	25.36	25.37	0
				1	40	25.38	25.34	25.31	0
				1	77	25.53	25.43	25.39	0
				36	0	25.01	24.94	24.99	0.5
				36	22	25.56	25.42	25.51	0
				36	43	25.07	24.92	24.93	0.5
				75	0	25.04	24.86	24.98	0.5
			QPSK	1	1	25.62	25.48	25.57	0
				1	40	25.59	25.34	25.42	0
				1	77	25.69	25.54	25.18	0
				36	0	24.58	24.44	24.49	1
				36	22	25.64	25.43	25.53	0
				36	43	24.61	24.44	24.49	1
				75	0	24.56	24.43	24.49	1
			16QAM	1	1	24.60	24.41	24.47	1
			64QAM	1	1	23.16	22.90	22.89	2.5
			256QAM	1	1	20.89	20.77	20.85	4.5
		CP	QPSK	1	1	24.05	23.89	23.98	1.5

NR FDD Band n25 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376500	381000	
						1860 MHz	1882.5 MHz	1905 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.51	25.47	25.36	0
				1	53	25.60	25.44	25.64	0
				1	104	25.59	25.46	25.27	0
				50	0	25.06	24.88	24.99	0.5
				50	28	25.59	25.40	25.46	0
				50	56	25.10	24.94	24.93	0.5
				100	0	25.09	24.87	24.97	0.5
			QPSK	1	1	25.40	25.54	25.51	0
				1	53	25.75	25.58	25.70	0
				1	104	25.64	25.50	25.08	0
				50	0	24.60	24.48	24.51	1
				50	28	25.64	25.47	25.55	0
				50	56	24.63	24.45	24.46	1
				100	0	24.58	24.43	24.50	1
			16QAM	1	1	24.44	24.40	24.41	1
			64QAM	1	1	23.11	23.05	23.07	2.5
			256QAM	1	1	20.95	20.82	20.94	4.5
		CP	QPSK	1	1	24.02	23.90	23.88	1.5

NR FDD Band n25 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		380500	
						1862.5 MHz		1902.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.53		25.40	0
				1	66	25.68		25.54	0
				1	131	25.50		25.36	0
				64	0	25.05		24.93	0.5
				64	35	25.64		25.47	0
				64	69	25.13		24.98	0.5
				128	0	25.08		24.96	0.5
			QPSK	1	1	25.61		25.44	0
				1	66	25.79		25.62	0
				1	131	25.58		25.16	0
				64	0	24.63		24.50	1
				64	35	25.71		25.52	0
				64	69	24.61		24.50	1
				128	0	24.64		24.49	1
			16QAM	1	1	24.67		24.52	1
			64QAM	1	1	23.03		22.93	2.5
			256QAM	1	1	21.08		20.70	4.5
		CP	QPSK	1	1	24.03		23.90	1.5

NR FDD Band n25 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		380000	
						1865 MHz		1900 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.45		25.43	0
				1	80	25.72		25.54	0
				1	158	25.38		25.40	0
				80	0	25.10		25.00	0.5
				80	40	25.61		25.52	0
				80	80	25.04		25.02	0.5
				160	0	25.11		25.04	0.5
			QPSK	1	1	25.72		25.51	0
				1	80	25.85		25.68	0
				1	158	25.49		25.14	0
				80	0	24.69		24.53	1
				80	40	25.73		25.63	0
				80	80	24.56		24.47	1
				160	0	24.71		24.50	1
			16QAM	1	1	24.72		24.50	1
			64QAM	1	1	23.05		22.96	2.5
			256QAM	1	1	20.99		20.74	4.5
		CP	QPSK	1	1	24.07		23.90	1.5

NR FDD Band n25 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376500	
						1882.5 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.45	0
				1	98	25.32	0
				1	186	25.43	0
				90	0	25.00	0.5
				90	45	25.41	0
				90	90	24.93	0.5
				180	0	24.91	0.5
			QPSK	1	1	25.65	0
				1	98	25.47	0
				1	186	25.54	0
				90	0	24.53	1
				90	45	25.46	0
				90	90	24.46	1
				180	0	24.46	1
			16QAM	1	1	24.66	1
			64QAM	1	1	23.03	2.5
			256QAM	1	1	20.98	4.5
		CP	QPSK	1	1	24.00	1.5

NR FDD Band n25 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376500	
						1882.5 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.33	0
				1	108	25.35	0
				1	214	25.27	0
				108	0	24.89	0.5
				108	54	25.32	0
				108	108	24.87	0.5
				216	0	24.86	0.5
			QPSK	1	1	25.60	0
				1	108	25.40	0
				1	214	25.46	0
				108	0	24.44	1
				108	54	25.42	0
				108	108	24.45	1
				216	0	24.35	1
			16QAM	1	1	24.59	1
			64QAM	1	1	23.08	2.5
			256QAM	1	1	20.89	4.5
		CP	QPSK	1	1	24.02	1.5

NR FDD Band n25 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)
_ MAIN1 [Ant A]

NR FDD Band n25 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376500	382500	
						1852.5 MHz	1882.5 MHz	1912.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.11	17.02	17.30	0
				1	13	17.00	16.97	17.14	0
				1	23	17.08	17.07	17.21	0
				12	0	17.09	17.04	17.23	0
				12	7	17.11	17.03	17.25	0
				12	13	17.11	17.07	17.25	0
				25	0	17.11	17.08	17.25	0
			QPSK	1	1	17.17	17.06	17.33	0
				1	13	17.05	17.05	17.18	0
				1	23	17.11	17.10	17.26	0
				12	0	17.13	17.05	17.26	0
				12	7	17.10	17.04	17.25	0
				12	13	17.12	17.05	17.24	0
				25	0	17.12	17.09	17.25	0
			16QAM	1	1	17.16	17.09	17.29	0
			64QAM	1	1	17.06	17.12	17.35	0
			256QAM	1	1	16.95	16.97	17.34	0
		CP	QPSK	1	1	17.10	17.03	17.31	0

NR FDD Band n25 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376500	382000	
						1855 MHz	1882.5 MHz	1910 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.23	17.17	17.30	0
				1	26	17.30	17.16	17.54	0
				1	50	17.20	17.12	17.30	0
				25	0	17.23	17.03	17.30	0
				25	14	17.21	17.05	17.35	0
				25	27	17.24	17.08	17.28	0
			QPSK	50	0	17.20	17.07	17.40	0
				1	1	17.29	17.19	17.30	0
				1	26	17.23	17.21	17.47	0
				1	50	17.22	17.14	17.28	0
				25	0	17.25	17.02	17.34	0
				25	14	17.22	17.07	17.35	0
				25	27	17.26	17.09	17.29	0
				50	0	17.24	17.04	17.33	0
			16QAM	1	1	17.32	17.25	17.27	0
			64QAM	1	1	17.36	17.24	17.53	0
			256QAM	1	1	17.12	17.17	17.39	0
		CP	QPSK	1	1	17.23	17.16	17.28	0

NR FDD Band n25 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376500	381500	
						1857.5 MHz	1882.5 MHz	1907.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.17	17.08	17.33	0
				1	40	17.14	16.96	17.27	0
				1	77	17.18	17.19	17.31	0
				36	0	17.23	17.12	17.36	0
				36	22	17.23	17.07	17.36	0
				36	43	17.17	17.07	17.37	0
			QPSK	75	0	17.19	17.06	17.37	0
				1	1	17.25	17.12	17.38	0
				1	40	17.17	17.02	17.28	0
				1	77	17.21	17.20	17.34	0
				36	0	17.17	17.11	17.39	0
				36	22	17.23	17.07	17.35	0
				36	43	17.19	17.10	17.35	0
				75	0	17.23	17.06	17.38	0
			16QAM	1	1	17.19	16.99	17.29	0
			64QAM	1	1	17.18	17.15	17.49	0
			256QAM	1	1	17.07	17.01	17.26	0
		CP	QPSK	1	1	17.19	17.10	17.30	0

NR FDD Band n25 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376500	381000	
						1860 MHz	1882.5 MHz	1905 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.14	17.11	17.32	0
				1	53	17.28	17.21	17.57	0
				1	104	17.21	17.16	17.35	0
				50	0	17.15	17.14	17.34	0
				50	28	17.12	17.09	17.42	0
				50	56	17.17	17.15	17.41	0
				100	0	17.17	17.09	17.43	0
			QPSK	1	1	17.20	17.08	17.37	0
				1	53	17.21	17.17	17.45	0
				1	104	17.24	17.19	17.40	0
				50	0	17.12	17.13	17.36	0
				50	28	17.11	17.09	17.39	0
				50	56	17.15	17.15	17.43	0
				100	0	17.16	17.10	17.43	0
			16QAM	1	1	17.15	17.08	17.28	0
			64QAM	1	1	17.08	17.05	17.32	0
			256QAM	1	1	17.14	17.13	17.33	0
		CP	QPSK	1	1	17.16	17.15	17.29	0

NR FDD Band n25 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		380500	
						1862.5 MHz		1902.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.15		17.22	0
				1	66	17.27		17.46	0
				1	131	17.10		17.25	0
				64	0	17.13		17.27	0
				64	35	17.10		17.32	0
				64	69	17.20		17.35	0
				128	0	17.13		17.32	0
			QPSK	1	1	17.18		17.25	0
				1	66	17.27		17.37	0
				1	131	17.14		17.27	0
				64	0	17.12		17.28	0
				64	35	17.17		17.35	0
				64	69	17.19		17.35	0
				128	0	17.12		17.26	0
			16QAM	1	1	17.26		17.30	0
			64QAM	1	1	17.11		17.21	0
			256QAM	1	1	17.14		17.14	0
		CP	QPSK	1	1	17.15		17.23	0

NR FDD Band n25 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		380000	
						1865 MHz		1900 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.24		17.18	0
				1	80	17.39		17.34	0
				1	158	17.17		17.28	0
				80	0	17.30		17.20	0
				80	40	17.23		17.28	0
				80	80	17.21		17.34	0
				160	0	17.21		17.26	0
			QPSK	1	1	17.26		17.25	0
				1	80	17.27		17.28	0
				1	158	17.18		17.31	0
				80	0	17.24		17.21	0
				80	40	17.21		17.29	0
				80	80	17.22		17.35	0
				160	0	17.21		17.26	0
			16QAM	1	1	17.29		17.30	0
			64QAM	1	1	17.38		17.22	0
			256QAM	1	1	17.25		17.20	0
		CP	QPSK	1	1	17.19		17.16	0

NR FDD Band n25 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376500	
						1882.5 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.12	0
				1	98	17.08	0
				1	186	17.30	0
				90	0	17.11	0
				90	45	17.10	0
				90	90	17.25	0
				180	0	17.13	0
			QPSK	1	1	17.15	0
				1	98	17.13	0
				1	186	17.34	0
				90	0	17.10	0
				90	45	17.07	0
				90	90	17.29	0
				180	0	17.11	0
			16QAM	1	1	17.09	0
			64QAM	1	1	17.13	0
			256QAM	1	1	16.97	0
		CP	OPSK	1	1	17.17	0

NR FDD Band n25 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376500	
						1882.5 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.13	0
				1	108	17.16	0
				1	214	17.28	0
				108	0	17.10	0
				108	54	17.09	0
				108	108	17.21	0
				216	0	17.09	0
			QPSK	1	1	17.54	0
				1	108	17.20	0
				1	214	17.32	0
				108	0	17.30	0
				108	54	17.10	0
				108	108	17.20	0
				216	0	17.51	0
			16QAM	1	1	17.09	0
			64QAM	1	1	17.04	0
			256QAM	1	1	17.04	0
		CP	QPSK	1	1	17.54	0

NR FDD Band n26 Conducted Power_ Measured Pmax, Folder Open RCV(RSI

1)_ MAIN1 [Ant A]

NR FDD Band n26 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						163300	166300	169300	
						816.5 MHz	831.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.78	24.89	24.78	0
				1	13	24.77	24.73	24.67	0
				1	23	24.85	24.81	24.70	0
				12	0	24.37	24.31	24.32	0.5
				12	7	24.86	24.75	24.70	0
				12	13	24.33	24.32	24.17	0.5
				25	0	24.33	24.35	24.19	0.5
			QPSK	1	1	24.91	24.82	24.73	0
				1	13	24.77	24.75	24.59	0
				1	23	24.92	24.81	24.68	0
				12	0	23.90	23.83	23.71	1
				12	7	24.88	24.82	24.74	0
				12	13	23.90	23.81	23.71	1
				25	0	23.89	23.81	23.73	1
			16QAM	1	1	24.12	23.86	23.82	1
			64QAM	1	1	22.34	22.53	22.29	2.5
			256QAM	1	1	20.31	20.35	20.24	4.5
		CP	QPSK	1	1	23.36	23.42	23.23	1.5

NR FDD Band n26 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						163800	166300	168800	
						819 MHz	831.5 MHz	844 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.75	24.84	24.66	0
				1	26	24.89	24.82	24.77	0
				1	50	24.84	24.71	24.74	0
				25	0	24.31	24.31	24.12	0.5
				25	14	24.90	24.75	24.72	0
				25	27	24.37	24.24	24.14	0.5
				50	0	24.38	24.26	24.28	0.5
			QPSK	1	1	24.91	24.89	24.68	0
				1	26	24.98	24.91	24.75	0
				1	50	24.91	24.69	24.69	0
				25	0	23.84	23.83	23.66	1
				25	14	24.92	24.84	24.75	0
				25	27	23.87	23.78	23.74	1
				50	0	23.95	23.83	23.75	1
			16QAM	1	1	24.12	23.90	23.70	1
			64QAM	1	1	22.49	22.37	22.25	2.5
			256QAM	1	1	20.51	20.26	20.24	4.5
		CP	QPSK	1	1	23.36	23.45	23.19	1.5

NR FDD Band n26 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						164300		168300	
						821.5 MHz		841.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.83		24.70	0
				1	40	24.67		24.49	0
				1	77	24.82		24.74	0
				36	0	24.29		24.19	0.5
				36	22	24.77		24.66	0
				36	43	24.36		24.22	0.5
				75	0	24.34		24.21	0.5
			QPSK	1	1	24.84		24.73	0
				1	40	24.80		24.58	0
				1	77	24.82		24.76	0
				36	0	23.88		23.72	1
				36	22	24.85		24.69	0
				36	43	23.88		23.72	1
				75	0	23.89		23.65	1
			16QAM	1	1	23.90		23.72	1
			64QAM	1	1	22.36		22.35	2.5
			256QAM	1	1	20.27		20.10	4.5
		CP	QPSK	1	1	23.39		23.19	1.5

NR FDD Band n26 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						166300	
						831.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.76	0
				1	53	24.78	0
				1	104	24.64	0
				50	0	24.26	0.5
				50	28	24.79	0
				50	56	24.14	0.5
				100	0	24.29	0.5
			QPSK	1	1	24.83	0
				1	53	24.91	0
				1	104	24.72	0
				50	0	23.88	1
				50	28	24.83	0
				50	56	23.65	1
				100	0	23.78	1
			16QAM	1	1	23.92	1
			64QAM	1	1	22.35	2.5
			256QAM	1	1	20.18	4.5
		CP	QPSK	1	1	23.28	1.5

**NR FDD Band n26 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)
_ MAIN1 [Ant A]**

NR FDD Band n26 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						163300	166300	169300	
						816.5 MHz	831.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.01	23.06	22.99	0
				1	13	22.88	22.96	22.84	0
				1	23	22.96	22.95	22.95	0
				12	0	23.03	23.00	22.97	0
				12	7	22.99	23.00	22.93	0
				12	13	23.04	22.95	22.94	0
				25	0	22.96	22.97	22.91	0
			QPSK	1	1	23.11	23.00	23.00	0
				1	13	22.96	22.91	22.85	0
				1	23	23.00	22.96	22.92	0
				12	0	23.02	22.96	22.99	0
				12	7	22.99	22.95	22.93	0
				12	13	23.01	23.02	22.94	0
				25	0	23.06	22.99	22.97	0
			16QAM	1	1	23.29	23.06	23.09	0
			64QAM	1	1	22.29	22.19	22.33	0.5
			256QAM	1	1	20.16	20.17	20.11	2.5
		CP	QPSK	1	1	23.01	23.02	23.01	0

NR FDD Band n26 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						163800	166300	168800	
						819 MHz	831.5 MHz	844 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.99	23.03	22.90	0
				1	26	23.17	23.03	23.24	0
				1	50	23.05	22.83	22.94	0
				25	0	23.03	23.06	22.85	0
				25	14	23.05	23.00	22.98	0
				25	27	23.07	22.95	22.95	0
			QPSK	50	0	23.08	22.99	22.93	0
				1	1	23.13	23.08	22.92	0
				1	26	23.15	23.09	23.02	0
				1	50	23.13	22.92	22.94	0
				25	0	23.07	23.06	22.91	0
				25	14	23.15	23.02	22.97	0
				25	27	23.09	22.98	22.98	0
				50	0	23.09	23.04	22.98	0
			16QAM	1	1	23.03	23.00	22.96	0
			64QAM	1	1	22.44	22.36	22.29	0.5
			256QAM	1	1	20.34	20.25	19.94	2.5
		CP	QPSK	1	1	22.95	23.06	22.96	0

NR FDD Band n26 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						164300		168300	
						821.5 MHz		841.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.07		22.94	0
				1	40	22.93		22.77	0
				1	77	23.06		22.91	0
				36	0	23.05		22.98	0
				36	22	23.06		22.89	0
				36	43	23.08		22.93	0
			QPSK	75	0	23.10		22.92	0
				1	1	23.09		22.96	0
				1	40	23.03		22.85	0
				1	77	23.12		22.98	0
				36	0	23.09		22.92	0
				36	22	23.08		22.90	0
				36	43	23.10		23.00	0
				75	0	23.09		22.91	0
			16QAM	1	1	23.18		22.97	0
			64QAM	1	1	22.35		22.19	0.5
			256QAM	1	1	20.33		20.15	2.5
		CP	QPSK	1	1	23.13		22.91	0

NR FDD Band n26 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						166300	
						831.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.03	0
				1	53	23.02	0
				1	104	22.93	0
				50	0	23.04	0
				50	28	23.06	0
				50	56	22.89	0
				100	0	22.97	0
			QPSK	1	1	23.07	0
				1	53	23.14	0
				1	104	22.93	0
				50	0	23.08	0
				50	28	23.28	0
				50	56	22.89	0
				100	0	23.03	0
			16QAM	1	1	23.07	0
			64QAM	1	1	22.24	0.5
			256QAM	1	1	20.32	2.5
		CP	QPSK	1	1	23.06	0

NR FDD Band n30 Conducted Power_ Measured P_{max} , RCV (DSI 2)

Calculations _ MAIN2 [Ant B]

NR FDD Band n30_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						462000	
						2310 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.20	0
				1	13	23.16	0
				1	23	23.27	0
				12	0	22.77	0.5
				12	7	23.17	0
				12	13	22.75	0.5
				25	0	22.75	0.5
			QPSK	1	1	23.15	0
				1	13	22.94	0
				1	23	23.03	0
				12	0	22.31	1
				12	7	23.04	0
				12	13	22.22	1
				25	0	22.25	1
			16QAM	1	1	22.40	1
			64QAM	1	1	20.93	2.5
			256QAM	1	1	18.58	4.5
		CP	QPSK	1	1	21.71	1.5

NR FDD Band n30_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						462000	
						2310 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.10	0
				1	26	23.21	0
				1	50	23.16	0
				25	0	22.70	0.5
				25	14	23.21	0
				25	27	22.72	0.5
				50	0	22.77	0.5
			QPSK	1	1	23.17	0
				1	26	23.00	0
				1	50	23.26	0
				25	0	22.33	1
				25	14	23.12	0
				25	27	22.29	1
				50	0	22.26	1
			16QAM	1	1	22.37	1
			64QAM	1	1	20.92	2.5
			256QAM	1	1	18.62	4.5
		CP	QPSK	1	1	21.75	1.5

**NR FDD Band n30 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)
_ MAIN2 [Ant B]**

FDD Band n30_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						462000	
						2310 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.15	0
				1	13	18.13	0
				1	23	18.29	0
				12	0	18.25	0
				12	7	18.30	0
				12	13	18.31	0
				25	0	18.33	0
			QPSK	1	1	18.28	0
				1	13	18.23	0
				1	23	18.28	0
				12	0	18.29	0
				12	7	18.31	0
				12	13	18.37	0
				25	0	18.31	0
			16QAM	1	1	18.45	0
			64QAM	1	1	18.61	0
			256QAM	1	1	18.16	0
		CP	QPSK	1	1	18.31	0

NR FDD Band n30_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						462000	
						2310 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.10	0
				1	26	18.27	0
				1	50	18.15	0
				25	0	18.26	0
				25	14	18.28	0
				25	27	18.27	0
				50	0	18.36	0
			QPSK	1	1	18.17	0
				1	26	18.45	0
				1	50	18.15	0
				25	0	18.26	0
				25	14	18.29	0
				25	27	18.43	0
				50	0	18.30	0
			16QAM	1	1	18.34	0
			64QAM	1	1	18.38	0
			256QAM	1	1	18.33	0
		CP	QPSK	1	1	18.22	0

NR TDD Band n38 Conducted Power_ Measured P_{max} , RCV (RSI 2) _ MAIN2

[Ant B]

NR TDD Band n38 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						515000	519000	523000	
						2575 MHz	2595 MHz	2615 MHz	
10 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	22.39	22.32	22.34	0
				1	12	22.57	22.37	22.32	0
				1	22	22.53	22.35	22.32	0
				12	0	21.68	21.79	21.77	0.5
				12	6	22.22	22.27	22.26	0
				12	12	21.72	21.79	21.76	0.5
				24	0	21.65	21.78	21.78	0.5
			QPSK	1	1	22.13	22.30	22.34	0
				1	12	22.21	22.29	22.35	0
				1	22	22.25	22.33	22.31	0
				12	0	21.10	21.24	21.25	1
				12	6	22.10	22.29	22.27	0
				12	12	21.14	21.29	21.30	1
				24	0	21.08	21.27	21.27	1
			16QAM	1	1	21.03	21.27	21.33	1
			64QAM	1	1	19.52	19.82	19.76	2.5
			256QAM	1	1	17.54	17.76	17.75	4.5
		CP	QPSK	1	1	20.61	20.88	20.94	1.5

NR TDD Band n38 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						515500	519000	522500	
						2577.5 MHz	2595 MHz	2612.5 MHz	
15 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	22.05	22.27	22.25	0
				1	18	22.09	22.29	22.25	0
				1	36	22.25	22.36	22.28	0
				18	0	21.55	21.81	21.70	0.5
				18	9	22.08	22.32	22.27	0
				18	18	21.68	21.83	21.71	0.5
				36	0	21.57	21.81	21.80	0.5
			QPSK	1	1	22.00	22.27	22.26	0
				1	18	22.02	22.26	22.28	0
				1	36	22.20	22.36	22.27	0
				18	0	21.03	21.30	21.25	1
				18	9	22.08	22.32	22.23	0
				18	18	21.16	21.34	21.20	1
				36	0	21.10	21.30	21.26	1
			16QAM	1	1	20.95	21.32	21.18	1
			64QAM	1	1	19.54	19.74	19.74	2.5
			256QAM	1	1	17.50	17.82	17.71	4.5
		CP	QPSK	1	1	20.51	20.78	20.77	1.5

NR TDD Band n38 _ 20 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						516000	519000	522000	
						2580 MHz	2595 MHz	2610 MHz	
20 Mhz	30	DFT-s OFDM	pi/2 BPSK	1	1	22.15	22.37	22.35	0
				1	26	22.19	22.39	22.35	0
				1	49	22.35	22.46	22.38	0
				25	0	21.65	21.91	21.80	0.5
				25	13	22.18	22.42	22.37	0
				25	26	21.78	21.93	21.81	0.5
				50	0	21.67	21.91	21.90	0.5
			QPSK	1	1	22.10	22.37	22.36	0
				1	26	22.12	22.36	22.38	0
				1	49	22.30	22.46	22.37	0
				25	0	21.13	21.40	21.35	1
				25	13	22.18	22.42	22.33	0
				25	26	21.26	21.44	21.30	1
				50	0	21.20	21.40	21.36	1
			16QAM	1	1	21.05	21.42	21.28	1
			64QAM	1	1	19.64	19.84	19.84	2.5
			256QAM	1	1	17.60	17.92	17.81	4.5
		CP	QPSK	1	1	20.61	20.88	20.87	1.5

NR TDD Band n38 _ 25 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						516500		521500	
						2582.5 MHz		2607.5 MHz	
25 Mhz	30	DFT-s OFDM	pi/2 BPSK	1	1	22.03		22.32	0
				1	32	22.20		22.34	0
				1	63	22.36		22.33	0
				32	0	21.57		21.79	0.5
				32	17	22.16		22.34	0
				32	33	21.76		21.82	0.5
				64	0	21.70		21.82	0.5
			QPSK	1	1	22.01		22.33	0
				1	32	22.22		22.35	0
				1	63	22.35		22.35	0
				32	0	21.09		21.30	1
				32	17	22.17		22.35	0
				32	33	21.25		21.31	1
				64	0	21.19		21.31	1
			16QAM	1	1	21.08		21.34	1
			64QAM	1	1	19.53		19.80	2.5
			256QAM	1	1	17.44		17.77	4.5
		CP	QPSK	1	1	20.50		20.84	1.5

NR TDD Band n38 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						517000		521000	
						2585 MHz		2605 MHz	
30 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	21.96		22.34	0
				1	39	22.13		22.33	0
				1	76	22.34		22.32	0
				36	0	21.52		21.83	0.5
				36	21	22.15		22.29	0
				36	42	21.72		21.87	0.5
				75	0	21.69		21.82	0.5
			QPSK	1	1	22.00		22.36	0
				1	39	22.16		22.36	0
				1	76	22.29		22.35	0
				36	0	21.08		21.36	1
				36	21	22.10		22.29	0
				36	42	21.20		21.35	1
				75	0	21.14		21.29	1
			16QAM	1	1	21.07		21.38	1
			64QAM	1	1	19.52		19.88	2.5
			256QAM	1	1	17.41		17.80	4.5
		CP	QPSK	1	1	20.49		20.85	1.5

NR TDD Band n38 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							519000		
							2595 MHz		
40 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1		22.11		0
				1	80		22.45		0
				1	158		22.43		0
				80	0		21.73		0.5
				80	40		22.36		0
				80	80		21.82		0.5
				160	0		21.85		0.5
			QPSK	1	1		22.45		0
				1	80		22.37		0
				1	158		22.39		0
				80	0		21.23		1
				80	40		22.68		0
				80	80		21.35		1
				160	0		21.35		1
			16QAM	1	1		21.37		1
			64QAM	1	1		19.73		2.5
			256QAM	1	1		17.73		4.5
		CP	QPSK	1	80		20.65		1.5

NR TDD Band n38 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)
_ MAIN2 [Ant B]

NR TDD Band n38 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						515000	519000	523000	
						2575 MHz	2595 MHz	2615 MHz	
10 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	19.52	19.65	19.57	0
				1	12	19.63	19.72	19.60	0
				1	22	19.64	19.67	19.55	0
				12	0	19.46	19.63	19.52	0
				12	6	19.50	19.62	19.51	0
				12	12	19.52	19.61	19.52	0
				24	0	19.47	19.62	19.52	0
			QPSK	1	1	19.46	19.64	19.56	0
				1	12	19.55	19.62	19.59	0
				1	22	19.58	19.67	19.55	0
				12	0	19.43	19.63	19.51	0
				12	6	19.48	19.61	19.50	0
				12	12	19.50	19.64	19.50	0
				24	0	19.44	19.62	19.51	0
			16QAM	1	1	19.37	19.69	19.51	0
			64QAM	1	1	19.37	19.50	19.47	0
			256QAM	1	1	17.29	17.49	17.44	0.5
		CP	QPSK	1	1	19.40	19.63	19.54	0

NR TDD Band n38 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						515500	519000	522500	
						2577.5 MHz	2595 MHz	2612.5 MHz	
15 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	19.35	19.54	19.52	0
				1	18	19.39	19.56	19.46	0
				1	36	19.54	19.63	19.50	0
				18	0	19.35	19.59	19.50	0
				18	9	19.40	19.58	19.46	0
				18	18	19.48	19.59	19.43	0
				36	0	19.41	19.57	19.48	0
			QPSK	1	1	19.34	19.54	19.50	0
				1	18	19.34	19.53	19.44	0
				1	36	19.52	19.59	19.48	0
				18	0	19.35	19.56	19.48	0
				18	9	19.38	19.58	19.45	0
				18	18	19.47	19.59	19.46	0
				36	0	19.40	19.59	19.50	0
			16QAM	1	1	19.33	19.58	19.43	0
			64QAM	1	1	19.21	19.42	19.37	0
			256QAM	1	1	17.29	17.48	17.40	0.5
		CP	QPSK	1	1	19.35	19.56	19.43	0

NR TDD Band n38 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						516000	519000	522000	
						2580 MHz	2595 MHz	2610 MHz	
20 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	19.31	19.53	19.50	0
				1	26	19.45	19.57	19.49	0
				1	49	19.54	19.54	19.50	0
				25	0	19.33	19.56	19.45	0
				25	13	19.45	19.56	19.50	0
				25	26	19.46	19.60	19.47	0
				50	0	19.43	19.55	19.49	0
			QPSK	1	1	19.30	19.54	19.51	0
				1	26	19.46	19.59	19.50	0
				1	49	19.54	19.55	19.48	0
				25	0	19.34	19.56	19.45	0
				25	13	19.44	19.57	19.49	0
				25	26	19.47	19.59	19.45	0
				50	0	19.42	19.56	19.50	0
			16QAM	1	1	19.37	19.54	19.48	0
			64QAM	1	1	19.29	19.38	19.39	0
			256QAM	1	1	17.13	17.42	17.34	0.5
		CP	QPSK	1	1	19.30	19.50	19.50	0

NR TDD Band n38 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						516500		521500	
						2582.5 MHz		2607.5 MHz	
25 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	19.31		19.58	0
				1	32	19.47		19.55	0
				1	63	19.58		19.54	0
				32	0	19.33		19.51	0
				32	17	19.44		19.52	0
				32	33	19.49		19.51	0
				64	0	19.43		19.55	0
			QPSK	1	1	19.30		19.56	0
				1	32	19.45		19.61	0
				1	63	19.57		19.54	0
				32	0	19.35		19.53	0
				32	17	19.47		19.56	0
				32	33	19.49		19.52	0
				64	0	19.45		19.55	0
			16QAM	1	1	19.27		19.53	0
			64QAM	1	1	19.17		19.43	0
			256QAM	1	1	17.23		17.58	0.5
		CP	QPSK	1	1	19.29		19.53	0

NR TDD Band n38 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						517000		521000	
						2585 MHz		2605 MHz	
30 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	19.36		19.59	0
				1	39	19.50		19.58	0
				1	76	19.61		19.56	0
				36	0	19.41		19.57	0
				36	21	19.50		19.52	0
				36	42	19.61		19.54	0
				75	0	19.46		19.51	0
			QPSK	1	1	19.34		19.57	0
				1	39	19.55		19.57	0
				1	76	19.63		19.56	0
				36	0	19.42		19.56	0
				36	21	19.49		19.53	0
				36	42	19.60		19.56	0
				75	0	19.49		19.54	0
			16QAM	1	1	19.42		19.56	0
			64QAM	1	1	19.29		19.42	0
			256QAM	1	1	17.35		17.44	0.5
		CP	QPSK	1	1	19.36		19.65	0

NR TDD Band n38 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
							519000	
							2595 MHz	
40 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1		19.40	0
				1	80		19.69	0
				1	158		19.61	0
				80	0		19.50	0
				80	40		19.60	0
				80	80		19.59	0
				160	0		19.59	0
			QPSK	1	1		19.75	0
				1	80		19.62	0
				1	158		19.64	0
				80	0		19.87	0
				80	40		19.60	0
				80	80		19.56	0
				160	0		19.59	0
			16QAM	1	1		19.38	0
			64QAM	1	1		19.27	0
			256QAM	1	1		17.37	0.5
		CP	QPSK	1	80		19.43	0

NR FDD Band n66 Conducted Power_ Measured Pmax, Folder Open RCV(RSI

1)_ MAIN1 [Ant A]

NR FDD Band n66 _5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						342500	349000	355500	
						1712.5 MHz	1745 MHz	1777.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.62	24.84	24.88	0
				1	13	24.61	24.77	24.90	0
				1	23	24.64	24.89	24.96	0
				12	0	24.22	24.41	24.38	0.5
				12	7	24.68	24.86	24.91	0
				12	13	24.18	24.37	24.44	0.5
				25	0	24.23	24.41	24.46	0.5
			QPSK	1	1	24.77	24.90	25.00	0
				1	13	24.65	24.88	24.91	0
				1	23	24.72	24.92	24.99	0
				12	0	23.77	23.95	23.96	1
				12	7	24.76	24.91	24.96	0
				12	13	23.75	23.89	23.99	1
				25	0	23.70	23.90	23.97	1
			16QAM	1	1	23.73	24.02	24.02	1
			64QAM	1	1	22.30	22.43	22.42	2.5
			256QAM	1	1	20.22	20.40	20.30	4.5
		CP	QPSK	1	1	23.22	23.30	23.43	1.5

NR FDD Band n66 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343000	349000	355000	
						1715 MHz	1745 MHz	1775 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.85	24.78	24.95	0
				1	26	24.87	25.02	24.98	0
				1	50	24.81	24.91	25.03	0
				25	0	24.35	24.43	24.48	0.5
				25	14	24.76	24.95	24.96	0
				25	27	24.21	24.43	24.53	0.5
				50	0	24.26	24.41	24.48	0.5
			QPSK	1	1	24.91	24.92	25.03	0
				1	26	24.87	25.03	25.05	0
				1	50	24.80	24.93	25.05	0
				25	0	23.83	23.97	24.01	1
				25	14	24.80	24.97	24.97	0
				25	27	23.74	23.89	23.96	1
				50	0	23.79	23.94	23.98	1
			16QAM	1	1	23.94	23.92	23.92	1
			64QAM	1	1	22.45	22.47	22.68	2.5
			256QAM	1	1	20.33	20.38	20.36	4.5
		CP	QPSK	1	1	23.34	23.50	23.50	1.5

NR FDD Band n66 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5 MHz	1745 MHz	1772.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.73	24.80	24.81	0
				1	40	24.58	24.82	24.90	0
				1	77	24.63	24.91	24.99	0
				36	0	24.22	24.35	24.40	0.5
				36	22	24.69	24.94	24.98	0
				36	43	24.19	24.45	24.40	0.5
				75	0	24.19	24.49	24.44	0.5
			QPSK	1	1	24.82	24.89	24.95	0
				1	40	24.65	24.91	24.91	0
				1	77	24.71	24.91	25.00	0
				36	0	23.83	23.90	23.98	1
				36	22	24.71	24.96	24.95	0
				36	43	23.72	23.93	23.95	1
				75	0	23.71	23.98	24.01	1
			16QAM	1	1	23.84	23.82	23.89	1
			64QAM	1	1	22.23	22.42	22.45	2.5
			256QAM	1	1	20.29	20.29	20.41	4.5
		CP	QPSK	1	1	23.28	23.34	23.33	1.5

NR FDD Band n66 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344000	349000	354000	
						1720 MHz	1745 MHz	1770 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.75	24.72	24.90	0
				1	53	24.72	25.02	24.96	0
				1	104	24.67	24.88	24.93	0
				50	0	24.22	24.41	24.41	0.5
				50	28	24.67	24.93	24.94	0
				50	56	24.17	24.38	24.44	0.5
				100	0	24.18	24.45	24.48	0.5
			QPSK	1	1	24.80	24.82	24.85	0
				1	53	24.79	24.99	25.13	0
				1	104	24.79	24.86	25.02	0
				50	0	23.72	23.95	23.92	1
				50	28	24.73	25.00	24.99	0
				50	56	23.70	23.93	23.96	1
				100	0	23.72	23.93	23.96	1
			16QAM	1	1	23.85	23.88	23.91	1
			64QAM	1	1	22.46	22.21	22.39	2.5
			256QAM	1	1	20.25	20.17	20.39	4.5
		CP	QPSK	1	1	23.30	23.31	23.34	1.5

NR FDD Band n66 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344500	349000	353500	
						1722.5 MHz	1745 MHz	1767.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.82	24.81	24.83	0
				1	66	24.74	24.98	25.03	0
				1	131	24.80	24.92	24.99	0
				64	0	24.18	24.36	24.39	0.5
				64	35	24.78	25.02	24.97	0
				64	69	24.25	24.44	24.50	0.5
				128	0	24.24	24.51	24.45	0.5
			QPSK	1	1	24.84	24.85	24.80	0
				1	66	24.83	25.10	25.09	0
				1	131	24.77	24.85	25.03	0
				64	0	23.70	23.90	23.89	1
				64	35	24.77	25.04	24.98	0
				64	69	23.78	23.96	24.03	1
				128	0	23.72	24.01	24.02	1
			16QAM	1	1	23.85	23.86	23.75	1
			64QAM	1	1	22.35	22.36	22.25	2.5
			256QAM	1	1	20.29	20.21	20.27	4.5
		CP	QPSK	1	1	23.38	23.22	23.23	1.5

NR FDD Band n66 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.72	0
				1	80	24.97	0
				1	158	24.90	0
				80	0	24.37	0.5
				80	40	24.96	0
				80	80	24.39	0.5
				160	0	24.44	0.5
			QPSK	1	1	24.82	0
				1	80	25.03	0
				1	158	24.92	0
				80	0	23.92	1
				80	40	24.97	0
				80	80	23.87	1
				160	0	23.98	1
			16QAM	1	1	23.74	1
			64QAM	1	1	22.53	2.5
			256QAM	1	1	20.22	4.5
		CP	QPSK	1	1	23.30	1.5

NR FDD Band n66 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.58	0
				1	98	24.77	0
				1	186	24.77	0
				90	0	24.21	0.5
				90	45	24.89	0
				90	90	24.37	0.5
				180	0	24.44	0.5
			QPSK	1	1	24.71	0
				1	98	24.88	0
				1	186	24.84	0
				90	0	23.76	1
				90	45	24.94	0
				90	90	23.87	1
				180	0	23.97	1
			16QAM	1	1	23.74	1
			64QAM	1	1	22.46	2.5
			256QAM	1	1	20.15	4.5
		CP	QPSK	1	1	23.25	1.5

NR FDD Band n66 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.60	0
				1	108	24.91	0
				1	214	24.84	0
				108	0	24.21	0.5
				108	54	24.88	0
				108	108	24.29	0.5
				216	0	24.43	0.5
			QPSK	1	1	24.72	0
				1	108	25.01	0
				1	214	24.91	0
				108	0	23.76	1
				108	54	24.92	0
				108	108	23.77	1
				216	0	23.98	1
			16QAM	1	1	23.78	1
			64QAM	1	1	22.34	2.5
			256QAM	1	1	20.07	4.5
		CP	QPSK	1	1	23.15	1.5

**NR FDD Band n66 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)
_ MAIN1 [Ant A]**

NR FDD Band n66 _5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						342500	349000	355500	
						1712.5 MHz	1745 MHz	1777.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.68	17.79	17.89	0
				1	13	17.65	17.75	17.78	0
				1	23	17.63	17.83	17.87	0
				12	0	17.67	17.78	17.84	0
				12	7	17.71	17.81	17.89	0
				12	13	17.67	17.75	17.86	0
				25	0	17.73	17.78	17.88	0
			QPSK	1	1	17.72	17.77	17.86	0
				1	13	17.62	17.73	17.83	0
				1	23	17.67	17.81	17.94	0
				12	0	17.70	17.78	17.88	0
				12	7	17.73	17.82	17.89	0
				12	13	17.68	17.78	17.89	0
				25	0	17.71	17.82	17.87	0
			16QAM	1	1	17.63	17.76	17.85	0
			64QAM	1	1	17.74	17.78	17.92	0
			256QAM	1	1	17.66	17.69	17.82	0
		CP	QPSK	1	1	17.66	17.79	17.85	0

NR FDD Band n66 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343000	349000	355000	
						1715 MHz	1745 MHz	1775 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.79	17.77	17.80	0
				1	26	17.88	17.85	18.03	0
				1	50	17.73	17.77	17.88	0
				25	0	17.81	17.77	17.88	0
				25	14	17.74	17.80	17.89	0
				25	27	17.72	17.82	17.93	0
				50	0	17.76	17.82	17.91	0
			QPSK	1	1	17.83	17.79	17.87	0
				1	26	17.90	17.84	17.96	0
				1	50	17.74	17.78	17.92	0
				25	0	17.82	17.77	17.91	0
				25	14	17.76	17.80	17.89	0
				25	27	17.74	17.82	17.92	0
				50	0	17.78	17.82	17.90	0
			16QAM	1	1	17.92	17.94	17.75	0
			64QAM	1	1	17.85	17.83	17.81	0
			256QAM	1	1	17.68	17.71	17.74	0
		CP	QPSK	1	1	17.76	17.75	17.76	0

NR FDD Band n66 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5 MHz	1745 MHz	1772.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.75	17.75	17.66	0
				1	40	17.60	17.71	17.69	0
				1	77	17.62	17.80	17.78	0
				36	0	17.75	17.76	17.71	0
				36	22	17.69	17.78	17.81	0
				36	43	17.67	17.79	17.82	0
				75	0	17.68	17.80	17.79	0
			QPSK	1	1	17.81	17.75	17.71	0
				1	40	17.60	17.73	17.75	0
				1	77	17.65	17.84	17.82	0
				36	0	17.73	17.80	17.72	0
				36	22	17.69	17.79	17.79	0
				36	43	17.66	17.79	17.83	0
				75	0	17.73	17.80	17.79	0
			16QAM	1	1	17.80	17.71	17.62	0
			64QAM	1	1	17.92	17.73	17.63	0
			256QAM	1	1	17.70	17.78	17.72	0
		CP	QPSK	1	1	17.76	17.70	17.69	0

NR FDD Band n66 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344000	349000	354000	
						1720 MHz	1745 MHz	1770 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.73	17.65	17.71	0
				1	53	17.77	17.87	17.82	0
				1	104	17.55	17.78	17.80	0
				50	0	17.69	17.76	17.72	0
				50	28	17.66	17.81	17.72	0
				50	56	17.59	17.76	17.83	0
				100	0	17.70	17.79	17.74	0
			QPSK	1	1	17.74	17.68	17.75	0
				1	53	17.77	17.80	17.72	0
				1	104	17.53	17.83	17.86	0
				50	0	17.69	17.79	17.75	0
				50	28	17.64	17.82	17.71	0
				50	56	17.58	17.73	17.82	0
				100	0	17.63	17.80	17.74	0
			16QAM	1	1	17.68	17.74	17.73	0
			64QAM	1	1	17.78	17.64	17.76	0
			256QAM	1	1	17.66	17.57	17.68	0
		CP	QPSK	1	1	17.71	17.70	17.70	0

NR FDD Band n66 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344500	349000	353500	
						1722.5 MHz	1745 MHz	1767.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.68	17.56	17.75	0
				1	66	17.71	17.92	17.92	0
				1	131	17.52	17.79	17.80	0
				64	0	17.63	17.75	17.77	0
				64	35	17.57	17.81	17.76	0
				64	69	17.53	17.76	17.82	0
			QPSK	128	0	17.56	17.78	17.80	0
				1	1	17.73	17.65	17.77	0
				1	66	17.67	17.94	17.86	0
				1	131	17.53	17.81	17.88	0
				64	0	17.64	17.75	17.76	0
				64	35	17.54	17.78	17.78	0
				64	69	17.55	17.80	17.82	0
				128	0	17.58	17.80	17.78	0
			16QAM	1	1	17.71	17.67	17.70	0
			64QAM	1	1	17.76	17.68	17.79	0
			256QAM	1	1	17.67	17.55	17.76	0
		CP	QPSK	1	1	17.66	17.69	17.68	0

NR FDD Band n66 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						349000		
						1745 MHz		
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.60	0	
				1	80	17.84	0	
				1	158	17.77	0	
				80	0	17.73	0	
				80	40	17.79	0	
				80	80	17.81	0	
			QPSK	160	0	17.78	0	
				1	1	17.60	0	
				1	80	17.81	0	
				1	158	17.83	0	
				80	0	17.74	0	
				80	40	17.77	0	
				80	80	17.83	0	
				160	0	17.77	0	
			16QAM	1	1	17.49	0	
			64QAM	1	1	17.57	0	
			256QAM	1	1	17.51	0	
		CP	QPSK	1	1	17.55	0	

NR FDD Band n66 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.61	0
				1	98	17.76	0
				1	186	17.75	0
				90	0	17.68	0
				90	45	17.78	0
				90	90	17.80	0
				180	0	17.78	0
			QPSK	1	1	17.66	0
				1	98	17.79	0
				1	186	17.79	0
				90	0	17.70	0
				90	45	17.78	0
				90	90	17.81	0
				180	0	17.78	0
			16QAM	1	1	17.62	0
			64QAM	1	1	17.72	0
			256QAM	1	1	17.67	0
		CP	QPSK	1	1	17.58	0

NR FDD Band n66 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.56	0
				1	108	17.83	0
				1	214	17.77	0
				108	0	17.69	0
				108	54	17.82	0
				108	108	17.80	0
				216	0	17.74	0
			QPSK	1	1	17.62	0
				1	108	17.85	0
				1	214	17.82	0
				108	0	17.64	0
				108	54	17.84	0
				108	108	17.81	0
				216	0	17.73	0
			16QAM	1	1	17.51	0
			64QAM	1	1	17.69	0
			256QAM	1	1	17.53	0
		CP	QPSK	1	1	17.63	0

NR FDD Band n70 Conducted Power_ Measured Pmax, Folder Open RCV(RSI

1)_ MAIN1 [Ant A]

NR FDD Band n70 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						339500	340500	341500	
						1697.5 MHz	1702.5 MHz	1707.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.78	24.61	25.18	0
				1	13	24.60	24.95	24.98	0
				1	23	25.12	25.10	25.14	0
				12	0	24.62	24.58	24.65	0.5
				12	7	24.85	24.99	25.14	0
				12	13	24.68	24.59	24.63	0.5
				25	0	24.61	24.52	24.66	0.5
			QPSK	1	1	24.74	24.40	25.19	0
				1	13	24.63	24.85	25.08	0
				1	23	24.79	25.16	25.20	0
				12	0	24.01	24.04	24.15	1
				12	7	24.63	24.87	25.21	0
				12	13	24.14	24.10	24.12	1
				25	0	24.11	24.11	24.18	1
			16QAM	1	1	23.91	23.70	24.13	1
			64QAM	1	1	22.84	22.47	22.79	2.5
			256QAM	1	1	20.71	20.69	20.73	4.5
		CP	QPSK	1	1	23.59	23.28	23.70	1.5

NR FDD Band n70 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						340000	340500	341000	
						1700 MHz	1702.5 MHz	1705 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.81	24.54	24.66	0
				1	26	24.81	25.10	25.31	0
				1	50	25.17	25.06	25.17	0
				25	0	24.47	24.49	24.72	0.5
				25	14	24.86	25.09	25.18	0
				25	27	24.61	24.65	24.70	0.5
				50	0	24.61	24.54	24.69	0.5
			QPSK	1	1	24.58	24.24	24.48	0
				1	26	24.66	24.89	25.33	0
				1	50	25.20	25.13	25.22	0
				25	0	23.94	23.95	24.22	1
				25	14	24.75	24.99	25.23	0
				25	27	24.17	24.17	24.19	1
				50	0	24.14	24.11	24.26	1
			16QAM	1	1	23.82	23.59	23.69	1
			64QAM	1	1	22.71	22.64	22.83	2.5
			256QAM	1	1	20.58	20.46	20.57	4.5
		CP	QPSK	1	1	23.46	23.14	23.40	1.5

NR FDD Band n70 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						340500	
						1702.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.53	0
				1	40	24.95	0
				1	77	25.10	0
				36	0	24.54	0.5
				36	22	25.06	0
				36	43	24.61	0.5
				75	0	24.53	0.5
			QPSK	1	1	24.31	0
				1	40	25.04	0
				1	77	25.13	0
				36	0	24.01	1
				36	22	25.11	0
				36	43	24.15	1
				75	0	24.05	1
			16QAM	1	1	23.54	1
			64QAM	1	1	22.50	2.5
			256QAM	1	1	20.64	4.5
		CP	QPSK	1	1	23.10	1.5

NR FDD Band n70 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)
_ MAIN1 [Ant A]

NR FDD Band n70 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						339500	340500	341500	
						1697.5 MHz	1702.5 MHz	1707.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.98	17.92	17.83	0
				1	13	17.93	17.86	17.75	0
				1	23	17.97	17.85	17.81	0
				12	0	17.95	17.89	17.84	0
				12	7	18.03	17.91	17.85	0
				12	13	17.96	17.90	17.79	0
				25	0	18.00	17.87	17.84	0
			QPSK	1	1	18.02	17.89	17.81	0
				1	13	17.92	17.77	17.75	0
				1	23	18.01	17.86	17.83	0
				12	0	17.99	17.94	17.84	0
				12	7	17.99	17.86	17.84	0
				12	13	17.94	17.90	17.79	0
				25	0	17.98	17.88	17.85	0
			16QAM	1	1	18.05	17.89	17.76	0
			64QAM	1	1	17.97	17.98	17.66	0
			256QAM	1	1	17.96	17.83	17.73	0
		CP	QPSK	1	1	17.91	17.99	17.79	0

NR FDD Band n70 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						340000	340500	341000	
						1700 MHz	1702.5 MHz	1705 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.85	17.86	17.89	0
				1	26	17.99	17.92	18.13	0
				1	50	17.79	17.81	17.81	0
				25	0	17.91	17.87	17.81	0
				25	14	17.92	17.88	17.83	0
				25	27	17.93	17.82	17.84	0
			QPSK	50	0	17.87	17.88	17.83	0
				1	1	17.96	17.87	17.94	0
				1	26	18.04	17.88	17.90	0
				1	50	17.83	17.79	17.80	0
				25	0	17.93	17.86	17.86	0
				25	14	17.90	17.88	17.86	0
				25	27	17.91	17.82	17.78	0
				50	0	17.92	17.87	17.84	0
			16QAM	1	1	17.86	17.87	17.87	0
			64QAM	1	1	17.89	17.94	17.91	0
			256QAM	1	1	17.86	17.68	17.93	0
		CP	QPSK	1	1	17.92	17.87	17.95	0

NR FDD Band n70 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						340500	
						1702.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.83	0
				1	40	17.77	0
				1	77	17.75	0
				36	0	17.86	0
				36	22	17.82	0
				36	43	17.76	0
			QPSK	75	0	17.88	0
				1	1	17.92	0
				1	40	17.78	0
				1	77	17.79	0
				36	0	17.95	0
				36	22	17.86	0
				36	43	17.80	0
				75	0	17.74	0
			16QAM	1	1	17.85	0
			64QAM	1	1	17.82	0
			256QAM	1	1	17.84	0
		CP	QPSK	1	1	17.77	0

NR FDD Band n71 Conducted Power_ Measured Pmax, Folder Open RCV(RSI 1), Folder Open Free (RSI 0), Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4) _ MAIN1 [Ant A]

NR FDD Band n71 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						133100	136100	139100	
						665.5 MHz	680.5 MHz	695.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.00	24.96	25.03	0
				1	13	24.91	24.88	24.90	0
				1	23	25.02	24.99	24.99	0
				12	0	24.53	24.41	24.52	0.5
				12	7	25.04	25.01	24.98	0
				12	13	24.55	24.39	24.47	0.5
				25	0	24.58	24.44	24.47	0.5
			QPSK	1	1	25.08	25.00	25.06	0
				1	13	24.93	24.90	24.90	0
				1	23	25.05	24.99	24.98	0
				12	0	24.08	23.96	24.07	1
				12	7	25.13	24.99	25.03	0
				12	13	24.07	24.03	23.99	1
				25	0	24.08	24.01	24.00	1
			16QAM	1	1	24.09	24.02	24.17	1
			64QAM	1	1	22.61	22.46	22.53	2.5
			256QAM	1	1	20.70	20.55	20.47	4.5
		CP	QPSK	1	1	23.67	23.58	23.50	1.5

NR FDD Band n71 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						133600	136100	138600	
						668 MHz	680.5 MHz	693 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.04	25.02	25.01	0
				1	26	25.28	25.09	25.06	0
				1	50	25.04	25.04	24.91	0
				25	0	24.58	24.49	24.50	0.5
				25	14	25.07	24.92	24.97	0
				25	27	24.53	24.50	24.47	0.5
				50	0	24.55	24.50	24.47	0.5
			QPSK	1	1	25.13	25.01	25.10	0
				1	26	25.26	25.07	25.01	0
				1	50	25.07	25.06	25.02	0
				25	0	24.09	24.03	24.03	1
				25	14	25.12	25.04	25.02	0
				25	27	24.06	24.06	23.97	1
				50	0	24.13	24.01	24.05	1
			16QAM	1	1	24.15	24.20	24.08	1
			64QAM	1	1	22.71	22.55	22.52	2.5
			256QAM	1	1	20.55	20.52	20.59	4.5
		CP	QPSK	1	1	23.62	23.54	23.54	1.5

NR FDD Band n71 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)		MPR [dB]
						136100		
						680.5 MHz		
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.00	0	
				1	40	24.85	0	
				1	77	24.96	0	
				36	0	24.48	0.5	
				36	22	24.97	0	
				36	43	24.54	0.5	
				75	0	24.50	0.5	
			QPSK	1	1	25.07	0	
				1	40	24.93	0	
				1	77	25.07	0	
				36	0	24.02	1	
				36	22	25.03	0	
				36	43	24.08	1	
				75	0	24.02	1	
			16QAM	1	1	24.07	1	
			64QAM	1	1	22.66	2.5	
			256QAM	1	1	20.67	4.5	
		CP	QPSK	1	1	23.49	1.5	

NR FDD Band n71 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)	MPR [dB]
						136100	
						680.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.98	0
				1	53	25.22	0
				1	104	25.05	0
				50	0	24.53	0.5
				50	28	25.05	0
				50	56	24.55	0.5
				100	0	24.54	0.5
			QPSK	1	1	25.07	0
				1	53	25.25	0
				1	104	25.13	0
				50	0	24.02	1
				50	28	25.03	0
				50	56	24.01	1
				100	0	24.03	1
			16QAM	1	1	24.06	1
			64QAM	1	1	22.61	2.5
			256QAM	1	1	20.59	4.5
		CP	QPSK	1	1	23.59	1.5

L.2 NR Band Maximum Conducted Power (Upper Antenna)

NR FDD Band n2 Conducted Power_ Measured Folder Open Free (RSI 0),

Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)

_ SUB5 [Ant I]

NR FDD Band n2 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376000	381500	
						1852.5 MHz	1880 MHz	1907.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.85	15.79	16.09	0
				1	13	15.72	15.67	15.95	0
				1	23	15.79	15.54	16.11	0
				12	0	15.86	15.81	16.10	0
				12	7	15.82	15.76	16.11	0
				12	13	15.81	15.74	16.14	0
			QPSK	25	0	15.83	15.73	16.11	0
				1	1	15.89	15.82	16.11	0
				1	13	15.77	15.65	16.02	0
				1	23	15.81	15.81	16.16	0
				12	0	15.83	15.77	16.12	0
				12	7	15.82	15.76	16.09	0
				12	13	15.81	15.76	16.12	0
				25	0	15.82	15.79	16.11	0
			16QAM	1	1	15.86	15.76	16.11	0
			64QAM	1	1	15.84	15.88	16.08	0
			256QAM	1	1	15.89	15.75	15.91	0
		CP	QPSK	1	1	15.80	15.73	16.10	0

NR FDD Band n2 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376000	381000	
						1855 MHz	1880 MHz	1905 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.97	15.69	16.16	0
				1	26	15.99	15.83	16.28	0
				1	50	15.92	15.74	16.15	0
				25	0	15.92	15.76	16.18	0
				25	14	15.89	15.78	16.17	0
				25	27	15.97	15.79	16.15	0
			QPSK	50	0	15.94	15.76	16.16	0
				1	1	15.97	15.72	16.18	0
				1	26	15.98	15.75	16.18	0
				1	50	15.95	15.79	16.20	0
				25	0	15.92	15.76	16.18	0
				25	14	15.93	15.76	16.15	0
				25	27	15.93	15.76	16.13	0
				50	0	15.92	15.75	16.11	0
			16QAM	1	1	16.12	15.57	16.22	0
			64QAM	1	1	16.08	15.70	16.27	0
			256QAM	1	1	15.94	15.66	16.10	0
		CP	QPSK	1	1	16.00	15.71	16.16	0

NR FDD Band n2 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376000	380500	
						1857.5 MHz	1880 MHz	1902.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.90	15.66	15.92	0
				1	40	15.80	15.69	15.97	0
				1	77	15.84	15.83	16.08	0
				36	0	15.89	15.74	16.08	0
				36	22	15.95	15.74	16.16	0
				36	43	15.90	15.78	16.09	0
			QPSK	75	0	15.88	15.74	16.11	0
				1	1	15.95	15.75	15.92	0
				1	40	15.82	15.70	16.03	0
				1	77	15.86	15.83	16.10	0
				36	0	15.92	15.75	16.11	0
				36	22	15.95	15.77	16.07	0
				36	43	15.93	15.77	16.08	0
				75	0	15.92	15.77	16.13	0
			16QAM	1	1	15.86	15.69	15.99	0
			64QAM	1	1	15.93	15.74	15.98	0
			256QAM	1	1	15.85	15.68	15.82	0
		CP	QPSK	1	1	15.95	15.67	15.86	0

NR FDD Band n2 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376000	380000	
						1860 MHz	1880 MHz	1900 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.89	15.74	15.83	0
				1	53	16.04	15.87	16.18	0
				1	104	15.82	15.81	16.06	0
				50	0	15.85	15.69	15.89	0
				50	28	15.87	15.74	16.14	0
				50	56	15.82	15.81	16.06	0
				100	0	15.90	15.77	16.12	0
			QPSK	1	1	15.92	15.83	15.85	0
				1	53	15.91	15.81	16.20	0
				1	104	15.83	15.84	16.12	0
				50	0	15.88	15.80	15.89	0
				50	28	15.89	15.75	16.12	0
				50	56	15.82	15.79	16.09	0
				100	0	15.93	15.78	16.11	0
			16QAM	1	1	15.89	15.87	15.79	0
			64QAM	1	1	16.00	15.90	15.85	0
			256QAM	1	1	15.82	15.84	15.81	0
		CP	QPSK	1	1	15.93	15.77	15.79	0

NR FDD Band n2 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		379500	
						1862.5 MHz		1897.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.85		15.84	0
				1	66	15.96		16.26	0
				1	131	15.64		16.12	0
				64	0	15.82		15.92	0
				64	35	15.85		16.09	0
				64	69	15.80		16.12	0
				128	0	15.88		16.08	0
			QPSK	1	1	15.88		15.85	0
				1	66	15.91		16.18	0
				1	131	15.68		16.14	0
				64	0	15.84		15.94	0
				64	35	15.86		16.08	0
				64	69	15.81		16.13	0
				128	0	15.82		16.04	0
			16QAM	1	1	15.87		15.96	0
			64QAM	1	1	15.95		15.82	0
			256QAM	1	1	15.86		15.80	0
		CP	QPSK	1	1	15.73		15.77	0

NR FDD Band n2 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		379000	
						1865 MHz		1895 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.96		15.80	0
				1	80	16.06		16.12	0
				1	158	15.80		16.15	0
				80	0	15.95		15.88	0
				80	40	15.88		16.00	0
				80	80	15.82		16.24	0
				160	0	15.89		15.98	0
			QPSK	1	1	15.99		15.89	0
				1	80	15.94		16.14	0
				1	158	15.84		16.17	0
				80	0	16.01		15.92	0
				80	40	15.90		15.96	0
				80	80	15.82		16.25	0
				160	0	15.88		15.97	0
			16QAM	1	1	15.97		15.90	0
			64QAM	1	1	15.99		15.89	0
			256QAM	1	1	16.06		15.73	0
		CP	QPSK	1	1	15.95		15.78	0

NR FDD Band n2 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376000	
						1880 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.83	0
				1	98	15.75	0
				1	186	15.98	0
				90	0	15.78	0
				90	45	15.81	0
				90	90	15.82	0
				180	0	15.79	0
			QPSK	1	1	15.86	0
				1	98	15.82	0
				1	186	16.04	0
				90	0	15.80	0
				90	45	15.77	0
				90	90	15.81	0
				180	0	15.76	0
			16QAM	1	1	15.88	0
			64QAM	1	1	15.78	0
			256QAM	1	1	15.92	0
		CP	OPSK	1	1	15.74	0

NR FDD Band n2 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376000	
						1880 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.86	0
				1	108	15.88	0
				1	214	15.35	0
				108	0	15.81	0
				108	54	15.79	0
				108	108	15.85	0
				216	0	15.76	0
			QPSK	1	1	15.88	0
				1	108	15.84	0
				1	214	16.10	0
				108	0	15.82	0
				108	54	15.75	0
				108	108	15.84	0
				216	0	15.77	0
			16QAM	1	1	15.84	0
			64QAM	1	1	15.97	0
			256QAM	1	1	15.95	0
		CP	QPSK	1	1	15.86	0

NR FDD Band n2 Conducted Power_ Measured Folder Open RCV(RSI 1)_

SUB5 [Ant I]

NR FDD Band n2 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376000	381500	
						1852.5 MHz	1880 MHz	1907.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.91	14.75	14.85	0
				1	13	14.88	14.67	14.77	0
				1	23	14.92	14.71	14.89	0
				12	0	14.89	14.74	14.94	0
				12	7	14.88	14.77	14.95	0
				12	13	14.90	14.81	14.92	0
				25	0	14.95	14.77	14.93	0
			QPSK	1	1	14.91	14.81	14.94	0
				1	13	14.85	14.71	14.85	0
				1	23	14.91	14.78	15.04	0
				12	0	14.96	14.80	14.91	0
				12	7	14.96	14.77	15.01	0
				12	13	14.96	14.77	14.95	0
				25	0	14.89	14.77	14.93	0
			16QAM	1	1	15.03	14.63	14.88	0
			64QAM	1	1	15.01	14.89	14.93	0
			256QAM	1	1	14.82	14.51	14.93	0
		CP	QPSK	1	1	14.90	14.71	14.89	0

R FDD Band n2 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376000	381000	
						1855 MHz	1880 MHz	1905 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.91	14.73	14.84	0
				1	26	15.03	14.93	15.01	0
				1	50	14.88	14.67	14.87	0
				25	0	14.93	14.78	14.86	0
				25	14	14.94	14.77	14.90	0
				25	27	14.87	14.74	14.94	0
				50	0	14.88	14.74	14.96	0
			QPSK	1	1	14.90	14.78	14.94	0
				1	26	14.93	14.79	14.88	0
				1	50	14.96	14.80	14.91	0
				25	0	14.97	14.78	14.89	0
				25	14	14.92	14.77	14.88	0
				25	27	14.85	14.74	14.93	0
				50	0	14.92	14.73	14.88	0
			16QAM	1	1	15.03	14.88	14.89	0
			64QAM	1	1	15.14	14.92	15.02	0
			256QAM	1	1	14.85	14.82	14.90	0
		CP	QPSK	1	1	14.97	14.77	14.88	0

NR FDD Band n2 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376000	380500	
						1857.5 MHz	1880 MHz	1902.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.86	14.71	14.73	0
				1	40	14.73	14.61	14.71	0
				1	77	14.82	14.72	14.88	0
				36	0	14.85	14.73	14.83	0
				36	22	14.86	14.77	14.92	0
				36	43	14.87	14.73	14.91	0
				75	0	14.86	14.79	14.91	0
			QPSK	1	1	14.97	14.79	14.84	0
				1	40	14.78	14.68	14.80	0
				1	77	14.82	14.74	14.95	0
				36	0	14.86	14.80	14.87	0
				36	22	14.83	14.75	14.91	0
				36	43	14.91	14.76	14.93	0
				75	0	14.91	14.77	14.91	0
			16QAM	1	1	14.89	14.95	14.78	0
			64QAM	1	1	14.96	14.78	14.94	0
			256QAM	1	1	14.79	14.63	14.64	0
		CP	QPSK	1	1	14.88	14.79	14.74	0

NR FDD Band n2 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376000	380000	
						1860 MHz	1880 MHz	1900 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.86	14.69	14.74	0
				1	53	14.92	14.93	14.93	0
				1	104	14.78	14.71	14.86	0
				50	0	14.88	14.74	14.83	0
				50	28	14.84	14.73	14.93	0
				50	56	14.82	14.70	14.89	0
				100	0	14.88	14.78	14.87	0
			QPSK	1	1	14.90	14.79	14.86	0
				1	53	14.84	14.86	14.89	0
				1	104	14.84	14.80	14.93	0
				50	0	14.88	14.86	14.84	0
				50	28	14.83	14.81	14.87	0
				50	56	14.81	14.71	14.83	0
				100	0	14.86	14.81	14.89	0
			16QAM	1	1	14.98	14.98	14.81	0
			64QAM	1	1	14.97	14.86	14.76	0
			256QAM	1	1	14.74	14.63	14.62	0
		CP	QPSK	1	1	14.92	14.79	14.70	0

NR FDD Band n2 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		379500	
						1862.5 MHz		1897.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.77		14.72	0
				1	66	14.94		15.00	0
				1	131	14.73		14.87	0
				64	0	14.82		14.76	0
				64	35	14.79		14.86	0
				64	69	14.82		14.92	0
				128	0	14.81		14.84	0
			QPSK	1	1	14.90		14.77	0
				1	66	14.97		14.93	0
				1	131	14.83		14.92	0
				64	0	14.88		14.87	0
				64	35	14.86		14.83	0
				64	69	14.83		14.88	0
				128	0	14.86		14.90	0
			16QAM	1	1	14.80		14.91	0
			64QAM	1	1	15.04		14.88	0
			256QAM	1	1	14.82		14.64	0
		CP	QPSK	1	1	14.80		14.75	0

NR FDD Band n2 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		379000	
						1865 MHz		1895 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.87		14.75	0
				1	80	14.95		14.98	0
				1	158	14.73		14.95	0
				80	0	14.89		14.84	0
				80	40	14.84		14.93	0
				80	80	14.87		14.92	0
				160	0	14.87		14.84	0
			QPSK	1	1	15.00		14.81	0
				1	80	14.97		15.12	0
				1	158	14.77		14.93	0
				80	0	14.90		14.90	0
				80	40	14.86		14.94	0
				80	80	14.87		14.99	0
				160	0	14.85		14.93	0
			16QAM	1	1	14.97		14.75	0
			64QAM	1	1	14.87		14.80	0
			256QAM	1	1	14.89		14.60	0
		CP	QPSK	1	1	14.94		14.85	0

NR FDD Band n2 _ 35 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376000	
						1880 Mhz	
35 Mhz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.75	0
				1	98	14.71	0
				1	186	14.89	0
				90	0	14.85	0
				90	45	14.77	0
				90	90	14.71	0
				180	0	14.80	0
			QPSK	1	1	14.84	0
				1	98	14.77	0
				1	186	14.87	0
				90	0	14.86	0
				90	45	14.78	0
				90	90	14.85	0
				180	0	14.81	0
			16QAM	1	1	14.81	0
			64QAM	1	1	14.95	0
			256QAM	1	1	14.77	0
		CP	QPSK	1	1	14.86	0

NR FDD Band n2 _ 40 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376000	
						1880 Mhz	
40 Mhz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.87	0
				1	108	14.84	0
				1	214	14.88	0
				108	0	14.83	0
				108	54	14.79	0
				108	108	14.79	0
				216	0	14.81	0
			QPSK	1	1	14.97	0
				1	108	14.85	0
				1	214	14.89	0
				108	0	14.86	0
				108	54	14.80	0
				108	108	14.79	0
				216	0	14.83	0
			16QAM	1	1	14.90	0
			64QAM	1	1	15.03	0
			256QAM	1	1	14.89	0
		CP	QPSK	1	1	14.93	0

NR FDD Band n7 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)
_ SUB5 [Ant I]

NR FDD Band n7 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						500500	507000	513500	
						2502.5 MHz	2535 MHz	2567.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.25	15.89	15.78	0
				1	13	16.13	15.85	15.72	0
				1	23	16.15	15.90	15.81	0
				12	0	16.25	15.91	15.83	0
				12	7	16.25	15.94	15.83	0
				12	13	16.18	15.98	15.82	0
				25	0	16.18	15.95	15.90	0
			QPSK	1	1	16.23	15.98	15.91	0
				1	13	16.15	15.86	15.78	0
				1	23	16.20	15.94	15.84	0
				12	0	16.18	15.97	15.88	0
				12	7	16.23	16.00	15.79	0
				12	13	16.16	15.97	15.84	0
				25	0	16.20	16.00	15.86	0
			16QAM	1	1	16.38	16.10	15.75	0
			64QAM	1	1	16.34	15.97	15.88	0
			256QAM	1	1	16.31	15.88	15.91	0
		CP	QPSK	1	1	16.18	15.95	15.82	0

NR FDD Band n7 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						501000	507000	513000	
						2505 MHz	2535 MHz	2565 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.04	15.94	15.85	0
				1	26	16.11	16.30	15.92	0
				1	50	15.97	15.95	15.73	0
				25	0	16.08	15.99	15.81	0
				25	14	16.02	16.05	15.79	0
				25	27	15.99	15.94	15.76	0
			QPSK	50	0	15.97	16.09	15.80	0
				1	1	16.13	16.06	15.91	0
				1	26	16.19	16.32	15.94	0
				1	50	16.00	15.99	15.79	0
				25	0	16.08	15.95	15.87	0
				25	14	16.02	16.01	15.81	0
				25	27	16.03	15.95	15.80	0
				50	0	16.09	16.09	15.81	0
			16QAM	1	1	16.17	15.94	16.07	0
			64QAM	1	1	16.07	15.98	15.93	0
			256QAM	1	1	15.97	16.09	15.86	0
		CP	QPSK	1	1	16.10	15.99	15.84	0

NR FDD Band n7 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						501500	507000	512500	
						2507.5 MHz	2535 MHz	2562.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.08	15.99	15.96	0
				1	40	15.94	15.85	15.89	0
				1	77	16.05	15.97	15.90	0
				36	0	16.08	16.01	16.01	0
				36	22	16.03	16.02	16.00	0
				36	43	15.97	15.96	16.00	0
				75	0	16.10	16.04	16.00	0
			QPSK	1	1	16.21	16.05	16.06	0
				1	40	15.98	15.92	15.95	0
				1	77	16.06	15.97	16.02	0
				36	0	16.09	15.99	16.01	0
				36	22	16.10	16.04	16.01	0
				36	43	16.03	15.98	16.00	0
				75	0	16.11	16.03	16.07	0
			16QAM	1	1	16.23	16.07	16.10	0
			64QAM	1	1	16.18	16.10	16.19	0
			256QAM	1	1	16.09	15.98	16.01	0
		CP	QPSK	1	1	16.18	16.03	16.02	0

NR FDD Band n7 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						502000	507000	512000	
						2510 MHz	2535 MHz	2560 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.12	16.03	15.87	0
				1	53	16.20	16.14	16.12	0
				1	104	16.11	15.90	15.82	0
				50	0	16.14	16.07	16.03	0
				50	28	16.12	16.02	15.94	0
				50	56	16.12	16.01	15.93	0
				100	0	16.16	16.03	16.00	0
			QPSK	1	1	16.18	16.09	15.95	0
				1	53	16.20	16.09	15.99	0
				1	104	16.18	15.95	15.93	0
				50	0	16.20	16.12	15.98	0
				50	28	16.16	16.01	15.99	0
				50	56	16.11	16.00	15.97	0
				100	0	16.21	16.03	16.00	0
			16QAM	1	1	16.42	16.20	16.11	0
			64QAM	1	1	16.36	16.13	16.02	0
			256QAM	1	1	16.21	16.21	15.96	0
		CP	QPSK	1	1	16.18	16.03	16.04	0

NR FDD Band n7 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						502500		511500	
						2512.5 MHz		2557.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.18		15.89	0
				1	67	16.02		15.75	0
				1	131	16.07		15.82	0
				64	0	16.24		15.89	0
				64	35	16.13		15.91	0
				64	39	16.14		15.96	0
				128	0	16.12		15.90	0
			QPSK	1	1	16.33		16.03	0
				1	67	16.06		15.89	0
				1	131	16.14		15.87	0
				64	0	16.22		15.97	0
				64	35	16.18		15.87	0
				64	69	16.20		15.94	0
				128	0	16.17		15.91	0
			16QAM	1	1	16.13		16.00	0
			64QAM	1	1	16.37		15.99	0
			256QAM	1	1	16.17		15.92	0
		CP	QPSK	1	1	16.21		15.98	0

NR FDD Band n7 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						503000		511000	
						2515 MHz		2555 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.09		16.00	0
				1	80	16.14		15.99	0
				1	158	16.01		15.83	0
				80	0	16.02		15.88	0
				80	40	16.07		15.86	0
				80	80	16.08		15.93	0
				160	0	16.05		15.92	0
			QPSK	1	1	16.15		16.05	0
				1	80	16.07		15.98	0
				1	158	16.03		15.84	0
				80	0	16.07		15.96	0
				80	40	16.06		15.85	0
				80	80	16.11		15.95	0
				160	0	16.12		15.91	0
			16QAM	1	1	16.26		16.03	0
			64QAM	1	1	16.21		16.08	0
			256QAM	1	1	16.12		15.91	0
		CP	QPSK	1	1	16.16		15.96	0

NR FDD Band n7 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						507000		
						2535 MHz		
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.05		0
				1	98	15.95		0
				1	186	15.78		0
				90	0	16.07		0
				90	45	15.99		0
				90	90	16.01		0
				180	0	16.03		0
			QPSK	1	1	16.03		0
				1	98	16.00		0
				1	186	15.93		0
				90	0	16.12		0
				90	45	16.06		0
				90	90	16.03		0
				180	0	16.08		0
			16QAM	1	1	16.16		0
			64QAM	1	1	16.13		0
			256QAM	1	1	16.07		0
		CP	QPSK	1	1	16.04		0

NR FDD Band n7 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						507000	
						2535 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.10	0
				1	108	16.28	0
				1	214	16.05	0
				108	0	16.17	0
				108	54	16.10	0
				108	108	16.01	0
				216	0	16.10	0
			QPSK	1	1	16.22	0
				1	108	16.15	0
				1	214	16.08	0
				108	0	16.25	0
				108	54	16.18	0
				108	108	16.06	0
				216	0	16.15	0
			16QAM	1	1	16.12	0
			64QAM	1	1	16.28	0
			256QAM	1	1	16.07	0
		CP	QPSK	1	1	16.14	0

NR FDD Band n7 Conducted Power_ Measured Folder Open RCV(RSI 1)_

SUB5 [Ant I]

NR FDD Band n7 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						500500	507000	513500	
						2502.5 MHz	2535 MHz	2567.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.21	13.88	13.83	0
				1	13	14.16	13.87	13.75	0
				1	23	14.13	13.86	13.79	0
				12	0	14.22	13.95	13.86	0
				12	7	14.20	13.97	13.84	0
				12	13	14.20	13.91	13.83	0
				25	0	14.24	13.96	13.84	0
			QPSK	1	1	14.22	13.98	13.89	0
				1	13	14.13	13.93	13.76	0
				1	23	14.24	13.97	13.77	0
				12	0	14.22	14.00	13.86	0
				12	7	14.22	13.96	13.84	0
				12	13	14.19	13.99	13.81	0
				25	0	14.26	14.03	13.91	0
			16QAM	1	1	14.06	13.90	13.82	0
			64QAM	1	1	14.33	13.99	13.87	0
			256QAM	1	1	14.30	13.89	13.82	0
		CP	QPSK	1	1	14.21	13.98	13.93	0

NR FDD Band n7 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						501000	507000	513000	
						2505 MHz	2535 MHz	2565 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.04	14.04	13.73	0
				1	26	14.07	14.11	14.01	0
				1	50	13.97	13.99	13.78	0
				25	0	14.08	13.96	13.87	0
				25	14	14.04	14.00	13.81	0
				25	27	14.06	13.98	13.85	0
				50	0	14.04	14.03	13.83	0
			QPSK	1	1	14.14	14.03	13.90	0
				1	26	14.21	14.06	13.94	0
				1	50	14.05	14.00	13.81	0
				25	0	14.08	14.01	13.90	0
				25	14	14.09	14.01	13.85	0
				25	27	14.07	13.98	13.78	0
				50	0	14.05	14.05	13.81	0
			16QAM	1	1	14.08	13.96	13.82	0
			64QAM	1	1	14.18	14.07	13.94	0
			256QAM	1	1	14.04	13.95	13.83	0
		CP	QPSK	1	1	14.15	14.00	13.83	0

NR FDD Band n7 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						501500	507000	512500	
						2507.5 MHz	2535 MHz	2562.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.13	14.04	13.89	0
				1	40	13.98	13.86	13.86	0
				1	77	13.98	13.92	13.89	0
				36	0	14.07	13.95	13.97	0
				36	22	14.06	13.98	14.01	0
				36	43	14.06	13.95	14.00	0
				75	0	14.09	14.00	14.00	0
			QPSK	1	1	14.11	14.04	14.04	0
				1	40	14.01	13.93	13.92	0
				1	77	14.09	14.00	13.91	0
				36	0	14.13	14.04	14.05	0
				36	22	14.11	14.01	14.00	0
				36	43	14.04	13.99	14.01	0
				75	0	14.10	14.04	14.04	0
			16QAM	1	1	14.11	14.06	13.97	0
			64QAM	1	1	14.29	14.05	14.10	0
			256QAM	1	1	14.25	13.98	13.94	0
		CP	QPSK	1	1	14.18	13.96	14.03	0

NR FDD Band n7 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						502000	507000	512000	
						2510 MHz	2535 MHz	2560 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.13	14.05	13.95	0
				1	53	14.15	14.14	14.15	0
				1	104	14.18	13.96	13.85	0
				50	0	14.13	14.03	13.96	0
				50	28	14.17	14.04	13.99	0
				50	56	14.13	14.02	13.95	0
				100	0	14.15	14.02	13.98	0
			QPSK	1	1	14.25	14.06	14.02	0
				1	53	14.21	14.01	13.99	0
				1	104	14.24	13.95	13.95	0
				50	0	14.19	14.02	13.99	0
				50	28	14.15	14.03	14.00	0
				50	56	14.19	13.94	13.92	0
				100	0	14.15	14.03	13.99	0
			16QAM	1	1	14.21	14.21	14.08	0
			64QAM	1	1	14.33	14.16	14.15	0
			256QAM	1	1	14.18	14.06	13.99	0
		CP	QPSK	1	1	14.13	14.05	13.95	0

NR FDD Band n7 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						502500		511500	
						2512.5 MHz		2557.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.18		13.91	0
				1	67	13.99		13.75	0
				1	131	14.14		13.87	0
				64	0	14.24		13.87	0
				64	35	14.13		13.93	0
				64	39	14.23		13.94	0
				128	0	14.18		13.91	0
			QPSK	1	1	14.28		13.97	0
				1	67	14.06		13.84	0
				1	131	14.18		13.91	0
				64	0	14.24		13.88	0
				64	35	14.18		13.92	0
				64	69	14.23		13.88	0
				128	0	14.16		13.97	0
			16QAM	1	1	14.28		14.00	0
			64QAM	1	1	14.40		14.01	0
			256QAM	1	1	14.25		13.91	0
		CP	QPSK	1	1	14.27		14.72	0

NR FDD Band n7 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						503000		511000	
						2515 MHz		2555 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.07		14.03	0
				1	80	14.13		13.99	0
				1	158	14.03		13.83	0
				80	0	14.04		13.91	0
				80	40	14.06		13.91	0
				80	80	14.13		13.94	0
				160	0	14.11		13.88	0
			QPSK	1	1	14.15		14.03	0
				1	80	14.07		13.91	0
				1	158	14.07		13.96	0
				80	0	14.08		13.98	0
				80	40	14.12		13.91	0
				80	80	14.12		13.93	0
				160	0	14.08		13.87	0
			16QAM	1	1	14.23		14.18	0
			64QAM	1	1	14.18		14.13	0
			256QAM	1	1	14.11		13.99	0
		CP	QPSK	1	1	14.09		14.00	0

NR FDD Band n7 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						507000		
						2535 MHz		
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.03		0
				1	98	13.93		0
				1	186	13.91		0
				90	0	14.10		0
				90	45	14.07		0
				90	90	13.96		0
				180	0	14.04		0
			QPSK	1	1	14.09		0
				1	98	14.06		0
				1	186	13.91		0
				90	0	14.15		0
				90	45	14.05		0
				90	90	14.02		0
				180	0	14.09		0
			16QAM	1	1	14.05		0
			64QAM	1	1	14.19		0
			256QAM	1	1	14.10		0
		CP	QPSK	1	1	14.11		0

NR FDD Band n7 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						507000	
						2535 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.01	0
				1	108	14.11	0
				1	214	13.95	0
				108	0	14.09	0
				108	54	14.04	0
				108	108	13.98	0
				216	0	14.05	0
			QPSK	1	1	14.11	0
				1	108	14.32	0
				1	214	13.99	0
				108	0	14.38	0
				108	54	14.09	0
				108	108	14.03	0
				216	0	14.06	0
			16QAM	1	1	14.13	0
			64QAM	1	1	14.17	0
			256QAM	1	1	14.03	0
		CP	QPSK	1	1	14.30	0

**NR FDD Band n25 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)
_ SUB5 [Ant I]**

NR FDD Band n25 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376500	382500	
						1852.5 MHz	1882.5 MHz	1912.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.83	15.73	16.09	0
				1	13	15.75	15.67	16.01	0
				1	23	15.78	15.69	16.07	0
				12	0	15.86	15.76	16.10	0
				12	7	15.84	15.75	16.09	0
				12	13	15.80	15.71	16.13	0
				25	0	15.88	15.77	16.10	0
			QPSK	1	1	15.84	15.76	16.12	0
				1	13	15.74	15.70	16.04	0
				1	23	15.82	15.77	16.15	0
				12	0	15.88	15.74	16.10	0
				12	7	15.84	15.79	16.14	0
				12	13	15.82	15.78	16.16	0
				25	0	15.82	15.79	16.11	0
			16QAM	1	1	15.99	15.77	16.05	0
			64QAM	1	1	15.97	15.90	16.08	0
			256QAM	1	1	15.91	15.70	16.06	0
		CP	QPSK	1	1	15.87	15.69	16.08	0

NR FDD Band n25 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376500	382000	
						1855 MHz	1882.5 MHz	1910 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.95	15.75	16.08	0
				1	26	15.99	15.85	16.41	0
				1	50	15.93	15.77	16.15	0
				25	0	15.95	15.76	16.09	0
				25	14	15.92	15.78	16.16	0
				25	27	15.97	15.76	16.17	0
			QPSK	50	0	15.94	15.75	16.16	0
				1	1	15.99	15.79	16.10	0
				1	26	15.95	15.99	16.21	0
				1	50	15.97	15.80	16.16	0
				25	0	15.93	15.75	16.09	0
				25	14	15.90	15.76	16.15	0
				25	27	15.94	15.75	16.16	0
				50	0	15.94	15.78	16.14	0
			16QAM	1	1	16.04	15.82	16.10	0
			64QAM	1	1	16.08	15.83	16.17	0
			256QAM	1	1	16.02	15.88	15.95	0
		CP	QPSK	1	1	15.93	15.79	16.13	0

NR FDD Band n25 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376500	381500	
						1857.5 MHz	1882.5 MHz	1907.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.92	15.67	16.12	0
				1	40	15.82	15.66	16.02	0
				1	77	15.81	15.77	16.18	0
				36	0	15.91	15.77	16.13	0
				36	22	15.95	15.76	16.14	0
				36	43	15.91	15.80	16.18	0
			QPSK	75	0	15.93	15.79	16.12	0
				1	1	15.96	15.69	16.17	0
				1	40	15.86	15.69	16.03	0
				1	77	15.85	15.84	16.20	0
				36	0	15.94	15.79	16.12	0
				36	22	15.93	15.78	16.11	0
				36	43	15.93	15.81	16.21	0
				75	0	15.92	15.78	16.13	0
			16QAM	1	1	15.94	15.68	16.17	0
			64QAM	1	1	16.03	15.77	16.16	0
			256QAM	1	1	15.93	15.55	16.10	0
		CP	QPSK	1	1	15.98	15.62	16.16	0

NR FDD Band n25 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376500	381000	
						1860 MHz	1882.5 MHz	1905 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.87	15.67	15.98	0
				1	53	15.98	15.86	16.30	0
				1	104	15.76	15.82	16.20	0
				50	0	15.85	15.78	16.20	0
				50	28	15.89	15.78	16.13	0
				50	56	15.80	15.79	16.21	0
				100	0	15.93	15.76	16.12	0
			QPSK	1	1	15.92	15.70	16.04	0
				1	53	15.92	15.99	16.15	0
				1	104	15.83	15.87	16.21	0
				50	0	15.89	15.77	16.22	0
				50	28	15.88	15.77	16.19	0
				50	56	15.84	15.81	16.21	0
				100	0	15.93	15.76	16.16	0
			16QAM	1	1	15.91	15.68	15.96	0
			64QAM	1	1	15.96	15.65	16.09	0
			256QAM	1	1	16.04	15.67	15.97	0
		CP	QPSK	1	1	15.88	15.74	15.97	0

NR FDD Band n25 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		380500	
						1862.5 MHz		1902.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.86		15.78	0
				1	66	15.96		16.18	0
				1	131	15.66		16.06	0
				64	0	15.82		15.94	0
				64	35	15.86		16.09	0
				64	69	15.82		16.09	0
				128	0	15.89		16.09	0
			QPSK	1	1	15.90		15.84	0
				1	66	15.90		16.18	0
				1	131	15.67		16.12	0
				64	0	15.83		15.93	0
				64	35	15.88		16.09	0
				64	69	15.82		16.08	0
				128	0	15.87		16.14	0
			16QAM	1	1	15.75		15.84	0
			64QAM	1	1	15.96		15.93	0
			256QAM	1	1	15.89		15.90	0
		CP	QPSK	1	1	15.76		15.77	0

NR FDD Band n25 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		380000	
						1865 MHz		1900 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.94		15.80	0
				1	80	16.08		16.22	0
				1	158	15.83		16.10	0
				80	0	15.98		15.86	0
				80	40	15.87		16.12	0
				80	80	15.82		16.10	0
				160	0	15.88		16.12	0
			QPSK	1	1	15.98		15.82	0
				1	80	15.96		16.20	0
				1	158	15.89		16.12	0
				80	0	16.00		15.89	0
				80	40	15.91		16.11	0
				80	80	15.86		16.08	0
				160	0	15.95		16.16	0
			16QAM	1	1	15.96		15.77	0
			64QAM	1	1	16.09		15.96	0
			256QAM	1	1	16.08		15.84	0
		CP	QPSK	1	1	15.98		15.76	0

NR FDD Band n25 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						376500			
						1882.5 MHz			
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.79			0
				1	98	15.76			0
				1	186	16.08			0
				90	0	15.70			0
				90	45	15.77			0
				90	90	15.83			0
				180	0	15.77			0
			QPSK	1	1	15.81			0
				1	98	15.79			0
				1	186	16.11			0
				90	0	15.70			0
				90	45	15.77			0
				90	90	15.86			0
				180	0	15.76			0
			16QAM	1	1	15.79			0
			64QAM	1	1	15.90			0
			256QAM	1	1	15.82			0
		CP	QPSK	1	1	15.79			0

NR FDD Band n25 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376500	
						1882.5 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.80	0
				1	108	15.86	0
				1	214	16.07	0
				108	0	15.70	0
				108	54	15.79	0
				108	108	15.88	0
				216	0	15.77	0
			QPSK	1	1	15.80	0
				1	108	16.23	0
				1	214	16.13	0
				108	0	16.12	0
				108	54	15.77	0
				108	108	15.86	0
				216	0	15.75	0
			16QAM	1	1	15.93	0
			64QAM	1	1	15.92	0
			256QAM	1	1	15.88	0
		CP	QPSK	1	1	16.11	0

NR FDD Band n25 Conducted Power_ Measured Folder Open RCV(RSI 1)_

SUB5 [Ant I]

NR FDD Band n25 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376500	382500	
						1852.5 MHz	1882.5 MHz	1912.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.84	14.68	14.87	0
				1	13	14.76	14.66	14.82	0
				1	23	14.88	14.67	14.89	0
				12	0	14.90	14.76	14.82	0
				12	7	14.89	14.77	14.92	0
				12	13	14.81	14.72	14.88	0
				25	0	14.91	14.77	14.94	0
			QPSK	1	1	14.92	14.77	14.93	0
				1	13	14.80	14.71	14.85	0
				1	23	14.88	14.72	14.98	0
				12	0	14.87	14.81	14.89	0
				12	7	14.88	14.76	14.94	0
				12	13	14.88	14.76	14.95	0
				25	0	14.95	14.76	14.97	0
			16QAM	1	1	14.73	14.64	14.98	0
			64QAM	1	1	14.91	14.84	14.86	0
			256QAM	1	1	14.91	14.60	14.77	0
		CP	QPSK	1	1	14.93	14.74	14.95	0

NR FDD Band n25 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376500	382000	
						1855 MHz	1882.5 MHz	1910 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.86	14.71	14.80	0
				1	26	14.98	14.88	15.07	0
				1	50	14.80	14.69	14.91	0
				25	0	14.93	14.71	14.86	0
				25	14	14.87	14.75	14.87	0
				25	27	14.86	14.64	14.91	0
				50	0	14.87	14.73	14.95	0
			QPSK	1	1	14.99	14.70	14.91	0
				1	26	15.00	14.94	14.97	0
				1	50	14.90	14.77	14.96	0
				25	0	14.98	14.77	14.94	0
				25	14	14.90	14.74	14.95	0
				25	27	14.87	14.71	14.90	0
				50	0	14.96	14.73	14.93	0
			16QAM	1	1	14.99	14.67	14.92	0
			64QAM	1	1	15.18	14.87	14.92	0
			256QAM	1	1	15.01	14.68	14.84	0
		CP	QPSK	1	1	14.80	14.71	14.85	0

NR FDD Band n25 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376500	381500	
						1857.5 MHz	1882.5 MHz	1907.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.84	14.69	14.82	0
				1	40	14.74	14.59	14.80	0
				1	77	14.78	14.70	14.91	0
				36	0	14.92	14.70	14.85	0
				36	22	14.85	14.75	14.93	0
				36	43	14.84	14.69	14.93	0
				75	0	14.86	14.74	14.93	0
			QPSK	1	1	14.89	14.78	14.87	0
				1	40	14.76	14.66	14.85	0
				1	77	14.84	14.80	14.96	0
				36	0	14.91	14.72	14.87	0
				36	22	14.84	14.74	14.91	0
				36	43	14.83	14.74	15.00	0
				75	0	14.89	14.76	14.96	0
			16QAM	1	1	15.02	14.81	15.00	0
			64QAM	1	1	14.88	14.84	14.92	0
			256QAM	1	1	14.79	14.64	14.94	0
		CP	QPSK	1	1	14.91	14.63	14.85	0

NR FDD Band n25 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376500	381000	
						1860 MHz	1882.5 MHz	1905 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.80	14.75	14.79	0
				1	53	14.92	14.87	15.03	0
				1	104	14.74	14.73	14.97	0
				50	0	14.90	14.70	14.89	0
				50	28	14.84	14.72	14.89	0
				50	56	14.74	14.75	14.93	0
				100	0	14.86	14.78	14.96	0
			QPSK	1	1	14.95	14.85	14.90	0
				1	53	14.83	14.91	14.88	0
				1	104	14.84	14.86	14.96	0
				50	0	14.87	14.77	14.94	0
				50	28	14.87	14.73	14.87	0
				50	56	14.79	14.74	14.93	0
				100	0	14.84	14.78	14.96	0
			16QAM	1	1	14.92	14.93	14.97	0
			64QAM	1	1	14.76	14.93	14.86	0
			256QAM	1	1	14.87	14.80	14.56	0
		CP	QPSK	1	1	14.93	14.78	14.85	0

NR FDD Band n25 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		380500	
						1862.5 MHz		1902.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.83		14.74	0
				1	66	14.93		14.95	0
				1	131	14.78		14.87	0
				64	0	14.91		14.86	0
				64	35	14.81		14.89	0
				64	69	14.85		14.95	0
			QPSK	128	0	14.87		14.87	0
				1	1	14.97		14.81	0
				1	66	14.96		15.07	0
				1	131	14.84		14.99	0
				64	0	14.89		14.80	0
				64	35	14.87		14.88	0
				64	69	14.83		14.93	0
				128	0	14.86		14.94	0
			16QAM	1	1	14.93		14.69	0
			64QAM	1	1	14.92		14.85	0
			256QAM	1	1	14.78		14.87	0
		CP	QPSK	1	1	14.87		14.73	0

NR FDD Band n25 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		380000	
						1865 MHz		1900 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.87		14.71	0
				1	80	14.92		14.96	0
				1	158	14.81		15.00	0
				80	0	14.91		14.83	0
				80	40	14.88		14.88	0
				80	80	14.88		14.95	0
			QPSK	160	0	14.86		14.89	0
				1	1	14.99		14.81	0
				1	80	14.95		14.93	0
				1	158	14.81		15.03	0
				80	0	14.90		14.92	0
				80	40	14.82		14.94	0
				80	80	14.87		14.98	0
				160	0	14.89		14.88	0
			16QAM	1	1	14.93		14.86	0
			64QAM	1	1	14.98		14.68	0
			256QAM	1	1	14.97		14.73	0
		CP	QPSK	1	1	14.91		14.83	0

NR FDD Band n25 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376500	
						1882.5 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.72	0
				1	98	14.71	0
				1	186	14.83	0
				90	0	14.81	0
				90	45	14.77	0
				90	90	14.73	0
				180	0	14.78	0
			QPSK	1	1	14.83	0
				1	98	14.76	0
				1	186	14.88	0
				90	0	14.83	0
				90	45	14.83	0
				90	90	14.82	0
				180	0	14.78	0
			16QAM	1	1	14.91	0
			64QAM	1	1	14.86	0
			256QAM	1	1	14.59	0
		CP	QPSK	1	1	14.70	0

NR FDD Band n25 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376500	
						1882.5 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.81	0
				1	108	14.90	0
				1	214	14.80	0
				108	0	14.82	0
				108	54	14.77	0
				108	108	14.77	0
				216	0	14.73	0
			QPSK	1	1	14.87	0
				1	108	14.97	0
				1	214	14.93	0
				108	0	14.85	0
				108	54	14.77	0
				108	108	14.83	0
				216	0	14.74	0
			16QAM	1	1	14.76	0
			64QAM	1	1	14.91	0
			256QAM	1	1	14.77	0
		CP	QPSK	1	1	14.84	0

**NR FDD Band n30 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)
_ SUB5 [Ant I]**

FDD Band n30_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						462000	
						2310 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.47	0
				1	13	15.41	0
				1	23	15.49	0
				12	0	15.54	0
				12	7	15.45	0
				12	13	15.46	0
				25	0	15.56	0
			QPSK	1	1	15.46	0
				1	13	15.38	0
				1	23	15.52	0
				12	0	15.53	0
				12	7	15.51	0
				12	13	15.53	0
				25	0	15.46	0
			16QAM	1	1	15.61	0
			64QAM	1	1	15.55	0
			256QAM	1	1	15.51	0
		CP	QPSK	1	1	15.46	0

NR FDD Band n30_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						462000	
						2310 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.35	0
				1	26	15.58	0
				1	50	15.44	0
				25	0	15.45	0
				25	14	15.45	0
				25	27	15.50	0
				50	0	15.51	0
			QPSK	1	1	15.39	0
				1	26	15.59	0
				1	50	15.42	0
				25	0	15.49	0
				25	14	15.48	0
				25	27	15.49	0
				50	0	15.49	0
			16QAM	1	1	15.27	0
			64QAM	1	1	15.40	0
			256QAM	1	1	15.25	0
		CP	QPSK	1	1	15.35	0

NR FDD Band n30 Conducted Power_ Measured Folder Open RCV(RSI 1)_

SUB5 [Ant I]

FDD Band n30_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						462000	
						2310 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.40	0
				1	13	14.27	0
				1	23	14.32	0
				12	0	14.36	0
				12	7	14.38	0
				12	13	14.35	0
				25	0	14.37	0
			QPSK	1	1	14.40	0
				1	13	14.28	0
				1	23	14.36	0
				12	0	14.40	0
				12	7	14.37	0
				12	13	14.37	0
				25	0	14.40	0
			16QAM	1	1	14.32	0
			64QAM	1	1	14.35	0
			256QAM	1	1	14.44	0
		CP	QPSK	1	1	14.39	0

NR FDD Band n30_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						462000	
						2310 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.19	0
				1	26	14.48	0
				1	50	14.35	0
				25	0	14.33	0
				25	14	14.33	0
				25	27	14.37	0
				50	0	14.36	0
			QPSK	1	1	14.26	0
				1	26	14.47	0
				1	50	14.39	0
				25	0	14.35	0
				25	14	14.38	0
				25	27	14.42	0
				50	0	14.36	0
			16QAM	1	1	14.26	0
			64QAM	1	1	14.24	0
			256QAM	1	1	14.28	0
		CP	QPSK	1	1	14.15	0

NR TDD Band n38 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)
_ SUB5 [Ant I]

NR TDD Band n38 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						515000	519000	523000	
						2575 MHz	2595 MHz	2615 MHz	
10 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	16.25	16.03	16.09	0
				1	12	16.17	16.06	16.08	0
				1	22	16.17	16.05	16.08	0
				12	0	16.17	15.54	16.04	0
				12	6	16.14	16.00	16.01	0
				12	12	16.17	16.00	16.02	0
				24	0	16.17	16.00	16.04	0
			QPSK	1	1	16.21	15.97	16.08	0
				1	12	16.26	16.03	16.08	0
				1	22	16.20	16.03	16.09	0
				12	0	16.16	16.00	16.05	0
				12	6	16.15	16.01	16.02	0
				12	12	16.15	15.99	15.99	0
				24	0	16.14	16.00	16.02	0
			16QAM	1	1	16.04	16.09	15.82	0
			64QAM	1	1	16.22	16.08	16.03	0
			256QAM	1	1	16.14	16.01	16.13	0
		CP	QPSK	1	1	16.09	16.54	16.04	0

NR TDD Band n38 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						515500	519000	522500	
						2577.5 MHz	2595 MHz	2612.5 MHz	
15 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	16.12	15.95	16.17	0
				1	18	16.03	15.89	16.15	0
				1	36	16.09	15.98	16.16	0
				18	0	16.12	15.53	16.16	0
				18	9	16.08	15.56	16.18	0
				18	18	16.08	15.58	16.15	0
				36	0	16.08	15.56	16.19	0
			QPSK	1	1	16.14	15.58	16.16	0
				1	18	16.03	15.50	16.14	0
				1	36	16.08	15.60	16.18	0
				18	0	16.12	15.55	16.20	0
				18	9	16.10	15.56	16.21	0
				18	18	16.10	15.60	16.16	0
				36	0	16.08	15.56	16.20	0
			16QAM	1	1	16.00	15.65	16.22	0
			64QAM	1	1	16.14	15.56	16.15	0
			256QAM	1	1	16.00	15.89	16.17	0
		CP	QPSK	1	1	16.16	15.93	16.11	0

NR TDD Band n38 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						516000	519000	522000	
						2580 MHz	2595 MHz	2610 MHz	
20 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	15.80	15.94	16.14	0
				1	26	16.10	15.91	16.12	0
				1	49	16.04	15.95	16.11	0
				25	0	16.15	15.91	16.07	0
				25	13	16.14	15.92	16.14	0
				25	26	16.07	15.97	16.12	0
				50	0	15.54	15.94	16.14	0
			QPSK	1	1	16.00	15.97	16.04	0
				1	26	16.12	15.90	16.13	0
				1	49	16.06	15.94	16.12	0
				25	0	16.06	15.92	16.08	0
				25	13	16.12	15.93	16.15	0
				25	26	16.08	15.96	16.10	0
				50	0	16.06	15.92	16.12	0
			16QAM	1	1	16.35	16.04	16.02	0
			64QAM	1	1	16.23	15.97	16.07	0
			256QAM	1	1	16.20	15.97	16.09	0
		CP	QPSK	1	1	16.12	15.94	16.03	0

NR TDD Band n38 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						516500		521500	
						2582.5 MHz		2607.5 MHz	
25 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	16.23		16.04	0
				1	32	16.17		16.09	0
				1	63	16.06		16.10	0
				32	0	16.19		16.01	0
				32	17	16.17		16.05	0
				32	33	16.10		16.08	0
				64	0	16.14		16.09	0
			QPSK	1	1	16.24		16.03	0
				1	32	16.16		16.09	0
				1	63	16.06		16.07	0
				32	0	16.17		16.01	0
				32	17	16.15		16.08	0
				32	33	16.09		16.08	0
				64	0	16.15		16.06	0
			16QAM	1	1	16.17		16.15	0
			64QAM	1	1	16.13		16.05	0
			256QAM	1	1	16.16		16.01	0
		CP	QPSK	1	1	16.24		16.03	0

NR TDD Band n38 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						517000		521000	
						2585 MHz		2605 MHz	
30 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	15.72		15.86	0
				1	39	15.64		15.91	0
				1	76	15.54		15.99	0
				36	0	16.02		15.93	0
				36	21	15.98		15.94	0
				36	42	15.92		16.05	0
				75	0	15.99		15.95	0
			QPSK	1	1	16.08		15.92	0
				1	39	16.02		16.03	0
				1	76	16.00		16.08	0
				36	0	16.01		15.97	0
				36	21	15.98		15.94	0
				36	42	15.94		16.04	0
				75	0	16.01		15.95	0
			16QAM	1	1	16.13		15.99	0
			64QAM	1	1	16.04		16.10	0
			256QAM	1	1	16.10		15.92	0
		CP	QPSK	1	1	15.63		15.89	0

NR TDD Band n38 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							519000		
							2595 MHz		
40 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1		15.93		0
				1	80		15.94		0
				1	158		16.04		0
				80	0		15.96		0
				80	40		15.94		0
				80	80		15.98		0
			QPSK	160	0		15.93		0
				1	1		16.05		0
				1	80		15.96		0
				1	158		16.08		0
				80	0		15.96		0
				80	40		15.93		0
				80	80		15.99		0
				160	0		15.94		0
			16QAM	1	1		16.16		0
			64QAM	1	1		16.08		0
			256QAM	1	1		16.04		0
		CP	QPSK	1	80		16.00		0

NR TDD Band n38 Conducted Power_ Measured Folder Open RCV(RSI 1)_

SUB5 [Ant I]

NR TDD Band n38 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						515000	519000	523000	
						2575 MHz	2595 MHz	2615 MHz	
10 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.51	13.26	13.32	0
				1	12	13.49	13.31	12.98	0
				1	22	13.48	13.28	13.00	0
				12	0	13.46	13.23	13.00	0
				12	6	13.40	13.22	12.98	0
				12	12	13.44	13.26	12.97	0
				24	0	13.39	13.24	13.00	0
			QPSK	1	1	13.44	13.27	13.07	0
				1	12	13.49	13.22	13.05	0
				1	22	13.44	13.30	13.03	0
				12	0	13.40	13.22	13.02	0
				12	6	13.39	13.23	12.99	0
				12	12	13.37	13.28	13.01	0
				24	0	13.36	13.24	12.99	0
			16QAM	1	1	13.42	13.18	13.09	0
			64QAM	1	1	13.46	13.28	13.10	0
			256QAM	1	1	13.47	13.24	13.28	0
		CP	QPSK	1	1	13.13	13.19	13.02	0

NR TDD Band n38 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						515500	519000	522500	
						2577.5 MHz	2595 MHz	2612.5 MHz	
15 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.36	13.15	13.38	0
				1	18	13.30	13.10	13.36	0
				1	36	13.32	13.19	13.40	0
				18	0	13.34	13.14	13.40	0
				18	9	13.32	13.17	13.41	0
				18	18	13.32	13.19	13.40	0
				36	0	13.32	13.16	13.42	0
			QPSK	1	1	13.37	13.17	13.37	0
				1	18	13.29	13.08	13.35	0
				1	36	13.30	13.17	13.40	0
				18	0	13.33	13.14	13.40	0
				18	9	13.30	13.16	13.43	0
				18	18	13.33	13.18	13.37	0
				36	0	13.29	13.16	13.40	0
			16QAM	1	1	13.36	13.11	13.35	0
			64QAM	1	1	13.40	13.16	13.21	0
			256QAM	1	1	13.49	13.22	13.41	0
		CP	QPSK	1	1	13.38	13.20	13.36	0

NR TDD Band n38 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						516000	519000	522000	
						2580 MHz	2595 MHz	2610 MHz	
20 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.36	13.24	13.28	0
				1	26	13.32	12.89	13.35	0
				1	49	13.25	12.95	13.37	0
				25	0	13.35	12.86	13.27	0
				25	13	13.34	12.85	13.35	0
				25	26	13.04	12.88	13.33	0
				50	0	13.06	12.87	13.37	0
			QPSK	1	1	13.11	12.89	13.29	0
				1	26	13.06	12.84	13.30	0
				1	49	12.96	12.90	13.36	0
				25	0	13.07	13.13	13.28	0
				25	13	13.08	13.13	13.37	0
				25	26	13.02	13.13	13.31	0
				50	0	13.05	13.12	13.34	0
			16QAM	1	1	12.92	13.30	13.28	0
			64QAM	1	1	13.09	13.20	13.30	0
			256QAM	1	1	13.34	13.21	13.27	0
		CP	QPSK	1	1	13.35	13.15	13.00	0

NR TDD Band n38 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						516500		521500	
						2582.5 MHz		2607.5 MHz	
25 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.06		13.22	0
				1	32	13.38		13.30	0
				1	63	13.29		13.29	0
				32	0	13.11		13.20	0
				32	17	13.06		13.26	0
				32	33	12.99		13.28	0
				64	0	13.09		13.25	0
			QPSK	1	1	13.13		13.23	0
				1	32	13.09		13.31	0
				1	63	12.92		13.32	0
				32	0	13.09		13.21	0
				32	17	13.08		13.26	0
				32	33	12.98		13.28	0
				64	0	13.10		13.26	0
			16QAM	1	1	13.27		13.21	0
			64QAM	1	1	13.05		13.22	0
			256QAM	1	1	13.39		13.26	0
		CP	QPSK	1	1	13.42		13.20	0

NR TDD Band n38 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						517000		521000	
						2585 MHz		2605 MHz	
30 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.32		13.11	0
				1	39	13.22		13.20	0
				1	76	13.23		13.26	0
				36	0	13.24		13.14	0
				36	21	13.18		13.15	0
				36	42	13.11		13.26	0
				75	0	13.20		13.16	0
			QPSK	1	1	13.29		13.17	0
				1	39	13.25		13.21	0
				1	76	13.23		13.25	0
				36	0	13.22		13.16	0
				36	21	13.20		13.17	0
				36	42	13.15		13.23	0
				75	0	13.21		13.15	0
			16QAM	1	1	13.20		13.14	0
			64QAM	1	1	13.20		13.12	0
			256QAM	1	1	13.14		13.12	0
		CP	QPSK	1	1	12.99		13.09	0

NR TDD Band n38 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							519000		
							2595 MHz		
40 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1		13.13		0
				1	80		13.18		0
				1	158		13.31		0
				80	0		13.15		0
				80	40		13.14		0
				80	80		13.18		0
				160	0		13.11		0
			QPSK	1	1		13.27		0
				1	80		13.20		0
				1	158		13.26		0
				80	0		13.14		0
				80	40		13.11		0
				80	80		13.16		0
				160	0		13.14		0
			16QAM	1	1		13.14		0
			64QAM	1	1		13.35		0
			256QAM	1	1		13.18		0
		CP	QPSK	1	80		13.17		0

**NR TDD Band n41 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Close Free (RSI 3)_ SUB5 [Ant I]**

NR TDD Band n41 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500202	509400	518598	527802	537000	
						2501.01 MHz	2547 MHz	2592.99 MHz	2639.01 MHz	2685 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	19.15	18.90	18.58	18.69	18.58	0
				1	12	19.10	18.92	18.70	18.78	18.76	0
				1	22	19.07	18.81	18.61	18.76	18.71	0
				12	0	19.08	18.85	18.58	18.68	18.64	0
				12	6	19.07	18.84	18.59	18.67	18.65	0
				12	12	19.09	18.83	18.60	18.70	18.67	0
				24	0	19.08	18.87	18.61	18.67	18.65	0
			QPSK	1	1	19.09	18.86	18.62	18.68	18.64	0
				1	12	19.14	18.85	18.65	18.68	18.62	0
				1	22	19.10	18.84	18.57	18.72	18.64	0
				12	0	19.07	18.84	18.57	18.68	18.62	0
				12	6	19.07	18.86	18.58	18.69	18.65	0
				12	12	19.06	18.82	18.58	18.72	18.68	0
				24	0	19.09	18.84	18.58	18.70	18.66	0
			16QAM	1	1	19.13	18.79	18.67	18.53	18.48	0
			64QAM	1	1	18.86	18.82	18.68	18.75	18.52	0
			256QAM	1	1	19.08	18.72	18.72	18.58	18.72	0
		CP	QPSK	1	1	19.05	18.84	18.64	18.68	18.65	0

NR TDD Band n41 _15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500700	509664	518598	527562	536496	
						2503.5	2548.32	2592.99	2637.81	2682.48	
						MHz	MHz	MHz	MHz	MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	19.12	18.87	18.58	18.61	18.55	0
				1	18	19.02	18.88	18.69	18.78	18.70	0
				1	36	19.00	18.76	18.58	18.69	18.70	0
				18	0	19.01	18.84	18.54	18.68	18.58	0
				18	9	19.03	18.83	18.57	18.62	18.62	0
				18	18	19.03	18.81	18.58	18.68	18.61	0
				36	0	19.06	18.84	18.54	18.62	18.60	0
			QPSK	1	1	19.05	18.86	18.58	18.61	18.59	0
				1	18	19.09	18.83	18.62	18.65	18.56	0
				1	36	19.06	18.80	18.50	18.67	18.63	0
				18	0	19.01	18.84	18.53	18.67	18.55	0
				18	9	19.03	18.81	18.54	18.66	18.65	0
				18	18	19.05	18.76	18.54	18.69	18.63	0
				36	0	19.03	18.78	18.51	18.65	18.64	0
			16QAM	1	1	19.10	18.71	18.65	18.49	18.46	0
			64QAM	1	1	18.81	18.77	18.68	18.71	18.48	0
			256QAM	1	1	19.04	18.71	18.68	18.51	18.68	0
		CP	QPSK	1	1	18.99	18.78	18.62	18.65	18.58	0

NR TDD Band n41 _20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501204	509898	518598	527298	535998	
						2506.02	2549.49	2592.99	2636.49	2679.99	
						MHz	MHz	MHz	MHz	MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	19.06	18.80	18.58	18.58	18.47	0
				1	26	19.01	18.88	18.67	18.72	18.67	0
				1	49	18.94	18.73	18.56	18.65	18.66	0
				25	0	18.97	18.78	18.53	18.62	18.51	0
				25	13	18.96	18.78	18.55	18.54	18.56	0
				25	26	18.98	18.79	18.52	18.61	18.54	0
				50	0	19.00	18.84	18.51	18.60	18.60	0
			QPSK	1	1	19.00	18.85	18.51	18.56	18.52	0
				1	26	19.07	18.76	18.55	18.58	18.51	0
				1	49	18.99	18.80	18.44	18.66	18.56	0
				25	0	18.93	18.80	18.52	18.66	18.52	0
				25	13	18.98	18.75	18.53	18.61	18.65	0
				25	26	19.03	18.69	18.49	18.66	18.63	0
				50	0	19.02	18.71	18.48	18.64	18.61	0
			16QAM	1	1	19.03	18.66	18.58	18.44	18.42	0
			64QAM	1	1	18.73	18.70	18.61	18.66	18.41	0
			256QAM	1	1	18.96	18.64	18.68	18.49	18.61	0
		CP	QPSK	1	1	18.97	18.77	18.60	18.64	18.51	0

NR TDD Band n41_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501702	510150	518598	527046	535500	
						2508.51	2550.75	2592.99	2635.23	2677.50	
						MHz	MHz	MHz	MHz	MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	19.00	18.78	18.56	18.52	18.43	0
				1	32	18.94	18.87	18.62	18.68	18.61	0
				1	63	18.91	18.72	18.53	18.65	18.65	0
				32	0	18.92	18.77	18.53	18.57	18.43	0
				32	17	18.91	18.72	18.48	18.49	18.51	0
				32	33	18.95	18.72	18.48	18.56	18.53	0
				64	0	18.96	18.78	18.49	18.59	18.53	0
			QPSK	1	1	18.97	18.85	18.44	18.53	18.50	0
				1	32	19.04	18.69	18.49	18.52	18.44	0
				1	63	18.97	18.77	18.39	18.63	18.50	0
				32	0	18.87	18.78	18.49	18.66	18.48	0
				32	17	18.91	18.69	18.47	18.57	18.63	0
				32	33	18.97	18.67	18.47	18.64	18.57	0
				64	0	18.99	18.69	18.41	18.58	18.56	0
			16QAM	1	1	18.97	18.62	18.58	18.42	18.37	0
			64QAM	1	1	18.69	18.67	18.54	18.59	18.35	0
			256QAM	1	1	18.92	18.58	18.63	18.43	18.59	0
		CP	QPSK	1	1	18.91	18.73	18.57	18.62	18.45	0

NR TDD Band n41_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						502200	510402	518598	526800	534996	
						2511	2552.01	2592.99	2634	2674.98	
						MHz	MHz	MHz	MHz	MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	19.12	18.90	18.51	18.66	18.56	0
				1	39	19.07	18.85	18.67	18.72	18.71	0
				1	76	18.99	18.80	18.56	18.74	18.67	0
				36	0	19.02	18.85	18.58	18.62	18.56	0
				36	21	19.03	18.77	18.57	18.64	18.60	0
				36	42	19.05	18.78	18.52	18.66	18.66	0
				75	0	19.03	18.86	18.53	18.65	18.61	0
			QPSK	1	1	19.04	18.85	18.59	18.67	18.62	0
				1	39	19.08	18.77	18.59	18.66	18.57	0
				1	76	19.04	18.83	18.49	18.66	18.60	0
				36	0	19.04	18.82	18.55	18.63	18.54	0
				36	21	19.03	18.83	18.52	18.68	18.62	0
				36	42	19.00	18.79	18.51	18.65	18.68	0
				75	0	19.02	18.83	18.58	18.65	18.60	0
			16QAM	1	1	19.09	18.75	18.60	18.53	18.47	0
			64QAM	1	1	18.79	18.78	18.66	18.70	18.44	0
			256QAM	1	1	19.01	18.65	18.68	18.57	18.65	0
		CP	QPSK	1	1	19.01	18.84	18.62	18.63	18.59	0

NR TDD Band n41 _40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						503202	513468		523734	534000	
						2516.01 MHz	2567.34 MHz		2618.67 MHz	2670 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	19.13	18.85		18.61	18.53	0
				1	53	18.99	18.82		18.71	18.66	0
				1	104	19.06	18.67		18.70	18.64	0
				50	0	19.03	18.80		18.57	18.53	0
				50	28	18.98	18.76		18.60	18.57	0
				50	56	19.01	18.78		18.57	18.64	0
				100	0	18.97	18.79		18.57	18.56	0
			QPSK	1	1	19.01	18.85		18.57	18.51	0
				1	53	19.03	18.77		18.62	18.54	0
				1	104	19.04	18.79		18.67	18.56	0
				50	0	18.94	18.79		18.58	18.55	0
				50	28	19.00	18.83		18.61	18.59	0
				50	56	19.03	18.76		18.70	18.59	0
				100	0	19.06	18.77		18.58	18.56	0
			16QAM	1	1	19.01	18.70		18.45	18.37	0
			64QAM	1	1	18.79	18.74		18.64	18.38	0
			256QAM	1	1	19.03	18.70		18.51	18.65	0
		CP	QPSK	1	1	18.98	18.80		18.59	18.58	0

NR TDD Band n41 _50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						504204		518598		532998	
						2521.02 MHz		2592.99 MHz		2664.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	19.08		18.85		18.50	0
				1	67	19.04		18.86		18.65	0
				1	131	18.98		18.70		18.58	0
				64	0	18.97		18.75		18.56	0
				64	35	18.94		18.77		18.57	0
				64	69	19.03		18.75		18.63	0
				128	0	18.99		18.83		18.55	0
			QPSK	1	1	19.03		18.86		18.57	0
				1	67	18.99		18.77		18.58	0
				1	131	19.05		18.77		18.56	0
				64	0	18.92		18.76		18.57	0
				64	35	18.99		18.81		18.52	0
				64	69	19.00		18.73		18.65	0
				128	0	19.05		18.76		18.61	0
			16QAM	1	1	19.07		18.66		18.42	0
			64QAM	1	1	18.75		18.75		18.44	0
			256QAM	1	1	18.96		18.62		18.63	0
		CP	QPSK	1	1	18.96		18.83		18.54	0

NR TDD Band n41 _60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						505200		518598			531996
						2526 MHz		2592.99 MHz			2659.98 MHz
60 MHz	30	DFT-s	pi/2 BPSK	1	1	19.10		18.51		18.48	0
				1	81	19.05		18.57		18.71	0
				1	160	19.03		18.52		18.59	0
				81	0	19.02		18.51		18.61	0
				81	41	18.97		18.45		18.56	0
				81	81	19.07		18.52		18.66	0
				162	0	19.02		18.57		18.54	0
			QPSK	1	1	19.00		18.51		18.57	0
				1	81	19.01		18.59		18.57	0
				1	160	19.06		18.47		18.56	0
				81	0	18.96		18.45		18.60	0
				81	41	19.00		18.45		18.52	0
				81	81	19.03		18.50		18.63	0
				162	0	19.04		18.42		18.63	0
			16QAM	1	1	19.09		18.59		18.37	0
			64QAM	1	1	18.74		18.60		18.38	0
			256QAM	1	1	19.01		18.62		18.58	0
		CP	QPSK	1	1	18.97		18.49		18.51	0

NR TDD Band n41 _70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						506208					530994
						2531.04 MHz					2654.97 MHz
70 MHz	30	DFT-s	pi/2 BPSK	1	1	19.14				18.58	0
				1	81	19.01				18.74	0
				1	160	19.00				18.64	0
				81	0	18.98				18.59	0
				81	41	18.94				18.58	0
				81	81	19.07				18.62	0
				162	0	18.99				18.58	0
			QPSK	1	1	19.05				18.60	0
				1	81	19.07				18.63	0
				1	160	19.06				18.64	0
				81	0	18.98				18.56	0
				81	41	18.96				18.60	0
				81	81	19.04				18.68	0
				162	0	19.03				18.63	0
			16QAM	1	1	19.07				18.41	0
			64QAM	1	1	18.73				18.60	0
			256QAM	1	1	19.00				18.52	0
		CP	QPSK	1	1	18.97				18.57	0

NR TDD Band n41_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						507204					529998
						2536.02					2649.99
					MHz					MHz	
80 MHz	30	DFT-s	pi/2 BPSK	1	1	18.80				18.55	0
				1	109	18.80				18.67	0
				1	215	18.73				18.63	0
				108	0	18.83				18.60	0
				108	55	18.73				18.56	0
				108	109	18.74				18.62	0
			216	0	18.76				18.50	0	
			QPSK	1	1	18.78				18.55	0
				1	109	18.72				18.56	0
				1	215	18.82				18.60	0
				108	0	18.78				18.60	0
				108	55	18.83				18.57	0
				108	109	18.72				18.57	0
				216	0	18.73				18.61	0
				16QAM	1	1	18.72				18.38
			64QAM	1	1	18.75				18.44	0
			256QAM	1	1	18.63				18.59	0
		CP	QPSK	1	1	18.78				18.58	0

NR TDD Band n41_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						508200					528996
						2541 MHz					2644.98 MHz
90 MHz	30	DFT-s	pi/2 BPSK	1	1	19.10				18.55	0
				1	123	19.03				18.70	0
				1	243	18.99				18.64	0
				120	0	19.01				18.55	0
				120	63	18.93				18.59	0
				120	125	19.06				18.66	0
			QPSK	243	0	19.01				18.53	0
				1	1	19.06				18.50	0
				1	123	19.03				18.55	0
				1	243	19.01				18.55	0
				120	0	18.93				18.56	0
				120	63	18.95				18.56	0
				120	125	18.98				18.59	0
				243	0	19.04				18.58	0
			16QAM	1	1	19.04				18.38	0
			64QAM	1	1	18.78				18.38	0
			256QAM	1	1	18.96				18.62	0
		CP	QPSK	1	1	18.97				18.58	0

NR TDD Band n41 _100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
								518598		
								2592.99 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1			18.94		0
				1	137			18.50		0
				1	271			18.99		0
				135	0			18.54		0
				135	69			18.54		0
				135	138			18.78		0
				270	0			18.61		0
			QPSK	1	1			18.90		0
				1	137			18.44		0
				1	271			19.17		0
				135	0			18.60		0
				135	69			18.54		0
				135	138			19.14		0
				270	0			18.58		0
			16QAM	1	1			18.87		0
			64QAM	1	1			18.84		0
			256QAM	1	1			18.90		0
		CP	QPSK	1	1			19.18		0

NR TDD Band n41 Conducted Power_ Measured Folder Open RCV(RSI 1)_

SUB5 [Ant I]

NR TDD Band n41_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500202	509400	518598	527802	537000	
						2501.01 MHz	2547 MHz	2592.99 MHz	2639.01 MHz	2685 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	13.15	13.28	13.06	12.85	13.08	0
				1	12	13.43	13.24	13.21	12.81	13.15	0
				1	22	13.40	13.21	13.10	13.11	13.16	0
				12	0	13.36	13.21	13.08	13.09	13.10	0
				12	6	13.41	13.16	13.10	13.10	13.11	0
				12	12	13.36	13.12	13.11	13.05	13.08	0
				24	0	13.34	13.13	13.10	13.07	13.10	0
			QPSK	1	1	13.32	13.22	13.09	13.06	13.09	0
				1	12	13.44	13.16	13.10	13.08	13.14	0
				1	22	13.35	13.15	13.10	13.07	13.12	0
				12	0	13.32	13.21	13.09	13.08	13.10	0
				12	6	13.32	13.16	13.08	13.09	13.13	0
				12	12	13.34	13.15	13.10	13.06	13.09	0
				24	0	13.34	13.17	13.10	13.07	13.11	0
			16QAM	1	1	13.43	13.07	13.13	13.13	12.98	0
			64QAM	1	1	13.35	13.21	13.08	13.05	13.01	0
			256QAM	1	1	13.33	13.20	13.07	13.07	12.99	0
		CP	QPSK	1	1	13.32	13.21	13.08	13.09	13.05	0

NR TDD Band n41_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500700	509664	518598	527562	536496	
						2503.5 MHz	2548.32 MHz	2592.99 MHz	2637.81 MHz	2682.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	13.37	12.96	13.14	13.00	13.29	0
				1	18	13.31	12.82	13.04	13.00	13.22	0
				1	36	13.34	13.17	13.11	13.02	13.30	0
				18	0	13.36	13.23	13.07	13.05	13.26	0
				18	9	13.35	13.18	13.05	13.07	13.27	0
				18	18	13.32	13.16	13.13	13.05	13.29	0
				36	0	13.35	13.16	13.07	13.04	13.26	0
			QPSK	1	1	13.36	13.26	13.10	13.03	13.25	0
				1	18	13.29	13.09	13.01	13.02	13.19	0
				1	36	13.38	13.21	13.17	13.07	13.27	0
				18	0	13.32	13.24	13.13	13.06	13.26	0
				18	9	13.38	13.14	13.12	13.08	13.27	0
				18	18	13.35	13.20	13.13	13.04	13.27	0
				36	0	13.36	13.17	13.10	13.04	13.26	0
			16QAM	1	1	13.35	13.28	13.35	13.07	13.30	0
			64QAM	1	1	13.22	13.24	13.24	13.03	13.41	0
			256QAM	1	1	13.40	12.82	13.18	13.00	13.17	0
		CP	QPSK	1	1	13.15	13.20	13.08	13.01	13.26	0

NR TDD Band n41_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501204	509898	518598	527298	535998	
						2506.02	2549.49	2592.99	2636.49	2679.99	
						MHz	MHz	MHz	MHz	MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	13.21	13.30	13.17	12.99	13.17	0
				1	26	13.19	13.18	13.09	13.04	13.20	0
				1	49	13.54	13.20	13.12	13.02	13.29	0
				25	0	13.23	13.25	13.10	13.01	13.20	0
				25	13	13.24	13.18	13.10	13.03	13.23	0
				25	26	13.28	13.21	13.11	13.03	13.26	0
				50	0	13.23	13.21	13.09	13.04	13.25	0
			QPSK	1	1	13.28	13.30	13.20	13.04	13.14	0
				1	26	13.21	13.19	13.06	13.02	13.23	0
				1	49	13.36	13.20	13.13	13.03	13.30	0
				25	0	13.22	13.27	13.13	13.00	13.20	0
				25	13	13.23	13.21	13.12	13.04	13.24	0
				25	26	13.30	13.22	13.14	13.01	13.26	0
				50	0	13.20	13.20	13.08	13.03	13.22	0
			16QAM	1	1	13.30	13.34	13.22	12.97	13.15	0
			64QAM	1	1	13.10	13.27	13.20	12.99	13.16	0
			256QAM	1	1	13.25	13.04	13.11	12.92	13.11	0
		CP	QPSK	1	1	13.21	13.31	13.21	13.03	13.15	0

NR TDD Band n41_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501702	510150	518598	527046	535500	
						2508.51	2550.75	2592.99	2635.23	2677.50	
						MHz	MHz	MHz	MHz	MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	13.26	13.29	13.22	13.01	13.16	0
				1	32	13.15	13.21	13.14	13.04	13.19	0
				1	63	13.19	13.23	13.14	12.98	13.26	0
				32	0	13.21	13.28	13.19	12.97	13.08	0
				32	17	13.16	13.21	13.13	13.01	13.15	0
				32	33	13.17	13.22	13.13	12.98	13.21	0
				64	0	13.16	13.22	13.12	13.02	13.15	0
			QPSK	1	1	13.29	13.29	13.24	13.01	13.08	0
				1	32	13.12	13.19	13.25	12.96	13.18	0
				1	63	13.15	13.21	13.15	12.98	13.22	0
				32	0	13.24	13.29	13.14	12.98	13.09	0
				32	17	13.15	13.22	13.09	13.04	13.16	0
				32	33	13.17	13.23	13.12	12.99	13.20	0
				64	0	13.18	13.23	13.09	13.00	13.15	0
			16QAM	1	1	13.53	13.53	13.17	13.11	13.05	0
			64QAM	1	1	13.30	13.31	13.23	12.99	12.97	0
			256QAM	1	1	13.15	13.22	13.25	12.90	13.01	0
		CP	QPSK	1	1	13.24	13.30	13.32	13.05	13.06	0

NR TDD Band n41_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						502200	510402	518598	526800	534996	
						2511	2552.01	2592.99	2634	2674.98	
						MHz	MHz	MHz	MHz	MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	13.36	13.51	13.29	13.21	13.18	0
				1	39	13.45	13.44	13.20	13.54	13.38	0
				1	76	13.50	13.34	13.21	13.27	13.35	0
				36	0	13.39	13.39	13.20	13.18	13.17	0
				36	21	13.45	13.30	13.15	13.16	13.29	0
				36	42	13.47	13.28	13.15	13.13	13.33	0
				75	0	13.44	13.30	13.13	13.17	13.28	0
			QPSK	1	1	13.39	13.40	13.25	13.17	13.25	0
				1	39	13.45	13.31	13.16	13.23	13.32	0
				1	76	13.43	13.25	13.15	13.13	13.36	0
				36	0	13.40	13.39	13.20	13.18	13.22	0
				36	21	13.44	13.32	13.15	13.17	13.26	0
				36	42	13.45	13.28	13.19	13.14	13.32	0
				75	0	13.42	13.31	13.14	13.17	13.29	0
			16QAM	1	1	13.58	13.48	13.23	13.10	13.14	0
			64QAM	1	1	13.31	13.30	13.35	13.22	13.16	0
			256QAM	1	1	13.31	13.40	13.27	13.02	13.19	0
		CP	QPSK	1	1	13.45	13.40	13.26	13.22	13.18	0

NR TDD Band n41_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						503202	513468		523734	534000	
						2516.01	2567.34		2618.67	2670	
						MHz	MHz		MHz	MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	13.30	13.17		13.10	13.15	0
				1	53	13.37	13.15		13.18	13.16	0
				1	104	13.37	13.08		13.12	13.32	0
				50	0	13.29	13.16		13.11	13.12	0
				50	28	13.35	13.11		13.08	13.13	0
				50	56	13.42	13.15		13.07	13.25	0
				100	0	13.35	13.15		13.10	13.13	0
			QPSK	1	1	13.33	13.19		13.10	13.17	0
				1	53	13.38	13.16		13.13	13.20	0
				1	104	13.37	13.11		13.10	13.32	0
				50	0	13.28	13.16		13.12	13.10	0
				50	28	13.32	13.11		13.10	13.11	0
				50	56	13.42	13.13		13.07	13.24	0
				100	0	13.35	13.15		13.10	13.15	0
			16QAM	1	1	13.33	13.08		13.21	12.90	0
			64QAM	1	1	13.31	13.28		12.99	12.95	0
			256QAM	1	1	13.08	13.26		13.00	13.25	0
		CP	QPSK	1	1	13.27	13.17		13.03	13.24	0

NR TDD Band n41_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						504204		518598		532998	
						2521.02		2592.99		2664.99	
						MHz		MHz		MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	13.40		13.30		13.25	0
				1	67	13.40		13.14		13.16	0
				1	131	13.32		13.19		13.27	0
				64	0	13.37		13.26		13.26	0
				64	35	13.46		13.15		13.20	0
				64	69	13.41		13.17		13.28	0
				128	0	13.46		13.12		13.21	0
			QPSK	1	1	13.43		13.25		13.21	0
				1	67	13.42		13.11		13.21	0
				1	131	13.35		13.15		13.38	0
				64	0	13.36		13.28		13.25	0
				64	35	13.45		13.13		13.22	0
				64	69	13.44		13.15		13.30	0
				128	0	13.45		13.15		13.20	0
			16QAM	1	1	13.26		13.36		13.49	0
			64QAM	1	1	13.13		13.21		13.28	0
			256QAM	1	1	13.50		13.53		13.34	0
		CP	QPSK	1	1	13.37		13.35		13.32	0

NR TDD Band n41_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						505200		518598			531996
						2526 MHz		2592.99 MHz			2659.98 MHz
60 MHz	30	DFT-s	pi/2 BPSK	1	1	13.23		13.29		13.12	0
				1	81	13.37		13.15		13.15	0
				1	160	13.28		13.20		13.34	0
				81	0	13.32		13.23		13.10	0
				81	41	13.33		13.10		13.07	0
				81	81	13.28		13.18		13.18	0
				162	0	13.38		13.15		13.06	0
			QPSK	1	1	13.27		13.30		13.10	0
				1	81	13.39		13.12		13.10	0
				1	160	13.28		13.18		13.31	0
				81	0	13.34		13.23		13.09	0
				81	41	13.34		13.10		13.06	0
				81	81	13.29		13.17		13.16	0
				162	0	13.38		13.13		13.11	0
			16QAM	1	1	13.39		13.28		12.89	0
			64QAM	1	1	13.22		13.29		13.04	0
			256QAM	1	1	13.17		13.09		12.95	0
		CP	QPSK	1	1	13.34		13.33		13.11	0

NR TDD Band n41_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						506208					530994
						2531.04 MHz					2654.97 MHz
70 MHz	30	DFT-s	pi/2 BPSK	1	1	13.44				13.13	0
				1	81	13.41				13.25	0
				1	160	13.30				13.35	0
				81	0	13.43				13.04	0
				81	41	13.45				12.96	0
				81	81	13.25				13.11	0
			QPSK	162	0	13.49				13.04	0
				1	1	13.39				13.13	0
				1	81	13.43				12.94	0
				1	160	13.28				13.31	0
				81	0	13.44				13.05	0
				81	41	13.48				12.98	0
				81	81	13.25				13.12	0
				162	0	13.49				13.05	0
			16QAM	1	1	13.35				13.16	0
			64QAM	1	1	13.42				13.09	0
			256QAM	1	1	13.45				13.13	0
		CP	QPSK	1	1	13.39				13.15	0

NR TDD Band n41_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						507204					529998
						2536.02					2649.99
					MHz					MHz	
80 MHz	30	DFT-s	pi/2 BPSK	1	1	13.14				12.89	0
				1	109	13.24				13.12	0
				1	215	12.97				13.39	0
				108	0	13.36				13.12	0
				108	55	13.26				13.10	0
				108	109	13.23				13.18	0
				216	0	13.31				13.17	0
			QPSK	1	1	13.63				12.85	0
				1	109	13.21				13.07	0
				1	215	12.92				13.31	0
				108	0	13.34				13.12	0
				108	55	13.27				13.54	0
				108	109	13.23				13.20	0
				216	0	13.31				13.17	0
			16QAM	1	1	13.70				12.91	0
			64QAM	1	1	13.51				12.95	0
			256QAM	1	1	13.59				12.90	0
		CP	QPSK	1	1	13.63				13.21	0

NR TDD Band n41 _90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						508200					528996
						2541					2644.98
				MHz					MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1	13.80				13.54	0
				1	123	13.33				13.14	0
				1	243	12.82				13.21	0
				120	0	13.48				13.28	0
				120	63	13.36				13.19	0
				120	125	13.28				13.17	0
				243	0	13.41				13.19	0
			QPSK	1	1	13.82				12.88	0
				1	123	13.31				13.18	0
				1	243	12.83				13.33	0
				120	0	13.48				13.29	0
				120	63	13.34				13.18	0
				120	125	13.29				13.17	0
				243	0	13.40				13.21	0
			16QAM	1	1	13.87				12.90	0
			64QAM	1	1	13.74				13.21	0
			256QAM	1	1	13.90				12.86	0
		CP	QPSK	1	1	13.83				12.82	0

NR TDD Band n41 _100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
								518598		
								2592.99		
100 MHz	30	DFT-s	pi/2 BPSK	1	1			13.46		0
				1	137			13.11		0
				1	271			13.21		0
				135	0			13.21		0
				135	69			13.18		0
				135	138			13.10		0
				270	0			13.16		0
			QPSK	1	1			12.85		0
				1	137			13.17		0
				1	271			13.65		0
				135	0			13.26		0
				135	69			13.11		0
				135	138			13.15		0
				270	0			13.13		0
			16QAM	1	1			12.87		0
			64QAM	1	1			13.21		0
			256QAM	1	1			12.80		0
		CP	QPSK	1	1			12.87		0

**NR TDD Band n41 Conducted Power_ Folder Open Hotspot(RSI 2),Folder
Close Hotspot(RSI 4) SUB5 [Ant I]**

NR TDD Band n41 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500202	509400	518598	527802	537000	
						2501.01 MHz	2547 MHz	2592.99 MHz	2639.01 MHz	2685 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	18.18	17.65	17.74	18.10	17.65	0
				1	12	18.17	17.66	17.76	17.70	17.66	0
				1	22	18.12	17.62	17.74	18.13	17.62	0
				12	0	18.15	18.01	17.75	17.79	18.01	0
				12	6	18.12	18.03	17.76	17.73	18.03	0
				12	12	18.11	17.99	17.76	17.98	17.99	0
				24	0	18.13	18.00	17.75	17.77	18.00	0
			QPSK	1	1	18.15	18.05	17.74	18.05	18.05	0
				1	12	18.16	18.04	17.78	17.66	18.04	0
				1	22	18.10	17.97	17.75	18.10	17.97	0
				12	0	18.15	18.01	17.74	17.78	18.01	0
				12	6	18.12	17.99	17.74	17.71	17.99	0
				12	12	18.13	17.99	17.75	17.95	17.99	0
				24	0	18.15	18.02	17.75	17.77	18.02	0
			16QAM	1	1	18.18	18.11	17.82	18.01	18.11	0
			64QAM	1	1	18.15	18.05	17.72	18.14	18.05	0
			256QAM	1	1	18.18	18.01	17.75	18.14	18.01	0
		CP	QPSK	1	1	18.17	18.06	17.74	18.12	18.06	0

NR TDD Band n41_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500700	509664	518598	527562	536496	
						2503.5	2548.32	2592.99	2637.81	2682.48	
						MHz	MHz	MHz	MHz	MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	18.11	17.57	17.70	18.09	17.60	0
				1	18	18.16	17.58	17.68	17.69	17.59	0
				1	36	18.09	17.57	17.73	18.06	17.60	0
				18	0	18.08	17.93	17.74	17.74	18.00	0
				18	9	18.08	18.00	17.71	17.70	17.96	0
				18	18	18.10	17.94	17.68	17.91	17.94	0
				36	0	18.12	17.99	17.70	17.77	17.99	0
			QPSK	1	1	18.10	18.02	17.68	18.03	18.01	0
				1	18	18.14	17.97	17.73	17.65	18.03	0
				1	36	18.09	17.92	17.73	18.07	17.89	0
				18	0	18.11	17.97	17.73	17.73	17.99	0
				18	9	18.05	17.98	17.73	17.66	17.93	0
				18	18	18.10	17.92	17.73	17.92	17.97	0
				36	0	18.13	18.01	17.72	17.71	18.00	0
			16QAM	1	1	18.12	18.06	17.81	17.94	18.06	0
			64QAM	1	1	18.10	18.03	17.67	18.12	17.98	0
			256QAM	1	1	18.17	17.94	17.68	18.08	17.93	0
		CP	QPSK	1	1	18.13	18.02	17.70	18.09	17.99	0

NR TDD Band n41_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501204	509898	518598	527298	535998	
						2506.02	2549.49	2592.99	2636.49	2679.99	
						MHz	MHz	MHz	MHz	MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	18.08	17.53	17.63	18.06	17.54	0
				1	26	18.16	17.53	17.66	17.67	17.57	0
				1	49	18.05	17.51	17.71	18.02	17.58	0
				25	0	18.03	17.90	17.74	17.69	17.96	0
				25	13	18.01	17.94	17.63	17.66	17.93	0
				25	26	18.06	17.92	17.65	17.86	17.92	0
				50	0	18.05	17.95	17.66	17.69	17.97	0
			QPSK	1	1	18.08	17.95	17.60	17.96	17.94	0
				1	26	18.06	17.94	17.70	17.61	18.00	0
				1	49	18.04	17.87	17.72	18.06	17.86	0
				25	0	18.07	17.94	17.72	17.68	17.97	0
				25	13	18.02	17.98	17.70	17.62	17.87	0
				25	26	18.10	17.92	17.67	17.87	17.94	0
				50	0	18.11	17.98	17.69	17.68	17.94	0
			16QAM	1	1	18.09	18.06	17.81	17.87	18.06	0
			64QAM	1	1	18.07	18.03	17.64	18.12	17.97	0
			256QAM	1	1	18.17	17.90	17.61	18.04	17.89	0
		CP	QPSK	1	1	18.10	17.98	17.69	18.08	17.96	0

NR TDD Band n41_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501702	510150	518598	527046	535500	
						2508.51	2550.75	2592.99	2635.23	2677.50	
						MHz	MHz	MHz	MHz	MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	18.08	17.57	17.64	17.99	17.53	0
				1	32	18.12	17.51	17.61	17.59	17.49	0
				1	63	18.07	17.52	17.68	18.02	17.54	0
				32	0	18.06	17.86	17.67	17.61	17.97	0
				32	17	18.00	17.88	17.67	17.63	17.88	0
				32	33	18.04	17.87	17.60	17.81	17.84	0
				64	0	18.07	17.92	17.61	17.71	17.93	0
			QPSK	1	1	18.02	18.00	17.64	17.98	17.98	0
				1	32	18.06	17.87	17.66	17.55	17.94	0
				1	63	17.97	17.78	17.61	17.99	17.79	0
				32	0	17.99	17.92	17.67	17.68	17.87	0
				32	17	17.95	17.94	17.66	17.59	17.90	0
				32	33	17.95	17.87	17.69	17.84	17.86	0
				64	0	18.09	17.97	17.67	17.60	17.87	0
			16QAM	1	1	17.96	17.95	17.66	17.83	17.96	0
			64QAM	1	1	18.01	17.95	17.62	18.05	17.89	0
			256QAM	1	1	18.08	17.81	17.60	17.95	17.80	0
		CP	QPSK	1	1	17.99	17.95	17.60	18.00	17.93	0

NR TDD Band n41_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						502200	510402	518598	526800	534996	
						2511	2552.01	2592.99	2634	2674.98	
						MHz	MHz	MHz	MHz	MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	18.15	17.49	17.62	18.00	17.41	0
				1	39	18.17	17.45	17.56	17.57	17.48	0
				1	76	18.14	17.42	17.61	17.93	17.42	0
				36	0	18.10	17.81	17.59	17.55	17.90	0
				36	21	18.09	17.81	17.60	17.57	17.90	0
				36	42	18.13	17.89	17.58	17.76	17.82	0
				75	0	18.13	17.92	17.51	17.71	17.87	0
			QPSK	1	1	18.03	17.94	17.63	17.99	17.98	0
				1	39	18.14	17.79	17.58	17.49	17.94	0
				1	76	18.04	17.77	17.58	18.00	17.79	0
				36	0	18.05	17.88	17.61	17.62	17.84	0
				36	21	18.05	17.86	17.63	17.48	17.82	0
				36	42	18.09	17.77	17.65	17.76	17.85	0
				75	0	18.09	17.88	17.62	17.54	17.87	0
			16QAM	1	1	18.00	17.89	17.64	17.79	17.96	0
			64QAM	1	1	18.11	17.89	17.57	18.03	17.88	0
			256QAM	1	1	18.13	17.78	17.51	17.94	17.77	0
		CP	QPSK	1	1	18.10	17.98	17.52	17.99	17.90	0

NR TDD Band n41 _40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						503202	513468		523734	534000	
						2516.01 MHz	2567.34 MHz		2618.67 MHz	2670 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	18.07	17.47		18.02	17.42	0
				1	53	18.12	17.47		17.54	17.46	0
				1	104	18.00	17.41		17.94	17.48	0
				50	0	17.98	17.85		17.57	17.92	0
				50	28	17.96	17.86		17.56	17.86	0
				50	56	18.01	17.88		17.74	17.80	0
				100	0	18.01	17.89		17.72	17.91	0
			QPSK	1	1	17.96	17.90		17.99	17.97	0
				1	53	18.04	17.82		17.46	17.90	0
				1	104	17.90	17.83		17.99	17.74	0
				50	0	17.94	17.83		17.62	17.90	0
				50	28	17.92	17.86		17.50	17.86	0
				50	56	17.95	17.82		17.77	17.82	0
				100	0	18.01	17.87		17.58	17.86	0
			16QAM	1	1	17.91	17.94		17.76	17.96	0
			64QAM	1	1	17.99	17.94		18.05	17.93	0
			256QAM	1	1	18.03	17.78		17.98	17.78	0
		CP	QPSK	1	1	18.02	17.93		17.95	17.88	0

NR TDD Band n41 _50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						504204		518598		532998	
						2521.02 MHz		2592.99 MHz		2664.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	18.04		17.58		17.42	0
				1	67	18.14		17.57		17.46	0
				1	131	17.99		17.60		17.43	0
				64	0	18.00		17.62		17.92	0
				64	35	17.96		17.58		17.85	0
				64	69	18.00		17.55		17.77	0
				128	0	18.01		17.54		17.87	0
			QPSK	1	1	17.91		17.59		17.92	0
				1	67	18.01		17.62		17.92	0
				1	131	17.89		17.61		17.77	0
				64	0	17.99		17.65		17.87	0
				64	35	17.90		17.61		17.83	0
				64	69	17.94		17.64		17.83	0
				128	0	17.97		17.60		17.89	0
			16QAM	1	1	17.93		17.66		17.95	0
			64QAM	1	1	17.96		17.55		17.92	0
			256QAM	1	1	18.04		17.52		17.73	0
		CP	QPSK	1	1	17.99		17.55		17.91	0

NR TDD Band n41 _60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						505200		518598		531996	
						2526		2592.99		2659.98	
				MHz		MHz		MHz			
60 MHz	30	DFT-s	pi/2 BPSK	1	1	18.12		17.64		17.46	0
				1	81	18.19		17.52		17.48	0
				1	160	18.10		17.57		17.47	0
				81	0	18.05		17.61		17.91	0
				81	41	18.10		17.56		17.84	0
				81	81	18.08		17.59		17.82	0
				162	0	18.14		17.57		17.89	0
			QPSK	1	1	18.05		17.58		17.91	0
				1	81	18.16		17.58		17.94	0
				1	160	18.07		17.63		17.78	0
				81	0	18.07		17.64		17.85	0
				81	41	18.05		17.64		17.84	0
				81	81	18.04		17.69		17.79	0
				162	0	18.13		17.60		17.88	0
			16QAM	1	1	18.00		17.63		17.95	0
			64QAM	1	1	18.10		17.60		17.92	0
			256QAM	1	1	18.14		17.53		17.76	0
		CP	QPSK	1	1	18.10		17.51		17.91	0

NR TDD Band n41 _70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						506208					530994
						2531.04					2654.97
				MHz					MHz		
70 MHz	30	DFT-s	pi/2 BPSK	1	1	18.10				17.46	0
				1	81	18.11				17.45	0
				1	160	18.02				17.48	0
				81	0	18.01				17.87	0
				81	41	17.99				17.84	0
				81	81	17.99				17.79	0
				162	0	18.01				17.91	0
			QPSK	1	1	17.93				17.95	0
				1	81	18.03				17.93	0
				1	160	17.90				17.75	0
				81	0	17.97				17.84	0
				81	41	17.95				17.83	0
				81	81	17.96				17.85	0
				162	0	17.96				17.84	0
			16QAM	1	1	17.91				17.89	0
			64QAM	1	1	17.96				17.88	0
			256QAM	1	1	18.04				17.78	0
		CP	QPSK	1	1	17.98				17.89	0

NR TDD Band n41_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						507204					529998
						2536.02 MHz					2649.99 MHz
80 MHz	30	DFT-s	pi/2 BPSK	1	1	18.02				17.42	0
				1	109	18.15				17.47	0
				1	215	18.05				17.46	0
				108	0	18.01				17.93	0
				108	55	17.97				17.91	0
				108	109	18.02				17.80	0
				216	0	18.03				17.84	0
			QPSK	1	1	17.96				17.96	0
				1	109	18.04				17.90	0
				1	215	17.93				17.74	0
				108	0	17.95				17.89	0
				108	55	17.90				17.84	0
				108	109	18.00				17.84	0
				216	0	18.01				17.91	0
			16QAM	1	1	17.91				17.91	0
			64QAM	1	1	17.98				17.95	0
			256QAM	1	1	18.09				17.78	0
		CP	QPSK	1	1	18.00				17.90	0

NR TDD Band n41_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						508200					528996
						2541 MHz					2644.98 MHz
90 MHz	30	DFT-s	pi/2 BPSK	1	1	18.00				17.39	0
				1	123	18.14				17.40	0
				1	243	18.04				17.41	0
				120	0	17.98				17.93	0
				120	63	17.90				17.87	0
				120	125	18.01				17.79	0
			QPSK	243	0	17.99				17.80	0
				1	1	17.95				17.90	0
				1	123	18.03				17.87	0
				1	243	17.87				17.72	0
				120	0	17.93				17.85	0
				120	63	17.83				17.79	0
				120	125	17.93				17.83	0
				243	0	17.98				17.85	0
			16QAM	1	1	17.89				17.90	0
			64QAM	1	1	17.98				17.90	0
			256QAM	1	1	18.07				17.73	0
		CP	QPSK	1	1	17.95				17.84	0

NR TDD Band n41 _100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
								518598		
								2592.99 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1			18.10		0
				1	137			17.70		0
				1	271			18.13		0
				135	0			17.79		0
				135	69			17.73		0
				135	138			17.98		0
				270	0			17.77		0
			QPSK	1	1			18.05		0
				1	137			17.66		0
				1	271			18.17		0
				135	0			17.78		0
				135	69			17.71		0
				135	138			18.05		0
				270	0			17.77		0
			16QAM	1	1			18.01		0
			64QAM	1	1			18.14		0
			256QAM	1	1			18.14		0
		CP	QPSK	1	1			18.12		0

NR TDD Band n48 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)
_ SUB2 [Ant F]

NR TDD Band n48 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]
						637000	640112	643222	646332	
						3555 MHz	3601.68 MHz	3648.33 MHz	3694.98 MHz	
10 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	14.50	14.50	15.25	14.28	0
				1	12	14.64	15.51	15.22	14.22	0
				1	22	14.75	15.53	15.14	14.15	0
				12	0	14.52	15.45	15.20	14.24	0
				12	6	14.60	15.46	15.16	14.20	0
				12	12	14.69	15.49	15.12	14.15	0
				24	0	14.58	15.47	15.17	14.21	0
			QPSK	1	1	14.52	15.49	15.26	15.21	0
				1	12	14.64	15.54	15.18	14.18	0
				1	22	14.74	15.47	15.14	14.12	0
				12	0	14.52	15.45	15.20	14.23	0
				12	6	14.61	15.44	15.16	14.18	0
				12	12	14.69	15.49	15.15	14.17	0
				24	0	14.59	15.46	15.16	13.73	0
			16QAM	1	1	14.52	15.46	15.26	14.34	0
			64QAM	1	1	14.07	15.47	15.26	14.23	0
			256QAM	1	1	14.48	15.47	15.23	14.31	2
		CP	QPSK	1	1	14.00	15.51	15.19	14.29	0

NR TDD Band n48_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]
						637168	640166	643166	646166	
						3557.52 MHz	3602.49 MHz	3647.49 MHz	3692.49 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	14.34	14.59	15.29	14.33	0
				1	18	14.46	15.48	15.11	14.11	0
				1	36	14.70	15.52	14.66	14.07	0
				18	0	14.75	15.51	15.23	14.25	0
				18	9	14.86	15.55	15.21	14.13	0
				18	18	14.96	15.53	15.16	14.09	0
				36	0	14.85	15.55	15.19	14.14	0
			QPSK	1	1	14.64	15.56	15.31	14.30	0
				1	18	14.78	15.46	15.14	14.09	0
				1	36	15.09	15.50	15.10	14.04	0
				18	0	14.71	15.57	15.25	14.21	0
				18	9	14.82	15.53	15.21	14.13	0
				18	18	14.93	15.54	15.14	14.09	0
				36	0	15.21	15.53	15.21	14.41	0
			16QAM	1	1	14.57	15.60	14.94	14.59	0
			64QAM	1	1	14.58	15.65	15.09	14.61	0
			256QAM	1	1	14.65	15.52	15.22	14.55	0
		CP	QPSK	1	1	14.58	15.56	15.22	14.60	0

NR TDD Band n48_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]
						637334	640222	643112	646000	
						3560.01 MHz	3603.33 MHz	3646.68 MHz	3690 MHz	
20 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	14.61	15.54	15.37	15.05	0
				1	26	14.85	15.50	15.21	14.75	0
				1	49	15.17	15.54	15.12	14.61	0
				25	0	14.72	15.52	15.28	14.90	0
				25	13	14.86	15.53	15.22	14.72	0
				25	26	15.02	15.49	15.16	14.60	0
				50	0	14.86	15.51	15.21	14.69	0
			QPSK	1	1	14.56	15.54	15.25	14.95	0
				1	26	14.92	15.49	15.15	14.67	0
				1	49	14.67	15.50	14.99	14.48	0
				25	0	14.73	15.52	15.26	14.78	0
				25	13	14.84	15.53	15.20	14.62	0
				25	26	15.05	15.53	15.12	14.55	0
				50	0	14.84	15.52	15.18	14.64	0
			16QAM	1	1	14.70	15.51	15.18	14.96	0
			64QAM	1	1	14.56	15.77	15.39	14.90	0
			256QAM	1	1	14.67	15.22	15.35	14.90	0
		CP	QPSK	1	1	14.87	15.58	15.92	14.64	0

NR TDD Band n48 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]
						637668	640334	643000	645666	
						3565.02 MHz	3605.01 MHz	3645 MHz	3684.99 MHz	
30 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	14.80	15.52	15.44	14.99	0
				1	32	15.14	15.51	15.31	14.83	0
				1	63	15.49	15.55	15.16	14.49	0
				32	0	14.90	15.49	15.33	14.91	0
				32	17	14.81	15.48	14.95	14.78	0
				32	33	15.01	15.47	15.22	14.61	0
				64	0	15.06	15.47	15.31	14.78	0
			QPSK	1	1	14.74	15.50	15.37	14.96	0
				1	32	15.10	15.43	15.26	14.78	0
				1	63	15.47	15.49	15.11	14.46	0
				32	0	14.88	15.14	15.33	14.87	0
				32	17	15.06	15.16	15.24	14.75	0
				32	33	15.25	15.17	15.15	14.56	0
				64	0	15.05	15.18	15.28	14.75	0
			16QAM	1	1	14.70	15.42	15.38	14.89	0
			64QAM	1	1	14.66	15.43	15.41	14.87	0
			256QAM	1	1	14.66	15.50	15.37	14.92	0
		CP	QPSK	1	1	14.68	15.44	15.40	14.95	0

NR TDD Band n48 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]
						638000	641666		645332	
						3570 MHz	3624.99 MHz		3679.98 MHz	
40 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	14.44	15.35		14.96	0
				1	53	15.01	15.44		14.70	0
				1	104	15.37	15.29		14.30	0
				50	0	14.70	15.35		14.79	0
				50	28	14.95	15.37		14.64	0
				50	56	15.25	15.40		14.64	0
				100	0	14.92	15.39		14.69	0
			QPSK	1	1	14.41	15.32		14.97	0
				1	53	15.02	15.49		14.70	0
				1	104	15.34	15.31		14.24	0
				50	0	14.70	15.36		14.77	0
				50	28	14.97	15.40		14.62	0
				50	56	15.27	15.42		14.60	0
				100	0	14.90	15.38		14.65	0
			16QAM	1	1	14.36	15.31		14.96	0
			64QAM	1	1	13.97	14.96		14.98	0
			256QAM	1	1	14.39	15.40		14.87	0
		CP	QPSK	1	1	14.46	15.42		14.90	0

NR TDD Band n48 Conducted Power_ Measured Folder Open RCV(RSI 1)_

SUB2 [Ant F]

NR TDD Band n48 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]
						637000	640112	643222	646332	
						3555 MHz	3601.68 MHz	3648.33 MHz	3694.98 MHz	
10 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	12.52	13.53	12.80	12.32	0
				1	12	12.66	13.52	13.26	12.25	0
				1	22	12.75	13.49	13.17	12.19	0
				12	0	12.54	13.49	13.21	12.26	0
				12	6	12.59	13.48	13.17	12.21	0
				12	12	12.70	13.48	13.14	12.17	0
				24	0	12.60	13.48	13.17	12.21	0
			QPSK	1	1	12.53	13.50	13.27	12.28	0
				1	12	12.65	13.52	13.20	12.22	0
				1	22	12.74	13.51	13.14	12.17	0
				12	0	12.55	13.46	13.21	12.25	0
				12	6	12.58	13.47	13.17	12.20	0
				12	12	12.68	13.48	13.16	12.17	0
				24	0	12.60	13.47	13.19	12.23	0
			16QAM	1	1	12.45	13.47	13.26	12.25	0
			64QAM	1	1	12.55	13.52	13.28	12.26	0
			256QAM	1	1	12.05	13.48	13.22	12.16	0
		CP	QPSK	1	1	12.51	13.51	13.23	12.28	0

NR TDD Band n48_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]
						637168	640166	643166	646166	
						3557.52 MHz	3602.49 MHz	3647.49 MHz	3692.49 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	12.59	13.22	13.27	12.60	0
				1	18	12.73	12.70	13.09	12.35	0
				1	36	12.99	13.20	13.10	12.31	0
				18	0	12.62	13.19	13.22	12.48	0
				18	9	12.72	13.19	13.15	12.38	0
				18	18	12.83	13.18	13.13	12.37	0
				36	0	12.73	13.20	13.15	12.40	0
			QPSK	1	1	12.55	13.20	13.24	12.60	0
				1	18	12.66	13.13	13.09	12.34	0
				1	36	12.96	13.19	13.09	12.28	0
				18	0	12.60	13.19	13.22	12.48	0
				18	9	12.71	13.20	13.18	12.39	0
				18	18	12.82	13.18	13.13	12.36	0
				36	0	12.75	13.18	13.15	12.40	0
			16QAM	1	1	12.50	13.18	13.25	12.63	0
			64QAM	1	1	12.64	13.13	13.34	12.48	0
			256QAM	1	1	12.51	13.49	13.24	12.48	0
		CP	QPSK	1	1	12.53	13.49	13.22	12.60	0

NR TDD Band n48_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]
						637334	640222	643112	646000	
						3560.01 MHz	3603.33 MHz	3646.68 MHz	3690 MHz	
20 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	12.58	13.52	13.27	12.69	0
				1	26	12.83	13.49	13.14	12.38	0
				1	49	13.12	13.47	13.07	12.25	0
				25	0	12.69	13.49	13.25	12.53	0
				25	13	12.84	13.49	13.15	12.40	0
				25	26	12.99	13.49	13.09	12.31	0
				50	0	12.83	13.50	13.16	12.39	0
			QPSK	1	1	12.55	13.49	13.26	12.61	0
				1	26	12.80	13.46	13.13	12.33	0
				1	49	12.65	13.48	13.07	12.25	0
				25	0	12.69	12.54	13.24	12.57	0
				25	13	12.83	13.50	13.15	12.39	0
				25	26	13.00	13.51	13.11	12.40	0
				50	0	12.83	13.50	13.16	12.50	0
			16QAM	1	1	12.61	13.54	13.32	12.76	0
			64QAM	1	1	12.55	13.55	13.27	12.75	0
			256QAM	1	1	12.60	13.26	13.30	12.69	0
		CP	QPSK	1	1	12.50	13.49	13.33	12.76	0

NR TDD Band n48 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]
						637668	640334	643000	645666	
						3565.02 MHz	3605.01 MHz	3645 MHz	3684.99 MHz	
30 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.66	13.38	13.34	12.94	0
				1	32	12.87	13.38	13.22	12.76	0
				1	63	13.24	13.41	13.08	12.44	0
				32	0	12.65	13.34	13.28	12.86	0
				32	17	12.84	13.35	13.19	12.73	0
				32	33	13.04	13.37	13.12	12.54	0
				64	0	12.85	13.33	13.21	12.74	0
			QPSK	1	1	12.52	13.38	13.33	12.91	0
				1	32	12.87	13.38	13.22	12.75	0
				1	63	13.26	13.39	13.06	12.44	0
				32	0	12.64	13.34	13.27	12.87	0
				32	17	12.82	13.35	13.19	12.73	0
				32	33	13.05	13.35	13.12	12.53	0
				64	0	12.86	13.34	13.17	12.74	0
			16QAM	1	1	12.40	13.43	13.25	12.84	0
			64QAM	1	1	12.44	13.38	13.32	12.90	0
			256QAM	1	1	12.45	13.35	13.45	12.84	0
		CP	QPSK	1	1	12.49	13.37	13.34	12.87	0

NR TDD Band n48 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]
						638000	641666		645332	
						3570 MHz	3624.99 MHz		3679.98 MHz	
40 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	12.63	13.58		12.97	0
				1	53	13.25	13.61		12.75	0
				1	104	13.54	13.32		12.32	0
				50	0	12.87	13.58		12.85	0
				50	28	12.72	13.60		12.73	0
				50	56	13.54	13.50		12.43	0
				100	0	13.17	13.57		12.76	0
			QPSK	1	1	12.61	13.52		12.95	0
				1	53	13.21	13.61		12.73	0
				1	104	13.57	13.39		12.33	0
				50	0	12.87	13.58		12.84	0
				50	28	13.18	13.57		12.72	0
				50	56	13.54	13.51		12.43	0
				100	0	13.15	13.59		12.76	0
			16QAM	1	1	12.70	13.81		13.19	0
			64QAM	1	1	12.68	13.46		13.15	0
			256QAM	1	1	12.60	13.60		12.96	0
		CP	QPSK	1	1	12.28	13.53		12.99	0

**NR FDD Band n66 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)
_ SUB5 [Ant I]**

NR FDD Band n66 _5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						342500	349000	355500	
						1712.5 MHz	1745 MHz	1777.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.06	16.17	16.32	0
				1	13	15.90	16.16	16.25	0
				1	23	16.03	16.26	16.34	0
				12	0	16.05	16.19	16.33	0
				12	7	16.04	16.24	16.37	0
				12	13	16.07	16.27	16.39	0
				25	0	16.07	16.25	16.36	0
			QPSK	1	1	16.08	16.21	16.34	0
				1	13	15.97	16.18	16.29	0
				1	23	16.09	16.28	16.37	0
				12	0	16.08	16.21	16.37	0
				12	7	16.04	16.25	16.39	0
				12	13	16.08	16.31	16.38	0
				25	0	16.05	16.25	16.37	0
			16QAM	1	1	16.02	16.26	16.49	0
			64QAM	1	1	16.27	16.16	16.40	0
			256QAM	1	1	16.04	16.23	16.37	0
		CP	QPSK	1	1	16.08	16.28	16.36	0

NR FDD Band n66 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343000	349000	355000	
						1715 MHz	1745 MHz	1775 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.13	16.10	16.33	0
				1	26	16.24	16.26	16.15	0
				1	50	16.08	16.30	16.37	0
				25	0	16.15	16.18	16.38	0
				25	14	16.12	16.23	16.39	0
				25	27	16.16	16.26	16.40	0
				50	0	16.14	16.22	16.41	0
			QPSK	1	1	16.17	16.15	16.40	0
				1	26	16.21	16.30	16.43	0
				1	50	16.10	16.31	16.42	0
				25	0	16.15	16.17	16.39	0
				25	14	16.16	16.21	16.40	0
				25	27	16.16	16.29	16.42	0
				50	0	16.19	16.23	16.41	0
			16QAM	1	1	16.30	16.15	16.41	0
			64QAM	1	1	16.24	16.23	16.42	0
			256QAM	1	1	16.13	16.12	16.25	0
		CP	QPSK	1	1	16.18	16.18	16.40	0

NR FDD Band n66 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5 MHz	1745 MHz	1772.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.10	16.10	16.26	0
				1	40	16.00	16.13	16.15	0
				1	77	16.04	16.28	16.28	0
				36	0	16.14	16.15	16.28	0
				36	22	16.09	16.23	16.29	0
				36	43	16.06	16.31	16.31	0
				75	0	16.13	16.24	16.29	0
			QPSK	1	1	16.13	16.16	16.27	0
				1	40	16.00	16.16	16.18	0
				1	77	16.04	16.29	16.31	0
				36	0	16.17	16.16	16.31	0
				36	22	16.14	16.26	16.31	0
				36	43	16.07	16.35	16.30	0
				75	0	16.10	16.24	16.29	0
			16QAM	1	1	16.16	16.22	16.25	0
			64QAM	1	1	16.24	16.19	16.37	0
			256QAM	1	1	16.08	16.14	16.24	0
		CP	QPSK	1	1	16.04	16.15	16.27	0

NR FDD Band n66 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344000	349000	354000	
						1720 MHz	1745 MHz	1770 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.09	16.08	16.18	0
				1	53	16.12	16.28	16.44	0
				1	104	16.01	16.31	16.31	0
				50	0	16.07	16.14	16.30	0
				50	28	16.02	16.24	16.33	0
				50	56	16.04	16.28	16.31	0
				100	0	16.05	16.25	16.35	0
			QPSK	1	1	16.10	16.10	16.23	0
				1	53	16.16	16.30	16.40	0
				1	104	16.02	16.30	16.33	0
				50	0	16.07	16.13	16.32	0
				50	28	16.04	16.23	16.36	0
				50	56	16.04	16.32	16.35	0
				100	0	16.02	16.24	16.36	0
			16QAM	1	1	16.30	16.11	16.34	0
			64QAM	1	1	16.11	16.08	16.27	0
			256QAM	1	1	15.95	16.05	16.28	0
		CP	QPSK	1	1	16.09	16.11	16.24	0

NR FDD Band n66 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344500	349000	353500	
						1722.5 MHz	1745 MHz	1767.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.04	16.08	16.28	0
				1	66	16.20	16.35	16.32	0
				1	131	15.96	16.29	16.32	0
				64	0	16.02	16.14	16.30	0
				64	35	16.00	16.26	16.38	0
				64	69	16.04	16.30	16.36	0
			QPSK	128	0	16.05	16.22	16.36	0
				1	1	16.05	16.07	16.27	0
				1	66	16.11	16.31	16.46	0
				1	131	15.97	16.31	16.39	0
				64	0	16.04	16.15	16.31	0
				64	35	16.00	16.23	16.39	0
				64	69	16.02	16.34	16.37	0
				128	0	16.02	16.27	16.40	0
			16QAM	1	1	16.01	16.03	16.35	0
			64QAM	1	1	16.08	16.11	16.31	0
			256QAM	1	1	16.03	16.11	16.22	0
		CP	QPSK	1	1	16.10	16.09	16.28	0

NR FDD Band n66 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.06	0
				1	80	16.27	0
				1	158	16.30	0
				80	0	16.14	0
				80	40	16.25	0
				80	80	16.32	0
			QPSK	160	0	16.26	0
				1	1	16.08	0
				1	80	16.37	0
				1	158	16.32	0
				80	0	16.16	0
				80	40	16.27	0
				80	80	16.35	0
				160	0	16.29	0
			16QAM	1	1	16.17	0
			64QAM	1	1	16.12	0
			256QAM	1	1	16.12	0
		CP	QPSK	1	1	16.10	0

NR FDD Band n66 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.10	0
				1	98	16.26	0
				1	186	16.32	0
				90	0	16.14	0
				90	45	16.27	0
				90	90	16.29	0
				180	0	16.24	0
			QPSK	1	1	16.11	0
				1	98	16.30	0
				1	186	16.37	0
				90	0	16.14	0
				90	45	16.24	0
				90	90	16.32	0
				180	0	16.26	0
			16QAM	1	1	16.24	0
			64QAM	1	1	16.14	0
			256QAM	1	1	16.12	0
		CP	QPSK	1	1	16.15	0

NR FDD Band n66 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.11	0
				1	108	16.31	0
				1	214	16.35	0
				108	0	16.10	0
				108	54	16.26	0
				108	108	16.36	0
				216	0	16.28	0
			QPSK	1	1	16.15	0
				1	108	16.40	0
				1	214	16.39	0
				108	0	16.13	0
				108	54	16.27	0
				108	108	16.35	0
				216	0	16.32	0
			16QAM	1	1	16.22	0
			64QAM	1	1	16.10	0
			256QAM	1	1	16.01	0
		CP	QPSK	1	1	16.08	0

NR FDD Band n66 Conducted Power_ Measured Folder Open RCV(RSI 1)_

SUB5 [Ant I]

NR FDD Band n66 _5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						342500	349000	355500	
						1712.5 MHz	1745 MHz	1777.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.16	14.24	14.37	0
				1	13	14.10	14.20	14.36	0
				1	23	14.13	14.30	14.42	0
				12	0	14.18	14.24	14.38	0
				12	7	14.21	14.27	14.40	0
				12	13	14.23	14.34	14.39	0
				25	0	14.20	14.29	14.41	0
			QPSK	1	1	14.16	14.29	14.34	0
				1	13	14.09	14.24	14.25	0
				1	23	14.11	14.30	14.45	0
				12	0	14.23	14.31	14.37	0
				12	7	14.18	14.24	14.39	0
				12	13	14.22	14.34	14.39	0
				25	0	14.25	14.24	14.41	0
			16QAM	1	1	14.21	14.29	14.33	0
			64QAM	1	1	14.15	14.28	14.49	0
			256QAM	1	1	14.15	14.32	14.30	0
		CP	QPSK	1	1	14.20	14.31	14.40	0

NR FDD Band n66 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343000	349000	355000	
						1715 MHz	1745 MHz	1775 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.23	14.19	14.50	0
				1	26	14.42	14.41	14.41	0
				1	50	14.13	14.30	14.46	0
				25	0	14.21	14.30	14.39	0
				25	14	14.24	14.33	14.37	0
				25	27	14.16	14.30	14.40	0
				50	0	14.17	14.32	14.42	0
			QPSK	1	1	14.27	14.19	14.35	0
				1	26	14.30	14.38	14.51	0
				1	50	14.11	14.27	14.38	0
				25	0	14.23	14.26	14.39	0
				25	14	14.22	14.29	14.43	0
				25	27	14.14	14.29	14.42	0
				50	0	14.24	14.38	14.37	0
			16QAM	1	1	14.20	14.30	14.37	0
			64QAM	1	1	14.21	14.30	14.35	0
			256QAM	1	1	14.24	14.17	14.40	0
		CP	QPSK	1	1	14.19	14.15	14.40	0

NR FDD Band n66 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5 MHz	1745 MHz	1772.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.26	14.17	14.34	0
				1	40	14.05	14.23	14.29	0
				1	77	14.10	14.30	14.44	0
				36	0	14.21	14.23	14.35	0
				36	22	14.20	14.34	14.40	0
				36	43	14.10	14.35	14.42	0
				75	0	14.17	14.31	14.34	0
			QPSK	1	1	14.25	14.30	14.39	0
				1	40	14.08	14.26	14.23	0
				1	77	14.15	14.34	14.35	0
				36	0	14.23	14.32	14.36	0
				36	22	14.19	14.34	14.32	0
				36	43	14.18	14.35	14.37	0
				75	0	14.18	14.38	14.34	0
			16QAM	1	1	14.35	14.18	14.37	0
			64QAM	1	1	14.30	14.14	14.26	0
			256QAM	1	1	14.30	14.15	14.22	0
		CP	QPSK	1	1	14.17	14.20	14.31	0

NR FDD Band n66 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344000	349000	354000	
						1720 MHz	1745 MHz	1770 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.18	14.22	14.24	0
				1	53	14.30	14.43	14.45	0
				1	104	14.12	14.28	14.34	0
				50	0	14.16	14.20	14.33	0
				50	28	14.06	14.25	14.40	0
				50	56	14.16	14.29	14.39	0
				100	0	14.08	14.29	14.38	0
			QPSK	1	1	14.24	14.16	14.28	0
				1	53	14.18	14.34	14.44	0
				1	104	14.13	14.31	14.40	0
				50	0	14.13	14.18	14.35	0
				50	28	14.13	14.26	14.41	0
				50	56	14.13	14.33	14.31	0
				100	0	14.11	14.26	14.37	0
			16QAM	1	1	14.25	14.26	14.25	0
			64QAM	1	1	14.10	14.26	14.30	0
			256QAM	1	1	14.12	14.24	14.09	0
		CP	QPSK	1	1	14.19	14.18	14.32	0

NR FDD Band n66 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344500	349000	353500	
						1722.5 MHz	1745 MHz	1767.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.16	14.15	14.40	0
				1	66	14.35	14.47	14.49	0
				1	131	14.14	14.30	14.35	0
				64	0	14.09	14.23	14.35	0
				64	35	14.07	14.30	14.34	0
				64	69	14.14	14.30	14.35	0
				128	0	14.07	14.26	14.37	0
			QPSK	1	1	14.21	14.18	14.31	0
				1	66	14.13	14.37	14.56	0
				1	131	14.15	14.32	14.36	0
				64	0	14.12	14.25	14.34	0
				64	35	14.08	14.29	14.41	0
				64	69	14.15	14.34	14.43	0
				128	0	14.11	14.25	14.38	0
			16QAM	1	1	14.18	14.29	14.41	0
			64QAM	1	1	14.26	14.30	14.34	0
			256QAM	1	1	14.09	14.27	14.29	0
		CP	QPSK	1	1	14.11	14.23	14.35	0

NR FDD Band n66 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						349000		
						1745 MHz		
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.23	0	
				1	80	14.40	0	
				1	158	14.32	0	
				80	0	14.22	0	
				80	40	14.30	0	
				80	80	14.34	0	
				160	0	14.38	0	
			QPSK	1	1	14.28	0	
				1	80	14.40	0	
				1	158	14.34	0	
				80	0	14.28	0	
				80	40	14.29	0	
				80	80	14.41	0	
				160	0	14.37	0	
				16QAM	1	1	14.23	0
				64QAM	1	1	14.11	0
				256QAM	1	1	14.17	0
		CP	QPSK	1	1	14.21	0	

NR FDD Band n66 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.21	0
				1	98	14.29	0
				1	186	14.32	0
				90	0	14.23	0
				90	45	14.35	0
				90	90	14.34	0
				180	0	14.30	0
			QPSK	1	1	14.20	0
				1	98	14.32	0
				1	186	14.37	0
				90	0	14.29	0
				90	45	14.29	0
				90	90	14.35	0
				180	0	14.36	0
			16QAM	1	1	14.35	0
			64QAM	1	1	14.16	0
			256QAM	1	1	14.31	0
		CP	QPSK	1	1	14.22	0

NR FDD Band n66 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.18	0
				1	108	14.42	0
				1	214	14.39	0
				108	0	14.22	0
				108	54	14.32	0
				108	108	14.40	0
				216	0	14.36	0
			QPSK	1	1	14.24	0
				1	108	14.42	0
				1	214	14.39	0
				108	0	14.29	0
				108	54	14.30	0
				108	108	14.32	0
				216	0	14.38	0
			16QAM	1	1	14.32	0
			64QAM	1	1	14.45	0
			256QAM	1	1	14.27	0
		CP	QPSK	1	1	14.24	0

**NR FDD Band n70 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)
_ SUB5 [Ant I]**

NR FDD Band n70 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						339500	340500	341500	
						1697.5 MHz	1702.5 MHz	1707.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.94	15.75	15.71	0
				1	13	15.79	15.68	15.65	0
				1	23	15.90	15.72	15.70	0
				12	0	15.95	15.77	15.71	0
				12	7	15.98	15.80	15.73	0
				12	13	15.94	15.78	15.76	0
				25	0	15.97	15.75	15.74	0
			QPSK	1	1	16.02	15.79	15.77	0
				1	13	15.85	15.67	15.67	0
				1	23	15.87	15.72	15.75	0
				12	0	15.96	15.77	15.74	0
				12	7	15.95	15.74	15.74	0
				12	13	15.92	15.78	15.76	0
				25	0	15.97	15.80	15.70	0
			16QAM	1	1	15.94	15.92	15.91	0
			64QAM	1	1	16.09	15.84	15.81	0
			256QAM	1	1	15.89	15.84	15.67	0
		CP	QPSK	1	1	16.04	15.69	15.70	0

NR FDD Band n70 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						340000	340500	341000	
						1700 MHz	1702.5 MHz	1705 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.89	15.85	15.81	0
				1	26	15.93	15.93	15.89	0
				1	50	15.75	15.68	15.73	0
				25	0	15.94	15.81	15.83	0
				25	14	15.80	15.82	15.75	0
				25	27	15.80	15.70	15.77	0
			QPSK	50	0	15.87	15.77	15.77	0
				1	1	15.96	15.87	15.84	0
				1	26	15.97	15.81	15.74	0
				1	50	15.76	15.72	15.71	0
				25	0	15.89	15.85	15.80	0
				25	14	15.86	15.81	15.74	0
				25	27	15.88	15.73	15.74	0
				50	0	15.87	15.82	15.75	0
			16QAM	1	1	15.92	15.82	15.85	0
			64QAM	1	1	15.97	15.89	15.95	0
			256QAM	1	1	15.83	15.85	15.99	0
		CP	QPSK	1	1	16.00	15.82	15.83	0

NR FDD Band n70 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						340500	
						1702.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.88	0
				1	40	15.63	0
				1	77	15.65	0
				36	0	15.91	0
				36	22	15.74	0
				36	43	15.72	0
			QPSK	75	0	15.73	0
				1	1	16.22	0
				1	40	15.72	0
				1	77	15.70	0
				36	0	16.12	0
				36	22	15.80	0
				36	43	15.73	0
				75	0	16.21	0
			16QAM	1	1	15.89	0
			64QAM	1	1	15.83	0
			256QAM	1	1	15.76	0
		CP	QPSK	1	1	16.55	0

NR FDD Band n70 Conducted Power_ Measured Folder Open RCV(RSI 1)_

SUB5 [Ant I]

NR FDD Band n70 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						339500	340500	341500	
						1697.5 MHz	1702.5 MHz	1707.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.01	14.82	14.78	0
				1	13	14.95	14.75	14.73	0
				1	23	14.98	14.80	14.80	0
				12	0	15.02	14.79	14.79	0
				12	7	15.04	14.83	14.82	0
				12	13	14.99	14.87	14.82	0
				25	0	15.07	14.88	14.81	0
			QPSK	1	1	15.03	14.86	14.83	0
				1	13	14.86	14.76	14.74	0
				1	23	14.95	14.81	14.80	0
				12	0	15.06	14.79	14.79	0
				12	7	15.01	14.82	14.86	0
				12	13	14.99	14.85	14.83	0
				25	0	15.02	14.89	14.83	0
			16QAM	1	1	15.02	14.82	14.89	0
			64QAM	1	1	15.18	14.88	15.02	0
			256QAM	1	1	14.93	14.68	14.65	0
		CP	QPSK	1	1	15.00	14.83	14.78	0

NR FDD Band n70 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						340000	340500	341000	
						1700 MHz	1702.5 MHz	1705 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.99	14.99	14.88	0
				1	26	15.00	15.00	14.97	0
				1	50	14.79	14.78	14.80	0
				25	0	14.94	14.89	14.91	0
				25	14	14.90	14.84	14.86	0
				25	27	14.89	14.82	14.86	0
				50	0	14.92	14.86	14.85	0
			QPSK	1	1	15.03	14.97	14.91	0
				1	26	15.05	14.90	14.90	0
				1	50	14.83	14.80	14.78	0
				25	0	14.98	14.89	14.89	0
				25	14	14.88	14.88	14.77	0
				25	27	14.88	14.80	14.84	0
				50	0	14.94	14.84	14.85	0
			16QAM	1	1	15.12	14.91	15.08	0
			64QAM	1	1	15.08	14.93	14.95	0
			256QAM	1	1	14.99	14.83	14.94	0
		CP	QPSK	1	1	15.04	14.98	14.89	0

NR FDD Band n70 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						340500	
						1702.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.94	0
				1	40	14.77	0
				1	77	14.74	0
				36	0	14.97	0
				36	22	14.84	0
				36	43	14.80	0
				75	0	14.84	0
			QPSK	1	1	14.96	0
				1	40	14.79	0
				1	77	14.71	0
				36	0	14.95	0
				36	22	14.83	0
				36	43	14.81	0
				75	0	14.80	0
			16QAM	1	1	15.02	0
			64QAM	1	1	15.03	0
			256QAM	1	1	15.00	0
		CP	QPSK	1	1	15.02	0

**NR TDD Band n77 Conducted Power_ Measured Folder Open Free (RSI 0),
RCV(RSI 1),Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close
Hotspot(RSI 4)_ SUB2 [AntF]**

NR TDD Band n77_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647000	650600	654200	657800	661400	665000	
						3705 MHz	3759 MHz	3813 MHz	3867 MHz	3921 MHz	3975 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	13.82	13.80	13.92	13.83	11.56	12.80	0
				1	12	13.93	13.72	13.99	13.56	11.52	13.03	0
				1	22	13.77	13.72	13.99	13.26	11.56	13.15	0
				12	0	13.83	13.75	13.97	13.68	11.55	12.87	0
				12	6	13.83	13.71	13.91	13.79	11.52	12.99	0
				12	12	13.85	13.70	13.96	13.39	11.58	13.10	0
			QPSK	24	0	13.84	13.71	13.92	13.51	11.59	13.00	0
				1	1	13.82	13.82	13.97	13.80	11.56	12.80	0
				1	12	13.89	13.77	13.94	13.57	11.57	13.04	0
				1	22	13.87	13.70	13.97	13.28	11.57	13.18	0
				12	0	13.84	13.74	13.97	13.67	11.53	12.87	0
				12	6	13.83	13.71	13.91	13.53	11.51	12.72	0
				12	12	13.86	13.72	13.94	13.38	11.56	12.82	0
				24	0	13.85	13.73	13.91	13.51	11.59	12.69	0
			16QAM	1	1	13.82	13.86	13.89	13.81	11.52	12.54	0
			64QAM	1	1	13.86	13.77	13.92	13.72	11.63	12.51	0
			256QAM	1	1	13.98	13.99	13.99	13.97	11.89	12.85	0
		CP	QPSK	1	1	13.84	13.77	13.92	13.80	11.58	12.58	0

NR TDD Band n77_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647168	650700	654232	657766	661300	664832	
						3707.52 MHz	3760.5 MHz	3813.49 MHz	3866.5 MHz	3919.5 MHz	3972.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	13.89	13.96	13.82	13.83	11.84	12.76	0
				1	18	13.83	13.78	13.70	13.69	11.65	12.65	0
				1	36	13.91	13.80	13.77	13.68	11.58	12.68	0
				18	0	13.90	13.88	13.80	13.77	11.67	12.70	0
				18	9	13.89	13.86	13.79	13.72	11.51	12.69	0
				18	18	13.88	13.82	13.48	13.69	11.58	12.70	0
			QPSK	36	0	13.89	13.83	13.53	13.71	11.52	12.70	0
				1	1	13.90	13.88	13.80	13.78	11.57	12.72	0
				1	18	13.83	13.78	13.73	13.67	11.56	12.64	0
				1	36	13.90	13.76	13.79	13.60	11.51	12.66	0
				18	0	13.88	13.82	13.80	13.85	11.54	12.69	0
				18	9	13.91	13.80	13.77	13.80	11.59	12.64	0
				18	18	13.91	13.79	13.77	13.92	11.57	12.65	0
				36	0	13.89	13.83	13.76	13.91	11.54	12.66	0
			16QAM	1	1	13.90	13.95	13.74	13.80	11.79	12.55	0
			64QAM	1	1	13.84	13.83	13.76	13.88	11.56	12.63	0
			256QAM	1	1	13.83	13.88	13.83	13.90	11.52	12.72	0
		CP	QPSK	1	1	13.88	13.81	13.50	13.86	11.50	12.72	0

NR TDD Band n77_ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647334	650800	654266	657734	661200	664666	
						3710.01 MHz	3762 MHz	3813.99 MHz	3866.01 MHz	3918 MHz	3969.99 MHz	
20 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.75	13.75	13.93	13.91	11.63	12.84	0
				1	26	13.75	13.66	13.88	13.84	11.53	12.70	0
				1	49	13.70	13.59	13.87	13.76	11.53	12.68	0
				25	0	13.74	13.68	13.94	13.95	11.60	12.69	0
				25	13	13.74	13.63	13.92	13.90	11.55	12.55	0
				25	26	13.69	13.60	13.90	13.82	11.56	12.54	0
			QPSK	50	0	13.74	13.62	13.91	13.88	11.58	12.51	0
				1	1	13.75	13.71	13.95	13.96	11.66	12.58	0
				1	26	13.75	13.59	13.84	13.87	11.59	12.51	0
				1	49	13.68	13.51	13.83	13.78	11.57	12.46	0
				25	0	13.76	13.69	13.92	13.94	11.62	12.55	0
				25	13	13.76	13.64	13.92	13.89	11.54	12.52	0
				25	26	13.71	13.57	13.89	13.83	11.58	12.52	0
				50	0	13.74	13.66	13.92	13.88	11.55	12.52	0
			16QAM	1	1	13.80	13.73	13.91	13.95	11.63	12.60	0
			64QAM	1	1	13.72	13.59	13.97	13.94	11.79	12.56	0
			256QAM	1	1	13.68	13.83	13.87	13.90	11.65	12.46	0
		CP	QPSK	1	1	13.44	13.96	13.60	13.96	11.65	12.50	0

NR TDD Band n77_ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647500	650900	654300	657700	661100	664500	
						3712.5 MHz	3763.5 MHz	3814.5 MHz	3865.5 MHz	3916.5 MHz	3967.5 MHz	
25 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.83	13.93	13.94	13.79	11.57	12.62	0
				1	32	13.77	13.81	13.94	13.79	11.58	12.59	0
				1	63	13.68	13.69	13.88	13.66	11.57	12.59	0
				32	0	13.77	13.85	13.95	13.85	11.54	12.58	0
				32	17	13.74	13.75	13.91	13.76	11.57	12.56	0
				32	33	13.71	13.68	13.92	13.67	11.59	12.56	0
			QPSK	64	0	13.73	13.76	13.95	13.79	11.55	12.57	0
				1	1	13.81	13.87	13.90	13.75	11.52	12.55	0
				1	32	13.78	13.76	13.96	13.73	11.52	12.56	0
				1	63	13.70	13.62	13.91	13.64	11.50	12.54	0
				32	0	13.78	13.85	13.97	13.84	11.54	12.63	0
				32	17	13.72	13.79	13.93	13.77	11.56	12.57	0
				32	33	13.69	13.69	13.89	13.69	11.50	12.55	0
				64	0	13.73	13.74	13.93	13.79	11.58	12.53	0
			16QAM	1	1	13.77	13.86	13.94	13.62	11.57	12.72	0
			64QAM	1	1	13.81	13.86	13.95	13.69	11.59	12.38	0
			256QAM	1	1	13.76	13.86	13.94	13.70	11.54	12.53	0
		CP	QPSK	1	1	13.77	13.86	13.92	13.76	11.56	12.57	0

NR TDD Band n77_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647668	651000	654334	657666	661000	664332	
						3715.02	3765	3815.01	3864.99	3915	3964.98	
						MHz	MHz	MHz	MHz	MHz	MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	13.69	13.79	13.89	13.94	11.65	12.83	0
				1	39	13.75	13.75	13.95	13.87	11.60	12.84	0
				1	76	13.77	13.66	13.91	13.59	11.58	12.75	0
				36	0	13.70	13.74	13.86	13.94	11.64	12.89	0
				36	21	13.69	13.72	13.88	13.85	11.57	12.82	0
				36	42	13.71	13.68	13.90	13.68	11.52	12.74	0
			QPSK	75	0	13.71	13.73	13.87	13.86	11.57	12.84	0
				1	1	13.65	13.80	13.86	13.91	11.67	12.84	0
				1	39	13.74	13.78	13.91	13.83	11.66	12.84	0
				1	76	13.80	13.63	13.98	13.55	11.55	12.71	0
				36	0	13.69	13.74	13.85	13.90	11.61	12.88	0
				36	21	13.70	13.71	13.88	13.81	11.60	12.83	0
				36	42	13.69	13.64	13.90	13.67	11.51	12.75	0
				75	0	13.71	13.70	13.87	13.84	11.60	12.80	0
			16QAM	1	1	13.66	13.79	13.84	13.93	11.68	12.89	0
			64QAM	1	1	13.86	13.80	13.79	13.77	11.64	12.86	0
			256QAM	1	1	13.66	13.74	13.85	13.91	11.94	12.66	0
		CP	QPSK	1	1	13.73	13.74	13.83	13.86	11.61	12.84	0

NR TDD Band n77_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648000	651200	654400	657600	660800	664000	
						3720	3768	3816	3864	3912	3960	
						MHz	MHz	MHz	MHz	MHz	MHz	
40 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.71	13.87	13.90	13.79	11.87	12.83	0
				1	53	13.72	13.81	13.97	13.92	11.88	12.95	0
				1	104	13.74	13.46	13.92	13.54	11.54	12.84	0
				50	0	13.74	13.82	13.88	13.90	11.86	12.83	0
				50	28	13.69	13.70	13.92	13.88	11.82	12.89	0
				50	56	13.72	13.62	13.93	13.69	11.67	12.84	0
			QPSK	100	0	13.68	13.75	13.91	13.90	11.80	12.87	0
				1	1	13.69	13.79	13.89	13.74	11.86	12.87	0
				1	53	13.74	13.70	13.95	13.89	11.92	12.97	0
				1	104	13.75	13.42	13.99	13.52	11.60	12.85	0
				50	0	13.77	13.80	13.90	13.91	11.86	12.83	0
				50	28	13.71	13.73	13.91	13.88	11.82	12.93	0
				50	56	13.73	13.67	13.94	13.68	11.65	12.79	0
				100	0	13.71	13.72	13.91	13.90	11.82	12.86	0
			16QAM	1	1	13.53	13.93	13.89	13.77	11.94	12.44	0
			64QAM	1	1	13.60	13.87	13.91	13.96	11.85	12.96	0
			256QAM	1	1	13.27	13.85	13.71	13.50	11.87	12.83	0
		CP	QPSK	1	1	13.84	13.86	13.90	13.84	11.83	12.87	0

NR TDD Band n77_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648334	652166	656000		659834	663666	
						3725.01	3782.49	3840		3897.51	3954.99	
						MHz	MHz	MHz		MHz	MHz	
50 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.79	13.90	13.90		11.87	12.76	0
				1	67	13.75	13.56	13.90		11.60	12.61	0
				1	131	13.96	13.16	13.91		11.52	12.46	0
				64	0	13.77	13.78	13.85		11.69	12.62	0
				64	35	13.78	13.54	13.93		11.61	12.62	0
				64	69	13.86	13.21	13.92		11.64	12.51	0
			QPSK	128	0	13.77	13.56	13.92		11.64	12.61	0
				1	1	13.84	13.91	13.95		11.93	12.67	0
				1	67	13.76	13.61	13.90		11.58	12.65	0
				1	131	13.91	13.16	13.92		11.54	12.46	0
				64	0	13.72	13.75	13.84		11.70	12.60	0
				64	35	13.76	13.54	13.92		11.59	12.55	0
				64	69	13.86	13.23	13.93		11.64	12.53	0
				128	0	13.78	13.59	13.89		11.62	12.60	0
			16QAM	1	1	13.78	13.90	13.92		11.89	12.60	0
			64QAM	1	1	13.74	13.87	13.92		11.92	12.52	0
			256QAM	1	1	13.81	13.96	13.96		11.98	12.77	0
		CP	QPSK	1	1	13.77	13.92	13.91		11.87	12.81	0

NR TDD Band n77_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648668	653556			658444	663332	
						3730.02	3803.34			3876.66	3949.98	
						MHz	MHz			MHz	MHz	
60 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.91	13.81			11.68	12.24	0
				1	81	13.84	13.72			11.61	12.04	0
				1	160	13.86	13.76			11.54	12.01	0
				81	0	13.82	13.89			11.78	11.98	0
				81	41	13.77	13.61			11.56	11.97	0
				81	81	13.87	13.60			11.55	11.96	0
			QPSK	162	0	13.84	13.61			11.57	11.96	0
				1	1	13.86	13.93			11.70	12.20	0
				1	81	13.98	13.58			11.61	12.06	0
				1	160	13.86	13.52			11.55	12	0
				81	0	13.81	13.87			11.74	12.01	0
				81	41	13.83	13.62			11.57	11.95	0
				81	81	13.91	13.62			11.55	11.98	0
				162	0	13.83	13.63			11.57	11.96	0
			16QAM	1	1	13.95	13.95			11.65	12.20	0
			64QAM	1	1	13.85	13.91			11.77	12.39	0
			256QAM	1	1	13.86	13.99			11.68	12.59	0
		CP	QPSK	1	1	13.87	13.97			11.68	12.48	0

NR TDD Band n77_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						649000	654336			658334	663000	
						3750 MHz	3804.99 MHz			3875.01 MHz	3945 MHz	
70 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.86	13.99			11.56	12.23	0
				1	95	13.82	13.89			11.54	11.89	0
				1	187	13.97	13.91			11.50	12.04	0
				90	0	13.74	13.99			11.72	12.01	0
				90	50	13.82	13.88			11.57	11.88	0
				90	99	13.95	13.83			11.56	12.04	0
			QPSK	180	0	13.77	13.88			11.59	11.93	0
				1	1	13.80	13.90			11.52	12.23	0
				1	95	13.74	13.84			11.52	11.88	0
				1	187	13.90	13.90			11.58	12.03	0
				90	0	13.42	13.24			11.72	12.04	0
				90	50	13.49	13.88			11.54	11.92	0
				90	99	13.63	13.84			11.54	12.04	0
				180	0	13.50	13.94			11.57	11.89	0
			16QAM	1	1	13.71	13.96			11.53	12.31	0
			64QAM	1	1	13.72	13.92			11.57	12.26	0
			256QAM	1	1	13.79	13.90			11.54	12.58	0
		CP	QPSK	1	1	13.86	13.92			11.59	12.51	0

NR TDD Band n77_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						649334		656000		662666		
						3740.01 MHz		3840 MHz		3939.99 MHz		
80 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.53		13.79		12.76		0
				1	109	13.73		13.82		11.55		0
				1	215	13.39		13.69		13.19		0
				108	0	13.73		13.73		12.82		0
				108	55	13.79		13.80		11.59		0
				108	109	13.78		13.90		11.85		0
			QPSK	216	0	13.79		13.82		11.63		0
				1	1	13.23		13.17		12.56		0
				1	109	13.72		13.74		11.64		0
				1	215	13.34		13.59		13.58		0
				108	0	13.72		13.76		11.82		0
				108	55	13.79		13.78		11.65		0
				108	109	13.78		13.91		11.81		0
				216	0	13.81		13.81		11.64		0
			16QAM	1	1	13.34		13.18		12.60		0
			64QAM	1	1	13.30		13.25		12.57		0
			256QAM	1	1	12.92		13.10		12.75		0
		CP	QPSK	1	1	13.20		13.88		12.49		0

NR TDD Band n77_ 90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						649668		656000		662332		
						3745.02 MHz		3840 MHz		3934.98 MHz		
90 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.28		13.34		12.81		0
				1	123	13.75		13.79		11.54		0
				1	243	13.40		13.61		13.27		0
				120	0	13.74		13.79		12.77		0
				120	63	13.80		13.83		11.63		0
				120	125	13.79		13.92		11.81		0
			QPSK	243	0	13.86		13.84		11.61		0
				1	1	13.26		13.36		12.55		0
				1	123	13.76		13.81		11.60		0
				1	243	13.33		13.61		13.62		0
				120	0	13.70		13.81		11.74		0
				120	63	13.79		13.84		11.59		0
				120	125	13.81		13.93		11.85		0
				243	0	13.83		13.88		11.66		0
			16QAM	1	1	13.28		13.43		12.59		0
			64QAM	1	1	13.29		13.37		12.58		0
			256QAM	1	1	13.22		13.29		12.77		0
		CP	QPSK	1	1	13.20		13.63		12.55		0

NR TDD Band n77_ 100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						650000				662000		
						3750 MHz				3930 MHz		
100 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.60				12.74		0
				1	137	13.97				11.54		0
				1	271	13.77				13.18		0
				135	0	13.96				12.74		0
				135	69	13.96				11.59		0
				135	138	13.93				11.76		0
			QPSK	270	0	13.98				11.56		0
				1	1	13.59				12.46		0
				1	137	13.90				11.55		0
				1	271	13.72				13.57		0
				135	0	13.96				12.82		0
				135	69	13.99				11.59		0
				135	138	13.97				11.79		0
				270	0	13.98				11.56		0
			16QAM	1	1	13.60				12.51		0
			64QAM	1	1	13.60				12.51		0
			256QAM	1	1	13.91				12.75		0
		CP	QPSK	1	1	13.62				12.47		0

NR TDD Band n77(DoD) Conducted Power_ Measured Folder Open Free (RSI 0), RCV(RSI 1),Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)_ SUB2 [Ant F]

NR TDD Band n77 DoD_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630334	633334	636332	
						3445.01 MHz	3500.01 MHz	3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	13.88	13.84	13.55	0
				1	12	13.92	13.70	13.66	0
				1	22	13.97	13.61	13.72	0
				12	0	13.93	13.82	13.57	0
				12	6	13.98	13.79	13.63	0
				12	12	13.91	13.78	13.70	0
				24	0	13.99	13.80	13.63	0
			QPSK	1	1	13.93	13.82	13.55	0
				1	12	13.99	13.80	13.69	0
				1	22	13.93	13.77	13.74	0
				12	0	13.94	13.81	13.58	0
				12	6	13.96	13.79	13.64	0
				12	12	13.93	13.78	13.68	0
				24	0	13.98	13.80	13.64	0
			16QAM	1	1	13.98	13.93	13.56	0
			64QAM	1	1	13.87	13.96	13.59	0
			256QAM	1	1	13.96	13.83	13.84	0
		CP	QPSK	1	1	13.92	13.79	13.54	0

NR TDD Band n77 DoD_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630500	633334	636166	
						3457.5 MHz	3500.01 MHz	3542.49 MHz	
15MHz	30	DFT-s	pi/2 BPSK	1	1	13.88	13.77	13.81	0
				1	18	13.87	13.74	13.86	0
				1	36	13.81	13.85	13.97	0
				18	0	13.96	13.79	13.81	0
				18	9	13.90	13.79	13.86	0
				18	18	13.88	13.82	13.98	0
				36	0	13.92	13.81	13.87	0
			QPSK	1	1	13.90	13.74	13.78	0
				1	18	13.85	13.81	13.82	0
				1	36	13.36	13.96	13.94	0
				18	0	13.97	13.79	13.83	0
				18	9	13.90	13.77	13.43	0
				18	18	13.88	13.82	13.97	0
				36	0	13.91	13.80	13.86	0
			16QAM	1	1	13.93	13.71	13.84	0
			64QAM	1	1	13.94	13.80	13.97	0
			256QAM	1	1	13.83	13.82	13.70	0
		CP	QPSK	1	1	13.91	13.88	12.16	0

NR TDD Band n77 DoD_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630668	633334	636000	
						3460.02 MHz	3500.01 MHz	3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	13.87	13.71	13.72	0
				1	26	13.70	13.80	13.88	0
				1	49	13.56	13.86	13.65	0
				25	0	13.82	13.76	13.78	0
				25	13	13.75	13.69	13.88	0
				25	26	13.66	13.60	13.98	0
				50	0	13.78	13.83	13.84	0
			QPSK	1	1	13.95	13.73	13.70	0
				1	26	13.74	13.79	13.86	0
				1	49	13.57	13.89	13.99	0
				25	0	13.80	13.81	13.79	0
				25	13	13.73	13.80	13.86	0
				25	26	13.64	13.88	13.53	0
				50	0	13.75	13.84	13.85	0
			16QAM	1	1	12.88	13.84	13.70	0
			64QAM	1	1	13.88	13.80	13.78	0
			256QAM	1	1	13.80	13.71	13.62	0
		CP	QPSK	1	1	13.88	13.32	13.68	0

NR TDD Band n77 DoD_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630834	633334	635834	
						3462.51 MHz	3500.01 MHz	3537.51 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	13.99	13.76	13.56	0
				1	26	13.79	13.86	13.77	0
				1	49	13.62	13.93	13.95	0
				25	0	13.91	13.77	13.63	0
				25	13	13.75	13.79	13.74	0
				25	26	13.62	13.86	13.89	0
				50	0	13.75	13.79	13.75	0
			QPSK	1	1	13.89	13.75	13.51	0
				1	26	13.67	13.86	13.75	0
				1	49	13.58	13.95	13.92	0
				25	0	13.83	13.75	13.63	0
				25	13	13.76	13.79	13.76	0
				25	26	13.62	13.87	13.90	0
				50	0	13.75	13.81	13.76	0
			16QAM	1	1	13.88	13.76	13.55	0
			64QAM	1	1	13.90	13.79	13.59	0
			256QAM	1	1	13.89	13.78	13.59	0
		CP	QPSK	1	1	13.90	13.76	13.59	0

NR TDD Band n77 DoD_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631000	633334	635666	
						3465 MHz	3500.01 MHz	3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	13.86	13.84	13.66	0
				1	39	13.63	13.95	13.93	0
				1	76	13.51	13.95	13.90	0
				36	0	13.68	13.78	13.75	0
				36	21	13.57	13.84	13.88	0
				36	42	13.46	13.89	13.91	0
				75	0	13.57	13.81	13.86	0
			QPSK	1	1	13.82	13.75	13.62	0
				1	39	13.58	13.82	13.83	0
				1	76	13.47	13.96	13.94	0
				36	0	13.26	13.77	13.76	0
				36	21	13.56	13.84	13.88	0
				36	42	13.49	13.90	13.95	0
				75	0	13.61	13.83	13.92	0
			16QAM	1	1	13.83	13.80	13.67	0
			64QAM	1	1	13.84	13.72	13.47	0
			256QAM	1	1	13.32	13.76	13.67	0
		CP	QPSK	1	1	13.85	13.79	13.72	0

NR TDD Band n77 DoD_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631334		635332	
						3470.01 MHz		3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	13.96		13.39	0
				1	53	13.64		13.75	0
				1	104	13.58		13.95	0
				50	0	13.80		13.52	0
				50	28	13.60		13.71	0
				50	56	13.59		13.89	0
				100	0	13.17		13.70	0
			QPSK	1	1	13.91		13.37	0
				1	53	13.64		13.25	0
				1	104	13.52		13.98	0
				50	0	13.84		13.51	0
				50	28	13.64		13.73	0
				50	56	13.63		13.92	0
				100	0	13.66		13.68	0
			16QAM	1	1	13.95		13.64	0
			64QAM	1	1	13.96		13.49	0
			256QAM	1	1	13.86		12.99	0
		CP	QPSK	1	1	13.99		13.39	0

NR TDD Band n77 DoD_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631668		635000	
						3475.02 MHz		3525 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	13.66		13.35	0
				1	67	13.27		13.59	0
				1	131	13.39		13.94	0
				64	0	13.45		13.41	0
				64	35	13.30		13.59	0
				64	69	13.28		13.84	0
				128	0	13.31		13.64	0
			QPSK	1	1	13.65		13.38	0
				1	67	13.27		13.54	0
				1	131	13.39		13.97	0
				64	0	13.47		13.38	0
				64	35	13.29		13.59	0
				64	69	13.26		13.84	0
				128	0	13.32		13.57	0
			16QAM	1	1	13.92		13.46	0
			64QAM	1	1	13.57		13.16	0
			256QAM	1	1	13.90		12.82	0
		CP	QPSK	1	1	13.86		13.22	0

NR TDD Band n77 DoD_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		13.94		0
				1	81		13.95		0
				1	160		13.93		0
				81	0		13.55		0
				81	41		13.58		0
				81	81		13.79		0
				162	0		13.58		0
			QPSK	1	1		13.66		0
				1	81		13.54		0
				1	160		13.97		0
				81	0		13.53		0
				81	41		13.59		0
				81	81		13.75		0
				162	0		13.59		0
			16QAM	1	1		13.49		0
			64QAM	1	1		13.34		0
			256QAM	1	1		13.89		0
		CP	QPSK	1	1		13.88		0

NR TDD Band n77 DoD_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)		MPR [dB]
							633334	
							3500.01 MHz	
70 MHz	30	DFT-s	pi/2 BPSK	1	1		13.90	0
				1	95		13.74	0
				1	187		13.94	0
				90	0		13.58	0
				90	50		13.59	0
				90	99		13.83	0
				180	0		13.54	0
			QPSK	1	1		13.61	0
				1	95		13.48	0
				1	187		13.97	0
				90	0		13.49	0
				90	50		13.51	0
				90	99		13.29	0
				180	0		13.51	0
			16QAM	1	1		13.58	0
			64QAM	1	1		13.54	0
			256QAM	1	1		13.26	0
		CP	QPSK	1	1		13.55	0

NR TDD Band n77 DoD_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)		MPR [dB]
							633334	
							3500.01 MHz	
80 MHz	30	DFT-s	pi/2 BPSK	1	1		13.70	0
				1	109		13.63	0
				1	215		13.93	0
				108	0		13.67	0
				108	55		13.65	0
				108	109		13.90	0
				216	0		13.68	0
			QPSK	1	1		13.68	0
				1	109		13.63	0
				1	215		13.94	0
				108	0		13.66	0
				108	55		13.21	0
				108	109		13.46	0
				216	0		13.68	0
			16QAM	1	1		13.63	0
			64QAM	1	1		13.75	0
			256QAM	1	1		13.67	0
		CP	QPSK	1	1		13.71	0

NR TDD Band n77 DoD_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		13.70		0
				1	123		13.59		0
				1	243		13.90		0
				120	0		13.64		0
				120	63		13.64		0
				120	125		13.93		0
				243	0		13.65		0
			QPSK	1	1		13.69		0
				1	123		13.61		0
				1	243		13.85		0
				120	0		13.61		0
				120	63		13.66		0
				120	125		13.94		0
				243	0		13.65		0
			16QAM	1	1		13.66		0
			64QAM	1	1		13.66		0
			256QAM	1	1		13.71		0
		CP	QPSK	1	1		13.73		0

NR TDD Band n77 DoD_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
100MHz	30	DFT-s	pi/2 BPSK	1	1		13.91		0
				1	137		13.77		0
				1	271		13.73		0
				135	0		13.96		0
				135	69		13.81		0
				135	138		13.65		0
				270	0		13.90		0
			QPSK	1	1		13.93		0
				1	137		13.76		0
				1	271		13.94		0
				135	0		13.96		0
				135	69		13.63		0
				135	138		13.99		0
				270	0		13.87		0
			16QAM	1	1		13.97		0
			64QAM	1	1		13.99		0
			256QAM	1	1		13.91		0
		CP	QPSK	1	1		13.90		0

NR TDD Band n78 Conducted Power_ Measured Folder Open Free (RSI 0),
RCV(RSI1), Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close
Hotspot(RSI 4) _ SUB2 [Ant F]

NR TDD Band n78 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647000	650000	653000	
						3705 MHz	3750 MHz	3795 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	13.95	13.91	13.90	0
				1	12	13.98	13.95	13.93	0
				1	22	13.96	13.87	13.95	0
				12	0	13.94	13.98	13.91	0
				12	6	13.97	13.92	13.94	0
				12	12	13.97	13.90	13.95	0
				24	0	13.96	13.94	13.93	0
			QPSK	1	1	13.96	13.94	13.97	0
				1	12	13.99	13.91	13.97	0
				1	22	13.95	13.87	13.97	0
				12	0	13.95	13.98	13.93	0
				12	6	13.94	13.93	13.93	0
				12	12	13.98	13.91	13.96	0
				24	0	13.95	13.97	13.92	0
			16QAM	1	1	13.98	13.97	13.86	0
			64QAM	1	1	13.87	13.98	13.88	0
			256QAM	1	1	13.97	13.96	13.96	0
		CP	QPSK	1	1	13.64	13.42	13.91	0

NR TDD Band n78_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647166	650000	652832	
						3707.5 MHz	3750 MHz	3792.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	13.97	13.88	13.90	0
				1	18	13.93	13.83	13.74	0
				1	36	13.98	13.87	13.55	0
				18	0	13.97	13.86	13.83	0
				18	10	13.94	13.89	13.73	0
				18	20	13.92	13.88	13.65	0
				36	0	13.93	13.89	13.47	0
			QPSK	1	1	13.99	13.86	13.65	0
				1	18	13.95	13.84	13.41	0
				1	36	13.92	13.88	13.29	0
				18	0	13.97	13.86	13.84	0
				18	10	13.91	13.89	13.74	0
				18	20	13.99	13.87	13.66	0
				36	0	13.97	13.89	13.76	0
			16QAM	1	1	13.92	13.90	13.80	0
			64QAM	1	1	13.91	13.69	13.95	0
			256QAM	1	1	13.95	13.83	13.76	0
		CP	QPSK	1	1	13.99	13.84	13.57	0

NR TDD Band n78_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647334	650000	652666	
						3710.01 MHz	3750 MHz	3789.99 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	13.76	13.67	13.87	0
				1	26	13.74	13.72	13.60	0
				1	49	13.76	13.68	13.49	0
				25	0	13.73	13.66	13.78	0
				25	13	13.76	13.74	13.62	0
				25	26	13.84	13.41	13.56	0
				50	0	13.93	13.43	13.65	0
			QPSK	1	1	13.92	13.69	13.88	0
				1	26	13.94	13.73	13.62	0
				1	49	13.93	13.75	13.48	0
				25	0	13.98	13.49	13.76	0
				25	13	13.90	13.73	13.66	0
				25	26	13.97	13.71	13.54	0
				50	0	13.75	13.73	13.64	0
			16QAM	1	1	13.73	13.58	13.86	0
			64QAM	1	1	13.75	13.75	13.87	0
			256QAM	1	1	13.93	13.62	13.92	0
		CP	QPSK	1	1	13.91	13.68	13.92	0

NR TDD Band n78_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647500	650000	652500	
						3712.5 MHz	3750 MHz	3787.5 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	13.94	13.59	13.90	0
				1	32	13.93	13.71	13.66	0
				1	63	13.91	13.58	13.51	0
				32	0	13.98	13.63	13.89	0
				32	17	13.95	13.67	13.67	0
				32	33	13.92	13.65	13.58	0
				64	0	13.96	13.69	13.69	0
			QPSK	1	1	13.97	13.60	13.83	0
				1	32	13.98	13.73	13.87	0
				1	63	13.91	13.60	13.92	0
				32	0	13.95	13.64	13.53	0
				32	17	13.92	13.66	13.39	0
				32	33	13.93	13.63	13.23	0
				64	0	13.93	13.67	13.37	0
			16QAM	1	1	13.94	13.60	13.87	0
			64QAM	1	1	13.85	13.63	13.95	0
			256QAM	1	1	13.94	13.66	13.86	0
		CP	QPSK	1	1	13.96	13.61	13.88	0

NR TDD Band n78_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647666	650000	652332	
						3715 MHz	3750 MHz	3784.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	13.98	13.58	13.98	0
				1	39	13.99	13.70	13.89	0
				1	76	13.86	13.60	13.46	0
				36	0	13.96	13.59	13.92	0
				36	21	13.90	13.68	13.80	0
				36	42	13.88	13.64	13.59	0
				75	0	13.92	13.67	13.81	0
			QPSK	1	1	13.95	13.56	13.99	0
				1	39	13.87	13.66	13.86	0
				1	76	13.81	13.57	13.46	0
				36	0	13.93	13.60	13.97	0
				36	21	13.89	13.69	13.81	0
				36	42	13.85	13.65	13.59	0
				75	0	13.93	13.69	13.83	0
			16QAM	1	1	13.93	13.52	13.93	0
			64QAM	1	1	13.98	13.63	13.96	0
			256QAM	1	1	13.86	13.59	13.97	0
		CP	QPSK	1	1	13.91	13.62	13.90	0

NR TDD Band n78_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647800		652000	
						3720 MHz		3780 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	13.83		13.90	0
				1	53	13.93		13.60	0
				1	104	13.90		13.35	0
				50	0	13.87		13.82	0
				50	28	13.88		13.73	0
				50	56	13.93		13.46	0
				100	0	13.86		13.74	0
			QPSK	1	1	13.86		13.89	0
				1	53	13.88		13.74	0
				1	104	13.99		13.31	0
				50	0	13.85		13.61	0
				50	28	13.86		13.73	0
				50	56	13.93		13.48	0
				100	0	13.87		13.75	0
			16QAM	1	1	13.89		13.91	0
			64QAM	1	1	13.90		13.82	0
			256QAM	1	1	13.93		13.96	0
		CP	QPSK	1	1	13.92		13.79	0

NR TDD Band n78_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						648334		651666	
						3725.01 MHz		3774.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	13.78		13.99	0
				1	67	13.85		13.78	0
				1	131	13.92		13.27	0
				64	0	13.82		13.96	0
				64	35	13.83		13.80	0
				64	69	13.99		13.51	0
				128	0	13.88		13.81	0
			QPSK	1	1	13.84		13.92	0
				1	67	13.95		13.83	0
				1	131	13.96		13.22	0
				64	0	13.84		13.96	0
				64	35	13.89		13.81	0
				64	69	13.97		13.53	0
				128	0	13.87		13.82	0
			16QAM	1	1	13.82		13.95	0
			64QAM	1	1	13.82		13.91	0
			256QAM	1	1	13.62		13.97	0
		CP	QPSK	1	1	13.79		13.96	0

NR TDD Band n78_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		13.75		0
				1	81		13.90		0
				1	160		13.75		0
				81	0		13.86		0
				81	41		13.92		0
				81	81		13.85		0
				162	0		13.95		0
			QPSK	1	1		13.73		0
				1	81		13.89		0
				1	160		13.75		0
				81	0		13.85		0
				81	41		13.93		0
				81	81		13.85		0
				162	0		13.66		0
			16QAM	1	1		13.65		0
			64QAM	1	1		13.93		0
			256QAM	1	1		13.65		0
		CP	QPSK	1	1		13.73		0

NR TDD Band n78_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
70 MHz	30	DFT-s	pi/2 BPSK	1	1		13.76		0
				1	95		13.85		0
				1	187		13.64		0
				90	0		13.74		0
				90	50		13.86		0
				90	99		13.76		0
				180	0		13.88		0
			QPSK	1	1		13.91		0
				1	95		13.82		0
				1	187		13.98		0
				90	0		13.73		0
				90	50		13.86		0
				90	99		13.95		0
				180	0		13.85		0
			16QAM	1	1		13.75		0
			64QAM	1	1		13.75		0
			256QAM	1	1		13.75		0
		CP	QPSK	1	1		13.73		0

NR TDD Band n78_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
80 MHz	30	DFT-s	pi/2 BPSK	1	1		3750 MHz		
				1	109		13.35		0
				1	215		13.89		0
				108	0		13.04		0
				108	55		13.74		0
				108	109		13.85		0
				216	0		13.74		0
			QPSK	1	1		13.88		0
				1	109		13.26		0
				1	215		13.79		0
				108	0		12.98		0
				108	55		13.74		0
				108	109		13.86		0
				216	0		13.76		0
				1	1		13.88		0
			16QAM	1	1		13.29		0
			64QAM	1	1		13.30		0
			256QAM	1	1		13.27		0
		CP	QPSK	1	1		13.33		0

NR TDD Band n78_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		3750 MHz		
				1	123		13.63		0
				1	243		13.99		0
				120	0		13.66		0
				120	63		13.93		0
				120	125		13.76		0
				243	0		13.73		0
			QPSK	1	1		13.86		0
				1	123		13.46		0
				1	243		13.73		0
				120	0		13.34		0
				120	63		13.97		0
				120	125		13.79		0
				243	0		13.75		0
				1	1		13.88		0
			16QAM	1	1		13.34		0
			64QAM	1	1		13.43		0
			256QAM	1	1		13.70		0
		CP	QPSK	1	1		13.38		0

NR TDD Band n78_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1		13.70		0
				1	137		13.96		0
				1	271		13.73		0
				135	0		13.90		0
				135	69		13.83		0
				135	138		13.80		0
				270	0		13.93		0
			QPSK	1	1		13.53		0
				1	137		13.80		0
				1	271		13.41		0
				135	0		13.94		0
				135	69		13.86		0
				135	138		13.82		0
				270	0		13.95		0
			16QAM	1	1		13.41		0
			64QAM	1	1		13.50		0
			256QAM	1	1		13.77		0
		CP	QPSK	1	1		13.45		0

NR TDD Band n78(DoD) Conducted Power_ Measured Folder Open Free (RSI 0), RCV(RSI1),Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4) _ SUB2 [Ant F]

NR TDD Band n78 DoD_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630334	633334	636332	
						3455.01 MHz	3500.01 MHz	3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	13.95	13.64	13.77	0
				1	12	13.97	13.82	13.68	0
				1	22	13.92	13.80	13.77	0
				12	0	13.95	13.83	13.65	0
				12	6	13.98	13.81	13.72	0
				12	12	13.92	13.82	13.75	0
				24	0	13.98	13.82	13.69	0
			QPSK	1	1	13.96	13.85	13.61	0
				1	12	13.94	13.83	13.71	0
				1	22	13.96	13.80	13.68	0
				12	0	13.96	13.83	13.60	0
				12	6	13.50	13.81	13.68	0
				12	12	13.93	13.81	13.75	0
				24	0	13.99	13.81	13.68	0
			16QAM	1	1	13.90	13.94	13.57	0
			64QAM	1	1	13.99	13.85	13.60	0
			256QAM	1	1	13.94	13.98	13.59	0
		CP	QPSK	1	1	13.94	13.85	13.59	0

NR TDD Band n78 DoD _15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630500	633334	636116	
						3457.5 MHz	3500.01 MHz	3542.49 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	13.88	13.76	13.76	0
				1	18	13.72	13.79	13.79	0
				1	36	13.71	13.89	13.52	0
				18	0	13.82	13.91	13.77	0
				18	10	13.78	13.81	13.82	0
				18	20	13.76	13.87	13.92	0
				36	0	13.80	13.86	13.82	0
			QPSK	1	1	13.91	13.82	13.75	0
				1	18	13.73	13.78	13.79	0
				1	36	13.74	13.91	13.92	0
				18	0	13.85	13.82	13.79	0
				18	10	13.81	13.83	13.85	0
				18	20	13.76	13.89	13.92	0
				36	0	13.80	13.84	13.83	0
			16QAM	1	1	13.84	13.91	13.73	0
			64QAM	1	1	13.91	13.78	13.78	0
			256QAM	1	1	13.81	13.71	13.71	0
		CP	QPSK	1	1	13.85	13.79	13.74	0

NR TDD Band n78 DoD _20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630668	633334	63600	
						3460.02 MHz	3500.01 MHz	3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	13.88	13.72	13.67	0
				1	26	13.74	13.75	13.72	0
				1	49	13.86	13.94	13.78	0
				25	0	13.83	13.80	13.72	0
				25	13	13.78	13.80	13.76	0
				25	26	13.70	13.85	13.80	0
				50	0	13.33	13.79	13.73	0
			QPSK	1	1	13.85	13.76	13.25	0
				1	26	13.70	13.80	13.75	0
				1	49	13.63	13.93	13.87	0
				25	0	13.85	13.78	13.74	0
				25	13	13.76	13.80	13.74	0
				25	26	13.70	13.87	13.80	0
				50	0	13.80	13.83	13.76	0
			16QAM	1	1	13.97	13.75	13.83	0
			64QAM	1	1	13.91	13.78	13.78	0
			256QAM	1	1	13.92	13.30	13.13	0
		CP	QPSK	1	1	13.90	13.78	13.63	0

NR TDD Band n78 DoD _25 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630866	633334	635800	
						3462.99 MHz	3500.01 MHz	3537 MHz	
25 Mhz	30	DFT-s	pi/2 BPSK	1	1	13.93	13.74	13.62	0
				1	32	13.81	13.84	13.40	0
				1	63	13.66	13.93	13.95	0
				32	0	13.85	13.76	13.66	0
				32	17	13.77	13.83	13.80	0
				32	33	13.68	13.86	13.91	0
				64	0	13.79	13.84	13.78	0
			QPSK	1	1	13.91	13.71	13.59	0
				1	32	13.76	13.90	13.79	0
				1	63	13.67	13.90	13.95	0
				32	0	13.87	13.77	13.67	0
				32	17	13.78	13.84	13.79	0
				32	33	13.67	13.90	13.89	0
				64	0	13.79	13.84	13.78	0
			16QAM	1	1	13.93	13.73	13.50	0
			64QAM	1	1	13.89	13.72	13.55	0
			256QAM	1	1	13.95	13.68	13.52	0
		CP	QPSK	1	1	13.91	13.77	13.59	0

NR TDD Band n78 DoD _30 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631000	633334	635666	
						3465 MHz	3500.01 MHz	3534.99 MHz	
30 Mhz	30	DFT-s	pi/2 BPSK	1	1	13.48	13.81	13.67	0
				1	39	13.29	13.95	13.95	0
				1	76	13.27	13.95	13.87	0
				36	0	13.38	13.80	13.78	0
				36	21	13.26	13.85	13.89	0
				36	42	13.51	13.95	13.93	0
				75	0	13.59	13.85	13.89	0
			QPSK	1	1	13.81	13.78	13.68	0
				1	39	13.55	13.84	13.92	0
				1	76	13.52	13.99	13.99	0
				36	0	13.70	13.77	13.77	0
				36	21	13.57	13.83	13.92	0
				36	42	13.50	13.95	13.94	0
				75	0	13.58	13.89	13.87	0
			16QAM	1	1	13.75	13.87	13.60	0
			64QAM	1	1	13.71	13.60	13.29	0
			256QAM	1	1	13.87	13.74	13.68	0
		CP	QPSK	1	1	13.79	13.77	13.71	0

NR TDD Band n78 DoD _40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631334		635332	
						3470.01 MHz		3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	13.89		13.42	0
				1	53	13.65		13.76	0
				1	104	13.58		13.99	0
				50	0	13.80		13.54	0
				50	28	13.59		13.70	0
				50	56	13.60		13.86	0
				100	0	13.62		13.67	0
			QPSK	1	1	13.97		13.44	0
				1	53	13.59		13.70	0
				1	104	13.70		13.66	0
				50	0	13.79		13.53	0
				50	28	13.61		13.71	0
				50	56	13.61		13.89	0
				100	0	13.65		13.67	0
			16QAM	1	1	13.98		13.44	0
			64QAM	1	1	13.98		13.57	0
			256QAM	1	1	13.92		13.28	0
		CP	QPSK	1	1	13.91		13.38	0

NR TDD Band n78 DoD _50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631668		635000	
						3475.02 MHz		3525 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	13.78		13.19	0
				1	67	13.45		13.46	0
				1	131	13.65		13.99	0
				64	0	13.59		13.30	0
				64	35	13.85		13.51	0
				64	69	13.52		13.74	0
				128	0	13.54		13.49	0
			QPSK	1	1	13.82		13.25	0
				1	67	13.02		13.52	0
				1	131	13.62		13.98	0
				64	0	13.63		13.31	0
				64	35	13.48		13.04	0
				64	69	13.52		13.75	0
				128	0	13.53		13.49	0
			16QAM	1	1	13.86		13.27	0
			64QAM	1	1	13.21		13.51	0
			256QAM	1	1	13.73		13.13	0
		CP	QPSK	1	1	13.91		13.24	0

NR TDD Band n78 DoD _60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		13.81		0
				1	81		13.90		0
				1	160		13.97		0
				81	0		13.82		0
				81	41		13.88		0
				81	81		13.95		0
				162	0		13.87		0
			QPSK	1	1		13.87		0
				1	81		13.94		0
				1	160		13.93		0
				81	0		13.82		0
				81	41		13.87		0
				81	81		13.98		0
				162	0		13.89		0
			16QAM	1	1		13.95		0
			64QAM	1	1		13.84		0
			256QAM	1	1		13.84		0
		CP	QPSK	1	1		13.81		0

NR TDD Band n78 DoD _70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
70 MHz	30	DFT-s	pi/2 BPSK	1	1		13.92		0
				1	95		13.86		0
				1	187		13.97		0
				90	0		13.83		0
				90	50		13.87		0
				90	99		13.91		0
				180	0		13.84		0
			QPSK	1	1		13.89		0
				1	95		13.83		0
				1	187		13.91		0
				90	0		13.80		0
				90	50		13.87		0
				90	99		13.99		0
				180	0		13.85		0
			16QAM	1	1		13.93		0
			64QAM	1	1		13.91		0
			256QAM	1	1		13.77		0
		CP	QPSK	1	1		13.87		0

NR TDD Band n78 DoD _80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1		13.62		0
				1	109		13.87		0
				1	215		13.91		0
				108	0		13.85		0
				108	55		13.90		0
				108	109		13.94		0
				216	0		13.88		0
			QPSK	1	1		13.59		0
				1	109		13.83		0
				1	215		13.92		0
				108	0		13.83		0
				108	55		13.87		0
				108	109		13.82		0
				216	0		13.88		0
			16QAM	1	1		13.63		0
			64QAM	1	1		13.65		0
			256QAM	1	1		13.61		0
		CP	QPSK	1	1		13.60		0

NR TDD Band n78 DoD _90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		13.82		0
				1	123		13.84		0
				1	243		13.97		0
				120	0		13.85		0
				120	63		13.87		0
				120	125		13.90		0
				243	0		13.91		0
			QPSK	1	1		13.53		0
				1	123		13.86		0
				1	243		13.94		0
				120	0		13.84		0
				120	63		13.86		0
				120	125		13.99		0
				243	0		13.89		0
			16QAM	1	1		13.62		0
			64QAM	1	1		13.59		0
			256QAM	1	1		13.53		0
		CP	QPSK	1	1		13.57		0

NR TDD Band n78 DoD _100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1		13.76		0
				1	137		13.74		0
				1	271		13.97		0
				135	0		13.91		0
				135	69		13.83		0
				135	138		13.66		0
				270	0		13.92		0
			QPSK	1	1		13.74		0
				1	137		13.84		0
				1	271		13.99		0
				135	0		13.91		0
				135	69		13.84		0
				135	138		13.68		0
				270	0		13.92		0
			16QAM	1	1		13.79		0
			64QAM	1	1		13.67		0
			256QAM	1	1		13.75		0
		CP	QPSK	1	1		13.79		0

L.3 NR Band SRS Conducted Power

[NR TDD Band n41 SRS Conducted Power]

Measured Folder Open Free (RSI 0), Folder Close Free (RSI 3)

NR TDD Band n41_ 100 MHz Bandwidth Conducted Power_ Antenna: MAIN2(Ant B), SRS2

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			518598	2592.99 MHz	
100 MHz	30	CW	15.31		0

NR TDD Band n41_ 100 MHz Bandwidth Conducted Power_ Antenna: Sub2(Ant F), SRS3

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			518598	2592.99 MHz	
100 MHz	30	CW	16.43		0

NR TDD Band n41_ 100 MHz Bandwidth Conducted Power_ Antenna: MAIN3(Ant C), SRS4

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			518598	2592.99 MHz	
100 MHz	30	CW	15.44		0

Measured Folder Open Free (RSI 0), Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)

NR TDD Band n41_ 100 MHz Bandwidth Conducted Power_ Antenna: MAIN2(Ant B), SRS2

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			518598	2592.99 MHz	
100 MHz	30	CW	14.58		0

NR TDD Band n41_ 100 MHz Bandwidth Conducted Power_ Antenna: Sub2(Ant F), SRS3

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			518598	2592.99 MHz	
100 MHz	30	CW	15.68		0

NR TDD Band n41_ 100 MHz Bandwidth Conducted Power_ Antenna: MAIN3(Ant C), SRS4

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			518598	2592.99 MHz	
100 MHz	30	CW	14.75		0

Measured Folder Open RCV(RSI 1)

NR TDD Band n41_ 100 MHz Bandwidth Conducted Power_ Antenna: MAIN2(Ant B), SRS2

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			518598	2592.99 MHz	
100 MHz	30	CW	12.80		0

NR TDD Band n41_ 100 MHz Bandwidth Conducted Power_ Antenna: Sub2(Ant F), SRS3

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			518598	2592.99 MHz	
100 MHz	30	CW	13.26		0

NR TDD Band n41_ 100 MHz Bandwidth Conducted Power_ Antenna: MAIN3(Ant C), SRS4

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			518598	2592.99 MHz	
100 MHz	30	CW	12.30		0

[NR TDD Band n48 SRS Conducted Power]

Measured Folder Open Free (RSI 0), Folder Open Hotspot(RSI 2), Folder Close

Free (RSI 3), Folder Close Hotspot(RSI 4)

NR TDD Band n48_ 40 MHz Bandwidth Conducted Power_ Antenna: Sub5(Ant I), SRS2

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]				MPR [dB]
			638000	641666		645332	
			3570 MHz	3624.99 MHz		3679.98 MHz	
40 MHz	30	CW	15.93	15.50		15.75	0

NR TDD Band n48_ 40 MHz Bandwidth Conducted Power_ Antenna: Sub1(Ant E), SRS3

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]				MPR [dB]
			638000	641666		645332	
			3570 MHz	3624.99 MHz		3679.98 MHz	
40 MHz	30	CW	15.5	15.03		15.30	0

NR TDD Band n48_ 40 MHz Bandwidth Conducted Power_ Antenna: Main3(Ant C), SRS4

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]				MPR [dB]
			638000	641666		645332	
			3570 MHz	3624.99 MHz		3679.98 MHz	
40 MHz	30	CW	15.58	14.78		14.96	0

Measured Folder Open RCV(RSI 1)

NR TDD Band n48_ 40 MHz Bandwidth Conducted Power_ Antenna: Sub5(Ant I), SRS2

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]				MPR [dB]
			638000	641666		645332	
			3570 MHz	3624.99 MHz		3679.98 MHz	
40 MHz	30	CW	13.95	13.47		13.79	0

NR TDD Band n48_ 40 MHz Bandwidth Conducted Power_ Antenna: Sub1(Ant E), SRS3

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]				MPR [dB]
			638000	641666		645332	
			3570 MHz	3624.99 MHz		3679.98 MHz	
40 MHz	30	CW	13.55	13.05		13.31	0

NR TDD Band n48_ 40 MHz Bandwidth Conducted Power_ Antenna: Main3(Ant C), SRS4

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]				MPR [dB]
			638000	641666		645332	
			3570 MHz	3624.99 MHz		3679.98 MHz	
40 MHz	30	CW	13.61	12.70		12.98	0

[NR TDD Band n77 SRS Conducted Power]

Measured Folder Open Free (RSI 0), RCV(RSI1),Folder Open Hotspot(RSI 2),
Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)

NR TDD Band n77_ 100 MHz Bandwidth Conducted Power_ Antenna: SUB5(Ant I), SRS2

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]				MPR [dB]
			650000			662000	
			3750 MHz			3930 MHz	
100 MHz	30	CW	13.90			13.61	0

NR TDD Band n77_ 100 MHz Bandwidth Conducted Power_ Antenna: Sub1(Ant E), SRS3

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]				MPR [dB]
			650000			662000	
			3750 MHz			3930 MHz	
100 MHz	30	CW	13.81			13.25	0

NR TDD Band n77_ 100 MHz Bandwidth Conducted Power_ Antenna: MAIN3(Ant C), SRS4

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]				MPR [dB]
			650000			662000	
			3750 MHz			3930 MHz	
100 MHz	30	CW	13.42			13.24	0

[NR TDD Band n77 DoD SRS Conducted Power]

Measured Folder Open Free (RSI 0), RCV(RSI1),Folder Open Hotspot(RSI 2),
Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)

NR TDD Band n77 DoD_ 100 MHz Bandwidth Conducted Power_ Antenna: SUB5(Ant I), SRS2

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
				633334	
				3500.01 MHz	
100 MHz	30	CW		13.89	0

NR TDD Band n77 DoD _ 100 MHz Bandwidth Conducted Power_ Antenna: Sub1(Ant E), SRS3

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
				633334	
				3500.01 MHz	
100 MHz	30	CW		13.79	0

NR TDD Band n77 DoD _ 100 MHz Bandwidth Conducted Power_ Antenna: MAIN3(Ant C), SRS4

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
				633334	
				3500.01 MHz	
100 MHz	30	CW		13.12	0

[NR TDD Band n78 SRS Conducted Power]

Measured Folder Open Free (RSI 0),RSCV(RSI 1), Folder Open Hotspot(RSI 2),
Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)

NR TDD Band n78_ 100 MHz Bandwidth Conducted Power_ Antenna: SUB5(Ant I), SRS2

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			650000	3750 MHz	
100 MHz	30	CW	12.64		0

NR TDD Band n78_ 100 MHz Bandwidth Conducted Power_ Antenna: Sub1(Ant E), SRS3

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			650000	3750 MHz	
100 MHz	30	CW	13.88		0

NR TDD Band n78_ 100 MHz Bandwidth Conducted Power_ Antenna: MAIN3(Ant C), SRS4

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			650000	3750 MHz	
100 MHz	30	CW	11.01		0

[NR TDD Band n78 DoD SRS Conducted Power]

Measured Folder Open Free (RSI 0),RSCV(RSI 1), Folder Open Hotspot(RSI 2),
Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)

NR TDD Band n78_ 100 MHz Bandwidth Conducted Power_ Antenna: SUB5(Ant I), SRS2

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			633334	3500.01 MHz	
100 MHz	30	CW	12.33		0

NR TDD Band n78_ 100 MHz Bandwidth Conducted Power_ Antenna: Sub1(Ant E), SRS3

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			633334	3500.01 MHz	
100 MHz	30	CW	13.82		0

NR TDD Band n78_ 100 MHz Bandwidth Conducted Power_ Antenna: MAIN3(Ant C), SRS4

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
			633334	3500.01 MHz	
100 MHz	30	CW	11.11		0