




Peak Result (802.11a, Ch.177, Z-H)




Peak Result (802.11n_HT20, Ch.177, Z-H)




Peak Result (802.11ac_VHT20, Ch.177, Z-H)




Peak Result (802.11n_HT40, Ch.175, Z-H)




Peak Result (802.11ac_VHT40, Ch.175, Z-H)



Peak Result (802.11ac_VHT80, Ch.171, Z-H)




Peak Result (802.11ac_VHT160, Ch.163, Z-H)


Note :


1. Only the worst case plots for U-NII-4 O.O.B.E
2. U-NII-4 Low & High O.O.B.E RedLine is Final Test Limit(Peak) about factor value compensation.

Average Result


Average Result (802.11a, Ch.177, Z-H)




Average Result (802.11n_HT20, Ch.177, Z-H)




Average Result (802.11ac_VHT20, Ch.177, Z-H)




Average Result (802.11n_HT40, Ch.175, Z-H)




Average Result (802.11ac_VHT40, Ch.175, Z-H)



Average Result (802.11ac_VHT80, Ch.171, Z-H)



Average Result (802.11ac_VHT160, Ch.163, Z-H)


Note :

1. Only the worst case plots for U-NII-4 O.O.B.E
2. U-NII-4 Low & High O.O.B.E RedLine is Final Test Limit(Average) about factor value compensation.

10.10 POWERLINE CONDUCTED EMISSIONS

Conducted Emissions

Test


1 / 1

Test Report

Common Information

EUT : SM-F761U
Operating Conditions : 5G WLAN Mode
Comment :

Full Spectrum



Final_Result_QPK

Frequency (MHz)	QuasiPeak (dBµV)	Limit (dBµV)	Margin (dB)	Bandwidth (kHz)	Line	Corr. (dB)
0.1545	49.89	65.75	15.87	9.000	N	9.6
0.1635	49.61	65.28	15.68	9.000	N	9.6
0.1725	47.51	64.84	17.33	9.000	L1	9.6
0.9118	29.08	56.00	26.92	9.000	L1	9.7
0.9163	22.09	56.00	33.91	9.000	L1	9.7
0.9500	18.36	56.00	37.64	9.000	L1	9.7
11.8760	35.39	60.00	24.61	9.000	N	10.2
11.9435	35.37	60.00	24.63	9.000	N	10.2
12.2270	33.49	60.00	26.51	9.000	N	10.2

Final_Result_CAV

Frequency (MHz)	CAverage (dBµV)	Limit (dBµV)	Margin (dB)	Bandwidth (kHz)	Line	Corr. (dB)
0.1545	30.52	55.75	25.23	9.000	N	9.6
0.1635	30.87	55.28	24.41	9.000	N	9.6
0.1905	28.06	54.02	25.96	9.000	N	9.6
0.9140	11.44	46.00	34.56	9.000	N	9.7
0.9523	5.63	46.00	40.37	9.000	L1	9.7
0.9883	8.52	46.00	37.48	9.000	L1	9.7
11.9435	22.07	50.00	27.93	9.000	N	10.2
12.2360	21.22	50.00	28.78	9.000	N	10.2
12.3215	20.59	50.00	29.41	9.000	N	10.2

2025-04-07

오전 9:40:33

11. LIST OF TEST EQUIPMENT

Conducted Test

Equipment	Model	Manufacturer	Serial No.	Due to Calibration	Calibration Interval
LISN	ENV216	Rohde & Schwarz	102245	07/17/2025	Annual
EMI Test Receiver	ESR	Rohde & Schwarz	101910	07/02/2025	Annual
Temperature Chamber	SU-642	ESPEC	0093008124	02/11/2026	Annual
Signal Analyzer	N9030A	Agilent	MY52350879	03/25/2026	Annual
Power Measurement Set	OSP 120	Rohde & Schwarz	101231	10/17/2025	Annual
Power Meter	N1911A	Agilent	MY45100523	02/21/2026	Annual
Power Sensor	N1921A	Agilent	MY57820067	02/04/2026	Annual
Directional Coupler	87300B	Agilent	3116A03621	10/21/2025	Annual
Power Splitter	11667B	Hewlett Packard	05001	04/10/2026	Annual
DC Power Supply	E3632A	H.P	KR75303243	04/16/2026	Annual
Attenuator(10 dB)	8493C	Hewlett Packard	07560	06/05/2025	Annual
Software	EMC32	Rohde & Schwarz	N/A	N/A	N/A
FCC WLAN&BT&BLE Conducted Test Software v3.0	N/A	HCT CO., LTD.	N/A	N/A	N/A
Radio Communication Tester	CMX500	Rohde & Schwarz	100325	10/14/2025	Annual
Attenuator(3 dB)	18B-03	Api tech.	1	05/02/2025	Annual
Step Attenuator	8495B	Agilent	MY42141593	03/11/2026	Annual
4 WAY POWER DIVIDER	4456-4	Narda	01640	05/02/2025	Annual
Wireless AP	GT-AXE11000	ASUS	M6IAJF201782 (FCC ID : MSQ-RTAXJF00)	N/A	N/A
BE19000 Tri-Band Wi-Fi 7 Router	Archer BE800	Tp-Link	Y2350N50000581 (FCC ID : 2AX-J4BE800)	N/A	N/A

Note:

1. Equipment listed above that calibrated during the testing period was set for test after the calibration.
2. Equipment listed above that has a calibration due date during the testing period, the testing is completed before equipment expiration date.

Radiated Test

Equipment	Model	Manufacturer	Serial No.	Due to Calibration	Calibration Interval
Controller(Antenna mast)	CO3000	Innco system	CO3000-4p	N/A	N/A
Antenna Position Tower	MA4640/800-XP-EP	Innco system	N/A	N/A	N/A
Controller	EM1000	Audix	060520	N/A	N/A
Turn Table	N/A	Audix	N/A	N/A	N/A
Loop Antenna	FMZB 1513	Schwarzbeck	1513-175	01/06/2027	Biennial
Hybrid Antenna	VULB 9168	Schwarzbeck	9168-1135	08/19/2026	Biennial
Horn Antenna	BBHA 9120D	Schwarzbeck	02299	01/29/2026	Biennial
Horn Antenna (15GHz ~ 40 GHz)	BBHA9170	Schwarzbeck	BBHA9170342	09/20/2026	Biennial
Spectrum Analyzer	FSV40	Rohde & Schwarz	100901	02/21/2026	Annual
Signal Analyzer	N9030A	Agilent	MY52350879	03/25/2026	Annual
Attenuator(3 dB)	18B-03	Api tech.	1	05/02/2025	Annual
Band Reject Filter	WRCJV12-4900-5100-5900-6100-50SS	Wainwright Instruments	5	06/04/2025	Annual
Band Reject Filter	WRCJV12-4900-5100-5900-6100-50SS	Wainwright Instruments	6	06/04/2025	Annual
Band Reject Filter	WRCJV2400/2483.5-2370/2520-60/12SS	Wainwright Instruments	2	12/26/2025	Annual
Band Reject Filter	WRCJV5100/5850-40/50-8EEK	Wainwright Instruments	1	01/09/2026	Annual
RF Switching System	FMSR-04B (3G HPF+LNA)	T&M SYSTEM	S2L1	12/23/2025	Annual
RF Switching System	FMSR-04B (10dB ATT+LNA)	T&M SYSTEM	S2L2	12/23/2025	Annual
RF Switching System	FMSR-04B (3dB ATT+LNA)	T&M SYSTEM	S2L3	12/23/2025	Annual
RF Switching System	FMSR-04B (LNA)	T&M SYSTEM	S2L4	12/23/2025	Annual
RF Switching System	FMSR-04B (7G HPF+LNA)	T&M SYSTEM	S2L5	12/23/2025	Annual
Power Amplifier	CBL18265035	CERNEX	22966	11/07/2025	Annual
Power Amplifier	CBL26405040	CERNEX	25956	02/19/2026	Annual

Note:

1. Equipment listed above that calibrated during the testing period was set for test after the calibration.
2. Equipment listed above that has a calibration due date during the testing period, the testing is completed before equipment expiration date.
3. Especially, all antenna for measurement is calibrated in accordance with the requirements of C63.5(Version : 2017).

12. ANNEX A_ TEST SETUP PHOTO

Please refer to test setup photo file no. as follows;

No.	Description
1	HCT-RF-2504-FC047-P