

**HCT Co., Ltd.**

74, Seoicheon-ro 578beon-gil, Majang-myeon, Icheon-si, Gyeonggi-do, 17383 KOREA
Tel. +82 31 634 6300 Fax. +82 31 645 6401

Appendix A: Test Setup Photo

FCC ID: A3LSMF761U


File No.
HCT-SR-2504-FC012-P

REVISION HISTORY

The revision history for this document is shown in table.

Revision No.	Date of Issue	Description
0	Apr. 29, 2025	Initial Release

* Placement of Each Antenna




Tx Antenna Information

Item	Support Asset Line
	TX/RX COM ESE, MC200A B1/S LTR 82/17/12/17/15/20/18/16/71 NR 82/17/17/15/20/18/70/71
NA0101 (Item A)	PSR - LTR 82/8 PSR Only NR 82/8 PSR Only
	TX/RX - LTR 95/16/18/4 NR 95/16
NA0102 (Item B)	DNA NR 82/4/1 TX (SOS only) NR 82/17/18/21
	TX/RX Only Path Interlocking (PI) NR 82/4 (Only PI)
	PSR M8002 - LTR 82/4/17/15/18/10/14/18 NR 82/17/15/18/14/18
NA0103 (Item C)	DNA M8002 - LTR 840 NR 82/8/14/18/17/19 TX (SOS only) NR 82/17/18/21, 840/17/19/18/21
	DNA COM ESE, MC200A B1 - LTR 82/17/15/14/18/20/25/71 NR 82/17/15/14/18/20/71
NA0104 (Item D)	PSR M8002 - LTR 840 NR 82/8/17/19 TX (SOS only) NR 840/17/19/18/21
	SPI LA
	TX/RX - LTR 840 NR 840/17/19
	PSR M8002 NR 82/4/1 DNA M8002 - LTR 82/18/18/14 NR 87/38 TX (SOS only) NR 82/18/21
NA0105 (Item E)	Bluetooth Ant. M0-A Ant. 2.4G/5.8G
	DNA M8002 - LTR 82/16/23/18 NR 82/16/23/18/70 APC
NA0106 (Item F)	Bluetooth Ant. M0-A Ant. 2.4G/5.8G SPI L3
	TX/RX - NR 82/4/1 DNA COM ESE, MC200A B1/S LTR 82/17/15/18/16/18/19 NR 82/17/15/18/16/18/19
NA0107 (Item G)	TX (SOS only) NR 82/17/18/21
	TX/RX Only Path Interlocking (PI) MC200A B2/S (Only PI) - LTR 82/17/15/18/16/18/19 (Only PI) NR 82/17/15/18/16/18/19/20/25/20/25/21 (Only PI)


- SAR Test Setup Photo.

1. Head


1.1 Head Left All (SAM Phantom)




1.2 Head Left Touch / Tilt



1.3 Head Right All (SAM Phantom)




1.4 Head Right Touch / Tilt



2. Body


2.1 Body All (SAM Phantom)



2.2 Body Rear



Distance of 5 mm from the EUT




Distance of 5 mm from the EUT

2.3 Body Front



Distance of 5 mm from the EUT



Distance of 5 mm from the EUT

2.4 Body Left



Distance of 5 mm from the EUT



Distance of 5 mm from the EUT

2.5 Body Right



Distance of 5 mm from the EUT



Distance of 5 mm from the EUT

2.6 Body Top



Distance of 5 mm from the EUT



Distance of 5 mm from the EUT

2.7 Body Bottom



Distance of 5 mm from the EUT



Distance of 5 mm from the EUT

3. NFC(Phablet SAR)

3.1 NFC All (ELI Phantom)



3.2 NFC Rear



Distance of 0 mm from the EUT

3.3 NFC Front




Distance of 0 mm from the EUT

3.4 NFC Left



Distance of 0 mm from the EUT

3.5 NFC Right




Distance of 0 mm from the EUT

3.6 NFC Top




Distance of 0 mm from the EUT

3.7 NFC Bottom





Distance of 0 mm from the EUT

Spacer 5mm

4. WLAN 6E Power Density

4.1 Power Density All





4.2 Power Density Front




Distance of 2 mm from the EUT




Distance of 2 mm from the EUT

4.3 Power Density Rear



Distance of 2 mm from the EUT




Distance of 2 mm from the EUT

4.4 Power Density Left



Distance of 2 mm from the EUT




Distance of 2 mm from the EUT

4.5 Power Density Right




Distance of 2 mm from the EUT



Distance of 2 mm from the EUT

4.6 Power Density Top



Distance of 2 mm from the EUT

4.7 Power Density Bottom



Distance of 2 mm from the EUT