

Appendix L_NR Bands *P_{limit}* Conducted Power

L.1 NR Band Maximum Conducted Power (Lower Antenna)

NR FDD Band n2 Conducted Power_ Measured Pmax, Folder Open RCV(RSI 1)_ MAIN2 [Ant B]

NR FDD Band n2 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376000	381500	
						1852.5 MHz	1880 MHz	1907.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.96	24.95	24.71	0
				1	13	24.91	24.90	24.67	0
				1	23	24.98	24.90	24.74	0
				12	0	24.49	24.46	24.24	0.5
				12	7	25.03	24.93	24.76	0
				12	13	24.48	24.45	24.26	0.5
				25	0	24.47	24.46	24.25	0.5
			QPSK	1	1	25.08	25.04	24.83	0
				1	13	24.96	24.97	24.81	0
				1	23	25.06	24.95	24.83	0
				12	0	24.03	23.99	23.76	1
				12	7	25.02	25.03	24.82	0
				12	13	23.97	23.91	23.74	1
				25	0	23.99	23.96	23.74	1
			16QAM	1	1	24.00	24.02	23.84	1
			64QAM	1	1	22.44	22.42	22.22	2.5
			256QAM	1	1	20.56	20.39	20.21	4.5
		CP	QPSK	1	1	23.53	23.54	23.26	1.5

NR FDD Band n2 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376000	381000	
						1855 MHz	1880 MHz	1905 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.06	24.99	24.75	0
				1	26	25.08	25.01	24.93	0
				1	50	25.07	24.86	24.80	0
				25	0	24.56	24.47	24.28	0.5
				25	14	25.04	24.95	24.79	0
				25	27	24.58	24.40	24.25	0.5
				50	0	24.51	24.47	24.32	0.5
			QPSK	1	1	25.21	25.04	24.89	0
				1	26	25.14	25.09	24.90	0
				1	50	25.16	24.95	24.84	0
				25	0	24.12	23.99	23.80	1
				25	14	25.11	25.01	24.82	0
				25	27	24.10	23.93	23.84	1
				50	0	24.09	23.95	23.77	1
			16QAM	1	1	24.19	24.10	23.81	1
			64QAM	1	1	22.66	22.52	22.32	2.5
			256QAM	1	1	20.46	20.46	20.05	4.5
		CP	QPSK	1	1	23.65	23.51	23.30	1.5

NR FDD Band n2 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376000	380500	
						1857.5 MHz	1880 MHz	1902.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.04	25.07	24.75	0
				1	40	24.97	24.93	24.59	0
				1	77	25.07	24.88	24.65	0
				36	0	24.59	24.52	24.15	0.5
				36	22	25.12	24.97	24.71	0
				36	43	24.56	24.35	24.22	0.5
				75	0	24.56	24.50	24.17	0.5
			QPSK	1	1	25.20	25.12	24.81	0
				1	40	25.09	25.02	24.70	0
				1	77	25.18	24.93	24.81	0
				36	0	24.09	24.03	23.73	1
				36	22	25.11	25.04	24.73	0
				36	43	24.11	23.90	23.69	1
				75	0	24.10	23.95	23.66	1
			16QAM	1	1	24.24	24.25	23.85	1
			64QAM	1	1	22.59	22.50	22.28	2.5
			256QAM	1	1	20.48	20.53	20.20	4.5
		CP	QPSK	1	1	23.69	23.65	23.31	1.5

NR FDD Band n2 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376000	380000	
						1860 MHz	1880 MHz	1900 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.05	25.00	24.78	0
				1	53	25.07	25.01	24.74	0
				1	104	25.10	24.85	24.76	0
				50	0	24.51	24.55	24.30	0.5
				50	28	25.05	24.98	24.74	0
				50	56	24.56	24.37	24.24	0.5
				100	0	24.51	24.47	24.20	0.5
			QPSK	1	1	25.16	25.14	24.88	0
				1	53	25.12	25.09	24.81	0
				1	104	25.18	24.92	24.82	0
				50	0	23.98	24.08	23.80	1
				50	28	25.06	25.03	24.78	0
				50	56	24.10	23.89	23.74	1
				100	0	24.03	24.05	23.74	1
			16QAM	1	1	24.21	24.22	23.86	1
			64QAM	1	1	22.44	22.51	22.30	2.5
			256QAM	1	1	20.46	20.45	20.17	4.5
		CP	QPSK	1	1	23.61	23.54	23.30	1.5

NR FDD Band n2 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		379500	
						1862.5 MHz		1897.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.97		24.96	0
				1	66	25.10		24.85	0
				1	131	25.04		24.76	0
				64	0	24.45		24.35	0.5
				64	35	25.05		24.80	0
				64	69	24.53		24.19	0.5
				128	0	24.48		24.31	0.5
			QPSK	1	1	25.11		24.99	0
				1	66	25.16		24.94	0
				1	131	25.14		24.81	0
				64	0	24.03		23.90	1
				64	35	25.05		24.88	0
				64	69	24.07		23.78	1
				128	0	24.02		23.83	1
			16QAM	1	1	24.10		24.05	1
			64QAM	1	1	22.55		22.25	2.5
			256QAM	1	1	20.35		20.31	4.5
		CP	QPSK	1	1	23.59		23.46	1.5

NR FDD Band n2 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		379000	
						1865 MHz		1895 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.12		25.00	0
				1	80	25.21		24.95	0
				1	158	25.10		24.78	0
				80	0	24.64		24.42	0.5
				80	40	25.14		24.89	0
				80	80	24.66		24.27	0.5
				160	0	24.64		24.36	0.5
			QPSK	1	1	25.21		25.12	0
				1	80	25.25		24.93	0
				1	158	25.07		24.88	0
				80	0	24.13		24.01	1
				80	40	25.18		24.93	0
				80	80	24.17		23.81	1
				160	0	24.13		23.92	1
			16QAM	1	1	24.31		24.19	1
			64QAM	1	1	22.75		22.58	2.5
			256QAM	1	1	20.64		20.52	4.5
		CP	QPSK	1	1	23.65		23.64	1.5

NR FDD Band n2 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						376000			
						1880 MHz			
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.14			0
				1	98	25.01			0
				1	186	24.83			0
				90	0	24.61			0.5
				90	45	25.04			0
				90	90	24.35			0.5
				180	0	24.52			0.5
			QPSK	1	1	25.17			0
				1	98	25.05			0
				1	186	24.89			0
				90	0	24.12			1
				90	45	25.09			0
				90	90	23.92			1
				180	0	24.05			1
			16QAM	1	1	24.24			1
			64QAM	1	1	22.62			2.5
			256QAM	1	1	20.39			4.5
		CP	QPSK	1	1	23.69			1.5

NR FDD Band n2 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376000	
						1880 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.42	0
				1	108	25.31	0
				1	214	25.08	0
				108	0	24.81	0.5
				108	54	25.18	0
				108	108	24.50	0.5
				216	0	24.70	0.5
			QPSK	1	1	25.29	0
				1	108	25.21	0
				1	214	24.96	0
				108	0	24.25	1
				108	54	25.13	0
				108	108	23.92	1
				216	0	24.09	1
			16QAM	1	1	24.19	1
			64QAM	1	1	22.63	2.5
			256QAM	1	1	20.52	4.5
		CP	QPSK	1	1	23.65	1.5

NR FDD Band n2 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)
_ MAIN2 [Ant B]

NR FDD Band n2 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376000	381500	
						1852.5 MHz	1880 MHz	1907.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.22	19.18	18.96	0
				1	13	19.16	19.15	18.94	0
				1	23	19.14	19.14	18.96	0
				12	0	19.21	19.19	19.00	0
				12	7	19.21	19.21	19.00	0
				12	13	19.22	19.19	19.02	0
				25	0	19.19	19.19	19.04	0
			QPSK	1	1	19.27	19.25	19.02	0
				1	13	19.20	19.16	19.01	0
				1	23	19.25	19.21	19.05	0
				12	0	19.27	19.23	19.04	0
				12	7	19.21	19.25	19.02	0
				12	13	19.20	19.20	19.00	0
				25	0	19.22	19.21	19.01	0
			16QAM	1	1	19.29	19.29	19.05	0
			64QAM	1	1	19.33	19.16	19.03	0
			256QAM	1	1	19.23	19.19	19.07	0
		CP	QPSK	1	1	19.32	19.17	19.02	0

NR FDD Band n2 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376000	381000	
						1855 MHz	1880 MHz	1905 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.36	19.24	19.05	0
				1	26	19.30	19.25	19.13	0
				1	50	19.30	19.14	19.00	0
				25	0	19.31	19.21	19.00	0
				25	14	19.30	19.20	19.05	0
				25	27	19.33	19.13	19.04	0
			QPSK	50	0	19.31	19.22	19.06	0
				1	1	19.40	19.33	19.11	0
				1	26	19.36	19.21	19.08	0
				1	50	19.34	19.15	19.04	0
				25	0	19.35	19.22	19.06	0
				25	14	19.31	19.20	19.02	0
				25	27	19.30	19.15	19.05	0
				50	0	19.33	19.23	19.10	0
			16QAM	1	1	19.39	19.38	19.06	0
			64QAM	1	1	19.31	19.41	19.19	0
			256QAM	1	1	19.37	19.32	19.14	0
		CP	QPSK	1	1	19.41	19.30	19.07	0

NR FDD Band n2 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376000	380500	
						1857.5 MHz	1880 MHz	1902.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.28	19.29	19.01	0
				1	40	19.25	19.13	18.85	0
				1	77	19.30	19.06	18.90	0
				36	0	19.30	19.28	19.01	0
				36	22	19.31	19.22	18.94	0
				36	43	19.33	19.17	18.96	0
			QPSK	75	0	19.35	19.21	18.96	0
				1	1	19.38	19.34	19.10	0
				1	40	19.25	19.21	18.89	0
				1	77	19.40	19.09	18.96	0
				36	0	19.30	19.24	18.99	0
				36	22	19.34	19.21	18.91	0
				36	43	19.34	19.16	18.95	0
				75	0	19.28	19.25	18.96	0
			16QAM	1	1	19.31	19.44	19.14	0
			64QAM	1	1	19.39	19.26	18.98	0
			256QAM	1	1	19.30	19.29	19.07	0
		CP	QPSK	1	1	19.35	19.26	19.00	0

NR FDD Band n2 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376000	380000	
						1860 MHz	1880 MHz	1900 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.26	19.33	19.04	0
				1	53	19.32	19.28	18.98	0
				1	104	19.31	19.02	18.63	0
				50	0	19.22	19.34	19.00	0
				50	28	19.26	19.21	19.01	0
				50	56	19.32	19.15	18.98	0
				100	0	19.25	19.21	18.95	0
			QPSK	1	1	19.34	19.35	19.09	0
				1	53	19.34	19.23	19.02	0
				1	104	19.39	19.07	18.99	0
				50	0	19.29	19.33	19.05	0
				50	28	19.28	19.24	18.97	0
				50	56	19.38	19.15	18.95	0
				100	0	19.30	19.25	19.00	0
			16QAM	1	1	19.35	19.40	19.11	0
			64QAM	1	1	19.47	19.53	19.22	0
			256QAM	1	1	19.37	19.34	19.00	0
		CP	QPSK	1	1	19.31	19.34	19.10	0

NR FDD Band n2 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		379500	
						1862.5 MHz		1897.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.25		19.17	0
				1	66	19.34		19.16	0
				1	131	19.32		18.97	0
				64	0	19.25		19.15	0
				64	35	19.26		19.02	0
				64	69	19.34		19.02	0
				128	0	19.28		19.05	0
			QPSK	1	1	19.30		19.20	0
				1	66	19.35		19.12	0
				1	131	19.36		19.01	0
				64	0	19.26		19.16	0
				64	35	19.34		19.08	0
				64	69	19.34		19.01	0
				128	0	19.27		19.12	0
			16QAM	1	1	19.31		19.20	0
			64QAM	1	1	19.22		19.21	0
			256QAM	1	1	19.17		19.28	0
		CP	QPSK	1	1	19.46		19.18	0

NR FDD Band n2 _ 30 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		379000	
						1865 MHz		1895 MHz	
30 Mhz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.37		19.32	0
				1	80	19.51		19.22	0
				1	158	19.26		19.72	0
				80	0	19.37		19.15	0
				80	40	19.44		19.13	0
				80	80	19.45		19.06	0
				160	0	19.45		19.15	0
			QPSK	1	1	19.45		19.34	0
				1	80	19.52		19.21	0
				1	158	19.31		19.06	0
				80	0	19.42		19.22	0
				80	40	19.49		19.11	0
				80	80	19.42		19.11	0
				160	0	19.48		19.13	0
			16QAM	1	1	19.38		19.33	0
			64QAM	1	1	19.46		19.38	0
			256QAM	1	1	19.47		19.32	0
		CP	QPSK	1	1	19.48		19.37	0

NR FDD Band n2 _ 35 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376000	
						1880 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.36	0
				1	98	19.26	0
				1	186	19.08	0
				90	0	19.37	0
				90	45	19.33	0
				90	90	19.15	0
				180	0	19.30	0
			QPSK	1	1	19.41	0
				1	98	19.29	0
				1	186	19.12	0
				90	0	19.45	0
				90	45	19.33	0
				90	90	19.22	0
				180	0	19.30	0
			16QAM	1	1	19.52	0
			64QAM	1	1	19.42	0
			256QAM	1	1	19.38	0
		CP	QPSK	1	1	19.41	0

NR FDD Band n2 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376000	
						1880 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.32	0
				1	108	19.39	0
				1	214	19.07	0
				108	0	19.44	0
				108	54	19.28	0
				108	108	19.16	0
				216	0	19.34	0
			QPSK	1	1	19.41	0
				1	108	19.37	0
				1	214	19.10	0
				108	0	19.45	0
				108	54	19.31	0
				108	108	19.19	0
				216	0	19.35	0
			16QAM	1	1	19.41	0
			64QAM	1	1	19.56	0
			256QAM	1	1	19.39	0
		CP	QPSK	1	1	19.37	0

NR FDD Band n5 Conducted Power_ Measured Pmax, Folder Open RCV(RSI)

1)_ MAIN1 [Ant A]

NR FDD Band n5_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						165300	167300	169300	
						826.5 MHz	836.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.55	25.53	25.79	0
				1	13	25.51	25.60	25.72	0
				1	23	25.59	25.63	25.80	0
				12	0	24.99	25.11	25.26	0.5
				12	7	25.50	25.64	25.85	0
				12	13	25.05	25.09	25.32	0.5
				25	0	25.00	25.17	25.34	0.5
			QPSK	1	1	25.63	25.65	25.86	0
				1	13	25.60	25.57	25.81	0
				1	23	25.61	25.69	25.84	0
				12	0	24.60	24.65	24.87	1
				12	7	25.55	25.64	25.82	0
				12	13	24.59	24.66	24.81	1
				25	0	24.54	24.65	24.82	1
			16QAM	1	1	24.65	24.57	24.81	1
			64QAM	1	1	23.19	23.21	23.37	2.5
			256QAM	1	1	21.18	21.07	21.42	4.5
		CP	QPSK	1	1	24.14	24.17	24.35	1.5

NR FDD Band n5_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.61	0
				1	26	25.72	0
				1	50	25.73	0
				25	0	25.09	0.5
				25	14	25.60	0
				25	27	25.38	0.5
				50	0	25.41	0.5
			QPSK	1	1	25.69	0
				1	26	25.70	0
				1	50	25.76	0
				25	0	24.63	1
				25	14	25.63	0
				25	27	24.73	1
				50	0	24.60	1
			16QAM	1	1	24.64	1
			64QAM	1	1	23.23	2.5
			256QAM	1	1	21.03	4.5
		CP	QPSK	1	1	24.15	1.5

NR FDD Band n5_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.57	0
				1	40	25.62	0
				1	77	25.83	0
				36	0	25.10	0.5
				36	22	25.69	0
				36	43	25.27	0.5
				75	0	25.17	0.5
			QPSK	1	1	25.67	0
				1	40	25.63	0
				1	77	25.89	0
				36	0	24.66	1
				36	22	25.76	0
				36	43	24.81	1
				75	0	24.73	1
			16QAM	1	1	24.68	1
			64QAM	1	1	23.21	2.5
			256QAM	1	1	21.10	4.5
		CP	QPSK	1	1	24.18	1.5

NR FDD Band n5_ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.64	0
				1	53	25.85	0
				1	104	25.85	0
				50	0	25.15	0.5
				50	28	25.72	0
				50	56	25.37	0.5
				100	0	25.24	0.5
			QPSK	1	1	25.75	0
				1	53	25.86	0
				1	104	25.91	0
				50	0	24.66	1
				50	28	25.74	0
				50	56	24.87	1
				100	0	24.73	1
			16QAM	1	1	24.68	1
			64QAM	1	1	23.27	2.5
			256QAM	1	1	21.16	4.5
		CP	QPSK	1	1	24.21	1.5

**NR FDD Band n5 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)
_ MAIN1 [Ant A]**

NR FDD Band n5_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						165300	167300	169300	
						826.5 MHz	836.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.68	22.69	22.92	0
				1	13	22.60	22.69	22.83	0
				1	23	22.63	22.79	22.87	0
				12	0	22.68	22.71	22.94	0
				12	7	22.67	22.74	22.92	0
				12	13	22.66	22.79	22.92	0
				25	0	22.68	22.74	22.94	0
			QPSK	1	1	22.71	22.75	22.94	0
				1	13	22.65	22.71	22.90	0
				1	23	22.70	22.83	22.94	0
				12	0	22.69	22.75	22.95	0
				12	7	22.69	22.79	22.94	0
				12	13	22.69	22.80	22.95	0
				25	0	22.69	22.77	22.95	0
			16QAM	1	1	22.72	22.77	22.78	0
			64QAM	1	1	21.85	21.97	22.15	0.5
			256QAM	1	1	19.99	19.93	20.18	2.5
		CP	QPSK	1	1	22.71	22.79	23.00	0

NR FDD Band n5_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.80	0
				1	26	22.85	0
				1	50	22.89	0
				25	0	22.77	0
				25	14	22.77	0
				25	27	22.8	0
				50	0	22.78	0
			QPSK	1	1	22.83	0
				1	26	22.87	0
				1	50	22.91	0
				25	0	22.75	0
				25	14	22.80	0
				25	27	22.86	0
				50	0	22.78	0
			16QAM	1	1	22.89	0
			64QAM	1	1	22.05	0.5
			256QAM	1	1	19.92	2.5
		CP	QPSK	1	1	22.84	0

NR FDD Band n5_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.71	0
				1	40	22.73	0
				1	77	22.92	0
				36	0	22.75	0
				36	22	22.78	0
				36	43	22.88	0
				75	0	22.77	0
			QPSK	1	1	22.75	0
				1	40	22.79	0
				1	77	22.98	0
				36	0	22.75	0
				36	22	22.82	0
				36	43	22.92	0
				75	0	22.81	0
			16QAM	1	1	22.74	0
			64QAM	1	1	21.95	0.5
			256QAM	1	1	19.96	2.5
		CP	QPSK	1	1	22.80	0

NR FDD Band n5_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.81	0
				1	53	23.09	0
				1	104	23.05	0
				50	0	22.83	0
				50	28	22.88	0
				50	56	23.00	0
				100	0	22.90	0
			QPSK	1	1	22.83	0
				1	53	22.92	0
				1	104	23.17	0
				50	0	22.80	0
				50	28	22.87	0
				50	56	23.10	0
				100	0	22.86	0
			16QAM	1	1	22.87	0
			64QAM	1	1	22.18	0.5
			256QAM	1	1	19.83	2.5
		CP	QPSK	1	1	22.81	0

NR FDD Band n25 Conducted Power_ Measured Pmax, Folder Open RCV(RSI

1)_ MAIN2 [Ant B]

NR FDD Band n25 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376500	382500	
						1852.5 MHz	1882.5 MHz	1912.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.99	24.85	24.65	0
				1	13	24.86	24.82	24.67	0
				1	23	24.97	24.90	24.76	0
				12	0	24.49	24.40	24.16	0.5
				12	7	25.01	24.88	24.72	0
				12	13	24.48	24.36	24.20	0.5
				25	0	24.51	24.36	24.27	0.5
			QPSK	1	1	25.05	24.97	24.82	0
				1	13	25.01	24.89	24.70	0
				1	23	25.02	24.95	24.83	0
				12	0	24.05	23.90	23.68	1
				12	7	25.04	24.95	24.82	0
				12	13	23.99	23.91	23.76	1
				25	0	24.04	23.87	23.77	1
			16QAM	1	1	24.01	23.96	23.71	1
			64QAM	1	1	22.44	22.50	22.25	2.5
			256QAM	1	1	20.32	20.29	19.97	4.5
		CP	QPSK	1	1	23.56	23.47	23.28	1.5

NR FDD Band n25 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376500	382000	
						1855 MHz	1882.5 MHz	1910 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.05	24.98	24.70	0
				1	26	25.06	24.94	24.95	0
				1	50	25.02	24.83	24.74	0
				25	0	24.57	24.44	24.26	0.5
				25	14	25.03	24.91	24.72	0
				25	27	24.61	24.34	24.27	0.5
				50	0	24.56	24.42	24.26	0.5
			QPSK	1	1	25.19	25.04	24.77	0
				1	26	25.13	25.04	24.88	0
				1	50	25.15	24.91	24.85	0
				25	0	24.12	23.96	23.78	1
				25	14	25.14	24.92	24.87	0
				25	27	24.12	23.88	23.76	1
				50	0	24.09	23.92	23.82	1
			16QAM	1	1	24.17	23.99	23.79	1
			64QAM	1	1	22.68	22.40	22.21	2.5
			256QAM	1	1	20.52	20.44	20.12	4.5
		CP	QPSK	1	1	23.60	23.38	23.29	1.5

NR FDD Band n25 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376500	381500	
						1857.5 MHz	1882.5 MHz	1907.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.06	24.96	24.76	0
				1	40	24.97	24.80	24.67	0
				1	77	25.12	24.82	24.80	0
				36	0	24.53	24.45	24.25	0.5
				36	22	25.07	24.91	24.80	0
				36	43	24.59	24.31	24.24	0.5
				75	0	24.56	24.41	24.26	0.5
			QPSK	1	1	25.18	25.11	24.90	0
				1	40	25.10	24.91	24.82	0
				1	77	25.22	24.87	24.91	0
				36	0	24.05	24.00	23.78	1
				36	22	25.14	24.92	24.85	0
				36	43	24.08	23.86	23.81	1
				75	0	24.06	23.93	23.78	1
			16QAM	1	1	24.10	24.13	23.83	1
			64QAM	1	1	22.61	22.55	22.43	2.5
			256QAM	1	1	20.40	20.32	20.21	4.5
		CP	QPSK	1	1	23.60	23.49	23.28	1.5

NR FDD Band n25 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376500	381000	
						1860 MHz	1882.5 MHz	1905 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.05	25.03	24.83	0
				1	53	25.09	24.95	24.89	0
				1	104	25.08	24.84	24.79	0
				50	0	24.48	24.40	24.26	0.5
				50	28	25.02	24.95	24.82	0
				50	56	24.54	24.32	24.33	0.5
				100	0	24.49	24.39	24.27	0.5
			QPSK	1	1	25.14	25.10	24.99	0
				1	53	25.18	24.97	24.93	0
				1	104	25.20	24.90	24.90	0
				50	0	24.02	23.98	23.84	1
				50	28	25.07	24.96	24.89	0
				50	56	24.10	23.87	23.84	1
				100	0	24.07	23.94	23.83	1
			16QAM	1	1	24.18	24.03	24.00	1
			64QAM	1	1	22.64	22.59	22.46	2.5
			256QAM	1	1	20.48	20.39	20.32	4.5
		CP	QPSK	1	1	23.59	23.60	23.47	1.5

NR FDD Band n25 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		380500	
						1862.5 MHz		1902.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.98		24.78	0
				1	66	25.05		24.75	0
				1	131	25.01		24.72	0
				64	0	24.49		24.24	0.5
				64	35	24.98		24.75	0
				64	69	24.60		24.24	0.5
				128	0	24.51		24.23	0.5
			QPSK	1	1	25.11		24.88	0
				1	66	25.14		24.82	0
				1	131	25.12		24.77	0
				64	0	23.96		23.79	1
				64	35	25.05		24.78	0
				64	69	24.12		23.70	1
				128	0	24.00		23.72	1
			16QAM	1	1	24.12		23.86	1
			64QAM	1	1	22.47		22.38	2.5
			256QAM	1	1	20.43		20.22	4.5
		CP	QPSK	1	1	23.54		23.24	1.5

NR FDD Band n25 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		380000	
						1865 MHz		1900 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.07		24.90	0
				1	80	25.25		24.81	0
				1	158	25.02		24.74	0
				80	0	24.57		24.33	0.5
				80	40	25.15		24.78	0
				80	80	24.63		24.21	0.5
				160	0	24.61		24.21	0.5
			QPSK	1	1	25.18		24.92	0
				1	80	25.26		24.82	0
				1	158	25.11		24.83	0
				80	0	24.10		23.79	1
				80	40	25.20		24.85	0
				80	80	24.13		23.76	1
				160	0	24.09		23.76	1
			16QAM	1	1	24.11		23.95	1
			64QAM	1	1	22.76		22.58	2.5
			256QAM	1	1	20.43		20.32	4.5
		CP	QPSK	1	1	23.68		23.47	1.5

NR FDD Band n25 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376500	
						1882.5 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.01	0
				1	98	24.81	0
				1	186	24.70	0
				90	0	24.48	0.5
				90	45	24.89	0
				90	90	24.29	0.5
				180	0	24.43	0.5
			QPSK	1	1	25.08	0
				1	98	24.91	0
				1	186	24.77	0
				90	0	24.05	1
				90	45	24.95	0
				90	90	23.84	1
				180	0	23.89	1
			16QAM	1	1	24.22	1
			64QAM	1	1	22.58	2.5
			256QAM	1	1	20.44	4.5
		CP	QPSK	1	1	23.57	1.5

NR FDD Band n25 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376500	
						1882.5 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.96	0
				1	108	24.92	0
				1	214	24.66	0
				108	0	24.50	0.5
				108	54	24.89	0
				108	108	24.31	0.5
				216	0	24.47	0.5
			QPSK	1	1	25.11	0
				1	108	25.00	0
				1	214	24.77	0
				108	0	24.07	1
				108	54	25.11	0
				108	108	23.83	1
				216	0	23.92	1
			16QAM	1	1	24.21	1
			64QAM	1	1	22.57	2.5
			256QAM	1	1	20.53	4.5
		CP	QPSK	1	1	23.60	1.5

**NR FDD Band n25 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)
_ MAIN2 [Ant B]**

NR FDD Band n25 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376500	382500	
						1852.5 MHz	1882.5 MHz	1912.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.21	19.15	18.89	0
				1	13	19.16	19.11	18.90	0
				1	23	19.24	19.08	18.94	0
				12	0	19.25	19.15	18.88	0
				12	7	19.24	19.14	18.99	0
				12	13	19.21	19.14	18.94	0
				25	0	19.24	19.13	18.93	0
			QPSK	1	1	19.30	19.18	18.92	0
				1	13	19.23	19.10	18.94	0
				1	23	19.23	19.12	19.01	0
				12	0	19.25	19.15	18.96	0
				12	7	19.26	19.13	18.94	0
				12	13	19.22	19.15	18.95	0
				25	0	19.26	19.15	18.97	0
			16QAM	1	1	19.19	19.27	18.98	0
			64QAM	1	1	19.31	19.27	18.84	0
			256QAM	1	1	19.26	19.13	18.96	0
		CP	QPSK	1	1	19.29	19.18	18.97	0

NR FDD Band n25 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376500	382000	
						1855 MHz	1882.5 MHz	1910 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.38	19.15	18.97	0
				1	26	19.31	19.18	19.12	0
				1	50	19.30	19.08	18.97	0
				25	0	19.36	19.18	18.98	0
				25	14	19.33	19.13	18.99	0
				25	27	19.33	19.11	19.01	0
			QPSK	50	0	19.33	19.10	19.00	0
				1	1	19.41	19.26	18.98	0
				1	26	19.30	19.24	19.05	0
				1	50	19.34	19.11	19.00	0
				25	0	19.35	19.24	19.00	0
				25	14	19.33	19.10	18.99	0
				25	27	19.36	19.11	18.97	0
				50	0	19.28	19.13	19.00	0
			16QAM	1	1	19.43	19.25	19.01	0
			64QAM	1	1	19.41	19.25	19.05	0
			256QAM	1	1	19.40	19.21	18.87	0
		CP	QPSK	1	1	19.40	19.19	19.04	0

NR FDD Band n25 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376500	381500	
						1857.5 MHz	1882.5 MHz	1907.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.32	19.24	19.05	0
				1	40	19.22	19.02	18.91	0
				1	77	19.32	18.99	19.02	0
				36	0	19.30	19.19	19.03	0
				36	22	19.31	19.16	19.01	0
				36	43	19.26	19.05	19.03	0
			QPSK	75	0	19.31	19.16	19.01	0
				1	1	19.38	19.30	19.03	0
				1	40	19.30	19.08	18.95	0
				1	77	19.40	19.11	19.06	0
				36	0	19.29	19.20	19.03	0
				36	22	19.34	19.14	18.98	0
				36	43	19.34	19.11	19.03	0
				75	0	19.27	19.14	19.01	0
			16QAM	1	1	19.38	19.25	19.09	0
			64QAM	1	1	19.44	19.28	19.08	0
			256QAM	1	1	19.43	19.29	19.12	0
		CP	QPSK	1	1	19.36	19.34	19.02	0

NR FDD Band n25 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376500	381000	
						1860 MHz	1882.5 MHz	1905 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.28	19.27	19.13	0
				1	53	19.32	19.19	19.15	0
				1	104	19.33	19.00	19.01	0
				50	0	19.26	19.24	19.07	0
				50	28	19.26	19.17	19.06	0
				50	56	19.33	19.09	19.04	0
				100	0	19.29	19.13	19.05	0
			QPSK	1	1	19.36	19.32	19.16	0
				1	53	19.30	19.21	19.11	0
				1	104	19.39	19.05	19.07	0
				50	0	19.27	19.26	19.10	0
				50	28	19.31	19.18	19.07	0
				50	56	19.39	19.08	19.06	0
				100	0	19.29	19.17	19.06	0
			16QAM	1	1	19.28	19.43	19.10	0
			64QAM	1	1	19.42	19.36	19.19	0
			256QAM	1	1	19.36	19.26	19.17	0
		CP	QPSK	1	1	19.30	19.34	19.21	0

NR FDD Band n25 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		380500	
						1862.5 MHz		1902.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.26		19.02	0
				1	66	19.28		18.95	0
				1	131	19.29		18.94	0
				64	0	19.24		19.03	0
				64	35	19.30		18.98	0
				64	69	19.33		18.94	0
				128	0	19.27		18.97	0
			QPSK	1	1	19.30		19.07	0
				1	66	19.35		19.01	0
				1	131	19.34		19.02	0
				64	0	19.23		19.04	0
				64	35	19.28		18.95	0
				64	69	19.34		18.97	0
				128	0	19.26		18.95	0
			16QAM	1	1	19.30		19.36	0
			64QAM	1	1	19.50		19.02	0
			256QAM	1	1	19.18		19.06	0
		CP	QPSK	1	1	19.28		19.05	0

NR FDD Band n25 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		380000	
						1865 MHz		1900 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.34		19.11	0
				1	80	19.49		18.96	0
				1	158	19.24		18.95	0
				80	0	19.38		19.07	0
				80	40	19.37		19.00	0
				80	80	19.39		18.95	0
				160	0	19.37		18.98	0
			QPSK	1	1	19.41		19.16	0
				1	80	19.41		19.02	0
				1	158	19.35		19.00	0
				80	0	19.41		19.09	0
				80	40	19.44		18.99	0
				80	80	19.43		19.01	0
				160	0	19.40		19.04	0
			16QAM	1	1	19.38		19.12	0
			64QAM	1	1	19.48		19.18	0
			256QAM	1	1	19.40		19.25	0
		CP	QPSK	1	1	19.39		19.11	0

NR FDD Band n25 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376500	
						1882.5 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.27	0
				1	98	19.04	0
				1	186	18.91	0
				90	0	19.32	0
				90	45	19.17	0
				90	90	19.03	0
				180	0	19.19	0
			QPSK	1	1	19.32	0
				1	98	19.09	0
				1	186	18.99	0
				90	0	19.32	0
				90	45	19.15	0
				90	90	19.06	0
				180	0	19.20	0
			16QAM	1	1	19.39	0
			64QAM	1	1	19.47	0
			256QAM	1	1	19.36	0
		CP	OPSK	1	1	19.35	0

NR FDD Band n25 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376500	
						1882.5 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.22	0
				1	108	19.14	0
				1	214	18.89	0
				108	0	19.30	0
				108	54	19.14	0
				108	108	19.07	0
				216	0	19.13	0
			QPSK	1	1	19.47	0
				1	108	19.21	0
				1	214	18.99	0
				108	0	19.47	0
				108	54	19.17	0
				108	108	19.05	0
				216	0	19.38	0
			16QAM	1	1	19.28	0
			64QAM	1	1	19.37	0
			256QAM	1	1	19.37	0
		CP	QPSK	1	1	19.37	0

NR TDD Band n41 (PC3) Conducted Power_ Measured Folder Open Free (RSI 0), Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4) _ MAIN2 [Ant B]

NR TDD Band n41 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500202	509400	518598	527802	537000	
						2501.01 MHz	2547 MHz	2592.99 MHz	2639.01 MHz	2685 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	20.18	20.27	20.24	20.12	19.50	0
				1	12	20.00	20.27	20.19	20.15	19.50	0
				1	22	20.00	20.19	20.20	20.09	19.42	0
				12	0	19.96	20.22	20.25	20.11	19.49	0
				12	6	19.98	20.20	20.23	20.09	19.44	0
				12	12	19.95	20.18	20.21	20.09	18.59	0
				24	0	19.96	20.19	20.22	20.08	19.81	0
			QPSK	1	1	20.02	20.24	20.23	20.14	19.94	0
				1	12	20.01	20.26	20.28	20.16	19.88	0
				1	22	20.03	20.15	20.17	20.10	19.80	0
				12	0	19.97	20.25	19.86	20.10	19.39	0
				12	6	19.96	20.22	19.83	20.11	19.83	0
				12	12	19.98	20.17	19.84	20.09	19.82	0
				24	0	19.99	20.20	19.85	20.11	19.83	0
			16QAM	1	1	19.97	20.19	19.98	20.18	19.87	0
			64QAM	1	1	19.41	19.69	19.68	19.43	19.29	0
			256QAM	1	1	17.40	17.64	17.77	17.69	17.26	2
		CP	QPSK	1	1	20.04	20.23	20.33	20.13	19.81	0

NR TDD Band n41 _15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500700	509664	518598	527562	536496	
						2503.5 MHz	2548.32 MHz	2592.99 MHz	2637.81 MHz	2682.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	19.85	20.25	20.22	20.06	19.62	0
				1	18	19.65	20.21	20.15	20.00	19.63	0
				1	36	19.72	20.20	20.16	19.98	19.60	0
				18	0	19.63	20.26	20.23	20.09	19.64	0
				18	9	19.65	20.24	20.17	20.03	19.65	0
				18	18	19.67	20.18	20.15	20.03	19.61	0
				36	0	19.64	20.22	20.15	20.03	19.63	0
			QPSK	1	1	19.66	20.25	20.25	20.07	19.61	0
				1	18	19.58	20.18	20.14	19.99	19.59	0
				1	36	19.68	20.17	20.15	20.04	19.56	0
				18	0	19.63	20.24	20.21	20.08	19.67	0
				18	9	19.62	20.22	20.17	20.04	19.63	0
				18	18	19.67	20.18	20.17	20.03	19.61	0
				36	0	19.63	20.24	20.17	20.04	19.63	0
			16QAM	1	1	19.67	20.25	20.26	20.16	19.73	0
			64QAM	1	1	19.39	19.67	19.65	19.48	19.57	0
			256QAM	1	1	17.42	17.47	17.58	17.52	17.51	2
		CP	QPSK	1	1	20.10	20.29	20.31	20.08	20.05	0

NR TDD Band n41 _20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501204	509898	518598	527298	535998	
						2506.02	2549.49	2592.99	2636.49	2679.99	
						MHz	MHz	MHz	MHz	MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	19.83	19.88	20.28	20.07	20.02	0
				1	26	19.89	19.83	20.15	20.01	19.98	0
				1	49	20.01	19.86	20.19	19.97	19.91	0
				25	0	19.89	19.92	20.24	20.05	19.97	0
				25	13	19.90	19.87	20.16	20.02	20.00	0
				25	26	19.94	19.83	20.17	20.01	19.94	0
				50	0	19.91	19.85	20.15	20.04	20.00	0
			QPSK	1	1	19.90	19.89	20.32	20.16	20.08	0
				1	26	19.88	19.85	20.22	20.01	19.99	0
				1	49	20.01	19.87	20.21	20.02	19.97	0
				25	0	19.87	19.90	20.23	20.06	19.97	0
				25	13	19.91	19.85	20.17	20.01	20.00	0
				25	26	19.91	19.83	20.16	20.00	19.95	0
				50	0	19.91	19.86	20.18	20.01	19.99	0
			16QAM	1	1	19.87	19.90	20.32	20.21	20.11	0
			64QAM	1	1	19.31	19.69	19.67	19.42	19.54	0
			256QAM	1	1	17.32	17.71	17.67	17.47	17.45	2
		CP	QPSK	1	1	19.48	20.29	19.85	20.13	20.05	0

NR TDD Band n41 _25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501702	510150	518598	527046	535500	
						2508.51	2550.75	2592.99	2635.23	2677.50	
						MHz	MHz	MHz	MHz	MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	20.19	20.33	20.36	20.12	20.01	0
				1	32	20.01	20.26	20.16	20.04	19.94	0
				1	63	20.15	20.33	20.23	19.78	19.95	0
				32	0	19.92	20.32	20.25	20.05	19.97	0
				32	17	20.01	20.24	20.18	20.00	19.93	0
				32	33	20.06	20.22	20.17	19.98	19.94	0
				64	0	20.01	20.24	20.17	19.98	19.95	0
			QPSK	1	1	19.97	20.34	20.34	19.90	19.77	0
				1	32	20.00	20.27	20.19	20.02	19.95	0
				1	63	19.91	20.32	20.25	20.02	19.92	0
				32	0	19.91	19.94	20.24	20.04	19.96	0
				32	17	19.98	19.85	20.18	20.01	19.93	0
				32	33	20.06	19.87	20.19	19.97	19.95	0
				64	0	20.00	19.88	19.95	19.97	19.93	0
			16QAM	1	1	19.98	19.93	20.35	20.11	19.72	0
			64QAM	1	1	19.32	19.55	19.70	19.50	19.17	0
			256QAM	1	1	17.49	17.74	17.76	17.56	17.23	2
		CP	QPSK	1	1	19.99	19.92	20.40	20.11	19.99	0

NR TDD Band n41_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						502200	510402	518598	526800	534996	
						2511 MHz	2552.01 MHz	2592.99 MHz	2634 MHz	2674.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	20.04	20.15	20.14	19.88	19.80	0
				1	39	20.09	20.30	20.22	19.82	19.74	0
				1	76	20.25	20.40	20.23	19.71	19.60	0
				36	0	19.98	20.38	20.24	19.88	19.72	0
				36	21	20.03	20.24	20.18	19.81	19.68	0
				36	42	20.13	20.25	20.18	19.75	19.66	0
				75	0	20.02	20.26	20.17	19.82	19.71	0
			QPSK	1	1	20.01	20.36	20.40	19.94	19.78	0
				1	39	20.05	20.29	20.20	19.85	19.66	0
				1	76	20.24	20.37	20.25	19.72	19.66	0
				36	0	19.99	20.35	20.24	19.88	19.72	0
				36	21	20.05	20.23	20.17	19.80	19.68	0
				36	42	20.13	20.28	20.17	19.78	19.69	0
				75	0	20.05	20.27	20.16	19.81	19.70	0
			16QAM	1	1	19.83	20.16	20.35	20.04	19.55	0
			64QAM	1	1	19.42	19.64	19.74	19.74	19.54	0
			256QAM	1	1	17.41	17.66	17.66	17.84	17.56	2
		CP	QPSK	1	1	20.00	20.40	20.34	20.31	20.21	0

NR TDD Band n41_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						503202	513468		523734	534000	
						2516.01 MHz	2567.34 MHz		2618.67 MHz	2670 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	20.05	20.36		20.25	19.84	0
				1	53	20.17	20.39		20.32	19.80	0
				1	104	20.36	20.33		20.20	19.71	0
				50	0	20.06	20.29		20.27	19.84	0
				50	28	20.17	20.38		20.28	19.78	0
				50	56	20.29	20.44		20.02	19.77	0
				100	0	20.16	20.38		20.30	19.78	0
			QPSK	1	1	20.04	20.35		20.28	19.82	0
				1	53	20.22	20.41		20.31	19.71	0
				1	104	20.35	20.30		20.22	19.65	0
				50	0	20.10	20.33		20.29	19.86	0
				50	28	20.19	20.41		20.32	19.78	0
				50	56	20.29	20.44		20.27	19.80	0
				100	0	20.18	20.43		20.31	19.80	0
			16QAM	1	1	20.11	20.26		20.30	19.97	0
			64QAM	1	1	19.56	19.85		19.76	19.66	0
			256QAM	1	1	17.43	17.73		17.32	17.71	2
		CP	QPSK	1	1	19.74	19.78		20.36	20.26	0

NR TDD Band n41_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						504204		518598		532998	
						2521.02 MHz		2592.99 MHz		2664.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	20.23		19.74		20.39	0
				1	67	20.31		19.89		20.23	0
				1	131	20.42		20.01		20.15	0
				64	0	20.22		20.11		20.32	0
				64	35	20.34		20.16		20.24	0
				64	69	20.42		19.95		20.19	0
				128	0	20.30		19.92		20.28	0
			QPSK	1	1	19.77		20.14		20.40	0
				1	67	19.85		19.89		20.23	0
				1	131	20.06		20.00		20.13	0
				64	0	20.23		20.09		20.34	0
				64	35	20.32		19.92		20.27	0
				64	69	20.45		20.00		20.20	0
				128	0	20.33		19.92		20.31	0
			16QAM	1	1	20.28		20.20		20.45	0
			64QAM	1	1	19.67		19.96		19.81	0
			256QAM	1	1	17.55		18.00		17.77	2
		CP	QPSK	1	1	20.25		20.15		20.37	0

NR TDD Band n41_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						505200		518598		531996	
						2526 MHz		2592.99 MHz		2659.98 MHz	
60 MHz	30	DFT-s	pi/2 BPSK	1	1	20.06		20.43		20.02	0
				1	81	19.72		20.18		20.06	0
				1	160	20.33		20.32		20.01	0
				81	0	20.05		20.44		20.09	0
				81	41	20.16		20.19		20.04	0
				81	81	20.25		20.24		20.00	0
				162	0	20.19		20.20		20.06	0
			QPSK	1	1	20.02		20.49		20.23	0
				1	81	20.17		20.15		20.04	0
				1	160	20.31		20.29		19.99	0
				81	0	20.01		20.45		20.06	0
				81	41	20.17		20.19		20.06	0
				81	81	20.22		20.26		19.99	0
				162	0	20.21		20.20		20.08	0
			16QAM	1	1	19.98		20.44		20.29	0
			64QAM	1	1	19.40		19.93		19.69	0
			256QAM	1	1	17.68		18.24		17.62	2
		CP	QPSK	1	1	19.90		20.47		20.31	0

NR TDD Band n41_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						506208					530994
						2531.04 MHz					2654.97 MHz
70 MHz	30	DFT-s	pi/2 BPSK	1	1	20.23				20.38	0
				1	95	20.39				20.06	0
				1	187	20.43				20.07	0
				90	0	20.25				20.18	0
				90	50	19.78				20.04	0
				90	99	20.40				20.05	0
				180	0	20.38				20.11	0
			QPSK	1	1	20.25				20.40	0
				1	95	20.38				20.07	0
				1	187	20.41				20.09	0
				90	0	20.25				20.19	0
				90	50	20.36				20.08	0
				90	99	20.45				20.07	0
				180	0	20.39				20.13	0
			16QAM	1	1	20.18				20.39	0
			64QAM	1	1	19.74				19.85	0
			256QAM	1	1	17.64				17.76	2
		CP	QPSK	1	1	20.27				20.40	0

NR TDD Band n41_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						507204					529998
						2536.02					2649.99
					MHz					MHz	
80 MHz	30	DFT-s	pi/2 BPSK	1	1	20.24				20.13	0
				1	109	20.30				19.70	0
				1	215	20.49				19.77	0
				108	0	20.27				19.93	0
				108	55	20.35				19.79	0
				108	109	20.41				20.12	0
				216	0	20.40				20.22	0
			QPSK	1	1	20.25				20.45	0
				1	109	20.29				20.17	0
				1	215	20.48				20.18	0
				108	0	20.28				20.33	0
				108	55	20.35				20.18	0
				108	109	20.41				20.15	0
				216	0	20.42				20.23	0
			16QAM	1	1	20.31				20.44	0
			64QAM	1	1	19.66				19.68	0
			256QAM	1	1	17.63				17.95	2
		CP	QPSK	1	1	20.03				20.15	0

NR TDD Band n41 _90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						508200					528996
						2541					2644.98
				MHz					MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1	20.38				20.38	0
				1	123	20.46				20.24	0
				1	243	20.41				20.19	0
				120	0	20.43				20.44	0
				120	63	20.47				20.29	0
				120	125	20.45				20.02	0
				243	0	20.44				19.99	0
			QPSK	1	1	20.38				20.38	0
				1	123	20.44				20.24	0
				1	243	20.40				20.18	0
				120	0	20.40				20.31	0
				120	63	20.47				20.28	0
				120	125	20.48				20.24	0
				243	0	20.43				20.34	0
			16QAM	1	1	20.40				20.40	0
			64QAM	1	1	19.84				20.03	0
			256QAM	1	1	17.81				17.97	2
		CP	QPSK	1	1	20.42				20.42	0

NR TDD Band n41 _100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
								518598		
								2592.99		
100 MHz	30	DFT-s	pi/2 BPSK	1	1			20.39		0
				1	137			20.30		0
				1	271			20.37		0
				135	0			19.55		0
				135	69			20.32		0
				135	138			19.99		0
				270	0			20.21		0
			QPSK	1	1			20.40		0
				1	137			20.37		0
				1	271			20.29		0
				135	0			20.33		0
				135	69			20.47		0
				135	138			20.32		0
				270	0			20.40		0
			16QAM	1	1			19.90		0
			64QAM	1	1			20.21		0
			256QAM	1	1			18.12		2
		CP	QPSK	1	1			20.26		0

NR TDD Band n41 (PC3) Conducted Power_ Measured Folder Open RCV (RSI

1) _ MAIN2 [Ant B]

NR TDD Band n41 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500202	509400	518598	527802	537000	
						2501.01 MHz	2547 MHz	2592.99 MHz	2639.01 MHz	2685 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	23.83	24.02	23.83	23.65	23.93	0
				1	12	23.82	24.08	23.81	23.75	23.98	0
				1	22	23.82	24.02	23.80	23.75	24.00	0
				12	0	23.29	23.50	23.24	23.11	23.41	0
				12	6	23.80	24.02	23.77	23.66	23.91	0
				12	12	23.30	23.51	23.25	23.16	23.42	0
				24	0	23.26	23.50	23.25	23.13	23.33	0
			QPSK	1	1	23.79	24.04	23.84	23.66	23.94	0
				1	12	23.85	24.10	23.83	23.70	24.02	0
				1	22	23.85	24.02	23.81	23.73	23.98	0
				12	0	22.78	23.00	22.75	22.61	22.92	0.5
				12	6	23.80	24.06	23.79	23.66	23.96	0
				12	12	22.79	23.01	22.77	22.66	22.94	0.5
				24	0	22.77	23.03	22.75	22.62	22.90	0.5
			16QAM	1	1	22.90	23.11	22.80	22.64	22.87	0.5
			64QAM	1	1	21.19	21.38	21.25	21.10	21.38	2
			256QAM	1	1	19.17	19.46	19.24	19.01	19.32	4
		CP	QPSK	1	1	22.16	22.58	22.71	22.14	22.45	1

NR TDD Band n41 _15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500700	509664	518598	527562	536496	
						2503.5 MHz	2548.32 MHz	2592.99 MHz	2637.81 MHz	2682.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	23.76	23.45	23.12	23.05	23.52	0
				1	18	23.76	23.54	23.05	23.16	23.55	0
				1	36	23.83	23.51	23.10	23.32	23.61	0
				18	0	23.19	23.05	22.56	22.58	22.97	0
				18	9	23.75	23.56	23.06	23.15	23.53	0
				18	18	23.25	22.99	22.55	22.69	23.03	0
				36	0	23.23	23.02	22.53	22.63	22.93	0
			QPSK	1	1	23.75	23.59	23.09	23.08	23.50	0
				1	18	23.73	23.55	23.04	23.17	23.52	0
				1	36	23.83	23.51	23.09	23.32	23.61	0
				18	0	22.72	22.53	22.06	22.09	22.48	0.5
				18	9	23.77	23.57	23.07	23.18	23.55	0
				18	18	22.77	22.48	22.06	22.17	22.53	0.5
				36	0	22.72	22.54	22.04	22.13	22.51	0.5
			16QAM	1	1	22.69	22.60	22.01	22.09	22.41	0.5
			64QAM	1	1	21.27	20.94	20.57	20.57	20.84	2
			256QAM	1	1	19.16	19.00	18.49	18.44	18.86	4
		CP	QPSK	1	1	22.25	22.09	21.66	21.50	22.01	1

NR TDD Band n41_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501204	509898	518598	527298	535998	
						2506.02	2549.49	2592.99	2636.49	2679.99	
						MHz	MHz	MHz	MHz	MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	23.95	24.23	23.94	23.69	23.88	0
				1	26	24.03	24.22	23.96	23.77	23.99	0
				1	49	24.12	24.22	23.93	23.92	24.10	0
				25	0	23.50	23.73	23.43	23.23	23.45	0
				25	13	24.09	24.26	23.97	23.83	24.06	0
				25	26	23.59	23.72	23.44	23.35	23.55	0
				50	0	23.55	23.74	23.42	23.30	23.52	0
			QPSK	1	1	24.03	24.25	24.01	23.73	23.94	0
				1	26	24.08	24.24	24.01	23.83	24.08	0
				1	49	24.13	24.24	23.96	23.94	24.12	0
				25	0	23.05	23.28	23.00	22.76	23.01	0.5
				25	13	24.14	24.31	24.00	23.87	24.11	0
				25	26	23.13	23.21	22.96	22.88	23.10	0.5
				50	0	23.10	23.27	23.00	22.82	23.07	0.5
			16QAM	1	1	23.17	23.46	22.97	22.82	22.96	0.5
			64QAM	1	1	21.56	21.71	21.50	21.20	21.38	2
			256QAM	1	1	19.36	19.60	19.39	19.14	19.29	4
		CP	QPSK	1	1	22.53	22.75	22.47	22.11	22.17	1

NR TDD Band n41_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501702	510150	518598	527046	535500	
						2508.51	2550.75	2592.99	2635.23	2677.50	
						MHz	MHz	MHz	MHz	MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	23.91	23.27	23.56	23.36	23.98	0
				1	32	24.01	24.47	24.27	23.88	24.15	0
				1	63	24.05	24.41	24.17	23.98	24.26	0
				32	0	23.45	23.92	23.72	23.29	23.58	0
				32	17	24.03	24.41	24.23	23.88	24.17	0
				32	33	23.55	23.88	23.69	23.46	23.72	0
				64	0	23.53	23.92	23.68	23.38	23.67	0
			QPSK	1	1	24.04	24.42	24.26	23.81	24.06	0
				1	32	24.03	24.40	24.21	23.90	24.20	0
				1	63	24.14	24.37	24.13	24.04	24.29	0
				32	0	23.07	23.43	23.22	22.86	23.12	0.5
				32	17	24.13	24.43	24.24	23.97	24.26	0
				32	33	23.14	23.40	23.19	23.01	23.28	0.5
				64	0	23.12	23.42	23.20	22.93	23.20	0.5
			16QAM	1	1	23.19	23.46	23.25	22.91	23.14	0.5
			64QAM	1	1	21.62	21.88	21.74	21.39	21.60	2
			256QAM	1	1	19.37	19.79	19.56	19.14	19.45	4
		CP	QPSK	1	1	22.56	22.89	22.09	22.32	22.52	1

NR TDD Band n41_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						502200	510402	518598	526800	534996	
						2511 MHz	2552.01 MHz	2592.99 MHz	2634 MHz	2674.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	23.34	23.84	23.67	23.44	23.58	0
				1	39	23.41	23.85	23.66	23.56	23.83	0
				1	76	23.50	23.80	23.65	23.63	23.91	0
				36	0	23.16	23.33	23.13	22.89	23.49	0
				36	21	23.39	23.80	23.63	23.47	23.78	0
				36	42	23.22	23.29	23.09	23.08	23.67	0
				75	0	22.99	23.34	23.13	22.98	23.58	0
			QPSK	1	1	23.43	23.88	23.68	23.44	23.69	0
				1	39	23.50	23.85	23.70	23.56	23.86	0
				1	76	23.54	23.81	23.66	23.69	23.93	0
				36	0	22.66	22.83	22.62	22.33	23.01	0.5
				36	21	23.41	23.83	23.66	23.51	23.86	0
				36	42	22.75	22.79	22.57	22.56	23.21	0.5
				75	0	22.71	22.81	22.63	22.47	23.13	0.5
			16QAM	1	1	22.73	22.79	22.58	22.48	22.93	0.5
			64QAM	1	1	21.22	21.26	21.13	20.84	21.68	2
			256QAM	1	1	19.01	19.27	19.09	18.88	19.35	4
		CP	QPSK	1	1	22.14	22.36	22.19	21.94	22.48	1

NR TDD Band n41_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						503202	513468		523734	534000	
						2516.01 MHz	2567.34 MHz		2618.67 MHz	2670 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	23.85	24.09		23.89	23.82	0
				1	53	24.03	24.11		23.92	24.12	0
				1	104	24.15	24.10		24.06	24.25	0
				50	0	23.43	23.59		23.36	23.46	0
				50	28	23.99	24.07		23.89	24.10	0
				50	56	23.60	23.60		23.45	23.73	0
				100	0	23.51	23.59		23.40	23.62	0
			QPSK	1	1	23.99	24.19		23.96	23.93	0
				1	53	24.08	24.13		23.96	24.14	0
				1	104	24.23	24.16		24.11	24.36	0
				50	0	23.04	23.17		22.94	23.02	0.5
				50	28	24.10	24.13		23.95	24.20	0
				50	56	23.14	23.13		22.99	23.30	0.5
				100	0	23.07	23.14		22.94	23.15	0.5
			16QAM	1	1	22.98	23.34		22.91	23.01	0.5
			64QAM	1	1	21.56	21.67		21.45	21.41	2
			256QAM	1	1	19.31	19.52		19.27	19.07	4
		CP	QPSK	1	1	22.42	22.66		22.41	22.07	1

NR TDD Band n41 _50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						504204		518598		532998	
						2521.02		2592.99		2664.99	
				MHz		MHz		MHz			
50 MHz	30	DFT-s	pi/2 BPSK	1	1	23.96		23.81		23.71	0
				1	67	24.06		23.97		23.93	0
				1	131	24.28		24.29		24.25	0
				64	0	23.51		23.34		23.32	0
				64	35	24.09		23.98		23.96	0
				64	69	23.69		23.71		23.61	0
				128	0	23.59		23.51		23.49	0
			QPSK	1	1	24.03		23.96		23.82	0
				1	67	24.16		24.12		24.04	0
				1	131	24.30		24.45		24.29	0
				64	0	23.08		23.05		22.89	0.5
				64	35	24.16		24.20		24.06	0
				64	69	23.23		23.24		23.16	0.5
				128	0	23.13		23.23		23.07	0.5
			16QAM	1	1	22.95		22.83		22.83	0.5
			64QAM	1	1	21.58		21.41		21.27	2
			256QAM	1	1	19.39		19.26		19.15	4
		CP	QPSK	1	1	22.43		22.37		22.34	1

NR TDD Band n41 _60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						505200		518598			531996
						2526 MHz		2592.99 MHz			2659.98 MHz
60 MHz	30	DFT-s	pi/2 BPSK	1	1	23.98		23.76		23.76	0
				1	81	24.15		23.71		24.13	0
				1	160	24.24		23.72		24.20	0
				81	0	23.50		23.49		23.41	0
				81	41	24.10		23.69		24.11	0
				81	81	23.66		23.49		23.79	0
				162	0	23.64		23.56		23.62	0
			QPSK	1	1	24.13		23.76		23.90	0
				1	81	24.19		23.71		24.18	0
				1	160	24.29		23.68		24.25	0
				81	0	23.09		23.07		22.99	0.5
				81	41	24.18		23.78		24.17	0
				81	81	23.22		23.01		23.34	0.5
				162	0	23.18		23.05		23.16	0.5
			16QAM	1	1	23.18		23.27		22.90	0.5
			64QAM	1	1	21.52		21.63		21.38	2
			256QAM	1	1	19.41		19.48		19.32	4
		CP	QPSK	1	1	22.56		22.65		22.35	1

NR TDD Band n41_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						506208					530994
						2531.04 MHz					2654.97 MHz
70 MHz	30	DFT-s	pi/2 BPSK	1	1	23.93				23.75	0
				1	95	24.05				23.99	0
				1	187	24.18				24.40	0
				90	0	23.48				23.34	0
				90	50	24.08				24.02	0
				90	99	23.65				23.69	0
				180	0	23.60				23.56	0
			QPSK	1	1	24.10				23.85	0
				1	95	24.17				24.05	0
				1	187	24.29				24.45	0
				90	0	23.10				22.90	0.5
				90	50	24.22				24.11	0
				90	99	23.24				23.23	0.5
				180	0	23.18				23.08	0.5
			16QAM	1	1	23.27				22.89	0.5
			64QAM	1	1	21.60				21.34	2
			256QAM	1	1	19.44				19.16	4
		CP	QPSK	1	1	22.60				22.35	1

NR TDD Band n41_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						507204					529998
						2536.02					2649.99
					MHz					MHz	
80 MHz	30	DFT-s	pi/2 BPSK	1	1	24.06				23.85	0
				1	109	24.12				23.96	0
				1	215	24.29				24.15	0
				108	0	23.54				23.28	0
				108	55	24.20				24.04	0
				108	109	23.73				23.77	0
				216	0	23.74				23.53	0
			QPSK	1	1	24.23				23.95	0
				1	109	24.27				24.05	0
				1	215	24.34				24.09	0
				108	0	23.12				22.87	0.5
				108	55	24.29				24.11	0
				108	109	23.27				23.32	0.5
				216	0	23.28				23.10	0.5
			16QAM	1	1	23.27				22.88	0.5
			64QAM	1	1	21.83				21.37	2
			256QAM	1	1	19.60				19.01	4
		CP	QPSK	1	1	22.52				22.00	1

NR TDD Band n41 _90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						508200					528996
						2541					2644.98
				MHz					MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1	24.41				24.13	0
				1	123	24.43				24.05	0
				1	243	24.49				23.90	0
				120	0	23.87				23.39	0
				120	63	24.48				24.08	0
				120	125	23.94				23.85	0
			243	0	23.82				23.40	0	
			QPSK	1	1	24.41				24.17	0
				1	123	24.30				23.97	0
				1	243	24.46				23.86	0
				120	0	23.44				22.96	0.5
				120	63	24.32				24.16	0
				120	125	23.41				23.35	0.5
			243	0	23.44				22.87	0.5	
			16QAM	1	1	23.44				23.08	0.5
			64QAM	1	1	21.89				21.61	2
			256QAM	1	1	19.98				19.36	4
		CP	QPSK	1	1	22.74				22.51	1

NR TDD Band n41 _100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
								518598		
								2592.99		
100 MHz	30	DFT-s	pi/2 BPSK	1	1			23.62		0
				1	137			24.23		0
				1	271			23.31		0
				135	0			23.94		0
				135	69			24.26		0
				135	138			23.71		0
			QPSK	270	0			23.88		0
				1	1			24.45		0
				1	137			23.47		0
				1	271			23.16		0
				135	0			23.26		0.5
				135	69			24.36		0
				135	138			23.18		0.5
				270	0			23.35		0.5
			16QAM	1	1			22.89		0.5
			64QAM	1	1			21.26		2
			256QAM	1	1			19.85		4
		CP	QPSK	1	1			22.94		1

NR FDD Band n66 Conducted Power_ Measured Pmax, Folder Open RCV(RSI

1)_ MAIN2 [Ant B]

NR FDD Band n66 _5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						342500	349000	355500	
						1712.5 MHz	1745 MHz	1777.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.92	25.30	24.98	0
				1	13	24.88	25.23	24.94	0
				1	23	24.88	25.35	25.01	0
				12	0	24.45	24.79	24.45	0.5
				12	7	24.94	25.33	25.01	0
				12	13	24.42	24.82	24.50	0.5
				25	0	24.42	24.79	24.54	0.5
			QPSK	1	1	25.02	25.35	25.11	0
				1	13	24.99	25.35	24.98	0
				1	23	25.02	25.38	25.02	0
				12	0	24.00	24.28	24.04	1
				12	7	25.01	25.34	25.10	0
				12	13	23.97	24.31	24.03	1
				25	0	23.91	24.31	24.06	1
			16QAM	1	1	23.95	24.35	24.07	1
			64QAM	1	1	22.40	22.87	22.60	2.5
			256QAM	1	1	20.37	20.58	20.39	4.5
		CP	QPSK	1	1	23.48	23.83	23.46	1.5

NR FDD Band n66 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343000	349000	355000	
						1715 MHz	1745 MHz	1775 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.09	25.15	25.03	0
				1	26	25.10	25.28	25.23	0
				1	50	24.92	25.30	24.97	0
				25	0	24.51	24.74	24.55	0.5
				25	14	25.01	25.27	25.02	0
				25	27	24.50	24.77	24.52	0.5
				50	0	24.49	24.79	24.55	0.5
			QPSK	1	1	25.09	25.24	25.14	0
				1	26	25.17	25.34	25.19	0
				1	50	25.06	25.31	25.14	0
				25	0	24.11	24.27	24.08	1
				25	14	25.04	25.34	25.10	0
				25	27	24.04	24.29	24.08	1
				50	0	23.98	24.28	24.04	1
			16QAM	1	1	24.02	24.15	24.11	1
			64QAM	1	1	22.60	22.69	22.64	2.5
			256QAM	1	1	20.61	20.64	20.32	4.5
		CP	QPSK	1	1	23.56	23.65	23.64	1.5

NR FDD Band n66 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5 MHz	1745 MHz	1772.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.01	25.19	24.94	0
				1	40	24.95	25.24	24.92	0
				1	77	24.87	25.25	24.94	0
				36	0	24.54	24.76	24.47	0.5
				36	22	24.93	25.32	24.96	0
				36	43	24.42	24.79	24.44	0.5
				75	0	24.45	24.80	24.46	0.5
			QPSK	1	1	25.10	25.31	25.05	0
				1	40	24.96	25.32	25.01	0
				1	77	24.99	25.38	25.00	0
				36	0	24.06	24.23	23.98	1
				36	22	25.00	25.35	25.02	0
				36	43	23.94	24.29	23.93	1
				75	0	23.99	24.31	24.01	1
			16QAM	1	1	24.18	24.19	24.05	1
			64QAM	1	1	22.61	22.57	22.46	2.5
			256QAM	1	1	20.50	20.61	20.43	4.5
		CP	QPSK	1	1	23.51	23.76	23.53	1.5

NR FDD Band n66 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344000	349000	354000	
						1720 MHz	1745 MHz	1770 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.98	25.12	25.00	0
				1	53	24.92	25.31	25.06	0
				1	104	24.92	25.19	24.95	0
				50	0	24.44	24.72	24.47	0.5
				50	28	24.89	25.35	24.99	0
				50	56	24.37	24.79	24.46	0.5
				100	0	24.39	24.83	24.50	0.5
			QPSK	1	1	25.10	25.19	25.11	0
				1	53	25.00	25.39	25.07	0
				1	104	25.00	25.29	25.06	0
				50	0	23.99	24.21	23.99	1
				50	28	24.98	25.36	25.07	0
				50	56	23.89	24.32	24.02	1
				100	0	23.90	24.31	23.98	1
			16QAM	1	1	23.96	24.27	24.11	1
			64QAM	1	1	22.53	22.60	22.50	2.5
			256QAM	1	1	20.46	20.50	20.46	4.5
		CP	QPSK	1	1	23.45	23.69	23.57	1.5

NR FDD Band n66 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344500	349000	353500	
						1722.5 MHz	1745 MHz	1767.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.99	25.06	25.20	0
				1	66	25.00	25.47	25.07	0
				1	131	25.03	25.20	24.94	0
				64	0	24.35	24.72	24.60	0.5
				64	35	24.91	25.36	25.04	0
				64	69	24.39	24.79	24.55	0.5
				128	0	24.40	24.84	24.57	0.5
			QPSK	1	1	25.00	25.22	25.21	0
				1	66	25.01	25.56	25.17	0
				1	131	25.05	25.21	25.08	0
				64	0	23.92	24.25	24.09	1
				64	35	24.92	25.40	25.10	0
				64	69	23.93	24.27	24.04	1
				128	0	23.86	24.32	24.05	1
			16QAM	1	1	24.11	24.07	24.19	1
			64QAM	1	1	22.56	22.57	22.68	2.5
			256QAM	1	1	20.44	20.50	20.62	4.5
		CP	QPSK	1	1	23.41	23.60	23.71	1.5

NR FDD Band n66 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.00	0
				1	80	25.34	0
				1	158	25.09	0
				80	0	24.69	0.5
				80	40	25.32	0
				80	80	24.74	0.5
				160	0	24.80	0.5
			QPSK	1	1	25.13	0
				1	80	25.41	0
				1	158	25.21	0
				80	0	24.23	1
				80	40	25.38	0
				80	80	24.28	1
				160	0	24.31	1
			16QAM	1	1	24.13	1
			64QAM	1	1	22.47	2.5
			256QAM	1	1	20.49	4.5
		CP	QPSK	1	1	23.60	1.5

NR FDD Band n66 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.99	0
				1	98	25.25	0
				1	186	25.08	0
				90	0	24.61	0.5
				90	45	25.30	0
				90	90	24.70	0.5
				180	0	24.82	0.5
			QPSK	1	1	25.08	0
				1	98	25.38	0
				1	186	25.19	0
				90	0	24.17	1
				90	45	25.39	0
				90	90	24.30	1
				180	0	24.34	1
			16QAM	1	1	23.96	1
			64QAM	1	1	22.56	2.5
			256QAM	1	1	20.35	4.5
		CP	QPSK	1	1	23.50	1.5

NR FDD Band n66 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.96	0
				1	108	25.36	0
				1	214	25.06	0
				108	0	24.58	0.5
				108	54	25.32	0
				108	108	24.73	0.5
				216	0	24.84	0.5
			QPSK	1	1	25.02	0
				1	108	25.37	0
				1	214	25.13	0
				108	0	24.14	1
				108	54	25.37	0
				108	108	24.22	1
				216	0	24.33	1
			16QAM	1	1	24.10	1
			64QAM	1	1	22.50	2.5
			256QAM	1	1	20.42	4.5
		CP	QPSK	1	1	23.55	1.5

**NR FDD Band n66 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)
_ MAIN2 [Ant B]**

NR FDD Band n66 _5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						342500	349000	355500	
						1712.5 MHz	1745 MHz	1777.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.21	19.51	19.24	0
				1	13	19.19	19.51	19.22	0
				1	23	19.16	19.59	19.25	0
				12	0	19.21	19.55	19.28	0
				12	7	19.24	19.55	19.27	0
				12	13	19.20	19.55	19.22	0
				25	0	19.24	19.60	19.27	0
			QPSK	1	1	19.25	19.57	19.24	0
				1	13	19.20	19.53	19.22	0
				1	23	19.21	19.60	19.26	0
				12	0	19.22	19.55	19.26	0
				12	7	19.24	19.60	19.25	0
				12	13	19.21	19.57	19.30	0
				25	0	19.22	19.57	19.31	0
			16QAM	1	1	19.36	19.57	19.33	0
			64QAM	1	1	19.18	19.53	19.14	0
			256QAM	1	1	19.29	19.65	19.26	0
		CP	QPSK	1	1	19.22	19.58	19.28	0

NR FDD Band n66 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343000	349000	355000	
						1715 MHz	1745 MHz	1775 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.30	19.47	19.32	0
				1	26	19.39	19.53	19.43	0
				1	50	19.24	19.53	19.26	0
				25	0	19.32	19.53	19.31	0
				25	14	19.30	19.53	19.33	0
				25	27	19.24	19.56	19.31	0
				50	0	19.27	19.57	19.33	0
			QPSK	1	1	19.38	19.51	19.35	0
				1	26	19.40	19.60	19.42	0
				1	50	19.25	19.58	19.30	0
				25	0	19.30	19.52	19.34	0
				25	14	19.28	19.57	19.32	0
				25	27	19.27	19.60	19.29	0
				50	0	19.31	19.55	19.33	0
			16QAM	1	1	19.41	19.58	19.51	0
			64QAM	1	1	19.34	19.66	19.33	0
			256QAM	1	1	19.46	19.56	19.22	0
		CP	QPSK	1	1	19.36	19.53	19.33	0

NR FDD Band n66 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5 MHz	1745 MHz	1772.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.27	19.50	19.21	0
				1	40	19.18	19.48	19.13	0
				1	77	19.21	19.52	19.17	0
				36	0	19.25	19.52	19.28	0
				36	22	19.24	19.60	19.30	0
				36	43	19.21	19.61	19.24	0
				75	0	19.25	19.53	19.23	0
			QPSK	1	1	19.36	19.49	19.28	0
				1	40	19.21	19.57	19.25	0
				1	77	19.24	19.50	19.24	0
				36	0	19.29	19.49	19.29	0
				36	22	19.26	19.60	19.24	0
				36	43	19.18	19.60	19.23	0
				75	0	19.27	19.58	19.26	0
			16QAM	1	1	19.34	19.52	19.28	0
			64QAM	1	1	19.42	19.65	19.26	0
			256QAM	1	1	19.38	19.48	19.32	0
		CP	QPSK	1	1	19.32	19.60	19.29	0

NR FDD Band n66 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344000	349000	354000	
						1720 MHz	1745 MHz	1770 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.26	19.40	19.30	0
				1	53	19.21	19.64	19.27	0
				1	104	19.19	19.44	19.20	0
				50	0	19.22	19.50	19.28	0
				50	28	19.15	19.56	19.26	0
				50	56	19.20	19.56	19.24	0
				100	0	19.20	19.53	19.29	0
			QPSK	1	1	19.31	19.45	19.40	0
				1	53	19.23	19.59	19.32	0
				1	104	19.27	19.53	19.26	0
				50	0	19.22	19.54	19.30	0
				50	28	19.19	19.56	19.31	0
				50	56	19.16	19.61	19.26	0
				100	0	19.22	19.62	19.28	0
			16QAM	1	1	19.45	19.41	19.35	0
			64QAM	1	1	19.34	19.38	19.38	0
			256QAM	1	1	19.15	19.48	19.29	0
		CP	QPSK	1	1	19.32	19.42	19.30	0

NR FDD Band n66 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344500	349000	353500	
						1722.5 MHz	1745 MHz	1767.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.20	19.34	19.41	0
				1	66	19.28	19.61	19.41	0
				1	131	19.26	19.42	19.21	0
				64	0	19.20	19.48	19.33	0
				64	35	19.19	19.58	19.34	0
				64	69	19.22	19.55	19.22	0
				128	0	19.15	19.58	19.29	0
			QPSK	1	1	19.28	19.41	19.45	0
				1	66	19.21	19.77	19.38	0
				1	131	19.29	19.45	19.27	0
				64	0	19.16	19.49	19.36	0
				64	35	19.14	19.62	19.31	0
				64	69	19.26	19.55	19.29	0
				128	0	19.12	19.62	19.34	0
			16QAM	1	1	19.30	19.36	19.33	0
			64QAM	1	1	19.23	19.39	19.48	0
			256QAM	1	1	19.24	19.39	19.35	0
		CP	QPSK	1	1	19.24	19.42	19.41	0

NR FDD Band n66 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.32	0
				1	80	19.60	0
				1	158	19.39	0
				80	0	19.46	0
				80	40	19.58	0
				80	80	19.50	0
				160	0	19.56	0
			QPSK	1	1	19.32	0
				1	80	19.63	0
				1	158	19.45	0
				80	0	19.49	0
				80	40	19.57	0
				80	80	19.54	0
				160	0	19.58	0
			16QAM	1	1	19.41	0
			64QAM	1	1	19.28	0
			256QAM	1	1	19.40	0
		CP	QPSK	1	1	19.33	0

NR FDD Band n66 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.81	0
				1	98	19.63	0
				1	186	19.35	0
				90	0	19.41	0
				90	45	19.57	0
				90	90	19.48	0
			QPSK	180	0	19.56	0
				1	1	19.36	0
				1	98	19.14	0
				1	186	19.39	0
				90	0	19.43	0
				90	45	19.56	0
				90	90	19.53	0
				180	0	19.53	0
			16QAM	1	1	19.24	0
			64QAM	1	1	18.83	0
			256QAM	1	1	19.33	0
		CP	QPSK	1	1	19.38	0

NR FDD Band n66 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.29	0
				1	108	19.63	0
				1	214	19.37	0
				108	0	19.38	0
				108	54	19.57	0
				108	108	19.51	0
			QPSK	216	0	19.57	0
				1	1	19.29	0
				1	108	19.62	0
				1	214	19.37	0
				108	0	19.40	0
				108	54	19.62	0
				108	108	19.49	0
				216	0	19.59	0
			16QAM	1	1	19.28	0
			64QAM	1	1	19.32	0
			256QAM	1	1	19.28	0
		CP	QPSK	1	1	19.44	0

NR FDD Band n71 Conducted Power_ Measured Pmax, Folder Open Free (RSI 0), Folder Open RCV(RSI 1), Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4) _ MAIN1 [Ant A]

NR FDD Band n71 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						133100	136100	139100	
						665.5 MHz	680.5 MHz	695.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.73	24.40	24.75	0
				1	13	24.67	24.30	24.31	0
				1	23	24.81	24.74	24.20	0
				12	0	24.27	23.89	24.19	0.5
				12	7	24.72	24.39	24.43	0
				12	13	24.42	24.15	23.87	0.5
				25	0	24.35	24.00	24.04	0.5
			QPSK	1	1	24.65	24.39	24.79	0
				1	13	24.61	24.28	24.35	0
				1	23	24.74	24.60	24.18	0
				12	0	23.77	23.63	23.76	1
				12	7	24.67	24.37	24.41	0
				12	13	23.86	23.73	23.41	1
				25	0	23.84	23.69	23.59	1
			16QAM	1	1	23.86	23.58	23.85	1
			64QAM	1	1	22.42	22.17	22.43	2.5
			256QAM	1	1	20.38	20.44	19.97	4.5
		CP	QPSK	1	1	23.10	23.14	23.19	1.5

NR FDD Band n71 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						133600	136100	138600	
						668 MHz	680.5 MHz	693 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.88	23.65	24.21	0
				1	26	24.96	24.87	24.11	0
				1	50	23.92	24.10	23.58	0
				25	0	24.87	23.85	23.72	0.5
				25	14	25.05	24.84	24.19	0
				25	27	24.07	24.26	23.66	0.5
			QPSK	50	0	24.54	24.08	23.70	0.5
				1	1	24.75	23.70	24.15	0
				1	26	24.86	24.80	24.14	0
				1	50	23.91	24.05	23.57	0
				25	0	24.27	23.62	23.30	1
				25	14	24.95	24.81	24.21	0
				25	27	23.56	23.80	23.26	1
				50	0	23.98	23.78	23.30	1
			16QAM	1	1	23.95	22.84	23.27	1
			64QAM	1	1	22.57	21.51	22.06	2.5
			256QAM	1	1	20.41	20.52	20.40	4.5
		CP	QPSK	1	1	23.11	23.20	23.16	1.5

NR FDD Band n71 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)		MPR [dB]
						136100		
						680.5 MHz		
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.54		0
				1	40	25.19		0
				1	77	24.00		0
				36	0	23.73		0.5
				36	22	25.08		0
				36	43	24.43		0.5
			QPSK	75	0	24.18		0.5
				1	1	23.52		0
				1	40	25.17		0
				1	77	23.92		0
				36	0	23.49		1
				36	22	25.07		0
				36	43	23.93		1
				75	0	23.84		1
			16QAM	1	1	22.68		1
			64QAM	1	1	21.40		2.5
			256QAM	1	1	19.74		4.5
		CP	QPSK	1	1	22.01		1.5

NR FDD Band n71 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)	MPR [dB]
						136100	
						680.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.05	0
				1	53	25.31	0
				1	104	23.73	0
				50	0	24.53	0.5
				50	28	24.94	0
				50	56	23.92	0.5
				100	0	23.85	0.5
			QPSK	1	1	25.32	0
				1	53	25.56	0
				1	104	23.99	0
				50	0	24.74	1
				50	28	25.21	0
				50	56	24.17	1
				100	0	24.20	1
			16QAM	1	1	23.45	1
			64QAM	1	1	21.06	2.5
			256QAM	1	1	20.33	4.5
		CP	QPSK	1	1	23.35	1.5

L.2 NR Band Maximum Conducted Power (Upper Antenna)

NR FDD Band n2 Conducted Power_ Measured Folder Open Free (RSI 0),

Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)

_ SUB5 [Ant I]

NR FDD Band n2 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376000	381500	
						1852.5 MHz	1880 MHz	1907.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.72	18.90	19.43	0
				1	13	18.74	18.86	19.43	0
				1	23	18.81	18.88	19.43	0
				12	0	18.81	18.95	19.43	0
				12	7	18.82	18.95	19.44	0
				12	13	18.79	18.94	19.47	0
			QPSK	25	0	18.84	18.95	19.44	0
				1	1	18.78	18.96	19.48	0
				1	13	18.75	18.93	19.41	0
				1	23	18.82	18.96	19.49	0
				12	0	18.77	18.91	19.49	0
				12	7	18.82	18.94	19.46	0
				12	13	18.80	18.93	19.48	0
				25	0	18.83	18.91	19.45	0
			16QAM	1	1	18.81	19.05	19.44	0
			64QAM	1	1	18.86	19.05	19.39	0
			256QAM	1	1	18.80	18.93	19.40	0
		CP	QPSK	1	1	18.80	18.94	19.40	0

NR FDD Band n2 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376000	381000	
						1855 MHz	1880 MHz	1905 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.77	18.88	19.31	0
				1	26	18.91	18.97	19.46	0
				1	50	18.89	18.94	19.45	0
				25	0	18.87	18.94	19.39	0
				25	14	18.86	18.95	19.44	0
				25	27	18.87	18.94	19.47	0
			QPSK	50	0	18.87	18.96	19.43	0
				1	1	18.86	18.94	19.36	0
				1	26	18.90	18.99	19.49	0
				1	50	18.92	18.99	19.47	0
				25	0	18.88	18.96	19.44	0
				25	14	18.85	18.94	19.46	0
				25	27	18.89	18.95	19.40	0
				50	0	18.87	18.95	19.45	0
			16QAM	1	1	18.83	19.01	19.28	0
			64QAM	1	1	18.85	19.04	19.41	0
			256QAM	1	1	18.94	18.91	19.47	0
		CP	QPSK	1	1	18.80	18.94	19.41	0

NR FDD Band n2 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376000	380500	
						1857.5 MHz	1880 MHz	1902.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.74	18.88	19.17	0
				1	40	18.80	18.89	19.29	0
				1	77	18.86	18.99	19.43	0
				36	0	18.84	18.92	19.29	0
				36	22	18.87	18.91	19.38	0
				36	43	18.90	18.98	19.45	0
			QPSK	75	0	18.85	18.96	19.34	0
				1	1	18.83	18.93	19.22	0
				1	40	18.80	18.93	19.33	0
				1	77	18.94	19.01	19.46	0
				36	0	18.83	18.93	19.27	0
				36	22	18.87	18.92	19.38	0
				36	43	18.89	19.00	19.44	0
				75	0	18.88	18.95	19.37	0
			16QAM	1	1	18.86	18.92	19.25	0
			64QAM	1	1	18.97	18.88	19.24	0
			256QAM	1	1	18.86	18.85	19.25	0
		CP	QPSK	1	1	18.79	18.98	19.20	0

NR FDD Band n2 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376000	380000	
						1860 MHz	1880 MHz	1900 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.73	18.87	19.11	0
				1	53	19.08	18.95	19.49	0
				1	104	18.92	19.00	19.48	0
				50	0	18.81	18.92	19.24	0
				50	28	18.88	18.94	19.32	0
				50	56	18.89	19.00	19.43	0
				100	0	18.87	19.00	19.32	0
			QPSK	1	1	18.79	18.95	19.13	0
				1	53	19.02	19.19	19.44	0
				1	104	18.90	19.12	19.44	0
				50	0	18.83	18.97	19.24	0
				50	28	18.87	18.97	19.30	0
				50	56	18.89	19.02	19.45	0
				100	0	18.87	18.98	19.33	0
			16QAM	1	1	18.78	18.91	19.05	0
			64QAM	1	1	18.89	18.84	19.15	0
			256QAM	1	1	18.75	18.97	19.11	0
		CP	QPSK	1	1	18.80	18.91	19.05	0

NR FDD Band n2 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		379500	
						1862.5 MHz		1897.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.74		19.21	0
				1	66	19.01		19.38	0
				1	131	18.93		19.47	0
				64	0	18.82		19.10	0
				64	35	18.87		19.28	0
				64	69	18.91		19.40	0
				128	0	18.85		19.24	0
			QPSK	1	1	18.77		19.01	0
				1	66	18.97		19.44	0
				1	131	18.93		19.45	0
				64	0	18.81		19.15	0
				64	35	18.89		19.30	0
				64	69	18.88		19.41	0
				128	0	18.85		19.29	0
			16QAM	1	1	18.67		18.99	0
			64QAM	1	1	18.85		19.08	0
			256QAM	1	1	18.77		19.06	0
		CP	QPSK	1	1	18.81		19.09	0

NR FDD Band n2 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		379000	
						1865 MHz		1895 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.83		18.97	0
				1	80	19.01		19.29	0
				1	158	18.92		19.48	0
				80	0	18.91		19.06	0
				80	40	18.94		19.24	0
				80	80	18.94		19.36	0
				160	0	18.97		19.24	0
			QPSK	1	1	18.87		18.99	0
				1	80	18.98		19.34	0
				1	158	18.97		19.40	0
				80	0	18.93		19.10	0
				80	40	18.94		19.25	0
				80	80	18.95		19.42	0
				160	0	18.97		19.26	0
			16QAM	1	1	18.77		18.99	0
			64QAM	1	1	18.90		19.12	0
			256QAM	1	1	18.83		18.96	0
		CP	QPSK	1	1	18.90		18.97	0

NR FDD Band n2 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376000	
						1880 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.91	0
				1	98	18.95	0
				1	186	19.31	0
				90	0	18.95	0
				90	45	18.96	0
				90	90	19.06	0
				180	0	18.98	0
			QPSK	1	1	18.98	0
				1	98	18.98	0
				1	186	19.28	0
				90	0	18.95	0
				90	45	18.96	0
				90	90	19.04	0
				180	0	19.00	0
			16QAM	1	1	18.92	0
			64QAM	1	1	19.02	0
			256QAM	1	1	18.98	0
		CP	OPSK	1	1	18.93	0

NR FDD Band n2 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376000	
						1880 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.94	0
				1	108	19.08	0
				1	214	19.37	0
				108	0	18.97	0
				108	54	18.99	0
				108	108	19.13	0
				216	0	18.99	0
			QPSK	1	1	18.94	0
				1	108	19.08	0
				1	214	19.35	0
				108	0	18.95	0
				108	54	18.99	0
				108	108	19.13	0
				216	0	18.99	0
			16QAM	1	1	19.04	0
			64QAM	1	1	19.09	0
			256QAM	1	1	18.90	0
		CP	QPSK	1	1	18.93	0

NR FDD Band n2 Conducted Power_ Measured Folder Open RCV(RSI 1)_

SUB5 [Ant I]

NR FDD Band n2 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376000	381500	
						1852.5 MHz	1880 MHz	1907.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.25	17.43	17.93	0
				1	13	17.24	17.41	17.93	0
				1	23	17.29	17.43	17.97	0
				12	0	17.30	17.47	17.98	0
				12	7	17.31	17.45	17.90	0
				12	13	17.33	17.44	17.91	0
				25	0	17.34	17.48	17.80	0
			QPSK	1	1	17.32	17.50	17.95	0
				1	13	17.29	17.41	17.94	0
				1	23	17.35	17.47	17.81	0
				12	0	17.32	17.49	17.92	0
				12	7	17.36	17.47	17.92	0
				12	13	17.31	17.46	17.97	0
				25	0	17.33	17.46	17.97	0
			16QAM	1	1	17.42	17.43	17.99	0
			64QAM	1	1	17.38	17.55	17.98	0
			256QAM	1	1	17.33	17.43	17.93	0
		CP	QPSK	1	1	17.29	17.48	17.97	0

NR FDD Band n2 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376000	381000	
						1855 MHz	1880 MHz	1905 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.28	17.41	17.80	0
				1	26	17.43	17.52	17.87	0
				1	50	17.43	17.48	17.94	0
				25	0	17.38	17.47	17.89	0
				25	14	17.39	17.46	17.97	0
				25	27	17.39	17.45	17.99	0
				50	0	17.40	17.47	17.93	0
			QPSK	1	1	17.39	17.47	17.87	0
				1	26	17.41	17.51	17.90	0
				1	50	17.42	17.47	17.90	0
				25	0	17.37	17.45	17.94	0
				25	14	17.37	17.47	17.99	0
				25	27	17.38	17.49	17.99	0
				50	0	17.39	17.46	17.95	0
			16QAM	1	1	17.22	17.38	17.93	0
			64QAM	1	1	17.42	17.34	17.88	0
			256QAM	1	1	17.25	17.44	17.84	0
		CP	QPSK	1	1	17.34	17.48	17.90	0

NR FDD Band n2 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376000	380500	
						1857.5 MHz	1880 MHz	1902.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.30	17.41	17.68	0
				1	40	17.30	17.42	17.79	0
				1	77	17.36	17.47	17.93	0
				36	0	17.34	17.47	17.80	0
				36	22	17.38	17.45	17.89	0
				36	43	17.41	17.46	17.96	0
				75	0	17.34	17.45	17.89	0
			QPSK	1	1	17.28	17.41	17.73	0
				1	40	17.32	17.42	17.85	0
				1	77	17.45	17.54	17.99	0
				36	0	17.32	17.42	17.80	0
				36	22	17.35	17.46	17.90	0
				36	43	17.40	17.49	17.98	0
				75	0	17.38	17.49	17.91	0
			16QAM	1	1	17.32	17.41	17.69	0
			64QAM	1	1	17.38	17.50	17.72	0
			256QAM	1	1	17.27	17.39	17.79	0
		CP	QPSK	1	1	17.26	17.36	17.72	0

NR FDD Band n2 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376000	380000	
						1860 MHz	1880 MHz	1900 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.19	17.38	17.64	0
				1	53	17.46	17.54	17.71	0
				1	104	17.41	17.53	17.81	0
				50	0	17.35	17.44	17.77	0
				50	28	17.41	17.44	17.86	0
				50	56	17.44	17.50	17.93	0
				100	0	17.40	17.49	17.84	0
			QPSK	1	1	17.31	17.45	17.65	0
				1	53	17.40	17.65	17.89	0
				1	104	17.45	17.59	17.92	0
				50	0	17.34	17.45	17.76	0
				50	28	17.38	17.47	17.81	0
				50	56	17.45	17.53	17.96	0
				100	0	17.40	17.47	17.84	0
			16QAM	1	1	17.33	17.43	17.68	0
			64QAM	1	1	17.63	17.37	17.76	0
			256QAM	1	1	17.28	17.38	17.71	0
		CP	QPSK	1	1	17.26	17.47	17.64	0

NR FDD Band n2 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		379500	
						1862.5 MHz		1897.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.23		17.52	0
				1	66	17.53		17.86	0
				1	131	17.45		17.96	0
				64	0	17.35		17.63	0
				64	35	17.42		17.75	0
				64	69	17.44		17.89	0
				128	0	17.43		17.78	0
			QPSK	1	1	17.30		17.56	0
				1	66	17.52		17.84	0
				1	131	17.44		17.99	0
				64	0	17.34		17.69	0
				64	35	17.44		17.84	0
				64	69	17.43		17.94	0
				128	0	17.44		17.83	0
			16QAM	1	1	17.29		17.53	0
			64QAM	1	1	17.44		17.57	0
			256QAM	1	1	17.28		17.43	0
		CP	QPSK	1	1	17.31		17.51	0

NR FDD Band n2 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		379000	
						1865 MHz		1895 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.35		17.52	0
				1	80	17.54		17.87	0
				1	158	17.46		17.98	0
				80	0	17.39		17.61	0
				80	40	17.48		17.77	0
				80	80	17.46		17.92	0
				160	0	17.46		17.76	0
			QPSK	1	1	17.43		17.54	0
				1	80	17.48		17.75	0
				1	158	17.50		17.91	0
				80	0	17.43		17.57	0
				80	40	17.47		17.76	0
				80	80	17.49		17.87	0
				160	0	17.48		17.77	0
			16QAM	1	1	17.46		17.44	0
			64QAM	1	1	17.45		17.51	0
			256QAM	1	1	17.39		17.65	0
		CP	QPSK	1	1	17.40		17.48	0

NR FDD Band n2 _ 35 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376000	
						1880 Mhz	
35 Mhz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.41	0
				1	98	17.42	0
				1	186	17.76	0
				90	0	17.44	0
				90	45	17.48	0
				90	90	17.57	0
				180	0	17.46	0
			QPSK	1	1	17.45	0
				1	98	17.47	0
				1	186	17.77	0
				90	0	17.47	0
				90	45	17.48	0
				90	90	17.57	0
				180	0	17.46	0
			16QAM	1	1	17.42	0
			64QAM	1	1	17.46	0
			256QAM	1	1	17.45	0
		CP	QPSK	1	1	17.44	0

NR FDD Band n2 _ 40 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376000	
						1880 Mhz	
40 Mhz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.47	0
				1	108	17.57	0
				1	214	17.83	0
				108	0	17.48	0
				108	54	17.50	0
				108	108	17.63	0
				216	0	17.52	0
			QPSK	1	1	17.47	0
				1	108	17.74	0
				1	214	17.83	0
				108	0	17.47	0
				108	54	17.51	0
				108	108	17.67	0
				216	0	17.52	0
			16QAM	1	1	17.47	0
			64QAM	1	1	17.55	0
			256QAM	1	1	17.43	0
		CP	QPSK	1	1	17.42	0

NR FDD Band n5 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)
_ SUB1 [Ant E]

NR FDD Band n5_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						165300	167300	169300	
						826.5 MHz	836.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.49	19.11	18.96	0
				1	13	19.40	19.02	18.89	0
				1	23	19.33	19.03	18.95	0
				12	0	19.49	19.14	18.97	0
				12	7	19.45	19.08	18.98	0
				12	13	19.40	19.05	18.95	0
				25	0	19.49	19.08	19.02	0
			QPSK	1	1	19.56	19.21	19.00	0
				1	13	19.41	19.02	18.99	0
				1	23	19.38	19.00	19.00	0
				12	0	19.51	19.14	19.03	0
				12	7	19.48	19.10	18.99	0
				12	13	19.41	19.06	18.96	0
				25	0	19.48	19.12	19.03	0
			16QAM	1	1	19.69	19.29	19.03	0
			64QAM	1	1	19.62	19.26	19.07	0
			256QAM	1	1	18.95	18.46	18.33	0.5
		CP	QPSK	1	1	19.56	19.23	18.98	0

NR FDD Band n5_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.12	0
				1	26	19.16	0
				1	50	18.95	0
				25	0	19.18	0
				25	14	19.09	0
				25	27	19.02	0
				50	0	19.05	0
			QPSK	1	1	19.16	0
				1	26	19.21	0
				1	50	18.99	0
				25	0	19.22	0
				25	14	19.09	0
				25	27	19.04	0
				50	0	19.09	0
			16QAM	1	1	19.09	0
			64QAM	1	1	19.20	0
			256QAM	1	1	18.28	0.5
		CP	QPSK	1	1	19.19	0

NR FDD Band n5_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.51	0
				1	40	19.03	0
				1	77	18.99	0
				36	0	19.19	0
				36	22	19.04	0
				36	43	19.02	0
				75	0	19.07	0
			QPSK	1	1	19.36	0
				1	40	18.98	0
				1	77	18.96	0
				36	0	19.23	0
				36	22	19.06	0
				36	43	19.01	0
				75	0	19.08	0
			16QAM	1	1	19.41	0
			64QAM	1	1	19.34	0
			256QAM	1	1	18.64	0.5
		CP	QPSK	1	1	19.42	0

NR FDD Band n5_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.43	0
				1	53	19.06	0
				1	104	18.93	0
				50	0	19.23	0
				50	28	19.09	0
				50	56	18.98	0
				100	0	19.07	0
			QPSK	1	1	19.48	0
				1	53	19.16	0
				1	104	18.98	0
				50	0	19.43	0
				50	28	19.09	0
				50	56	18.99	0
				100	0	19.08	0
			16QAM	1	1	19.50	0
			64QAM	1	1	19.61	0
			256QAM	1	1	18.68	0.5
		CP	QPSK	1	1	19.46	0

NR FDD Band n5 Conducted Power_ Measured Folder Open RCV(RSI 1)_

SUB1 [Ant E]

NR FDD Band n5_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						165300	167300	169300	
						826.5 MHz	836.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.07	18.67	18.51	0
				1	13	18.93	18.55	18.41	0
				1	23	18.90	18.53	18.44	0
				12	0	19.09	18.66	18.51	0
				12	7	19.03	18.64	18.51	0
				12	13	18.92	18.58	18.51	0
				25	0	19.03	18.64	18.52	0
			QPSK	1	1	19.18	18.68	18.53	0
				1	13	18.94	18.53	18.51	0
				1	23	18.91	18.55	18.51	0
				12	0	19.10	18.67	18.52	0
				12	7	19.05	18.62	18.51	0
				12	13	18.97	18.55	18.51	0
				25	0	19.02	18.66	18.53	0
			16QAM	1	1	19.21	18.63	18.72	0
			64QAM	1	1	19.10	18.81	18.54	0
			256QAM	1	1	18.81	18.40	18.34	0
		CP	QPSK	1	1	19.10	18.67	18.52	0

NR FDD Band n5_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.65	0
				1	26	18.68	0
				1	50	18.55	0
				25	0	18.75	0
				25	14	18.67	0
				25	27	18.61	0
				50	0	18.62	0
			QPSK	1	1	18.74	0
				1	26	18.77	0
				1	50	18.56	0
				25	0	18.75	0
				25	14	18.62	0
				25	27	18.61	0
				50	0	18.66	0
			16QAM	1	1	18.72	0
			64QAM	1	1	18.71	0
			256QAM	1	1	18.44	0
		CP	QPSK	1	1	18.73	0

NR FDD Band n5_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.90	0
				1	40	18.60	0
				1	77	18.54	0
				36	0	18.79	0
				36	22	18.65	0
				36	43	18.59	0
				75	0	18.67	0
			QPSK	1	1	18.94	0
				1	40	18.58	0
				1	77	18.53	0
				36	0	18.76	0
				36	22	18.68	0
				36	43	18.57	0
				75	0	18.67	0
			16QAM	1	1	19.02	0
			64QAM	1	1	18.85	0
			256QAM	1	1	18.72	0
		CP	QPSK	1	1	18.93	0

NR FDD Band n5_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.07	0
				1	53	18.87	0
				1	104	18.59	0
				50	0	18.87	0
				50	28	18.69	0
				50	56	18.60	0
				100	0	18.71	0
			QPSK	1	1	19.25	0
				1	53	18.81	0
				1	104	18.55	0
				50	0	19.03	0
				50	28	18.70	0
				50	56	18.61	0
				100	0	18.66	0
			16QAM	1	1	19.10	0
			64QAM	1	1	19.04	0
			256QAM	1	1	18.88	0
		CP	QPSK	1	1	19.11	0

**NR FDD Band n25 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)
_ SUB5 [Ant I]**

NR FDD Band n25 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376500	382500	
						1852.5 MHz	1882.5 MHz	1912.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.79	18.89	19.43	0
				1	13	18.74	18.87	19.42	0
				1	23	18.83	18.93	19.44	0
				12	0	18.80	18.92	19.48	0
				12	7	18.80	18.94	19.47	0
				12	13	18.81	18.91	19.47	0
				25	0	18.81	18.94	19.49	0
			QPSK	1	1	18.79	18.92	19.49	0
				1	13	18.76	18.88	19.46	0
				1	23	18.81	18.98	19.47	0
				12	0	18.78	18.94	19.49	0
				12	7	18.80	18.93	19.46	0
				12	13	18.81	18.95	19.49	0
				25	0	18.79	18.93	19.40	0
			16QAM	1	1	18.75	18.90	19.49	0
			64QAM	1	1	18.79	18.99	19.42	0
			256QAM	1	1	18.70	18.83	19.43	0
		CP	QPSK	1	1	18.78	18.94	19.40	0

NR FDD Band n25 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376500	382000	
						1855 MHz	1882.5 MHz	1910 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.83	18.92	19.40	0
				1	26	18.87	18.97	19.41	0
				1	50	18.88	18.98	19.47	0
				25	0	18.85	18.93	19.44	0
				25	14	18.87	18.93	19.40	0
				25	27	18.85	18.99	19.48	0
			QPSK	50	0	18.83	18.93	19.48	0
				1	1	18.85	18.94	19.43	0
				1	26	18.89	19.12	19.49	0
				1	50	18.92	19.00	19.49	0
				25	0	18.83	18.93	19.49	0
				25	14	18.84	18.94	19.48	0
				25	27	18.88	18.98	19.41	0
				50	0	18.85	18.93	19.40	0
			16QAM	1	1	18.82	18.90	19.43	0
			64QAM	1	1	18.96	18.98	19.49	0
			256QAM	1	1	18.74	18.91	19.46	0
		CP	QPSK	1	1	18.84	18.93	19.46	0

NR FDD Band n25 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376500	381500	
						1857.5 MHz	1882.5 MHz	1907.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.80	18.92	19.31	0
				1	40	18.78	18.87	19.40	0
				1	77	18.90	19.06	19.46	0
				36	0	18.86	18.96	19.42	0
				36	22	18.88	18.93	19.46	0
				36	43	18.90	19.03	19.40	0
			QPSK	75	0	18.88	18.93	19.47	0
				1	1	18.86	18.94	19.38	0
				1	40	18.83	18.89	19.41	0
				1	77	18.92	19.06	19.41	0
				36	0	18.82	18.93	19.37	0
				36	22	18.88	18.95	19.43	0
				36	43	18.93	19.01	19.45	0
				75	0	18.89	18.94	19.45	0
			16QAM	1	1	18.97	18.91	19.43	0
			64QAM	1	1	18.92	19.11	19.49	0
			256QAM	1	1	18.86	18.87	19.39	0
		CP	QPSK	1	1	18.80	18.91	19.30	0

NR FDD Band n25 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376500	381000	
						1860 MHz	1882.5 MHz	1905 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.75	18.83	19.20	0
				1	53	19.05	18.97	19.47	0
				1	104	18.92	19.09	19.45	0
				50	0	18.83	18.90	19.35	0
				50	28	18.87	18.93	19.44	0
				50	56	18.92	19.02	19.41	0
				100	0	18.86	18.95	19.44	0
			QPSK	1	1	18.80	18.90	19.29	0
				1	53	19.00	18.92	19.43	0
				1	104	18.92	19.13	19.40	0
				50	0	18.84	18.92	19.34	0
				50	28	18.89	18.93	19.47	0
				50	56	18.91	19.01	19.49	0
				100	0	18.87	18.94	19.45	0
			16QAM	1	1	18.81	19.05	19.34	0
			64QAM	1	1	18.89	18.94	19.26	0
			256QAM	1	1	18.76	18.88	19.29	0
		CP	QPSK	1	1	18.81	18.94	19.26	0

NR FDD Band n25 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		380500	
						1862.5 MHz		1902.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.73		19.08	0
				1	66	18.94		19.38	0
				1	131	18.88		19.44	0
				64	0	18.83		19.25	0
				64	35	18.88		19.36	0
				64	69	18.92		19.46	0
				128	0	18.87		19.36	0
			QPSK	1	1	18.82		19.11	0
				1	66	18.90		19.43	0
				1	131	18.90		19.40	0
				64	0	18.84		19.26	0
				64	35	18.90		19.37	0
				64	69	18.92		19.46	0
				128	0	18.90		19.38	0
			16QAM	1	1	18.79		19.07	0
			64QAM	1	1	18.89		19.13	0
			256QAM	1	1	18.82		19.21	0
		CP	QPSK	1	1	18.75		19.15	0

NR FDD Band n25 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		380000	
						1865 MHz		1900 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.84		19.05	0
				1	80	19.04		19.38	0
				1	158	18.93		19.48	0
				80	0	18.92		19.20	0
				80	40	18.96		19.36	0
				80	80	18.96		19.48	0
				160	0	18.97		19.38	0
			QPSK	1	1	18.88		19.08	0
				1	80	18.94		19.36	0
				1	158	19.01		19.43	0
				80	0	18.91		19.23	0
				80	40	18.99		19.37	0
				80	80	18.98		19.49	0
				160	0	18.97		19.37	0
			16QAM	1	1	18.84		19.26	0
			64QAM	1	1	18.97		19.07	0
			256QAM	1	1	18.82		19.00	0
		CP	QPSK	1	1	18.82		19.05	0

NR FDD Band n25 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376500	
						1882.5 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.89	0
				1	98	18.93	0
				1	186	19.26	0
				90	0	18.93	0
				90	45	18.94	0
				90	90	19.08	0
				180	0	18.96	0
			QPSK	1	1	18.92	0
				1	98	18.98	0
				1	186	19.34	0
				90	0	18.94	0
				90	45	18.96	0
				90	90	19.11	0
				180	0	18.95	0
			16QAM	1	1	18.94	0
			64QAM	1	1	19.01	0
			256QAM	1	1	18.90	0
		CP	OPSK	1	1	18.91	0

NR FDD Band n25 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376500	
						1882.5 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.89	0
				1	108	19.01	0
				1	214	19.35	0
				108	0	18.91	0
				108	54	18.95	0
				108	108	19.16	0
				216	0	18.96	0
			QPSK	1	1	18.92	0
				1	108	19.16	0
				1	214	19.45	0
				108	0	18.95	0
				108	54	18.98	0
				108	108	19.46	0
				216	0	18.98	0
			16QAM	1	1	18.90	0
			64QAM	1	1	19.02	0
			256QAM	1	1	18.95	0
		CP	QPSK	1	1	19.22	0

NR FDD Band n25 Conducted Power_ Measured Folder Open RCV(RSI 1)_

SUB5 [Ant I]

NR FDD Band n25 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376500	382500	
						1852.5 MHz	1882.5 MHz	1912.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.22	17.39	17.95	0
				1	13	17.23	17.38	17.93	0
				1	23	17.28	17.47	17.96	0
				12	0	17.31	17.46	17.96	0
				12	7	17.33	17.45	17.99	0
				12	13	17.32	17.45	17.99	0
				25	0	17.32	17.45	17.98	0
			QPSK	1	1	17.35	17.46	17.99	0
				1	13	17.30	17.39	17.98	0
				1	23	17.33	17.53	17.95	0
				12	0	17.31	17.43	17.96	0
				12	7	17.34	17.51	17.98	0
				12	13	17.33	17.44	17.80	0
				25	0	17.37	17.46	17.99	0
			16QAM	1	1	17.34	17.45	17.96	0
			64QAM	1	1	17.32	17.50	17.95	0
			256QAM	1	1	17.15	17.40	17.85	0
		CP	QPSK	1	1	17.28	17.40	17.99	0

NR FDD Band n25 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376500	382000	
						1855 MHz	1882.5 MHz	1910 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.31	17.42	17.93	0
				1	26	17.37	17.52	17.84	0
				1	50	17.38	17.52	17.99	0
				25	0	17.35	17.44	17.96	0
				25	14	17.34	17.46	17.91	0
				25	27	17.37	17.52	17.91	0
				50	0	17.39	17.47	17.99	0
			QPSK	1	1	17.37	17.44	17.97	0
				1	26	17.37	17.66	17.82	0
				1	50	17.41	17.48	17.80	0
				25	0	17.38	17.44	17.81	0
				25	14	17.39	17.50	17.84	0
				25	27	17.41	17.48	17.99	0
				50	0	17.38	17.49	17.84	0
			16QAM	1	1	17.31	17.46	17.85	0
			64QAM	1	1	17.30	17.51	17.95	0
			256QAM	1	1	17.38	17.50	17.91	0
		CP	QPSK	1	1	17.26	17.44	17.94	0

NR FDD Band n25 _ 15 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376500	381500	
						1857.5 MHz	1882.5 MHz	1907.5 MHz	
15 Mhz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.30	17.40	17.80	0
				1	40	17.32	17.37	17.89	0
				1	77	17.40	17.54	17.98	0
				36	0	17.36	17.46	17.95	0
				36	22	17.42	17.42	17.93	0
				36	43	17.44	17.51	17.83	0
				75	0	17.38	17.46	17.96	0
			QPSK	1	1	17.39	17.44	17.91	0
				1	40	17.37	17.40	17.94	0
				1	77	17.44	17.57	17.80	0
				36	0	17.35	17.45	17.94	0
				36	22	17.39	17.44	17.90	0
				36	43	17.40	17.49	17.91	0
				75	0	17.39	17.47	17.99	0
			16QAM	1	1	17.48	17.59	17.90	0
			64QAM	1	1	17.25	17.49	17.88	0
			256QAM	1	1	17.31	17.38	17.74	0
		CP	QPSK	1	1	17.38	17.39	17.87	0

NR FDD Band n25 _ 20 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376500	381000	
						1860 MHz	1882.5 MHz	1905 MHz	
20 Mhz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.25	17.39	17.71	0
				1	53	17.61	17.50	17.90	0
				1	104	17.46	17.63	17.97	0
				50	0	17.38	17.43	17.84	0
				50	28	17.39	17.48	17.98	0
				50	56	17.41	17.51	17.91	0
				100	0	17.39	17.47	17.93	0
			QPSK	1	1	17.27	17.43	17.78	0
				1	53	17.48	17.65	17.91	0
				1	104	17.46	17.66	17.97	0
				50	0	17.35	17.44	17.87	0
				50	28	17.38	17.46	17.96	0
				50	56	17.41	17.55	17.81	0
				100	0	17.40	17.44	17.96	0
			16QAM	1	1	17.29	17.31	17.91	0
			64QAM	1	1	17.50	17.52	17.82	0
			256QAM	1	1	17.29	17.33	17.79	0
		CP	QPSK	1	1	17.30	17.41	17.78	0

NR FDD Band n25 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		380500	
						1862.5 MHz		1902.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.30		17.58	0
				1	66	17.55		17.91	0
				1	131	17.44		17.94	0
				64	0	17.35		17.79	0
				64	35	17.40		17.87	0
				64	69	17.46		17.97	0
				128	0	17.43		17.89	0
			QPSK	1	1	17.33		17.61	0
				1	66	17.51		17.92	0
				1	131	17.46		17.91	0
				64	0	17.38		17.76	0
				64	35	17.40		17.90	0
				64	69	17.44		17.82	0
				128	0	17.43		17.89	0
			16QAM	1	1	17.35		17.66	0
			64QAM	1	1	17.32		17.74	0
			256QAM	1	1	17.32		17.62	0
		CP	QPSK	1	1	17.32		17.71	0

NR FDD Band n25 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		380000	
						1865 MHz		1900 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.36		17.51	0
				1	80	17.52		17.88	0
				1	158	17.52		17.95	0
				80	0	17.44		17.71	0
				80	40	17.46		17.87	0
				80	80	17.48		17.82	0
				160	0	17.47		17.87	0
			QPSK	1	1	17.41		17.59	0
				1	80	17.48		17.94	0
				1	158	17.51		17.83	0
				80	0	17.45		17.73	0
				80	40	17.50		17.86	0
				80	80	17.50		17.98	0
				160	0	17.47		17.87	0
			16QAM	1	1	17.33		17.61	0
			64QAM	1	1	17.42		17.55	0
			256QAM	1	1	17.52		17.59	0
		CP	QPSK	1	1	17.35		17.59	0

NR FDD Band n25 _ 35 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376500	
						1882.5 Mhz	
35 Mhz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.38	0
				1	98	17.43	0
				1	186	17.76	0
				90	0	17.43	0
				90	45	17.45	0
				90	90	17.61	0
				180	0	17.46	0
			QPSK	1	1	17.47	0
				1	98	17.47	0
				1	186	17.84	0
				90	0	17.44	0
				90	45	17.47	0
				90	90	17.63	0
				180	0	17.45	0
			16QAM	1	1	17.43	0
			64QAM	1	1	17.44	0
			256QAM	1	1	17.47	0
		CP	QPSK	1	1	17.45	0

NR FDD Band n25 _ 40 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376500	
						1882.5 Mhz	
40 Mhz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.40	0
				1	108	17.51	0
				1	214	17.83	0
				108	0	17.44	0
				108	54	17.47	0
				108	108	17.68	0
				216	0	17.51	0
			QPSK	1	1	17.44	0
				1	108	17.64	0
				1	214	17.90	0
				108	0	17.47	0
				108	54	17.50	0
				108	108	17.72	0
				216	0	17.50	0
			16QAM	1	1	17.50	0
			64QAM	1	1	17.40	0
			256QAM	1	1	17.45	0
		CP	QPSK	1	1	17.45	0

**NR TDD Band n41 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)
_ SUB5 [Ant I]**

NR TDD Band n41 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500202	509400	518598	527802	537000	
						2501.01 MHz	2547 MHz	2592.99 MHz	2639.01 MHz	2685 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	17.84	17.74	17.91	17.74	17.68	0
				1	12	17.83	17.73	17.93	17.70	17.69	0
				1	22	17.81	17.67	17.96	17.71	17.67	0
				12	0	17.83	17.70	17.92	17.70	17.65	0
				12	6	17.80	17.68	17.93	17.70	17.66	0
				12	12	17.77	17.68	17.94	17.71	17.66	0
				24	0	17.80	17.66	17.93	17.69	17.64	0
			QPSK	1	1	17.85	17.70	17.93	17.71	17.65	0
				1	12	17.86	17.72	17.94	17.70	17.70	0
				1	22	17.82	17.67	17.93	17.71	17.70	0
				12	0	17.70	17.68	17.92	17.70	17.67	0
				12	6	17.80	17.68	17.92	17.71	17.65	0
				12	12	17.80	17.68	17.92	17.69	17.64	0
				24	0	17.82	17.69	17.94	17.71	17.64	0
			16QAM	1	1	17.81	17.65	17.96	17.71	17.67	0
			64QAM	1	1	17.80	17.64	17.95	17.68	17.65	0
			256QAM	1	1	17.84	17.72	17.94	17.68	17.61	0
		CP	QPSK	1	1	17.85	17.69	17.72	17.71	17.38	0

NR TDD Band n41_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500700	509664	518598	527562	536496	
						2503.5	2548.32	2592.99	2637.81	2682.48	
						MHz	MHz	MHz	MHz	MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	17.65	17.82	17.66	17.69	17.84	0
				1	18	17.87	17.65	17.63	17.65	17.79	0
				1	36	17.86	17.71	17.74	17.68	17.83	0
				18	0	17.94	17.72	17.65	17.70	17.82	0
				18	9	17.68	17.68	17.64	17.68	17.86	0
				18	18	17.89	17.70	17.65	17.66	17.83	0
				36	0	17.90	17.70	17.66	17.66	17.86	0
			QPSK	1	1	17.93	17.74	17.65	17.71	17.81	0
				1	18	17.76	17.73	17.64	17.61	17.82	0
				1	36	17.92	17.70	17.62	17.70	17.84	0
				18	0	17.74	17.73	17.64	17.68	17.84	0
				18	9	17.89	17.68	17.68	17.65	17.84	0
				18	18	17.89	17.68	17.67	17.67	17.85	0
				36	0	17.90	17.71	17.67	17.67	17.86	0
			16QAM	1	1	17.90	17.97	17.46	17.69	17.73	0
			64QAM	1	1	17.90	17.75	17.56	17.75	17.88	0
			256QAM	1	1	17.93	17.67	17.99	17.71	17.80	0
		CP	QPSK	1	1	17.95	17.39	17.79	17.71	17.79	0

NR TDD Band n41_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501204	509898	518598	527298	535998	
						2506.02	2549.49	2592.99	2636.49	2679.99	
						MHz	MHz	MHz	MHz	MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	17.89	16.21	17.95	17.69	17.78	0
				1	26	17.90	17.73	17.92	17.64	17.86	0
				1	49	17.91	17.74	17.94	17.64	17.87	0
				25	0	17.90	17.05	17.92	17.68	17.66	0
				25	13	17.92	17.73	17.92	17.63	17.87	0
				25	26	17.91	17.72	17.95	17.64	17.86	0
				50	0	17.91	17.74	17.92	17.62	17.83	0
			QPSK	1	1	17.91	17.80	17.88	17.69	17.95	0
				1	26	17.88	17.78	17.93	17.64	17.79	0
				1	49	17.83	17.80	17.95	17.63	17.80	0
				25	0	17.89	17.75	17.90	17.71	17.83	0
				25	13	17.91	17.81	17.93	17.65	17.78	0
				25	26	17.93	17.71	17.95	17.64	17.77	0
				50	0	17.90	17.74	17.94	17.63	17.68	0
			16QAM	1	1	17.90	17.62	17.87	17.70	17.75	0
			64QAM	1	1	17.94	17.79	17.76	17.68	17.79	0
			256QAM	1	1	17.90	17.55	17.88	17.14	17.69	0
		CP	QPSK	1	1	17.89	17.74	17.86	17.20	17.83	0

NR TDD Band n41_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501702	510150	518598	527046	535500	
						2508.51	2550.75	2592.99	2635.23	2677.50	
						MHz	MHz	MHz	MHz	MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	17.94	17.91	17.94	17.69	17.71	0
				1	32	17.98	17.81	17.96	17.63	17.74	0
				1	63	17.94	17.83	17.97	17.66	17.79	0
				32	0	17.94	17.78	17.89	17.65	17.70	0
				32	17	17.95	17.77	17.93	17.63	17.74	0
				32	33	17.92	17.76	17.95	17.63	17.76	0
				64	0	17.94	17.77	17.93	17.63	17.75	0
			QPSK	1	1	17.97	17.81	17.75	17.69	17.67	0
				1	32	17.99	17.80	17.94	17.66	17.76	0
				1	63	17.93	17.82	17.94	17.66	17.78	0
				32	0	17.95	17.76	17.92	17.64	17.71	0
				32	17	17.96	17.77	17.91	17.62	17.72	0
				32	33	17.95	17.78	17.95	17.62	17.78	0
				64	0	17.96	17.75	17.94	17.64	17.76	0
			16QAM	1	1	17.95	17.84	17.89	17.70	17.61	0
			64QAM	1	1	17.75	17.61	17.91	17.66	17.58	0
			256QAM	1	1	17.99	17.75	17.84	17.46	17.75	0
		CP	QPSK	1	1	17.94	17.81	17.81	17.43	17.83	0

NR TDD Band n41_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						502200	510402	518598	526800	534996	
						2511	2552.01	2592.99	2634	2674.98	
						MHz	MHz	MHz	MHz	MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	17.73	17.88	17.63	17.97	17.87	0
				1	39	17.75	17.88	17.68	17.99	17.98	0
				1	76	17.91	17.82	17.64	17.75	17.92	0
				36	0	17.80	17.36	17.64	17.86	17.85	0
				36	21	17.98	17.78	17.66	17.84	17.88	0
				36	42	17.95	17.83	17.67	17.80	17.92	0
				75	0	17.97	17.80	17.67	17.82	17.89	0
			QPSK	1	1	17.76	17.91	17.66	17.95	17.83	0
				1	39	17.74	17.82	17.71	17.88	17.91	0
				1	76	17.94	17.87	17.71	17.78	17.92	0
				36	0	17.80	17.82	17.64	17.83	17.86	0
				36	21	17.80	17.81	17.66	17.80	17.87	0
				36	42	17.96	17.79	17.67	17.83	17.92	0
				75	0	17.99	17.79	17.69	17.83	17.91	0
			16QAM	1	1	17.96	17.71	17.50	17.86	17.86	0
			64QAM	1	1	17.57	17.76	17.67	17.99	17.78	0
			256QAM	1	1	17.98	17.90	17.87	17.90	17.85	0
		CP	QPSK	1	1	17.85	17.52	17.70	17.61	17.33	0

NR TDD Band n41 _40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						503202	513468		523734	534000	
						2516.01 MHz	2567.34 MHz		2618.67 MHz	2670 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	17.93	17.81		17.93	17.77	0
				1	53	17.84	17.54		17.79	17.78	0
				1	104	17.79	17.63		17.73	17.84	0
				50	0	17.92	17.46		17.87	17.74	0
				50	28	17.89	17.47		17.81	17.76	0
				50	56	17.82	17.54		17.74	17.81	0
				100	0	17.89	17.73		17.82	17.73	0
			QPSK	1	1	17.88	17.83		17.95	17.75	0
				1	53	17.85	17.76		17.86	17.76	0
				1	104	17.77	17.89		17.73	17.87	0
				50	0	17.95	17.78		17.89	17.72	0
				50	28	17.87	17.75		17.81	17.74	0
				50	56	17.85	17.79		17.74	17.84	0
				100	0	17.91	17.74		17.83	17.76	0
			16QAM	1	1	17.77	17.66		17.83	17.56	0
			64QAM	1	1	17.90	17.85		17.88	17.83	0
			256QAM	1	1	17.90	17.76		17.74	17.74	0
		CP	QPSK	1	1	17.88	17.78		17.81	17.68	0

NR TDD Band n41 _50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						504204		518598		532998	
						2521.02 MHz		2592.99 MHz		2664.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	17.76		17.93		17.93	0
				1	67	17.93		17.93		17.81	0
				1	131	17.87		17.94		17.91	0
				64	0	17.77		17.91		17.86	0
				64	35	17.99		17.92		17.82	0
				64	69	17.89		17.93		17.89	0
				128	0	17.99		17.95		17.80	0
			QPSK	1	1	17.67		17.92		17.90	0
				1	67	17.94		17.92		17.79	0
				1	131	17.88		17.91		17.89	0
				64	0	17.86		17.92		17.85	0
				64	35	17.97		17.96		17.82	0
				64	69	17.91		17.94		17.90	0
				128	0	17.99		17.93		17.83	0
			16QAM	1	1	17.96		17.73		17.95	0
			64QAM	1	1	17.97		17.81		17.75	0
			256QAM	1	1	17.77		17.65		17.70	0
		CP	QPSK	1	1	17.83		17.90		17.84	0

NR TDD Band n41 _60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						505200		518598			531996
						2526 MHz		2592.99 MHz			2659.98 MHz
60 MHz	30	DFT-s	pi/2 BPSK	1	1	17.75		17.88		17.83	0
				1	81	17.80		17.93		17.68	0
				1	160	17.87		17.86		17.89	0
				81	0	17.93		17.89		17.75	0
				81	41	17.79		17.93		17.68	0
				81	81	17.79		17.92		17.80	0
				162	0	17.82		17.94		17.72	0
			QPSK	1	1	17.96		17.85		17.81	0
				1	81	17.83		17.88		17.67	0
				1	160	17.91		17.90		17.85	0
				81	0	17.93		17.91		17.73	0
				81	41	17.79		17.93		17.69	0
				81	81	17.78		17.90		17.79	0
				162	0	17.86		17.96		17.72	0
			16QAM	1	1	17.69		17.95		17.78	0
			64QAM	1	1	17.87		17.84		17.83	0
			256QAM	1	1	17.96		17.79		17.85	0
		CP	QPSK	1	1	17.75		17.73		17.91	0

NR TDD Band n41 _70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						506208					530994
						2531.04 MHz					2654.97 MHz
70 MHz	30	DFT-s	pi/2 BPSK	1	1	17.89				17.93	0
				1	95	17.95				17.66	0
				1	187	17.91				17.87	0
				90	0	17.87				17.70	0
				90	50	17.91				17.62	0
				90	99	17.85				17.66	0
				180	0	17.94				17.67	0
			QPSK	1	1	17.90				17.91	0
				1	95	17.93				17.64	0
				1	187	17.86				17.84	0
				90	0	17.88				17.73	0
				90	50	17.91				17.63	0
				90	99	17.85				17.65	0
				180	0	17.95				17.66	0
			16QAM	1	1	17.95				17.76	0
			64QAM	1	1	17.76				17.98	0
			256QAM	1	1	17.87				17.92	0
		CP	QPSK	1	1	17.79				17.89	0

NR TDD Band n41_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						507204					529998
						2536.02 MHz					2649.99 MHz
80 MHz	30	DFT-s	pi/2 BPSK	1	1	17.96				17.89	0
				1	109	17.81				17.75	0
				1	215	17.76				17.75	0
				108	0	17.70				17.87	0
				108	55	17.53				17.74	0
				108	109	17.54				17.82	0
			QPSK	216	0	17.56				17.79	0
				1	1	17.97				17.86	0
				1	109	17.68				17.73	0
				1	215	17.78				17.65	0
				108	0	17.71				17.86	0
				108	55	17.59				17.75	0
				108	109	17.53				17.79	0
				216	0	17.56				17.79	0
			16QAM	1	1	17.80				17.89	0
			64QAM	1	1	17.91				17.87	0
			256QAM	1	1	17.76				17.89	0
		CP	QPSK	1	1	17.69				17.86	0

NR TDD Band n41_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						508200					528996
						2541 MHz					2644.98 MHz
90 MHz	30	DFT-s	pi/2 BPSK	1	1	17.89				17.82	0
				1	123	17.88				17.83	0
				1	243	17.89				17.82	0
				120	0	17.96				17.90	0
				120	63	17.85				17.92	0
				120	125	17.95				17.88	0
			QPSK	243	0	17.85				17.95	0
				1	1	17.90				17.78	0
				1	123	17.95				17.87	0
				1	243	17.87				17.86	0
				120	0	17.87				17.88	0
				120	63	17.95				17.89	0
				120	125	17.95				17.88	0
				243	0	17.90				17.94	0
			16QAM	1	1	17.89				17.68	0
			64QAM	1	1	17.86				17.98	0
			256QAM	1	1	17.98				17.89	0
		CP	QPSK	1	1	17.87				17.96	0

NR TDD Band n41 _100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
								518598		
								2592.99 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1			17.87		0
				1	137			17.86		0
				1	271			17.89		0
				135	0			17.86		0
				135	69			17.65		0
				135	138			17.74		0
				270	0			17.97		0
			QPSK	1	1			17.99		0
				1	137			17.88		0
				1	271			17.97		0
				135	0			17.95		0
				135	69			17.98		0
				135	138			17.94		0
				270	0			17.95		0
			16QAM	1	1			17.93		0
			64QAM	1	1			17.93		0
			256QAM	1	1			17.88		0
		CP	QPSK	1	1			17.96		0

NR TDD Band n41 Conducted Power_ Measured Folder Open RCV(RSI 1)_

SUB5 [Ant I]

NR TDD Band n41 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500202	509400	518598	527802	537000	
						2501.01 MHz	2547 MHz	2592.99 MHz	2639.01 MHz	2685 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	15.29	15.37	15.68	15.43	15.31	0
				1	12	15.43	15.42	15.76	15.45	15.33	0
				1	22	15.29	15.40	15.70	15.43	15.27	0
				12	0	15.64	15.34	15.66	15.41	15.28	0
				12	6	15.68	15.34	15.68	15.41	15.28	0
				12	12	15.71	15.33	15.68	15.40	15.20	0
				24	0	15.69	15.55	15.67	15.39	15.25	0
			QPSK	1	1	15.77	15.37	15.69	15.40	15.30	0
				1	12	15.70	15.40	15.71	15.44	15.28	0
				1	22	15.67	15.35	15.71	15.37	15.27	0
				12	0	15.67	14.95	15.67	15.39	15.27	0
				12	6	15.66	14.96	15.68	15.39	15.36	0
				12	12	15.68	14.94	15.68	15.41	15.25	0
				24	0	15.69	14.95	15.66	15.39	15.28	0
			16QAM	1	1	15.55	15.01	15.55	15.41	15.24	0
			64QAM	1	1	15.57	14.95	15.65	15.42	15.28	0
			256QAM	1	1	15.79	15.31	15.66	15.44	15.27	0
		CP	QPSK	1	1	15.71	15.75	14.14	15.42	15.19	0

NR TDD Band n41 _15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500700	509664	518598	527562	536496	
						2503.5 MHz	2548.32 MHz	2592.99 MHz	2637.81 MHz	2682.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	15.73	15.41	15.63	15.37	15.46	0
				1	18	15.69	14.11	15.69	15.34	15.47	0
				1	36	15.71	15.01	15.74	15.38	15.48	0
				18	0	15.69	15.02	15.66	15.39	15.46	0
				18	9	15.70	15.00	15.68	15.38	15.49	0
				18	18	15.68	15.38	13.82	15.37	15.48	0
				36	0	15.69	15.38	15.69	15.15	15.50	0
			QPSK	1	1	15.71	15.39	15.65	15.04	15.44	0
				1	18	15.67	15.40	15.66	14.96	15.45	0
				1	36	15.68	15.43	15.72	14.98	15.47	0
				18	0	15.28	15.00	15.29	15.00	15.47	0
				18	9	15.30	15.01	15.31	14.98	15.48	0
				18	18	15.29	15.00	15.30	14.97	15.49	0
				36	0	15.30	15.01	15.29	14.97	15.49	0
			16QAM	1	1	15.46	15.27	15.25	14.99	15.53	0
			64QAM	1	1	15.42	15.17	15.08	15.39	15.50	0
			256QAM	1	1	15.69	15.06	15.72	15.43	15.53	0
		CP	QPSK	1	1	13.81	15.40	14.42	15.38	15.35	0

NR TDD Band n41_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501204	509898	518598	527298	535998	
						2506.02	2549.49	2592.99	2636.49	2679.99	
						MHz	MHz	MHz	MHz	MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	15.42	15.49	15.63	15.38	15.42	0
				1	26	15.52	15.42	15.70	15.34	15.45	0
				1	49	15.50	15.46	15.67	15.34	15.45	0
				25	0	15.55	15.41	15.64	15.36	15.43	0
				25	13	15.54	15.06	15.68	15.33	15.45	0
				25	26	15.54	15.04	15.68	15.33	15.46	0
				50	0	15.55	15.42	15.68	15.32	15.44	0
			QPSK	1	1	15.55	15.42	15.57	15.36	15.39	0
				1	26	15.51	15.46	15.69	15.32	15.41	0
				1	49	15.53	15.49	15.69	15.32	15.37	0
				25	0	15.55	15.03	15.65	15.37	15.42	0
				25	13	15.55	15.02	15.67	15.32	15.43	0
				25	26	15.55	15.04	15.69	15.35	15.43	0
				50	0	15.54	15.04	15.67	15.33	15.47	0
			16QAM	1	1	15.61	15.04	15.60	15.37	15.40	0
			64QAM	1	1	15.54	15.07	15.67	15.44	15.31	0
			256QAM	1	1	15.58	15.60	15.65	15.38	15.44	0
		CP	QPSK	1	1	15.54	15.05	15.64	15.36	15.37	0

NR TDD Band n41_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501702	510150	518598	527046	535500	
						2508.51	2550.75	2592.99	2635.23	2677.50	
						MHz	MHz	MHz	MHz	MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	15.38	15.50	15.68	15.41	15.38	0
				1	32	15.65	15.47	15.73	15.33	15.41	0
				1	63	15.58	15.51	15.68	15.31	15.41	0
				32	0	15.64	15.58	15.67	15.35	15.29	0
				32	17	14.37	15.44	15.71	15.31	15.39	0
				32	33	15.59	15.46	14.49	15.31	15.43	0
				64	0	15.63	15.44	15.74	15.31	15.38	0
			QPSK	1	1	15.19	15.51	15.44	15.42	15.37	0
				1	32	15.18	15.45	15.72	15.34	15.37	0
				1	63	15.12	15.50	15.72	15.32	15.39	0
				32	0	15.65	15.42	15.66	15.35	15.35	0
				32	17	15.60	15.45	15.69	15.29	15.37	0
				32	33	15.57	15.45	15.71	15.31	15.40	0
				64	0	15.60	15.43	15.71	15.32	15.38	0
			16QAM	1	1	15.72	15.52	15.64	15.41	15.33	0
			64QAM	1	1	15.68	15.63	15.63	15.30	15.39	0
			256QAM	1	1	15.64	15.45	14.47	15.34	15.30	0
		CP	QPSK	1	1	15.64	15.54	15.68	15.39	15.33	0

NR TDD Band n41_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						502200	510402	518598	526800	534996	
						2511 MHz	2552.01 MHz	2592.99 MHz	2634 MHz	2674.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	15.71	15.53	15.77	15.64	15.52	0
				1	39	15.73	15.53	15.68	15.55	15.54	0
				1	76	15.60	15.53	15.66	15.49	15.58	0
				36	0	15.70	15.50	15.61	15.58	15.29	0
				36	21	15.67	15.49	15.64	15.56	15.54	0
				36	42	15.63	15.50	15.67	15.30	15.58	0
				75	0	15.67	15.47	15.66	15.56	13.98	0
			QPSK	1	1	15.69	15.55	15.58	15.67	15.51	0
				1	39	15.66	15.53	15.66	15.54	15.58	0
				1	76	15.59	15.55	15.67	15.51	15.55	0
				36	0	15.70	15.49	15.62	15.60	15.49	0
				36	21	15.68	15.48	15.48	15.55	15.54	0
				36	42	15.62	15.52	15.29	15.49	15.56	0
				75	0	15.70	15.48	15.27	15.56	15.53	0
			16QAM	1	1	15.72	15.60	15.24	15.45	14.82	0
			64QAM	1	1	15.77	15.55	15.13	15.56	15.52	0
			256QAM	1	1	15.68	15.51	15.62	15.53	15.56	0
		CP	QPSK	1	1	15.70	15.55	15.20	15.64	15.44	0

NR TDD Band n41_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						503202	513468		523734	534000	
						2516.01 MHz	2567.34 MHz		2618.67 MHz	2670 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	14.79	15.01		15.67	15.45	0
				1	53	15.50	15.04		15.53	15.40	0
				1	104	15.40	15.18		15.47	15.46	0
				50	0	15.56	15.01		15.58	15.38	0
				50	28	15.50	15.40		15.52	15.17	0
				50	56	15.43	15.48		14.49	15.49	0
				100	0	15.52	15.42		15.54	15.40	0
			QPSK	1	1	15.59	15.42		15.68	15.43	0
				1	53	15.45	15.41		15.53	15.33	0
				1	104	15.40	15.54		15.48	15.49	0
				50	0	15.56	15.40		15.59	15.38	0
				50	28	15.51	15.39		15.53	15.40	0
				50	56	15.43	15.59		15.46	15.47	0
				100	0	15.55	15.48		15.52	15.40	0
			16QAM	1	1	15.72	15.25		15.67	15.76	0
			64QAM	1	1	15.62	15.45		15.73	15.51	0
			256QAM	1	1	15.59	15.48		15.48	15.38	0
		CP	QPSK	1	1	15.55	15.47		15.54	15.35	0

NR TDD Band n41 _50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
						504204		518598		
						2521.02 MHz		2592.99 MHz		
50 MHz	30	DFT-s	pi/2 BPSK	1	1	14.04		15.34		0
				1	67	15.14		15.61		0
				1	131	15.08		15.66		0
				64	0	15.29		15.60		0
				64	35	15.20		15.66		0
				64	69	15.12		15.65		0
			QPSK	128	0	15.22		15.66		0
				1	1	15.30		15.60		0
				1	67	15.14		15.68		0
				1	131	15.06		15.69		0
				64	0	15.30		15.56		0
				64	35	15.22		15.66		0
				64	69	15.11		15.67		0
				128	0	15.25		15.64		0
			16QAM	1	1	15.43		15.73		0
			64QAM	1	1	15.43		15.48		0
			256QAM	1	1	15.77		15.58		0
		CP	QPSK	1	1	15.70		15.23		0

NR TDD Band n41 _60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
						505200		518598		
						2526 MHz		2592.99 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1	14.91		15.57		0
				1	81	15.46		15.65		0
				1	160	15.48		15.60		0
				81	0	15.59		15.53		0
				81	41	15.44		14.38		0
				81	81	15.41		15.64		0
			QPSK	162	0	15.47		15.66		0
				1	1	15.66		15.53		0
				1	81	15.42		15.62		0
				1	160	15.46		15.57		0
				81	0	15.58		15.59		0
				81	41	15.43		15.65		0
				81	81	15.41		15.66		0
				162	0	15.48		15.66		0
			16QAM	1	1	15.75		15.28		0
			64QAM	1	1	15.69		15.70		0
			256QAM	1	1	15.73		15.50		0
		CP	QPSK	1	1	15.70		15.62		0

NR TDD Band n41_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						506208					530994
						2531.04 MHz					2654.97 MHz
70 MHz	30	DFT-s	pi/2 BPSK	1	1	15.77				15.68	0
				1	95	15.56				15.39	0
				1	187	15.53				15.50	0
				90	0	15.70				15.49	0
				90	50	15.58				15.37	0
				90	99	15.51				15.37	0
				180	0	15.59				15.52	0
			QPSK	1	1	15.77				15.65	0
				1	95	15.58				15.33	0
				1	187	15.49				15.45	0
				90	0	15.72				15.49	0
				90	50	15.56				15.38	0
				90	99	15.52				15.38	0
				180	0	15.60				15.40	0
			16QAM	1	1	15.76				15.64	0
			64QAM	1	1	15.77				15.65	0
			256QAM	1	1	15.72				15.72	0
		CP	QPSK	1	1	15.79				15.66	0

NR TDD Band n41_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						507204					529998
						2536.02					2649.99
					MHz					MHz	
80 MHz	30	DFT-s	pi/2 BPSK	1	1	15.51				14.99	0
				1	109	15.32				15.33	0
				1	215	15.70				15.70	0
				108	0	15.57				15.60	0
				108	55	15.28				15.63	0
				108	109	15.44				15.51	0
				216	0	15.48				15.11	0
			QPSK	1	1	15.75				15.36	0
				1	109	15.36				15.49	0
				1	215	15.58				15.41	0
				108	0	15.49				15.48	0
				108	55	15.40				15.38	0
				108	109	15.33				15.43	0
				216	0	15.48				15.42	0
			16QAM	1	1	15.55				15.40	0
			64QAM	1	1	15.34				15.79	0
			256QAM	1	1	15.42				15.28	0
		CP	QPSK	1	1	15.68				15.49	0

NR TDD Band n41 _90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						508200					528996
						2541 MHz					2644.98 MHz
90 MHz	30	DFT-s	pi/2 BPSK	1	1	15.57				15.74	0
				1	123	15.46				15.59	0
				1	243	15.68				15.72	0
				120	0	15.68				15.76	0
				120	63	15.52				15.61	0
				120	125	15.57				15.61	0
				243	0	15.58				15.64	0
			QPSK	1	1	15.70				15.48	0
				1	123	15.42				15.56	0
				1	243	15.78				15.59	0
				120	0	15.70				15.69	0
				120	63	15.51				15.63	0
				120	125	15.58				15.49	0
				243	0	15.60				15.55	0
			16QAM	1	1	15.75				15.49	0
			64QAM	1	1	15.79				15.53	0
			256QAM	1	1	15.61				15.68	0
		CP	QPSK	1	1	15.45				15.41	0

NR TDD Band n41 _100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
								518598		
								2592.99 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1			15.71		0
				1	137			15.72		0
				1	271			15.74		0
				135	0			15.55		0
				135	69			15.76		0
				135	138			15.71		0
				270	0			15.75		0
			QPSK	1	1			15.76		0
				1	137			15.60		0
				1	271			15.73		0
				135	0			15.64		0
				135	69			15.74		0
				135	138			15.78		0
				270	0			15.77		0
			16QAM	1	1			15.78		0
			64QAM	1	1			15.76		0
			256QAM	1	1			15.79		0
		CP	QPSK	1	1			15.69		0

**NR FDD Band n66 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)
_ SUB5 [Ant I]**

NR FDD Band n66 _5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						342500	349000	355500	
						1712.5 MHz	1745 MHz	1777.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.19	20.20	20.43	0
				1	13	20.09	20.19	20.43	0
				1	23	20.15	20.28	20.46	0
				12	0	20.19	20.26	20.49	0
				12	7	20.18	20.27	20.48	0
				12	13	20.19	20.29	20.45	0
				25	0	20.19	20.26	20.48	0
			QPSK	1	1	20.21	20.23	20.40	0
				1	13	20.16	20.23	20.44	0
				1	23	20.17	20.31	20.49	0
				12	0	20.20	20.25	20.49	0
				12	7	20.19	20.24	20.49	0
				12	13	20.20	20.31	20.47	0
				25	0	20.20	20.26	20.47	0
			16QAM	1	1	20.24	20.29	20.48	0
			64QAM	1	1	20.32	20.34	20.43	0
			256QAM	1	1	20.21	20.38	20.46	0
		CP	QPSK	1	1	20.20	20.24	20.42	0

NR FDD Band n66 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343000	349000	355000	
						1715 MHz	1745 MHz	1775 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.21	20.20	20.40	0
				1	26	20.38	20.27	20.41	0
				1	50	20.14	20.35	20.40	0
				25	0	20.23	20.22	20.49	0
				25	14	20.22	20.26	20.42	0
				25	27	20.22	20.33	20.49	0
				50	0	20.23	20.25	20.43	0
			QPSK	1	1	20.22	20.20	20.44	0
				1	26	20.23	20.28	20.43	0
				1	50	20.17	20.35	20.47	0
				25	0	20.25	20.22	20.42	0
				25	14	20.23	20.25	20.43	0
				25	27	20.20	20.30	20.40	0
				50	0	20.22	20.25	20.40	0
			16QAM	1	1	20.32	20.17	20.42	0
			64QAM	1	1	20.23	20.20	20.47	0
			256QAM	1	1	20.21	20.12	20.41	0
		CP	QPSK	1	1	20.28	20.21	20.44	0

NR FDD Band n66 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5 MHz	1745 MHz	1772.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.20	20.15	20.40	0
				1	40	20.09	20.21	20.41	0
				1	77	20.07	20.36	20.40	0
				36	0	20.23	20.22	20.48	0
				36	22	20.19	20.26	20.40	0
				36	43	20.18	20.36	20.47	0
				75	0	20.21	20.26	20.48	0
			QPSK	1	1	20.24	20.19	20.47	0
				1	40	20.14	20.24	20.42	0
				1	77	20.09	20.39	20.44	0
				36	0	20.25	20.22	20.42	0
				36	22	20.18	20.25	20.49	0
				36	43	20.18	20.36	20.41	0
				75	0	20.20	20.26	20.40	0
			16QAM	1	1	20.28	20.24	20.44	0
			64QAM	1	1	20.19	20.33	20.41	0
			256QAM	1	1	20.15	20.18	20.47	0
		CP	QPSK	1	1	20.26	20.16	20.48	0

NR FDD Band n66 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344000	349000	354000	
						1720 MHz	1745 MHz	1770 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.20	20.11	20.48	0
				1	53	20.22	20.30	20.45	0
				1	104	20.11	20.41	20.44	0
				50	0	20.22	20.21	20.49	0
				50	28	20.17	20.28	20.45	0
				50	56	20.11	20.37	20.41	0
				100	0	20.19	20.29	20.42	0
			QPSK	1	1	20.23	20.17	20.48	0
				1	53	20.26	20.34	20.49	0
				1	104	20.13	20.44	20.46	0
				50	0	20.23	20.22	20.42	0
				50	28	20.17	20.28	20.43	0
				50	56	20.13	20.36	20.40	0
				100	0	20.18	20.26	20.43	0
			16QAM	1	1	20.33	20.27	20.41	0
			64QAM	1	1	20.20	20.25	20.46	0
			256QAM	1	1	20.27	20.10	20.47	0
		CP	QPSK	1	1	20.20	20.16	20.46	0

NR FDD Band n66 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344500	349000	353500	
						1722.5 MHz	1745 MHz	1767.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.20	20.10	20.40	0
				1	66	20.23	20.33	20.41	0
				1	131	20.07	20.42	20.45	0
				64	0	20.19	20.20	20.42	0
				64	35	20.12	20.29	20.45	0
				64	69	20.11	20.41	20.46	0
			QPSK	128	0	20.14	20.26	20.45	0
				1	1	20.24	20.13	20.48	0
				1	66	20.21	20.31	20.46	0
				1	131	20.11	20.48	20.48	0
				64	0	20.18	20.22	20.44	0
				64	35	20.13	20.30	20.47	0
				64	69	20.10	20.41	20.45	0
				128	0	20.17	20.30	20.48	0
			16QAM	1	1	20.23	20.14	20.40	0
			64QAM	1	1	20.32	20.11	20.44	0
			256QAM	1	1	20.18	20.14	20.42	0
		CP	QPSK	1	1	20.19	20.15	20.46	0

NR FDD Band n66 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.09	0
				1	80	20.29	0
				1	158	20.46	0
				80	0	20.20	0
				80	40	20.27	0
				80	80	20.44	0
			QPSK	160	0	20.30	0
				1	1	20.15	0
				1	80	20.36	0
				1	158	20.41	0
				80	0	20.20	0
				80	40	20.30	0
				80	80	20.43	0
				160	0	20.34	0
			16QAM	1	1	20.17	0
			64QAM	1	1	20.16	0
			256QAM	1	1	20.14	0
		CP	QPSK	1	1	20.17	0

NR FDD Band n66 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.15	0
				1	98	20.27	0
				1	186	20.49	0
				90	0	20.17	0
				90	45	20.26	0
				90	90	20.43	0
				180	0	20.25	0
			QPSK	1	1	20.17	0
				1	98	20.30	0
				1	186	20.44	0
				90	0	20.21	0
				90	45	20.27	0
				90	90	20.46	0
				180	0	20.31	0
			16QAM	1	1	20.24	0
			64QAM	1	1	20.18	0
			256QAM	1	1	20.23	0
		CP	QPSK	1	1	20.16	0

NR FDD Band n66 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.14	0
				1	108	20.26	0
				1	214	20.47	0
				108	0	20.15	0
				108	54	20.28	0
				108	108	20.47	0
				216	0	20.27	0
			QPSK	1	1	20.17	0
				1	108	20.32	0
				1	214	20.49	0
				108	0	20.17	0
				108	54	20.27	0
				108	108	20.49	0
				216	0	20.32	0
			16QAM	1	1	20.16	0
			64QAM	1	1	20.31	0
			256QAM	1	1	20.08	0
		CP	QPSK	1	1	20.33	0

NR FDD Band n66 Conducted Power_ Measured Folder Open RCV(RSI 1)_

SUB5 [Ant I]

NR FDD Band n66 _5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						342500	349000	355500	
						1712.5 MHz	1745 MHz	1777.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.11	18.14	18.41	0
				1	13	18.12	18.19	18.34	0
				1	23	18.11	18.25	18.36	0
				12	0	18.13	18.21	18.44	0
				12	7	18.19	18.18	18.40	0
				12	13	18.13	18.23	18.39	0
				25	0	18.12	18.21	18.40	0
			QPSK	1	1	18.19	18.19	18.45	0
				1	13	18.12	18.17	18.38	0
				1	23	18.15	18.25	18.43	0
				12	0	18.15	18.19	18.43	0
				12	7	18.16	18.20	18.44	0
				12	13	18.15	18.25	18.44	0
				25	0	18.18	18.19	18.44	0
			16QAM	1	1	18.21	18.21	18.49	0
			64QAM	1	1	18.26	18.12	18.49	0
			256QAM	1	1	18.06	18.25	18.37	0
		CP	QPSK	1	1	18.16	18.19	18.46	0

NR FDD Band n66 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343000	349000	355000	
						1715 MHz	1745 MHz	1775 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.16	18.10	18.42	0
				1	26	18.30	18.21	18.47	0
				1	50	18.14	18.30	18.40	0
				25	0	18.16	18.18	18.46	0
				25	14	18.15	18.25	18.47	0
				25	27	18.13	18.26	18.44	0
				50	0	18.21	18.19	18.48	0
			QPSK	1	1	18.18	18.16	18.48	0
				1	26	18.19	18.30	18.48	0
				1	50	18.13	18.30	18.40	0
				25	0	18.19	18.19	18.46	0
				25	14	18.18	18.21	18.42	0
				25	27	18.15	18.28	18.47	0
				50	0	18.19	18.24	18.40	0
			16QAM	1	1	18.27	18.19	18.43	0
			64QAM	1	1	18.23	18.15	18.49	0
			256QAM	1	1	18.24	18.11	18.44	0
		CP	QPSK	1	1	18.21	18.18	18.41	0

NR FDD Band n66 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5 MHz	1745 MHz	1772.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.19	18.11	18.40	0
				1	40	18.08	18.16	18.36	0
				1	77	18.05	18.31	18.38	0
				36	0	18.18	18.20	18.46	0
				36	22	18.15	18.22	18.44	0
				36	43	18.14	18.34	18.45	0
				75	0	18.15	18.23	18.47	0
			QPSK	1	1	18.20	18.12	18.43	0
				1	40	18.11	18.17	18.42	0
				1	77	18.07	18.35	18.39	0
				36	0	18.19	18.20	18.46	0
				36	22	18.15	18.24	18.45	0
				36	43	18.14	18.34	18.41	0
				75	0	18.17	18.23	18.46	0
			16QAM	1	1	18.42	18.30	18.32	0
			64QAM	1	1	18.24	18.24	18.42	0
			256QAM	1	1	18.17	18.05	18.32	0
		CP	QPSK	1	1	18.20	18.11	18.39	0

NR FDD Band n66 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344000	349000	354000	
						1720 MHz	1745 MHz	1770 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.17	18.04	18.42	0
				1	53	18.09	18.23	18.48	0
				1	104	18.08	18.39	18.40	0
				50	0	18.16	18.14	18.48	0
				50	28	18.14	18.21	18.45	0
				50	56	18.08	18.34	18.44	0
				100	0	18.12	18.24	18.48	0
			QPSK	1	1	18.18	18.09	18.44	0
				1	53	18.13	18.24	18.48	0
				1	104	18.07	18.37	18.46	0
				50	0	18.19	18.17	18.46	0
				50	28	18.13	18.19	18.49	0
				50	56	18.06	18.32	18.48	0
				100	0	18.11	18.18	18.49	0
			16QAM	1	1	18.15	18.13	18.47	0
			64QAM	1	1	18.31	18.10	18.40	0
			256QAM	1	1	18.29	18.12	18.43	0
		CP	QPSK	1	1	18.15	18.08	18.33	0

NR FDD Band n66 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344500	349000	353500	
						1722.5 MHz	1745 MHz	1767.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.15	18.07	18.44	0
				1	66	18.19	18.32	18.45	0
				1	131	18.06	18.42	18.43	0
				64	0	18.14	18.12	18.46	0
				64	35	18.07	18.26	18.45	0
				64	69	18.09	18.39	18.41	0
			QPSK	128	0	18.13	18.20	18.44	0
				1	1	18.17	18.11	18.46	0
				1	66	18.15	18.25	18.37	0
				1	131	18.11	18.44	18.48	0
				64	0	18.15	18.18	18.45	0
				64	35	18.11	18.26	18.47	0
				64	69	18.08	18.39	18.47	0
				128	0	18.13	18.24	18.30	0
			16QAM	1	1	18.11	18.22	18.47	0
			64QAM	1	1	18.08	18.06	18.44	0
			256QAM	1	1	18.20	18.27	18.49	0
		CP	QPSK	1	1	18.11	18.08	18.41	0

NR FDD Band n66 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.06	0
				1	80	18.24	0
				1	158	18.41	0
				80	0	18.12	0
				80	40	18.27	0
				80	80	18.37	0
			QPSK	160	0	18.24	0
				1	1	18.10	0
				1	80	18.29	0
				1	158	18.45	0
				80	0	18.16	0
				80	40	18.23	0
				80	80	18.38	0
				160	0	18.25	0
			16QAM	1	1	18.08	0
			64QAM	1	1	18.02	0
			256QAM	1	1	18.11	0
		CP	QPSK	1	1	18.08	0

NR FDD Band n66 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.10	0
				1	98	18.22	0
				1	186	18.46	0
				90	0	18.13	0
				90	45	18.24	0
				90	90	18.39	0
			QPSK	180	0	18.27	0
				1	1	18.14	0
				1	98	18.27	0
				1	186	18.47	0
				90	0	18.13	0
				90	45	18.26	0
				90	90	18.39	0
				180	0	18.25	0
			16QAM	1	1	18.19	0
			64QAM	1	1	18.09	0
			256QAM	1	1	18.13	0
		CP	QPSK	1	1	18.14	0

NR FDD Band n66 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.15	0
				1	108	18.27	0
				1	214	18.40	0
				108	0	18.12	0
				108	54	18.25	0
				108	108	18.46	0
			QPSK	216	0	18.28	0
				1	1	18.15	0
				1	108	18.32	0
				1	214	18.49	0
				108	0	18.16	0
				108	54	18.28	0
				108	108	18.43	0
				216	0	18.31	0
			16QAM	1	1	18.21	0
			64QAM	1	1	18.27	0
			256QAM	1	1	18.10	0
		CP	QPSK	1	1	18.37	0

NR FDD Band n71 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)
_ SUB1 [Ant E]

NR FDD Band n71 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						133100	136100	139100	
						665.5 MHz	680.5 MHz	695.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.18	18.96	18.87	0
				1	13	19.08	18.90	18.79	0
				1	23	19.12	18.99	18.79	0
				12	0	19.17	18.99	18.89	0
				12	7	19.17	18.97	18.87	0
				12	13	19.15	18.97	18.82	0
				25	0	19.16	18.95	18.86	0
			QPSK	1	1	19.20	19.01	18.89	0
				1	13	19.10	18.95	18.82	0
				1	23	19.16	18.95	18.83	0
				12	0	19.20	18.98	18.86	0
				12	7	19.16	18.99	18.84	0
				12	13	19.16	18.95	18.83	0
				25	0	19.19	18.96	18.83	0
			16QAM	1	1	19.22	18.96	19.03	0
			64QAM	1	1	19.21	19.09	19.04	0
			256QAM	1	1	19.10	18.78	18.63	0
		CP	QPSK	1	1	19.23	18.97	18.88	0

NR FDD Band n71 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						133600	136100	138600	
						668 MHz	680.5 MHz	693 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.13	19.01	18.84	0
				1	26	19.20	19.08	18.98	0
				1	50	19.04	18.92	18.72	0
				25	0	19.14	19.01	18.80	0
				25	14	19.10	18.97	18.79	0
				25	27	19.06	18.96	18.77	0
				50	0	19.11	18.96	18.80	0
			QPSK	1	1	19.17	19.05	18.88	0
				1	26	19.15	18.97	18.90	0
				1	50	19.08	18.93	18.72	0
				25	0	19.14	19.03	18.83	0
				25	14	19.12	18.96	18.81	0
				25	27	19.06	18.94	18.80	0
				50	0	19.12	18.96	18.81	0
			16QAM	1	1	19.23	19.06	18.92	0
			64QAM	1	1	19.25	18.96	18.88	0
			256QAM	1	1	18.90	18.85	18.56	0
		CP	QPSK	1	1	19.23	19.04	18.91	0

NR FDD Band n71 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)		MPR [dB]
						136100		
						680.5 MHz		
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.02		0
				1	40	18.90		0
				1	77	18.90		0
				36	0	18.97		0
				36	22	18.92		0
				36	43	18.94		0
				75	0	18.99		0
			QPSK	1	1	19.06		0
				1	40	18.91		0
				1	77	18.90		0
				36	0	19.00		0
				36	22	18.94		0
				36	43	18.92		0
				75	0	18.98		0
			16QAM	1	1	19.11		0
			64QAM	1	1	19.04		0
			256QAM	1	1	18.78		0
		CP	QPSK	1	1	19.05		0

NR FDD Band n71 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)	MPR [dB]
						136100	
						680.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.06	0
				1	53	19.02	0
				1	104	18.86	0
				50	0	19.01	0
				50	28	18.93	0
				50	56	18.91	0
				100	0	18.97	0
			QPSK	1	1	19.14	0
				1	53	18.99	0
				1	104	18.87	0
				50	0	19.03	0
				50	28	18.95	0
				50	56	18.92	0
				100	0	18.98	0
			16QAM	1	1	18.92	0
			64QAM	1	1	19.14	0
			256QAM	1	1	18.79	0
		CP	OPSK	1	1	19.03	0

NR FDD Band n71 Conducted Power_ Measured Folder Open RCV(RSI 1) _

SUB1 [Ant E]

NR FDD Band n71 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						133100	136100	139100	
						665.5 MHz	680.5 MHz	695.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.67	18.45	18.39	0
				1	13	18.63	18.38	18.30	0
				1	23	18.65	18.44	18.34	0
				12	0	18.70	18.47	18.34	0
				12	7	18.70	18.49	18.39	0
				12	13	18.68	18.46	18.37	0
				25	0	18.70	18.47	18.37	0
			QPSK	1	1	18.71	18.51	18.41	0
				1	13	18.64	18.44	18.35	0
				1	23	18.68	18.46	18.34	0
				12	0	18.72	18.49	18.36	0
				12	7	18.68	18.49	18.38	0
				12	13	18.66	18.45	18.33	0
				25	0	18.71	18.48	18.38	0
			16QAM	1	1	18.79	18.48	18.30	0
			64QAM	1	1	18.73	18.47	18.53	0
			256QAM	1	1	18.76	18.39	18.41	0
		CP	QPSK	1	1	18.80	18.50	18.36	0

NR FDD Band n71 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						133600	136100	138600	
						668 MHz	680.5 MHz	693 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.64	18.48	18.35	0
				1	26	18.71	18.59	18.47	0
				1	50	18.58	18.39	18.27	0
				25	0	18.68	18.50	18.32	0
				25	14	18.62	18.47	18.32	0
				25	27	18.59	18.46	18.28	0
				50	0	18.62	18.46	18.31	0
			QPSK	1	1	18.70	18.56	18.37	0
				1	26	18.67	18.50	18.41	0
				1	50	18.56	18.44	18.26	0
				25	0	18.65	18.52	18.30	0
				25	14	18.61	18.48	18.32	0
				25	27	18.59	18.45	18.29	0
				50	0	18.64	18.49	18.30	0
			16QAM	1	1	18.75	18.63	18.39	0
			64QAM	1	1	18.74	18.71	18.36	0
			256QAM	1	1	18.74	18.43	18.28	0
		CP	QPSK	1	1	18.61	18.56	18.35	0

NR FDD Band n71 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)		MPR [dB]
						136100		
						680.5 MHz		
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.49		0
				1	40	18.39		0
				1	77	18.38		0
				36	0	18.47		0
				36	22	18.45		0
				36	43	18.46		0
				75	0	18.44		0
			QPSK	1	1	18.56		0
				1	40	18.43		0
				1	77	18.40		0
				36	0	18.54		0
				36	22	18.52		0
				36	43	18.43		0
				75	0	18.47		0
			16QAM	1	1	18.60		0
			64QAM	1	1	18.59		0
			256QAM	1	1	18.50		0
		CP	QPSK	1	1	18.55		0

NR FDD Band n71 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)	MPR [dB]
						136100	
						680.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.53	0
				1	53	18.56	0
				1	104	18.35	0
				50	0	18.48	0
				50	28	18.49	0
				50	56	18.40	0
				100	0	18.46	0
			QPSK	1	1	18.60	0
				1	53	18.48	0
				1	104	18.36	0
				50	0	18.53	0
				50	28	18.50	0
				50	56	18.44	0
				100	0	18.47	0
			16QAM	1	1	18.57	0
			64QAM	1	1	18.65	0
			256QAM	1	1	18.56	0
		CP	QPSK	1	1	18.62	0

NR TDD Band n77(PC2) Conducted Power_ Measured Folder Open Free (RSI 0), Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4) _ SUB2 [Ant F]

NR TDD Band n77_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647000	650600	654200	657800	661400	665000	
						3705 MHz	3759 MHz	3813 MHz	3867 MHz	3921 MHz	3975 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	16.77	16.72	16.72	16.15	15.52	15.09	0
				1	12	16.76	16.80	17.24	15.95	15.53	15.27	0
				1	22	16.77	16.83	17.27	15.70	15.44	15.42	0
				12	0	16.72	16.73	17.18	16.06	15.95	15.08	0
				12	6	16.73	16.74	17.24	15.94	15.49	15.19	0
				12	12	16.74	16.76	17.26	15.77	15.50	15.27	0
			QPSK	24	0	16.72	16.70	17.23	15.88	15.49	15.20	0
				1	1	16.73	16.71	17.20	16.13	15.47	15.00	0
				1	12	16.75	16.77	17.25	15.88	15.52	15.17	0
				1	22	16.73	16.77	17.25	15.66	15.43	15.33	0
				12	0	16.71	16.75	17.20	16.05	15.78	15.08	0
				12	6	16.71	16.74	17.24	15.90	15.45	15.19	0
				12	12	16.73	16.76	17.26	15.76	15.44	15.29	0
				24	0	16.74	16.72	17.21	15.91	15.44	15.29	0
			16QAM	1	1	16.70	16.60	17.22	16.00	15.40	15.08	0
			64QAM	1	1	16.73	16.69	17.23	16.17	15.47	15.36	0
			256QAM	1	1	16.70	16.73	17.28	16.14	15.48	15.46	0
		CP	QPSK	1	1	16.72	16.71	17.20	16.16	15.44	15.17	0

NR TDD Band n77_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647168	650700	654232	657766	661300	664832	
						3707.52 MHz	3760.5 MHz	3813.49 MHz	3866.5 MHz	3919.5 MHz	3972.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	16.78	16.74	17.18	15.96	15.46	15.69	0
				1	18	16.75	16.75	17.19	15.54	15.31	16.01	0
				1	36	16.79	16.84	17.29	15.18	15.29	16.13	0
				18	0	16.77	16.75	16.95	16.17	15.38	15.60	0
				18	9	16.76	16.75	16.85	15.95	15.36	15.92	0
				18	18	16.76	16.82	16.87	15.76	15.04	15.03	0
			QPSK	36	0	16.74	16.77	16.38	15.94	15.05	15.04	0
				1	1	16.76	16.75	17.34	16.43	15.10	15.69	0
				1	18	16.77	16.77	17.19	15.96	15.09	15.90	0
				1	36	16.91	16.88	17.28	15.62	15.09	16.13	0
				18	0	16.75	16.75	17.19	16.18	15.34	15.02	0
				18	9	16.75	16.79	17.29	15.96	15.34	15.92	0
				18	18	16.74	16.82	17.26	15.75	15.31	16.06	0
				36	0	16.75	16.75	17.24	16.10	15.34	15.94	0
			16QAM	1	1	16.74	16.59	17.18	16.37	15.33	15.48	0
			64QAM	1	1	16.67	16.58	17.11	16.34	15.30	15.64	0
			256QAM	1	1	16.81	16.77	16.83	16.27	15.03	15.77	0
		CP	QPSK	1	1	16.77	16.74	17.19	16.37	15.36	15.74	0

NR TDD Band n77_ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647334	650800	654266	657734	661200	664666	
						3710.01	3762	3813.99	3866.01	3918	3969.99	
20 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	16.90	16.85	17.30	16.56	15.18	15.17	0
				1	26	16.87	16.91	17.32	15.98	15.15	15.05	0
				1	49	16.90	17.00	17.41	15.49	15.15	15.39	0
				25	0	16.89	16.86	17.33	16.30	15.16	15.17	0
				25	13	16.90	16.92	17.35	16.02	15.15	15.07	0
				25	26	16.92	16.97	17.37	15.71	15.12	15.26	0
			QPSK	50	0	16.93	16.91	17.32	16.01	15.25	15.12	0
				1	1	16.87	16.88	17.28	16.60	15.15	15.16	0
				1	26	16.83	16.91	17.32	15.95	15.05	15.09	0
				1	49	16.85	16.98	17.38	15.52	15.05	15.44	0
				25	0	16.88	16.90	17.32	16.30	15.13	15.12	0
				25	13	16.89	16.93	17.44	16.00	15.14	15.08	0
				25	26	16.90	16.97	17.40	15.70	15.15	15.24	0
				50	0	16.90	16.90	17.35	16.00	15.02	15.04	0
			16QAM	1	1	16.87	16.90	17.35	16.58	15.47	15.05	0
			64QAM	1	1	16.89	16.97	17.35	16.63	15.15	15.04	0
			256QAM	1	1	16.50	16.88	16.97	16.58	15.05	15.02	0
		CP	QPSK	1	1	16.97	17.43	17.29	16.37	15.16	15.10	0

NR TDD Band n77_ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647500	650900	654300	657700	661100	664500	
						3712.5	3763.5	3814.5	3865.5	3916.5	3967.5	
25 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	16.94	16.91	17.32	16.80	15.12	15.16	0
				1	32	16.91	16.99	17.37	16.07	15.19	15.04	0
				1	63	16.91	17.05	17.41	16.41	15.20	15.08	0
				32	0	16.94	16.91	17.33	16.41	15.28	15.04	0
				32	17	16.91	16.94	17.36	16.00	15.15	15.04	0
				32	33	16.91	16.98	17.41	16.06	15.21	15.18	0
			QPSK	64	0	16.89	16.94	17.35	16.04	15.05	15.10	0
				1	1	16.95	16.90	17.29	16.78	15.04	15.04	0
				1	32	16.94	16.95	17.38	16.06	15.14	15.11	0
				1	63	16.92	17.05	17.38	16.13	15.05	15.12	0
				32	0	16.91	16.89	17.33	16.41	15.14	15.14	0
				32	17	16.96	16.96	17.37	16.00	15.18	15.12	0
				32	33	16.91	17.00	17.39	15.65	15.12	15.20	0
				64	0	16.91	16.94	17.34	16.03	15.15	15.13	0
			16QAM	1	1	17.03	16.82	17.33	16.78	15.14	15.14	0
			64QAM	1	1	17.03	16.89	17.28	16.80	15.17	15.33	0
			256QAM	1	1	16.81	16.90	17.35	16.83	15.14	15.14	0
		CP	QPSK	1	1	16.70	16.93	17.02	17.17	15.06	15.17	0

NR TDD Band n77_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647668	651000	654334	657666	661000	664332	
						3715.02	3765	3815.01	3864.99	3915	3964.98	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	16.81	16.73	17.13	17.17	15.13	15.16	0
				1	39	16.91	16.96	17.30	16.20	15.16	15.19	0
				1	76	16.96	17.12	17.45	16.30	15.10	15.33	0
				36	0	16.78	16.77	17.19	16.70	15.19	15.10	0
				36	21	16.83	16.89	17.27	16.12	15.09	15.25	0
				36	42	16.88	17.01	17.35	15.63	15.15	15.10	0
			QPSK	75	0	16.90	16.97	17.28	16.18	15.19	15.18	0
				1	1	16.74	16.74	17.15	17.14	15.13	15.20	0
				1	39	16.77	16.86	17.35	16.09	15.11	15.19	0
				1	76	16.88	17.04	17.38	16.23	15.15	15.18	0
				36	0	16.81	16.76	17.18	16.70	15.09	15.22	0
				36	21	16.82	16.88	17.28	16.13	15.08	15.20	0
				36	42	16.87	17.01	17.35	15.62	15.15	15.16	0
				75	0	16.85	16.87	17.27	16.20	15.15	15.18	0
			16QAM	1	1	16.79	16.76	17.13	17.18	15.13	15.14	0
			64QAM	1	1	16.81	16.54	17.09	17.13	15.19	15.14	0
			256QAM	1	1	16.78	16.73	17.10	17.12	15.32	15.19	0
		CP	QPSK	1	1	16.89	16.50	16.13	15.82	15.18	15.09	0

NR TDD Band n77_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648000	651200	654400	657600	660800	664000	
						3720	3768	3816	3864	3912	3960	
40 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	16.89	16.75	17.14	17.34	15.17	15.15	0
				1	53	16.95	16.99	17.35	16.20	15.07	15.13	0
				1	104	16.88	17.16	17.44	16.27	15.15	15.14	0
				50	0	16.88	16.84	17.18	16.96	15.17	15.19	0
				50	28	16.90	16.94	17.30	16.21	15.18	15.26	0
				50	56	16.92	17.09	17.41	15.56	15.13	15.08	0
			QPSK	100	0	16.90	16.96	17.30	16.28	15.14	15.07	0
				1	1	16.90	16.79	17.14	17.31	15.24	15.04	0
				1	53	16.93	16.99	17.40	16.23	15.26	15.12	0
				1	104	16.85	17.17	17.46	16.11	15.31	15.15	0
				50	0	16.90	16.84	17.19	16.98	15.14	15.16	0
				50	28	16.90	16.93	17.30	16.22	15.15	15.22	0
				50	56	16.92	17.07	17.39	15.54	15.13	15.06	0
				100	0	16.90	16.95	17.35	16.29	15.31	15.07	0
			16QAM	1	1	17.22	16.69	17.04	17.29	15.34	15.21	0
			64QAM	1	1	16.82	16.94	17.10	17.42	15.19	15.19	0
			256QAM	1	1	16.91	16.83	17.07	17.28	15.16	15.39	0
		CP	QPSK	1	1	16.92	16.84	17.05	17.35	15.18	15.43	0

NR TDD Band n77_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648334	652166	656000		659834	663666	
						3725.01	3782.49	3840		3897.51	3954.99	
50 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	16.56	16.98	17.40		15.14	15.06	0
				1	67	16.87	17.12	17.27		15.22	15.04	0
				1	131	16.90	17.27	16.25		15.32	15.17	0
				64	0	16.80	17.03	17.41		15.34	15.04	0
				64	35	16.87	17.13	17.32		15.36	15.14	0
				64	69	16.87	17.18	16.99		15.35	15.09	0
			QPSK	128	0	16.86	17.18	17.34		15.25	15.08	0
				1	1	16.89	16.97	17.40		15.47	15.29	0
				1	67	16.87	17.07	17.27		15.24	15.14	0
				1	131	16.92	17.21	16.25		15.26	15.09	0
				64	0	16.80	17.07	17.43		15.27	15.04	0
				64	35	16.86	17.13	17.30		15.25	15.34	0
				64	69	16.87	17.17	16.97		15.35	15.19	0
				128	0	16.86	17.16	17.33		15.25	15.26	0
			16QAM	1	1	16.67	16.83	17.44		15.35	15.31	0
			64QAM	1	1	16.91	17.13	17.48		15.06	15.22	0
			256QAM	1	1	16.72	16.91	17.26		15.35	15.26	0
		CP	QPSK	1	1	16.84	17.02	17.41		15.11	15.19	0

NR TDD Band n77_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648668	653556			658444	663332	
						3730.02	3803.34			3876.66	3949.98	
60 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	16.57	16.47			15.18	15.13	0
				1	81	16.58	16.41			15.35	15.12	0
				1	160	16.57	16.55			15.39	15.09	0
				81	0	16.52	17.03			15.26	15.04	0
				81	41	16.54	17.00			15.34	15.14	0
				81	81	16.46	17.04			15.02	15.08	0
			QPSK	162	0	16.57	17.08			15.38	15.16	0
				1	1	16.58	16.82			15.16	15.34	0
				1	81	16.53	16.53			15.13	15.18	0
				1	160	16.54	16.56			15.19	15.12	0
				81	0	16.52	17.05			15.01	15.29	0
				81	41	16.54	17.06			15.35	15.14	0
				81	81	16.44	17.07			15.27	15.09	0
				162	0	16.56	17.12			15.39	15.07	0
			16QAM	1	1	16.75	16.70			15.33	15.07	0
			64QAM	1	1	16.12	16.79			15.05	15.13	0
			256QAM	1	1	16.94	16.80			15.12	15.14	0
		CP	QPSK	1	1	17.06	17.26			15.16	15.22	0

NR TDD Band n77_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						649000	654336			658334	663000	
						3735 MHz	3804.99 MHz			3875.01 MHz	3945 MHz	
70 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	16.95	17.31			15.37	15.12	0
				1	95	16.87	17.29			15.36	15.19	0
				1	187	17.23	17.39			15.17	15.07	0
				90	0	16.83	17.28			15.48	15.12	0
				90	50	16.84	17.28			15.42	15.17	0
				90	99	16.88	17.38			15.19	15.07	0
			QPSK	180	0	16.89	17.27			15.35	15.12	0
				1	1	16.87	17.24			15.30	15.05	0
				1	95	16.79	17.20			15.39	15.13	0
				1	187	17.15	17.32			15.39	15.17	0
				90	0	16.82	17.29			15.41	15.12	0
				90	50	16.83	17.29			15.42	15.15	0
				90	99	16.91	17.36			15.18	15.16	0
				180	0	16.89	17.27			15.05	15.03	0
			16QAM	1	1	16.84	16.79			15.14	15.09	0
			64QAM	1	1	16.91	17.22			15.20	15.18	0
			256QAM	1	1	16.53	17.25			15.32	15.15	0
		CP	QPSK	1	1	16.94	17.31			15.47	15.14	0

NR TDD Band n77_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						649334		656000		662666		
						3740.01 MHz		3840 MHz		3939.99 MHz		
80 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	17.10		17.42		15.19		0
				1	109	16.86		17.30		15.26		0
				1	215	17.29		17.49		15.01		0
				108	0	16.99		17.47		15.12		0
				108	55	16.88		17.34		15.03		0
				108	109	16.94		16.52		15.19		0
			QPSK	216	0	16.94		17.36		15.34		0
				1	1	17.08		17.38		15.19		0
				1	109	16.84		17.25		15.18		0
				1	215	17.27		17.41		15.26		0
				108	0	17.01		17.45		15.16		0
				108	55	16.89		17.34		15.18		0
				108	109	16.96		16.51		15.26		0
				216	0	16.94		17.38		15.25		0
			16QAM	1	1	17.04		17.31		15.16		0
			64QAM	1	1	17.23		17.36		15.13		0
			256QAM	1	1	16.73		17.36		15.19		0
		CP	QPSK	1	1	17.10		17.18		15.28		0

NR TDD Band n77_ 90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						649668		656000		662332	
						3745.02		3840		3934.98	
90 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	17.11		17.46		15.07	0
				1	123	16.82		17.32		15.18	0
				1	243	17.48		17.34		15.05	0
				120	0	16.96		16.26		15.13	0
				120	63	16.85		17.32		15.12	0
				120	125	17.13		17.38		15.17	0
			QPSK	243	0	16.95		17.40		15.19	0
				1	1	17.13		17.48		15.08	0
				1	123	16.85		17.29		15.09	0
				1	243	17.42		17.32		15.19	0
				120	0	16.93		16.49		15.03	0
				120	63	16.84		17.33		15.14	0
				120	125	17.12		16.32		15.09	0
				243	0	16.93		17.38		15.09	0
			16QAM	1	1	17.06		17.27		15.06	0
			64QAM	1	1	17.04		17.49		15.03	0
			256QAM	1	1	17.13		17.45		15.13	0
		CP	QPSK	1	1	17.13		17.33		15.17	0

NR TDD Band n77_ 100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						650000				662000	
						3750				3930	
100 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	17.33				15.78	0
				1	137	17.14				15.15	0
				1	271	17.33				15.04	0
				135	0	17.19				15.16	0
				135	69	16.71				15.06	0
				135	138	17.25				15.05	0
			QPSK	270	0	17.05				15.03	0
				1	1	17.45				15.88	0
				1	137	16.91				15.13	0
				1	271	17.39				15.19	0
				135	0	17.35				15.13	0
				135	69	17.20				15.03	0
				135	138	17.23				15.18	0
				270	0	17.41				15.23	0
			16QAM	1	1	16.98				15.28	0
			64QAM	1	1	16.92				15.38	0
			256QAM	1	1	17.34				15.33	0
		CP	QPSK	1	1	17.31				15.06	0

NR TDD Band n77 DoD(PC2) Conducted Power_ Measured Folder Open Free
(RSI 0), Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close
Hotspot(RSI 4)_ SUB2 [Ant F]

NR TDD Band n77 DoD_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630334	633334	636332	
						3445.01 MHz	3500.01 MHz	3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	16.89	16.96	16.79	0
				1	12	16.91	16.98	16.94	0
				1	22	16.93	16.95	16.93	0
				12	0	16.85	16.87	16.85	0
				12	6	16.86	16.93	16.88	0
				12	12	16.89	16.90	16.93	0
				24	0	16.87	16.92	16.99	0
			QPSK	1	1	16.86	16.91	16.83	0
				1	12	16.88	16.89	16.92	0
				1	22	16.88	16.90	16.99	0
				12	0	16.86	16.43	16.85	0
				12	6	16.87	16.92	16.89	0
				12	12	16.88	16.77	16.93	0
				24	0	16.88	16.51	16.89	0
			16QAM	1	1	16.86	16.71	16.82	0
			64QAM	1	1	16.86	16.51	16.80	0
			256QAM	1	1	16.88	16.74	17.21	0
		CP	QPSK	1	1	16.92	17.03	17.21	0

NR TDD Band n77 DoD_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630500	633334	636166	
						3457.5 MHz	3500.01 MHz	3542.49 MHz	
15MHz	30	DFT-s	pi/2 BPSK	1	1	17.22	16.95	16.94	0
				1	18	16.90	16.88	17.14	0
				1	36	16.93	16.88	17.31	0
				18	0	16.93	17.00	17.08	0
				18	9	16.92	16.90	17.17	0
				18	18	16.93	16.90	17.23	0
				36	0	16.93	16.88	17.16	0
			QPSK	1	1	16.94	16.95	17.06	0
				1	18	16.94	16.89	17.13	0
				1	36	16.98	16.90	17.30	0
				18	0	16.92	16.92	17.09	0
				18	9	16.93	16.93	17.15	0
				18	18	16.92	16.89	17.23	0
				36	0	16.93	16.90	17.15	0
			16QAM	1	1	16.97	16.85	17.06	0
			64QAM	1	1	16.90	16.87	17.00	0
			256QAM	1	1	16.95	16.91	17.10	0
		CP	QPSK	1	1	16.85	16.54	17.07	0

NR TDD Band n77 DoD_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630668	633334	636000	
						3460.02 MHz	3500.01 MHz	3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	17.01	16.93	16.57	0
				1	26	17.01	16.87	17.03	0
				1	49	16.98	16.87	17.26	0
				25	0	16.98	16.92	16.97	0
				25	13	17.00	16.87	17.06	0
				25	26	16.97	16.88	17.16	0
				50	0	16.97	16.92	17.06	0
			QPSK	1	1	16.97	16.95	16.92	0
				1	26	16.99	16.88	17.05	0
				1	49	17.00	16.88	17.26	0
				25	0	16.99	16.91	16.97	0
				25	13	17.00	16.92	17.04	0
				25	26	16.98	16.87	17.17	0
				50	0	16.99	16.91	17.06	0
			16QAM	1	1	17.03	16.96	16.95	0
			64QAM	1	1	16.94	16.97	16.90	0
			256QAM	1	1	16.99	16.96	17.03	0
		CP	QPSK	1	1	16.98	16.96	16.89	0

NR TDD Band n77 DoD_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630834	633334	635834	
						3462.51 MHz	3500.01 MHz	3537.51 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	17.08	16.69	16.92	0
				1	26	17.09	16.98	16.94	0
				1	49	17.01	16.89	17.23	0
				25	0	17.08	16.94	17.03	0
				25	13	17.05	16.90	16.92	0
				25	26	17.03	17.02	16.82	0
				50	0	17.05	16.90	16.95	0
			QPSK	1	1	17.05	16.96	16.78	0
				1	26	17.10	16.90	16.92	0
				1	49	17.01	16.86	17.19	0
				25	0	17.24	16.92	16.84	0
				25	13	17.07	16.91	16.95	0
				25	26	16.69	16.89	17.07	0
				50	0	16.67	16.90	16.95	0
			16QAM	1	1	17.03	16.92	16.80	0
			64QAM	1	1	17.01	17.03	16.84	0
			256QAM	1	1	16.38	17.03	16.81	0
		CP	QPSK	1	1	17.06	16.95	16.81	0

NR TDD Band n77 DoD_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631000	633334	635666	
						3465 MHz	3500.01 MHz	3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	16.89	16.97	17.01	0
				1	39	16.90	16.93	17.16	0
				1	76	16.92	16.90	17.40	0
				36	0	16.89	16.95	17.01	0
				36	21	16.89	16.92	17.09	0
				36	42	16.88	16.87	17.19	0
				75	0	16.87	16.91	17.07	0
			QPSK	1	1	16.88	16.95	17.00	0
				1	39	16.86	16.90	17.13	0
				1	76	16.83	16.90	17.42	0
				36	0	16.88	16.97	17.02	0
				36	21	16.85	16.92	17.08	0
				36	42	16.87	16.90	17.23	0
				75	0	16.90	16.92	17.09	0
			16QAM	1	1	16.87	16.80	16.95	0
			64QAM	1	1	16.97	17.00	16.84	0
			256QAM	1	1	16.86	16.94	17.00	0
		CP	QPSK	1	1	16.90	16.98	17.03	0

NR TDD Band n77 DoD_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631334		635332	
						3470.01 MHz		3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	16.98		16.90	0
				1	53	16.93		16.90	0
				1	104	17.01		17.29	0
				50	0	16.95		16.84	0
				50	28	16.95		16.90	0
				50	56	16.91		17.07	0
				100	0	16.97		16.89	0
			QPSK	1	1	16.93		17.07	0
				1	53	16.90		16.97	0
				1	104	16.87		17.36	0
				50	0	16.94		16.84	0
				50	28	16.94		16.90	0
				50	56	16.92		17.08	0
				100	0	16.98		16.90	0
			16QAM	1	1	17.16		16.82	0
			64QAM	1	1	17.09		16.84	0
			256QAM	1	1	17.15		16.79	0
		CP	QPSK	1	1	17.06		16.99	0

NR TDD Band n77 DoD_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631668		635000	
						3475.02 MHz		3525 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	16.93		16.19	0
				1	67	16.81		16.76	0
				1	131	16.90		17.29	0
				64	0	16.90		16.79	0
				64	35	16.81		16.84	0
				64	69	16.87		16.73	0
				128	0	16.84		16.79	0
			QPSK	1	1	16.95		16.92	0
				1	67	16.83		16.74	0
				1	131	16.99		17.25	0
				64	0	16.88		16.78	0
				64	35	16.82		16.75	0
				64	69	16.87		16.95	0
				128	0	16.83		16.78	0
			16QAM	1	1	16.92		16.88	0
			64QAM	1	1	16.80		16.94	0
			256QAM	1	1	16.74		17.01	0
		CP	QPSK	1	1	17.00		16.91	0

NR TDD Band n77 DoD_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		17.07		0
				1	81		16.92		0
				1	160		16.97		0
				81	0		16.97		0
				81	41		16.92		0
				81	81		16.89		0
				162	0		16.94		0
			QPSK	1	1		17.04		0
				1	81		16.97		0
				1	160		17.00		0
				81	0		16.98		0
				81	41		16.92		0
				81	81		16.88		0
				162	0		16.95		0
			16QAM	1	1		17.14		0
			64QAM	1	1		16.94		0
			256QAM	1	1		17.07		0
		CP	QPSK	1	1		17.08		0

NR TDD Band n77 DoD_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)		MPR [dB]
							633334	
							3500.01 MHz	
70 MHz	30	DFT-s	pi/2 BPSK	1	1		17.16	0
				1	95		16.90	0
				1	187		17.11	0
				90	0		16.96	0
				90	50		16.92	0
				90	99		16.88	0
				180	0		16.95	0
			QPSK	1	1		17.11	0
				1	95		16.85	0
				1	187		17.06	0
				90	0		16.98	0
				90	50		16.91	0
				90	99		16.87	0
				180	0		16.95	0
			16QAM	1	1		17.14	0
			64QAM	1	1		17.18	0
			256QAM	1	1		17.14	0
		CP	QPSK	1	1		17.16	0

NR TDD Band n77 DoD_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)		MPR [dB]
							633334	
							3500.01 MHz	
80 MHz	30	DFT-s	pi/2 BPSK	1	1		17.16	0
				1	109		16.90	0
				1	215		17.23	0
				108	0		16.97	0
				108	55		16.90	0
				108	109		16.86	0
				216	0		16.97	0
			QPSK	1	1		17.19	0
				1	109		16.88	0
				1	215		17.20	0
				108	0		16.96	0
				108	55		16.93	0
				108	109		16.88	0
				216	0		16.97	0
			16QAM	1	1		17.23	0
			64QAM	1	1		17.15	0
			256QAM	1	1		17.23	0
		CP	QPSK	1	1		17.31	0

NR TDD Band n77 DoD_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
90MHz	30	DFT-s	pi/2 BPSK	1	1		17.21		0
				1	123		16.86		0
				1	243		17.36		0
				120	0		17.00		0
				120	63		16.92		0
				120	125		16.90		0
				243	0		16.98		0
			QPSK	1	1		17.34		0
				1	123		16.97		0
				1	243		17.44		0
				120	0		17.01		0
				120	63		16.92		0
				120	125		16.92		0
				243	0		16.98		0
			16QAM	1	1		17.41		0
			64QAM	1	1		17.37		0
			256QAM	1	1		17.26		0
		CP	QPSK	1	1		17.32		0

NR TDD Band n77 DoD_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
100MHz	30	DFT-s	pi/2 BPSK	1	1		17.28		0
				1	137		16.87		0
				1	271		17.40		0
				135	0		17.04		0
				135	69		16.93		0
				135	138		16.95		0
				270	0		17.00		0
			QPSK	1	1		17.48		0
				1	137		16.87		0
				1	271		17.27		0
				135	0		17.40		0
				135	69		16.91		0
				135	138		16.94		0
				270	0		17.01		0
			16QAM	1	1		17.42		0
			64QAM	1	1		17.37		0
			256QAM	1	1		17.27		0
		CP	QPSK	1	1		17.39		0

NR TDD Band n77(PC2) Conducted Power_ Measured Folder Open RCV(RSI)

1)_ SUB2 [Ant F]

NR TDD Band n77_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]	
						647000	650600	654200	657800	661400	665000		
						3705	3759	3813	3867	3921	3975		
						MHz	MHz	MHz	MHz	MHz	MHz		
10 MHz	30	DFT-s	pi/2 BPSK	1	1	13.62	13.57	14.07	13.13	12.04	12.19	0	
				1	12	13.69	13.71	14.22	12.83	12.01	12.07	0	
				1	22	13.66	13.72	14.19	12.59	12.18	12.27	0	
				12	0	13.59	13.40	14.06	12.92	12.17	12.02	0	
				12	6	13.59	13.63	14.12	12.77	12.16	12.09	0	
				12	12	13.61	13.67	14.10	12.65	12.05	12.21	0	
			QPSK	24	0	13.63	13.60	14.10	12.92	12.17	12.11	0	
				1	1	13.62	13.62	14.06	13.02	12.15	12.14	0	
				1	12	13.66	13.65	14.15	12.74	12.15	12.08	0	
				1	22	13.65	13.70	14.14	12.53	12.05	12.29	0	
				12	0	13.62	13.60	14.08	12.92	12.16	12.09	0	
				12	6	13.62	13.63	14.10	12.78	12.04	12.12	0	
				12	12	13.63	13.86	14.12	12.85	12.13	12.22	0	
				24	0	13.61	13.64	14.09	12.79	12.14	12.11	0	
				16QAM	1	1	13.63	13.62	14.05	13.04	12.19	12.04	0
				64QAM	1	1	13.65	13.56	14.10	12.98	12.16	12.03	0
			256QAM	1	1	13.71	13.56	14.08	13.01	12.25	12.19	0	
			CP	QPSK	1	1	13.63	13.64	13.76	13.05	12.17	12.14	0

NR TDD Band n77_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]	
						647168	650700	654232	657766	661300	664832		
						3707.52	3760.5	3813.49	3866.5	3919.5	3972.48		
						MHz	MHz	MHz	MHz	MHz	MHz		
15 MHz	30	DFT-s	pi/2 BPSK	1	1	13.65	13.60	14.07	13.26	12.14	12.19	0	
				1	18	13.63	13.63	14.08	12.83	12.04	12.03	0	
				1	36	13.69	13.74	14.17	12.43	12.19	12.34	0	
				18	0	13.65	13.63	14.09	13.07	12.25	12.19	0	
				18	9	13.64	13.63	14.10	13.06	12.16	12.03	0	
				18	18	13.65	13.67	14.14	12.14	12.22	12.15	0	
			QPSK	36	0	13.62	13.17	14.11	12.85	12.13	12.04	0	
				1	1	13.61	13.61	14.13	13.25	12.41	12.27	0	
				1	18	13.59	13.62	14.04	12.82	12.12	12.03	0	
				1	36	13.64	13.67	14.22	12.47	12.18	12.31	0	
				18	0	13.64	13.63	14.08	12.60	12.24	12.34	0	
				18	9	13.65	13.64	14.09	13.09	12.17	12.03	0	
				18	18	13.65	13.69	14.14	12.64	12.13	12.17	0	
				36	0	13.65	13.62	14.11	12.87	12.16	12.01	0	
				16QAM	1	1	13.76	13.51	13.96	13.15	12.28	12.19	0
				64QAM	1	1	13.63	13.67	14.13	13.26	12.34	12.15	0
				256QAM	1	1	13.35	13.71	14.01	13.24	12.36	12.09	0
		CP	QPSK	1	1	13.68	13.61	14.00	13.27	12.25	12.18	0	

NR TDD Band n77_ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647334	650800	654266	657734	661200	664666	
						3710.01 MHz	3762 MHz	3813.99 MHz	3866.01 MHz	3918 MHz	3969.99 MHz	
20 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.67	13.62	14.22	13.40	12.18	12.26	0
				1	26	13.66	13.68	14.10	12.78	12.23	12.39	0
				1	49	13.67	13.77	14.16	12.34	12.31	12.22	0
				25	0	13.64	13.64	14.07	13.15	12.18	12.29	0
				25	13	13.73	13.65	14.12	12.83	12.14	12.14	0
				25	26	13.65	13.72	14.13	12.54	12.04	12.34	0
			QPSK	50	0	13.66	13.73	14.12	12.85	12.13	12.45	0
				1	1	13.70	13.68	14.06	13.38	12.18	12.24	0
				1	26	13.67	13.69	14.07	12.82	12.16	12.32	0
				1	49	13.82	14.00	14.17	12.33	12.16	12.31	0
				25	0	13.66	13.63	14.07	13.13	12.19	12.16	0
				25	13	13.63	13.67	14.08	12.83	12.24	12.20	0
				25	26	13.65	13.73	14.14	12.54	12.14	12.21	0
				50	0	13.65	13.67	14.20	12.83	12.14	12.19	0
			16QAM	1	1	13.70	13.74	14.05	13.34	12.09	12.14	0
			64QAM	1	1	13.71	13.65	14.14	13.52	12.32	12.46	0
			256QAM	1	1	13.70	13.38	13.78	13.44	12.33	12.33	0
		CP	QPSK	1	1	13.69	13.65	14.07	13.44	12.14	12.15	0

NR TDD Band n77_ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647500	650900	654300	657700	661100	664500	
						3712.5 MHz	3763.5 MHz	3814.5 MHz	3865.5 MHz	3916.5 MHz	3967.5 MHz	
25 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.41	13.69	14.10	13.30	12.19	12.01	0
				1	32	13.38	13.76	14.16	12.68	12.38	12.55	0
				1	63	13.36	13.86	14.22	12.98	12.40	13.02	0
				32	0	13.40	13.66	14.09	12.97	12.39	12.25	0
				32	17	13.39	13.73	14.12	12.56	12.43	12.53	0
				32	33	13.38	13.75	14.17	12.72	12.44	12.78	0
			QPSK	64	0	13.39	13.79	14.12	12.59	12.42	12.50	0
				1	1	13.41	13.68	14.03	13.32	12.31	12.19	0
				1	32	13.41	13.67	14.15	12.61	12.45	12.52	0
				1	63	13.43	13.80	14.17	12.99	12.44	13.03	0
				32	0	13.41	13.66	14.08	12.95	12.40	12.24	0
				32	17	13.39	13.70	14.12	12.56	12.42	12.50	0
				32	33	13.39	13.76	14.16	12.91	12.45	12.79	0
				64	0	13.40	13.70	14.17	12.59	12.43	12.51	0
			16QAM	1	1	13.37	13.65	14.14	13.33	12.35	12.15	0
			64QAM	1	1	13.41	13.62	14.01	13.19	12.33	12.04	0
			256QAM	1	1	13.72	13.67	13.78	13.63	12.33	12.31	0
		CP	QPSK	1	1	13.74	13.66	14.08	13.59	12.30	12.30	0

NR TDD Band n77_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647668	651000	654334	657666	661000	664332	
						3715.02	3765	3815.01	3864.99	3915	3964.98	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	13.58	13.52	13.81	13.74	12.14	12.12	0
				1	39	13.64	13.73	14.08	12.73	12.32	12.71	0
				1	76	13.76	13.92	14.29	12.90	12.28	13.21	0
				36	0	13.54	13.54	14.05	13.26	12.20	12.34	0
				36	21	13.61	13.64	14.11	12.72	12.31	12.64	0
				36	42	13.65	13.76	14.21	12.91	12.31	12.94	0
			QPSK	75	0	13.61	13.62	14.11	12.76	12.32	12.62	0
				1	1	13.59	13.49	13.96	13.70	12.10	12.12	0
				1	39	13.61	13.64	14.21	12.73	12.38	12.64	0
				1	76	13.70	13.86	14.35	12.86	12.30	13.18	0
				36	0	13.56	13.53	14.11	13.25	12.21	12.33	0
				36	21	13.58	13.64	14.24	12.71	12.30	12.63	0
				36	42	13.64	13.76	14.33	13.20	12.32	12.94	0
				75	0	13.59	13.64	14.14	12.75	12.30	12.63	0
			16QAM	1	1	13.54	13.42	13.96	13.74	12.07	12.10	0
			64QAM	1	1	13.57	13.36	14.09	13.72	12.11	12.27	0
			256QAM	1	1	13.52	13.55	13.92	13.95	12.09	12.17	0
		CP	QPSK	1	1	13.39	13.55	13.89	14.03	12.07	12.07	0

NR TDD Band n77_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648000	651200	654400	657600	660800	664000	
						3720	3768	3816	3864	3912	3960	
40 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.44	13.31	13.85	14.17	12.42	12.08	0
				1	53	13.37	13.45	14.09	13.09	12.32	12.40	0
				1	104	13.37	13.68	14.19	12.95	12.22	13.19	0
				50	0	13.36	13.32	13.95	13.76	12.17	12.19	0
				50	28	13.37	13.43	14.05	13.04	12.28	12.33	0
				50	56	13.38	13.57	14.18	13.40	12.28	12.80	0
			QPSK	100	0	13.38	13.41	14.05	13.10	12.33	12.32	0
				1	1	13.38	13.29	13.89	14.12	12.48	12.08	0
				1	53	13.45	13.45	14.12	13.02	12.42	12.35	0
				1	104	13.30	13.67	14.22	13.94	12.26	13.14	0
				50	0	13.38	13.29	13.96	13.74	12.20	12.09	0
				50	28	13.38	13.43	14.07	13.05	12.28	12.36	0
				50	56	13.38	13.56	14.18	13.40	12.30	12.80	0
				100	0	13.37	13.43	14.05	13.11	12.28	12.31	0
			16QAM	1	1	13.21	13.09	14.06	14.19	12.44	12.09	0
			64QAM	1	1	13.22	13.11	13.97	14.40	12.53	12.12	0
			256QAM	1	1	13.80	13.52	13.89	14.18	12.11	12.19	0
		CP	QPSK	1	1	13.76	13.62	14.10	14.24	12.40	12.10	0

NR TDD Band n77_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648334	652166	656000		659834	663666	
						3725.01	3782.49	3840		3897.51	3954.99	
						MHz	MHz	MHz		MHz	MHz	
50 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.59	13.67	14.23		12.40	12.25	0
				1	67	13.61	13.89	14.09		12.33	12.11	0
				1	131	13.69	14.05	13.12		12.34	12.23	0
				64	0	13.04	13.81	14.23		12.25	12.26	0
				64	35	13.67	13.90	14.13		12.35	12.27	0
				64	69	13.36	13.97	13.80		12.34	12.08	0
			QPSK	128	0	13.37	13.90	14.14		12.37	12.15	0
				1	1	13.33	13.73	14.21		12.45	12.19	0
				1	67	13.33	13.86	14.13		12.07	12.23	0
				1	131	13.34	14.04	13.15		12.43	12.25	0
				64	0	13.58	13.81	14.23		12.18	12.24	0
				64	35	13.63	13.91	14.13		12.36	12.17	0
				64	69	13.63	13.94	13.83		12.27	12.08	0
				128	0	13.36	13.91	14.14		12.14	12.26	0
			16QAM	1	1	13.54	13.67	14.46		12.57	12.15	0
			64QAM	1	1	13.36	13.59	14.12		12.41	12.06	0
			256QAM	1	1	13.70	13.80	14.22		12.40	12.14	0
		CP	QPSK	1	1	13.66	13.76	13.73		12.29	12.15	0

NR TDD Band n77_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648668	653556			658444	663332	
						3730.02	3803.34			3876.66	3949.98	
						MHz	MHz			MHz	MHz	
60 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.47	13.95			12.03	12.05	0
				1	81	13.72	13.99			12.24	12.06	0
				1	160	13.68	14.25			12.07	12.35	0
				81	0	13.69	14.01			12.11	12.27	0
				81	41	13.68	13.99			12.21	12.04	0
				81	81	13.59	14.14			12.26	12.27	0
			QPSK	162	0	13.72	14.02			12.25	12.02	0
				1	1	13.85	14.01			12.08	12.19	0
				1	81	13.83	14.04			12.01	12.05	0
				1	160	13.72	14.28			12.35	12.16	0
				81	0	13.70	14.01			12.12	12.29	0
				81	41	13.69	14.01			12.22	12.04	0
				81	81	13.61	14.16			12.26	12.26	0
				162	0	13.72	14.03			12.26	12.05	0
			16QAM	1	1	13.60	14.22			12.18	12.04	0
			64QAM	1	1	13.76	13.88			12.31	12.16	0
			256QAM	1	1	13.81	13.96			12.07	12.04	0
		CP	QPSK	1	1	13.69	14.01			12.05	12.15	0

NR TDD Band n77_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						649000	654336			658334	663000	
						3735 MHz	3804.99 MHz			3875.01 MHz	3945 MHz	
70 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.71	14.04			12.17	12.19	0
				1	95	13.65	14.25			12.26	12.07	0
				1	187	13.98	14.22			12.06	12.35	0
				90	0	13.61	14.41			12.44	12.34	0
				90	50	13.58	14.06			12.29	12.07	0
				90	99	13.62	14.32			12.28	12.26	0
			QPSK	180	0	13.66	14.04			12.42	12.13	0
				1	1	13.68	14.07			12.13	12.23	0
				1	95	13.57	14.02			12.23	12.01	0
				1	187	13.95	14.18			12.19	12.26	0
				90	0	13.61	14.08			12.44	12.27	0
				90	50	13.59	14.06			12.29	12.09	0
				90	99	13.64	14.20			12.28	12.17	0
				180	0	13.66	14.08			12.20	12.13	0
			16QAM	1	1	13.75	14.07			12.14	12.38	0
			64QAM	1	1	13.66	14.06			12.11	12.26	0
			256QAM	1	1	13.66	14.08			12.21	12.19	0
		CP	QPSK	1	1	13.68	14.11			12.20	12.28	0

NR TDD Band n77_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						649334		656000		662666		
						3740.01 MHz		3840 MHz		3939.99 MHz		
80 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.92		13.46		12.05		0
				1	109	13.58		14.13		12.12		0
				1	215	14.03		13.38		12.19		0
				108	0	13.73		14.07		12.25		0
				108	55	13.61		14.13		12.21		0
				108	109	13.67		13.35		12.15		0
				216	0	13.66		14.17		12.23		0
			QPSK	1	1	13.81		14.16		12.18		0
				1	109	13.55		14.11		12.18		0
				1	215	13.99		14.32		12.33		0
				108	0	13.72		14.36		12.04		0
				108	55	13.61		14.14		12.12		0
				108	109	13.68		13.36		12.12		0
				216	0	13.67		14.18		12.19		0
			16QAM	1	1	13.81		14.28		12.17		0
			64QAM	1	1	13.82		14.23		12.17		0
			256QAM	1	1	13.53		13.76		12.25		0
		CP	QPSK	1	1	13.86		14.19		12.18		0

NR TDD Band n77_ 90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						649668		656000		662332		
						3745.02		3840		3934.98		
90 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.77		14.21		12.12		0
				1	123	13.48		14.09		12.17		0
				1	243	14.16		14.25		12.19		0
				120	0	13.63		14.17		12.16		0
				120	63	13.45		14.14		12.13		0
				120	125	13.84		14.18		12.14		0
			QPSK	243	0	13.64		14.20		12.18		0
				1	1	13.90		14.24		12.19		0
				1	123	13.61		14.08		12.34		0
				1	243	14.36		14.16		12.30		0
				120	0	13.66		14.23		12.05		0
				120	63	13.56		14.12		12.23		0
				120	125	13.83		14.19		12.28		0
				243	0	13.64		14.19		12.28		0
			16QAM	1	1	13.88		14.29		12.19		0
			64QAM	1	1	13.78		14.28		12.13		0
			256QAM	1	1	13.82		14.23		12.12		0
		CP	QPSK	1	1	13.85		14.29		12.07		0

NR TDD Band n77_ 100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						650000				662000		
						3750				3930		
100 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	14.11				12.08		0
				1	137	14.07				12.07		0
				1	271	14.29				12.13		0
				135	0	14.08				12.18		0
				135	69	14.07				12.11		0
				135	138	14.19				12.07		0
			QPSK	270	0	14.07				12.18		0
				1	1	14.34				12.29		0
				1	137	14.16				12.34		0
				1	271	14.23				12.17		0
				135	0	14.39				12.18		0
				135	69	14.38				12.14		0
				135	138	14.27				12.26		0
				270	0	14.18				12.17		0
			16QAM	1	1	14.17				12.24		0
			64QAM	1	1	14.25				12.29		0
			256QAM	1	1	14.07				12.33		0
		CP	QPSK	1	1	14.15				12.41		0

NR TDD Band n77 DoD(PC2) Conducted Power_ Measured Folder Open

RCV(RSI 1)_ SUB2 [Ant F]

NR TDD Band n77 DoD_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630334	633334	636332	
						3445.01 MHz	3500.01 MHz	3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	13.81	13.85	14.10	0
				1	12	13.86	13.92	14.25	0
				1	22	13.85	13.86	14.31	0
				12	0	13.77	13.84	14.16	0
				12	6	13.78	13.83	14.19	0
				12	12	13.79	13.83	14.22	0
				24	0	13.78	13.82	14.19	0
			QPSK	1	1	13.77	13.86	14.10	0
				1	12	13.79	13.81	14.21	0
				1	22	13.83	13.82	14.28	0
				12	0	13.77	13.85	14.15	0
				12	6	13.78	13.80	14.18	0
				12	12	13.80	13.82	14.25	0
				24	0	13.78	13.83	14.19	0
			16QAM	1	1	13.87	13.85	14.11	0
			64QAM	1	1	13.67	13.84	14.14	0
			256QAM	1	1	13.81	13.86	14.23	0
		CP	QPSK	1	1	13.78	13.86	13.84	0

NR TDD Band n77 DoD_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630500	633334	636166	
						3457.5 MHz	3500.01 MHz	3542.49 MHz	
15MHz	30	DFT-s	pi/2 BPSK	1	1	13.80	13.88	14.02	0
				1	18	13.82	13.79	14.07	0
				1	36	13.87	13.79	14.25	0
				18	0	13.86	13.86	14.04	0
				18	9	13.85	13.83	14.11	0
				18	18	13.86	13.83	14.17	0
				36	0	13.85	13.83	12.49	0
			QPSK	1	1	13.93	13.85	14.01	0
				1	18	13.84	13.78	14.08	0
				1	36	13.88	13.79	14.20	0
				18	0	13.85	13.83	13.04	0
				18	9	13.84	13.84	14.10	0
				18	18	13.85	13.82	14.16	0
				36	0	13.95	13.84	14.10	0
			16QAM	1	1	13.85	13.83	13.96	0
			64QAM	1	1	13.79	13.85	14.15	0
			256QAM	1	1	13.89	13.90	13.95	0
		CP	QPSK	1	1	13.86	13.88	13.95	0

NR TDD Band n77 DoD_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630668	633334	636000	
						3460.02 MHz	3500.01 MHz	3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	14.02	13.86	13.86	0
				1	26	13.93	13.81	13.97	0
				1	49	13.89	13.81	14.19	0
				25	0	12.66	13.94	13.91	0
				25	13	13.93	13.84	14.18	0
				25	26	13.93	13.83	14.10	0
				50	0	13.92	13.85	13.99	0
			QPSK	1	1	13.94	13.89	13.88	0
				1	26	13.92	13.85	13.99	0
				1	49	13.90	13.81	14.21	0
				25	0	13.91	13.85	13.98	0
				25	13	13.92	13.84	14.00	0
				25	26	13.92	13.82	14.09	0
				50	0	13.92	13.83	13.99	0
			16QAM	1	1	13.87	13.88	13.85	0
			64QAM	1	1	13.83	13.97	13.90	0
			256QAM	1	1	14.00	13.90	13.50	0
		CP	QPSK	1	1	14.04	13.95	13.88	0

NR TDD Band n77 DoD_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630834	633334	635834	
						3462.51 MHz	3500.01 MHz	3537.51 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	14.00	13.94	13.76	0
				1	26	14.01	13.86	14.00	0
				1	49	14.00	13.84	14.15	0
				25	0	12.52	13.86	13.74	0
				25	13	13.98	13.83	13.88	0
				25	26	13.96	13.80	14.01	0
				50	0	13.99	13.82	13.86	0
			QPSK	1	1	13.94	13.87	13.73	0
				1	26	13.96	13.85	13.86	0
				1	49	13.91	13.82	14.15	0
				25	0	13.99	13.86	13.76	0
				25	13	13.99	13.82	13.87	0
				25	26	13.94	13.81	14.04	0
				50	0	13.97	13.86	13.88	0
			16QAM	1	1	14.01	13.89	13.74	0
			64QAM	1	1	13.96	13.83	13.77	0
			256QAM	1	1	13.96	13.89	13.76	0
		CP	QPSK	1	1	13.80	13.96	13.74	0

NR TDD Band n77 DoD_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631000	633334	635666	
						3465 MHz	3500.01 MHz	3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	13.87	13.63	13.91	0
				1	39	13.89	13.89	13.98	0
				1	76	13.85	13.82	14.22	0
				36	0	13.79	13.64	13.94	0
				36	21	13.77	13.84	14.02	0
				36	42	13.77	13.80	14.14	0
			QPSK	75	0	13.80	13.83	14.00	0
				1	1	13.79	13.89	13.88	0
				1	39	13.81	13.84	14.00	0
				1	76	13.76	13.81	14.22	0
				36	0	13.78	13.89	13.69	0
				36	21	13.79	13.83	14.02	0
				36	42	13.78	13.81	14.16	0
				75	0	13.79	13.85	14.00	0
			16QAM	1	1	13.81	13.84	13.86	0
			64QAM	1	1	13.79	13.88	13.90	0
			256QAM	1	1	13.84	13.90	13.94	0
		CP	QPSK	1	1	13.86	13.91	13.94	0

NR TDD Band n77 DoD_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631334		635332	
						3470.01 MHz		3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	13.95		13.83	0
				1	53	13.87		13.88	0
				1	104	13.92		14.23	0
				50	0	13.88		13.03	0
				50	28	13.86		13.83	0
				50	56	13.84		14.01	0
			QPSK	100	0	13.89		13.82	0
				1	1	13.90		13.82	0
				1	53	13.89		13.97	0
				1	104	13.90		14.25	0
				50	0	13.89		13.77	0
				50	28	13.88		13.84	0
				50	56	13.82		14.02	0
				100	0	13.89		13.84	0
			16QAM	1	1	13.93		14.00	0
			64QAM	1	1	13.88		13.81	0
			256QAM	1	1	13.93		13.78	0
		CP	QPSK	1	1	14.06		13.77	0

NR TDD Band n77 DoD_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631668		635000	
						3475.02 MHz		3525 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	13.61		13.29	0
				1	67	13.46		13.41	0
				1	131	13.58		13.93	0
				64	0	13.50		13.38	0
				64	35	13.43		13.40	0
				64	69	13.51		13.57	0
				128	0	13.48		13.40	0
			QPSK	1	1	13.54		13.52	0
				1	67	13.43		13.34	0
				1	131	13.53		13.88	0
				64	0	13.53		13.40	0
				64	35	13.45		13.40	0
				64	69	13.51		13.60	0
				128	0	13.48		13.42	0
			16QAM	1	1	13.47		13.39	0
			64QAM	1	1	13.35		13.50	0
			256QAM	1	1	13.79		13.44	0
		CP	QPSK	1	1	13.74		13.71	0

NR TDD Band n77 DoD_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		13.98		0
				1	81		13.83		0
				1	160		13.92		0
				81	0		13.91		0
				81	41		13.83		0
				81	81		13.80		0
				162	0		13.88		0
			QPSK	1	1		13.99		0
				1	81		13.80		0
				1	160		13.91		0
				81	0		13.90		0
				81	41		13.85		0
				81	81		13.81		0
				162	0		13.87		0
			16QAM	1	1		14.04		0
			64QAM	1	1		14.01		0
			256QAM	1	1		13.96		0
		CP	QPSK	1	1		14.06		0

NR TDD Band n77 DoD_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)		MPR [dB]
							633334	
							3500.01 MHz	
70 MHz	30	DFT-s	pi/2 BPSK	1	1		12.44	0
				1	95		13.85	0
				1	187		14.04	0
				90	0		13.89	0
				90	50		13.83	0
				90	99		13.80	0
				180	0		13.89	0
			QPSK	1	1		14.04	0
				1	95		13.79	0
				1	187		13.98	0
				90	0		13.89	0
				90	50		13.85	0
				90	99		13.81	0
				180	0		13.88	0
			16QAM	1	1		14.01	0
			64QAM	1	1		14.10	0
			256QAM	1	1		14.05	0
		CP	QPSK	1	1		13.76	0

NR TDD Band n77 DoD_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)		MPR [dB]
							633334	
							3500.01 MHz	
80 MHz	30	DFT-s	pi/2 BPSK	1	1		12.61	0
				1	109		13.84	0
				1	215		14.18	0
				108	0		13.90	0
				108	55		13.85	0
				108	109		13.81	0
				216	0		13.91	0
			QPSK	1	1		14.09	0
				1	109		13.84	0
				1	215		14.15	0
				108	0		13.61	0
				108	55		13.55	0
				108	109		13.51	0
				216	0		13.61	0
			16QAM	1	1		13.88	0
			64QAM	1	1		13.82	0
			256QAM	1	1		14.15	0
		CP	QPSK	1	1		14.16	0

NR TDD Band n77 DoD_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		13.93		0
				1	123		13.52		0
				1	243		14.01		0
				120	0		13.65		0
				120	63		13.55		0
				120	125		13.57		0
				243	0		13.64		0
			QPSK	1	1		13.92		0
				1	123		13.55		0
				1	243		14.05		0
				120	0		13.64		0
				120	63		13.55		0
				120	125		13.55		0
				243	0		13.62		0
			16QAM	1	1		14.01		0
			64QAM	1	1		13.88		0
			256QAM	1	1		14.17		0
		CP	QPSK	1	1		13.91		0

NR TDD Band n77 DoD_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
100MHz	30	DFT-s	pi/2 BPSK	1	1		14.28		0
				1	137		13.82		0
				1	271		14.49		0
				135	0		13.97		0
				135	69		13.86		0
				135	138		13.88		0
				270	0		13.94		0
			QPSK	1	1		14.48		0
				1	137		13.87		0
				1	271		14.26		0
				135	0		13.97		0
				135	69		13.85		0
				135	138		13.89		0
				270	0		13.96		0
			16QAM	1	1		14.29		0
			64QAM	1	1		14.30		0
			256QAM	1	1		13.97		0
		CP	QPSK	1	1		14.28		0

L.3 NR Band SRS Conducted Power

[NR TDD Band n41 (Power Class 3) SRS Conducted Power_ Antenna B / MAIN2]

NR TDD Band n41_ 100 MHz Bandwidth Conducted Power_ Antenna I/SUB5, SRS #1

	Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]	MPR [dB]
				518598	
				2 592.99 MHz	
RSI = 0,2,3,4	100 MHz	30	DFT-s QPSK	17.48	0
RSI = 1	100 MHz	30	DFT-s QPSK	17.49	0

NR TDD Band n41_ 100 MHz Bandwidth Conducted Power_ Antenna C/MAIN3, SRS #2

	Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]	MPR [dB]
				518598	
				2 592.99 MHz	
RSI = 0,2,3,4	100 MHz	30	DFT-s QPSK	21.33	0
RSI = 1	100 MHz	30	DFT-s QPSK	23.01	0

NR TDD Band n41_ 100 MHz Bandwidth Conducted Power_ Antenna G/SUB3, SRS #3

	Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]	MPR [dB]
				518598	
				2 592.99 MHz	
RSI = 0,2,3,4	100 MHz	30	DFT-s QPSK	15.30	0
RSI = 1	100 MHz	30	DFT-s QPSK	17.60	0

[NR TDD Band n41 (Power Class 3) SRS Conducted Power_ Antenna I / SUB5]

NR TDD Band n41_ 100 MHz Bandwidth Conducted Power_ Antenna B/MAIN2, SRS #1

	Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]	MPR [dB]
				518598	
				2 592.99 MHz	
RSI = 0,2,3,4	100 MHz	30	DFT-s QPSK	17.02	0
RSI = 1	100 MHz	30	DFT-s QPSK	14.01	0

NR TDD Band n41_ 100 MHz Bandwidth Conducted Power_ Antenna G/SUB3, SRS #2

	Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]	MPR [dB]
				518598	
				2 592.99 MHz	
RSI = 0,2,3,4	100 MHz	30	DFT-s QPSK	19.57	0
RSI = 1	100 MHz	30	DFT-s QPSK	16.40	0

NR TDD Band n41_ 100 MHz Bandwidth Conducted Power_ Antenna C/MAIN3, SRS #3

	Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]	MPR [dB]
				518598	
				2 592.99 MHz	
RSI = 0,2,3,4	100 MHz	30	DFT-s QPSK	17.75	0
RSI = 1	100 MHz	30	DFT-s QPSK	14.99	0

[NR TDD Band n77(Power Class 2) SRS Conducted Power]

NR TDD Band n77(Power Class 2)_ 100 MHz Bandwidth Conducted Power_ Antenna I/SUB5, SRS#1

	Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
				650000	662000	
				3 750 MHz	3 930 MHz	
RSI = 0,2,3,4	100 MHz	30	DFT-s QPSK	17.43	16.04	0
RSI = 1	100 MHz	30	DFT-s QPSK	14.49	13.09	0

NR TDD Band n77(Power Class 2)_ 100 MHz Bandwidth Conducted Power_ Antenna E/SUB1, SRS#2

	Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
				650000	662000	
				3 750 MHz	3 930 MHz	
RSI = 0,2,3,4	100 MHz	30	DFT-s QPSK	17.30	15.17	0
RSI = 1	100 MHz	30	DFT-s QPSK	14.40	12.10	0

NR TDD Band n77(Power Class 2)_ 100 MHz Bandwidth Conducted Power_ Antenna C/MAIN3, SRS#3

	Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
				650000	662000	
				3 750 MHz	3 930 MHz	
RSI = 0,2,3,4	100 MHz	30	DFT-s QPSK	17.49	16.32	0
RSI = 1	100 MHz	30	DFT-s QPSK	14.46	13.32	0

[NR TDD Band n77_DoD(Power Class 2) SRS Conducted Power]

NR TDD Band n77_DoD(Power Class 2)_ 100 MHz Bandwidth Conducted Power_ Antenna I/SUB5, SRS#1

	Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]	MPR [dB]
				633334	
				3 500.01 MHz	
RSI = 0,2,3,4	100 MHz	30	DFT-s QPSK	17.39	0
RSI = 1	100 MHz	30	DFT-s QPSK	14.46	0

NR TDD Band n77_DoD(Power Class 2)_ 100 MHz Bandwidth Conducted Power_ Antenna E/SUB1, SRS#2

	Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]	MPR [dB]
				633334	
				3 500.01 MHz	
RSI = 0,2,3,4	100 MHz	30	DFT-s QPSK	17.09	0
RSI = 1	100 MHz	30	DFT-s QPSK	14.05	0

NR TDD Band n77_DoD(Power Class 2)_ 100 MHz Bandwidth Conducted Power_ Antenna C/MAIN3, SRS#3

	Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]	MPR [dB]
				633334	
				3 500.01 MHz	
RSI = 0,2,3,4	100 MHz	30	DFT-s QPSK	17.08	0
RSI = 1	100 MHz	30	DFT-s QPSK	13.94	0